

Tano, Kouadio; Faminow, Merle D.; Kamuanga, Mulumba; Swallow, Brent

Working Paper

Using conjoint analysis to estimate farmers' preferences for cattle traits in West Africa

Nota di Lavoro, No. 1.2002

Provided in Cooperation with:

Fondazione Eni Enrico Mattei (FEEM)

Suggested Citation: Tano, Kouadio; Faminow, Merle D.; Kamuanga, Mulumba; Swallow, Brent (2002) : Using conjoint analysis to estimate farmers' preferences for cattle traits in West Africa, Nota di Lavoro, No. 1.2002, Fondazione Eni Enrico Mattei (FEEM), Milano

This Version is available at:

<https://hdl.handle.net/10419/119610>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



Fondazione Eni Enrico Mattei

Using Conjoint Analysis to Estimate Farmers' Preferences for Cattle Traits in West Africa

Kouadio Tano^a, Merle D. Faminow^b,
Mulumba Kamuanga^c and Brent Swallow^d
NOTA DI LAVORO 1.2002

JANUARY 2002

| |
|--|
| SUST - Sustainability Indicators and Environmental Evaluation |
|--|

^aCentre Ivoirien de Recherches Economiques et Sociales (CIRES), Université d'Abidjan/
Cocody, Côte d'Ivoire

^bInternational Centre for Research in Agroforestry (ICRAF),
Lima 12, Peru

^cInternational Livestock Research Institute (ILRI), ILRI-CIRDES-
ITC PROCORDEL

C/o Centre International de Recherche-Développement sur l'Élevage en Zone Subhumide (CIRDES),
Burkina Faso

^dInt'l Centre for Research in Agroforestry (ICRAF), Nairobi, Kenya

This paper can be downloaded without charge at:

The Fondazione Eni Enrico Mattei Note di Lavoro Series Index:

http://www.feem.it/web/attiv/_attiv.html

Social Science Research Network Electronic Paper Collection:

<http://papers.ssrn.com/abstract=XXXXXX>

Fondazione Eni Enrico Mattei
Corso Magenta, 63, 20123 Milano, tel. +39/02/52036934 – fax +39/02/52036946
E-mail: letter@feem.it
C.F. 97080600154

SUMMARY

This paper estimates the preferences of farmers for cattle traits in southern Burkina Faso using Conjoint analysis, a survey-based system for measuring preferences for multiple-attribute goods. Here the technique is used in the context of a West African country where literacy is low, where cattle perform multiple functions, where low-input management is the norm, and where cattle are exposed to a number of tropical diseases and other environmental stresses. The results reflect the production practices of the region, suggesting that important traits in developing breed improvement programs should include disease resistance, fitness for traction and reproductive performance. Beef and milk production are less important traits. The study shows the potential usefulness of conjoint analysis for quantifying preferences in less developed countries for livestock and for the wide variety of other multiple-attribute goods. Distinguishing differences in preferences between groups of respondents in connection with specific locations and production systems can be used to promote conservation-through-use of breeds at risk of extinction.

Keywords: Animal traits, breeds, farmer preferences, Conjoint analysis, West Africa

NON TECHNICAL SUMMARY

A choice experiment study carried out in Burkina Faso identifies the most important traits for incorporation into breed improvement program goals as being disease resistance, fitness for traction and reproductive performance. Beef and milk production are less important. The results, which permit the identification of differences in preferences between groups of respondents in connection with specific locations and production systems, provide important information that can be used to promote the conservation of breeds at risk of extinction.

CONTENTS

| | | |
|----|--|----|
| 1. | Introduction | 3 |
| 2. | Using Conjoint analysis to value cattle traits | 5 |
| 3. | Experimental design and data collection methodology | 7 |
| | 3.1 Applying conjoint analysis in developing countries | 8 |
| | 3.2 Design of the Conjoint Survey for Farmers' Breed Preferences in Burkina Faso | 9 |
| 4. | Results and discussion | 11 |
| | 4.1 Main effects | 11 |
| | 4.2 Interaction effects – specific groups | 12 |
| | 4.3 Relative importance of traits | 14 |
| 5. | Conclusions | 16 |
| | References | 18 |

1. Introduction

Livestock make several valuable contributions to African agriculture. Most obviously, cattle, sheep and goats produce milk and meat for home consumption and sale. Milk and meat comprise about 25 percent of the value of agricultural products produced in Africa (USDA, 1990 in Winrock International, 1992, p. 11). Livestock, particularly cattle, donkeys, horses and camels, are important sources of draft power for cultivation and transport. Animal traction allows farmers to increase cultivated area, labour productivity and allocative efficiency (Savadogo et al., 1998). Livestock also play important roles in the processes of nutrient cycling and transfer, thus contributing to the sustainability of cropping systems that use little or no inorganic fertilizer (Powell and Williams, 1995). In addition to direct offtake and farming system improvement, livestock are also valued for their roles in the farm economy because they are used to reduce income risk and provide a substitute for missing insurance and credit markets.

The productivity of Africa's livestock is low. The bovine raised in the humid and sub-humid grasslands produces an average of 13.8 kilograms of beef per year in Africa, compared to 34.1 kilograms in Central and South America and 85.5 kilograms per year in the OECD countries (Seré and Steinfeld, 1995). In order to keep pace with expected increases in the demands for meat and milk, Africa's domestic supplies will have to increase by an average of four percent per year at least until the year 2025 (Winrock International, 1992). Achieving this growth will require sustained improvements in the supplies of feed, animal health supplies and services, the genetic capacity of the cattle, sheep and goat populations, and the overall system of incentives faced by farmers.

Winrock International (1992) argues that improvements in genotype are particularly important for the sub-humid zone, the zone with the highest potential for productivity growth despite the many diseases and environmental stresses to which livestock are exposed. Indigenous genotypes, such as the N'Dama and West African shorthorn, need to be multiplied, better exploited, and cross-bred with more productive European breeds. Large programmes of artificial insemination are, at best, only part of the answer. New genotypes must be well-adapted to the environment, capable of performing multiple functions, and must possess traits that are appealing to the smallholder farmers that own the large majority of the cattle.

Various types of consultative processes and farm surveys can be used to better understand the preferences of African farmers for cattle traits. Self-explicative ratings and rankings can shed some light, but usually cannot provide insight into the substitutions and complementarities that farmers consider when they make upstream choices about the breed. Cattle breeds tend to differ in a number of ways, so it is unlikely that farmers would face choice decisions that focus on each animal trait individually. Instead, farmers usually face choices involving tradeoffs between desirable characteristics.

The main systems of cattle production in southern Burkina Faso are mixed-crop farming, beef and milk and subsistence farming systems. Mixed-crop farming, the dominant system, integrates cattle and crop production, with cattle mainly providing draught power and manure, while crops provide fodder and residues to cattle and income for the subsistence of the family. The second largest cattle production system, the beef and milk system is primarily a market-oriented and provides the majority of the domestic sale of cattle and milk and exports of live cattle to the neighbouring countries. The subsistence system is more a traditional way of subsistence than a production system designed for optimal offtake. However, cattle play a wide range of functions such as store of wealth, insurance against risks and misfortunes, milk, means of transport, manure and various social needs (funerals, sacrifices and dowry). The two study sites—Pays Lobi and Kourouma—are representative of large areas of sub-humid West Africa. More details on the study sites, breeds and production systems is given in Withheld (1998).

This paper describes a study in which conjoint analysis was used to quantify farmers' preferences for cattle traits in the sub-humid zone of West Africa. It was partly motivated by the desire to provide a better understanding of farmers' preferences for cattle so that specific programme to encourage adoption and use of trypanotolerant cattle could be assessed (Tano et al, 1998). The selected study sites have high potential for expansion of agricultural production, but now support relatively low populations of people and livestock. Tick-borne diseases and trypanosomosis, transmitted by the tsetse fly, are severe constraints on animal health and productivity. Thus the study focuses particular attention on farmers' preferences for disease resistance, relative to other important traits, which could be introduced through breeding programs that utilize indigenous genotypes.

2. Using Conjoint Analysis to Value Cattle Traits

The conceptual foundation of conjoint analysis arises from the consumer theory developed by Lancaster (1966, 1991) which assumes that utility is derived from the properties or characteristics of goods (Ratchford, 1975). A major implication is that the overall utility for a good can be decomposed into separate utilities for its constituent characteristics or benefits (Louviere, 1994). In terms of the utility function, this translates into using the characteristics of goods as the arguments of the function. Conjoint analysis and hedonic price analysis are alternative empirical applications to the Lancaster consumer theory (Withheld, 1998; Rosen, 1974; Griliches, 1971).

The hedonic price technique has been widely used to estimate marginal values for animal characteristics (Faminow and Gum, 1986; Lambert et al., 1989; Schroeder et al., 1988). However, using hedonic price analysis to estimate cattle owners' preferences in rural Africa can be very difficult. First, most cattle transactions do not take place in formal markets where transactions are transparent and easily recorded. Rather, transactions usually take the form of private agreements between buyers and sellers using cash, barter or exchange. Second, many cattle are never traded or sold, but stay within the farm household or are passed on to other households through traditional practices such as dowry. Third, breeding cattle and young animals are thinly traded in African markets. Fourth, unfamiliar breeds are very rarely traded. In such circumstances, the collection of price data is likely to be incomplete and can suffer from substantial measurement errors.

Conjoint analysis is an experimental-based tool that can also be used to guide the development of breed improvement programs (Baidu-Forson et al., 1997). Data are generated through a survey in which respondents are asked to rate products with alternative levels of important characteristics. Tradeoffs between characteristics can be studied, including wider variation in relevant variables than might be observed in actual field data. Thus, researchers can guide new breed improvement programs by presenting characteristics of hypothetical cattle. Those data can provide information about the marginal values of the specified levels of traits. The marginal values can be used to generate preferences of producers of existing or hypothetical products that are described in terms of the levels of traits. The overall preference of a specific profile is obtained by adding up the estimated coefficients of the levels of traits that make up the profiles. This is particularly relevant for assessing the potential and overall utility of genetically

improved breeds. The results of a conjoint analysis study can complement the offtake-based selection indexes traditionally used by animal breeders and also distinguish differences in preferences between groups of respondents (Amer et al., 1994; Sy et al., 1997). Assessing these differences in connection with locations and production systems can lead to viable programme for *in situ* conservation of breeds at risk of extinction.

Conjoint analysis is best utilized as an alternative to hedonic estimation when transactions data are poor. Because preferences are measured directly, the results are less likely to be adversely affected by traits that are not priced or transactions that do not occur through organized markets (or occur for non-consumptive purposes). In rural regions of Burkina Faso, the majority of livestock transactions still are private agreements, although formal markets are increasing in number and volume.

Sy et al. (1997) propose that the utility an individual will derive from choosing a given cattle breed is a function of the characteristics of the breeds, the individuals' socio-economic background, the interaction between the individuals' background and the characteristics of the breed. Since utility is not directly observable, a choice variable representing ratings or rankings of animals is used in empirical work in place of utility. The choice variable is related to utility as follows:

$$\begin{aligned}
 R &= 1 \quad \text{if } 0 \leq U \leq \gamma_1 & (1) \\
 R &= 2 \quad \text{if } \gamma_1 < U \leq \gamma_2 \\
 &\vdots \\
 &\vdots \\
 &\vdots \\
 R &= \omega \quad \text{if } U > \gamma_{\omega-2}
 \end{aligned}$$

where U are the unobservable utility levels, R 's are preference ratings and γ 's are the threshold variables or cut-off points that link the respondents' actual preferences and the ratings. Using the choice variable, the empirical model is written as:

$$R = \alpha + X \beta + Y \lambda + e \quad (2)$$

where R is a vector of preference ratings (0, 1, 2, ..., n), X is a vector of non-stochastic variables capturing the levels of traits, Y is a vector of non-stochastic variables capturing the interaction between the levels of traits and farmers' background, β is a vector of marginal utilities for the levels of traits, λ is a vector of marginal impacts of the interaction between the levels of traits and individuals' background and e is a disturbance term. The marginal values β and λ are estimated from observations on R , X and Y . When the dependent variable is discrete (i.e., like ratings, preferred choice), a discrete choice estimator is appropriate (for an application, see Scarpa et al. in this issue) (Greene, 1990; Sy et al., 1997). The λ vector measures the variability in preferences due to the interaction between farmers' background and the levels of traits. Farmers with the same estimated λ have similar preferences, and would make up one segment of the market. Thus, estimates of λ can be used to assess preferences across production systems to determine if a segmentation approach to breed improvement is warranted.

It is common in conjoint analysis to use an effect-coding procedure for categorical independent variables. In an effect-coding the usual (0-1) dummy system is replaced by a (-1, 1) system for two trait levels where -1 is used for the variables that are normally excluded in order to avoid the dummy trap during the estimation. (When there are three trait levels a (-1, 0, 1) system is used.) The use of effect-coding generates estimates that measure the marginal change in the dependent variable as a result of a unit change in the independent variable (Pedhazur, 1982). Effect-coding also implies that the sum of the estimated coefficients of a group of variables (e.g., all the levels of a given trait) is constrained to be equal zero (Jain et al., 1979; Pedhazur, 1982). This, in turn, implies that the estimates of the variables that were not used in the regression can be computed as the negative of the sum of the estimated coefficients of the level of trait that were used in the estimation.

3. Experimental Design and Data Collection Methodology

Conjoint analysis was first developed for, and primarily applied in, marketing studies of consumer goods in developed economies. Adaptation to animal breeding in a traditional

livestock system with low literacy and multiple languages poses particular problems which require several modifications to the standard methodology.

3.1 Applying conjoint analysis in developing countries

Researchers must take great care to design a survey that provides clear and unambiguous information about the choices that the respondents are asked to make. The survey should also present respondents with enough choices that their preferences are sufficiently investigated, but must not overload them with too many choices or give them too much information about each choice. When there is information overload, survey respondents tend to simplify the evaluation process by ignoring less important characteristics or by ignoring the levels themselves, especially when they have to evaluate profiles with a large number of levels (Green and Srinivasan, 1990). The potential for information overload is intensified in applications of the technique in developing countries such as Burkina Faso.

In conjoint studies, stimuli can be presented to respondents in one of the following three ways: verbal descriptions, paragraph descriptions, and pictorial representations (Weiner, 1993; Cattin and Wittink, 1982). Verbal descriptions use cards in which each level of traits is described in a brief line item fashion, while paragraph descriptions give a more detailed description of each level (Weiner, 1993). Pictorial representations use some graphical images to present the levels of traits. A survey of the commercial use of conjoint analysis in the United States indicated that verbal and paragraph descriptions of profiles were used by 70% of the surveyed practitioners (Cattin and Wittink, 1982). About 19% of them used pictorial representations in combination with verbal descriptions.

Verbal and paragraph descriptions are convenient, straightforward and inexpensive. However, high illiteracy levels and language differences in the Burkina Faso population make data collection more complex and pictorial representations were required to present the differences in levels of traits. Visual materials help respondents to process the information, thereby facilitating the interpretation and rating of the profile (Holbrook and Moore, 1981). The main disadvantage comes from the additional time that is necessary to conduct field interviews in order to ensure that respondents are interpreting the pictures in a similar manner.

Cattle profiles (descriptions of hypothetical cattle presented in a trait-by-trait format) are used to elicit ratings. The number of profiles used in a conjoint study depends on the numbers of traits and levels of each trait that are used. Empirical studies have shown that respondents have

difficulty evaluating profiles defined on more than six characteristics (Green and Srinivasan, 1990). For example, Sy et al.(1997) used six traits with either two or three trait levels in their study of breed preferences in Canada.

3.2 Design of the Conjoint Survey for Farmers' Breed Preferences in Burkina Faso

Cards with pictorial representations of the differences in the levels of traits were used to demonstrate each cattle profile to survey respondents. Examples of the cards that were used are reproduced in Withheld (1998).

The multiple-product and multiple-stress environment in Burkina Faso increases the number of criteria that farmers consider when making choices about breed. Initially, lists of 14 traits of bulls and 15 traits of cows were developed. It was necessary to reduce these to a more workable number of traits using the participatory consultative procedures described by Withheld (1998). Using the pictorial representations of the traits made it even more important to reduce the number of choices presented to the respondents as much as possible. Seven traits of bulls and seven traits of cows were ultimately defined and used in this study (Table 1).

Two survey designs were developed for both cows and bulls. One design for each was comprised of the four traits which were individually ranked as most important, while the second design (one for each of cows and bulls) included the remaining traits. To assign traits to the first and second designs, a statistical analysis of individual rankings of traits by farmers was performed (see Withheld, 1998). The final assessment of the relative importance of the traits was provided by a statistical analysis using the Wilcoxon nonparametric matched-pair signed-ranks test, a nonparametric equivalent of the paired t-test that is usually needed to see whether or not two dependent samples have equal means (Withheld, 1998). These statistical rankings indicated that the four highest ranked traits of bulls were fitness to traction, weight gain, disease resistance and feeding ease. These were used to construct the profiles of bulls in the first design, while fertility, temperament and size were added to disease resistance to construct the profiles in the second design for bulls. The first design of cows used reproductive performance, milk yield, weight gain and disease resistance while feeding ease, temperament, size and disease resistance were used in the second design. Disease resistance was used as a common trait in the two designs (for each of bulls and cows) for three reasons: (1) it is the key limiting factor in cattle productivity; (2) it was the highest rated trait according to an explicit ranking of traits by farmers

and (3) the research team was assessing the potential for a breeding program to introduce disease resistance from indigenous cattle genotypes.

Given that each trait has two levels, there are $2^4 = 16$ possible cattle profiles for each experimental design in a full factorial design, which will make data collection quite impractical. The number of profiles was reduced to a manageable size using an orthogonal or fractional factorial design which treated all attributes as independent and precluded collinearity between them in an empirical model (Mackenzie, 1993). The use of a fractional factorial design resulted in a randomized selection of eight profiles in each individual questionnaire (SPSS, 1994). Each profile is shown in the form of a card representing an hypothetical cattle breed that was described in terms of the levels of traits included in the experimental design. For example, the eight profiles of bulls used in the first experimental design are shown in Table 2.

Data were collected in January and February 1996. The sample size was 299 cattle-owning households, all of whom had participated in an earlier survey conducted by the authors. The survey was specifically targeted at cattle owners since they are the ones who will purchase the animals that might be generated by a breeding scheme. In West Africa many agricultural households that own cattle either employ herders or entrust the herding and day-to-day management of their cattle to pastoralists. Herders and herd managers are often remunerated in terms of milk: we thus expect herders and herd managers to emphasize milk production more than would herd owners (Itty, 1992). During personal interviews cattle owners were asked to consider eight profiles of bulls (cows) and give a rating to each profile using a five-point (1-5) preference scale, where 5 means the most desirable animal for the respondent's cattle operations, 1 the least desirable animal and ratings 2 to 4 represented desirability between the two extremes. Five wooden sticks with increasing lengths were used to represent the preference scale, with the longest stick used for the highest preference (5), the shortest stick for the least desirable profile (1). The sample was split between the two experimental designs.

Response elicitation began with the enumerator explaining the meaning of the levels of traits represented by special drawings. Then the cattle owner was asked to explain his (her) understanding of the levels of traits. This usually took 30 to 45 minutes. These preliminary explanations were provided in order to make sure that the drawings were providing the information that was intended in the survey. After considering all eight profiles, cattle owners evaluated each profile by assigning a stick reflecting his (her) preference. Ratings of profiles were recorded using a pre-prepared questionnaire shown in the appendix, along with an example of

drawings showing a profile of bulls used in the first experimental design. Despite the additional time necessary to do the ratings and the cost of making the drawings, the approach made the pictorial profiles more realistic and helped reduce perception differences.

4. Results and DiscussionError! Bookmark not defined.

The analysis was conducted with the iterative maximum likelihood procedure for Ordered Probit in Limdep (Greene, 1995). Four models, including two models of bulls and two models of cows, were estimated. Since all the traits considered in this study have two levels, during the estimation one level was left out. Recall that for each trait, the estimate of the variable that has been left out is the negative of the estimate of the level that was included in the regression. The ratings that farmers gave to the profiles to express their overall preference was the dependent variable and the independent variables were the traits and interactions between the traits and the producers' characteristics.

Three main interaction variables were initially considered: type of production system (subsistence, milk and beef, mixed crop-livestock), location (the districts of Pays Lobi and Kourouma) and farmer's origin (indigenous and migrant). The production systems variable was selected for final estimation because the different production systems are related to both location and farmer origin.

4.1 Main Effects

Model 1 for bulls was fit to data collected with the first design (4 highest rated traits) and is used to estimate partworth values for disease resistance, rapid weight gain, poor fitness to traction and selective grazing habit. Model 2 for bulls was fit to data collected for second design (disease resistance and 3 lowest rated traits) and used to estimate partworth values for disease resistance, small size, high fertility and difficult temperament. Model 1 of cows was fit to data collected with the first design (4 highest rated traits) and used to estimate partworth values for disease resistance, rapid weight gain, low reproductive performance and low milk yield. Model 2 for cows was fit to data collected with the second design (disease resistance and 3 lowest rated traits) and used to estimate partworth values for disease resistance, selective grazing habit, difficult temperament and small size.

The estimated results for bulls are indicated in Table 3 and the results for cows are indicated in Table 4. The overall significance of the models is assessed using the likelihood ratio statistic, which is distributed as a χ^2 . The critical levels for 12 and 16 degrees of freedom at the 1% level of significance are 39.14 and 45.92, respectively, with the likelihood ratios for all the models much larger than the critical values.

The significance of the individual parameters was assessed using the p-value which is an alternative way to assess individual significance of estimates in Maximum Likelihood Estimation. The p-value is the lowest significance level at which a null hypothesis can be rejected (Mirer, 1988; Gujarati, 1992). Under the null hypothesis, the p-value represents the probability that the computed statistic is larger than it actually is; and a small p-value would mean that the result is quite unlikely and would lead to rejecting the null hypothesis, thereby failing to reject that the estimated coefficient is statistically significant.

Results of the main effects for bulls shown on Table 3 indicate that all four levels of traits considered in both models of bulls were statistically significant and have the expected sign. For example, selective grazing habit has a negative sign, indicating that respondents prefer cattle which are not selective in the type of grass they will eat or the quality of water they will drink. Poor ability in traction of bulls is also negative. In contrast, high fertility, disease resistance and rapid weight gain have positive signs.

Similarly, the model for cows shown in Table 4 indicates that all four levels of traits were statistical significant and with expected signs. Selective grazing habit again has the expected negative sign. Low reproductive performance has a negative impact on herd productivity and herd size, so a negative sign was expected. As small sized animals do not yield high market value, the negative sign is also expected. Disease resistance and rapid weight gain have the expected positive signs, as in the models for bulls.

4.2 *Interaction Effects — Specific Groups*

One important issue is the existence of differences in preferences among producers. Are producers preferences homogeneous or can they be segmented? Interaction variables representing the main farming systems were used to test the impact of the levels of traits and the farming systems (Table 5).

The partworth values for each farming system were computed by adding up partworth values of the average farmer indicated in Tables 3 and 4 and the incremental partworth values due

to the interaction variables for the different farming systems. Only the coefficients of the interactions that were statistically significant were used. Non-significance of the interaction variables means that preferences of the given producer group for the specified levels were not different from the preferences of an average farmer.

Table 5 indicates that no segmentation of producers groups can be identified on the basis of disease resistance and rapid weight gain of bulls. For disease resistance, this result confirms its importance as perceived by all cattle owners in the study area (i.e., they do not perceive it differently). Assuming that cattle owners use different disease management strategies, this implies that disease resistance is a general concern. In contrast, rapid weight gain in bulls is equally less preferred by all cattle owners. This general low preference for rapid weight gain may indicate that rapid weight gain in bulls was not perceived as important as traits such as disease resistance, fitness to traction or fertility.

The results also show variable partworth values for selectivity in feed. Mixed crop-livestock farmers have the lowest preference for this trait. They usually are crop producers who feed their animals using some of the crop residues, so selective preferences for grass are less of a problem for them. Some farmers may be less directly concerned by the issue because most of their cattle are managed by hired herders who did not participate in the interviews. Alternatively, milk and beef producers and subsistence farmers usually rely less on crop residues and / or manage their own cattle. They dislike feed selectivity more.

There are also significant differences in preferences for animal traction. Subsistence farmers do not use cattle for traction and have lower preference for fitness to traction than milk and beef producers who use some traction for food production. In fact, most milk and beef producers are pastoralist Fulani who live far from any market and produce their own food. Fulani raise Zebu cattle, which are the most suitable cattle for traction, and may use draught power to grow cereal crops on a limited scale. Mixed crop-livestock farmers produce food crops for home consumption and grow cash crops. The use of traction for cash-crop production has been extensively promoted in most of the cotton-growing zones of West Africa. This is probably why mixed crop-livestock farmers are the group of farmers who preferred fitness-to-traction the most.

The differences in preferences for difficult temperament are related to the use of hired herders. Most mixed crop-livestock farmers and milk and beef producers use specialized herders, while most milk and beef producers use adult family members to herd the animals. Even though

they dislike difficult temperament, both types of producers have less concern for this trait than subsistence farmers who use younger members of their family.

The differences in preferences for size of animals can be explained either by the needs for draught purposes (mixed crop-livestock farmers) or the market value of the animals (milk and beef producers). Subsistence farmers who do not use cattle for traction seem less concerned about this trait.

Different preferences for the reproductive performance of cows can be attributed to differences in the role of livestock in farming systems. We hypothesize that mixed crop-livestock farmers are most interested in animal traction, less interested in meat and milk off-take, and thus are less concerned about low reproductive performance. In contrast, we hypothesize that subsistence farmers are most interested in maintaining the size of their herds because they have poor access to markets and because their cattle play such a variety and complexity of roles (meat offtake, dowry, insurance, social events). Low reproductive performance is of great concern because of its impact on herd size and productive capacity. Milk and beef producers are more interested in off-take than mixed crop-livestock farmers, but they are specialized cattle producers who may have alternative management ways of overcoming low reproductive performance.

Low milk yield is less of a problem for mixed crop-livestock farmers than the other groups because most of their milk goes to their herders whose salary usually includes milk off-take. In contrast, subsistence farmers manage their own cattle and use any milk they can get for consumption or sale. The fact that milk and beef producers have a lower preference for milk offtake than subsistence farmers was not expected.

As in the case of bulls, large size in cows was preferred because it has an impact on the market value of the animals. Milk and beef producers, who are more interested in off-take, are more affected by cow size than mixed crop-livestock farmers, who generally own male animals for traction.

4.3 *Relative Importance of Traits* **Error! Bookmark not defined.**

Since the partworth values for the traits are measured on a relative basis, traits used in the two models can be compared. In conjoint studies, this comparison is achieved by computing the relative importance score for each trait. The relative importance score for a given trait is the ratio of the partworth range for that particular trait (difference between highest and lowest partworth values) and the sum of all the partworth ranges. This ratio provides an indication of the traits the

survey respondents valued most highly. Results about the relative importance of traits are presented in Table 6 for the traits of bulls and Table 7 for the traits of cows.

In model 1 for bulls, fitness to traction and disease resistance were the most important traits. Feeding ease and weight gain were less preferred. In model 2 for bulls, disease resistance and fertility were the most important traits, followed by temperament and size. Fitness to traction has a direct link to crop production, one of the main purposes for raising cattle in the study area. Fitness to traction may also have impacts on income that could be generated by renting out animals for draught power.

Reproductive performance and disease resistance were the most important traits in model 1 for cows, while disease resistance and feeding ease were the most important traits in model 2. Like fertility of bulls, the reproductive performance of cows had a significant impact on the herd size and off-take. Feeding ease in cows (especially in dry season) has a significant impact on the reproductive performance of the herd, which may have further impacts on various income generation activities. Again, disease resistance was an important trait of cows.

Given that both designs of bulls and cows had one trait in common, and all conjoint partworth values are relative measures (Sy et al., 1997), it is possible to combine all partworth values of the levels of traits included in each case (bulls or cows) and compute a unique index that shows the relative importance of each trait. This provides a way to overcome the limitations created by the need to limit choices in the survey to four traits, each at two levels. As noted earlier, estimates of disease resistance in both models of bulls and cows were quite close, which gives support to the construction of a common index reflecting a preference ordering based on the entire set of traits. In constructing the overall index, the average of the two estimates of coefficients in each case (bulls and cows) was used. The overall index of relative importance of the traits is shown in the last columns of Table 6 (bulls) and Table 7 (cows).

On the basis of the overall index, the relative importance of the traits for bulls can be established as follows: fitness to traction, disease resistance, fertility, temperament, feeding ease, size and weight gain. In the same way, the most important traits of cows were found to be: reproductive performance, disease resistance, feeding ease, weight gain, temperament, milk yield and size.

Table 8 was constructed in order to see how these results compare with farmers' explicit ranking of individual traits. This table combines results from the conjoint study with the statistical rankings described in Withheld (1998). The results indicate some differences between

the two methods, especially regarding the relative importance of milk yield and feeding ease for cows. Milk yield was individually ranked second by farmers but the conjoint process revealed it to be less important. For bulls, the differences in the two methods concern feeding ease and weight gain. For the other traits, both methods yield fairly similar results.

Kendall's (Kendall, 1970; Daniel, 1990) coefficient of concordance (normally ranges from 0, indicating no agreement or independence, to 1 which indicates perfect agreement among the rankings) was computed at 0.55 for bulls and 0.52 for cows. Both coefficients are only statistically significant at only the 10% level. This suggests that simply asking farmers their preferences for traits of cattle, which would normally be done using consultations, may result in dis-concordant rankings relative to when they are faced with a choice among cattle with different traits.

5. Conclusions

The method of conjoint analysis was used to estimate preferences of cattle in southern Burkina Faso for seven important traits of bulls and cows identified from a survey of cattle owners. There are three main results.

First, the estimated models indicate that all of the traits were statistically significant with the expected signs. Fitness to traction and disease resistance, and disease resistance and fertility, were the most preferred traits in the first and second models of bull preferences. The most preferred traits for cows were reproductive performance and disease resistance in the first design and disease resistance and feeding ease in the second design. The technique used to combine the two sets of results for both bulls and cows confirmed these results. Thus, resistance to disease has been revealed in both explicit rankings by livestock owners and through conjoint analysis as a key factor in efforts for genetic improvement. These results suggest that farmers in these tsetse-affected areas do not focus on trypanotolerance per se, but on resistance to a variety of diseases. D'Ieteren et al. (1998) note that the trypanotolerant breeds, particularly the N'Dama, have been shown to be resistant to trypanosomosis and a number of tick-borne infections such as dermatophilosis, heartwater, bovine anaplasmosis and bovine babesiosis. In addition, there is also evidence that N'Dama are resistant to ticks and internal parasites. According to D'Ieteren et al. (1998), it appears that the combination of these traits, rather than resistance to individual diseases, is what farmers value and what they tend to associate with the West African *Bos taurus* cattle

breeds. Breeding for improved resistance to trypanosomosis should not be at the expense of increased susceptibility to other diseases.

Second, several significant differences in preferences among cattle producers for the levels of traits were found: (a) subsistence farmers have the lowest preference for fitness to traction and small size and the high preference for easy temperament; (b) milk and beef producers have the highest preferences for bulls that are non-selective grazers and large-sized cows; and (c) mixed crop-livestock farmers have the lowest preference for non-selective grazers, high reproductive performance, high milk yield and the highest preference for fitness to traction. The fact that there was no detectable differences among cattle producers based on disease resistance confirms the importance of disease resistance to all cattle owners in the study area.

Third, off-take of beef and milk is often used as the basis for development of a selection index for breed improvement. In the case of smallholders in Burkina Faso (and likely elsewhere in West Africa) reliance on offtake for breed selection is not advised. Traits related to beef and milk off-take were consistently ranked below other factors such as fitness for traction and disease resistance, reflecting the use of cattle as an energy input in farming and substitute for credit and insurance markets.

These results indicate that all types of farmers in southern Burkina Faso value the adaptation traits, especially disease resistance, of the indigenous cattle breeds. To be consistent with those preferences, breed improvement programmes should ensure that improved genotypes maintain disease resistance at the same time as they improve reproductive performance and fitness to traction. Improved milk production, achieved for example by cross-breeding with European dairy breeds, does not appear to be important to most farmers.

Finally, differences in preferences between groups of respondents as distinguished through conjoint analysis can be extended to locations and specific production systems for *in situ* conservation of trypanotolerant breeds at risk of extinction. We believe the best way to achieve this is conservation-through-use. This strategy explicitly recognizes that animal genetic resources are natural-capital assets of farming communities (Brush, 1991; Faminow and Weber, 2001) and that mechanisms can be developed in a participatory manner to manage the resources for sustainable use and conservation.

REFERENCES

- Amer, P. R., Fox, G. C., Smith, C., 1994. Economic weights from profit equations: Appraisal their accuracy in the long run. *Animal Production*, 58, 11-18.
- Baidu-Forson, J. B., N'tare R., Waliyar, F., 1997. Utilizing conjoint analysis to design modern crop varieties: empirical example for groundnut in Niger, *Agricultural Economics*, 16(3), 219-226.
- Brush, S.B. (1991). A farmer-based approach to conserving crop germplasm. *Economic Botany*, 45 (2), 153-165
- Cattin P., Wittink, D. R., 1982. Commercial use of conjoint analysis: A survey, *Journal of Marketing*, 46, 44-53.
- Daniel W. W (1990). *Applied nonparametric statistics*. 2nd edition. Boston: PWS-KENT Publishing Company.
- Faminow, M. D., Gum, R. L., 1986. Feeder cattle price differentials in Arizona auction markets, *Western Journal of Agricultural Economics*, 11, 156-163.
- Faminow, M.D., Weber J.C., 2001. Linking poverty and the environment: Issues in strategic management of genetic resources for sustainable livelihood options in the Amazon. Mimeo. International Centre for Agroforestry Research, Lima.
- Green, P. E. Srinivasan, V., 1990. Conjoint analysis in marketing: New developments with implications for research and practice, *Journal of Marketing*, 4, 3-19.
- Greene, W. H., 1990. *Econometric analysis*. Macmillan Publishing Co.
- Greene, W. H., 1995. *LIMDEP version 7.0 Reference Guide*. Econometric Software Inc. New York: Bellport.
- Griliches, Z. 1971. *Price indexes and quality change*. Harvard University Press, Cambridge
- Gujarati D. N., 1992. *Essentials of econometrics*. New York: McGraw-Hill, Inc.
- Holbrook, M. B., Moore, W. L., 1981. Featuring interactions in consumer judgements of verbal versus pictorial presentations, *Journal of Consumer Research*, 8, 103-113.
- D'Ieteren, G. D. M., Authié, E., Wissocq, N., Murray, M., 1998. Trypanotolerance, an option for sustainable livestock production in areas at risk from trypanosomosis," *Rev. Sci. Tech. Off. Int. Epiz.* 17(1).

- Itty, P. 1992. Economics of village cattle production in tsetse-affected areas of Africa. A study of trypanosomiasis control using trypanotolerant cattle and chemotherapy in Ethiopia, Kenya, The Gambia, Côte d'Ivoire, Zaire and Togo. Constance, Germany, Hartung-Gorre Verlag.
- Jain A. K., Acito, F., Malhotra, N. K., Mahajan, V. 1979. A comparison of the internal validity of alternatives parameter estimation methods in decompositional multiattribute preference models. *Journal of Marketing Research*, 16, 313-322.
- Kendall, M G., 1970. Rank correlation methods. 4th edition. London: Charles Griffin.
- Lambert, C. D., McNutty, M. S. Grunewald O. C., Corah L. R., 1989). An analysis of feeder cattle price differentials, *Agribusiness: An International Journal*, 5, 9-23.
- Lancaster, K. J., 1966. New approach to consumer theory. *Journal of Political Economy*, 74:132-157.
- Lancaster, K. J., 1991. Modern consumer theory. Edward Elgar Publishing Ltd, England.
- Louviere J. J., 1994. Conjoint analysis. In: Bagozzi R. P. (Ed). Advanced methods of market research, Blacwell Business, Massachusetts and Oxford.
- Mackenzie J. 1993. A comparison of contingent preference models. *Am. J. Agric. Econ.* 65, 593-603.
- Mirer T. W., 1988. Economic statistics and econometrics, 2nd edition, Macmillan Publishing Co.
- Pedhazur, E. J. 1982. Multiple regression in behavioral research explanation and prediction, 2nd edition, Holt, Rinehart and Winston, New York.
- Powell, J. M., Williams, T.O., 1995. An overview of mixed farming systems in sub-Saharan Africa. In: Powell, J.M., Fernandez-Rivera, R., Williams, T.O., C. Renard (eds.), *Livestock and Sustainable Nutrient Cycling in Mixed Farming Systems of sub-Saharan Africa*. ILCA: Addis Ababa, Ethiopia, pp. 21-36.
- Ratchford B. T. 1975. Then New economic theory of consumer Behaviour: An interpretive essay. *Journal of Consumer Research*, 2, 65-75.
- Rosen, S (1974). Hedonic Prices and Implicit Markets: Product Differentiation in Pure Competition. *Journal of Political Economy*, 82:34-55.
- Savadogo, K., Reardon, T., Pietola, K., 1998. Adoption of improved land-use technologies to increase food security in Burkina Faso: Relating animal traction, productivity and nonfarm income. *Agricultural Systems*, 58 (3), 441-464.

- Schroeder, T., Minter, J., Brazle F., O. Grunewald, 1988. Factors affecting feeder cattle price differentials, *Western Journal of Agricultural Economics*, 13, 71-81.
- Séré, C., Steinfeld, H. 1996. World livestock production systems: current status, issues and trends. *FAO Animal Production and Health Paper 127*. Rome: FAO.
- SPSS (1994). *SPSS for Windows, Categories 6.1*. SPSS Inc. Chicago.
- Sy, H. A., Faminow, M.D., Johnson G.V., Crow G., 1997. Estimating the values of cattle characteristics using an Ordered Probit model. *Am. J. Agric. Econ.* 79 (2), 463-476.
- Tano, K., Faminow, M.D., Kamuanga M. , Swallow, B.M., 1998. Selecting genetic traits for cattle improvement : preservation of disease resistant cattle in Africa. Paper presented at the American Agricultural Economics Association Annual Meeting, Salt Lake City, Utah, USA.
- Withheld, 1998. Genetic Preference of Smallholders and Trypanotolerant Cattle in Southern Burkina Faso.
- Weiner, J. L 1993. Alternative conjoint analysis techniques: Implications for market research. Ph D dissertation, Business of Administration, U. of Texas, Arlington.
- Winrock International, 1992. Assessment of animal agriculture in sub-Saharan Africa. Winrock International: Morrilton, Arkansas.

Table 1. Traits and levels of traits used in the experiments

| Traits | Levels | Bulls/Cows |
|---------------------------------------|--|----------------|
| Feeding ease ^{1, (2)**} | 1. Non selective 2. Selective* | Bulls and cows |
| Weight gain ¹ | 1. Rapid* 2. Slow | Bulls and cows |
| Disease resistance ^{1, 2} | 1. Resistant* 2. Susceptible | Bulls and cows |
| Reproductive performance ¹ | 1.High (1 calf/year) 2.Low (1 calf/ 3 years)* | Cows |
| Milk Yield ¹ | 1. High 2. Low* | Cows |
| Size ² | 1. Large 2. Small* | Bulls and cows |
| Temperament ² | 1. Easy to handle 2. Difficult to handle* | Bulls and cows |
| Fitness to traction ¹ | 1. Good 2. Poor* | Bulls |
| Fertility ² | 1. High 2. Low* | Bulls |

Note: (1): Used in the first experiment

(2): Used in the second experiment

* Levels with the asterisk were used in the estimated equation; the other levels were left out to avoid the dummy variable trap

** Feeding ease was used in the first design of bulls and in the second design of cows.

Table 2. Sample of profiles used in the first experiment of bulls

| | |
|--|--|
| <p>N°1</p> <p>Diseases: <i>Resistant</i></p> <p>Weight: <i>Rapid</i></p> <p>Feeding ease: <i>Selective</i></p> <p>Fitness for traction: <i>Good</i></p> <p>Rating/ 5</p> | <p>N° 2</p> <p>Disease: <i>Resistant</i></p> <p>Weight gain: <i>Rapid</i></p> <p>Feeding ease: <i>Selective</i></p> <p>Fitness for traction: <i>Poor</i></p> <p>Rating/ 5</p> |
| <p>N°3</p> <p>Diseases: <i>Susceptible</i></p> <p>Weight: <i>Low</i></p> <p>Feeding ease: <i>Selective</i></p> <p>Fitness for traction: <i>Poor</i></p> <p>Rating/ 5</p> | <p>N°4</p> <p>Diseases: <i>Susceptible</i></p> <p>Weight: <i>Rapid</i></p> <p>Feeding ease: <i>Non Selective</i></p> <p>Fitness for traction: <i>Good</i></p> <p>Rating/ 5</p> |
| <p>N°5</p> <p>Diseases: <i>Resistant</i></p> <p>Weight: <i>Low</i></p> <p>Feeding ease: <i>Non Selective</i></p> <p>Fitness for traction: <i>Poor</i></p> <p>Rating/ 5</p> | <p>N°6</p> <p>Diseases: <i>Resistant</i></p> <p>Weight: <i>Low</i></p> <p>Feeding ease: <i>Non Selective</i></p> <p>Fitness for traction: <i>Good</i></p> <p>Rating/ 5</p> |
| <p>N°7</p> <p>Diseases: <i>Susceptible</i></p> <p>Weight: <i>Low</i></p> <p>Feeding ease: <i>Selective</i></p> <p>Fitness for traction: <i>Good</i></p> <p>Rating/ 5</p> | <p>N°8</p> <p>Diseases: <i>Susceptible</i></p> <p>Weight: <i>Rapid</i></p> <p>Feeding ease: <i>Non Selective</i></p> <p>Fitness for traction: <i>Poor</i></p> <p>Rating/ 5</p> |

N. B: Survey respondents were asked to evaluate each profile using a five-point (1-5) preference scale, where 5 means the most desirable animal for the respondent's cattle operations, 1 the least desirable cattle and ratings 2 to 4 represented desirability between the two extremes.

Table 3. Main effects of levels of traits of bulls on ratings, Southern Burkina Faso

| Variables | Model 1 | Model 2 |
|--|--------------------|--------------------|
| Constant | 1.191(0.1029)*** | 0.973 (0.119)*** |
| Rapid weight gain | 0.306(0.0451)*** | |
| Selective grazing habit | -0.437(0.0452)*** | |
| Poor fitness to traction | -1.115(0.0517)*** | |
| Resistant to disease | 0.918(0.0377)*** | 0.905 (0.0505)*** |
| High fertility | | 0.831 (0.0515)*** |
| Small size | | -0.407 (0.0496)*** |
| Difficult temperament | | -0.500 (0.0460)*** |
| <i>Coefficients of threshold variables</i> | | |
| μ^1 | 0.939 (0.0521)*** | 0.939 (0.0517)*** |
| μ^2 | 2.0720 (0.0691)*** | 1.999 (0.0678)*** |
| μ^3 | 3.133 (0.0887)*** | 3.050 (0.1127)*** |
| Log likelihood (L_ω) | -1311.763 | -1275.581 |
| Restricted (slopes=0) log-likelihood | -1912.752 | -1826.218 |
| Likelihood ratio (L_R) | 1201.978 | 1100.873 |
| Significance level | 0 | 0 |
| Degrees of freedom | 12 | 16 |

*** Statistically significant at 1% level,

The likelihood ratio is computed as: $L_R = -2 (L_\Omega - L_\omega)$

The threshold variables represent a link between the utility of cattle profiles to the respondents and the numerical ratings given to the profiles

Table 4. Main effects of levels of traits of cows on ratings, Southern Burkina Faso

| Variables | Model 1 | Model 2 |
|---------------------------------------|--------------------|--------------------|
| Constant | 1.22 (0.0802)*** | 0.9092 (0.104)* |
| Low reproductive performance | -1.185 (0.0468)*** | |
| Rapid weight gain | 0.632 (0.0432)*** | |
| Low milk yield | -0.436 (0.0476)*** | |
| Resistant to disease | 0.984 (0.0424)*** | 0.884 (0.04778)*** |
| Selective grazing habit | | -0.743 (0.0466)*** |
| Small size | | -0.313 (0.0483)*** |
| Difficult temperament | | -0.518 (0.0470)*** |
| <i>Coefficients of the thresholds</i> | | |
| μ^1 | 0.9859 (0.0538)*** | 0.9580 (0.0533)*** |
| μ^2 | 2.0308 (0.0710)*** | 1.9027 (0.0651)*** |
| μ^3 | 3.3959 (0.1069)*** | 2.7749 (0.0811)*** |
| Log likelihood (L_ω) | -1218.621 | -1380.395 |
| Restricted (slopes=0) log-likelihood | -1912.685 | -1837.868 |
| Likelihood ratio (L_R) | 1388.128 | 914.647 |
| Significance level | 0 | 0 |
| Degrees of freedom | 12 | 12 |

*** Statistically significant at 1% level,

The likelihood ratio is computed as: $L_R = -2 (L_\Omega - L_\omega)$

The threshold variables represent a link between the utility of cattle profiles to the respondents and the numerical ratings given to the profiles

Table 5. Impact of interaction between levels of traits and farming systems on ratings of bulls and cows, southern Burkina Faso

| <i>Traits of bulls</i> | | | | |
|-------------------------------|--------------------|----------------------|----------------------|----------------|
| Levels of traits | Subsistence system | Milk and beef system | Mixed crop-livestock | Average farmer |
| Resistance to disease | 0.918 | 0.918 | 0.918 | 0.918 |
| Rapid weight gain | 0.306 | 0.306 | 0.306 | 0.306 |
| Selective grazing habits | -0.555* | -0.666*** | -0.089*** | -0.437 |
| Poor fitness to traction | -0.868*** | -0.908** | -1.569** | -1.115 |
| High fertility | 0.634* | 0.831 | 1.028** | 0.831 |
| Small size | -0.170** | -0.407 | -0.644*** | -0.407 |
| Difficult temperament | -0.680* | -0.5 | -0.320** | -0.5 |
| <i>Traits of cows</i> | | | | |
| Resistance to disease | 1.460* | 0.963 | 0.780** | 0.963 |
| Rapid weight gain | 0.614 | 0.614 | 0.614 | 0.614 |
| Low milk yield | -0.727*** | -0.432 | -0.138** | -0.432 |
| Low reproductive | -1.414** | -1.185 | -0.956*** | -1.185 |
| Selective grazing habit | -0.743 | -0.743 | -0.743 | -0.743 |
| Small size | -0.313 | -0.478 ** | -0.148*** | -0.313 |
| Difficult temperament | -0.518 | -0.275 *** | -0.762*** | -0.518 |

***, **, * Statistically significant at the 1, 5 and 10% levels respectively

Table 6. Relative importance of the main traits of bulls, Southern Burkina Faso

| Traits | Model 1 | Model 2 | Overall |
|---------------------|---------|---------|---------|
| Fitness to traction | 40.2 | | 24.7 |
| Weight gain | 11 | | 6.7 |
| Feeding ease | 15.8 | | 9.7 |
| Disease resistance | 33 | 34.2 | 20.2 |
| Fertility | | 31.5 | 18.6 |
| Size | | 15.4 | 9 |
| Temperament | | 18.9 | 11 |
| Total | 100 | 100 | 100 |

Source: Computed from estimates data of Tables 4.6 and 4.7

The overall importance of the traits is obtained by combining estimates of both designs as if they were coming from a single design using then following formula:

$$\psi_a = \frac{[\max (v_{ga}) - \min (v_{ga})]}{\sum \omega_a}$$

where v_{ga} is the marginal value of the g^{th} level of the a^{th} trait; ψ_a represents the relative importance for the a^{th} trait; $\sum \omega_a$ is the sum of the ranges, $[\max (v_{ga}) - \min (v_{ga})]$, across all traits.

Table 7. Relative importance of the main of cows, Southern Burkina Faso

| Traits | Model 1 | Model 2 | Overall |
|--------------------|---------|---------|---------|
| Reproductive | 36.6 | | 24.9 |
| Weight gain | 19.5 | | 13.3 |
| Milk yield | 13.5 | | 9.2 |
| Disease resistance | 30.4 | 35.9 | 19.6 |
| Feeding ease | | 30.3 | 15.6 |
| Size | | 12.8 | 6.6 |
| Temperament | | 21 | 10.8 |
| Total | 100 | 100 | 100 |

Source: Computed from estimates data of Tables 4.6 and 4.7

The overall importance of the traits is obtained by combining estimates of both designs as if they were coming from a single design using the following formula:.

$$\psi_a = \frac{[\max(v_{ga}) - \min(v_{ga})]}{\sum \omega_a}$$

where v_{ga} is the marginal value of the g^{th} level of the a^{th} trait; ψ_a represents the relative importance for the a^{th} trait; $\sum \omega_a$ is the sum of the ranges, $[\max(v_{ga}) - \min(v_{ga})]$, across all traits.

Table 8. Comparison of the relative importance of the traits of bulls and cows:
conjoint versus ranking, southern Burkina Faso

| Traits | Bulls | | Cows | |
|---------------------|----------|---------|----------|---------|
| | conjoint | ranking | conjoint | ranking |
| Fitness to traction | 24.7 (1) | 1 | - | - |
| Fertility | 18.6 (3) | 4 | - | - |
| Feeding ease | 9.7 (5) | 2 | 15.6 (3) | 5 |
| Disease resistance | 20.2 (2) | 2 | 19.6 (2) | 3 |
| Weight gain | 6.8 (7) | 4 | 13.3 (4) | 4 |
| Size | 9.0 (6) | 5 | 6.6 (7) | 7 |
| Temperament | 11.0 (4) | 3 | 10.8 (5) | 6 |
| Reproductive | - | - | 24.9 (1) | 1 |
| Milk yield | - | - | 9.2 (6) | 2 |

Source: Statistical rankings from Table 4.4

Conjoint index from Tables 4.9 and 4.10

Number in parentheses indicate the rank of the trait based on the index value.

NOTE DI LAVORO DELLA FONDAZIONE ENI ENRICO MATTEI

Fondazione Eni Enrico Mattei Working Papers Series

Our working papers are available on the Internet at the following addresses:

Server WWW: WWW.FEEM.IT

Anonymous FTP: FTP.FEEM.IT

To order any of these papers, please fill out the form at the end of the list.

| | | |
|------|---------|---|
| SUST | 1.2001 | Inge MAYERES and Stef PROOST: <u>Should Diesel Cars in Europe be Discouraged?</u> |
| SUST | 2.2001 | Paola DORIA and Davide PETTENELLA: <u>The Decision Making Process in Defining and Protecting Critical Natural Capital</u> |
| CLIM | 3.2001 | Alberto PENCH: <u>Green Tax Reforms in a Computable General Equilibrium Model for Italy</u> |
| CLIM | 4.2001 | Maurizio BUSSOLO and Dino PINELLI: <u>Green Taxes: Environment, Employment and Growth</u> |
| CLIM | 5.2001 | Marco STAMPINI: <u>Tax Reforms and Environmental Policies for Italy</u> |
| ETA | 6.2001 | Walid OUESLATI: <u>Environmental Fiscal Policy in an Endogenous Growth Model with Human Capital</u> |
| CLIM | 7.2001 | Umberto CIORBA, Alessandro LANZA and Francesco PAULI: <u>Kyoto Commitment and Emission Trading: a European Union Perspective</u> |
| MGMT | 8.2001 | Brian SLACK (xlv): <u>Globalisation in Maritime Transportation: Competition, uncertainty and implications for port development strategy</u> |
| VOL | 9.2001 | Giulia PESARO: <u>Environmental Voluntary Agreements: A New Model of Co-operation Between Public and Economic Actors</u> |
| VOL | 10.2001 | Cathrine HAGEM: <u>Climate Policy, Asymmetric Information and Firm Survival</u> |
| ETA | 11.2001 | Sergio CURRARINI and Marco MARINI: <u>A Sequential Approach to the Characteristic Function and the Core in Games with Externalities</u> |
| ETA | 12.2001 | Gaetano BLOISE, Sergio CURRARINI and Nicholas KIKIDIS: <u>Inflation and Welfare in an OLG Economy with a Privately Provided Public Good</u> |
| KNOW | 13.2001 | Paolo SURICO: <u>Globalisation and Trade: A "New Economic Geography" Perspective</u> |
| ETA | 14.2001 | Valentina BOSETTI and Vincenzina MESSINA: <u>Quasi Option Value and Irreversible Choices</u> |
| CLIM | 15.2001 | Guy ENGELN (xlii): <u>Desertification and Land Degradation in Mediterranean Areas: from Science to Integrated Policy Making</u> |
| SUST | 16.2001 | Julie Catherine SORS: <u>Measuring Progress Towards Sustainable Development in Venice: A Comparative Assessment of Methods and Approaches</u> |
| SUST | 17.2001 | Julie Catherine SORS: <u>Public Participation in Local Agenda 21: A Review of Traditional and Innovative Tools</u> |
| CLIM | 18.2001 | Johan ALBRECHT and Niko GOBBIN: <u>Schumpeter and the Rise of Modern Environmentalism</u> |
| VOL | 19.2001 | Rinaldo BRAU, Carlo CARRARO and Giulio GOLFETTO (xliii): <u>Participation Incentives and the Design of Voluntary Agreements</u> |
| ETA | 20.2001 | Paola ROTA: <u>Dynamic Labour Demand with Lumpy and Kinked Adjustment Costs</u> |
| ETA | 21.2001 | Paola ROTA: <u>Empirical Representation of Firms' Employment Decisions by an (S_s) Rule</u> |
| ETA | 22.2001 | Paola ROTA: <u>What Do We Gain by Being Discrete? An Introduction to the Econometrics of Discrete Decision Processes</u> |
| PRIV | 23.2001 | Stefano BOSI, Guillaume GIRMANS and Michel GUILLARD: <u>Optimal Privatisation Design and Financial Markets</u> |
| KNOW | 24.2001 | Giorgio BRUNELLO, Claudio LUPI, Patrizia ORDINE, and Maria Luisa PARISI: <u>Beyond National Institutions: Labour Taxes and Regional Unemployment in Italy</u> |
| ETA | 25.2001 | Klaus CONRAD: <u>Locational Competition under Environmental Regulation when Input Prices and Productivity Differ</u> |
| PRIV | 26.2001 | Bernardo BORTOLOTTI, Juliet D'SOUZA, Marcella FANTINI and William L. MEGGINSON: <u>Sources of Performance Improvement in Privatised Firms: A Clinical Study of the Global Telecommunications Industry</u> |
| CLIM | 27.2001 | Frédéric BROCHIER and Emiliano RAMIERI: <u>Climate Change Impacts on the Mediterranean Coastal Zones</u> |
| ETA | 28.2001 | Nunzio CAPPUCCIO and Michele MORETTO: <u>Comments on the Investment-Uncertainty Relationship in a Real Option Model</u> |
| KNOW | 29.2001 | Giorgio BRUNELLO: <u>Absolute Risk Aversion and the Returns to Education</u> |
| CLIM | 30.2001 | ZhongXiang ZHANG: <u>Meeting the Kyoto Targets: The Importance of Developing Country Participation</u> |
| ETA | 31.2001 | Jonathan D. KAPLAN, Richard E. HOWITT and Y. Hossein FARZIN: <u>An Information-Theoretical Analysis of Budget-Constrained Nonpoint Source Pollution Control</u> |
| MGMT | 32.2001 | Roberta SALOMONE and Giulia GALLUCCIO: <u>Environmental Issues and Financial Reporting Trends</u> |

| | | |
|--------------------------|---------|--|
| Coalition Theory Network | 33.2001 | <i>Shlomo WEBER and Hans WIESMETH: <u>From Autarky to Free Trade: The Impact on Environment</u></i> |
| ETA | 34.2001 | <i>Margarita GENIUS and Elisabetta STRAZZERA: <u>Model Selection and Tests for Non Nested Contingent Valuation Models: An Assessment of Methods</u></i> |
| NRM | 35.2001 | <i>Carlo GIUPPONI: <u>The Substitution of Hazardous Molecules in Production Processes: The Atrazine Case Study in Italian Agriculture</u></i> |
| KNOW | 36.2001 | <i>Raffaele PACI and Francesco PIGLIARU: <u>Technological Diffusion, Spatial Spillovers and Regional Convergence in Europe</u></i> |
| PRIV | 37.2001 | <i>Bernardo BORTOLOTTI: <u>Privatisation, Large Shareholders, and Sequential Auctions of Shares</u></i> |
| CLIM | 38.2001 | <i>Barbara BUCHNER: <u>What Really Happened in The Hague? Report on the COP6, Part I, 13-25 November 2000, The Hague, The Netherlands</u></i> |
| PRIV | 39.2001 | <i>Giacomo CALZOLARI and Carlo SCARPA: <u>Regulation at Home, Competition Abroad: A Theoretical Framework</u></i> |
| KNOW | 40.2001 | <i>Giorgio BRUNELLO: <u>On the Complementarity between Education and Training in Europe</u></i> |
| Coalition Theory Network | 41.2001 | <i>Alain DESDOIGTS and Fabien MOIZEAU (xlv): <u>Multiple Politico-Economic Regimes, Inequality and Growth</u></i> |
| Coalition Theory Network | 42.2001 | <i>Parkash CHANDER and Henry TULKENS (xlv): <u>Limits to Climate Change</u></i> |
| Coalition Theory Network | 43.2001 | <i>Michael FINUS and Bianca RUNDSHAGEN (xlv): <u>Endogenous Coalition Formation in Global Pollution Control</u></i> |
| Coalition Theory Network | 44.2001 | <i>Wietze LISE, Richard S.J. TOL and Bob van der ZWAAN (xlv): <u>Negotiating Climate Change as a Social Situation</u></i> |
| NRM | 45.2001 | <i>Mohamad R. KHAWLIE (xlvii): <u>The Impacts of Climate Change on Water Resources of Lebanon-Eastern Mediterranean</u></i> |
| NRM | 46.2001 | <i>Mutasem EL-FADEL and E. BOU-ZEID (xlvii): <u>Climate Change and Water Resources in the Middle East: Vulnerability, Socio-Economic Impacts and Adaptation</u></i> |
| NRM | 47.2001 | <i>Eva IGLESIAS, Alberto GARRIDO and Almudena GOMEZ (xlvii): <u>An Economic Drought Management Index to Evaluate Water Institutions' Performance Under Uncertainty and Climate Change</u></i> |
| CLIM | 48.2001 | <i>Wietze LISE and Richard S.J. TOL (xlvii): <u>Impact of Climate on Tourist Demand</u></i> |
| CLIM | 49.2001 | <i>Francesco BOSELLO, Barbara BUCHNER, Carlo CARRARO and Davide RAGGI: <u>Can Equity Enhance Efficiency? Lessons from the Kyoto Protocol</u></i> |
| SUST | 50.2001 | <i>Roberto ROSON (xlviii): <u>Carbon Leakage in a Small Open Economy with Capital Mobility</u></i> |
| SUST | 51.2001 | <i>Edwin WOERDMAN (xlviii): <u>Developing a European Carbon Trading Market: Will Permit Allocation Distort Competition and Lead to State Aid?</u></i> |
| SUST | 52.2001 | <i>Richard N. COOPER (xlviii): <u>The Kyoto Protocol: A Flawed Concept</u></i> |
| SUST | 53.2001 | <i>Kari KANGAS (xlviii): <u>Trade Liberalisation, Changing Forest Management and Roundwood Trade in Europe</u></i> |
| SUST | 54.2001 | <i>Xueqin ZHU and Ekko VAN IERLAND (xlviii): <u>Effects of the Enlargement of EU on Trade and the Environment</u></i> |
| SUST | 55.2001 | <i>M. Ozgur KAYALICA and Sajal LAHIRI (xlviii): <u>Strategic Environmental Policies in the Presence of Foreign Direct Investment</u></i> |
| SUST | 56.2001 | <i>Savas ALPAY (xlviii): <u>Can Environmental Regulations be Compatible with Higher International Competitiveness? Some New Theoretical Insights</u></i> |
| SUST | 57.2001 | <i>Roldan MURADIAN, Martin O'CONNOR, Joan MARTINEZ-ALER (xlviii): <u>Embodied Pollution in Trade: Estimating the "Environmental Load Displacement" of Industrialised Countries</u></i> |
| SUST | 58.2001 | <i>Matthew R. AUER and Rafael REUVENY (xlviii): <u>Foreign Aid and Direct Investment: Key Players in the Environmental Restoration of Central and Eastern Europe</u></i> |
| SUST | 59.2001 | <i>Onno J. KUIK and Frans H. OOSTERHUIS (xlviii): <u>Lessons from the Southern Enlargement of the EU for the Environmental Dimensions of Eastern Enlargement, in particular for Poland</u></i> |
| ETA | 60.2001 | <i>Carlo CARRARO, Alessandra POME and Domenico SINISCALCO (xlix): <u>Science vs. Profit in Research: Lessons from the Human Genome Project</u></i> |
| CLIM | 61.2001 | <i>Efrem CASTELNUOVO, Michele MORETTO and Sergio VERGALLI: <u>Global Warming, Uncertainty and Endogenous Technical Change: Implications for Kyoto</u></i> |
| PRIV | 62.2001 | <i>Gian Luigi ALBANO, Fabrizio GERMANO and Stefano LOVO: <u>On Some Collusive and Signaling Equilibria in Ascending Auctions for Multiple Objects</u></i> |
| CLIM | 63.2001 | <i>Elbert DIJKGRAAF and Herman R.J. VOLLEBERGH: <u>A Note on Testing for Environmental Kuznets Curves with Panel Data</u></i> |

| | | |
|------|---------|--|
| CLIM | 64.2001 | Paolo BUONANNO, Carlo CARRARO and Marzio GALEOTTI: <u>Endogenous Induced Technical Change and the Costs of Kyoto</u> |
| CLIM | 65.2001 | Guido CAZZAVILLAN and Ignazio MUSU (I): <u>Transitional Dynamics and Uniqueness of the Balanced-Growth Path in a Simple Model of Endogenous Growth with an Environmental Asset</u> |
| CLIM | 66.2001 | Giovanni BAIOCCHI and Salvatore DI FALCO (I): <u>Investigating the Shape of the EKC: A Nonparametric Approach</u> |
| CLIM | 67.2001 | Marzio GALEOTTI, Alessandro LANZA and Francesco PAULI (I): <u>Desperately Seeking (Environmental) Kuznets: A New Look at the Evidence</u> |
| CLIM | 68.2001 | Alexey VIKHLYAEV (xlviii): <u>The Use of Trade Measures for Environmental Purposes – Globally and in the EU Context</u> |
| NRM | 69.2001 | Gary D. LIBECAP and Zeynep K. HANSEN (li): <u>U.S. Land Policy, Property Rights, and the Dust Bowl of the 1930s</u> |
| NRM | 70.2001 | Lee J. ALSTON, Gary D. LIBECAP and Bernardo MUELLER (li): <u>Land Reform Policies, The Sources of Violent Conflict and Implications for Deforestation in the Brazilian Amazon</u> |
| CLIM | 71.2001 | Claudia KEMFERT: <u>Economy-Energy-Climate Interaction – The Model WIAGEM -</u> |
| SUST | 72.2001 | Paulo A.L.D. NUNES and Yohanes E. RIYANTO: <u>Policy Instruments for Creating Markets for Biodiversity: Certification and Ecolabeling</u> |
| SUST | 73.2001 | Paulo A.L.D. NUNES and Erik SCHOKKAERT (lii): <u>Warm Glow and Embedding in Contingent Valuation</u> |
| SUST | 74.2001 | Paulo A.L.D. NUNES, Jeroen C.J.M. van den BERGH and Peter NIJKAMP (lii): <u>Ecological-Economic Analysis and Valuation of Biodiversity</u> |
| VOL | 75.2001 | Johan EYCKMANS and Henry TULKENS (li): <u>Simulating Coalitionally Stable Burden Sharing Agreements for the Climate Change Problem</u> |
| PRIV | 76.2001 | Axel GAUTIER and Florian HEIDER: <u>What Do Internal Capital Markets Do? Redistribution vs. Incentives</u> |
| PRIV | 77.2001 | Bernardo BORTOLOTTI, Marcella FANTINI and Domenico SINISCALCO: <u>Privatisation around the World: New Evidence from Panel Data</u> |
| ETA | 78.2001 | Toke S. AIDT and Jayasri DUTTA (li): <u>Transitional Politics. Emerging Incentive-based Instruments in Environmental Regulation</u> |
| ETA | 79.2001 | Alberto PETRUCCI: <u>Consumption Taxation and Endogenous Growth in a Model with New Generations</u> |
| ETA | 80.2001 | Pierre LASSERRE and Antoine SOUBEYRAN (li): <u>A Ricardian Model of the Tragedy of the Commons</u> |
| ETA | 81.2001 | Pierre COURTOIS, Jean Christophe PÉREAU and Tarik TAZDAÏT: <u>An Evolutionary Approach to the Climate Change Negotiation Game</u> |
| NRM | 82.2001 | Christophe BONTEMPS, Stéphane COUTURE and Pascal FAVARD: <u>Is the Irrigation Water Demand Really Convex?</u> |
| NRM | 83.2001 | Unai PASCUAL and Edward BARBIER: <u>A Model of Optimal Labour and Soil Use with Shifting Cultivation</u> |
| CLIM | 84.2001 | Jesper JENSEN and Martin Hvidt THELLE: <u>What are the Gains from a Multi-Gas Strategy?</u> |
| CLIM | 85.2001 | Maurizio MICHELINI (liii): IPCC “Summary for Policymakers” in TAR. Do its results give a scientific support always adequate to the urgencies of Kyoto negotiations? |
| CLIM | 86.2001 | Claudia KEMFERT (liii): <u>Economic Impact Assessment of Alternative Climate Policy Strategies</u> |
| CLIM | 87.2001 | Cesare DOSI and Michele MORETTO: <u>Global Warming and Financial Umbrellas</u> |
| ETA | 88.2001 | Elena BONTEMPI, Alessandra DEL BOCA, Alessandra FRANZOSI, Marzio GALEOTTI and Paola ROTA: <u>Capital Heterogeneity: Does it Matter? Fundamental Q and Investment on a Panel of Italian Firms</u> |
| ETA | 89.2001 | Efrem CASTELNUOVO and Paolo SURICO: <u>Model Uncertainty, Optimal Monetary Policy and the Preferences of the Fed</u> |
| CLIM | 90.2001 | Umberto CIORBA, Alessandro LANZA and Francesco PAULI: <u>Kyoto Protocol and Emission Trading: Does the US Make a Difference?</u> |
| CLIM | 91.2001 | ZhongXiang ZHANG and Lucas ASSUNCAO: <u>Domestic Climate Policies and the WTO</u> |
| SUST | 92.2001 | Anna ALBERINI, Alan KRUPNICK, Maureen CROPPER, Nathalie SIMON and Joseph COOK (lii): <u>The Willingness to Pay for Mortality Risk Reductions: A Comparison of the United States and Canada</u> |
| SUST | 93.2001 | Riccardo SCARPA, Guy D. GARROD and Kenneth G. WILLIS (lii): <u>Valuing Local Public Goods with Advanced Stated Preference Models: Traffic Calming Schemes in Northern England</u> |
| CLIM | 94.2001 | Ming CHEN and Larry KARP: <u>Environmental Indices for the Chinese Grain Sector</u> |
| CLIM | 95.2001 | Larry KARP and Jiangfeng ZHANG: <u>Controlling a Stock Pollutant with Endogenous Investment and Asymmetric Information</u> |
| ETA | 96.2001 | Michele MORETTO and Gianpaolo ROSSINI: <u>On the Opportunity Cost of Nontradable Stock Options</u> |
| SUST | 97.2001 | Elisabetta STRAZZERA, Margarita GENIUS, Riccardo SCARPA and George HUTCHINSON: <u>The Effect of Protest Votes on the Estimates of Willingness to Pay for Use Values of Recreational Sites</u> |
| NRM | 98.2001 | Frédéric BROCHIER, Carlo GIUPPONI and Alberto LONGO: <u>Integrated Coastal Zone Management in the Venice Area – Perspectives of Development for the Rural Island of Sant’Erasmo</u> |

| | | |
|------|----------|--|
| NRM | 99.2001 | <i>Frédéric BROCHIER, Carlo GIUPPONI and Julie SORS: <u>Integrated Coastal Management in the Venice Area – Potentials of the Integrated Participatory Management Approach</u></i> |
| NRM | 100.2001 | <i>Frédéric BROCHIER and Carlo GIUPPONI: <u>Integrated Coastal Zone Management in the Venice Area – A Methodological Framework</u></i> |
| PRIV | 101.2001 | <i>Enrico C. PEROTTI and Luc LAEVEN: <u>Confidence Building in Emerging Stock Markets</u></i> |
| CLIM | 102.2001 | <i>Barbara BUCHNER, Carlo CARRARO and Igor CERSOSIMO: <u>On the Consequences of the U.S. Withdrawal from the Kyoto/Bonn Protocol</u></i> |
| SUST | 103.2001 | <i>Riccardo SCARPA, Adam DRUCKER, Simon ANDERSON, Nancy FERRAES-EHUAN, Veronica GOMEZ, Carlos R. RISOPATRON and Olga RUBIO-LEONEL: <u>Valuing Animal Genetic Resources in Peasant Economies: The Case of the Box Keken Creole Pig in Yucatan</u></i> |
| SUST | 104.2001 | <i>R. SCARPA, P. KRISTJANSON, A. DRUCKER, M. RADENY, E.S.K. RUTO, and J.E.O. REGE: <u>Valuing Indigenous Cattle Breeds in Kenya: An Empirical Comparison of Stated and Revealed Preference Value Estimates</u></i> |
| SUST | 105.2001 | <i>Clemens B.A. WOLLNY: <u>The Need to Conserve Farm Animal Genetic Resources Through Community-Based Management in Africa: Should Policy Makers be Concerned?</u></i> |
| SUST | 106.2001 | <i>J.T. KARUGIA, O.A. MWAI, R. KAITHO, Adam G. DRUCKER, C.B.A. WOLLNY and J.E.O. REGE: <u>Economic Analysis of Crossbreeding Programmes in Sub-Saharan Africa: A Conceptual Framework and Kenyan Case Study</u></i> |
| SUST | 107.2001 | <i>W. AYALEW, J.M. KING, E. BRUNS and B. RISCHKOWSKY: <u>Economic Evaluation of Smallholder Subsistence Livestock Production: Lessons from an Ethiopian Goat Development Program</u></i> |
| SUST | 108.2001 | <i>Gianni CICIA, Elisabetta D'ERCOLE and Davide MARINO: <u>Valuing Farm Animal Genetic Resources by Means of Contingent Valuation and a Bio-Economic Model: The Case of the Pentro Horse</u></i> |
| SUST | 109.2001 | <i>Clem TISDELL: <u>Socioeconomic Causes of Loss of Animal Genetic Diversity: Analysis and Assessment</u></i> |
| SUST | 110.2001 | <i>M.A. JABBAR and M.L. DIEDHOU: <u>Does Breed Matter to Cattle Farmers and Buyers? Evidence from West Africa</u></i> |
| SUST | 1.2002 | <i>K. TANO, M.D. FAMINOW, M. KAMUANGA and B. SWALLOW: <u>Using Conjoint Analysis to Estimate Farmers' Preferences for Cattle Traits in West Africa</u></i> |
| ETA | 2.2002 | <i>Efrem CASTELNUOVO and Paolo SURICO: <u>What Does Monetary Policy Reveal about Central Bank's Preferences?</u></i> |

(xlii) This paper was presented at the International Workshop on "Climate Change and Mediterranean Coastal Systems: Regional Scenarios and Vulnerability Assessment" organised by the Fondazione Eni Enrico Mattei in co-operation with the Istituto Veneto di Scienze, Lettere ed Arti, Venice, December 9-10, 1999.

(xliii) This paper was presented at the International Workshop on "Voluntary Approaches, Competition and Competitiveness" organised by the Fondazione Eni Enrico Mattei within the research activities of the CAVA Network, Milan, May 25-26, 2000.

(xliv) This paper was presented at the International Workshop on "Green National Accounting in Europe: Comparison of Methods and Experiences" organised by the Fondazione Eni Enrico Mattei within the Concerted Action of Environmental Valuation in Europe (EVE), Milan, March 4-7, 2000

(xlv) This paper was presented at the International Workshop on "New Ports and Urban and Regional Development. The Dynamics of Sustainability" organised by the Fondazione Eni Enrico Mattei, Venice, May 5-6, 2000.

(xlvi) This paper was presented at the Sixth Meeting of the Coalition Theory Network organised by the Fondazione Eni Enrico Mattei and the CORE, Université Catholique de Louvain, Louvain-la-Neuve, Belgium, January 26-27, 2001

(xlvii) This paper was presented at the RICAMARE Workshop "Socioeconomic Assessments of Climate Change in the Mediterranean: Impact, Adaptation and Mitigation Co-benefits", organised by the Fondazione Eni Enrico Mattei, Milan, February 9-10, 2001

(xlviii) This paper was presented at the International Workshop "Trade and the Environment in the Perspective of the EU Enlargement", organised by the Fondazione Eni Enrico Mattei, Milan, May 17-18, 2001

(xlix) This paper was presented at the International Conference "Knowledge as an Economic Good", organised by Fondazione Eni Enrico Mattei and The Beijer International Institute of Environmental Economics, Palermo, April 20-21, 2001

(l) This paper was presented at the Workshop "Growth, Environmental Policies and + Sustainability" organised by the Fondazione Eni Enrico Mattei, Venice, June 1, 2001

- (li) This paper was presented at the Fourth Toulouse Conference on Environment and Resource Economics on “Property Rights, Institutions and Management of Environmental and Natural Resources”, organised by Fondazione Eni Enrico Mattei, IDEI and INRA and sponsored by MATE, Toulouse, May 3-4, 2001
- (lii) This paper was presented at the International Conference on “Economic Valuation of Environmental Goods”, organised by Fondazione Eni Enrico Mattei in cooperation with CORILA, Venice, May 11, 2001
- (liii) This paper was circulated at the International Conference on “Climate Policy – Do We Need a New Approach?”, jointly organised by Fondazione Eni Enrico Mattei, Stanford University and Venice International University, Isola di San Servolo, Venice, September 6-8, 2001

2001 SERIES

| | |
|-------------|--|
| MGMT | <i>Corporate Sustainable Management</i> (Editor: Andrea Marsanich) |
| CLIM | <i>Climate Change Modelling and Policy</i> (Editor: Marzio Galeotti) |
| PRIV | <i>Privatisation, Antitrust, Regulation</i> (Editor: Bernardo Bortolotti) |
| KNOW | <i>Knowledge, Technology, Human Capital</i> (Editor: Dino Pinelli) |
| NRM | <i>Natural Resources Management</i> (Editor: Carlo Giupponi) |
| SUST | <i>Sustainability Indicators and Environmental Evaluation</i> (Editor: Marialuisa Tamborra) |
| VOL | <i>Voluntary and International Agreements</i> (Editor: Carlo Carraro) |
| ETA | <i>Economic Theory and Applications</i> (Editor: Carlo Carraro) |

2002 SERIES

| | |
|-------------|--|
| MGMT | <i>Corporate Sustainable Management</i> (Editor: Andrea Marsanich) |
| CLIM | <i>Climate Change Modelling and Policy</i> (Editor: Marzio Galeotti) |
| PRIV | <i>Privatisation, Antitrust, Regulation</i> (Editor: Bernardo Bortolotti) |
| KNOW | <i>Knowledge, Technology, Human Capital</i> (Editor: Dino Pinelli) |
| NRM | <i>Natural Resources Management</i> (Editor: Carlo Giupponi) |
| SUST | <i>Sustainability Indicators and Environmental Evaluation</i> (Editor: Marialuisa Tamborra) |
| VOL | <i>Voluntary and International Agreements</i> (Editor: Carlo Carraro) |
| ETA | <i>Economic Theory and Applications</i> (Editor: Carlo Carraro) |

SUBSCRIPTION TO "NOTE DI LAVORO"

Starting from January 1998 Fondazione Eni Enrico Mattei issues a Periodic E-mail "Note di Lavoro" Bulletin listing the titles and the abstracts of its most recent Working Papers.

All the "Note di Lavoro" listed in the Bulletin are available on the Internet and are downloadable from Feem's web site "www.feem.it".

If you wish to receive hard copies you may choose from the payment options listed in the following table (minimum order: 10 papers)*.

*Orders for individual papers should clearly indicate the "Nota di Lavoro" number and can therefore be issued for published papers only.

All orders must be sent by fax to:

"Publications Office" - Fondazione Eni Enrico Mattei: Fax +39+2+52036946

PAYMENT OPTIONS

| How many papers? | What's the price? | How to pay? |
|--|----------------------------------|---------------------------------|
| 10 or more* | US\$ 4.00 each Euro 5,00 each | By Credit card or Bank transfer |
| Annual subscription (approx. 100 papers/year) | US\$ 250.00 Euro 219,00 | By Credit card or Bank transfer |

***Please fill out the Working Paper Subscription Form indicating your preferences (Periodic E-mail "Note di Lavoro" Bulletin, Annual subscription, Order for individual papers - minimum 10*)!**

✂.....

WORKING PAPER SUBSCRIPTION FORM

Name: _____

Affiliation(if applicable): _____

Address: _____

Phone: _____ Fax: _____ E-mail: _____

I wish to: _____ Amount due: _____

☐ receive the Periodic E-mail Working Papers Bulletin

☐ place a full annual subscription for 2002 (US\$ 250.00/Euro 219,00) _____

☐ order no.....individual papers (minimum 10 papers at US\$ 4.00/Euro 5,00 each)* _____

Total _____

I will pay by:

☐ VISA ☐ American Express Card No. _____ Expiration Date: _____

Signature: _____

Bank transfer in US\$ (or Euro in Italy) to Fondazione Eni Enrico Mattei - account no. 39341-56 -

SWIFT ARTIITM2 - ABI 03512 - CAB 01614 - Credito Artigiano - Corso Magenta 59, 20123 Milano, Italy.

Copy of the bank transfer should be faxed along with the order.

Please return this duly completed form to:

"Publications Office" - Fondazione Eni Enrico Mattei - Corso Magenta, 63 - 20123 Milano, Italy