

Marin, Giovanni; Palma, Alessandro

Working Paper

Technology Invention and Diffusion in Residential Energy Consumption. A Stochastic Frontier Approach

Nota di Lavoro, No. 104.2015

Provided in Cooperation with:

Fondazione Eni Enrico Mattei (FEEM)

Suggested Citation: Marin, Giovanni; Palma, Alessandro (2015) : Technology Invention and Diffusion in Residential Energy Consumption. A Stochastic Frontier Approach, Nota di Lavoro, No. 104.2015, Fondazione Eni Enrico Mattei (FEEM), Milano

This Version is available at:

<https://hdl.handle.net/10419/130284>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.

NOTA DI LAVORO

104.2015

**Technology Invention and
Diffusion in Residential
Energy Consumption. A
Stochastic Frontier Approach**

Giovanni Marin, IRCrES-CNR and SEEDS
Alessandro Palma, IEFE Bocconi – Centre for
Research on Energy and Environmental
Economics and Policy and SEEDS

Energy: Resources and Markets

Series Editor: Matteo Manera

Technology Invention and Diffusion in Residential Energy Consumption. A Stochastic Frontier Approach

By Giovanni Marin, IRCrES-CNR and SEEDS

Alessandro Palma, IEFE Bocconi – Centre for Research on Energy and Environmental Economics and Policy and SEEDS

Summary

Traditional large appliances absorb a large share of residential electricity consumption and represent important targets of energy policy strategies aimed at achieving energy security. Despite being characterized by rather mature technologies, this group of appliances still offers large potential in terms of efficiency gains due to their pervasive diffusion. In this paper we analyse the electricity consumption of a set of four traditional ‘white goods’ in a panel of ten EU countries observed over 21 years (1990-2010), with the aim of disentangling the amount of technical efficiency from the overall energy saving. The technical efficiency trend is modelled through a set of technology components representing both the invention and adoption process by means of specific patents weighted by production and bilateral import flows, which allows to overcome the rigid Stochastic Frontier framework in modelling the effect of technical change. Our results show that the derived energy demand and inefficiency trends are both related to changes in the amount of available technology embodied in energy efficient appliances. The effect is significant both in its domestic and international components and suggests an active role of innovation and trade policies for achieving efficiency targets which directly impact the amount of electricity consumed by households.

Keywords: Energy Efficiency, Technological Diffusion, Electrical Appliances, Stochastic Frontier Analysis, Residential Sector

JEL Classification: O33, Q55, Q41

We acknowledge financial support from the Italian Ministry of Education, University and Research (Scientific Research Program of National Relevance 2010 on “Climate change in the Mediterranean area: scenarios, economic impacts, mitigation policies and technological innovation”). We thank the participants to the first IAERE conference held in 2014 at the Department of Economics of Ferrara University. The usual disclaimer applies.

Address for correspondence

Alessandro Palma

IEFE Bocconi – Centre for Research on Energy and Environmental Economics and Policy

Via Roentgen 1

20136 Milan

Italy

E-mail: alessandro.palma@unibocconi.it

The opinions expressed in this paper do not necessarily reflect the position of
Fondazione Eni Enrico Mattei

Corso Magenta, 63, 20123 Milano (I), web site: www.feem.it, e-mail: working.papers@feem.it

Technology invention and diffusion in residential energy consumption. A stochastic frontier approach.*

Giovanni Marin[†]

Alessandro Palma[‡]

Abstract

Traditional large appliances absorb a large share of residential electricity consumption and represent important targets of energy policy strategies aimed at achieving energy security. Despite being characterized by rather mature technologies, this group of appliances still offers large potential in terms of efficiency gains due to their pervasive diffusion. In this paper we analyse the electricity consumption of a set of four traditional ‘white goods’ in a panel of ten EU countries observed over 21 years (1990-2010), with the aim of disentangling the amount of technical efficiency from the overall energy saving. The technical efficiency trend is modelled through a set of technology components representing both the invention and adoption process by the means of specific patents weighted by production and bilateral import flows, which allows to overcome the rigid Stochastic Frontier framework in modelling the effect of technical change. Our results show that the derived energy demand and inefficiency trends are both related to changes in the amount of available technology embodied in energy efficient appliances. The effect is significant both in its domestic and international components and suggests an active role of innovation and trade policies for achieving efficiency targets which directly impact the amount of electricity consumed by households.

Keywords: energy efficiency, technological diffusion, electrical appliances, stochastic frontier analysis, residential sector.

J.E.L. O33, Q55, Q41.

* We acknowledge financial support from the Italian Ministry of Education, University and Research (Scientific Research Program of National Relevance 2010 on “Climate change in the Mediterranean area: scenarios, economic impacts, mitigation policies and technological innovation”). We thank the participants to the first IAERE conference held in 2014 at the Department of Economics of Ferrara University. The usual disclaimer applies.

[†] IRCrES-CNR, Via Bassini 15 – 20133 – Milan, Italy; SEEDS Sustainability Environmental Economics and Dynamics Studies, Ferrara, Italy; OFCE-SciencesPo, Sophia Antipolis, France. E-mail: giovanni.marin@ircres.cnr.it

[‡] Corresponding author: IEFE Bocconi – Centre for Research on Energy and Environmental Economics and Policy, Via Roentgen 1 – 20136 – Milano, Italy; SEEDS Sustainability Environmental Economics and Dynamics Studies, Ferrara, Italy. E-mail: alessandro.palma@unibocconi.it

1 Introduction

The reduction of primary energy consumption through energy efficiency (EE henceforth) represents a cornerstone of the transition towards a resource-efficient green economy in Europe and a possible strategy to achieve energy independence and security (EC, 2011). According to the new EU climate and energy strategy for 2030 agreed by EU leaders on the 23rd October 2014,¹ in order to achieve a greenhouse gas emissions reduction target of 40% by 2030 compared to 1990, it would be required an increased level of energy savings of approximately 25% by 2030 compared to 1990.

In energy economics, EE is commonly interpreted as the relationship between the output produced by an economy and the energy consumed to produce it (Patterson, 1996 and Lovins, 2004, among others). Thus, a general characteristic of EE is the use of less energy inputs for a larger or equivalent level of economic activity or service. In light of this, the achievement of higher EE performance intrinsically relies on technological innovation as a means for improving productivity of the energy input and reducing operating costs (Linares and Labandeira, 2010; Florax *et al.*, 2011; Hartman, 1979). Most of the studies on EE focused on the industrial sector, leaving room for investigation on the analysis at residential level. Official statistics (EC, 2012a) show that this latter accounted in 2010 for roughly 30% of total final electricity consumption and such a share does not seem to be slowing down (IEA, 2012). Besides population growth, this is due to the modern lifestyle, which extensively depends on the availability of devices, systems and equipment powered by electricity. However, the role of domestic consumption appears relevant mostly for the widespread presence of traditional large appliances (freezers, refrigerators, washing machines and dishwashers), which are still responsible for 25% of households' electricity consumption as opposed to other appliances such as information and communication devices whose energy needs are negligible with respect to the so called "white goods" (Saidur *et al.*, 2007)². Moreover, since home appliances generally consume electricity instead of renewable fuels or direct combustion fuels, they carry a relevant carbon footprint in countries where electricity production is carbon intensive (Cabeza *et al.*, 2014). Even though improving EE for relatively old technologies embodied in large appliances is likely to become increasingly costly (due to decreasing marginal returns of energy efficiency technologies), the potential contribution of EE to reduce energy consumption is still large if we consider the combined effect of little incremental inventions and the large diffusion of traditional electrical appliances. Being these latter crucial to fulfil primary needs, they are widespread among households' dwellings (IEA, 2009) and at the attention of policy makers who are implementing an increasing number of important regulatory actions such as the 'Eco-design Directive' for Energy-Using Products (EuP Directive 2005/32/EC), the introduction of energy labelling for electric devices (Directive 92/75/ECC) or more recently, the Energy Efficiency Directive approved in 2012, which establishes a set of binding measures to help the EU reach ambitious energy efficiency targets (EC, 2012b).

Recent studies have confirmed the cost-effectiveness of EE gains deriving from electrical appliances with respect to those deriving from other sectors (McKinsey, 2009) and identified important sources of energy saving in eco-design measures for household appliances (EC, 2012a). In particular cooling appliances (freezers and refrigerators), washing machines and dishwashers seemed to be particularly responsive to energy efficiency policies and showed large impacts in terms of EE performances also in consequences of Corporate Social

¹ European Commission proposal (EC COM 2014-15).

² The portfolio of energy services available for households massively increased in the last 40 years, with a strong penetration of new devices and appliances aimed at satisfying these services. See Burwell and Swezey (1990).

Responsibility strategies relying on voluntary agreements of manufactures³. In this context, the availability of new energy efficiency technologies developed by firms and progressively adopted by households represents a key driver to divert the increasing trend of residential electricity consumption.

The literature has highlighted as available EE technologies are adopted at sub-optimal level, identifying barriers of different nature (Brown, 2004; Jaffe *et al.*, 2004; Gillingham and Palmer, 2014). The phenomenon is known in the literature as the EE gap and can be defined as the perceived gap in uptake of existing energy efficient technologies despite these latter are characterized by positive net present values (Jaffe and Stavins, 1994). This translates into slower paces of EE technology adoption (demand side) and, consequently, in weaker market stimuli for firms to innovate (supply side). Broadly speaking, once a technology is invented and available on the market, its adoption rate, slow in the first phase, rapidly accelerates up to a saturation point in which the diffusion of the new technology reaches its maximum and declines in favour of new technologies introduced into the market (Griliches, 1957; Geroski 2000). In the case of EE technologies, the typical S-shaped curve traced by the level of technology turnover has different explanations, such as the adopters' propensity, which in turn depends on the awareness level about energy saving potential and the access to technical information. The high level of heterogeneity among consumer preferences leads to differences in the expected returns to adoption, although these differences tend to be reduced over time as the cost of new technologies falls and information becomes increasingly available. Furthermore, the heterogeneity in the technology adoption rate changes according to the good considered (Jaffe *et al.*, 2004; Fernandez, 2001), since the longer the expected lifetime of the appliance, the more the consumer faces long-term energy savings concerns, also considering the growing trend in energy prices occurred in the last decades (Popp, 2002).

In this paper, we employ an original dataset to analyse the determinants of households' electricity demand for a set of 'white goods', i.e. traditional large electrical appliances, for a panel of 10 EU countries observed over a period of 21 years. Differing from other studies, we focus on the role of innovation dynamics to explain the virtuous mechanism through which a large share of energy consumption has been reduced in the sector of residential electrical appliances. By relying on patents (in particular those related to appliance-specific energy efficiency), our electricity demand function incorporates the contribution of technology invention and diffusion processes as a source of efficiency-driven energy saving by controlling also for specific energy consumption drivers, such as per-capita income, dwelling size and type of appliance. In the second part of the analysis, we employ a stochastic frontier analysis (SFA) to disentangle the amount of energy saving observed in the demand estimation due to technical efficiency. In doing this, we use our technology measure for modelling the distribution of technical efficiency which is supposed to affect EE performances *via* technical change, thus leading to net gains in energy saving.

The rest of the paper is structured as follows. Section 2 describes the relationship between energy consumption, EE and technological innovation. In Section 3 we present the dataset and the empirical strategy to estimate the standard electricity demand function and the associated stochastic frontier, while results and efficiency scores are discussed in Section 4. Section 5 concludes the paper with some policy implications.

³ An example is the Conseil Européen de la construction d'appareils domestiques (CEDEC).

2 Energy efficiency and innovation

2.1 The empirical evidence

There is very scarce empirical evidence analysing the relationship between technical change and the level of energy consumption in the residential sector. Early empirical analysis mainly focused on a product-based approach in which the demand drivers play a key role through the well-known price-induced innovation hypothesis (Hicks, 1932). In this respect, Newell *et al.* (1999) test the hypothesis of policy-augmented price-induced innovation relying on sale data of room and central air conditioners as well as of gas water heaters in the 1958-1993 period. They find positive relation between EE performances and the technology turnover. This latter is led by increasing energy prices or lower appliances' prices. The regulatory activity, taken into account by analysing government efficiency standards, is also effective for stimulating technological improvement, together with the introduction of energy labelling requirements. However, more recent contributions seem to be more prone in following a context-based approach, in which the energy saving performances are considered as a part of a more complex process mainly governed by the technology advances, this latter being often induced by a set of drivers such as policy-related and behavioural factors (van der Bergh *et al.*, 2007; del Rio Gonzalez, 2009; Horbach, 2008). On the wake of the numerous studies on eco-innovation, a further strand of empirical literature focused on the determinants of EE technologies and their diffusion mechanisms. In this respect, Jaffe and Stavins (1995) measure the impact of energy prices, adoption subsidies and building codes on the home EE level in the United States between 1979 and 1988, finding a stronger effect of government subsidies compared to that led by increasing energy prices on the average level of EE in buildings. Although energy taxes (captured by relatively high energy prices over the period) have a positive impact on technology adoption, the magnitude of the effect is relatively small. Moreover, technology standards seem to have no impact on the adoption of new EE technologies, suggesting that the building codes are often set too low to be effective. More recently, Verdolini and Galeotti (2011) analyse the supply and demand determinants on energy-efficient and environmental-friendly technologies also including spatial knowledge spillovers in a panel of 38 countries. Besides the positive impact of these latter, further stimuli to innovate derived from by the variability of energy prices *via* induced innovation hypothesis as well as from the technological opportunity, measured by country-specific knowledge absorptive capacity. The determinants of new EE technologies in the building sector is also investigated by Noailly (2012), who tests the impact of alternative environmental policy instruments (regulatory energy standards in building codes, energy prices and specific governmental energy R&D expenditures) on EE patent applications in eight technological building sectors as a proxy for firms' innovative effort. The panel covers seven European countries over the period 1989-2004 and finds that regulatory standards have a greater impact than energy prices and R&D support on innovation. The author argues that the insignificance of prices can be due to the specificity of the building sector, in which the principal-agent problem would play a limited role (Gillingham *et al.*, 2009). A similar approach is followed in Costantini *et al.* (2014), using a panel of 23 high-income OECD countries over 21 years. By disaggregating the analysis in three sectors, namely lighting, buildings and large electrical appliances, the paper analyses the relationship between different innovation drivers, with a particular emphasis on the policy intervention. They test firms' innovative activity, measured by EE patents filed at the European Patent Office (EPO), when subject to a heterogeneous set of policy measures. The analysis confirms the important role of energy prices for stimulating EE technologies, but enlarges the framework to other important drivers that are effective in spurring EE innovative activity such as long-run energy strategies (abundance of electricity

generation from domestic sources), policy spillovers and the mix of in-force policy instruments.

Nonetheless, to the best of our knowledge, there are no studies that directly relate the EE performances at residential level to the impact of new technologies, which are more and more widespread across the white goods. In light of this, the present paper takes advantages of the contribution of eco-innovation literature for identifying relevant EE technologies, in order to derive a measure of technical efficiency which is assumed to be directly governed by the innovation process.

2.2 Measuring energy efficiency

The measurement of EE at aggregate level, even focusing on a specific sector as we do in the present work, is not an easy task. The reasons of such a difficulty can be manifold. First, energy saving and EE are not completely overlapping terms, as EE is a sub-set of the energy saving (or energy conservation) domain. This latter is a broader concept since energy saving can be achieved through EE gains or simply by reducing the level of economic activity, which may also reveal a change in consumers' behaviour. Patterson (1996) led the way to conceptualise EE in economic terms, proposing a set of indicators of different nature and laying out some methodological issues when different indicators are applied to real data. For instance, the commonly-used energy-GDP ratio or energy productivity index⁴, without specific calculations at margins, may suffer from bias when structural effects are not separated from technical efficiency. Indeed, when different countries or sectors are compared using the aggregated energy-GDP ratio, the specific composition of the economy is not taken into account and the results may lead to misleading conclusions. For instance, a country can efficiently produce energy-intensive goods and show a high energy/output ratio, while at the margin, this bias disappears. Bosseboeuf *et al.* (1997) highlighted other measurement difficulties such as the heterogeneity in data definition and the divergence of indexes interpretations, since the concept of energy efficiency is subject to heterogeneous definitions across countries. In this respect, many national energy agencies attempted in past to address the issue of harmonisation in EE data and related definitions (EPA, 1995; ENEA, 1996). In addition, climatic differences between countries, particularly important when comparing energy efficiency in space heating, play a role when the analysis extends over large latitudes. The lack of consensus for measuring EE has been also recently pointed out by Khademvatani and Gordon (2013), who departing from a marginal EE index, introduced a theoretical framework which incorporates the social value of externalities. These latter may bias the measure of efficiency, since "*firms can be privately efficient in energy use but not socially*" (pp. 154). Accordingly, the difference between the shadow value and the price of energy is identified as a measure of energy inefficiency and provides a profit incentive for the economic agent to alter the energy use.

A further relevant difficulty for measuring EE at sector level is due to the fact that EE performances are strongly related to the technology employed in the 'production process'. In our case we refer to the technological content embodied in each single appliance, which through the diffusion process, translates its marginal contribution in a large impact on the energy saving at aggregate level. This process takes place since each appliance's contribution is multiplied by the number of appliances sold on the market and operating in the households' dwellings. Unfortunately, such an effect is difficult to be captured given the lack of data on the stocks of devices as well as their different technological characteristics.

⁴ Energy productivity is the reciprocal of energy-GDP ratio. See Sue Wing and Eckaus (2007) and Markandya *et al.* (2006), among others.

Regarding the analytical approaches developed to measure the level of technical efficiency, one of the most effective is represented by the Stochastic Frontier Analysis (SFA), a parametric empirical technique which allows to estimate both the level of theoretical and actual efficiency of a given production system in the well-known framework of the neoclassical production function (Aigner *et al.*, 1977; Meeusen and van den Broeck, 1977)⁵. Although such a technique is not exempt from drawbacks, as for instance the imposition of a predetermined functional form, its use has been extensively exploited in the literature of energy economics (see Buck and Young, 2007; Boyd, 2008; Stern, 2012; Filippini and Hunt, 2012, among others).

In the specific case of residential sector, the empirical evidence remains sparse, since only a limited number of studies have focused on this issue and, with few exceptions, no one focuses the analysis at the residential level. The study by Buck and Young (2007) uses cross-sectional data on energy use to derive efficiency scores for different types of commercial buildings. They find that Canadian buildings are fairly efficient, with significant differences between government-owned buildings and those owned by non-profit organisations, this latter being more efficient. However, the authors recognise that, due to data limitations, the effect of new technologies adoption is not fully captured by their model. The level of residential energy efficiency is also investigated by Filippini and Hunt (2012), who use a balanced panel deriving from the US-EIA database to analyse the energy consumption in 48 US States over the 1995-2007 period. They find inconsistency in several States between the standard energy intensity indicators and energy efficiency scores deriving from the stochastic frontier approach used in the analysis, suggesting further investigation on this direction. More recently, Filippini *et al.* (2014) focus on the impact of government policies aimed at improving energy efficiency in the residential sector. Although the large number of in-force policy instruments existing in the EU, they find room for efficiency gains and a high level of variability across countries, although not significant differences between new and old EU Member States have been detected.

Even though these studies specifically focus on the measurement of EE at the residential level, they do not address the potential of innovation as a means for achieving EE gains. The technology is usually modelled EE as a latent variable and does not allow for explicit considerations regarding the dynamics of innovation process (Filippini *et al.*, 2014, among others). Moreover, when investigating the relationships between energy consumption and efficiency gains, a further relevant issue is represented by the so-called 'rebound effect' (Khazzoom, 1980; Greening *et al.*, 2000; Sorrell and Dimitropoulos, 2008). This refers to a situation where the energy saving obtained through EE lowers the price of the associated energy service and increases its demand (direct rebound) or the demand for other goods (indirect rebound). Such an issue seems to be absent in the literature of residential efficiency analysis, although several studies signal significant and relevant impacts of the rebound effect in reducing the energy saving deriving from efficiency gains⁶. Although deserving some precautionary attention, in our analysis the impact of rebound effect is supposed to be strongly mitigated, since the use of traditional electrical appliances is strictly devoted to fulfil primary needs, thus being characterised by low values of demand-price elasticity which imply limited levels of rebound effect (see Herring *et al.*, 2007; Ek and Soderholm, 2010; van den Bergh, 2011; Chakravarty *et al.*, 2013). However, the disaggregation that we propose between continuous and intermittent appliances represents a further strategy to address potential presence of rebound, relying on the hypothesis that those appliances that need to be

⁵ Other possible approaches can be the Data Envelopment Analysis (DEA) (Thore *et al.*, 1994) and the decomposition methods (Ang, 1995).

⁶ For some empirical evidence on the rebound effect in the residential sector see Greening *et al.* (2000), Saunders, 2013; Hilty *et al.*, 2006 and Davis, 2008.

continuously in operation have minimum substitutability response and low saturation effect to possible changes in consumer behaviour due to efficiency gains (Lorentz and Woersdorfer, 2009; Ouyang *et al.*, 2010; Guertin *et al.*, 2003).

3 Empirical strategy

Our empirical analysis begins by estimating a standard energy (derived) demand function. In order to provide a preliminary test on the significance of technological advances in domestic appliances, the estimation of electricity demand already includes the impact of innovation process. In the second part of the study, we disentangle the effect of technical efficiency from the overall gain in energy saving resulting from the energy demand estimates. In order to separate technical energy efficiency from general energy saving, we employ a technology-augmented stochastic-frontier model, which accounts for both the role of domestic and foreign EE innovation in the national markets.

3.1 Technology modelling

As previously discussed, the level of technology can strongly affect EE performances and deserves specific attention. In light of this, we focus on the dynamics through which the technology evolves, providing an original methodology to include the innovation dynamics in the rigid constraints of stochastic frontier analysis. Following the conceptual contributions of innovation scholars (see Stoneman, 1993; 2001 among others), three main stages in the innovation process can be identified, namely invention (i.e the generation of new ideas), innovation (i.e. the development of new ideas into marketable products and processes) and adoption (or diffusion stage, in which the new products and processes spread across the potential market). Hence, in order to understand how the economy changes as new technologies are introduced and used, the stage of diffusion assumes a crucial aspect.

In our case, a new EE technology has to be firstly developed and embodied in the appliance. Then, this latter has to be diffused and made easily accessible to consumers (both in terms of logistics as well as of economic affordability) and, finally, adopted (Karshenas and Stoneman, 1993). In this respect, data and metrics for measuring both firms' innovative performances as well as the level of technology diffusion is particularly important. Data on specific product characteristics would represent good sources of data for analysing the technological level of appliances, but they are difficult to be collected for long time series. On the other hand, technology-input measures, such as firms' R&D expenditures are often not publicly available. Some studies aim at investigating the implications of consumers' behaviour in response to EE gains deriving from the use of more efficient appliances by employing energy labels and codes as a measure of efficiency performance (Datta and Gulati, 2015, among others). Notwithstanding, such an approach provides a poor representation of the technology portfolio embodied in the appliances under scrutiny, with a raw distinction among the different technology advances implemented by the multitude of manufacturers of appliances. In this respect, the approach that we propose allows to model the technology as a continuous variable, without jumps occurring in technology shifts (i.e., EE classes) and thus producing a more realistic representation of the rate and direction of technical change.

To this aim patents, despite some limitations, constitute a widespread data source in the economics of innovation (Hall *et al.*, 2005; Jaffe and Trajtemberg, 2004; Malerba and Orsenigo, 1996; Oltra *et al.*, 2010; Lanjouw *et al.*, 1998; Lanjouw and Schankerman 2004; van Pottelsberghe *et al.*, 2001), since they provide a wealth of information on the nature of the invention and the applicant for rather long time series. Patent data frequently represent the direct result of R&D processes, a further step toward the final output of innovation, that is useful knowledge through which firms are able to generate new profit sources. Nevertheless,

in the case of green technologies, standard international patent classifications only partially represent the whole range of sub-fields characterizing complex technological domains such as EE (Barbieri and Palma, 2015) or biofuels (Costantini *et al.*, 2015b). In light of this, the patent database here adopted allows to integrating the Y02 Cooperative Patent Classification (CPC) based on patent classes for green technologies, which recently incorporates energy efficiency technologies for the residential sector, with the specific work carried by Costantini *et al.* (2015a) on specific sub-sector of electrical appliances. Table B1 in the appendix describes the CPC classes that were relevant for our study. As a result, we collect a total of 9619 unique patent applications filed at the European Patent Office (EPO) and belonging to the four appliances, namely freezers and refrigerators, washing machines and dishwashers. Our patent sample has been ordered by application date and assigned to the applicant's country.

A possible limitation when patents are employed as a measure of innovation output is represented by the high heterogeneity in their value (Griliches, 1998 among others). It is thus necessary to control for patent quality. In this respect, it is worth noting that EPO applications are more expensive than applications to national patent offices and inventors typically apply to EPO if they have strong expectations in terms of economic exploitation of the invention. The difference in costs deriving from the decision to filing to EPO instead of national patent offices provides a “quality hurdle which eliminates applications for low-value inventions” (Johnstone *et al.*, 2010, p. 139).

In order to capture both past and recent innovative efforts, the domestic patent stock Π has been calculated following Popp (2003):

$$\Pi_{i,t} = \sum_{s=0}^{\infty} \pi_{t-s} e^{-\beta_1(s)} (1 - e^{-\beta_2(s+1)}) \quad (1)$$

where π indicates the patent count, β_1 the rate of decay (set to 0.1) that captures the obsolescence of older patents, β_2 the rate of diffusion (set to 0.25) that accounts for the delay in the diffusion of knowledge, i indexes countries and t, s index time. This modelling choice allows for treating the technology stock as a cumulative process, but at the same time it accounts for the obsolescence effect, as new technologies are available, older patents become less profitable (Evenson, 2002; Hall, 2007).

Given that patents represent only the first stage of innovation process (i.e., invention), we derive a proxy of technological diffusion by considering both the domestic and foreign penetration of EE electrical appliances sold in the market. Our measure consists in a domestic innovation component and a foreign innovation component ($Z_{i,t}^{Domestic}$ and $Z_{i,t}^{Foreign}$, respectively). Technology embodied in electrical appliances enters the national markets through domestic production and foreign import flows, these latter expanding the internal supply of energy efficient appliances. Hence, in this stage new EE appliances are sold by firms to households and contribute to mitigate the energy consumption. In order to capture the impact of technology embodied in the appliances and actually sold in the market, each national patent stock is multiplied by the national production of appliances. Nevertheless, a relevant share of physical efficiency also depends by appliances purchased and used by households in the national territory and imported by foreign producers. As suggested by Shih and Chang (2009) and more recently by Costantini and Liberati (2014), well-established international market relationships represent a good means for testing the degree of embodied technology diffusion. Accordingly, patent stocks belonging to foreign firms are multiplied by

the corresponding appliance-specific bilateral import flow. Both the domestic and foreign technology stocks have been divided over the total amount of appliances circulating in a given country, calculated as the domestic production less the export share to which we summed the imported production from foreign countries.

In formula, the two technology stocks are calculated as follows:

$$z_{i,t}^{Domestic} = \sum_{k=1}^3 \left(\frac{\Pi_i(Y_i - Exp_i)}{Y_i - Exp_i + \sum_i Imp_i} \right) \quad (2a)$$

$$z_{i,t}^{Foreign} = \sum_{k=1}^3 \left(\frac{\sum_{j \neq i} \Pi_j Imp_{i,j}}{Y_i - Exp_i + \sum_i Imp_i} \right) \quad (2b)$$


in which Exp represents the total export, Y the domestic production, $Imp_{i,j}$ the import quantity entering from country i to country j , Π the patent stock, k indexes the technological domain to which the three group of appliances belong and t indexes time. Data on domestic production and bilateral trade flows, considered at eight digit level of detail and expressed in monetary values (Euro), derive, respectively, from PRODCOM and COMEXT database, both available from Eurostat (2013a, b).⁷

Figure 1 plots the dynamics of the two technology components (domestic and foreign) for each country and year, showing some preliminary and interesting insights. First, both the domestic and foreign patent stocks are steadily increasing over time, with the foreign component always predominant. Two exceptions are represented by Italy and, recently, Germany, in which the amount of EE-technical knowledge domestically developed is greater than the one imported from abroad. On the contrary, Slovenia is characterised only by imported innovation. This figure depicts a heterogeneous pattern in which some countries are leaders in both technology development and export, while some others are mainly characterised by technology adoption. The split between domestic and foreign market interconnections dynamics is crucial when EE is under scrutiny, since no a priori expectations in terms of EE trend can be drawn by observing only the domestic technology component (the national stock of technical knowledge weighted by the net domestic production). In fact, we may expect a relatively large improvement in technical efficiency also in technology-adopting countries, since EE performances are not affected by the level of national or international technological capacity, rather by the availability on the market of new energy efficient appliances, wherever the latter derive from. Although not directly investigated in this paper, it

⁷ We selected the following CN8 (Combined Nomenclature 8-digit) codes for measuring bilateral trade flows in the COMEXT database: 8418 "Refrigerators, freezers and other refrigerating or freezing equipment, electric or other; heat pumps; parts thereof (excl. air conditioning machines of heading 8415)", 8422 "Dishwashing machines; machinery for cleaning or drying bottles or other containers; machinery for filling, closing, sealing or labelling bottles, cans, boxes, bags or other containers; machinery for capsuling bottles, jars, tubes and similar containers; other packing or wrapping machinery, incl. heat-shrink wrapping machinery; machinery for aerating beverages; parts thereof" and 8450 "Household or laundry-type washing machines, incl. machines which both wash and dry; parts thereof". We selected the following NACE (rev. 1.1) codes for measuring domestic production and total import and export of appliances: 29711110 "Combined refrigerators-freezers; with separate external doors", 29711133 "Household type refrigerators", 29711135 "Built-in refrigerators", 29711150 "Freezers of the chest type; capacity =< 800 litres", 29711170 "Freezers of the upright type; capacity =< 900 litres", 29711200 "Dishwashers", 29711330 "Fully-automatic washing machines; capacity =< 10 kg", 29711350 "Non-automatic washing machines; capacity =< 10 kg".

is worth noting that the role of government regulation, in particular of those policies aimed at promoting energy saving, can strongly affect the innovative capacity of a country, and consequently, its EE performances. In this respect, Costantini *et al.* (2015a) provide fresh evidence that foreign countries characterized by great innovation capacity have larger incentive to export new EE appliances in those countries with higher policy stringency and a well-balanced mix of policy instruments. Such a policy-induced effect translates in larger markets for EE appliances and contributes to mitigate the level of energy consumption. Moreover, the invention capacity of a country is also a function of other indirect effects, such as knowledge spillovers able to enhance the capacity of knowledge absorption (Verdolini and Galeotti, 2011).

Figure 1 – Trends of technology by country



3.2 Energy demand model

Our analysis considers a balanced panel of ten EU countries⁸ observed over the 1990-2010 period. In the energy demand specification, households are assumed not to demand electricity *per se*, but for the need of energy services, such as washing or cooling, which are satisfied by using different electrical appliances (Linares and Labandeira, 2010). Income, electricity prices and technology constitute the inputs of the (derived) electricity demand that we estimate for two groups of home electrical appliances, namely cooling appliances (refrigerators and freezers) and washing appliances (dishwashers and washing machines). Data on appliance-specific electricity consumption comes from the Odyssee database which has been developed

⁸ Austria, Denmark, France, Germany, Greece, Italy, Netherlands, Slovenia, Sweden and the United Kingdom.

by Enerdata in collaboration with several national energy agencies, under the supervision of the European Commission.

In addition to these inputs, we employ a set of additional controls. The first is the average size of households' dwellings (from Odyssee-Enerdata), since larger houses have been recognized in the literature as the most important socio-economic determinant of residential energy consumption and it is more likely to imply a higher number of appliances per dwelling; this allows us to control possible size-effects in the energy demand (Kaza, 2010; Kelly, 2011; ETCSCP, 2013). In addition, we consider the hypothesis that the electricity households' demand can vary with the characteristics of the urban context. To this aim, we include the share of urban population over the total population (World Bank, 2015).

Since the electrical appliances considered in the analysis are not responsive to changes in climate conditions, we do not control for average temperature or heating degree-days as in similar studies aimed at estimating energy demand (Stern, 2012; Filippini *et al*, 2012; 2014). Even though the set of considered countries belong to a homogeneous and limited geographical area (i.e. EU Member States), we employ a fixed-effects model to account for unobserved heterogeneity due to unobserved differences across national innovation systems, market and institutional settings and cultures.

By defining $E_{i,t}$ the annual level of total electricity consumption expressed in kWh and demanded by households for using the two groups of appliances, the panel fixed-effect demand equation is defined as follows:

$$\begin{aligned} \ln(E_{i,t}) = & \alpha_i + \beta_1 \ln(P_e)_{i,t} + \beta_2 \ln\left(\frac{GDP}{POP}\right)_{i,t} + \beta_3 \ln(Dwe_{Size})_{i,t} + \\ & + \beta_4 \ln\left(\frac{Urb_{POP}}{POP}\right)_{i,t} + \delta_t + \varepsilon_{i,t} \end{aligned} \quad (3)$$

where P_e and $\frac{GDP}{POP}$ represent, respectively, end-use electricity prices per kWh (International Energy Agency and Eurostat) and gross per-capita income (World Bank), both expressed in purchase-power parity (PPP) 2005 US dollars, Dwe_{Size} denotes the average household size in squared meters, $\frac{Urb_{POP}}{POP}$ is the urban population as a share of total population, δ_t indicates the set of time dummies with $t = 1990, \dots, 2010$, α_i is the country fixed effect and $\varepsilon_{i,t}$ is the idiosyncratic error term. We calculated the natural logarithms of both dependent and independent variables, hence the estimation results represent demand elasticity changes with respect the input employed. Descriptive statistics for these variables are reported in Table A1 of the Appendix.

Given that our dataset allows to differentiating energy consumption by type of appliance, we provide also disaggregated results by separating intermittent (washing machines and dishwashers) and continuous (refrigerators and freezers) appliances. By doing so, we expect not only finer elasticity estimations in the demand function, but also an additional control in the stochastic frontier model which mitigates the bias deriving from those intermittent appliances more prone to be characterized by rebound effects, thus producing more reliable efficiency scores. The results of demand elasticity estimations are showed in Table 1 and Table 2.

3.3 Separating technical efficiency

In order to derive a measure of EE performance, we assume the technical efficiency as a function of technology. Hence, the technology level drives the process of energy saving through the increasing development and market penetration of EE technologies. To this aim, we employ SFA technique, which here requires a well-defined input minimisation setting through the use of a cost function. In energy economics, several studies have successfully adjusted the production efficiency analysis using SFA to the framework of household's energy demand. Accordingly, households purchase and combine inputs to benefit from the utility represented by a composite of energy commodities (Filippini, 1995; Filippini and Pachauri, 2004; Filippini and Hunt, 2012). More in detail, “the production of energy services can be represented with a production function and a set of input demand functions” (Filippini *et al.*, 2014, p. 75). By this definition, the ‘production frontier’ provides the minimum energy input used by a household, for given level of output (i.e. energy services). Departing from this conceptual framework, the stochastic input-demand frontier cost function in a panel setting is given by:

$$E_{i,t}^* = x'_{i,t}\beta + \epsilon_{i,t} \quad (4)$$

$$\epsilon_{i,t} = v_{i,t} + u_{i,t} \quad (5)$$

$$v_{i,t} \sim iid \mathcal{N}(0, \sigma^2); u_{i,t} \sim IID \mathcal{F}_u(\omega^2) \quad (6)$$

where $E_{i,t}^*$ represents the theoretical demand frontier, $x_{i,t}$ the vector of inputs and controls and β the vector of unknown parameters to be estimated. The error term is composed by an inefficiency component, $u_{i,t}$, that follows here a generic distribution \mathcal{F}_u with support defined over \mathbb{R}^+ (e.g., truncated normal or exponential) and scale parameter ω , and an idiosyncratic component, $v_{i,t}$, that is normally distributed and represents measurement errors in consumption reporting and other random factors. Both the error components are assumed to be independent from x . Furthermore, by denoting $z_{i,t}$ as a vector of exogenous variables (including a constant term) affecting the level of inefficiency and ψ a vector of unknown parameters to be estimated, it is possible to explicitly model the statistical distribution of the inefficiency term as follows:

$$u_{i,t} = z'_{i,t}\psi \quad (7)$$

According to the stochastic frontier framework, the actual demand level $E_{i,t}$ equals the theoretical frontier $E_{i,t}^*$, plus the one-sided error $u_{i,t}$, whose distribution depends on the vector of auxiliary variables $z_{i,t}$. In order to model a technology-driven technical efficiency, we include the two technology components as exogenous auxiliary variables. Besides the advantage of directly accounting for the effect of technology market penetration, such a choice allows to exploit a greater heterogeneity, over time and across countries, of the efficiency process which also facilitates the model convergence.

3.4 Estimation

There is no unanimous consensus among the empirical scholars upon the best efficiency estimator in a panel stochastic frontier setting. Although Cornwell and Schmidt (1996) point out that repeated observations over time should allow for some advantage as more precise estimations of technical (in)efficiency, when dealing with panel data several issues have to be carefully considered.

The empirical literature on stochastic frontier analysis has evolved in a variety of contributions⁹ mainly distinguishable in fixed and random effects model (FE and RE henceforth). FE specification models allow for capturing unobserved heterogeneity among units of analysis but in the specific case of SFA they are subject to some limitations. By intrinsic modelling construction, the standard FE model treats the unit-specific inefficiency levels as fixed, meaning that the inefficiency term captures all the heterogeneity with no possibility to distinguish between persistent actual inefficiency and time-invariant heterogeneity and with overestimation of the inefficiency component. Moreover, no distributional assumptions are made upon the inefficiency term (which remains constant over time) as well as on the correlation between inefficiency term, independent variables and idiosyncratic error term. Although some modelling alternatives have been proposed to overcome these limitations, as the Cornwell, Schmidt and Sickles' time-varying random-quadratic trend model or the parametric extension by Lee and Schmidt (1993), simple FE formulations preclude the possibility to disentangle between actual inefficiency and unit-specific heterogeneity.

On the other hand, the random effect model as originally proposed by Pitt and Lee (1981) assumes unit-specific inefficiency, although remaining time-invariant in its basic formulation. In our case, this means that only the variation across countries would be explained. Further extensions introduced different distributional assumptions, heteroscedasticity in the inefficiency term (Kumbhakar and Lovell, 2000) and time-varying specification in order to overcome the rigid assumption of time-invariant inefficiency, in particular in panel data with long T (Battese and Coelli, 1992; 1995; Kumbhakar, 1990).

An interesting class of models allows for explicitly separating the unobserved heterogeneity affecting the distribution of inefficiency term through variables able to explain the inefficiency level but not directly entering the production process. The distribution of inefficiency term u can be modelled as a function of a vector of auxiliary variables z . It is thus possible to model the mean (Kumbhakar *et al.*, 1991; Battese and Coelli, 1995; Huang and Liu, 1994), the variance (Caudill and Ford, 1993; Caudill *et al.*, 1995; Hadri, 1999) or both parameters of the distribution (Wang, 2002; Wang and Schmidt, 2002). For all of these combinations, it is important to point out that the assumption of non-correlation between the set of predictors and the auxiliary variables must hold. In this respect, Stern (2012) argues that if "*a sufficient number of auxiliary variables that co-vary with the unobserved state of technology can be included in the model, the correlation between the remaining residual term and the regressors will be eliminated*". In addition, the assumption of strict exogeneity when the z vector is included should facilitate the model convergence.

A possible approach to estimate the inefficiency determinants by using auxiliary exogenous variables is the two-step procedure. This envisages the estimation of the standard production or cost function in the first step, while in the second step the efficiency scores are regressed over a set of auxiliary variables. Although relatively easy to be implemented, this approach can produce biased results both in the case of heteroscedasticity, i.e. when the vector of inputs x and the vector of auxiliary variables z are correlated, as well as when z is correlated with the idiosyncratic term v (Wang and Schmidt, 2002).

⁹ For a review of SFA models see Murillo-Zamorano (2004).

Interesting solutions have been introduced for addressing the issue of unobserved heterogeneity in the True Fixed Effect and True Random Effect model (TFE and TRE) (Greene, 2005a,b), allowing to disentangle the time varying efficiency level from time invariant unobserved heterogeneity. Moreover, a valuable feature of the TFE and TRE model is that they are consistently and efficiently estimated by the means of maximum likelihood estimation (MLE) method, thus correcting the shortcomings deriving from the two-step procedure¹⁰.

Nevertheless, the TFE model is not exempt from some limitations. In particular, some inconsistency may arise in small panel samples, especially when T is short (Greene, 2005a). In addition, the unit-specific intercepts can be inconsistently estimated in panel data characterised by large N and short observation periods, due to the incidental parameter problem (Neyman and Scott, 1948; Lancaster, 2002). In this respect, Belotti and Ilardi (2012) recently demonstrated that the inconsistency bias is negligible in samples with T longer than 10 years, thus allowing the validation of our empirical strategy, which relies on the TFE model¹¹.

With respect to the possible modelling choice of the inefficiency term as a time variant or invariant process, considering that our dataset includes a rather long period of observations ($T = 21$), a time-varying specification seems to be the most plausible choice. Statistical support to this hypothesis is also signalled by the significance of time dummies in the electricity demand estimation and further confirmed by the preliminary specification of the stochastic frontier energy demand function à la Battese and Coelli (1992) (see Table 3).

The issue of unobserved heterogeneity assumes relevant importance in cross-country comparisons, given that the variance distribution of the inefficiency term is directly governed by the technology dynamics. Accordingly, we can exploit the advantages of fixed effects estimator fruitfully employed in the empirical innovation literature for addressing different country-specific capabilities to innovate or other factors not explicitly included as explanatory variables, while minimising the above-mentioned shortcomings arising when the FE specification is used in the stochastic-frontier setting. At the same time, the specific effect of innovation process, here represented by the technology components calculated for the two groups of domestic appliances, is explicitly taken into account by introducing heteroschedasticity in the technical inefficiency component. In doing so, the variance of inefficiency term is expressed as a function of the covariates defined in the vector of auxiliary variables z , which map the dynamics of innovation process both in its national and international dimension.

4 Results and discussion

4.1 Energy-demand estimations

Table 1 reports our baseline estimates of the (derived) demand for electricity based on a standard linear fixed effect model (eq. 3). At this stage we cannot claim causal relationship between our set of drivers and the demand for electricity as simultaneity between demand and prices and omitted variable bias are likely to give rise to endogeneity. Nevertheless, they

¹⁰ In this respect, Farsi *et al.* (2005) argued that the TFE estimator can be also estimated by using the Least Square Dummy Variable estimator specifically adjusted with Mundlak's (1978) means, showing that both methods reduce the estimation bias by separating the time-invariant unobserved heterogeneity, captured by the Mundlak's group means, from technical inefficiency. Nevertheless, the authors found inconsistent results due to the different estimation methods, since the TFE model relies on the convergence of simulated maximum likelihood.

¹¹ The stochastic frontier function has been estimated with Stata software v. 13.1 using the recent *sfp* command by Belotti *et al.* (2013).

represent useful descriptive tools to identify relationships between our variables of interest. We first estimate the demand function for total demand of electricity (columns 1 and 2) which is then split into the demand for electricity to operate washing appliances (washing machines and dishwashers, columns 3 and 4) and to operate cooling appliances (fridges and freezers, columns 5 and 6). For all categories, we proceed in two steps. First, we do not consider technology trends explicitly (columns 1, 3 and 5) but leave technical change to be explained by time-specific and country-invariant unobserved components captured by time dummies. Second, we introduce our measure of technology as defined in section 3.1 as additional covariate.

In all cases, the price elasticity of the demand for electricity is negative and significantly different from zero. The range of variation of point coefficients (between 0.144 and 0.225 depending on the appliance and specification) is consistent with the existing literature (Alberini and Filippini, 2011 among others). The elasticity of energy consumption to energy prices is slightly higher for cooling appliances than for washing appliances although such a difference is not statistically significant. The price elasticity of the demand for electricity tends to be smaller once we include the stock of technology as the two variables are positively correlated¹². The positive correlation is potentially due to the fact that higher energy prices induce consumers to increase the demand for more energy efficient appliances and induce producers of appliances to innovate in order to offer more energy efficient appliances. GDP per capita is generally negatively correlated with electricity consumption but the relationship is always insignificantly different from zero. Average dwelling size is an important driver of energy consumption, with an elasticity around one when considering all appliances, greater for washing appliances than for cooling appliances and significantly different from zero in all specifications. This strong result is in line with the discussion presented in section 3.2. It should be noted, however, that the average dwelling size is strongly correlated with affluence, as richer households may afford larger houses¹³. To understand whether the absence of a significant relationship between energy demand and GDP per capita is due to the inclusion of average dwelling size, that already captures the affluence of households, we estimate our derived demand equation excluding the average dwelling size from the set of predictors (Table 2). Even when we exclude average dwelling size, our measure of affluence does not influence energy consumption after controlling for time-invariant unobserved difference in GDP per capita (fixed effect), thus signalling a relevant inelasticity of household electricity demand for the set of appliances here considered. The share of urban population is not significantly related to energy demand, the effect being generally negative (with one exception) but always far from significance. This variable, however, turns out to be significant for total electricity demand and cooling appliances when we exclude average dwelling size from the set of covariates (Table 2). This is in line with the hypothesis that urbanized areas are characterized by smaller dwellings, thus resulting in lower electricity consumption.

¹² When regressing the log of the patent stock on the electricity price and a set of year and country dummies we obtain an elasticity of the patent stock to energy prices of about 0.32, significant at the 1 per cent level.

¹³ The correlation between the two measures is 0.72.

Table 1 – Demand for electricity (baseline estimates)

	(1)	(2)	(3)	(4)	(5)	(6)
Dep: log electr. consumption	All appliances	All appliances	Washing appl	Washing appl	Cooling appl	Cooling appl
log(electr_price)	-0.207*** (-5.73)	-0.182*** (-8.38)	-0.171** (-2.98)	-0.144** (-2.74)	-0.225*** (-4.89)	-0.204*** (-5.61)
log(GDP pc)	-0.0555 (-0.39)	-0.0829 (-0.90)	-0.0841 (-0.63)	-0.114 (-1.28)	-0.0629 (-0.37)	-0.0858 (-0.63)
log(av size dwelling)	0.965** (2.70)	0.917*** (5.08)	1.202** (2.39)	1.149*** (3.38)	0.815** (2.73)	0.774*** (4.61)
Share urban population	-0.230 (-0.63)	-0.0689 (-0.23)	-0.0746 (-0.09)	0.102 (0.13)	-0.272 (-0.67)	-0.136 (-0.32)
1991 (D)	0.0113 (0.90)	0.0361* (2.25)	0.00518 (0.49)	0.0324* (2.24)	0.0145 (0.95)	0.0353* (2.04)
1992 (D)	0.00109 (0.07)	0.0438* (1.96)	-0.0103 (-0.87)	0.0365* (1.92)	0.00772 (0.38)	0.0436 (1.69)
1993 (D)	-0.0198 (-1.18)	0.0381 (1.47)	-0.0351** (-3.00)	0.0282 (1.27)	-0.0104 (-0.43)	0.0381 (1.28)
1994 (D)	-0.0337 (-1.71)	0.0404 (1.35)	-0.0505*** (-4.05)	0.0306 (1.25)	-0.0238 (-0.83)	0.0384 (1.10)
1995 (D)	-0.0587** (-2.54)	0.0304 (0.91)	-0.0751*** (-4.87)	0.0224 (0.81)	-0.0487 (-1.49)	0.0261 (0.68)
1996 (D)	-0.0697** (-2.61)	0.0334 (0.92)	-0.0906*** (-5.02)	0.0223 (0.75)	-0.0565 (-1.51)	0.0299 (0.70)
1997 (D)	-0.0748** (-2.44)	0.0378 (0.95)	-0.0984*** (-4.33)	0.0249 (0.74)	-0.0599 (-1.42)	0.0346 (0.74)
1998 (D)	-0.0876** (-2.56)	0.0340 (0.80)	-0.113*** (-4.38)	0.0205 (0.59)	-0.0715 (-1.53)	0.0304 (0.60)
1999 (D)	-0.113*** (-3.33)	0.0161 (0.40)	-0.141*** (-5.13)	0.0000907 (0.00)	-0.0945* (-2.00)	0.0136 (0.28)
2000 (D)	-0.129*** (-3.44)	0.00676 (0.17)	-0.153*** (-4.78)	-0.00513 (-0.15)	-0.113* (-2.19)	0.000808 (0.02)
2001 (D)	-0.144*** (-3.86)	-0.00215 (-0.05)	-0.168*** (-5.00)	-0.0127 (-0.35)	-0.128** (-2.45)	-0.00946 (-0.19)
2002 (D)	-0.166*** (-4.53)	-0.0190 (-0.46)	-0.193*** (-5.66)	-0.0320 (-0.81)	-0.149** (-2.80)	-0.0255 (-0.51)
2003 (D)	-0.187*** (-4.74)	-0.0357 (-0.78)	-0.213*** (-5.89)	-0.0476 (-1.08)	-0.170** (-2.96)	-0.0436 (-0.80)
2004 (D)	-0.203*** (-4.67)	-0.0478 (-0.96)	-0.230*** (-5.68)	-0.0594 (-1.25)	-0.186** (-2.93)	-0.0559 (-0.94)
2005 (D)	-0.209*** (-4.28)	-0.0497 (-0.91)	-0.239*** (-5.04)	-0.0642 (-1.16)	-0.191** (-2.75)	-0.0570 (-0.89)
2006 (D)	-0.214*** (-4.12)	-0.0501 (-0.85)	-0.238*** (-4.59)	-0.0585 (-0.96)	-0.198** (-2.64)	-0.0603 (-0.88)
2007 (D)	-0.214*** (-3.77)	-0.0442 (-0.70)	-0.237*** (-4.22)	-0.0513 (-0.77)	-0.198** (-2.40)	-0.0556 (-0.76)
2008 (D)	-0.229*** (-4.18)	-0.0513 (-0.80)	-0.263*** (-4.97)	-0.0678 (-1.09)	-0.209** (-2.49)	-0.0593 (-0.77)
2009 (D)	-0.260*** (-4.96)	-0.0763 (-1.26)	-0.287*** (-5.59)	-0.0862 (-1.41)	-0.243** (-3.00)	-0.0894 (-1.22)
2010 (D)	-0.270*** (-5.01)	-0.0811 (-1.30)	-0.297*** (-5.47)	-0.0898 (-1.40)	-0.254** (-3.06)	-0.0953 (-1.26)
log(technology)		-0.0653*** (-4.06)		-0.0715*** (-5.47)		-0.0548** (-2.28)

N=200. Fixed effect model. Dependent variable: log of electricity consumption. t statistics based on robust standard errors in parenthesis. * $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$

Table 2 – Demand for electricity (excluding average dwelling size)

	(1) All appliances	(2) Washing appliances	(3) Cooling appliances
log(electr_price)	-0.220*** (-5.11)	-0.166** (-2.22)	-0.248*** (-5.31)
log(GDP pc)	-0.0350 (-0.68)	0.0628 (0.54)	-0.0636 (-0.94)
Share urban population	-0.364** (-2.21)	-0.0493 (-0.06)	-0.507** (-2.32)
Time dummies	Yes	Yes	Yes
N	200	200	200

Fixed effect model. Dependent variable: log of electricity consumption. *t* statistics based on robust standard errors in parenthesis. * $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$

In summary, we observe a strong decrease in energy consumption in all countries after controlling for our control variables and time-invariant unobserved differences across countries (time dummies in column 1, 3 and 5): electricity consumption to operate our selection of home appliances given income, electricity prices, average dwelling size and share of urban population decreased of about 27 percent over the period 1990-2010, with a slightly greater decrease for washing appliances than for cooling appliances. Time dummies in columns 1, 3 and 5 are strongly significant. Most importantly, when controlling for our variable of technology, time dummies (i.e. trends common to all countries) lose significance, while the technology variable (time- and country-specific) represents a good predictor of electricity saving. The elasticity is around 0.065, slightly greater for washing appliances than for cooling appliances, and strongly significant. This result highlights the relevance of technology as a means for reducing electricity consumption to satisfy a given demand for energy services.

In light of the previous results, as a preliminary step for conducting further analysis on technical efficiency we test the hypothesis of normally distributed residuals on the energy demand estimation and significantly reject the normality assumption¹⁴. This revealed the existence of inefficiency not only captured by the idiosyncratic error and allows us to enrich the analysis by widening the empirical framework to stochastic frontier models.

4.2 Disentangling energy efficiency from energy saving

In order to derive a reliable specification of the frontier model, we provide a first evidence by testing the existence of time-varying inefficiency. To this aim, we employ the model by Battese and Coelli (1992), which accounts for the inefficiency term to be varying over time. Accordingly, our stochastic frontier model is specified as follows:

$$\ln(E_{i,t}) = \beta_0 + \beta_1 \ln(P_e)_{i,t} + \beta_2 \ln\left(\frac{GDP}{POP}\right)_{i,t} + \ln(Dwe_{Size})_{i,t} + \ln\left(\frac{Urb_{POP}}{POP}\right)_{i,t} + v_{i,t} + \eta u_{i,t} \quad (8)$$

¹⁴ We used the Shapiro-Wilk test. Results are available upon request.

where P_e , $\frac{GDP}{POP}$, Dwe_{Size} and $\frac{Urb_{POP}}{POP}$ represent the demand drivers previously described, $u_{i,t}$ is a non-negative random variable which is assumed to account for technical inefficiency and follows a truncated normal distribution, while $\eta_{i,t} = e^{-\eta(t-T)}$ is a time-varying parameter to be estimated together to the vectors of β with $t = 1990, \dots, T$. These preliminary results (Table 3) show coherent and significant elasticity values for the appliance-specific electricity demand, the latter being negatively correlated with increases in prices. The relatively inelastic value of the price coefficient (20%) signals a low responsiveness of households to price changes, in line with the assumption that the use of large traditional electrical appliances is aimed at satisfying non-substitutable needs. This evidence is further supported by the insignificance of the income variable. A factor strongly affecting the appliance consumption is represented by the household size, since larger dwellings not only imply more space for appliances, but the term is also presumably associated to higher incomes and more sophisticated needs to be satisfied. Most importantly, our preliminary estimations show that the efficiency level is affected by time variation, the η parameter being strongly significant. This suggests the need of modelling the inefficiency term as a time-varying variable.

Table 3 –Stochastic frontier estimates based on the Battese and Coelli (1992) model

Dep. variable:	BC92
log electr. consumption	
log(electr_price)	-0.205*** (-5.71)
log(GDP pc)	-0.0858 (-0.81)
log(av. size dwelling)	0.853** (2.52)
Share of urban population	-0.428 (-1.45)
Intercept	-1.824 (-0.53)
Sigma	-4.199*** (-7.78)
Gamma	2.514*** (4.16)
Mu	5.895** (2.49)
Eta	0.00222*** (3.24)
Lambda	3.515
N	200

Battese and Coelli (1992) model. t statistics based on robust standard errors in parenthesis. * $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$. λ (Signal-to-Noise ratio) = σ_u / σ_v provides information on the relative contribution of u_{it} and v_{it} on the decomposed error term ε_{it}

In this respect, it has been argued that the contribution of technology in the framework of stochastic frontier can be indirectly captured by a number of factors, as for instance by the price and income effects (see Filippini and Hunt, 2012). More recently, Filippini *et al.* (2014) introduced a specific variable to control the amount of wasted energy due to households not using the best available technologies, although admitting the limitations of this approach, such

as the lack of data on consumers' behaviour, heterogeneity in the level of electricity consumption and the fact that such a method is not able to disentangle the energy saving deriving from a more efficient use of inputs or from the adoption of energy saving technologies.

In this respect, we overcome the limitations of the current literature which relies on the implicit modelling of technology, which is generally treated as a latent process. On the contrary, we assume that the technology level is strictly connected to the efficiency performance. By exploiting the advantages of the recent empirical literature, we model the variance distribution of the inefficiency term. As a result, our energy-input demand directly incorporates the appliance-specific technology level which governs the efficiency dynamics.

In light of the previous considerations and consistently with our empirical strategy, the technology-augmented stochastic frontier model is specified using the TFE model as follows:

$$\ln(E_{i,t}) = \alpha_i + \beta_1 \ln(P_e)_{i,t} + \beta_2 \ln\left(\frac{GDP}{POP}\right)_{i,t} + \ln(Dwe_{size})_{i,t} + \ln\left(\frac{Urb_{POP}}{POP}\right)_{i,t} + v_{i,t} + u_{i,t} \quad (9)$$

$$u_{i,t} = z_{i,t}\psi \quad (10)$$

$$z_{i,t} = \ln(z_{i,t}^{Domestic} + z_{i,t}^{Foreign}) \quad (11)$$

in which the technical inefficiency component u is assumed to be heteroscedastic and its variance is expressed as a function of z .

Table 4 – Stochastic frontier analysis with TFE model

	(1)	(2)
Dep variable: log electr consumption	Truncated normal	Exponential
log(electr_price)	-0.214*** (-3.59)	-0.213*** (-10.27)
log(GDP pc)	-0.477*** (-5.83)	-0.488*** (-12.99)
log(av size dwelling)	0.623** (2.13)	0.650*** (4.39)
Share urban population	-1.297*** (-5.22)	-1.329*** (-7.27)
Variance of the inefficiency component		
log(technology)	-0.812* (-1.71)	-1.025*** (-3.38)
Sigma U (average)	0.0429	0.0210
Sigma V	0.0388	0.0393
Lambda	1.106	0.534
N	200	200

True fixed effects model. t statistics based on robust standard errors in parenthesis. * $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$

Table 4 presents the estimation results including the total effect of technology, in which z represents the sum of domestic and foreign technology components. The frontier coefficients are in line with those deriving from previous specifications, with the exception of per-capita income and urban population, which are both significant and negatively correlated to the electricity consumption. In particular, the income effect is also explained by the share of urban households, which are found to make a lower use of large traditional appliances, or alternatively, to employ more efficient appliances. This result is consistent with the empirical literature that put in relation the electricity consumption with the urban context. For instance, Brounen and Kok (2011) provided evidence that more densely populated areas positively affect the rate of energy-labelled dwellings in Netherlands, while Kaza (2010) found negative correlation between electricity consumption and urban areas when the latter are compared to rural ones. Relevant implications can be attributed to the role of innovation in explaining the energy saving performances. The market penetration of the total stock of new EE appliances produces significant reduction of households' energy consumption via technology-driven technical efficiency. Results are robust to the choice of the distribution of the inefficiency component, either the truncated normal or the exponential distribution.

Figure 2 – Efficiency scores by country – total electricity consumption




Figure 2 shows the trends of efficiency scores by country for the truncated normal and exponential distribution¹⁵. Technical efficiency starts from very high values (close to unity, meaning full efficiency) in all countries. While in some countries it remains rather stable (Austria, France, Greece, Netherlands, Slovenia, Sweden and the UK), we observe a remarkable efficiency gain in Denmark and Germany and, to a lesser extent, in Italy.

¹⁵ When statistically compared, the two distributions are consistent with significant correlation coefficient of 0.966 and a Spearman correlation of 0.972.

Table 5 – Stochastic frontier analysis with TFE model (domestic vs foreign technology)

Dep variable: log electr consumption	(1)	(2)
log(electr_price)	-0.215*** (-3.56)	-0.217*** (-3.05)
log(GDP pc)	-0.477*** (-6.25)	-0.533*** (-6.74)
log(av size dwelling)	0.615** (2.31)	0.708*** (2.66)
Share urban population	-1.327*** (-5.49)	-1.246*** (-4.26)
Variance of the inefficiency component		
log(foreign_tech)	-1.208* (-1.85)	
log(domestic tech)		-0.817** (-2.43)
Sigma U (average)	0.0223	0.0189
Sigma V	0.0384	0.0409
Lambda	0.581	0.462
N	200	200

True fixed effects model with exponential distribution.
t statistics based on robust standard errors in parenthesis. * $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$

As previously discussed, the import of new energy efficient appliances may assume relevant importance in countries where the innovative effort of domestic firms is negligible since it allows these countries to reach increasing levels of energy security and to significantly contribute to reducing polluting emissions deriving from fossil fuel energy generation. In order to disentangle the role of international market, we separate the z variable in two components, referring respectively to the domestic and foreign market penetration of new EE appliances. Results reported in Table 5 (assuming an exponential distribution for the inefficiency component) confirm the significant role of international technology diffusion. Even though the coefficient associated to the domestic market is larger than the one referring to the import component, the latter shows stronger significance, meaning that, in a well-established market relationship, the invention and diffusion efforts of foreign innovative firms are significant substitutes to those carried out by domestic firms.

As a further step, we split total electricity consumption into consumption to operate cooling appliances and consumption to operate washing appliances (Table 6). By this separation, we expect relatively lower influence of the rebound effect in cooling appliances, which are characterized by continuous operation and do not allow households to vary the amount of energy consumed. In both cases we observe similar results for the input of the stochastic frontier function and a significant effect of the technology variable, slightly bigger in magnitude for washing appliances than for cooling appliances.


Figure 3 shows efficiency scores for the two categories of home appliances as well as the efficiency scores estimated for total electricity consumption. We observe that technical efficiency of washing appliances is generally lower than the one of cooling appliances but it is increasing at faster pace.

Table 6 – Stochastic frontier analysis with TFE model (by appliance)

	(1)	(2)
Dep variable: log electr consumption	Washing appliances	Cooling appliances
log(electr_price)	-0.184*** (-7.85)	-0.204*** (-8.14)
log(GDP pc)	-0.557*** (-12.86)	-0.466*** (-11.88)
log(av size dwelling)	0.870*** (5.14)	0.535*** (3.54)
Share urban population	-1.217*** (-5.77)	-1.423*** (-7.77)
Variance of the inefficiency component		
log(technology)	-0.881*** (-2.68)	-0.691*** (-2.79)
Sigma U (average)	0.0215	0.0398
Sigma V	0.0453	0.0316
Lambda	0.474	1.260
N	200	200

True fixed effects model with exponential distribution.
t statistics based on robust standard errors in parenthesis. * $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$

Figure 3 – Efficiency scores by country – by type of appliance



5 Conclusions

The present study presents an original methodology to account for the role of innovation process when investigating the level of efficiency processes by means of stochastic frontier analysis, a well-known parametric technique able to disentangle the technical efficiency as a measure of distance between the observed and the maximum theoretically efficient frontier.

In order to test the effectiveness of the methodology here proposed, we analyse the efficiency trend in two groups of traditional home appliances in the period 1990-2010 and in ten European countries. The choice of using domestic appliances aimed at fulfilling primary needs such as cooling or washing which show low behavioural consumer's responsiveness to changes in energy prices, allows us to minimise the share of energy saved due to potential rebound effect and to better identify the impact of technology in reducing energy consumption.

To this aim, in line with the growing empirical literature on eco-innovation, an ad hoc patents selection is employed in order to consider specific EE technologies embodied in the set of considered appliances, namely freezers and refrigerators, washing machines and dishwashers.

In considering the innovation process as a whole, we model the technology invention and diffusion process by combining patent information and data on both import and domestic production, these latter approximating the level of market penetration of new energy efficient appliances. In order to derive energy efficiency scores, we take advantage of the existing literature on the derived households' energy demand in order to fruitfully employ a technology-augmented specification of stochastic frontier function.

Consistently with the existing literature, our results show that the most important drivers of electricity consumption for the set of appliances under scrutiny are represented by the electricity price and the size of dwelling, while affluence and urbanization only enter significantly the demand function for electricity in the stochastic frontier specification.

The significance of the set of time dummies in the basic demand regression model signals a latent important effect, which disappears when the technology enters as a covariate. This provides a first important evidence of the relevant role assumed by the innovation process in driving the energy reduction pattern and deserves further investigation that we address in the second part of the analysis by employing a stochastic frontier analysis. In such a setting, the variance distribution of the inefficiency term is explicitly modelled through two technology components which incorporate, respectively, the effect of domestic and foreign market penetration of new energy efficient appliances. Given the fine disaggregation of our data, we are able to test the effects of both total and domestic vs. foreign market penetration and in different types of appliances. This part of analysis shows that the diffusion of energy efficient appliances is a good predictor of efficiency scores and contributes substantially to improvements in technical efficiency. We also observe that both the domestic and the foreign component are relevant in explaining improvements in technical efficiency.

Regarding the efficiency performance, our estimations show that the efficiency level range from about 85 per cent to almost 100 per cent, depending on the type of appliance considered in the analysis. This evidence suggests that households are highly efficient in combining 'energy inputs' at the minimum cost in order to obtain energy services such as cooling and washing. Nevertheless, the values obtained may appear very high with respect to other studies employing similar methodologies. On the one hand, this may depend on the methodology we use (i.e. a true fixed effect model) that tends to underestimate cross-country differences in technical efficiency and is more prone to provide higher efficiency levels. On the other hand, a possible reason explaining such a difference can be the fact that our analysis focuses on appliances classified as 'traditional'. These latter constituted a class of devices that benefited

from a persistent effect of technology improvements over time, with the effect of significantly saturating their efficiency potential in terms of electricity employed.

Our study suggests relevant policy implications. State-of-the-art technology improvements of appliance manufacturers translate into relevant improvements in technical efficiency for what concerns the appliances under scrutiny. The efficiency gain, which implies significant degrees of energy saving in favour of the households, is led both by domestic and foreign blueprints. This observation has implications for both innovation policies (i.e. targeted R&D subsidies and enforcement of IPRs) and trade policies (i.e. barriers to trade may limit further improvements of energy efficiency).

References

- Aigner D., Lovell C., Schmidt P. (1977). Formulation and estimation of stochastic frontier production function models. *Journal of Econometrics*, Vol. 6, pp. 21-37.
- Alberini A., Filippini M. (2011). Response of residential electricity demand to price: The effect of measurement error. *Energy Economics*, vol. 33, pp. 889-895.
- Ang B.W. (1995). Multilevel decomposition of industrial energy consumption. *Energy Economics*, Vol. 17(1), pp. 39-51.
- Battese G., Coelli T. (1992). Frontier production functions, technical efficiency and panel data: with application to paddy farmers in India. *Journal of Productivity Analysis*, Vol. 3(1-2), pp. 153–169.
- Battese G., Coelli T. (1995). A model for technical inefficiency effects in a stochastic frontier production function for panel data. *Empirical Economics*, Vol. 20, pp. 325–332.
- Belotti F., Daidone S., Ilardi G., Atella V. (2013). Stochastic frontier analysis using Stata. *Stata Journal*, vol. 13 (4), pp. 719-758.
- Belotti F., Ilardi G. (2012). Consistent estimation of the “true” fixed-effects stochastic frontier model. *CEIS Research Papers* (231).
- Bosseboeuf D., Chateau B., Lapillonne B. (1997). Cross-country comparison on energy efficiency indicators: the on-going European effort towards a common methodology. *Energy Policy*, Vol. 25(7-9), pp. 673-682.
- Boyd, G. A. (2008). Estimating Plant Level Energy Efficiency with a Stochastic Frontier. *The Energy Journal*, Vol. 29, pp. 23-43.
- Brounen D., Kok N. (2011). On the economics of energy labels in the housing market. *Journal of Environmental Economics and Management*, vol. 62(2), pp. 166-179.
- Brown M. L. (2004) Obstacles to Energy Efficiency, Vol. 4. pp. 465-475. In *Encyclopedia of Energy*, ed. by Cutler J. Cleveland, Elsevier, New York.
- Buck J., Young D. (2007). The potential for energy efficiency gains in the Canadian commercial building sector: A stochastic frontier study. *Energy*, Vol. 32, pp. 1769-1780.
- Burwell C.C., Sweezy B.G. (1990). The home: evolving technologies for satisfying human wants. In: Schurr S.H.; Burwell C.C.; Devine W.D.; Sonenblum S. (eds), *Electricity in the American economy: agent of technological progress*, Greenwood Press, New York.
- Cabeza L. F., Urge-Vorsatz D., McNeil M. A., Barreneche C., Serrano S. (2014). Investigating greenhouse challenge from growing trends of electricity consumption through home appliances in buildings. *Renewable and Sustainable Energy Reviews*, vol. 36, pp. 188-193.
- Caudill S., Ford J. (1993). Biases in frontier estimation due to heteroscedasticity. *Economic Letters*, Vol. 41, pp. 17–20.
- Caudill S., Ford J., Gropper D. (1995). Frontier estimation and firm-specific inefficiency measures in the presence of heteroscedasticity. *Journal of Business Economics and Statistics*, Vol. 13, pp. 105–111.
- Chakravarty D. Dasgupta S., Roy J. (2013). Rebound effect: how much to worry? *Current Opinion in Environmental Sustainability*, vol. 5, pp. 216-228
- Cornwell C., Schmidt P. (1996). Production Frontiers and Efficiency Measurement. In *The Econometrics of Panel Data. A Handbook of the Theory with Applications*, Eds. László M., Sevestre P., Part III, pp 845-878. Springer Netherlands.
- Costantini V., Liberati P. (2014). Technology transfer, institutions and development. *Technological Forecasting and Social Change*, Vol. 88, pp. 26-48.

- Costantini V., Crespi F., Palma A. (2015a). Characterizing the policy mix and its impact on eco-innovation in energy-efficient technologies. SEEDS Working Paper n°11-2015.
- Costantini V., Crespi F., Martini C., Pennacchio L. (2015b). Demand-pull and technology-push public support for eco-innovation: The case of the biofuels sector. *Research Policy*, vol. 44(3), pp. 577-595.
- Datta S., Gulati S. (2014). Utility rebates for ENERGY STAR appliances: Are they effective? *Journal of Environmental Economics and Management*, Vol. 68 (3), pp. 480-506.
- Davis L. (2008). Durable Goods and Residential Demand for Energy and Water: Evidence from a Field Trial. *RAND Journal of Economics*, Vol. 39 (2), pp. 530-546.
- del Río Gonzalez P. (2009). The empirical analysis of the determinants for environmental technological change: A research agenda. *Ecological Economics*, Vol. 68, pp. 861-878.
- Ek K., Söderholm P. (2010). The devil is in the details: Household electricity saving behavior and the role of information. *Energy Policy*, vol. 38(3), pp. 1578-1587.
- ENEA (Dept. of Energy) (1996). *Fonti statistiche e metodologie di elaborazione per gli indicatori energetici regionali, nazionali ed europei*. Roma.
- EPA, US Dept. of energy (1995). *Measuring Energy Efficiency in the United States Economy. A Beginning*. Washington DC.
- ETCSCP (European Topic Centre on Sustainable Consumption and Production) (2013). *Housing assessment, final report. Task 2.5.1.1. ETC/SCP Working Paper No 4*.
- European Commission (EC) (2011). *Energy Efficiency Plan 2011. Commission Staff Working Document. Com(2011) 0109*. Brussels.
- European Commission (EC) (2012a). *Energy Efficiency Status Report 2012. Electricity Consumption and efficiency Trends in the EU-27*. Joint Research Centre, Institute for Energy and Transport.
- European Commission (EC) (2012b). “Energy Efficiency Directive”, 2012/27.
- European Commission (EC) (2014). *A policy framework for climate and energy in the period from 2020 to 2030. Com(2014) 15 Final*, Brussels.
- Eurostat (2013a). *Sold production, exports and imports by PRODCOM list (NACE Rev. 2) - annual data*. Available at: <http://ec.europa.eu/eurostat/web/prodcom/data/database>.
- Eurostat (2013b). *EU trade statistics since 1988 by CN8*. Available at: <http://ec.europa.eu/eurostat/web/international-trade/data/database>.
- Evenson R.E. (2002). Induced adaptive invention/innovation and productivity convergence in developing countries. In *Technological Change and the Environment*. Eds. Grubler A., Nakicenovic N., Nordhaus W.D. (2002). Washington, DC. *Resource Future Ref.* 131, pp. 61-96.
- Farsi M., Filippini M., Greene W. (2005). Efficiency measurement in network industries: Application to the Swiss railway companies. *Journal of Regulatory Economics*, Vol. 28(1), pp. 69–90.
- Fernandez V.P. (2001). Observable and unobservable determinants of replacement of home appliances. *Energy Economics*, 23. pp. 305-323.
- Filippini M. (1995). Swiss residential demand for electricity by time-of-use. *Resource and Energy Economics*, Vol. 17(3), pp. 281-290.
- Filippini M., Hunt L. C. (2012). US residential energy demand and energy efficiency: A stochastic demand frontier approach. *Energy Economics*, Vol. 34(5), pp. 1484-1491.

- Filippini M., Pachauri S. (2004). Elasticities of electricity demand in urban Indian households. *Energy Policy*, Vol. 32(3), pp. 429-436.
- Filippini, M. Hunt L. C., Zorić J. (2014). Impact of energy policy instruments on the estimated level of underlying energy efficiency in the EU residential sector. *Energy Policy*, Vol. 69(C), pp. 73-81.
- Florax, R., H. De Groot, and P. Mulder (2011). *Improving Energy Efficiency through Technology: Trends, Investment Behaviour and Policy Design*. Edward Elgar Publishing.
- Geroski P. A. (2000). Models of technology diffusion. *Research Policy*, vol. 29(4-5), pp. 603-625.
- Gillingham K., Newell R. G., Palmer K. (2009). Energy Efficiency Economics and Policy. *Annual Review of Resource Economics*, Annual Reviews, vol. 1(1), pp. 597-620.
- Gillingham K., Palmer K. (2014). Bridging the Energy Efficiency Gap: Policy Insights from Economic Theory and Empirical Evidence. *Review of Environmental Economics and Policy*, 8(1), pp. 18-38.
- Greene W. (2005a). Reconsidering heterogeneity in panel data estimators of the stochastic frontier model. *Journal of Econometrics*, Vol. 126, pp. 269–303.
- Greene W. (2005b). Fixed and random effects in stochastic frontier models. *Journal of Productivity Analysis*, Vol. 23, pp. 7–32.
- Greening L. A., Greene D. L., Difiglio C. (2000). Energy efficiency and consumption - the rebound effect - a survey. *Energy Policy*, Vol. 28 (6/7), pp. 389-401.
- Griliches Z. (1957). Hybrid Corn: An Exploration in the Economics of Technological Change. *Econometrica*, Vol. 25(4), pp. 501-522.
- Griliches Z. (1998). Patent Statistics as Economic Indicators: A Survey. In *R&D and Productivity: The Econometric Evidence*. Ed. Griliches Z. National Bureau of Economic Research. University of Chicago Press.
- Guertin C., Kumbhakar S., Duraipappah A. (2003). Determining demand for energy services: Investigating income-driven behaviours. International Institute for Sustainable Development.
- Hadri K. (1999). Estimation of a Doubly Heteroscedastic Stochastic Frontier Cost Function. *Journal of Business Economics and Statistics*, Vol. 17(3). pp. 359–363.
- Hall B. H. (2007). Measuring the returns to R&D: the depreciation problem. NBER Working Paper 13473.
- Hall B. H., Jaffe A., Trajtenberg M. (2005). Market Value And Patent Citations. *Rand Journal of Economics* Vol. 36 (1), pp. 16-38.
- Hartman, R S. (1979). Frontiers in Energy Demand Modeling. *Annual Review of Energy*, Vol. 4, pp. 433-466.
- Herring H. Roy R. (2007). Technological innovation, energy efficient design and the rebound effect. *Technovation*, vol. 27(4), pp. 194-203.
- Hicks J.R. (1932) *The Theory of Wages*. London, Macmillan.
- Hilty L. M., Köhler A., Von Schéele F., Zah R., Ruddy T. (2006). Rebound effects of progress in information technology. *Poiesis & Praxis*, Vol. 4(1), pp. 19-38.
- Horbach J. (2008). Determinants of environmental innovation-New evidence from German panel data sources, *Research Policy*, Vol., 37, pp. 163-173.
- Huang C. J., Liu J. T. (1994). Estimation of a Non-Neutral Stochastic Frontier Production Function. *The Journal of Productivity Analysis*, Vol. 5, pp. 171–180.

- IEA (International Energy Agency) (2009). *Gadgets and Gigawatts. Policies for Energy Efficient Electronics*. OECD-IEA Publishing, Paris.
- IEA (International Energy Agency) 2012. *Energy Technology Perspective 2012*. IEA Publishing, Paris.
- Jaffe A, B., Newell R. G., Stavins R. N.(2004). *Economics of Energy Efficiency*, In *Encyclopedia of Energy*, edited by Cutler J. Cleveland, Elsevier, New York.
- Jaffe A. B., Stavins R. N. (1994). The energy-efficiency gap What does it mean? *Energy Policy*, 22(10), 804-810.
- Jaffe A. B., Stavins R. N. (1995). Dynamic Incentives of Environmental Regulations: The Effects of Alternative Policy Instruments on Technology Diffusion. *Journal of Environmental Economics and Management*. Vol. 29 (3), pp. S43–S63.
- Jaffe A., Trajtenberg M. (2004). Patents, Citations, and Innovations: A Window on the Knowledge Economy. *Journal of Economic Literature*, 42 (4), pp. 1158-1160.
- Johnstone N., Haščič I., Popp D. (2010). Renewable Energy Policies and Technological Innovation: Evidence Based on Patent Counts. *Environmental and Resource Economics*, vol. 45(1), pp 133-155.
- Karshenas M., Stoneman P. L. (1993). Rank, stock, order, and epidemic effects in the diffusion of new process technologies: an empirical model. *RAND Journal of Economics* 24, 503-528.
- Kaza N. (2010). Understanding the spectrum of residential energy consumption: a quantile regression approach. *Energy Policy*, Vol. 38, pp. 6574-6585.
- Kelly S. (2011). Do homes that are more energy efficient consume less energy? A structural equation model of the English residential sector. *Energy* 5610–5620.
- Khademvatani A., Gordon D. V. (2013). A marginal measure of energy efficiency: The shadow value. *Energy Economics*, Vol. 38, pp. 153-159.
- Khazzoom J. D. (1980). Economic implications of mandated efficiency in standards for household appliances. *Energy Journal*, Vol.1(4), pp. 21-40
- Kumbhakar S. C. (1990). Production frontiers, panel data and time-varying technical inefficiency. *Journal of Econometrics*, Vol. 46, pp. 201–212.
- Kumbhakar S. C., Ghosh S., McGuckin J. T. (1991). A Generalized Production Frontier Approach for Estimating Determinants of Inefficiency in U.S. Dairy Farms. *Journal of Business and Economic Statistics*, Vol. 9, pp. 279–286.
- Kumbhakar S. C., Lovell C. A. K. (2000). *Stochastic frontier analysis*. Cambridge University Press.
- Lancaster T. (2002). The incidental parameters problem since 1948. *Journal of Econometrics*, Vol. 95, pp. 391-414.
- Lanjouw J., Pakes A., Putnam J. (1998). How to Count Patents and Value Intellectual Property: Uses of Patent Renewal and Applications Data. *Journal of Industrial Economics*, 46 (4), pp. 405-433.
- Lanjouw J., Schankerman M. (2004). Patent quality and research productivity: measuring innovation with multiple indicators. *Economic Journal*, 114 (495), pp. 441-465.
- Lee Y., Schmidt P. (1993). The measurement of productive efficiency: techniques and applications. Chapter: A production frontier model with flexible temporal variation in technical inefficiency. Oxford University Press.
- Linares P., Labandeira X. (2010). Energy Efficiency: Economics And Policy. *Journal of Economic Surveys*, Wiley Blackwell, vol. 24(3), pp.573-592.

- Lorentz A., Woersdorfer J. S. (2010). Energy-efficient household appliances and the rebound effect—a model on the demand for washing machines. Conference paper, 8th International Conference of the European Society for Ecological Economics, Ljubljana.
- Lovins A. B. (2004). Energy Efficiency, Taxonomic Overview, In *Encyclopedia of Energy*, edited by Cutler J. Cleveland, Elsevier, New York, pp. 383-401.
- Malerba F., Orsenigo L. (1996). The dynamics and evolution of industries. *Industrial and Corporate Change*, 5 (1), pp. 51-87.
- Markandya, A., Pedroso-Galinato S., Streimikiene D. (2006). Energy intensity in transition economies: Is there convergence towards the EU average? *Energy Economics*, vol. 28(1), pp. 121-145.
- McKinsey & Company. *Pathways to a low-carbon Economy: Version 2 of the Global Greenhouse Gas Abatement Cost Curve*; 2009.
- Meeusen W., van den Broeck J. (1977). Efficiency estimation from cobb-douglas production function with composed errors. *International Economic Review*, Vol. 18, pp. 435-444.
- Mundlak Y. (1978). On the pooling of time series and cross-section data. *Econometrica*, Vol. 46 (1), pp. 69–85.
- Murillo-Zamorano (2004). Economic efficiency and frontier techniques. *Journal of Economic Surveys*, Vol. 18 (1), pp. 33-78.
- Newell R. G., Jaffe A., Stavins R.N. (1999). The Induced Innovation Hypothesis and Energy-Saving Technological Change. *The Quarterly Journal of Economics*, Vol. 114 (3), pp. 941-975.
- Neyman J., Scott E. (1948). Consistent estimates based on partially consistent observations. *Econometrica*, Vol. 16, pp. 1–32.
- Noailly J. (2012). Improving the energy efficiency of buildings: The impact of environmental policy on technological innovation. *Energy Economics*, Vol. 34 (3) pp. 795-806.
- Oltra V., Kemp R., De Vries F.P. (2010). Patents as a measure for eco-innovation. *International Journal of Environmental Technology and Management* 13 (2), pp. 130-148.
- Ouyang J., Long E., Hokao K. (2010). Rebound effect in Chinese household energy efficiency and solution for mitigating it. *Energy*, Vol. 35, pp. 5269-5276.
- Patterson M. G. (1996). What is EE? Concepts, indicators and methodological issues. *Energy Policy* 24 (5), pp. 377-390.
- Pitt M., Lee L. (1981). The measurement and sources of technical inefficiency in the Indonesian weaving industry. *Journal of Development Economics* Vol. 9, pp. 43–64
- Popp D. (2002). Induced Innovation and Energy Prices. *American Economic Review*, 92(1), pp.160-180.
- Popp D. (2003). Pollution control innovations and the Clean Air Act of 1990. *Journal of Policy Analysis and Management*, Vol. 22(4), pp. 641-660.
- Saidur HH, Masjuki, Jamaluddin MY, Ahmed S. (2007). Energy and associated greenhouse gas emissions from household appliances in Malaysia. *Energy Policy*, 35 (3), pp. 1648-57.
- Saunders H. (2013). Historical Evidence for Energy Consumption Rebound in 30 US Sectors and a Toolkit for Rebound Analysts. *Technological Forecasting and Social Change*, Vol. 80 (7), pp. 1317-1330.
- Shih H.-Y., Chang T.-L.S. (2009). International diffusion of embodied and disembodied technology: a network analysis approach. *Technological Forecasting and Social Change*, Vol. 76, pp. 821-834.

- Sorrell S., Dimitropoulos J. (2008). The rebound effect: Microeconomic definitions, limitations and extensions. *Ecological Economics*, Vol. 65 (3), pp. 636-649.
- Stern D. I. (2012). Modeling international trends in energy efficiency. *Energy Economics*, Vol. 34(6), pp. 2200-2208.
- Stoneman P. (1983). *The Economic Analysis of Technological Change*. Oxford University Press, Oxford.
- Stoneman P. (2001). *The Economics of Technological Diffusion*. Wiley-Blackwell.
- Sue Wing I., Eckaus R. S. (2007). The Decline in U.S. Energy Intensity: Its Origins and Implications for Long-Run CO₂ Emission Projections. *Energy Policy*, Vol. 35, pp. 5267-5286.
- Thore S., Kozmetsky G., Phillips F. (1994). DEA of financial statement data: the U.S. computer industry. *Journal of Productivity Analysis*, Vol. 5, pp. 229-248.
- van den Bergh J. C. J. M. (2011). Energy Conservation More Effective with Rebound Policy. *Environmental and Resource Economics*, Vol. 48, pp. 43-58.
- van den Bergh J.C.J.M., Faber A., Idenburg A., Osterhuis, F. (2007). *Evolutionary economics and environmental policy, survival of the greenest*. Elgar, Cheltenham.
- Van Pottelsberghe B., Dernis H., Guellec D. (2001). Using Patent Counts for Cross-Country Comparisons of Technology Output. *STI Review*, 27
- Verdolini E., Galeotti M. (2011). At home and abroad: An empirical analysis of innovation and diffusion in energy technologies. *Journal of Environmental Economics and Management*, Elsevier, vol. 61(2), pages 119-134.
- Wang H. (2002). Heteroscedasticity and non-monotonicity efficiency effects of a stochastic frontier model. *Journal of Productivity Analysis*, Vol. 18, pp. 241–253.
- Wang H., Schmidt P. (2002). One-step and two-step estimation of the effects of exogenous variables on technical efficiency levels. *Journal of Productivity Analysis*, Vol. 18(2), pp. 289–296.

Appendix A – Descriptive statistics

Table A1 – Summary statistics and sources of data employed in the analysis.

Variable	Unit of measure	Mean	N	Min	Max	SD	Source
log(elec. consumption)	kWh	7.276	200	6.809	7.539	0.16	
log(elec. cons. cooling appl)	kWh	6.792	200	6.248	7.29	0.266	
log(elec. cons. washing appl.)	kWh	6.258	200	5.627	6.695	0.277	
log(elec. cons. freezers)	kWh	6.199	200	5.611	6.541	0.233	Odyssee-Enerdata
log(elec. cons. refrigerators)	kWh	5.967	200	5.282	6.65	0.364	
log(elec. cons. washing machines)	kWh	5.478	200	4.927	6.011	0.25	
log(elec. cons. dishwashers)	kWh	5.628	200	4.942	6.192	0.347	
log(end-use electricity price)	2005 PPP US dollars/kWh	-2.071	200	-2.92	-1.416	0.32	IEA-Eurostat
log(per-capita income)	2005 PPP US dollars	10.181	200	9.235	10.548	0.251	Word Bank
log(dwelling size)	sq. meters	4.514	200	4.244	4.714	0.111	Odyssee-Enerdata
Share of urban_pop	percentage	0.726	200	0.548	0.868	0.095	Word Bank
log(foreign tech.)	patents	2.844	200	0.076	4.825	1.164	OECD REGPAT, Eurostat PRODCOM,
log(domestic tech.)	patents	1.545	200	0	4.426	1.298	Eurostat Comext

Appendix B – Selection of appliance-specific energy efficiency patents

Table B1 - CPC Energy Efficiency Classes (Y02B)

Y02B 40 - "Climate Change Mitigation Technologies"	
Refrigerators or freezers	
Y02B	Y02B 40/32
40/30	Y02B 40/34
Dishwashers	
Y02B	Y02B 40/42
40/40	Y02B 40/44
Washing machines	
Y02B	Y02B 40/52
40/50	Y02B 40/54
	Y02B 40/56
	Y02B 40/58

NOTE DI LAVORO DELLA FONDAZIONE ENI ENRICO MATTEI

Fondazione Eni Enrico Mattei Working Paper Series

Our Note di Lavoro are available on the Internet at the following addresses:

<http://www.feem.it/getpage.aspx?id=73&sez=Publications&padre=20&tab=1>
http://papers.ssrn.com/sol3/JELJOUR_Results.cfm?form_name=journalbrowse&journal_id=266659
<http://ideas.repec.org/s/fem/femwpa.html>
<http://www.econis.eu/LNG=EN/FAM?PPN=505954494>
<http://ageconsearch.umn.edu/handle/35978>
<http://www.bepress.com/feem/>

NOTE DI LAVORO PUBLISHED IN 2015

ERM	1.2015	Elena Verdolini, Laura Diaz Anadon, Jiaqi Lu and Gregory F. Nemet: The Effects of Expert Selection, Elicitation Design, and R&D Assumptions on Experts' Estimates of the Future Costs of Photovoltaics
CCSD	2.2015	James Lennox and Ramiro Parrado: Capital-embodied Technologies in CGE Models
CCSD	3.2015	Claire Gavard and Djamel Kirat: Flexibility in the Market for International Carbon Credits and Price Dynamics Difference with European Allowances
CCSD	4.2015	Claire Gavard: Carbon Price and Wind Power Support in Denmark
CCSD	5.2015	Gunnar Luderer, Christoph Bertram, Katherine Calvin, Enrica De Cian and Elmar Kriegler: Implications of Weak Near-term Climate Policies on Long-term Mitigation Pathways
CCSD	6.2015	Francisco J. André and Luis M. de Castro: Incentives for Price Manipulation in Emission Permit Markets with Stackelberg Competition
CCSD	7.2015	C. Dionisio Pérez Blanco and Thomas Thaler: Water Flows in the Economy. An Input-output Framework to Assess Water Productivity in the Castile and León Region (Spain)
CCSD	8.2015	Carlos M. Gómez and C. Dionisio Pérez-Blanco: Simple Myths and Basic Maths about Greening Irrigation
CCSD	9.2015	Elorri Igos, Benedetto Rugani, Sameer Rege, Enrico Benetto, Laurent Drouet, Dan Zachary and Tom Haas: Integrated Environmental Assessment of Future Energy Scenarios Based on Economic Equilibrium Models
ERM	10.2015	Beatriz Martínez and Hipòlit Torró: European Natural Gas Seasonal Effects on Futures Hedging
CCSD	11.2015	Inge van den Bijgaart: The Unilateral Implementation of a Sustainable Growth Path with Directed Technical Change
CCSD	12.2015	Emanuele Massetti, Robert Mendelsohn and Shun Chonabayashi: Using Degree Days to Value Farmland
CCSD	13.2015	Stergios Athanassoglou: Revisiting Worst-case DEA for Composite Indicators
CCSD	14.2015	Francesco Silvestri and Stefano Ghinoi: Municipal Waste Selection and Disposal: Evidences from Lombardy
CCSD	15.2015	Loïc Berger: The Impact of Ambiguity Prudence on Insurance and Prevention
CCSD	16.2015	Vladimir Otrachshenko and Francesco Bosello: Identifying the Link Between Coastal Tourism and Marine Ecosystems in the Baltic, North Sea, and Mediterranean Countries
ERM	17.2015	Charles F. Mason, Lucija A. Muehlenbachs and Sheila M. Olmstead: The Economics of Shale Gas Development
ERM	18.2015	Anna Alberini and Charles Towe: Information v. Energy Efficiency Incentives: Evidence from Residential Electricity Consumption in Maryland
CCSD	19.2015	ZhongXiang Zhang: Crossing the River by Feeling the Stones: The Case of Carbon Trading in China
CCSD	20.2015	Petterson Molina Vale: The Conservation versus Production Trade-off: Does Livestock Intensification Increase Deforestation? The Case of the Brazilian Amazon
CCSD	21.2015	Valentina Bosetti, Melanie Heugues and Alessandro Tavoni: Luring Others into Climate Action: Coalition Formation Games with Threshold and Spillover Effects
CCSD	22.2015	Francesco Bosello, Elisa Delpiazzi, and Fabio Eboli: Macro-economic Impact Assessment of Future Changes in European Marine Ecosystem Services
CCSD	23.2015	Maryse Labriet, Laurent Drouet, Marc Vielle, Richard Loulou, Amit Kanudia and Alain Haurie: Assessment of the Effectiveness of Global Climate Policies Using Coupled Bottom-up and Top-down Models
CCSD	24.2015	Wei Jin and ZhongXiang Zhang: On the Mechanism of International Technology Diffusion for Energy Technological Progress
CCSD	25.2015	Benjamin Michallet, Giuseppe Lucio Gaeta and François Facchini: Greening Up or Not? The Determinants Political Parties' Environmental Concern: An Empirical Analysis Based on European Data (1970-2008)
CCSD	26.2015	Daniel Bodansky, Seth Hoedl, Gilbert Metcalf and Robert Stavins: Facilitating Linkage of Heterogeneous Regional, National, and Sub-National Climate Policies Through a Future International Agreement
CCSD	27.2015	Giannis Vardas and Anastasios Xepapadeas: Time Scale Externalities and the Management of Renewable Resources
CCSD	28.2015	Todd D. Gerarden, Richard G. Newell, Robert N. Stavins and Robert C. Stowe: An Assessment of the Energy-Efficiency Gap and Its Implications for Climate Change Policy
CCSD	29.2015	Cristina Cattaneo and Emanuele Massetti: Migration and Climate Change in Rural Africa
ERM	30.2015	Simone Tagliapietra: The Future of Renewable Energy in the Mediterranean. Translating Potential into Reality
CCSD	31.2015	Jan Siegmeier, Linus Mattauch, Max Franks, David Klenert, Anselm Schultes and Ottmar Edenhofer: A Public Finance Perspective on Climate Policy: Six Interactions That May Enhance Welfare
CCSD	32.2015	Reyer Gerlagh, Inge van den Bijgaart, Hans Nijland and Thomas Michielsen: Fiscal Policy and CO2 Emissions of New Passenger Cars in the EU
CCSD	33.2015	Marie-Laure Nauleau, Louis-Gaëtan Giraudet and Philippe Quirion: Energy Efficiency Policy with Price-quality Discrimination

CCSD	34.2015	Eftichios S. Sartzetakis, Anastasios Xepapadeas and Athanasios Yannacopoulos: Regulating the Environmental Consequences of Preferences for Social Status within an Evolutionary Framework
CCSD	35.2015	Todd D. Gerarden, Richard G. Newell and Robert N. Stavins: Assessing the Energy-efficiency Gap
CCSD	36.2015	Lorenza Campagnolo and Fabio Eboli: Implications of the 2030 EU Resource Efficiency Target on Sustainable Development
CCSD	37.2015	Max Franks, Ottmar Edenhofer and Kai Lessmann: Why Finance Ministers Favor Carbon Taxes, Even if They Do not Take Climate Change into Account
CCSD	38.2015	ZhongXiang Zhang: Carbon Emissions Trading in China: The Evolution from Pilots to a Nationwide Scheme
CCSD	39.2015	David García-León: Weather and Income: Lessons from the Main European Regions
CCSD	40.2015	Jaroslav Mysiak and C. D. Pérez-Blanco: Partnerships for Affordable and Equitable Disaster Insurance
CCSD	41.2015	S. Surminski, J.C.J.H. Aerts, W.J.W. Botzen, P. Hudson, P. Mysiak and C. D. Pérez-Blanco: Reflections on the Current Debate on How to Link Flood Insurance and Disaster Risk Reduction in the European Union
CCSD	42.2015	Erin Baker, Olaitan Olaleye and Lara Aleluia Reis: Decision Frameworks and the Investment in R&D
CCSD	43.2015	C. D. Pérez-Blanco and C. M. Gómez: Revealing the Willingness to Pay for Income Insurance in Agriculture
CCSD	44.2015	Banchongsan Charoensook: On the Interaction between Player Heterogeneity and Partner Heterogeneity in Two-way Flow Strict Nash Networks
CCSD	45.2015	Erin Baker, Valentina Bosetti, Laura Diaz Anadon, Max Henrion and Lara Aleluia Reis: Future Costs of Key Low-Carbon Energy Technologies: Harmonization and Aggregation of Energy Technology Expert Elicitation Data
CCSD	46.2015	Sushanta Kumar Mahapatra and Keshab Chandra Ratha: Sovereign States and Surging Water: Brahmaputra River between China and India
CCSD	47.2015	Thomas Longden: CO₂ Intensity and the Importance of Country Level Differences: An Analysis of the Relationship Between per Capita Emissions and Population Density
CCSD	48.2015	Jussi Lintunen and Olli-Pekka Kuusela: Optimal Management of Markets for Bankable Emission Permits
CCSD	49.2015	Johannes Emmerling: Uncertainty and Natural Resources - Prudence Facing Doomsday
ERM	50.2015	Manfred Hafner and Simone Tagliapietra: Turkish Stream: What Strategy for Europe?
ERM	51.2015	Thomas Sattich, Inga Ydersbond and Daniel Scholten: Can EU's Decarbonisation Agenda Break the State-Company Axis in the Power Sector?
ERM	52.2015	Alessandro Cologni, Elisa Scarpa and Francesco Giuseppe Sitzia: Big Fish: Oil Markets and Speculation
CCSD	53.2015	Joosung Lee: Multilateral Bargaining in Networks: On the Prevalence of Inefficiencies
CCSD	54.2015	P. Jean-Jacques Herings: Equilibrium and Matching under Price Controls
CCSD	55.2015	Nicole Tabasso: Diffusion of Multiple Information: On Information Resilience and the Power of Segregation
CCSD	56.2015	Diego Cerdeiro, Marcin Dziubinski and Sanjeev Goyal: Contagion Risk and Network Design
CCSD	57.2015	Yann Rébillé and Lionel Richafort: Networks of Many Public Goods with Non-Linear Best Replies
CCSD	58.2015	Achim Hagen and Klaus Eisenack: International Environmental Agreements with Asymmetric Countries: Climate Clubs vs. Global Cooperation
CCSD	59.2015	Ana Mauleon, Nils Roehl and Vincent Vannetelbosch: Constitutions and Social Networks
CCSD	60.2015	Adam N. Walker, Hans-Peter Weikard and Andries Richter: The Rise and Fall of the Great Fish Pact under Endogenous Risk of Stock Collapse
CCSD	61.2015	Fabio Grazi and Henri Waisman: Agglomeration, Urban Growth and Infrastructure in Global Climate Policy: A Dynamic CGE Approach
CCSD	62.2015	Elorri Igos, Benedetto Rugani, Sameer Rege, Enrico Benetto, Laurent Drouet and Dan Zachary: Combination of Equilibrium Models and Hybrid Life Cycle-Input-Output Analysis to Predict the Environmental Impacts of Energy Policy Scenarios
CCSD	63.2015	Delavane B. Diaz: Estimating Global Damages from Sea Level Rise with the Coastal Impact and Adaptation Model (CIAM)
CCSD	64.2015	Delavane B. Diaz: Integrated Assessment of Climate Catastrophes with Endogenous Uncertainty: Does the Risk of Ice Sheet Collapse Justify Precautionary Mitigation?
CCSD	65.2015	Jan Witajewski-Baltvilks, Elena Verdolini and Massimo Tavoni: Bending The Learning Curve
CCSD	66.2015	W. A. Brock and A. Xepapadeas: Modeling Coupled Climate, Ecosystems, and Economic Systems
CCSD	67.2015	Ricardo Nieva: The Coalitional Nash Bargaining Solution with Simultaneous Payoff Demands
CCSD	68.2015	Olivier Durand-Lasserve, Lorenza Campagnolo, Jean Chateau and Rob Dellink: Modelling of Distributional Impacts of Energy Subsidy Reforms: an Illustration with Indonesia
CCSD	69.2015	Simon Levin and Anastasios Xepapadeas: Transboundary Capital and Pollution Flows and the Emergence of Regional Inequalities
CCSD	70.2015	Jaroslav Mysiak, Swenja Surminski, Annegret Thieken, Reinhard Mechler and Jeroen Aerts: Sendai Framework for Disaster Risk Reduction – Success or Warning Sign for Paris?
CCSD	71.2015	Massimo Tavoni and Detlef van Vuuren: Regional Carbon Budgets: Do They Matter for Climate Policy?
CCSD	72.2015	Francesco Vona, Giovanni Marin, Davide Consoli and David Popp: Green Skills
CCSD	73.2015	Luca Lambertini, Joanna Poyago-Theotoky and Alessandro Tampieri: Cournot Competition and "Green" Innovation: An Inverted-U Relationship
ES	74.2015	Michele Raitano and Francesco Vona: From the Cradle to the Grave: the Effect of Family Background on the Career Path of Italian Men
ES	75.2015	Davide Carbonai and Carlo Drago: Positive Freedom in Networked Capitalism: An Empirical Analysis
CCSD	76.2015	Wei Jin and ZhongXiang Zhang: Levelling the Playing Field: On the Missing Role of Network Externality in Designing Renewable Energy Technology Deployment Policies
ERM	77.2015	Niaz Bashiri Behmiri and Matteo Manera: The Role of Outliers and Oil Price Shocks on Volatility of Metal Prices
CCSD	78.2015	Jan Witajewski-Baltvilks, Elena Verdolini and Massimo Tavoni: Directed Technological Change and Energy Efficiency Improvements

ES	79.2015	David Cuberes and Rafael González-Val: The Effect of the Spanish Reconquest on Iberian Cities
CCSD	80.2015	Isabella Alloisio, Alessandro Antimiani, Simone Borghesi, Enrica De Cian, Maria Gaeta, Chiara Martini, Ramiro Parrado, Maria Cristina Tommasino, Elena Verdolini and Maria Rosa Virdis: Pathways to Deep Carbonization in Italy
CCSD	81.2015	Yonky Indrajaya, Edwin van der Werf, Hans-Peter Weikard, Frits Mohren and Ekko C. van Ierland: The Potential of REDD+ for Carbon Sequestration in Tropical Forests: Supply Curves for carbon storage for Kalimantan, Indonesia
ES	82.2015	Carlo Drago, Roberto Ricciuti, Paolo Santella: An Attempt to Disperse the Italian Interlocking Directorship Network: Analyzing the Effects of the 2011 Reform
CCSD	83.2015	Joseph E. Aldy: Policy Surveillance in the G-20 Fossil Fuel Subsidies Agreement: Lessons for Climate Policy
CCSD	84.2015	Milan Ščasný, Emanuele Massetti, Jan Melichar and Samuel Carrara: Quantifying the Ancillary Benefits of the Representative Concentration Pathways on Air Quality in Europe
CCSD	85.2015	Frédéric Branger and Misato Sato: Solving the Clinker Dilemma with Hybrid Output-based Allocation
ERM	86.2015	Manfred Hafner and Simone Tagliapietra: The Role of Natural Gas in the EU Decarbonisation Path
CCSD	87.2015	Cristina Cattaneo and Giovanni Peri: The Migration Response to Increasing Temperatures
CCSD	88.2015	Maximilian Schumacher and Lion Hirth: How much Electricity do we Consume? A Guide to German and European Electricity Consumption and Generation Data
CCSD	89.2015	Lorenza Campagnolo, Carlo Carraro, Fabio Eboli, Luca Farnia: Assessing SDGs: A new methodology to measure sustainability
CCSD	90.2015	Carlo Reggiani, Francesco Silvestri: Municipal Waste Collection: Market Competition and the EU policy
ERM	91.2015	Maryam Ahmad, Matteo Manera, Mehdi Sadeghzadeh: Global Oil Market and the U.S. Stock Returns
CCSD	92.2015	Mattia Amadio, Jaroslav Mysiak, Lorenzo Carrera, Elco Koks: Improving Flood Damage Assessment Models in Italy
CCSD	93.2015	Sabine Fuss, Claudine Chen, Michael Jakob, Annika Marxen, Narasimha D. Rao, Ottmar Edenhofer: Could Resource Rents Finance Universal Access to Infrastructure? A First Exploration of Needs and Rents
CCSD	94.2015	Michael Jakob, Claudine Chen, Sabine Fuss, Annika Marxen, Narasimha Rao, Ottmar Edenhofer: Using Carbon Pricing Revenues to Finance Infrastructure Access
CCSD	95.2015	ZhongXiang Zhang: Making China the Transition to a Low-Carbon Economy: Key Challenges and Responses
CCSD	96.2015	Roberto Iacono: The Basilicata Wealth Fund: Resource Policy and Long-run Economic Development in Southern Italy
CCSD	97.2015	Francesco Bosello, Shouro Dasgupta: Development, Climate Change Adaptation, and Maladaptation: Some Econometric Evidence
CCSD	98.2015	Valentina Bosetti, Giacomo Marangoni, Emanuele Borgonovo, Laura Diaz Anadon, Robert Barron, Haewon C. McJeon, Savvas Politis, Paul Friley: Sensitivity to Energy Technology Costs: A Multi-model Comparison Analysis
ERM	99.2015	Andrea Bastianin, Francesca Conti, Matteo Manera: The Impacts of Oil Price Shocks on Stock Market Volatility: Evidence from the G7 Countries
ERM	100.2015	Andrea Bastianin, Marzio Galeotti, Matteo Manera: The Impacts of Exogenous Oil Supply Shocks on Mediterranean Economies
ERM	101.2015	Maryam Ahmadi, Niaz Bashiri Behmiri, Matteo Manera: How is Volatility in Commodity Markets Linked to Oil Price Shocks?
CCSD	102.2015	Margaretha Breil, Cristina Cattaneo, Katie Johnson: Qualitative Scenarios Building for Post-carbon Cities
CCSD	103.2015	Natasha Chichilnisky-Heal, Graciela Chichilnisky: Bargaining to Lose the Global Commons
ERM	104.2015	Giovanni Marin, Alessandro Palma: Technology Invention and Diffusion in Residential Energy Consumption. A Stochastic Frontier Approach