

van Bruggen, Paul

**Working Paper**

## A Comment on Revealed Preference with a Subset of Goods

Tinbergen Institute Discussion Paper, No. 16-068/I

**Provided in Cooperation with:**

Tinbergen Institute, Amsterdam and Rotterdam

*Suggested Citation:* van Bruggen, Paul (2016) : A Comment on Revealed Preference with a Subset of Goods, Tinbergen Institute Discussion Paper, No. 16-068/I, Tinbergen Institute, Amsterdam and Rotterdam

This Version is available at:

<https://hdl.handle.net/10419/149472>

**Standard-Nutzungsbedingungen:**

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

**Terms of use:**

*Documents in EconStor may be saved and copied for your personal and scholarly purposes.*

*You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.*

*If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.*

TI 2016-068/I  
Tinbergen Institute Discussion Paper



# A Comment on Revealed Preference with a Subset of Goods

*Paul van Bruggen*

*Erasmus School of Economics, Erasmus University Rotterdam, and Tinbergen Institute, the Netherlands.*

Tinbergen Institute is the graduate school and research institute in economics of Erasmus University Rotterdam, the University of Amsterdam and VU University Amsterdam.

More TI discussion papers can be downloaded at <http://www.tinbergen.nl>

Tinbergen Institute has two locations:

Tinbergen Institute Amsterdam  
Gustav Mahlerplein 117  
1082 MS Amsterdam  
The Netherlands  
Tel.: +31(0)20 525 1600

Tinbergen Institute Rotterdam  
Burg. Oudlaan 50  
3062 PA Rotterdam  
The Netherlands  
Tel.: +31(0)10 408 8900  
Fax: +31(0)10 408 9031

# A Comment on Revealed Preference with a Subset of Goods

Paul van Bruggen

*Erasmus School of Economics, Erasmus University Rotterdam, and Tinbergen Institute  
PO box 1738, 3000 DR Rotterdam, the Netherlands\**

## Abstract

Varian (1988) introduced an important proposition regarding restrictions on consumption data if observations of the quantities of a good are missing. In this paper, a simple counterexample is presented to show that the original proof is incorrect, and a new proof is provided. The new proof is not based on choosing the missing quantities such that some bundles are revealed preferred to others, but rather on choosing the unknown quantities such that bundles are not revealed preferred to any bundle with a higher index.

*JEL Classification:* C14, D11

*Keywords:* Nonparametric analysis, revealed preference, missing observations, GARP

## 1 Introduction

Since the work by Afriat (1967) and Varian (1982), the revealed preferences or nonparametric approach has proven to be extremely fruitful. The approach has been used in such different contexts as production (Hanoch & Rothschild, 1972; Varian, 1984), life-cycle rational expectations models (Browning, 1989), characteristics models (Blow, Browning & Crawford, 2007), consumption habits (Crawford, 2010), bandwidth pricing and Google advertisement auctions (Varian, 2012) and Cournot competition in the oil market (Carvajal et al., 2013).

Two fundamental results in the field are due to Varian (1988). The first result concerns missing prices for known quantities; the second theorem concerns cases where prices are known but the quantities of some good are unknown. This paper is concerned with the latter (the theorem is copied verbatim in Section 2). Informally, the seminal result states that it is always possible to find values for the missing quantities such that the data can be rationalised. Thus, without additional assumptions, the method of revealed preferences loses all its power if the quantities of at least one good are missing. Section 2 contains the original proof as well as a simple counterexample against it. In Section 3 a new proof is provided.

---

\*This paper was originally part of an MPhil thesis I wrote while a graduate student at Oxford University. I would like to thank my supervisor, Ian Crawford, for his invaluable insight, his time and his continuous support during the writing of the thesis. I would also like to thank Jan Heufer for his comments and encouragement. E-mail address: p.vanbruggen@ese.eur.nl

First, some definitions are in order. Let there be  $T$  observations  $(\mathbf{p}_t, \mathbf{x}_t)$ ,  $t = 1, \dots, T$ , where  $\mathbf{x}_t$  is a  $k$ -dimensional non-negative vector of consumer goods and  $\mathbf{p}_t$  is a  $k$ -dimensional vector of corresponding non-negative prices. Under the hypothesis of utility maximisation, given some non-negative level of expenditure  $e_t$ ,  $t = 1, \dots, T$ ,

$$\mathbf{x}_t = \arg \max_{\mathbf{x}} \{u(\mathbf{x}) : \mathbf{p}_t \cdot \mathbf{x} \leq e_t\} \quad (1)$$

**Definition.** A utility function  $u(\mathbf{x})$  rationalises a set of observations  $(\mathbf{p}_t, \mathbf{x}_t)$ ,  $t = 1, \dots, T$ , if  $u(\mathbf{x}_t) \geq u(\mathbf{x})$  for all  $\mathbf{x}$  such that  $\mathbf{p}_t \cdot \mathbf{x}_t \geq \mathbf{p}_t \cdot \mathbf{x}$ .

This definition of rationalisability follows directly from (1) for a locally non-satiated utility function.

**Definition.** A bundle  $(\mathbf{x}_t)$  is revealed preferred to  $(\mathbf{x})$ , written  $(\mathbf{x}_t)R(\mathbf{x})$ , if there exists some sequence  $\mathbf{p}_t \cdot \mathbf{x}_t \geq \mathbf{p}_t \cdot \mathbf{x}_i, \mathbf{p}_i \cdot \mathbf{x}_i \geq \mathbf{p}_i \cdot \mathbf{x}_w, \dots, \mathbf{p}_j \cdot \mathbf{x}_j \geq \mathbf{p}_j \cdot \mathbf{x}$ . A bundle  $(\mathbf{x}_t)$  is strictly directly revealed preferred to a bundle  $(\mathbf{x})$ , written  $(\mathbf{x}_t)P^0(\mathbf{x})$ , if  $\mathbf{p}_t \cdot \mathbf{x}_t > \mathbf{p}_t \cdot \mathbf{x}$ .

**Definition.** A set of observations  $(\mathbf{p}_t, \mathbf{x}_t)_{t=1, \dots, T}$  satisfies the Generalised Axiom of Revealed Preferences (GARP) if  $(\mathbf{x}_t)R(\mathbf{x}_m)$  implies not  $(\mathbf{x}_m)P^0(\mathbf{x}_t)$ .

Afriat's Theorem (see Afriat (1967) and Varian (1982), see also Diewert (1973) for comments on required properties of continuity and non-satiation) states that if a set of observations  $(\mathbf{p}_t, \mathbf{x}_t)_{t=1, \dots, T}$  satisfies GARP, there exists a continuous, non-satiated utility function that rationalises the data. Varian (1988) considers a case where the quantities of one good, denoted for clarity by the non-negative scalar  $z_t$ , are unknown, but its corresponding prices denoted  $q_t$  are observed. The question is whether quantities  $(z_t)$ ,  $t = 1, \dots, T$  can be found such that the data  $(\mathbf{p}_t, q_t, \mathbf{x}_t, z_t)$ ,  $t = 1, \dots, T$  are consistent with utility maximisation, that is, by Afriat's Theorem, such that the data  $(\mathbf{p}_t, q_t, \mathbf{x}_t, z_t)$ ,  $t = 1, \dots, T$  satisfy GARP.

## 2 Varian's Theorem

The original theorem and proof of Varian (1988) are stated below, copied verbatim barring some insignificant notational changes.

THEOREM 2, Varian (1988, p. 182):

Let  $(\mathbf{p}_t, \mathbf{x}_t)$ ,  $t = 1, \dots, T$ , be a set of data and let  $(q_t)$ ,  $t = 1, \dots, T$  be a set of positive prices. Then there always exists a set of quantities  $(z_t)$ ,  $t = 1, \dots, T$  such that the data  $(\mathbf{p}_t, q_t, \mathbf{x}_t, z_t)$  satisfy GARP.

*Proof of Theorem 2 in Varian (1988, p. 182):* Choose  $z_1 = 0$  and successively define

$$z_{t+1} > \max \left\{ \frac{\mathbf{p}_{t+1} \cdot \mathbf{x}_t + q_{t+1}z_t - \mathbf{p}_{t+1} \cdot \mathbf{x}_{t+1}}{q_{t+1}}, 1 \right\} \quad \text{for } t = 1, \dots, T-1 \quad (2)$$

Then, for all  $t = 1, \dots, T-1$  we have

$$\mathbf{p}_{t+1} \cdot \mathbf{x}_{t+1} + q_{t+1}z_{t+1} > \mathbf{p}_{t+1} \cdot \mathbf{x}_t + q_{t+1}z_t$$

so that each observation  $t+1$  is revealed preferred to observation  $t$ . Thus the data must satisfy GARP.  $\square$

The problem is in the last line of the proof: that each observation  $t+1$  is revealed preferred to observation  $t$  does not imply the data must satisfy GARP. The easiest way to verify this is through a counterexample. All we need to show is that i) we can find  $z_t$ ,  $t = 1, \dots, T$  that satisfies (2) and ii) violates GARP.

In a two-dimensional case with  $T = 3$ , (2) is simply:

$$z_2 > \max \left\{ \frac{p_2x_1 + q_2z_1 - p_2x_2}{q_2}, 1 \right\}$$

$$z_3 > \max \left\{ \frac{p_3x_2 + q_3z_2 - p_3x_3}{q_3}, 1 \right\}$$

Through this construction,

$$p_2x_2 + q_2z_2 > p_2x_1 + q_2z_1$$

$$p_3x_3 + q_3z_3 > p_3x_2 + q_3z_2$$

That is,  $(x_2, z_2)P^0(x_1, z_1)$  and  $(x_3, z_3)P^0(x_2, z_2)$ . If, for example, also  $(x_2, z_2)P^0(x_3, z_3)$ , GARP is violated. Indeed, we can find numbers that lead to exactly such a violation; an example is provided in Table 1.

Using the numbers from Table 1,  $z_2$  and  $z_3$  satisfy (2):

$$4 = z_2 > \max \left\{ \frac{2 \times 16 + 1 \times 0 - 2 \times 15}{1}, 1 \right\} = 2$$

$$10 = z_3 > \max \left\{ \frac{1 \times 15 + 1 \times 4 - 1 \times 10}{1}, 1 \right\} = 9$$

which means  $(x_3, z_3)P^0(x_2, z_2)$ . However, for the numbers provided it also holds that  $(x_2, z_2)P^0(x_3, z_3)$ :

$t :$	1	2	3
$p_t$	1	2	1
$q_t$	1	1	1
$x_t$	16	15	10
$z_t$	0	4	10

Table 1: Numerical counterexample

$$34 = 2 \times 15 + 1 \times 4 > 2 \times 10 + 1 \times 10 = 30$$

Thus there is a direct violation of GARP. This example shows that data constructed using (2) can violate GARP, and hence that the proof is incorrect.

### 3 A new proof of Varian's Theorem

All violations in GARP involve two different preference relations between the same two bundles. In order to ensure that the data do not violate GARP, we need to modify construction (2) so that at least one direction of the preference relation between any two bundles is broken, for example by ensuring lower index bundles are never directly revealed preferred to higher index bundles. Through such a construction no bundle with a lower index can be either directly or indirectly revealed preferred to a bundle with a higher index. This is the approach used in the proof of Theorem 2 proposed below.

*Proof of Theorem 2:* Choose  $z_1 = 1$  and successively define

$$z_t > \max_{j < t} \left\{ \frac{\mathbf{p}_j \cdot \mathbf{x}_j + q_j z_j - \mathbf{p}_j \cdot \mathbf{x}_t}{q_j} \right\} \quad \text{for } j = 1, \dots, T-1, t = 2, \dots, T \quad (3)$$

Then, for all  $j = 1, \dots, T-1, t = 2, \dots, T, j < t$  we have

$$\mathbf{p}_j \cdot \mathbf{x}_j + q_j z_j < \mathbf{p}_j \cdot \mathbf{x}_t + q_j z_t$$

so that for all  $j < t$ , no bundle  $(x_j, z_j)$  is revealed preferred to any bundle  $(x_t, z_t)$ . Thus the data must satisfy GARP.  $\square$

This proof is different in two ways: First, instead of ensuring that some bundles are directly revealed preferred to others, we choose  $z_t$  such that bundles are not revealed preferred

to certain other bundles. Secondly, instead of doing this only for every pair of successive bundles, we choose  $z_t$  such that all bundles with a lower index are not revealed preferred to any bundle  $t$ .

## References

- Afriat, S. (1967). The construction of utility functions from expenditure data. *International Economic Review*, 8(1), 67–77.
- Blow, L., Browning, M., & Crawford, I. (2007). Revealed preference analysis of characteristics models. *Review of Economic Studies*, 75(2), 371–389.
- Browning, M. (1989). A nonparametric test of the life-cycle rational expectations hypothesis. *International Economic Review*, 30(4), 979–992.
- Carvajal, A., Deb, R., Fenske, J., & Quah, J.K.-H. (2013). Revealed preference tests of the Cournot model. *Econometrica*, 81(6), 2351–2379.
- Crawford, I. (2010). Habits revealed. *Review of Economic Studies*, 77(4), 1382–1402.
- Diewert, W. (1973). Afriat and revealed preference theory. *Review of Economic Studies*, 40(3), 419–425.
- Hanoch, G. & Rothschild, M. (1972). Testing the assumptions of production theory: a nonparametric approach. *Journal of Political Economy*, 80(2), 265–275.
- Varian, H. (1982). The nonparametric approach to demand analysis. *Econometrica*, 50(4), 945–973.
- Varian, H. (1984). The nonparametric approach to production analysis. *Econometrica*, 52(3), 579–598.
- Varian, H. (1988). Revealed preference with a subset of goods. *Journal of Economic Theory*, 46(1), 179–185.
- Varian, H. (2012). Revealed preference and its applications. *The Economic Journal*, 122, 332–338.