

DIW Berlin / SOEP (Ed.)

Research Report

SOEP-Core v32 - HEALTH

SOEP Survey Papers, No. 413

Provided in Cooperation with:

German Institute for Economic Research (DIW Berlin)

Suggested Citation: DIW Berlin / SOEP (Ed.) (2017) : SOEP-Core v32 - HEALTH, SOEP Survey Papers, No. 413, Deutsches Institut für Wirtschaftsforschung (DIW), Berlin

This Version is available at:

<https://hdl.handle.net/10419/155346>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



<http://creativecommons.org/licenses/by-sa/4.0/>

SOEP Survey Papers

Series D – Variable Descriptions and Coding

SOEP – The German Socio-Economic Panel study at DIW Berlin

2017

SOEP-Core v32 – HEALTH

SOEP Group

Running since 1984, the German Socio-Economic Panel study (SOEP) is a wide-ranging representative longitudinal study of private households, located at the German Institute for Economic Research, DIW Berlin.

The aim of the SOEP Survey Papers Series is to thoroughly document the survey's data collection and data processing. The SOEP Survey Papers is comprised of the following series:

Series A – Survey Instruments (Erhebungsinstrumente)

Series B – Survey Reports (Methodenberichte)

Series C – Data Documentation (Datendokumentationen)

Series D – Variable Descriptions and Coding

Series E – SOEPmonitors

Series F – SOEP Newsletters

Series G – General Issues and Teaching Materials

The SOEP Survey Papers are available at <http://www.diw.de/soepsurveyspapers>

Editors:

Dr. Jan Goebel, DIW Berlin

Prof. Dr. Martin Kroh, DIW Berlin and Humboldt Universität Berlin

Prof. Dr. Carsten Schröder, DIW Berlin and Freie Universität Berlin

Prof. Dr. Jürgen Schupp, DIW Berlin and Freie Universität Berlin

Please cite this paper as follows:

SOEP Group, 2017. SOEP-Core v32 – HEALTH. SOEP Survey Papers 413: Series D – Variable Descriptions and Coding. Berlin: DIW Berlin/SOEP



This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

© 2017 by SOEP

ISSN: 2193-5580 (online)

DIW Berlin

German Socio-Economic Panel (SOEP)

Mohrenstr. 58

10117 Berlin

Germany

soepapers@diw.de

SOEP-Core v32 – HEALTH

SOEP Group

2017

Contents

1	General Information	3
2	Variables in File HEALTH	3
	hhnr – Original Household Number	3
	persnr – Never Changing Person Number	4
	syear – Survey Year	4
	valid – Completeness Of Generation Of SOEPvSF12	5
	mcs – MCS: Summary Scale Mental (NBS)	5
	pcs – PCS: Summary Scale Physical (NBS)	6
	pf_nbs – Physical Functioning (NBS)	7
	rp_nbs – Role Physical (NBS)	7
	bp_nbs – Bodily Pain (NBS)	7
	gh_nbs – General Health (NBS)	8
	vt_nbs – Vitality (NBS)	8
	sf_nbs – Social Functioning (NBS)	8
	re_nbs – Role Emotional (NBS)	9
	mh_nbs – Mental Health (NBS)	9
	bmi – Body-Mass-Index	10
	height – Body Height In cm	10
	fheight – Imputation Flag For Height\$\$	11
	weight – Weight in kg	12
	fweight – Imputation Flag For Weight\$\$	13

1 General Information

Starting in 2002 the SOEP health module in the individual questionnaire has been revised and put into a two year replication period. In the HEALTH-File users find the generated SF-12-Variables and variables on height and weight with imputation flags and a user-friendly longitudinal checked generated variable of the Body Mass Index (BMI). Persons with a successful individual interview ($\$netto \geq 10$ & $\$netto < 20$) have been selected for the rec-type HEALTH. The file has a long-format and additional SORTID with the variable SYEAR (Survey-Year).

In 2006 the SF12 could not any longer been generated for the group of first time respondents (age 16/17 = 307).

In 2010 and 2012 not all sub-samples of the SOEP get the very same questionnaire, thus information to generate MCS and PCS was not surveyed and thus the respective population get a value of “-5” for the variable VALID.

2 Variables in File HEALTH

hhnr - Original Household Number

27	8
60	41
94	7
124	3
159	7
167	12
175	9
191	2
230	16
280	1
299	1
302	9
388	2
396	4
469	4
... (24663 rows omitted)	172049
3342335	2
3342408	2
3342491	3
3342548	2
3342599	3
3342653	2
3342696	2
3342718	1
3342823	3
3342904	4
3343048	1
3343064	2
3343080	2
3343145	2
3343277	1

persnr – Never Changing Person Number

201	4
203	4
601	1
602	6
604	1
901	7
1202	3
1501	7
1601	7
1602	4
1603	1
1701	3
1704	3
1705	3
1901	2
... (55961 rows omitted)	172136
35024302	1
35024903	1
35025202	1
35025402	1
35025602	1
35025802	1
35026603	1
35026702	1
35029202	1
35029302	1
35030102	1
35031602	1
35032702	1
35033202	1
35033302	1

syear – Survey Year

2002	23892
2004	22019
2006	22665
2008	19945
2010	27124
2012	28520
2014	28042

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

This file contains detailed health information that had been collected since 2002 (wave S) in a two year replication cycle. All persons with successful individual questionnaires have been selected for the rectype HEALTH (\$netto >= 10 & \$netto < 20).

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

valid – Completeness Of Generation Of SOEPvSF12

1	[1] Yes	150926
2	[2] No	3839
-1	[-1] No Answer	0
-2	[-2] Does not apply	0
-3	[-3] Answer improbable	0
-4	[-4] Inadmissible multiple response	0
-5	[-5] Not included in this version of the questionnaire	17442
-6	[-6] Version of questionnaire with modified filtering	0

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable VALID indicates the completeness status of all twelve variables necessary to calculate the SOEPvSF12 scale.

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

mcs – MCS: Summary Scale Mental (NBS)

0.557106	1
1.269028	1
1.917989	1
3.107175	1
3.533295	1
3.894608	1
4.161987	1
4.192227	1
4.834514	1
4.910154	1
5.324458	1
5.64925	1
6.093252	1
6.780776	1
6.904592	1
... (43379 rows omitted)	150892
76.737877	1
76.800629	2
76.806847	1
77.095306	1
77.197456	2
77.21199	1
77.293724	1
77.575638	1
77.67485	2
77.774055	1
78.26387	1
79.330284	1
79.432426	2
79.630836	1
-1	21282

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable mcs is calculated using explorative factor analysis (PCA, varimax rotation). The mean value of the SOEP 2004 population 50 points and SD of 10 points.

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

pcs – PCS: Summary Scale Physical (NBS)

9.208344	1
9.9296	1
10.105892	1
10.378374	1
10.526371	2
10.554667	1
10.69833	2
11.147103	1
11.336317	2
11.595878	2
11.808575	1
11.820886	1
11.844398	1
12.044652	2
12.188314	1
... (43430 rows omitted)	150891
73.776436	2
73.783722	1
74.117683	1
74.222542	1
74.459229	1
74.671318	1
74.872307	1
74.943802	1
75.279343	1
75.455635	1
76.383682	1
76.42086	1
78.112984	1
79.602966	1
-1	21281

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable pcs is calculated using explorative factor analysis (PCA, varimax rotation). The mean value of the SOEP 2004 population 50 points and SD of 10 points.

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 1278(1), (in print)

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

pf_nbs – Physical Functioning (NBS)

27.250387	13079
35.02644	7919
42.802486	35144
50.578537	22872
58.354588	71912
-1	21281

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable pf_nbs is calculated as a z-transformed scale.

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 1278(1), (in print)

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

rp_nbs – Role Physical (NBS)

21.923658	3242
26.64777	1411
31.371881	10451
36.095993	5351
40.820107	23792
45.544216	10241
50.26833	29144
54.992443	10462
59.716553	56832
-1	21281

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable rp_nbs is calculated as a z-transformed scale.

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 1278(1), (in print)

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

bp_nbs – Bodily Pain (NBS)

23.002949	3697
32.214443	15955
41.425941	31080
50.637436	41916
59.84893	58278
-1	21281

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable bp_nbs is calculated as a z-transformed scale.

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): *Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2*. *Schmollers Jahrbuch*, Vol. 127(1), 171-182.

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

gh_nbs – General Health (NBS)

24.846346	5452
35.228405	20506
45.610466	49306
55.992523	61220
66.374588	14442
-1	21281

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable gh_nbs is calculated as a z-transformed scale.

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): *Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2*. *Schmollers Jahrbuch*, Vol. 127(1), 171-182.

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

vt_nbs – Vitality (NBS)

26.821365	7323
37.767075	27689
48.712784	65925
59.658493	44112
70.604202	5877
-1	21281

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable vt_nbs is calculated as a z-transformed scale.

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): *Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2*. *Schmollers Jahrbuch*, Vol. 127(1), 171-182.

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

sf_nbs – Social Functioning (NBS)

14.692407	1647
25.299109	7431
35.905811	20340
46.512516	32237
57.119221	89271
-1	21281

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable `sf_nbs` is calculated as a z-transformed scale.

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 127(1), 171-182.

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

re_nbs – Role Emotional (NBS)

13.337808	1075
18.930649	356
24.523489	4507
30.116331	3429
35.709171	15721
41.302013	9465
46.894855	29605
52.487698	9236
58.080536	77532
-1	21281

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable `re_nbs` is calculated as a z-transformed scale.

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 127(1), 171-182.

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

mh_nbs – Mental Health (NBS)

19.731314	580
25.837812	1760
31.944309	8566
38.050808	16971
44.157303	29227
50.263802	31152
56.370296	36548
62.476795	18549
68.58329	7573
-1	21281

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable `mh_nbs` is calculated as a z-transformed scale.

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 127(1), 171-182.

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

bmi – Body-Mass-Index

11.0729999542236	2
11.6280002593994	1
12.1929998397827	2
12.4890003204346	1
12.5509996414185	1
12.5900001525879	2
12.701000213623	1
12.8559999465942	1
12.9130001068115	1
12.9549999237061	1
13.0310001373291	1
13.2810001373291	1
13.2849998474121	1
13.3649997711182	5
13.3850002288818	1
... (3870 rows omitted)	155675
62.5	2
63.1230010986328	1
63.2910003662109	1
63.625	1
63.984001159668	1
64.5660018920898	1
64.6549987792969	1
64.7969970703125	1
65.7409973144531	1
67.2020034790039	1
73.0459976196289	1
73.4619979858398	1
76.2080001831055	1
-1	1535
-5	14961

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable BMI represents the Body-Mass-Index of the respondents. It is calculated from the variables BWEIGHT and HEIGHT by the formula $BMI=BWEIGHT/(HEIGHT)**2$.

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

height – Body Height In cm

107	1
112	1
116	2
117	3
118	1
120	4
125	2
126	1

127	1
130	3
131	5
132	2
135	2
137	2
138	5
... (60 rows omitted)	156848
199	31
200	112
201	22
202	22
203	33
204	20
205	24
206	1
207	5
208	6
209	1
210	3
217	2
-1	99
-5	14943

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable HEIGHT represents the body Height of the respondents in cm which is directly asked in every second year since 2002 (Wave S). The corresponding variable can be found in the \$P-file (for teenagers who has responded to the Youth-questionnaire the respective information was surveyed the first time in 2006 wave W and can be found in the \$PAGE17-files).

In contrast to the \$P/\$PAGE17-variable the variable HEIGHT is edited with respect to item-nonresponse and outliers.

In case of item-nonresponse missing values are imputed by the most recent existing value. It is assumed that for a two-year-period a change of body height of more than 10 cm is implausible if the values of the other observation years differ only in a range of at most 2 cm. Thus the respective information is imputed by the average of the other values of the respondent.

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

fheight - Imputation Flag For Height\$\$

0	[0] No Imputation 0	169112
1	[1] Imputed Or Edited 1	3095
-1	[-1] No Answer	0
-2	[-2] Does not apply	0
-3	[-3] Answer improbable	0
-4	[-4] Inadmissible multiple response	0
-5	[-5] Not included in this version of the questionnaire	0
-6	[-6] Version of questionnaire with modified filtering	0

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable FHEIGHT\$\$ designates imputations of item-nonresponse respectively edited values in the variable HEIGHT.

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

weight - Weight in kg

22	1
30	4
32	5
33	1
34	5
35	13
36	8
37	9
38	18
39	16
40	83
41	25
42	75
43	85
44	91
... (124 rows omitted)	155251
173	1
175	4
180	12
185	2
190	4
195	2
200	7
210	1
217	1
225	2
230	1
250	1
-1	1512
-3	11
-5	14956

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable BWEIGHT represents the body weight of the respondents in kg which is directly asked in every second year since 2002 (Wave S). The corresponding variable can be found in the \$P-file (for teenagers who has responded to the Youth-questionnaire the respective information was surveyed the first time in 2006 wave W and can be found in the \$PAGE17-files).

In contrast to the \$P/\$PAGE17-variable the variable BWEIGHT is edited with respect outliers but not imputed for item-nonresponse.

It is assumed that for a two-year-period a change of body weight of more than 35 kg is implau-

sible if the values of the other observation years differ only in a range of at most 7 kg. Thus the respective information is imputed by the average of the other values of the respondent. For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)

fweight – Imputation Flag For Weight\$\$

0	[0] No Imputation 0	169617
1	[1] Imputed Or Edited 1	2590
-1	[-1] No Answer	0
-2	[-2] Does not apply	0
-3	[-3] Answer improbable	0
-4	[-4] Inadmissible multiple response	0
-5	[-5] Not included in this version of the questionnaire	0
-6	[-6] Version of questionnaire with modified filtering	0

Waves: This information is available since 2002 (wave S) and will be provided for every second year.

The variable FWEIGHT\$\$ designates imputations of item-nonresponse respectively edited values in the variable BWEIGHT.

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / mgrabka@diw.de)