

Miller, Grant et al.

Article — Published Version

Effectiveness of provider incentives for anaemia reduction in rural China: a cluster randomised trial

BMJ

Provided in Cooperation with:

Leibniz Institute of Agricultural Development in Transition Economies (IAMO), Halle (Saale)

Suggested Citation: Miller, Grant et al. (2012) : Effectiveness of provider incentives for anaemia reduction in rural China: a cluster randomised trial, BMJ, ISSN 2044-6055, BMJ Publishing Group Ltd, London, Vol. 345, pp. 1-10, <https://doi.org/10.1136/bmj.e4809> , <https://www.bmj.com/content/345/bmj.e4809>

This Version is available at:

<https://hdl.handle.net/10419/176809>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.


You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



<https://creativecommons.org/licenses/by-nc/2.0/>

APPENDIX FIGURE 1: Difference in the Distributions of Hemoglobin Concentrations between Baseline and Follow-up by Experiment Arm Relative to Control



Note: Each line in the figure represents the change between the baseline and follow-up hemoglobin distributions in the indicated intervention arm relative to the change in the control group. By construction, this difference is zero across the Hb concentration distribution, thus the control group is represented by the horizontal axis.