

Lee, Doo Ho

Article

A note on the optimal pricing strategy in the discrete-time Geo/Geo/1 queuing system with sojourn time-dependent reward

Operations Research Perspectives

Provided in Cooperation with:

Elsevier

Suggested Citation: Lee, Doo Ho (2017) : A note on the optimal pricing strategy in the discrete-time Geo/Geo/1 queuing system with sojourn time-dependent reward, Operations Research Perspectives, ISSN 2214-7160, Elsevier, Amsterdam, Vol. 4, pp. 113-117, <https://doi.org/10.1016/j.orp.2017.08.001>

This Version is available at:

<https://hdl.handle.net/10419/178279>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:


Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



<http://creativecommons.org/licenses/by-nc-nd/4.0/>



A note on the optimal pricing strategy in the discrete-time Geo/Geo/1 queuing system with sojourn time-dependent reward



Doo Ho Lee

Department of Industrial and Management Engineering, Kangwon National University, 346 Joongang-ro, Samecheok-si, Gangwon-do 29513, Republic of Korea

ARTICLE INFO

Article history:

Received 14 October 2016

Revised 5 July 2017

Accepted 25 August 2017

Available online 1 September 2017

Keywords:

Optimal pricing

Equilibrium behavior

Geo/Geo/1 queue

Sojourn time-dependent reward

ABSTRACT

This work studies the optimal pricing strategy in a discrete-time Geo/Geo/1 queuing system under the sojourn time-dependent reward. We consider two types of pricing schemes. The first one is called the ex-post payment scheme where the server charges a price that is proportional to the time a customer spends in the system, and the second one is called ex-ante payment scheme where the server charges a flat price for all services. In each pricing scheme, a departing customer receives the reward that is inversely proportional to his/her sojourn time. The server should make the optimal pricing decisions in order to maximize its expected profits per time unit in each pricing scheme. This work also investigates customer's equilibrium joining or balking behavior under server's optimal pricing strategy. Numerical experiments are also conducted to validate our analysis.

© 2017 The Author. Published by Elsevier Ltd.

This is an open access article under the CC BY-NC-ND license.

(<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

1. Introduction

Researches about the economic analysis of queuing systems can go back at least to the pioneering work of Naor [1] who investigated customer's equilibrium and socially optimal strategies in the observable M/M/1 queuing system with the concise reward-cost structure. Naor's [1] work has been extended by many authors [2–15]. Recently, several studies have extended this topic to the discrete-time queuing system. Ma et al [16] analyzed customers' equilibrium behaviors in the discrete-time Geo/Geo/1 queue with multiple vacations, and Wang et al [17] considered the discrete-time Geo/Geo/1 queue with the single working vacation. Yang et al [18] also studied customers' balking strategies in the discrete-time Geo/Geo/1 with server breakdowns and repairs. However, to the best of our knowledge, there are relatively few works on pricing problems in the discrete-time queue. Although Ma and Liu [19] insisted that the pricing problems in the discrete-time Geo/Geo/1 queue are analyzed, in fact, the results of Ma and Liu [19] are about those in the continuous-time M/M/1 queue.

In this work, we analyze the pricing strategies and customers' equilibrium joining/balking behaviors in the discrete-time Geo/Geo/1 queuing system under two types of pricing structures. In the first structure, the server charges a price that is proportional to the sojourn time (waiting time plus service time), called the

ex-post payment (EPP) scheme. In the second structure, however, the server charges a flat price for all the services, which means the server implements the ex-ante payment (EAP) scheme. In each pricing structure, the server should make the optimal pricing decisions in order to maximize its expected profits per time unit. For more information on the EPP and EAP schemes, refer to [19–22].

By the way, most of previous studies assume that the reward that a departing customer receives after being served is set to a constant value. In the service system, however, the service quality is adversely affected by the system congestion. Demand growth in the queuing system can have two diametrically opposite effects on the server's pricing strategy: one is a price hike, as is common in economics; the other is an increase in congestion, which deteriorates the service quality and thus implies a lower price. A key performance measure of the system congestion is customer's sojourn time. It is a matter of course that rewards, which can be expressed by customer satisfaction, are influenced by the sojourn time. We frequently observe that the longer the sojourn time, the lower the customer satisfaction and the lower system operational profit. For example, if the line is too long, customers can give up and go to another service system. Long queues have a negative impact on customer service satisfaction, which causes service abandonment. This is an opportunity cost for the system, which has a negative impact on profitability. For this reason, we assume that the reward is adversely proportional to customer's sojourn time.

E-mail address: enjdhlee@kangwon.ac.kr

<http://dx.doi.org/10.1016/j.orp.2017.08.001>

2214-7160/© 2017 The Author. Published by Elsevier Ltd. This is an open access article under the CC BY-NC-ND license. (<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

The remainder of this paper is organized as follows. In Section 2, the mathematical model under consideration is described. In Section 3, we analyze customer’s equilibrium joining/balking behavior and server’s profit maximization strategy under the EPP and EAP schemes, respectively. Section 4 deals with numerical experiments where we investigate trends of the optimal prices of the EPP and EAP schemes according to various input values.

2. Model description

This work considers a queuing system with following features. The arrival process of potential customers is the Bernoulli process with a probability of p ($0 < p < 1$). Whenever each potential customer arrives at the system, they decide to join or balk depending on the specific joining probability, denoted by q ($0 \leq q \leq 1$). It is well known that the decomposition property holds in the Bernoulli process; therefore, the effective arrival process follows the Bernoulli process with a probability of pq . Service times are independent and identically distributed random variables (RVs) following geometric distribution with a probability of μ ($0 < \mu < 1$). For analytical simplicity, we assume followings: i) arrival and service processes are mutually independent; ii) services are provided on a first-in-first-out basis; iii) the decision to join or balk is irrevocable; iv) the stable system should satisfy $pq < \mu$.

Let π_n be the stationary queue length distribution. According to Takagi [23], π_n is given by

$$\pi_0 = 1 - \frac{pq}{\mu} \quad \text{and} \quad \pi_n = \frac{\mu - pq}{\mu(1 - \mu)} \left(\frac{pq(1 - \mu)}{\mu(1 - pq)} \right)^n, \quad n \geq 1. \tag{1}$$

Let L and ω respectively denote the expected queue length and the expected sojourn time. L is then given by $L = \sum_{n=1}^{\infty} n\pi_n = pq(1 - pq)/(\mu - pq)$. By Little’s formula, $\omega = (1 - pq)/(\mu - pq)$. Due to the fact that $\mu < 1$, we have $\omega > 1$.

Let R denote the reward that each customer expect to receive before being served. As mentioned in Section 1, the sojourn time have a negative effect on the reward. After the completion of a service, therefore, each customer is assumed to receive a reward R/ω ($R > 0$). There exists a waiting cost C ($C > 0$) per time unit when the customer stays in the system. To make the model nontrivial, we assume the condition that $R\mu > C/\mu$, which ensures that the expected reward exceeds the expected cost for the customer finding the empty system.

3. Pricing analysis

3.1. EPP scheme

We first investigate the EPP scheme, where the server charges a price that is proportional to customer’s sojourn time. Let K_t ($K_t \geq 0$) and P_t denote the price charged by the server and the expected server profit per time unit, respectively. Then, the expected utility U_t has the following relation: $U_t = R/\omega - K_t\omega - C\omega$. If U_t equals zero at customer’s equilibrium, we have $R = (K_t + C)\omega^2$. At customer’s equilibrium, therefore, the price can be expressed in terms of customer’s joining probability, denoted by q_t

$$K_t = \frac{R(\mu - pq_t)^2 - C(1 - pq_t)^2}{(1 - pq_t)^2}. \tag{2}$$

Substituting (2) into $P_t = pq_t K_t \omega$, we have

$$P_t = \frac{pq_t(R(\mu - pq_t)^2 - C(1 - pq_t)^2)}{(\mu - pq_t)(1 - pq_t)}. \tag{3}$$

We now establish the following non-linear programming (NLP) problem to maximize P_t with respect to q_t :

$$\begin{aligned} \max_{q_t} P_t &= \frac{pq_t(R(\mu - pq_t)^2 - C(1 - pq_t)^2)}{(\mu - pq_t)(1 - pq_t)} \\ \text{st} & \\ 0 &\leq q_t \leq 1, \\ pq_t &< \mu. \end{aligned} \tag{4}$$

In (4), we want to maximize the expected server profit per time unit. The first constraint implies that customer’s joining probability should be bounded between 0 and 1, and the second one guarantees the system to be stable. We now introduce the following lemma:

Lemma 1. *The optimization problem in (4) is a convex maximization problem (CMP).*

Proof. According to the definition of the convex maximization [24], if the objective function can be proved concave in the feasible region and the set of constraints can be proved convex, the maximization problem is a CMP.

The constraint in (4) are all real-valued linear functions; therefore, the set of constraints is convex. The second derivative of the objective function in (4) can be expressed as

$$\frac{\partial^2 P_t}{\partial q_t^2} = - \frac{2p^2(1 - \mu)[R(\mu - pq_t)^3 + C\mu(1 - pq_t)^3]}{(1 - pq_t)^3(\mu - pq_t)^3}. \tag{5}$$

From the constraints in (4), $(\mu - pq_t)^3 > 0$ and $(1 - pq_t)^3 > 0$. Thus, $\partial^2 P_t / \partial q_t^2 < 0$ in the feasible region. Hence, we conclude that the objective function P_t should be strictly concave and (4) is a CMP. □

Since the optimization problem in (4) is a CMP, the Lagrange multiplier method can be used to find the optimal solution. Observing (4), we can find that all constraints are inequality constraints. Thus, Karush-Kuhn-Tucker conditions can be used to generalize the method of Lagrange multiplier. However, the explicit form of the optimal q_t , denoted by q_t^* , is too long and complicated. We instead introduce another way of obtaining the value of q_t^* . If the objective function is strictly concave in the feasible region, the unique local optimal solution obtained by using the Newton method becomes the unique global optimal solution. For the detailed Newton method, refer to Boyd and Vandenberghe [24]. Then, the optimal price K_t^* is expressed as

$$K_t^* = \frac{R(\mu - pq_t^*)^2 - C(1 - pq_t^*)^2}{(1 - pq_t^*)^2}. \tag{6}$$

Based on the above analysis, we could give the following theorem:

Theorem 1. *Under the EPP scheme, if $0 \leq q_t \leq 1$, there exists a unique equilibrium where customers join the queue with a probability of pq_t^* .*

Proof. Let $\omega(q_t) = (1 - pq_t)/(\mu - pq_t)$. As mentioned, the expected utility has the following relation: $U_t = R/\omega(q_t) - (K_t + C)\omega(q_t)$. We distinguish three cases:

Case 1: $R/\omega(0) \leq (K_t + C)\omega(0)$. In this case, even if no other customer joins, the expected benefit of a customer who joins is non-positive. Therefore, the strategy of joining with probabilities $q_t^* = 0$ is an equilibrium strategy and no other equilibrium is possible. Moreover, in this case, not joining is a dominant strategy.

Case 2: $R/\omega(1) \geq (K_t + C)\omega(1)$. In this case, even if all potential customers join, they all enjoy a non-negative benefit. Therefore, the strategy of joining with probability $q_t^* = 1$ is an equilibrium strategy and no other equilibrium is possible. Moreover, in this case, joining is a dominant strategy.

Case 3: $R/\omega(0) > (K_t + C)\omega(0)$ and $R/\omega(1) < (K_t + C)\omega(1)$. In this case, if $q_t^* = 1$, then a customer who joins suffers a negative benefit. Hence, this cannot be an equilibrium strategy. Likewise, if $q_t^* = 0$, a customer who joins get a positive benefit, more than by balking. Hence, this cannot be an equilibrium. Therefore, there exists unique equilibrium joining probabilities q_t^* satisfying $R/\omega(q_t) = (K_t + C)\omega(q_t)$, for which customers are indifferent between joining and balking. This completes proof. \square

3.2. EAP scheme

Next, we consider the EAP scheme, where the server charges a flat price for all services. Denote by K_f the fixed price charged by the server and by P_f the server expected profit per time unit. Since the expected utility for a customer is expressed as $U_f = R/\omega - K_f - C\omega$ and it equals zero at customers' equilibrium, we obtain $R = \omega(K_f + C\omega)$. Let q_f denote customer's joining probability in the EAP scheme. Then, K_f is expressed in terms of q_f :

$$K_f = \frac{R(\mu - pq_f)^2 - C(1 - pq_f)^2}{(\mu - pq_f)(1 - pq_f)}. \tag{7}$$

Substituting (7) into $P_f = pq_f K_f$, we have

$$P_f = \frac{pq_f(R(\mu - pq_f)^2 - C(1 - pq_f)^2)}{(\mu - pq_f)(1 - pq_f)}. \tag{8}$$

Similar to the EPP scheme, we establish the following NLP problem to maximize P_f with respect to q_f :

$$\begin{aligned} \max_{q_f} P_f &= \frac{pq_f(R(\mu - pq_f)^2 - C(1 - pq_f)^2)}{(\mu - pq_f)(1 - pq_f)} \\ \text{st} & \\ 0 \leq q_f &\leq 1, \\ pq_f &< \mu. \end{aligned} \tag{9}$$

In (9), we also want to maximize the expected server profit per time unit. The first constraint implies that the joining probability should be bounded between 0 and 1, and the second one guarantees the system to be stable. Note that the optimization problem in (9) is perfectly identical to the CMP in (4), which leads to the following lemma:

Lemma 2. *The EPP and EAP pricing schemes do not affect the customer's equilibrium joining probability and server's maximum profits.*

In other words, customer's equilibrium joining/balking strategies and server's profits are identical in the two different pricing schemes.

Based on the above analysis, we could give the following theorem:

Theorem 2. *Under the EAP scheme, if $0 \leq q_f \leq 1$, there exists a unique equilibrium where customers join the queue with a probability of $pq_f^* = pq_t^*$, where q_f^* is the optimal value of q_f . The optimal price which maximizes the expected server profit per time unit is given by $K_f^* = K_f|_{q_f=q_f^*}$.*

Proof. From Lemma 2, we have that $q_f^* = q_t^*$. As mentioned, the expected utility has the following relation: $U_f = R/\omega(q_f) - K_f - C\omega(q_f)$. We distinguish three cases:

Case 1: $R/\omega(0) \leq K_f + C\omega(0)$. In this case, even if no other customer joins, the expected benefit of a customer who joins is non-positive. Therefore, the strategy of joining with probabilities $q_f^* = 0$ is an equilibrium strategy and no other equilibrium is possible. Moreover, in this case, not joining is a dominant strategy.

Case 2: $R/\omega(1) \geq K_f + C\omega(1)$. In this case, even if all potential customers join, they all enjoy a non-negative benefit. Therefore, the strategy of joining with probability $q_f^* = 1$ is an equilibrium strategy and no other equilibrium is possible. Moreover, in this case, joining is a dominant strategy.

Case 3: $R/\omega(0) > K_f + C\omega(0)$ and $R/\omega(1) < K_f + C\omega(1)$. In this case, if $q_f^* = 1$, then a customer who joins suffers a negative benefit. Hence, this cannot be an equilibrium strategy. Likewise, if $q_f^* = 0$, a customer who joins get a positive benefit, more than by balking. Hence, this cannot be an equilibrium. Therefore, there exists unique equilibrium joining probabilities q_f^* satisfying $R/\omega(q_f) = K_f + C\omega(q_f)$, for which customers are indifferent between joining and balking.

Finally, the optimal price can be calculated by inserting q_f^* into (7). This completes proof. \square

4. Numerical analysis

Based on our results, we present some numerical analyses in Section 4. Figs. 1, 2 and 3 record the optimal price of the EPP scheme and that of the EAP scheme according to the service rate (see Fig. 1), the reward (see Fig. 2) and the arrival rate (see Fig. 3), respectively.




Fig. 1. K_t^* and K_f^* versus μ for $R = 20$, $C = 1$ and $p = 0.6$.




Fig. 2. K_t^* and K_f^* versus R for $\mu = 0.5$, $C = 1$ and $p = 0.5$.




Fig. 3. K_t^* and K_f^* versus p for $\mu = 0.5$, $C = 1$ and $R = 20$.

From Fig. 1, we observe that the EAP scheme generally sets a higher price than the EPP scheme. Since $P_t = P_f$ from Lemma 2 and the EAP scheme charges a flat price for a service, K_f^* should be relatively higher than K_t^* . We also observe that both K_t^* and K_f^* are increasing functions of the service rate μ . This indicates that the server imposes the high price on the high quality of the service.

Fig. 2 shows that both K_f^* and K_t^* are increasing functions of the reward R . As R increases, customer's utilities U_t and U_f also increase in both the EPP and EAP schemes. Hence, in order to maintain customer's equilibrium, both K_f^* and K_t^* should increase when R increases. We also see that K_f^* is generally higher than K_t^* . At customer's equilibrium, both U_t and U_f are equal to zero; therefore, $K_f^* = K_t^* \omega$. In other words, the EAP scheme should set a higher price than the EPP scheme at the same values of R .

Fig. 3 shows the relation between the customer's (external) arrival rate p and the optimal price in each pricing scheme. As seen in Fig. 3, the arrival rate does not have an impact on the optimal price. In our parameter setting, $K_f^* = 4.62$ and $K_t^* = 1.69$ regardless of p . This implies that the server always maintains the same optimal price by adjusting customer's equilibrium joining probabil-

ity even if the customer arrival rate varies. Thus, customer's arrival rate is not a considering factor when we set an optimal price.

5. Conclusions

We studied customer's equilibrium joining/balking behaviors and server's optimal pricing strategies in the Geo/Geo/1 queue with the sojourn time-dependent reward. We introduced the two different pricing schemes, namely EPP and EAP. In the EPP scheme, the server charges a price that is proportional to customer's sojourn time, while, in the EAP scheme, the server charges a flat price for services. We established the convex maximization problem and decided the optimal price that maximizes the server's expected profits for each pricing scheme. We also found that customer's equilibrium joining strategies and server's maximum profits under two different pricing schemes are the same.

This work could provide queue managers with useful information for making the pricing decisions and instruct customers to take optimal strategies. Future studies include the extension of this work to other queuing systems considering multiple-server system, vacation policy and server failure phenomena.

References

- [1] Naor P. The regulation of queue size by levying tolls. *Econometrica* 1969;37:15–24.
- [2] Boudali O, Economou A. Optimal and equilibrium balking strategies in the single server Markovian queue with catastrophes. *Eur J Oper Res* 2012;218:708–15.
- [3] Burnetas A, Economou A. Equilibrium customer strategies in a single server Markovian queue with setup times. *Queueing Syst* 2007;56:213–28.
- [4] Chen H, Frank M. Monopoly pricing when customers queue. *IIE Trans* 2004;36:569–81.
- [5] Chen P, Zhou Y. Equilibrium balking strategies in the single server queue with setup times and breakdowns. *Oper Res Int J* 2015;15:213–31.
- [6] Chen P, Zhou W, Zhou Y. Equilibrium customer strategies in the queue with threshold policy and setup times. *Math Probl Eng* 2015 article ID 361901.
- [7] Economou A, Kanta S. Equilibrium balking strategies in the observable single-server queue with breakdowns and repairs. *Oper Res Lett* 2008;36:696–9.
- [8] Economou A, Kanta S. Equilibrium customer strategies and social-profit maximization in the single-server constant retrial queue. *Nav Res Log* 2011;58:107–22.
- [9] Edelson NM, Hildebrand K. Congestion tolls for Poisson queueing processes. *Econometrica* 1975;43:81–92.
- [10] Guo P, Hassin R. Strategic behavior and social optimization in Markovian vacation queues. *Oper Res* 2011;59:986–97.
- [11] Guo P, Li Q. Strategic behavior and social optimization in partially-observable Markovian vacation queues. *Oper Res Lett* 2013;41:277–84.
- [12] Hassin R, Haviv M. To queue or not to queue: equilibrium behavior in queueing systems. Kluwer Academic; 2003.
- [13] Li L, Wang J, Zhang F. Equilibrium customer strategies in Markovian queues with partial breakdowns. *Comput Ind Eng* 2013;66:751–7.
- [14] Mendelson H, Whang S. Optimal incentive-compatible priority pricing for the M/M/1 queue. *Oper Res* 1990;38:870–83.
- [15] Stidham S Jr. Optimal control of admission to a queueing system. *IEEE T Automat Contr* 1985;30:705–13.
- [16] Ma Y, Liu W-Q, Li J-H. Equilibrium balking behavior in the Geo/Geo/1 queueing system with multiple vacations. *Appl Math Model* 2013;37:3861–78.
- [17] Wang F, Wang J, Zhang F. Equilibrium customer strategies in the Geo/Geo/1 queue with single working vacation. *Discrete Dyn Nat Soc* 2014 article ID 309489.
- [18] Yang T, Wang J, Zhang F. Equilibrium Balking Strategies in the Geo/Geo/1 Queues with Server Breakdowns and Repairs. *Qual Technol Quant Manag* 2014;11:231–43.
- [19] Ma Y, Liu Z. Pricing analysis in Geo/Geo/1 queueing system. *Math Probl Eng* 2015 Article ID 181653.
- [20] Veltman A, Hassin R. Equilibrium in queueing systems with complementary products. *Queueing Syst* 2005;50:325–42.
- [21] Sun W, Li S, Tian N, Zhang H. Equilibrium analysis in batch-arrival queues with complementary services. *Appl Math Model* 2009;33:224–41.
- [22] Zhang Y, Wang J, Wang F. Equilibrium pricing strategies in retrial queueing systems with complementary services. *Appl Math Model* 2016;40:5775–92.
- [23] Takagi H. Queueing analysis, 3. North-Holland; 1993.
- [24] Boyd S, Vandenberghe L. Convex optimization. Cambridge University Press; 2004.