

Quis, Johanna Sophie; Mehl, Simon

**Conference Paper**

## Health Effects of Instruction Intensity: Evidence from a Natural Experiment in German High-Schools

Beiträge zur Jahrestagung des Vereins für Socialpolitik 2018: Digitale Wirtschaft - Session: Education I, No. B20-V3

**Provided in Cooperation with:**

Verein für Socialpolitik / German Economic Association

*Suggested Citation:* Quis, Johanna Sophie; Mehl, Simon (2018) : Health Effects of Instruction Intensity: Evidence from a Natural Experiment in German High-Schools, Beiträge zur Jahrestagung des Vereins für Socialpolitik 2018: Digitale Wirtschaft - Session: Education I, No. B20-V3, ZBW - Leibniz-Informationszentrum Wirtschaft, Kiel, Hamburg

This Version is available at:

<https://hdl.handle.net/10419/181619>

**Standard-Nutzungsbedingungen:**

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

**Terms of use:**

*Documents in EconStor may be saved and copied for your personal and scholarly purposes.*

*You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.*

*If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.*

# Health Effects of Instruction Intensity

## Evidence from a Natural Experiment in German High-Schools

Johanna Sophie Quis \*

*Bamberg Graduate School of Social Sciences, University of Bamberg, Germany*

Simon Reif †

*University of Erlangen-Nürnberg, Germany*

September 2017

### Abstract

A large literature aims to establish a causal link between education and health using changes in compulsory schooling laws. It is however unclear how well more education is operationalized by marginal increases in school years. We shed a new light on this discussion by analyzing the health effects of a reform in Germany where total years of schooling for students in the academic track were reduced from nine to eight while keeping cumulative teaching hours constant by increasing instruction intensity. The sequential introduction of the reform allows us to implement a triple difference-in-differences estimation strategy with data from the German Socio-Economic Panel. We find that increased weekly instruction time has negative health effects for females while they are still in school. However, after graduation, females even seem to benefit from reduced school years. We find no effects on males' health.

*Keywords:* education and health; instruction intensity; natural experiment; SOEP;

*JEL:* I19, I21, I28

---

\*Corresponding author; Bamberg Graduate School of Social Sciences (BAGSS), University of Bamberg, Feldkirchenstr. 21, 96052 Bamberg, Germany, phone: +49-951-863-2603, e-mail: johanna.sophie.quis@uni-bamberg.de.

†University of Erlangen-Nürnberg, e-mail: simon.reif@fau.de.

We are grateful for helpful comments and suggestions by Hendrik Jürges, Daniel Kühnle, Guido Heineck, Tina Hinz, Jan Marcus, Thomas Siedler, Harald Tauchmann, Christoph Wunder, Amelie Wuppermann and Nicolas Ziebarth. Participants of the Fourth Lisbon Research Workshop on Economics, Statistics and Econometrics of Education, the Workshop on Education, Skills, and Labor Market Outcomes, the 2nd Bamberg-Halle-Leipzig Seminar on Empirical Microeconomics, the 9th Annual Conference of the German Health Economics Association, the DIW/IAB/CIDER Interdisciplinary Workshop on the Consequences of the G8-Reform, the CHE Health Policy Seminar and the 31st Annual Conference of the European Society for Population Economics provided valuable feedback. This work was supported by the Bamberg Graduate School of Social Sciences which is funded by the German Research Foundation (DFG) under the German Excellence Initiative (GSC1024). Funding through the International Doctoral Program "Evidence-Based Economics" of the Elite Network of Bavaria is gratefully acknowledged. Franziska Valder provided valuable research assistance.

# 1 Introduction

A large literature in health and education economics establishes a link between education and health. Although the correlation between education and different health outcomes is generally large, causal estimates of the relation are less conclusive ([Montez and Friedman, 2015](#); [Grossman, 2015](#)).<sup>1</sup> From a theoretical perspective, [Grossman \(1972\)](#) suggested that education promotes abilities that increase health production and also marginal returns to health inputs.

A common strategy to establish a causal link between education and health is to use changes in compulsory schooling laws as an exogenous increase in years of education. In her seminal work, [Lleras-Muney \(2005\)](#) finds a reduction in mortality when education increases.<sup>2</sup> Since then, increases in compulsory schooling have been used to also analyze the effects of education on other health outcomes. Self-assessed health seems to increase ([Oreopoulos, 2006](#); [Arendt, Jacob Nielsen, 2005](#); [Kemptner et al., 2011](#); [Mazzonna, 2014](#)) and obesity is reduced ([Arendt, Jacob Nielsen, 2005](#); [Kemptner et al., 2011](#); [Brunello et al., 2013](#)) when students stay in school longer. [Crespo et al. \(2014\)](#) find that more schooling increases mental health and [Mazzonna \(2014\)](#) finds that it reduces depression for males while [Dursun and Cesur \(2016\)](#) show that subjective well-being of women increased when they attained at least a middle-school degree. In contrast, [Avendanoy et al. \(2017\)](#) show in a recent study that increased compulsory schooling has negative effects on female mental health later in life.

Although these quasi experimental studies are appealing because years of education increase exogenously, the local average treatment effects do not necessarily capture the effect of more education in the Grossmann framework, which focuses on abilities acquired in school. The underlying assumption in most studies is that additional years of education increase abilities in the health production function. This assumption, however, does not necessarily need to apply. There are at least two opposing channels in which more years of schooling can influence health

---

<sup>1</sup> Both overview articles are a good summary of studies on both correlations and causal effects between education and health.

<sup>2</sup> Most studies that also analyze mortality using mandatory school year increases generally find smaller but still positive effects ([Van Kippersluis et al., 2011](#); [Meghir et al., 2012](#); [Fischer et al., 2013](#); [Gathmann et al., 2015](#)) however sometimes insignificant ([Albouy and Lequien, 2009](#); [Mazumder, 2008](#)). One exception are [Clark and Royer \(2013\)](#) who find no effect.

independent of ability acquirement: Negative effects of involuntary schooling and positive effects of health promotion in schools.

Involuntary participation in schooling might have negative health effects, especially on mental health. [Elias \(1989\)](#) provides a review of early psychological studies on mental health of students and concludes that stress in school is a key factor detrimental to students mental health – a relation also found in more recent studies ([Raufelder et al., 2013](#); [Scrimin et al., 2016](#)). Additionally, [Forbes et al. \(2017\)](#) show that less free time to produce health inputs generally decreases people’s utilities. Stress in school can have long term negative effects as it can lead to reduced mental health later in life ([Patton et al., 2014](#)). It also increases the probability of being overweight in adolescence ([Torres and Nowson, 2007](#)) which has been shown to translate into various negative health effects later in life ([Reilly and Kelly, 2011](#)).

Schools do however also play an important role in promoting health. First, they can explicitly teach healthy behaviors. Such interventions have been successful in promoting physical activity but less in promoting healthy diets ([Dzewaltowski et al., 2009](#); [Sallis et al., 2003](#)). Additionally, schools can provide facilities that support physical activities, and thereby promote students’ health ([Cradock et al., 2007](#)). Strict enforcement policies and intervention programs in schools can also reduce smoking rates ([Thomas et al., 2013](#)). Further, [Frisvold and Golberstein \(2011\)](#) show that high school quality (measured i. e. by length of school year) does have a strong positive effect on students’ health.

It is therefore an open question whether more years of schooling actually improve health. We contribute to this discussion by analyzing a natural experiment in Germany where 13 of the 16 federal states (*Bundesländer*) implemented a reform to shorten the academic track of secondary school (*Gymnasium*) from nine to eight years without changing the overall curricular content and overall instruction hours by increasing instruction intensity. The reform took place at different points in time affecting students who graduated between 2007 and 2016 depending on where they went to school. As only academic track students are affected, we can implement a triple difference-in-differences estimation strategy. We conduct our analysis with data from the German Socio-Economic Panel (SOEP).

The reform provides a well-suited setting to reinvestigate the relationship between more years of schooling and health. It did reduce years of schooling, but the curricular content remained unchanged. Therefore, the health effects of the reform are a priori ambiguous. Higher instruction intensity might provoke stress and reduce mental health. However, the same content is taught to students, so acquisition of abilities for healthy behavior should not have changed. Additionally, the reform increased students' flexibility because they left school one year earlier. To disentangle the direct effects of increased instruction intensity from the indirect effects of more flexibility we estimate the effects of the reform for a sample of students still in school and for a sample of recent graduates.

We employ different health measures to capture the effect on three health dimensions: The widely used subjective measure of self assessed health, BMI as a quasi objective measure and indicators for mental well-being. Self-assessed health is not affected by the reform, neither for students in school nor for graduates. We find that the reform increased BMI and reduced mental well-being for women in school. After graduation the effect is reversed: BMI is lower and mental well-being is higher for women after they finished school. Males are not affected by the reform. Our results suggest that while the reduction in years increases stress in school, it also increases flexibility for students earlier in life, facilitating life choices that improve health.

The rest of this paper is structured as follows: In the next section we provide details on the school reform we exploit, our identification strategy and the data we use. We present our results in section 3 and discuss them in section 4.

## 2 Data and Empirical Strategy

### 2.1 The German Secondary Education Reform (G8)

In Germany, students are usually divided into three secondary schooling tracks after four years of elementary school.<sup>3,4</sup> Two vocational tracks (*Hauptschule* and *Realschule*) prepare students for vocational training, which starts after grade 9 or 10. In the academic track

---

<sup>3</sup> In a few states the separation either used to take place or still does take place after grade 6.

<sup>4</sup> States are the administrative level at which educational policies are determined. Nevertheless, there is a federal commission, the *Kultusministerkonferenz*, which determines the framework of the German education system.

(*Gymnasium*), students are prepared to go to university. Some states also have comprehensive schools (*Gesamtschule*) where students are not split between tracks. Between 2003 and 2007, 13 of the 16 German states reduced the duration of the academic track from nine to eight years, resulting in a decrease of total school years from 13 to 12. The main motivation for this reform was to reduce students' age when they enter university and the labor market to a level comparable with other European countries. While high school duration was reduced by one year, the course content and total hours of instruction had to remain constant to satisfy federal regulations. Instruction hours exceeding the requirements were mostly abolished during the reform, reducing total instruction hours by 2,6%. This reduction of excess hours means that average weekly instruction time increased by only 9.6% in contrast to the 12.5% increase that would have resulted from fitting nine into eight years.<sup>5</sup>

Table 1: Schedule of Reform Implementation in German States

State	Implementation	First 12 year grad.
Saxony-Anhalt	2003	2007
Mecklenburg-Vorpommern	2004	2008
Saarland	2001	2009
Hamburg	2002	2010
Bavaria <sup>a</sup>	2004	2011
Lower Saxony <sup>a</sup>	2004	2011
Baden-Württemberg <sup>b</sup>	2004	2012
Bremen	2004	2012
Berlin	2006	2012
Brandenburg	2006	2012
North Rhine-Westphalia <sup>b</sup>	2005	2013
Schleswig-Holstein <sup>b</sup>	2007	2016

<sup>a</sup> Bavaria and Lower Saxony are currently reintroducing general 9-year systems with an option to finish after 8 years if students are performing particularly well. In Lower Saxony, the first 9-year cohorts will graduate in 2021 ([goo.gl/FMofr5](http://goo.gl/FMofr5)). In Bavaria, the first 9-year-cohort will start grade 5 in 2017 ([goo.gl/7ltypS](http://goo.gl/7ltypS)).

<sup>b</sup> Baden-Württemberg, North Rhine-Westphalia, and Schleswig-Holstein are moving away from a pure 8-year system towards a parallel 8- and 9-year system ([goo.gl/fa9Izs](http://goo.gl/fa9Izs)).

<sup>5</sup> This number results from evenly distributing the instruction time from the final school year over the eight previous years, deducting the 2.6% of instruction time that were removed. The increase in weekly instruction hours was larger in grades 7-10 (+3.75 hours) than in grades 5-6 (+2 hours) and 11-12 (+2.5 hours). Source: Homuth (2017), p. 25, own calculations.

Table 1 gives an overview of the time frame of the reform for each state we use in our analysis.<sup>6</sup> The reform constitutes a well-suited natural experiment in two ways. First, it was implemented in different states at different points in time only for one type of secondary school, which allows us to use a triple difference-in-differences estimation strategy. That is, we can compare academic track students who experience 13 years of schooling to those with 12 years of schooling and then compare them to vocational track students, who were not affected by the reform. Second, the assignment to the reform group can be assumed to be random as it would have been costly to avoid the reform—either by moving to another state or by choosing the vocational track with significantly lower expected lifetime earnings. Huebener and Marcus (2017) indeed show that the reform did not induce changes in the student population.

In recent years, several studies analyzed the effects of the reform, mainly from an education economics point of view. Büttner and Thomsen (2015) find that Math grades at graduation are worse for students who experienced increased instruction intensity, while grades in German are not affected. Huebener and Marcus (2017) find decreased grade point averages at graduation. Huebener et al. (in press) assess student competences at age 15 and find increased performance across all domains especially for highly skilled students. Dahmann (in press) examines cognitive skills at age 17 and at graduation and finds, in line with the two previously mentioned studies, higher numerical skills for males at age 17 and lower reasoning skills for both genders at graduation.<sup>7</sup> Hübner et al. (2017) find negative reform effects on English reading competence and no effects on mathematics and physics competence. Personality of students seems to be only marginally affected by the reform (Thiel et al., 2014; Dahmann and Anger, 2014). Students repeat grades more frequently (Huebener and Marcus, 2017) and delay (Meyer and Thomsen, 2016) or abandon (Marcus and Zambre, 2199) university enrollment. In cross sectional samples of first year university students, Kühn (2014) and Dörsam and Lauber (2015) do not find any difference in performance (which, however, could be driven by selection). 8-year students

---

<sup>6</sup> We exclude four of the 16 German states: In Hesse students had a long transition period where they could select into either eight or nine year academic track schools which hampers our identification strategy. Rhineland-Palatinate always had 8.5 years of academic track duration and is therefore a special case. Thuringia and Saxony always had eight years of academic track, so that there was no change in instruction intensity.

<sup>7</sup> These results may seem paradox at first sight, but since 8-year students of a fixed age will have received more instruction time than 9-year students at the same age, they should perform better in order to catch up the missing year until graduation.

are more burdened by learning and report less time for jobs and volunteer work (Meyer and Thomsen, 2015)

There are four studies that evaluated the reform from a health related point of view. In an early cross sectional survey of students from one German city who were in grade 10 (8-year system) and 11 (9-year system) at the time of the interviews, Milde-Busch et al. (2010) do not find any health differences between reform and control group. Westermaier (2016) analyzes whether the reform led students to increase consumption of illegal drugs but does not find any effect. Most closely related to our study are Quis (2015) and Hofmann and Mühlenweg (2017), who find weakly negative health effects of the reform. Quis (2015) compares the first 8-year graduating cohort to the last 9-year graduating cohort in Baden-Württemberg and finds an increase in perceived stress and symptoms of internalizing mental health problems for females, but no effect on subjective well-being.<sup>8</sup> Hofmann and Mühlenweg (2017) evaluate a pooled sample of students and graduates resulting in a slight decrease of mental health, but no effect on physical health or smoking behavior.

## 2.2 Estimation Strategy

We evaluate the reform effects for measures of three different health dimensions. First, the commonly used subjective measure of self assessed health, second BMI as an objective measure and third indicators for mental well-being which are whether students worry a lot and a standardized mental health measure for graduates.

To identify the effect of increased instruction intensity on students' health in a simple setting with treated (8y) and untreated (9y) regions, one would estimate the treatment effect using a standard difference-in-differences estimator from the average health levels:

$$ATE = (\bar{Y}_{pre}^{8y} - \bar{Y}_{post}^{8y}) - (\bar{Y}_{pre}^{9y} - \bar{Y}_{post}^{9y}), \quad (1)$$

which then can be estimated parametrically by

$$Y_i = ATE(8y_i * post_i) + \beta_1 8y_i + \beta_2 post_i + \mathbf{X}\beta + \epsilon_i, \quad (2)$$

---

<sup>8</sup> These results are also confirmed by Hübner et al. (2017).



where  $\mathbf{X}$  is either a vector of ones or a matrix of additional covariates. In our setting, states switch from having 9 years to having 8 years, so instead of dummy variables for treated and untreated regions and time periods, the ATE can here be derived by controlling for a maximum set of state and time dummies ( $\mathbf{S}$  and  $\mathbf{T}$ ) and including a pseudo interaction-term  $8years$  which is one if a student went to school in a state  $s$  at time  $t$  when the 8 year regime was in place and zero otherwise. The coefficient  $\delta$  is then the estimate for our ATE:

$$Y_i = \delta 8years_i + \mathbf{S}\boldsymbol{\gamma} + \mathbf{T}\boldsymbol{\kappa} + \mathbf{X}\boldsymbol{\beta} + \epsilon_i. \quad (3)$$

Only students in the academic track of secondary school were affected by the reform. We can therefore use secondary school students in the non-academic tracks as a further control group in a triple difference-in-differences design. Interacting the treatment dummy  $8years$  as well as time and state fixed effects from equation (3) with an indicator for being in the academic track  $A_i$  leads to our main specification:

$$Y_i = \delta(8years_i \times A_i) + \alpha A_i + \mathbf{S}\boldsymbol{\gamma}_1 + \mathbf{T}\boldsymbol{\kappa}_1 + (\mathbf{S} \times A_i)\boldsymbol{\gamma}_2 + (\mathbf{T} \times A_i)\boldsymbol{\kappa}_2 + \mathbf{X}\boldsymbol{\beta} + \epsilon_i. \quad (4)$$

We use this model to estimate the effects first for students when they are 17. This means students are still in school but have several years of experience in school which gives us a direct reform effect. Our non academic-track control group consists of students in the vocational and comprehensive schools with the exception of the lower level *Hauptschule* because students usually leave this school at the age of 15.

In addition, we estimate equation (4) for graduates who finished school at least one year ago to obtain the indirect effect of the reform on health.

## 2.3 Health Indicators and Sample Selection

We conduct our analysis with data from the German Socio-Economic Panel (SOEP). It is a large, representative household panel in Germany that started in 1984 ([Wagner et al., 2007](#); [SOEP, 2015](#)). To estimate the reform effect for students who are still in school, we use the youth study, sampling all children in SOEP households who turn 17 in the respective survey year. When we

analyze reform effects after graduation, we use the personal interviews for the years 2008, 2010, 2012 and 2014, because they are the most recent waves that contain a broader set of health variables.

## Health Indicators

Our first dependent variable is self assessed health on a scale from *very good* (1) to *very bad* (5). Although it is a subjective measure, it is widely used and has been shown to serve as a good proxy for more objective health measures (Idler and Benyamini, 1997; Van Doorslaer and Gerdtham, 2003).<sup>9</sup>

BMI is our second dependent variable. As a ratio of bodyweight and -height, a high BMI is a reliable indicator for overweight which has been shown to lead to various health problems and increase the risk of all-cause mortality (Global BMI Mortality Collaboration, 2016). In the SOEP, BMI is constructed from self-reported bodyweight and -height and especially self-reported weight might suffer from reporting error. This reporting error would however only be a threat to our identification strategy if the reporting error were correlated with our reform, which we have no reason to assume.

Our third health dimension is mental well-being. Here we have to use two different measures for students and for graduates. The only proxy for mental well-being available at age 17 is one answer from the Big-5 inventory. Here, students are asked whether they consider themselves as persons who worry a lot on a scale from *not at all* (1) to *very much* (7). Although Dahmann and Anger (2014) and Thiel et al. (2014) analyze the Big-5 indicators and do not find that the reform affected personality, we regard this question as a good proxy for mental well-being because it can be seen as a state varying indicator (Schutte et al., 2003).

For our sample of graduates we have access to a more objective measure of mental health, the *mental component scale* (MCS). It is a standardized compound measure of mental well-being constructed from the "SF-12v2<sup>TM</sup> Health Survey", normalized to mean 50 and standard deviation

---

<sup>9</sup> It is however a controversial health measure as self assessed health varies with income and salience of personal health even if underlying health remains unchanged (Etilé and Milcent, 2006; Crossley and Kennedy, 2002). We nevertheless include it in our set of dependent variables because it is a widely used measure, especially in the literature on education and health.

10 ([Andersen et al., 2007](#)) and has been shown to be a valid measure of mental health ([Gill et al., 2007](#)).

## **Sample Selection**

We identify students affected by the reform from their year of school entry and state of residence in the year they turn 17. We restrict our sample to those students who have never repeated a grade.<sup>10</sup> For those students who did not state their year of school entry we impute it from month of birth.<sup>11</sup> Additionally, we drop students who are extreme outliers in terms of their reported BMI.<sup>12</sup> After list-wise deletion of students with missing data, we observe a total of 1274 students in school of whom 685 visited the academic track and 403 experienced increased instruction intensity.

Only every other wave of the SOEP includes detailed health related questions. For our analysis of graduates we therefore use the earliest wave with health variables available, which, at the earliest, was conducted in the year after students finished school. Students who did not graduate from the academic track (and hence graduated from vocational tracks earlier) are assigned a hypothetical graduation year for if they had been in the academic track. Students who graduated<sup>13</sup> in 2007 or before are assessed on their responses from the 2008 wave. If they graduated in 2008 or 2009, they are included in our sample with their responses from 2010. The same logic is applied for students who graduated in 2010 (2012) and 2011 (2013) who we observe in 2012 (2014). After graduation we observe 1387 individuals of whom 461 graduated from academic track schools and 134 experienced increased instruction intensity.

Table 2: Youth Sample: Descriptive Statistics

	Pooled	9 Years	8 Years	9 Years - 8 Years	Academic	Vocational	Academic - Vocational
	Mean (S.D.)	Mean (S.D.)	Mean (S.D.)	Difference (P-value)	Mean (S.D.)	Mean (S.D.)	Difference (P-value)
Self-assessed health	1.63 (0.71)	1.67 (0.71)	1.55 (0.67)	0.12** (0.03)	1.60 (0.69)	1.68 (0.74)	-0.08* (0.06)
Body mass index	21.27 (2.64)	20.99 (2.43)	21.10 (2.60)	-0.11 (0.56)	21.06 (2.53)	21.52 (2.74)	-0.47*** (0.00)
Worry a lot	4.36 (1.70)	4.24 (1.65)	4.42 (1.65)	-0.17 (0.17)	4.35 (1.65)	4.37 (1.75)	-0.02 (0.85)
Female	0.51 (0.50)	0.52 (0.50)	0.51 (0.50)	0.01 (0.73)	0.52 (0.50)	0.50 (0.50)	0.01 (0.61)
Age (months)	201.41 (4.03)	201.60 (3.82)	201.46 (4.10)	0.14 (0.64)	201.52 (3.99)	201.28 (4.08)	0.24 (0.30)
Non-intact family	0.24 (0.43)	0.19 (0.39)	0.21 (0.41)	-0.03 (0.41)	0.20 (0.40)	0.29 (0.45)	-0.09*** (0.00)
Migration background	0.19 (0.40)	0.15 (0.35)	0.19 (0.39)	-0.04 (0.13)	0.17 (0.38)	0.22 (0.42)	-0.05** (0.03)
High parental education	0.35 (0.48)	0.54 (0.50)	0.48 (0.50)	0.06 (0.14)	0.51 (0.50)	0.16 (0.37)	0.34*** (0.00)
Rural	0.33 (0.47)	0.25 (0.43)	0.37 (0.48)	-0.12*** (0.00)	0.32 (0.47)	0.33 (0.47)	-0.01 (0.74)
Observations	1274	282	403	685	685	589	1274

Notes: SOEP v31, waves 2006-2014. Descriptive statistics calculated for our sample based on the youth questionnaire. Standard deviations in parentheses. The fourth and last column depict the difference in means between the mentioned groups and the p-values of a t-test in parentheses. \*  $p < 0.1$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

## 2.4 Descriptive Statistics

Table 2 provides an overview on the descriptive statistics for the sample of 17-year olds, including the set of variables we later add as controls. On average students in our sample felt quite healthy (1.63) and students in the 8 year track describe themselves as slightly more healthy compared to students in the 9 year track (1.55 vs. 1.67). Students' BMI is on average 21 with no significant differences between the two groups of academic track students. When it

<sup>10</sup> This restriction is necessary to ensure that grade repetitions do not bias the allocation to treatment or control group.

<sup>11</sup> Usually children enter school in year  $t$  if they are six years old by August of year  $t$ . For those students for whom we observe school entry year the imputation is correct for 85% of the respective students. When further narrowing down to cases where the allocation to treatment or control group might be harmed due to the imputation, the comparison between imputation and known year of school entry yields a wrong allocation of 8% of the students around the cutoff. Assuming that we are also wrong in 8% of the cases where we cannot observe the real year of school entry (102 students) we would expect a total of 8.2 individuals being allocated to the wrong group.

<sup>12</sup> We excluded students whose BMI differed more than 2.5 interquartile distances from the gender specific samples first or third quartile.

<sup>13</sup> Or, in the case of vocational track students would have graduated, had they visited the academic track.

comes to mental well-being, students on average do not report to worry much (mean=4.4). All three health measures are slightly worse for students in the vocational track schools.

Covariates are quite balanced between 8 year and 9 year group. Slightly more than half of our sample are women, one quarter comes from a non-intact family (meaning not living with both parents for at least one year during childhood) and 19% of children have a parent not born in Germany.<sup>14</sup> Roughly one third have at least one parent who graduated from the academic school track and one third of our students live in rural areas. Our sample of students in the non-academic track has a significantly higher share of non-intact households, migration background and a lower share of parents who graduated from high-school than the sample of academic track students. This reflects general differences in the German student population and is unlikely to have changed during our study period.<sup>15</sup>

Table 3 provides descriptive statistics for our sample used in the post graduation analyses. Self-assessed health of the graduates is slightly worse (2.04) compared to our sample of 17-year old students. BMI is also slightly higher for the student sample and graduates from the academic track after 9 years have a higher BMI compared to students who graduated after 8 years (22.5 and 21.9 respectively). Our graduates have an average MCS of 50.1 which does not significantly differ between subgroups.

The share of women who graduated from academic track (54%) is significantly higher than the share of female graduates from non-academic tracks (48%).<sup>16</sup> Students in the control group were on average 20.8 years old and hence one year older than the reform group which is a mechanic effect of the reform. All other covariates are distributed similarly to the sample of 17-year olds. Graduates from the non-academic track have a higher probability of coming from a non-intact family, having migration background as well as low parental education. There are however significant differences in the covariates in the sample of graduates that we did not observe for the sample of 17-year olds. Graduates from the 8 year track have a higher

---

<sup>14</sup> Official statistics for the school year 2013/2014 state that 51.9% of lower secondary academic track students and 53.6% of higher secondary academic track students were female ([Statistisches Bundesamt, 2014](#), p. 10).

<sup>15</sup> According to the PISA studies, Germany used to be a country where socio-economic background has been a strong predictor of student performance, recently this relationship weakened and has moved to OECD average ([OECD, 2013](#), pp. 78ff).

<sup>16</sup> While this difference looks large, it is in line with official statistics for graduates in 2013, where 54.7% of academic track graduates were female ([Statistisches Bundesamt, 2014](#), p. 291).

Table 3: Graduate Sample: Descriptive Statistics

	Pooled	9 Years	8 Years	9 Years - 8 Years	Academic	Vocational	Academic - Vocational
	Mean (S.D.)	Mean (S.D.)	Mean (S.D.)	Difference (P-value)	Mean (S.D.)	Mean (S.D.)	Difference (P-value)
Self-assessed health	2.03 (0.82)	1.95 (0.78)	1.89 (0.71)	0.06 (0.42)	1.93 (0.76)	2.09 (0.84)	-0.15*** (0.00)
Body mass index	22.91 (3.46)	22.46 (2.97)	21.86 (2.71)	0.60** (0.04)	22.28 (2.91)	23.22 (3.67)	-0.94*** (0.00)
MCS	50.09 (9.34)	50.10 (9.34)	49.96 (8.43)	0.14 (0.88)	50.06 (9.07)	50.10 (9.47)	-0.05 (0.93)
Female	0.50 (0.50)	0.53 (0.50)	0.55 (0.50)	-0.02 (0.65)	0.54 (0.50)	0.48 (0.50)	0.06** (0.04)
Age in months	246.49 (8.98)	250.17 (7.32)	237.41 (7.01)	12.76*** (0.00)	246.46 (9.26)	246.50 (8.85)	-0.04 (0.93)
Non-intact family	0.34 (0.47)	0.20 (0.40)	0.35 (0.48)	-0.15*** (0.00)	0.24 (0.43)	0.39 (0.49)	-0.14*** (0.00)
Migration background	0.17 (0.37)	0.13 (0.33)	0.11 (0.32)	0.01 (0.68)	0.12 (0.33)	0.19 (0.39)	-0.07*** (0.00)
High parental education	0.27 (0.44)	0.48 (0.50)	0.51 (0.50)	-0.03 (0.60)	0.49 (0.50)	0.16 (0.36)	0.33*** (0.00)
Rural	0.34 (0.47)	0.22 (0.42)	0.39 (0.49)	-0.16*** (0.00)	0.27 (0.45)	0.37 (0.48)	-0.10*** (0.00)
Graduation two years ago	0.48 (0.50)	0.54 (0.50)	0.40 (0.49)	0.15*** (0.00)	0.50 (0.50)	0.47 (0.50)	0.03 (0.26)
Observations	1387	327	134	461	461	926	1387

Notes: SOEP v31, waves 2008, 2010, 2012 & 2014. Standard deviations in parentheses. The fourth and last column depict the difference in means between the mentioned groups and the p-values of a t-test in parentheses. \*  $p < 0.1$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ . Fewer observations for body mass index and MCS.

probability of coming from a non-intact family and having a migration background and living in a rural area. We use a dummy variable to control for the one year difference that occurs as the SOEP includes the health questions only every other year. About 50% of graduates in our sample graduated the year before the survey, the other half graduated one year earlier.

### 3 Results

In our baseline specification we estimate the model presented above in equation (4). We always cluster our standard errors at the year-state-schooltype level to control for within-group error correlation (Angrist and Pischke, 2009). We separately estimate the effects of increased instruction intensity on students in school and after graduation. Then, we analyze how health effects differ if we exclude students in the transition period from the 9 year system to the 8 year system. The last part of this result section includes different robustness checks.

#### 3.1 Effects on Students in School

Effects of the increase of instruction intensity on 17 year old students are reported in Table 4 where the coefficient of interest is *8 years*. Self-assessed health is not affected by the reform. BMI is higher when instruction intensity is increased but the effect is not significantly different from zero in the pooled sample. We do however find a significant increase by roughly 1.2 BMI points for females.<sup>17</sup> Probit regressions (Table A.1, in the appendix) show that the higher BMI for women is driven by a higher share of overweight women. A similar pattern can be found for our mental health proxy *worry a lot* which is significantly higher (worse) for females if their instruction intensity was higher. The coefficients remain almost unchanged when we add further covariates to the model. From analyzing these three different health indicators, we conclude that, on average, increased instruction intensity has a negative effect on female students' health – but not for males'.

---

<sup>17</sup> For women with a height of 165cm this would mean a difference of 3.3kg.

Table 4: Youth Sample: Results

	<b>pooled</b>		<b>male</b>		<b>female</b>	
	(1)	(2)	(3)	(4)	(5)	(6)
<b>Self-assessed health</b>						
8 years	−0.036 (0.084)	−0.032 (0.086)	−0.022 (0.130)	0.004 (0.129)	−0.049 (0.119)	−0.063 (0.121)
Additional controls	-	✓	-	✓	-	✓
<b>BMI</b>						
8 years	0.386 (0.338)	0.425 (0.332)	−0.143 (0.402)	−0.056 (0.393)	1.182*** (0.420)	1.167*** (0.418)
Additional controls	-	✓	-	✓	-	✓
<b>Worry a lot</b>						
8 years	0.380* (0.219)	0.359 (0.219)	−0.038 (0.292)	−0.046 (0.301)	0.708** (0.279)	0.709** (0.281)
Additional controls	-	✓	-	✓	-	✓
N	1274	1274	624	624	650	650

*Notes:* SOEP v31 waves 2006-2014. OLS regressions. All estimations include a constant, a maximum set of state and year dummies, an academic-track dummy, interactions of academic-track with state and year dummies, and control for sex in pooled models. Additional controls include age in months, non-intact family, migration background, high parental education, and rural. Standard errors, reported in parentheses, are clustered at wave-state-schooltype level. \*  $p < 0.1$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

### 3.2 Effects on Students after Graduation

The SOEP provides a detailed set of health variables only every other year. In order to estimate the health effects of the reform after graduation, we therefore use the earliest health information available starting from the year after a student has graduated. As we control for years since graduation, our results are not driven by the fact that we observe the graduates at different points in time. Table 5 summarizes the health effects of the reform after students graduated. For none of our health measures the reform coefficient differs significantly from zero and the coefficients are barely changed by adding additional covariates. Students in the eight year track do not report a different self assessed health and we observe only a slight (insignificant) decrease in BMI and a slight (insignificant) increase in mental health measured by MCS.

After graduation we do not anymore observe the negative health effects the reform has on females in school. This is in line with the results from [Forbes et al. \(2017\)](#) who show that longer schooling can have negative mental health effects on females. If women profit from having to spend less years in school, this can offset negative health effects during school. A potential



Table 5: Graduate Sample: Results

	<b>pooled</b>		<b>male</b>		<b>female</b>	
	(1)	(2)	(3)	(4)	(5)	(6)
<b>Self-assessed health</b>						
8 years	−0.038 (0.116)	−0.027 (0.119)	−0.053 (0.178)	−0.014 (0.174)	−0.035 (0.177)	−0.064 (0.176)
Additional controls	-	✓	-	✓	-	✓
<b>BMI</b>						
8 years	−0.162 (0.515)	−0.112 (0.492)	−0.198 (0.554)	−0.057 (0.535)	−0.300 (0.704)	−0.400 (0.674)
Additional controls	-	✓	-	✓	-	✓
<b>MCS</b>						
8 years	1.006 (1.282)	0.896 (1.304)	−0.053 (1.720)	−0.172 (1.585)	2.204 (2.571)	2.453 (2.665)
Additional controls	-	✓	-	✓	-	✓
N	1387	1387	699	699	688	688

Notes: SOEP v31 waves 2008, 2010, 2012 & 2014. OLS regressions. All estimations include a constant, a maximum set of state and year dummies, an academic-track dummy, interactions of academic-track with state and year dummies, a dummy indicating whether the student graduated two years ago, age in months, and gender (only in pooled models). Additional controls include non-intact family, migration background, high parental education, and rural. Standard errors, reported in parentheses, are clustered at the wave-state-schooltype level. \*  $p < 0.1$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

mechanism is that students affected by the reform have the freedom to chose their life paths after school at a younger age. This freedom can explain the disappearance of the negative effect estimated for 17-year olds if subsequent life choices improve mental well-being. Findings by [Meyer and Thomsen \(2016\)](#) support this explanation. Students affected by the reform have a higher probability of doing an internship or spending a year abroad – probably relieving them from the extra pressure of increased instruction intensity in school.

### 3.3 Double Cohort as a Moderator

By shortening the academic track, each state generated a so called *double cohort*, i. e. students from the last nine year as well as from the first eight year scheme graduated together. Although universities did prepare for a higher number of students, the perceived higher competition for places at universities and apprenticeship positions could have induced additional stress. Additionally, the reform was implemented before all details were agreed on. This led to large

uncertainties for students in the first reform cohort. As our next analysis step, we therefore exclude students from the *double cohort* from our sample.

Table 6: Youth Sample: Excluding the Double Cohorts

	pooled		male		female	
	(1)	(2)	(3)	(4)	(5)	(6)
<b>Self-assessed health</b>						
8 years	0.063 (0.132)	0.063 (0.137)	0.054 (0.159)	0.084 (0.158)	0.126 (0.198)	0.096 (0.211)
Additional controls	-	✓	-	✓	-	✓
<b>BMI</b>						
8 years	0.659 (0.446)	0.643 (0.441)	-0.170 (0.593)	-0.203 (0.574)	1.130* (0.625)	1.093* (0.637)
Additional controls	-	✓	-	✓	-	✓
<b>Worry a lot</b>						
8 years	0.541** (0.257)	0.499* (0.267)	-0.295 (0.495)	-0.326 (0.486)	1.119*** (0.371)	1.102*** (0.407)
Additional controls	-	✓	-	✓	-	✓
N	1054	1054	500	500	554	554

Notes: SOEP v31 waves 2006-2014. OLS regressions. All estimations include a constant, a maximum set of state and year dummies, an academic-track dummy, interactions of academic-track with state and year dummies, and control for sex in pooled models. Additional controls include age in months, non-intact family, migration background, high parental education, and rural. Standard errors, reported in parentheses, are clustered at wave-state-schooltype level. \*  $p < 0.1$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Compared to the full sample, this exclusion leads to similar coefficients (Table 6). Overall we conclude that the general pattern of negative health effects of increased instruction intensity on females in school is not driven by the special circumstances of the *double cohort*.

If we repeat our baseline analysis for graduates without those in the *double cohorts*, we find that the slight positive health effects observed for the full sample increase and become statistically significantly different from zero for females. Women with 8 years of secondary school have a 1.7 to 2.4 point lower BMI after graduation (driven by a decreased risk of being overweight) and have a MCS that is increased by between 50 to 60% of a standard deviation. We therefore conclude that the stress of being in a *double cohort* cancels out positive health effects of the reform after students left school. This positive effect can have at least three reasons. First, as noted above, students have more flexibility in choosing their life paths, enabling them to make life choices that benefit their health one year earlier. Second, increased instruction

intensity compressed the time during which students acquired health relevant abilities. This might have enabled them to start living a healthier life earlier. A third explanation is that students who experienced increased instruction intensity learned to cope with stress during school and are now better able to deal with difficult life situations after graduation.

Table 7: Graduate Sample: Excluding the Double Cohorts

	<b>pooled</b>		<b>male</b>		<b>female</b>	
	(1)	(2)	(3)	(4)	(5)	(6)
<b>Self-assessed health</b>						
8 years	-0.061 (0.115)	-0.068 (0.129)	0.086 (0.219)	0.128 (0.238)	-0.234 (0.207)	-0.288 (0.225)
Additional controls	-	✓	-	✓	-	✓
<b>BMI</b>						
8 years	-0.373 (0.462)	-0.404 (0.418)	1.092 (0.976)	1.022 (0.988)	-2.222** (0.947)	-2.201** (0.877)
Additional controls	-	✓	-	✓	-	✓
<b>MCS</b>						
8 years	1.990 (2.091)	2.114 (2.158)	-1.558 (2.930)	-1.681 (2.902)	6.137** (2.847)	6.564** (3.072)
Additional controls	-	✓	-	✓	-	✓
N	1097	1097	549	549	548	548

Notes: SOEP v31 waves 2008, 2010, 2012 & 2014. OLS regressions. All estimations include a constant, a maximum set of state and year dummies, an academic-track dummy, interactions of academic-track with state and year dummies, and control for sex (only in pooled models), Graduation two years ago, and age in months. Additional controls include non-intact family, migration background, high parental education, and rural. Standard errors, reported in parentheses, are clustered at wave-state-schooltype level. \*  $p < 0.1$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

### 3.4 Robustness Checks

We conduct several robustness checks, changing our sample composition, employing maximum likelihood estimation techniques and adjusting standard errors.

#### Similar time to examinations

Time to graduation might influence students' health status as the final exams are a major event that determines which universities graduates can go to or which subjects they can study. As a matter of fact, students in the 8 year track are on average closer to their final examinations

than the control group. We show that restricting the sample to students with similar time until graduation does give qualitatively similar results (Table A.5, in the Appendix).

### **Heterogeneity by parental education**

To assess potential social inequalities in the burden of the reform we conducted additional subgroup analyses by parental education. The results for the youth sample (Table A.8, in the Appendix) indicate that the effect is rather driven by children with at least one parent who finished higher secondary education. The results for the graduate sample (Table A.9, in the Appendix) are less straightforward to interpret, it seems as if again there are differences between students of different backgrounds, but no clear direction can be told. These heterogeneity checks are based on a comparably sample of 173 observations and might therefore not be too reliable overall.

### **Excluding states with few observations**

In some states we observe only very few individuals in the treatment or control group. The fewer students we observe per state, the higher is the probability of drawing students who are not at all representative of the state's student body. Therefore, we also restricted our sample to contain only states, where we observe at least 10 students in each state's treatment and control groups. This leaves us with seven states in the sample of 17-year old students (see Table A.6, in the Appendix) and five states in the sample of graduates (Table A.7, in the Appendix). The results for the students who are still in school are similar to our baseline results. The only notable difference is that now the effect on worrying a lot is also significantly positive in the pooled estimation. When we additionally exclude the double cohort (Table A.6, second row) the results are very similar to our baseline specification. In the sample of graduates we again see no significant health effects of the reform in the full sample yet again find positive health effects of the reform once removing the double cohort.

## Only academic track students

Coefficients for increased instruction intensity from our triple difference in differences estimations are identical to simple difference in differences estimations when no additional controls are included (see equation 3). To make sure that our results are not driven by changes in control variables for the non academic track students we also estimate simple difference-in-differences models. Results for our sample of 17-year old students as well as for graduates are very similar to our baseline specification (Table A.3 and A.4, in the Appendix).

## Probit regressions

We also run probit and ordered probit regressions for the binary or ordinal dependent variables. We find qualitatively very similar results for our student sample as well as for our sample of graduates (Tables A.1 and A.2, in the Appendix).

## Standard Error Corrections

As [Bertrand et al. \(2004\)](#) point out, standard errors in difference-in-differences settings can be biased downwards due to serial or within cluster correlation. We address this concern in three ways. First by changing the cluster-level, second by bootstrapping the standard errors and third by running placebo tests.

We decided to cluster standard errors from all previous estimations at the year-state-schooltype level because this is the unit where the variation is coming from ([Angrist and Pischke, 2009](#)). One could however argue that when it comes to the German school system, differences between federal states are more important than differences over time and hence clustering must be on the state level. If we reestimate the models from above and cluster at the state level, standard errors marginally increase but significance levels are not affected. Following [Cameron et al. \(2011\)](#), we also apply wild clustered bootstrapping for estimates clustered at the state level.<sup>18</sup> This again marginally increases standard errors but does not change the overall picture (Tables A.10 and A.11 ).<sup>19</sup>

---

<sup>18</sup> Bootstrapping does not change standard errors from our baseline analysis because there are always more than 50 clusters.

<sup>19</sup> We used the [Caskey \(2015\)](#) `cgmwildboot` .ado for bootstrapping.

Finally, we conduct placebo tests suggested by [Chetty et al. \(2009\)](#). We run 2000 placebo regressions where we randomly assign the introduction of the 8 year academic track in the states 100 times and for each of these draws randomly assign for each student whether she is in the academic track 20 times. We then compare the distribution of coefficients from the placebo regressions with the actual coefficients. The results displayed in Figure A.1 (in the Appendix) show that the coefficients for *BMI* and *worrying* in our full sample of 17-year old females are higher than 95% of the placebo coefficients while the other coefficients are comparable to average coefficients from random treatment assignment. This is also the case for the worrying coefficient if we exclude the double cohort, indicating that the results in Tables 4 and 6 are not driven by downward biased standard errors. The same holds for our sample of graduates. Our placebo test (Figure A.2, in the Appendix) indicates that the significant reduction in women's BMI and increase in women's MCS in Tables 5 and 7 is not due to downward biased standard errors.

## 4 Conclusion

A large literature examines the effect of education on health using changes in compulsory schooling laws to instrument *increases* in years of schooling. It is however unclear how years of schooling causally affect health. We contribute to this literature by examining a reform in Germany where the academic track of secondary education was *reduced* from nine to eight years without changes in total hours taught. The sequential introduction of this reform in different federal states enables us to employ a triple difference-in-differences strategy to estimate the effect of increased instruction intensity on students' health in school and additionally the effect of leaving school one year earlier. We conduct our analysis with data from the German Socio-Economic Panel.

We find worse health status for females who experienced increased instruction intensity – but only as long as they are in school. 17-year old women affected by the reform worry more and also have a higher body mass index. Our results are robust to various sample restrictions and different estimator choices. This suggests that higher instruction intensity in schools translates into worse health outcomes.

Even though the health effects of the reform are negative when females are in school, the effects disappear after graduation and even turn positive once students from the transition period are excluded from our sample. Further research is needed to distinguish between three likely explanations for this effect. Increased instruction intensity could lead to health skills formation being effective earlier in life, leaving more time to positively influence healthy lifestyles. Also, the fact that students can influence their life path more directly one year earlier leads to life choices that benefit health. A third explanation would be that students who experience higher instruction intensity get used to stress during adolescence and are more able to deal with difficult situations later on. Although our analysis cannot identify the mechanism between reduced years with increased instruction intensity and health, our results shed a critical light on the discussion of whether the health effects of education should be mainly analyzed in terms of marginal increases of school years.

It is important to note that in our study a selective group of people is affected. Increases in mandatory school years usually affect a whole cohort while the reform we study only affects academic track students. Although this group is large (about one third of German students graduate from academic track schools), it is in general a self selection of higher ability students. It is therefore possible that a similar reform on lower ability vocational track students would result in different health effects.

Also, a puzzling result from our analysis is that males seem not to be affected by increased instruction intensity at all. They neither exhibit negative health effects in school nor do they profit from positive health effects after graduation. More research on the channels through which instruction intensity affects health might help explain this puzzle.

## References

- Albouy, Valerie and Laurent Lequien (2009). Does compulsory education lower mortality? *Journal of Health Economics*, **28** (1), pp. 155–168.
- Andersen, Hanfried H, Axel Mühlbacher, Matthias Nübling, Jürgen Schupp, and Gert G Wagner (2007). Computation of standard values for physical and mental health scale scores using the SOEP version of SF-12v2, *Schmollers Jahrbuch*, **127** (1), pp. 171–182.
- Angrist, Joshua D and Jörn-Steffen Pischke (2009). *Mostly Harmless Econometrics - An Empiricist's Companion*: Princeton University Press.
- Arendt, Jacob Nielsen (2005). Does education cause better health? A panel data analysis using school reforms for identification, *Economics of Education Review*, **24** (2), pp. 149–160.
- Avendanoy, Mauricio, Augustin de Coulonz, and Vahé Nafilyan (2017). Does more education always improve mental health? Evidence from a British compulsory schooling reform, *Health, Econometrics and Data Group Discussion Paper 17/10*.
- Bertrand, Marianne, Esther Duflo, and Sendhil Mullainathan (2004). How much should we trust differences-in-differences estimates? *Quarterly Journal of Economics*, **119** (1), pp. 249–275.
- Brunello, Giorgio, Daniele Fabbri, and Margherita Fort (2013). The causal effect of education on body mass: Evidence from Europe, *Journal of Labor Economics*, **31** (1), pp. 195–223.
- Büttner, Bettina and Stephan L. Thomsen (2015). Are We Spending Too Many Years in School? Causal Evidence of the Impact of Shortening Secondary School Duration, *German Economic Review*, **16** (1), pp. 65–86.
- Cameron, A Colin, Jonah B Gelbach, and Douglas L Miller (2011). Robust inference with multiway clustering, *Journal of Business & Economic Statistics*, **29** (2), pp. 238–249.
- Caskey, Judson (2015). cgmwildboot.ado.
- Chetty, Raj, Adam Looney, and Kory Kroft (2009). Salience and taxation: Theory and evidence, *American Economic Review*, **99** (4), pp. 1145–1177.
- Clark, Damon and Heather Royer (2013). The Effect of Education on Adult Mortality and Health: Evidence from Britain, *American Economic Review*, **103** (6), pp. 2087–2120.
- Cradock, Angie L, Steven J Melly, Joseph G Allen, Jeffrey S Morris, and Steven L Gortmaker (2007). Characteristics of School Campuses and Physical Activity Among Youth, *American Journal of Preventive Medicine*, **33** (2), pp. 106 – 113.
- Crespo, Laura, Borja López-Noval, and Pedro Mira (2014). Compulsory schooling, education, depression and memory: New evidence from SHARELIFE, *Economics of Education Review*, **43**, pp. 36–46.
- Crossley, Thomas F and Steven Kennedy (2002). The reliability of self-assessed health status, *Journal of Health Economics*, **21** (4), pp. 643–658.
- Dahmann, Sarah and Silke Anger (2014). The Impact of Education on Personality: Evidence from a German High School Reform, *IZA Discussion Paper No. 8139* (8139).



- Dahmann, Sarah C. (in press). How Does Education Improve Cognitive Skills? Instructional Time versus Timing of Instruction, *Labour Economics*.
- Dörsam, Michael and Verena Lauber (2015). The Effect of a Compressed High School Curriculum on University Performance, *Beiträge zur Jahrestagung des Vereins für Socialpolitik 2015: Ökonomische Entwicklung - Theorie und Politik - Session: Education 2*, No. B07-V3.
- Dursun, Bahadır and Resul Cesur (2016). Transforming lives: the impact of compulsory schooling on hope and happiness, *Journal of Population Economics*, **29** (3), pp. 911–956.
- Dzewaltowski, David A, Paul A Estabrooks, Greg Welk, Jennie Hill, George Milliken, Kostas Karteroliotis, and Judy A Johnston (2009). Healthy Youth Places: A Randomized Controlled Trial to Determine the Effectiveness of Facilitating Adult and Youth Leaders to Promote Physical Activity and Fruit and Vegetable Consumption in Middle Schools, *Health Education & Behavior*, **36** (3), pp. 583–600.
- Elias, Maurice J. (1989). Schools as a source of stress to children: An analysis of causal and ameliorative influences, *Journal of School Psychology*, **27** (4), pp. 393–407.
- Etilé, Fabrice and Carine Milcent (2006). Income-related reporting heterogeneity in self-assessed health: evidence from France, *Health Economics*, **15** (9), pp. 965–981.
- Fischer, Martin, Martin Karlsson, and Therese Nilsson (2013). Effects of compulsory schooling on mortality: evidence from Sweden, *International Journal of Environmental Research and Public Health*, **10** (8), pp. 3596–3618.
- Forbes, Hannah, Eleonora Fichera, Anne Rogers, and Matt Sutton (2017). The effects of exercise and relaxation on health and wellbeing, *Health Economics*, in press.
- Frisvold, David and Ezra Golberstein (2011). School quality and the education–health relationship: Evidence from Blacks in segregated schools, *Journal of Health Economics*, **30** (6), pp. 1232–1245.
- Gathmann, Christina, Hendrik Jürges, and Steffen Reinhold (2015). Compulsory schooling reforms, education and mortality in twentieth century Europe, *Social Science & Medicine*, **127**, pp. 74–82.
- Gill, Sarah C, Peter Butterworth, Bryan Rodgers, and Andrew Mackinnon (2007). Validity of the mental health component scale of the 12-item Short-Form Health Survey (MCS-12) as measure of common mental disorders in the general population, *Psychiatry Research*, **152** (1), pp. 63–71.
- Global BMI Mortality Collaboration (2016). Body-mass index and all-cause mortality: individual-participant-data meta-analysis of 239 prospective studies in four continents, *The Lancet*, **388** (10046), pp. 776–786.
- Grossman, Michael (1972). On the concept of health capital and the demand for health, *Journal of Political Economy*, **80** (2), pp. 223–255.
- (2015). The Relationship between Health and Schooling: What’s New? *Nordic Journal of Health Economics*, **3** (1), pp. 7–17.

- Hofmann, Sarah and Andrea Mühlenweg (2017). Health impacts of the G8 education reform in Germany, *mimeo*.
- Homuth, Christoph (2017). *Die G8-Reform in Deutschland: Auswirkungen auf Schülerleistungen und Bildungsungleichheit*, Wiesbaden: Springer VS.
- Hübner, Nicolas, Wolfgang Wagner, Jochen Kramer, Benjamin Nagengast, and Ulrich Trautwein (2017). Die G8-Reform in Baden-Württemberg: Kompetenzen, Wohlbefinden und Freizeitverhalten vor und nach der Reform, *Zeitschrift für Erziehungswissenschaft*, **1** (2), p. 1.
- Huebener, Mathias, Susanne Kuger, and Jan Marcus (in press). Increased instruction hours and the widening gap in student performance, *Labour Economics*.
- Huebener, Mathias and Jan Marcus (2017). Compressing instruction time into fewer years of schooling and the impact on student performance, *Special Issue: Economic Returns to Education*, **58**, pp. 1–14.
- Idler, Ellen L and Yael Benyamini (1997). Self-rated health and mortality: a review of twenty-seven community studies, *Journal of Health and Social Behavior*, pp. 21–37.
- Kemptner, Daniel, Hendrik Jürges, and Steffen Reinhold (2011). Changes in compulsory schooling and the causal effect of education on health: Evidence from Germany, *Journal of Health Economics*, **30** (2), pp. 340–354.
- Kühn, Svenja Mareike (2014). Sind 12 Schuljahre ausreichend für den Zugang zur Hochschule? Der doppelte Abiturjahrgang aus empirischer Perspektive, *Beiträge zur Hochschulforschung*, **36** (3), pp. 8–33.
- Lleras-Muney, Adriana (2005). The relationship between education and adult mortality in the United States, *The Review of Economic Studies*, **72** (1), pp. 189–221.
- Marcus, Jan and Vaishali Zambre, The Effect of Increasing Education Efficiency on University Enrollment: Evidence from Administrative Data and an Unusual Schooling Reform in Germany.
- Mazumder, Bhashkar (2008). Does education improve health? A reexamination of the evidence from compulsory schooling laws, *Economic Perspectives*, **32** (2), pp. 2–17.
- Mazzonna, Fabrizio (2014). The long lasting effects of education on old age health: evidence of gender differences, *Social Science & Medicine*, **101**, pp. 129–138.
- Meghir, Costas, Märten Palme, and Emilia Simeonova (2012). Education, health and mortality: Evidence from a social experiment, *NBER Working Paper No. 17932*.
- Meyer, Tobias and Stephan L. Thomsen (2015). Schneller fertig, aber weniger Freizeit? ? Eine Evaluation der Wirkungen der verkürzten Gymnasialschulzeit auf die außerschulischen Aktivitäten der Schülerinnen und Schüler, *Schmollers Jahrbuch*, **135** (3), pp. 249–277.
- Meyer, Tobias and Stephan L Thomsen (2016). How Important Is Secondary School Duration for Postsecondary Education Decisions? Evidence from a Natural Experiment, *Journal of Human Capital*, **10** (1), pp. 67–108.

- Milde-Busch, Astrid, A Blaschek, I Borggräfe, R Von Kries, A Straube, and F Heinen (2010). Besteht ein Zusammenhang zwischen der verkürzten Gymnasialzeit und Kopfschmerzen und gesundheitlichen Belastungen bei Schülern im Jugendalter? *Klinische Pädiatrie*, **222** (04), pp. 255–260.
- Montez, Jennifer Karas and Esther M Friedman (2015). Educational attainment and adult health: under what conditions is the association causal? *Social Science & Medicine* (127), pp. 1–7.
- OECD (2013). *PISA 2012 Results: Excellence through Equity (Volume II)*: OECD Publishing.
- Oreopoulos, Philip (2006). Estimating average and local average treatment effects of education when compulsory schooling laws really matter, *American Economic Review*, **96** (1), pp. 152–175.
- Patton, George C, Carolyn Coffey, Helena Romaniuk, Andrew Mackinnon, John B Carlin, Louisa Degenhardt, Craig A Olsson, and Paul Moran (2014). The prognosis of common mental disorders in adolescents: a 14-year prospective cohort study, *The Lancet*, **383** (9926), pp. 1404–1411.
- Quis, Johanna Sophie (2015). Does higher learning intensity affect student well-being? Evidence from the National Educational Panel Study, *BERG Working Paper Series* (94).
- Raufelder, Diana, Frieder Kittler, Sarah R Braun, Alexander Lätsch, R Poppy Wilkinson, and Frances Hoferichter (2013). The interplay of perceived stress, self-determination and school engagement in adolescence, *School Psychology International*, **35** (4), pp. 405–420.
- Reilly, John J and Joanna Kelly (2011). Long-term impact of overweight and obesity in childhood and adolescence on morbidity and premature mortality in adulthood: systematic review, *International Journal of Obesity*, **35** (7), pp. 891–898.
- Sallis, James F, Thomas L McKenzie, Terry L Conway, John P Elder, Judith J Prochaska, Marianne Brown, Michelle M Zive, Simon J Marshall, and John E Alcaraz (2003). Environmental interventions for eating and physical activity: a randomized controlled trial in middle schools, *American Journal of Preventive Medicine*, **24** (3), pp. 209–217.
- Schutte, Nicola S, John M Malouff, Elida Segrera, Amanda Wolf, and Larissa Rodgers (2003). States reflecting the Big Five dimensions, *Personality and Individual Differences*, **34** (4), pp. 591–603.
- Scrimin, Sara, Ughetta Moscardino, Gianmarco Altoè, and Lucia Mason (2016). Effects of perceived school well-being and negative emotionality on students' attentional bias for academic stressors, *British Journal of Educational Psychology*, **86** (2), pp. 278–295.
- SOEP (2015). Socio-Economic Panel, data for years 1984-2014, *version 31*, doi:10.5684/soep.v31.
- Statistisches Bundesamt (2014). Fachserie 11/Reihe 1, Bildung und Kultur. Allgemeinbildende Schulen., Wiesbaden, URL: [https://www.destatis.de/GPStatistik/servlets/MCRFileNodeServlet/DEHeft\\_derivate\\_00013704/2110100147004\\_10112014.pdf](https://www.destatis.de/GPStatistik/servlets/MCRFileNodeServlet/DEHeft_derivate_00013704/2110100147004_10112014.pdf).
- Thiel, Hendrik, Stephan L Thomsen, and Bettina Büttner (2014). Variation of learning intensity in late adolescence and the effect on personality traits, *Journal of the Royal Statistical Society: Series A (Statistics in Society)*, **177** (4), pp. 861–892.

- Thomas, Roger E., Julie McLellan, and Rafael Perera (2013). School-based programmes for preventing smoking, *Evidence-Based Child Health: A Cochrane Review Journal*, **8** (5), pp. 1616–2040.
- Torres, Susan J and Caryl A Nowson (2007). Relationship between stress, eating behavior, and obesity, *Nutrition*, **23** (11), pp. 887–894.
- Van Doorslaer, Eddy and Ulf-G Gerdtham (2003). Does inequality in self-assessed health predict inequality in survival by income? Evidence from Swedish data, *Social Science & Medicine*, **57** (9), pp. 1621–1629.
- Van Kippersluis, Hans, Owen O'Donnell, and Eddy Van Doorslaer (2011). Long-run returns to education does schooling lead to an extended old age? *Journal of Human Resources*, **46** (4), pp. 695–721.
- Wagner, Gert G, Joachim R Frick, and Jürgen Schupp (2007). The German Socio-Economic Panel study (SOEP)-evolution, scope and enhancements, *Schmollers Jahrbuch*, **127** (1), pp. 139–170.
- Westermaier, Franz (2016). The Impact of Lengthening the School Day on Substance Abuse and Crime: Evidence from a German High School Reform, *DIW Discussion Paper No. 1616*.

## Appendix

Table A.1: Youth Sample: Probit and Ordered Probit Estimations

	Self-assessed health			Overweight (0/1)			Worry a lot		
	(1) pooled	(2) male	(3) female	(4) pooled	(5) male	(6) female	(7) pooled	(8) male	(9) female
<b>Full Sample</b>									
8 years	−0.046 (0.135)	−0.043 (0.232)	−0.076 (0.181)	0.424* (0.227)	−0.119 (0.306)	1.304*** (0.482)	0.241* (0.133)	0.003 (0.173)	0.440** (0.171)
N	1274	624	650	1255	574	586	1274	624	650
<b>No Double Cohort</b>									
8 years	0.114 (0.235)	0.127 (0.307)	0.190 (0.350)	0.753** (0.362)	−0.061 (0.524)	1.914*** (0.572)	0.350** (0.161)	−0.169 (0.321)	0.735*** (0.227)
N	1054	500	554	1036	453	498	1054	500	554

Notes: SOEP v31 waves 2006-2014. Ordered Probit estimations. All estimations include a maximum set of state and year dummies, an academic-track dummy, and interactions of academic-track with state and year dummies. Standard errors, reported in parentheses, are clustered at wave-state-schooltype level. \*  $p < 0.1$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.2: Graduate Sample: Probit and Ordered Probit Estimations

	Self-assessed health			Overweight (0/1)		
	(1) pooled	(2) male	(3) female	(4) pooled	(5) male	(6) female
<b>Full sample</b>						
8 years	-0.043 (0.166)	-0.072 (0.252)	-0.028 (0.237)	-0.317 (0.238)	-0.153 (0.397)	-0.537** (0.238)
N	1387	699	688	1387	699	682
<b>No double cohort</b>						
8 years	-0.041 (0.164)	0.197 (0.342)	-0.289 (0.283)	-0.474 (0.386)	0.272 (0.658)	-1.676*** (0.431)
N	1097	549	548	1095	549	540

Notes: SOEP v31 waves 2008, 2010, 2012 & 2014. Ordered Probit estimation. All estimations include a maximum set of state and year dummies, an academic-track dummy, and interactions of academic-track with state and year dummies. Standard errors, reported in parentheses, are clustered at wave-state-schooltype level. \*  $p < 0.1$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.3: Youth Sample: Only Academic Track Students

	pooled		male		female	
	(1)	(2)	(3)	(4)	(5)	(6)
<b>Self-assessed health</b>						
8 years	-0.034 (0.083)	-0.037 (0.083)	-0.022 (0.131)	-0.022 (0.134)	-0.049 (0.119)	-0.057 (0.120)
Additional controls	-	✓	-	✓	-	✓
<b>BMI</b>						
8 years	0.383 (0.342)	0.420 (0.337)	-0.143 (0.403)	-0.094 (0.403)	1.182*** (0.421)	1.149*** (0.423)
Additional controls	-	✓	-	✓	-	✓
<b>Worry a lot</b>						
8 years	0.376* (0.214)	0.373* (0.211)	-0.038 (0.293)	-0.020 (0.302)	0.708** (0.279)	0.739** (0.284)
Additional controls	-	✓	-	✓	-	✓
N	685	685	331	331	354	354

Notes: SOEP v31 waves 2006-2014. OLS regressions. All estimations include a maximum set of state and year dummies and control for sex (only in pooled models). Additional controls include age in months, non-intact family, migration background, high parental education, and rural. Standard errors, reported in parentheses, are clustered at wave-state level. \*  $p < 0.1$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.4: Graduate Sample: Only Academic Track Students

	<b>pooled</b>		<b>male</b>		<b>female</b>	
	(1)	(2)	(3)	(4)	(5)	(6)
<b>Self-assessed health</b>						
8 years	0.026 (0.143)	0.017 (0.134)	0.106 (0.173)	0.134 (0.149)	−0.050 (0.251)	−0.070 (0.248)
Additional controls	-	✓	-	✓	-	✓
<b>BMI</b>						
8 years	−0.568 (0.632)	−0.483 (0.588)	−1.102 (0.891)	−0.853 (0.808)	−0.360 (0.705)	−0.328 (0.745)
Additional controls	-	✓	-	✓	-	✓
<b>MCS</b>						
8 years	−0.167 (1.720)	−0.060 (1.704)	−1.638 (2.333)	−1.691 (2.148)	1.547 (2.988)	2.055 (2.941)
Additional controls	-	✓	-	✓	-	✓
N	461	461	214	214	247	247

Notes: SOEP v31 waves 2008, 2010, 2012 & 2014. OLS regressions. All estimations include a maximum set of state and year dummies. Standard errors, reported in parentheses, are clustered at wave-state level. \*  $p < 0.1$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.5: Youth Sample: Only Similar Time to Examinations

	<b>Self-assessed health</b>			<b>BMI</b>			<b>Worry a lot</b>		
	(1) pooled	(2) male	(3) female	(4) pooled	(5) male	(6) female	(7) pooled	(8) male	(9) female
<b>Similar time to grad.</b>									
8 years	−0.090 (0.088)	0.036 (0.134)	−0.192 (0.132)	0.073 (0.311)	−0.674* (0.405)	1.141*** (0.417)	0.295 (0.257)	−0.047 (0.342)	0.606* (0.325)
N	946	448	498	946	448	498	946	448	498
$R^2$	0.048	0.087	0.100	0.069	0.082	0.098	0.079	0.070	0.081
<b>No double cohort</b>									
8 years	−0.096 (0.130)	0.029 (0.159)	−0.207 (0.188)	0.493 (0.480)	−0.778 (0.709)	1.449** (0.620)	0.518* (0.285)	−0.210 (0.483)	1.186*** (0.446)
N	791	363	428	791	363	428	791	363	428
$R^2$	0.056	0.099	0.119	0.088	0.087	0.127	0.084	0.079	0.091

Notes: SOEP v31 waves 2006-2014. OLS regressions. All estimations include a constant, a maximum set of state and year dummies, an academic-track dummy, interactions of academic-track with state and year dummies, and control for sex in pooled estimations. Standard errors, reported in parentheses, are clustered at wave-state-schooltype level.

\*  $p < 0.1$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.6: Youth Sample: Only States with many Observations

	Self-assessed health			BMI			Worry a lot		
	(1) pooled	(2) male	(3) female	(4) pooled	(5) male	(6) female	(7) pooled	(8) male	(9) female
<b>All</b>									
8 years	−0.049 (0.102)	−0.038 (0.147)	−0.040 (0.155)	0.249 (0.381)	−0.133 (0.454)	1.029** (0.493)	0.618*** (0.220)	0.162 (0.299)	1.014*** (0.321)
N	1129	552	577	1129	552	577	1129	552	577
R <sup>2</sup>	0.026	0.055	0.042	0.050	0.042	0.069	0.070	0.045	0.061
<b>No double cohort</b>									
8 years	0.238 (0.162)	0.130 (0.191)	0.351 (0.270)	0.725* (0.402)	0.304 (0.490)	1.371* (0.695)	0.897*** (0.298)	0.027 (0.548)	1.672*** (0.529)
N	939	443	496	939	443	496	939	443	496
R <sup>2</sup>	0.031	0.072	0.052	0.067	0.052	0.096	0.073	0.046	0.074

Notes: SOEP v31 waves 2006–2014. This sample contains the following states: Lower Saxony, Baden-Württemberg, Bavaria, North-Rhine-Westphalia, Berlin, Brandenburg and Saxony-Anhalt. OLS regressions. All estimations include a constant, a maximum set of state and year dummies, an academic-track dummy, interactions of academic-track with state and year dummies, and control for sex in pooled estimations. Standard errors, reported in parentheses, are clustered at wave-state-schooltype level. \*  $p < 0.1$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.7: Graduate Sample: Only States with many Observations

	Self-assessed health			BMI			MCS		
	(1) pooled	(2) male	(3) female	(4) pooled	(5) male	(6) female	(7) pooled	(8) male	(9) female
<b>All</b>									
8 years	−0.019 (0.128)	−0.139 (0.195)	0.125 (0.172)	−0.550 (0.482)	−0.354 (0.633)	−0.622 (0.594)	0.686 (0.949)	0.824 (1.765)	1.335 (1.799)
N	1188	597	591	1188	597	591	1188	597	591
R <sup>2</sup>	0.040	0.046	0.048	0.093	0.055	0.058	0.060	0.056	0.075
<b>No double cohort</b>									
8 years	−0.139 (0.115)	−0.131 (0.246)	−0.268 (0.168)	−1.270*** (0.352)	0.383 (0.986)	−3.029*** (0.955)	3.524 (2.805)	0.550 (3.444)	9.928** (3.867)
N	944	469	475	944	469	475	944	469	475
R <sup>2</sup>	0.043	0.051	0.064	0.106	0.070	0.075	0.066	0.055	0.106

Notes: SOEP v31 waves 2008, 2010, 2012 & 2014. This sample contains the following states: Lower Saxony, Baden-Württemberg, Bavaria, North-Rhine-Westphalia, and Saxony-Anhalt. OLS regressions. All estimations include a constant, a maximum set of state and year dummies, an academic-track dummy, interactions of academic track with state and year dummies, and control for Abitur two years ago, age in months and in pooled estimations also for sex. Standard errors, reported in parentheses, are clustered at wave-state-schooltype level. \*  $p < 0.1$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.8: Youth Sample: Heterogeneity by Parental Education

	Low parental education			High parental education		
	(1) pooled	(2) male	(3) female	(4) pooled	(5) male	(6) female
<b>Self-assessed health</b>						
8 years	−0.067 (0.125)	−0.107 (0.181)	0.001 (0.163)	0.006 (0.123)	0.108 (0.178)	−0.198 (0.194)
<b>BMI</b>						
8 years	−0.050 (0.495)	−0.806 (0.625)	0.962 (0.694)	0.723* (0.391)	0.298 (0.572)	0.950* (0.526)
<b>Worry a lot</b>						
8 years	0.065 (0.324)	0.012 (0.557)	0.151 (0.454)	0.648** (0.265)	0.099 (0.288)	0.998** (0.492)
N	819	393	426	442	224	218

Notes: SOEP v31 waves 2006-2014. OLS regressions. All estimations include a constant, a maximum set of state and year dummies, an academic-track dummy, interactions of academic-track with state and year dummies, and control for sex in pooled models. Standard errors, reported in parentheses, are clustered at wave-state-schooltype level. \*  $p < 0.1$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .

Table A.9: Graduate Sample: Heterogeneity by Parental Education

	Low parental education			High parental education		
	(1) pooled	(2) male	(3) female	(4) pooled	(5) male	(6) female
<b>Self-assessed health</b>						
8 years	−0.030 (0.149)	−0.229 (0.256)	0.174 (0.340)	−0.299 (0.240)	−0.237 (0.345)	−0.276 (0.353)
<b>BMI</b>						
8 years	−1.216** (0.553)	−1.684 (1.111)	−0.248 (0.564)	1.104 (0.719)	2.004*** (0.629)	0.100 (1.176)
<b>MCS</b>						
8 years	1.288 (1.894)	−0.108 (2.159)	4.090 (5.523)	2.990 (2.149)	2.423 (4.538)	1.570 (3.430)
N	877	457	420	357	173	184

Notes: SOEP v31 waves 2008, 2010, 2012 & 2014. OLS regressions. All estimations include a constant, a maximum set of state and year dummies, an academic-track dummy, interactions of academic-track with state and year dummies, and control for sex (only in pooled models), Graduation two years ago, and age in months. Standard errors, reported in parentheses, are clustered at wave-state-schooltype level. \*  $p < 0.1$ , \*\*  $p < 0.05$ , \*\*\*  $p < 0.01$ .



Table A.10: Youth Sample: Standard error calculations

		Coefficient	p-values from clustering		
			State-year-school type	State	State bootstrapped
Self-assessed health					
	pooled	−0.036	0.670	0.662	0.654
	male	−0.022	0.868	0.817	0.812
	female	−0.049	0.683	0.603	0.720
BMI					
	pooled	0.386	0.255	0.295	0.308
	male	−0.143	0.723	0.739	0.728
	female	1.182	0.006	0.019	0.030
Worry					
	pooled	0.380	0.085	0.175	0.202
	male	−0.038	0.896	0.867	0.858
	female	0.708	0.012	0.074	0.176

*Notes:* SOEP v31 waves 2006-2014. Coefficients on the reform dummy from OLS regressions. All estimations include a constant, a maximum set of state and wave dummies, an academic track dummy, interactions of academic track with state and wave dummies and control for gender in pooled models (reference category: male). P-values are obtained from conventionally clustered standard errors at wave-state-schooltype level and at state level in the first two columns. The third column displays p-values obtained from wild-cluster bootstrapping at state level.

Table A.11: Graduate Sample: Standard error calculations

		Coefficient	p-values from clustering		
			State-year-school type	State	State bootstrapped
Self-assessed health					
	pooled	−0.038	0.747	0.819	0.836
	male	−0.053	0.766	0.817	0.770
	female	−0.035	0.842	0.870	0.874
BMI					
	pooled	−0.162	0.755	0.778	0.868
	male	−0.198	0.722	0.720	0.692
	female	−0.300	0.671	0.715	0.764
MCS					
	pooled	1.006	0.435	0.471	0.464
	male	−0.053	0.976	0.979	0.986
	female	2.204	0.394	0.383	0.364

*Notes:* SOEP v31 waves 2008, 2010, 2012 & 2014. Coefficients on the reform dummy from OLS regressions. All estimations include a constant, a maximum set of state and wave dummies, an academic track dummy, interactions of academic track with state and wave dummies and control for graduation two years ago, age, and additionally for gender in pooled models (reference category: male). P-values are obtained from conventionally clustered standard errors at wave-state-schooltype level and at state level in the first two columns. The third column displays p-values obtained from wild-cluster bootstrapping at state level.

Table A.12: Youth Sample (excluding double cohort): Standard error calculations

		Coefficient	p-values from clustering		
			State-year-school type	State	State bootstrapped
Self-assessed health					
	pooled	0.063	0.636	0.663	0.710
	male	0.054	0.736	0.662	0.674
	female	0.126	0.528	0.451	0.526
BMI					
	pooled	0.659	0.141	0.224	0.254
	male	−0.170	0.774	0.839	0.876
	female	1.130	0.073	0.056	0.068
Worry					
	pooled	0.541	0.037	0.046	0.038
	male	−0.295	0.552	0.397	0.372
	female	1.119	0.003	0.024	0.054

Notes: SOEP v31 waves 2006-2014. Coefficients on the reform dummy from OLS regressions. All estimations include a constant, a maximum set of state and wave dummies, an academic track dummy, interactions of academic track with state and wave dummies and control for gender in pooled models (reference category: male). P-values are obtained from conventionally clustered standard errors at wave-state-schooltype level and at state level in the first two columns. The third column displays p-values obtained from wild-cluster bootstrapping at state level.


Table A.13: Graduate Sample (excluding double cohort): Standard error calculations

		Coefficient	p-values from clustering		
			State-year-school type	State	State bootstrapped
Self-assessed health					
	pooled	−0.061	0.597	0.743	0.780
	male	0.086	0.697	0.791	0.854
	female	−0.234	0.262	0.295	0.262
BMI					
	pooled	−0.373	0.422	0.448	0.408
	male	1.092	0.267	0.283	0.284
	female	−2.222	0.022	0.067	0.148
MCS					
	pooled	1.990	0.345	0.447	0.442
	male	−1.558	0.597	0.683	0.664
	female	6.137	0.035	0.079	0.146


Notes: SOEP v31 waves 2008, 2010, 2012 & 2014. Coefficients on the reform dummy from OLS regressions. All estimations include a constant, a maximum set of state and wave dummies, an academic track dummy, interactions of academic track with state and wave dummies and control for graduation two years ago, age, and additionally for gender in pooled models (reference category: male). P-values are obtained from conventionally clustered standard errors at wave-state-schooltype level and at state level in the first two columns. The third column displays p-values obtained from wild-cluster bootstrapping at state level.

Figure A.1: Youth Sample: Distribution of Coefficients from Placebo Regressions

### All Observations




### Excluding (Placebo) Double Cohort




*Notes:* Each figure plots the empirical distribution of regression coefficients from 2000 placebo regressions with random treatment assignment. Red lines indicate the treatment effect from Table 4.

Figure A.2: Graduate Sample: Distribution of Coefficients from Placebo Regressions

### All Observations



### Excluding (Placebo) Double Cohort



*Notes:* Each figure plots the empirical distribution of regression coefficients from 2000 placebo regressions with random treatment assignment. Red lines indicate the treatment effect from Table 5.

Table A.14: Description of Variables

Variable	Description
Self-assessed health	Self-reported health on a scale from (1) very good to (5) bad.
Body mass index (BMI)	calculated from self-reported weight and height.
Overweight	Dummy indicating whether $BMI \geq 25$ .
Worry a lot	"I see myself as someone who worries a lot." On a scale from (1) not at all to (7) very much.
Mental component scale (MCS)	standardized compound measure of mental well-being normalized to mean 50 and standard deviation 10.
8years	Dummy indicating whether student affected by the reform.
Female	Dummy indicating whether student is female.
Age (months)	Student age in months.
Migration background	Dummy indicating whether student was has at least one parent who was not born in Germany.
Rural	Dummy indicating whether student lives in a rural area.
Non-intact family	Dummy indicating whether student comes from a non-intact family i. e. has not lived in one household with both parents for at least one year before the youth survey.
High parental education	Dummy indicating whether at least one parent finished higher secondary education.
Academic Track	Dummy indicating whether students visited the academic track ( <i>Gymnasium</i> ).
Abitur two years ago	Dummy indicating whether student graduated (hypothetically for vocational tracks) two years prior to the survey.
Double cohort	Dummy indicating whether student graduated in a double cohort.