

Caporale, Guglielmo Maria; Plastun, Alex; Oliinyk, Viktor

Working Paper

Bitcoin Fluctuations and the Frequency of Price Overreactions

CESifo Working Paper, No. 7280

Provided in Cooperation with:

Ifo Institute – Leibniz Institute for Economic Research at the University of Munich

Suggested Citation: Caporale, Guglielmo Maria; Plastun, Alex; Oliinyk, Viktor (2018) : Bitcoin Fluctuations and the Frequency of Price Overreactions, CESifo Working Paper, No. 7280, Center for Economic Studies and ifo Institute (CESifo), Munich

This Version is available at:

<https://hdl.handle.net/10419/185478>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.

Bitcoin Fluctuations and the Frequency of Price Overreactions

Guglielmo Maria Caporale, Alex Plastun, Viktor Oliinyk

Impressum:

CESifo Working Papers

ISSN 2364-1428 (electronic version)

Publisher and distributor: Munich Society for the Promotion of Economic Research - CESifo GmbH

The international platform of Ludwigs-Maximilians University's Center for Economic Studies and the ifo Institute

Poschingerstr. 5, 81679 Munich, Germany

Telephone +49 (0)89 2180-2740, Telefax +49 (0)89 2180-17845, email office@cesifo.de

Editors: Clemens Fuest, Oliver Falck, Jasmin Gröschl

www.cesifo-group.org/wp

An electronic version of the paper may be downloaded

- from the SSRN website: www.SSRN.com
- from the RePEc website: www.RePEc.org
- from the CESifo website: www.CESifo-group.org/wp

Bitcoin Fluctuations and the Frequency of Price Overreactions

Abstract

This paper investigates the role of the frequency of price overreactions in the cryptocurrency market in the case of BitCoin over the period 2013-2018. Specifically, it uses a static approach to detect overreactions and then carries out hypothesis testing by means of a variety of statistical methods (both parametric and non-parametric) including ADF tests, Granger causality tests, correlation analysis, regression analysis with dummy variables, ARIMA and ARMAX models, neural net models, and VAR models. Specifically, the hypotheses tested are whether or not the frequency of overreactions (i) is informative about Bitcoin price movements (H1) and (ii) exhibits seasonality (H2). On the whole, the results suggest that it can provide useful information to predict price dynamics in the cryptocurrency market and for designing trading strategies (H1 cannot be rejected), whilst there is no evidence of seasonality (H2 is rejected).

JEL-Codes: G120, G170, C630.

Keywords: cryptocurrency, Bitcoin, anomalies, overreactions, abnormal returns, frequency of overreactions.

*Guglielmo Maria Caporale**
Department of Economics
Brunel University London
United Kingdom – London, UB8 3PH
Guglielmo-Maria.Caporale@brunel.ac.uk

Alex Plastun
Sumy State University
Sumy / Ukraine
o.plastun@gmail.com

Viktor Oliinyk
Sumy State University
Sumy / Ukraine
oliynik.viktor@gmail.com

*corresponding author

September, 2018

The second-named author gratefully acknowledges financial support from the Ministry of Education and Science of Ukraine (0117U003936).

1. Introduction

Cryptocurrencies have attracted considerable attention since their recent creation and experienced huge swings. For instance, in 2017 Bitcoin prices rose by more than 20 times, but in early 2018 fell by 70%; similar sharp drops had in fact already occurred 5 times before (June 2011, January 2012, April 2013, November 2013, December 2017). Such significant deviations of asset prices from their average values during certain periods of time are known as overreactions and have been widely analysed in the literature since the seminal paper of De Bondt and Thaler (1985), various studies being carried out for different markets (stocks, FOREX, commodities etc.), countries (developed and emerging), assets (stock prices/indices, currency pairs, oil, gold etc.), and time intervals (daily, weekly, monthly etc.). However, hardly any evidence is available to date on the cryptocurrency market, which is particularly interesting because of its very extremely high volatility compared to the FOREX or stock market (see Caporale and Plastun, 2018a for details).

The present paper aims to analyse the role of the frequency of overreactions, specifically whether or not it can help predict price behaviour and/or exhibits seasonality, by using daily prices for BitCoin over the period 2013-2018. Overreactions are detected by plotting the distribution of logreturns. Then the following null hypotheses are tested: (i) the frequency of overreactions is informative about BitCoin price movements (H1), and (ii) it exhibits seasonality (H2). For this purpose a variety of statistical methods (parametric and non-parametric) are used such as ADF tests, Granger causality tests, correlation analysis, regression analysis with dummy variables, ARIMA and ARMAX models, neural net models, and VAR models.

The remainder of the paper is organised as follows. Section 2 contains a brief review of the literature on price overreactions in the cryptocurrency market. Section 3 describes the methodology. Section 4 discusses the empirical results. Section 5 provides some concluding remarks.

2. Literature Review

The cryptocurrency market is relatively young and as a result there is only a limited number of studies examining its features, such as long memory and persistence (Caporale et al, 2018; Bariviera, 2017; Urquhart, 2016), efficiency (Urquhart, 2016; Bartos, 2015), correlations between different cryptocurrencies (Halaburda and Gandal, 2014), price predictability (Brown, 2014), volatility (Cheung et al., 2015; Carrick, 2016), calendar anomalies (Kurihara and Fukushima, 2017 and Caporale and Plastun, 2017), and intraday patterns (Eross et. al., 2017).

Analysing overreactions in the case of the cryptocurrency market is particularly interesting because of its extreme volatility (see Caporale and Plastun, 2018a, Cheung

et al., 2015 and Dwyer, 2015). Also, its average daily price amplitude is up to 10 times higher than in the FOREX or stock market (see Table 1).

Table 1: Comparative analysis of the average daily price amplitude in different financial markets*

Instrument	Market	2014	2015	2016	2017	Average
EURUSD	FOREX	0.6%	1.1%	0.8%	0.6%	0.8%
Dow-Jones Industrial	Stock Market	0.8%	1.2%	1.0%	0.5%	0.9%
CSI300		1.5%	3.0%	1.5%	0.9%	1.8%
Gold	Commodities	1.3%	1.4%	1.5%	0.9%	1.3%
Oil		1.8%	3.9%	3.9%	2.1%	2.9%
BitCoin	Cryptocurrency	5.0%	4.2%	2.4%	6.3%	5.1%
LiteCoin		6.6%	6.4%	2.9%	9.6%	7.3%
Dash		22.0%	9.0%	7.1%	11.3%	12.1%
Ripple		7.1%	4.2%	3.2%	12.7%	7.3%

* Source: Caporale and Plastun (2018a)

Further, the log return distribution of prices has unusually fat tails (see Table A.1), which suggests their being prone to overreactions. Catania and Grassi (2017) show that their dynamic behaviour is quite complex, with outliers, asymmetries and nonlinearities that are difficult to model.

Another issue worth investigating is whether overreactions exhibit seasonality. De Bondt and Thaler (1985) show that they tend to occur mostly in a specific month of the year, whilst Caporale and Plastun (2018b) do not find evidence of seasonal behaviour in the US stock market. Whilst most studies examine abnormal returns and the subsequent price behaviour (in general, contrarian movement) for a given time interval (day, week, and month), the current paper focuses on the frequency of abnormal price changes. Only a few papers have considered this issue in the case of the FOREX or stock market (see Govindaraj et al., 2014; Angelovska, 2016), and none in the case of the cryptocurrency market.

3. Methodology

The first step in the analysis of overreactions is their detection. There are two main methods. One is the dynamic trigger approach, which is based on relative values. Wong (1997) and Caporale and Plastun (2018a) in particular proposed to define overreactions on the basis of the number of standard deviations to be added to the average return. The other is the static approach which uses actual price changes as an overreaction criterion. For example, Bremer and Sweeney (1991) use a 10% price change as a criterion. Caporale and Plastun (2018b) compare these two methods in the case of the US stock market and show that the static approach produces more reliable results. Therefore this will also be used here.

The static approach was introduced by Sandoval and Franca (2012) and developed by Caporale and Plastun (2018b). Returns are defined as:

$$S_t = \ln(P_t) - \ln(P_{t-1}) \quad (1)$$

where S_t stands for returns, and P_t and P_{t-1} are the close prices of the current and previous day. The next step is analysing the frequency distribution by creating histograms. We plot values 10% above or below those of the population. Thresholds are then obtained for both positive and negative overreactions, and periods can be identified when returns were above or equal to the threshold.

Such a procedure generates a data set for the frequency of overreactions (at a monthly frequency), which is then divided into 3 subsets including respectively the frequency of negative and positive overreactions, and of them all. In this study we also use an additional measure (named the “Overreactions multiplier”), namely the negative/positive overreactions ratio:

$$\text{Overreactions multiplier}_i = \frac{\text{frequency of negative overreactions}_i}{\text{frequency of positive overreactions}_i} \quad (2)$$

Then the following hypotheses are tested:

Hypothesis 1 (H1): The frequency of overreactions is informative about price movements in the cryptocurrency market.

There is a body of evidence suggesting that typical price patterns appear in financial markets after abnormal price changes. The relationship between the frequency of overreactions and BitCoin prices is investigated here by running the following regressions (see equations 3 and 4):

$$Y_t = a_0 + a_1^+ D_{1t}^+ + a_1^- D_{1t}^- + \varepsilon_t \quad (3)$$

where Y_t – BitCoin log differences on day t ;

a_0 – BitCoin mean log differences;

a_1^+ (a_1^-) – coefficients on positive and negative overreactions respectively;

D_{1t}^+ (D_{1t}^-) a dummy variable equal to 1 on positive (negative) overreaction days, and 0 otherwise;

ε_t – Random error term at time t .

$$Y_t = a_0 + a_1 O_t^+ + a_2 O_t^- + \varepsilon_t \quad (4)$$

where Y_t – BitCoin log differences on day t ;

a_0 – BitCoin mean log differences;

a_1 (a_2) – coefficients on positive and negative overreactions respectively;
 O_t^+ (O_t^-) – the number of positive (negative) overreaction days during a period t ;
 ε_t – Random error term at time t .

The size, sign and statistical significance of the coefficients provide information about the possible influence of the frequency of overreactions on BitCoin log returns.

To assess the performance of the regression models a multilayer perceptron (MLP) method will be used (Rumelhart and McClelland, 1986). This method is based on neural networks modelling. The algorithm is as follows. The data is divided into 3 groups: the learning group (50%), the test group (25%), and the control group (25%). The learning process in the neural network consists of 2 stages: the first stage is based on an inverse distribution method (number of periods -100, training speed -0.01) and the second uses a conjugate gradient method (number of periods -500). This procedure generates an optimal neural net. The results from the neural net are then compared with those from the regression analysis.

To obtain further evidence an ARIMA(p,d,q) model is also estimated:

$$Y_t = a_0 + \sum_{i=1}^p \psi_{t-i} Y_{t-i} + \sum_{j=1}^q \theta_{t-j} \varepsilon_{t-j} + \varepsilon_t \quad (5)$$

where Y_t – BitCoin log differences on day t ;

a_0 – constant;

ψ_{t-i} ; θ_{t-j} – coefficients the log differences on day $t-i$ and random error term at time $t-j$ respectively;

Y_{t-i} – BitCoin log differences on day $t-i$;

ε_{t-j} – random error term at time $t-j$;

ε_t – random error term at time t ;

To improve the basic ARIMA(p,d,q) specification additional variables are then added, namely the frequency of negative and positive overreactions respectively:

$$Y_t = a_0 + \sum_{i=1}^p \psi_{t-i} Y_{t-i} + \sum_{i=1}^q \theta_{t-i} \varepsilon_{t-i} + \sum_{i=1}^{s_1} a_{t-i} OF_{t-i}^- + \sum_{i=1}^{s_2} b_{t-i} OF_{t-i}^+ + \varepsilon_t \quad (6)$$

Information criteria, specifically AIC (Akaike, 1974) and BIC (Schwarz, 1978), are used to select the best ARMAX specification for BitCoin log returns.

As a robustness check, VAR models are also estimated:

$$y_t = a_0 + \sum_{i=1}^p A_i y_{t-i} + \varepsilon_t \quad (7)$$

where $y_t = (y_t^1, y_t^2, \dots, y_t^k)$ - is a time series vector; A_i is a time-invariant matrix; a_0 is vector of constants; ε_t - is a vector of error terms. Impulse response functions (IRFs) are then computed and Variance Decomposition (VD) is also carried out. In addition, Granger causality tests (Granger, 1969) and Augmented Dickey-Fuller tests (Dickey and Fuller, 1979) are performed.

Hypothesis 2 (H2): The frequency of overreactions exhibits seasonality

We perform a variety of statistical tests, both parametric (ANOVA analysis) and non-parametric (Kruskal-Wallis tests), for seasonality in the monthly frequency of overreactions, which provides information on whether or not overreactions are more likely in some specific months of the year.

4. Empirical Results

The data used are BitCoin daily and monthly prices for the period 01.05.2013-31.05.2018; the data source is CoinMarket (<https://coinmarketcap.com/>). As a first step, the frequency distribution of log returns is analysed (see Table A.1 and Figure A.1). As can be seen, two symmetric fat tails are present in the distribution. The next step is the choice of thresholds for detecting overreactions. To obtain a sufficient number of observations we consider values $\pm 10\%$ the average from the population, namely -0.04 for negative overreactions and 0.05 for positive ones. Detailed results are presented in Appendix B.

Visual inspection of Figures B.1-B.2 suggests that the frequency of overreactions varies over time. To provide additional evidence we carry out ANOVA analysis and Kruskal-Wallis tests (Table 2); both confirm that the differences between years are statistically significant, i.e. that the frequency of overreactions is time-varying.

Table 2: Results of ANOVA and non-parametric Kruskal-Wallis tests for statistical differences in the frequency of overreactions between different years

ANOVA test			
F	p-value	F critical	Null hypothesis
7.24	0.000	2.81	Rejected
Kruskal-Wallis test			
Adjusted H	p-value	Critical value	Null hypothesis
14.98	0.001	9.49	Rejected

Next we carry out correlation analysis. Table 3 reports the results for different parameters (number of negative overreactions, number of positive overreactions, overall number of overreactions and overreactions multiplier) and indicators (Bitcoin close prices, Bitcoin returns, Bitcoin logreturns)

Table 3: Correlation analysis between the frequency of overreactions and different Bitcoin series

Parameter	Bitcoin close prices	Bitcoin returns	Bitcoin logreturns
Over_negative	0.50	-0.21	-0.34
Over_positive	0.41	0.62	0.53
All_over	0.53	0.25	0.13
Over_mult	0.15	-0.40	-0.60

There appears to be a positive (rather than negative, as one would expect) correlation between Bitcoin prices and negative overreactions. By contrast, there is a negative correlation in the case of returns and log returns. The overreaction multiplier exhibits a rather strong negative correlation with Bitcoin log returns. Finally, the overall number of overreactions has a rather weak correlation with prices.

To make sure that there is no need to shift the data in any direction we carry out a cross-correlation analysis of these indicators at the time intervals t and $t+i$, where $I \in \{-10, \dots, 10\}$. Figure 1 reports the cross-correlation between Bitcoin log returns and the frequency of overreactions for the whole sample period for different leads and lags; this suggests lag length zero (the corresponding correlation coefficient being the highest).




Figure 1: Cross-correlation between Bitcoin log returns and frequency of overreactions over the whole sample period for different leads and lags

To analyse further the relationship between BitCoin log returns and the frequency of overreactions we carry out ADF tests on the series of interest (see Table 4).

Table 4: Augmented Dickey-Fuller test: BitCoin log returns and overreactions frequency data*

Parameter	logreturns	Over_all	Over_negative	Over_positive
Augmented Dickey-Fuller test (Intercept)				
Augmented Dickey-Fuller test statistic	-7.55	-2.87	-5.48	-3.39
Probability	0.0000	0.0549	0.0000	0.0152
Test critical values (5% level):	-2.89	-2.89	-2.89	-2.89
Null hypothesis	rejected	not rejected	rejected	rejected
Augmented Dickey-Fuller test (Trend and intercept)				
Augmented Dickey-Fuller test statistic	-7.47	-2.91	-5.59	-3.37
Probability	0.0000	0.1677	0.0001	0.0650
Test critical values (5% level):	-3.41	-3.41	-3.41	-3.41
Null hypothesis	rejected	not rejected	rejected	not rejected
Augmented Dickey-Fuller test (Intercept, 1-st difference)				
Augmented Dickey-Fuller test statistic	-6.86	-12.21	-13.95	-11.65
Probability	0.0000	0.0001	0.0000	0.0000
Test critical values (5% level):	-3.41	-3.41	-3.41	-3.41
Null hypothesis	rejected	rejected	rejected	rejected

* Lag Length: 0 (Automatic - based on Schwarz information criterion, maxlag=10)

The unit root null is rejected in most cases implying stationarity. The next step is testing H1 by running a simple linear regression and one with dummy variables

(see Section 3 for details). The results for BitCoin closes, returns and log returns regressed against all overreactions, negative and positive overreactions are presented in Table 5, 6, and 7 respectively.

Table 5: Regression analysis results: BitCoin closes

Parameter	all overreactions	negative and positive overreactions as separate variables	regression with dummy variables
a_0	-100.64 (0.85)	-158.22 (0.77)	368.88 (0.32)
Slope for the overreactions (<i>case of all overreactions</i>)	350.77 (0.00)	-	-
Slope for the overreactions (<i>case of negative overreactions</i>)	-	475.44 (0.00)	551.28 (0.00)
Slope for the overreactions (<i>case of positive overreactions</i>)	-	237.43 (0.10)	514.33 (0.00)
F-test	22.55 (0.00)	11.69 (0.00)	16.32 (0.00)
Multiple R	0.53	0.54	0.46

* P-values are in parentheses

Table 6: Regression analysis results: BitCoin returns

Parameter	all overreactions	negative and positive overreactions as separate variables	regression with dummy variables
a_0	-0.0442 (0.72)	0.0395 (0.55)	0.0119 (0.88)
Slope for the overreactions (<i>case of all overreactions</i>)	0.0328 (0.00)	-	-
Slope for the overreactions (<i>case of negative overreactions</i>)	-	-0.1597 (0.00)	0.0023 (0.00)
Slope for the overreactions (<i>case of positive overreactions</i>)	-	0.2076 (0.00)	0.0922 (0.00)
F-test	3.93 (0.05)	77.64 (0.00)	8.71 (0.00)
Multiple R	0.25	0.86	0.36

* P-values are in parentheses

Table 7: Regression analysis results: BitCoin log returns

Parameter	all overreactions	negative and positive overreactions as separate variables	regression with dummy variables
a_0	-0.0200 (0.72)	0.0645 (0.04)	0.0368 (0.35)
Slope for the overreactions (<i>case of all overreactions</i>)	0.0084 (0.33)	-	-
Slope for the overreactions (<i>case of negative overreactions</i>)	-	-0.0939 (0.00)	-0.0122 (0.32)

Slope for the overreactions (case of positive overreactions)	-	0.1013 (0.00)	0.0355 (0.00)
F-test	0.98 (0.33)	96.48 (0.00)	6.85 (0.00)
Multiple R	0.13	0.88	0.32

* P-values are in parentheses

As one would expect, the total number of overreactions is not a significant regressor in any case. The best specification is the simple linear multiplier regression model with the frequency of positive and negative overreactions as regressors, and the best results are obtained in the case of log returns as indicated by the multiple R for the whole model and the p-values for the estimated coefficients. Specifically, the selected specification is the following:

$$\text{Bitcoin log return}_i = 0.0645 - 0.0939 \times OF_i^- + 0.1013 \times OF_i^+ \quad (8)$$

which implies a strong positive (negative) relationship between Bitcoin log returns and the frequency of positive (negative) overreactions. On the whole, the above evidence supports H1. The difference between the actual and estimated values of Bitcoin can be seen as an indication of whether Bitcoin is over- or under-estimated and therefore a price increase or decrease should be expected. Obviously BitCoin should be bought in the case of undervaluation and sold in the case of overvaluation till the divergence between actual and estimated values disappear, at which stage positions should be closed.

As mentioned before, to show that the selected specification is indeed the best linear model we use the multilayer perceptron (MLP) method. Negative and positive overreactions are the independent variables (the entry points) and log returns are the dependent variable (the exit point) in the neural net. The learning algorithm previously described generates the following optimal neural net MLP 2-2-3:1:1 (Figure 2):




Figure 2: Optimal neural net structure

We compare it with the linear neural net L 2-2-1:1 model, which consists of 2 inputs and 1 output. The results are presented in Tables 8-9.

Table 8: Comparative characteristics of neural networks


Architecture	Performance			Errors		
	Learning	Control	Test	Learning	Control	Test
MLP 2-2-3-1:1	0.4484	0.4547	0.5657	0.0811	0.0392	0.0630
L 2-2-1:1	0.3809	0.6265	0.8314	0.0664	0.0801	0.0836

Table 9: Quality comparison of neural networks

Parameters	Type of neural net	
	MLP 2-2-3-1:1	L 2-2-1:1
Average	0.0677	0.0677
Standard deviation	0.3103	0.3103
Mean error	0.0067	-0.0158
Standard deviation error	0.1450	0.1576
Mean absolute error	0.1106	0.1244
Standard deviation error and data ratio	0.4673	0.5078
Correlation	0.8844	0.8719

As can be seen, the neural net based on the multilayer perceptron structure provides better results than the linear neural net: the control error is lower (0.0392 (MLP) vs 0.0801(L)); the standard deviation error and the data ratio are also lower (0.4673 vs 0.5078); the correlation is higher (0.8844 vs 0.8719).

Figure 3 shows the distribution of BitCoin log returns, actual vs estimated (from the regression model and the neural network).

**Figure 3: Distribution of BitCoin log returns: actual vs estimated (from the regression model and the neural network)**

As can be seen the estimates (from the regression model and the neural network respectively) are very similar and very close to the actual values, which

suggests that the regression model (eq. 8) captures very well the behaviour of BitCoin prices.

We also estimate ARIMA(p,d,q) models with $p \leq 3; q \leq 3; d = 0$ choosing the best specification on the basis of the AIC and BIC information criteria. Specifically, we select the following models: ARIMA(2,0,2) (on the basis of the AIC criterion); ARIMA(1,0,0) and ARIMA(0,0,1) (on the basis of the BIC criterion). The parameter estimates are presented in Table 10.

Table 10: Parameter estimates for the best ARIMA models

Parameter	Model 1: ARIMA(2,0,2)	Model 2: ARIMA(1,0,0)	Model 3: ARIMA(0,0,1)
a_0	0.0717(0.1019)	0.0676* (0.0931)	0.0676* (0.0929)
ψ_{t-1}	0.2622 (0.1568)	0.0048 (0.9702)	-
ψ_{t-2}	-0.6935*** (0.0000)	-	-
θ_{t-1}	-0.2938*** (0.0052)	-	0.0044 (0.9714)
θ_{t-2}	1.0000*** (0.0000)	-	-
AIC	35.7555	35.8773	35.8788
BIC	48.3215	42.1617	42.1618

*, **, *** - Significant at the 10%, 5%, 1% level

As can be seen, Model 1 captures best the behaviour of BitCoin log returns: all regressors are significant at the 1% level, except ψ_{t-1} , and AIC has the smallest value.

To establish whether this specification can be improved by including information about the frequency of overreactions, ARMAX models (see equ. 6) are estimated adding as regressors OF_t^- (negative overreactions) and OF_t^+ (positive overreactions). The estimated parameters are reported in Table 11. Model 4 adds the frequency of negative overreactions positive overreactions to Model 1. Model 5 is a version of Model 4 chosen on the basis of the AIC and BIC criteria.

Table 11: Estimated parameters for the ARMAX models

Parameter	Model 4	Model 5
a_0	0.0669 (0.3870)	0.0821 (0.3027)
ψ_{t-1}	-0.1316 (0.3155)	0.7101*** (0.0003)
ψ_{t-2}	0.8245*** (0.0000)	0.8895*** (0.0000)
ψ_{t-3}	-	-0.7811*** (0.0000)
θ_{t-1}	-0.3383 (0.1969)	-1.1925*** (0.0000)
θ_{t-2}	-0.1307 (0.4683)	-
θ_{t-3}	-	0.5468*** (0.0000)
a_{t-1}	-0.0590*** (0.0008)	-0.0513*** (0.0026)
a_{t-2}	0.0663*** (0.0000)	0.0585*** (0.0000)

a_{t-3}	-0.0493 ^{***} (0.0006)	-0.0476 ^{***} (0.0005)
a_{t-4}	0.0333 ^{**} (0.0107)	0.0345 ^{***} (0.0068)
b_{t-1}	0.0467 ^{***} (0.0025)	0.0410 ^{**} (0.0212)
b_{t-2}	-0.0498 ^{***} (0.0000)	-0.0506 ^{***} (0.0002)
b_{t-6}	0.0103 (0.3459)	0.0069 (0.4879)
AIC	22.2441	19.3993
BIC	48.3395	47.5019

*, **, *** - Significant at the 10%, 5%, 1% level

Clearly, Model 5 is the best specification for BitCoin log returns variable: all parameters are statistically significant (except b_{t-6}), and there is no evidence of misspecification from the residual diagnostic tests. Figure 4 plots the estimated and actual values of BitCoin log returns.




Figure 4: Distribution of BitCoin log returns: actual vs estimated (based on Model 5)

Table 12 reports Granger causality tests between BitCoin log returns and both negative (OF^-) and positive overreactions (OF^+).

Table 12: Granger Causality Tests

Excluded	Null Hypothesis: no causality					
	Y		OF^-		OF^+	
	Chi-sq	Probability	Chi-sq	Probability	Chi-sq	Probability
Y	-	-	3.6428	0.0563 [*]	8.6296	0.0033 ^{***}
OF^-	1.2724	0.2593	-	-	7.8424	0.0051 ^{***}
OF^+	1.4541	0.2279	0.0011 ^{***}	0.9725	-	-
All	1.4902	0.4747	14.4342	0.0007 ^{***}	9.0730	0.0107 ^{**}
Null Hypothesis	not rejected		rejected		rejected	

*, **, *** - Significant at the 10%, 5%, 1% level

As can be seen, the null hypothesis of no causality is rejected for negative (OF^-) and positive overreactions (OF^+), but not for BitCoin log returns (Y), and therefore there is evidence that forecasts of the latter can be improved by including in a VAR specification the two former variables. The optimal lag length implied by both the AIC and BIC criteria is one (see Table 13). The estimates are reported in Table 14.

Table 13: VAR lag length selection criteria

lags	AIC	BIC
1	7.4380	7.8969
2	7.5663	8.3694
3	7.7687	8.9160
4	8.0171	9.5085
5	7.9496	9.7852
6	8.0571	10.2368
7	8.2555	10.7793
8	8.0228	10.8908
9	7.6051	10.8173
10	7.6916	11.2480

Table 14: VAR(1) parameter estimates

Parameter	Y	OF^-	OF^+
Const	0.0568 (0.3984)	1.2280 ^{**} (0.0157)	1.0447 [*] (0.0553)
Y (-1)	0.3004 (0.2818)	3.8884 [*] (0.0615)	6.4797 ^{***} (0.0048)
OF^- (-1)	0.0354 (0.2642)	0.4658 ^{**} (0.0489)	0.7012 ^{***} (0.0070)
OF^+ (-1)	-0.0391 (0.2330)	0.0082 (0.9726)	-0.2904 (0.2666)
R-squared	0.0264	0.2874	0.2831
Adj. R-squared	-0.0267	0.2485	0.2440
F-statistic	0.4971	7.3953	7.2412
P – value	0.6857	0.0003 ^{***}	0.0004 ^{***}
Akaike AIC	0.6009	4.5958	4.7547
BIC criterion	0.7418	4.7366	4.8956
Durbin-Watson stat	2.0280	2.2936	2.2109
Akaike AIC	8.3870		
BIC criterion	8.8095		

^{*}, ^{**}, ^{***} - Significant at the 10%, 5%, 1% level

This model appears to be data congruent: it is stable (no root lies outside the unit circle), and there is no evidence of autocorrelation in the residuals. The IRF analysis (see Appendix C, Figures C.1-C.3 for details) shows that, in response to a 1-standard deviation shock to log returns, both negative (OF^-) and positive overreactions (OF^+) revert to their equilibrium value within six periods, whereas it takes log returns only one period to revert to equilibrium. There is hardly any response of log returns to shocks to either positive or negative overreactions, whilst both the latter variables tend to settle down after about six periods.

The variance decomposition (VD) analysis (see Table 15) suggests the following:

Table 15: Variance Decomposition

Variable	Lag	Percentage of the variance accounted for by a variable		
		Y	OF^-	OF^+
Y	1	100.00	0.00	0.00
	2	97.42	0.19	2.39
	3 >	97.42	0.19	2.39
OF^-	1	17.04	82.96	0.00
	2	22.02	77.98	0.00
	3 >	22.65	76.74	0.61
OF^+	1	36.13	38.65	25.22
	2	37.58	41.79	20.63
	3 >	36.86	43.04	20.10

- The behaviour of Y is mostly explained by its previous dynamics (97.4%); OF^- accounts for only 0.2 % of its variance, and OF^+ only 2.4%;
- The behaviour of OF^- is also mainly determined by its previous dynamics (76.7%), with Y explaining only 22.7 % of its variance and OF^+ only 0.6%;
- The behaviour of OF^+ is mostly accounted for by the OF^- dynamics (43%), with Y explaining 36.9% of its variance and OF^+ 20.1%.

Finally, we address the issue of seasonality (H2). Figure 5 suggests that the overreactions frequency tends to be higher at the end and the start of the year and lower at other times. Also, there appears to be a mid-year cycle: the frequency starts to increase in April, peaks in June-July and then falls till September with a “W” seasonality pattern.




Figure 5: Monthly seasonality in the overreaction frequency

Formal parametric (ANOVA) and non-parametric (Kruskal-Wallis) tests are performed; the results are presented in Tables 16 and 17.

Table 16: Parametric ANOVA of monthly seasonality in the overreaction frequency

Parameter	Frequency of negative overreactions	Frequency of positive overreactions	Frequency of overreactions (overall)
F	0.90	0.77	0.72
p-value	0.5461	0.6596	0.7055
F critical	1.99	1.99	1.99
Null hypothesis	Not rejected	Not rejected	Not rejected

Table 17: Non-parametric Kruskal-Wallis of monthly seasonality in the overreaction frequency

Parameter	Frequency of negative overreactions	Frequency of positive overreactions	Frequency of overreactions (overall)
Adjusted H	7.21	7.16	8.32
d.f.	11	11	11
P value:	0.78	0.79	0.68
Critical value	19.675	19.675	19.675
Null hypothesis	Not rejected	Not rejected	Not rejected

As can be seen, there are no statistically significant differences between the frequency of overreactions in different months of the year (i.e. no evidence of seasonality), therefore H2 can be rejected, which is consistent with the visual evidence based on Figure 3.

5. Conclusions

This paper investigates the role of the frequency of price overreactions in the cryptocurrency market in the case of BitCoin over the period 2013-2018. Specifically, it uses a static approach to detect overreactions and then carries out hypothesis testing by means of a variety of statistical methods (both parametric and non-parametric) including ADF tests, Granger causality tests, correlation analysis, regression analysis with dummy variables, ARIMA and ARMAX models, neural net models, and VAR models. Specifically, the hypotheses tested are whether or not the frequency of overreactions (i) is informative about Bitcoin price movements (H1) and (ii) exhibits seasonality (H2).

On the whole, the results suggest that the frequency of price overreactions can provide useful information to predict price dynamics in the cryptocurrency market and for designing trading strategies (H1 cannot be rejected) in the specific case of BitCoin. However, these findings are somewhat mixed: stronger evidence of a predictive role for the frequency of price overreactions is found when estimating neural net and ARMAX models as opposed to VAR models. As for the possible presence of seasonality, the evidence is very clear: no seasonal patterns are detected for the frequency of price overreactions (H2 is rejected).

References

- Akaike, H., (1974), A new look at the statistical model identification. *IEEE Transactions on Automatic Control*, 19 (6), 716–723.
- Angelovska J., (2016), Large share price movements, reasons and market reaction, *Management*, 21, 1-17.
- Bariviera, Aurelio F., (2017), The Inefficiency of Bitcoin Revisited: A Dynamic Approach. *Economics Letters*, 161, 1-4.
- Bartos, J. (2015), Does Bitcoin follow the hypothesis of efficient market?. *International Journal of Economic Sciences*, IV(2), 10-23.
- Bremer, M. and R. J. Sweeney, (1991), The reversal of large stock price decreases. *Journal of Finance* 46, 747-754.
- Brown, W.L. (2014), An Analysis of Bitcoin Market Efficiency Through Measures of Short-Horizon Return Predictability and Market Liquidity. CMC Senior Theses. Paper 864. http://scholarship.claremont.edu/cmc_theses/864
- Caporale G.M., Gil-Alana, A. and A. Plastun, (2018), Persistence in the cryptocurrency market. *Research in International Business and Finance*, 46, 141-148.
- Caporale, G.M. and A. Plastun, (2018a), Price Overreactions in the Cryptocurrency Market. DIW Berlin Discussion Paper No. 1718. Available at <http://dx.doi.org/10.2139/ssrn.3113177>
- Caporale, G.M. and A. Plastun (2018b), On the Frequency of Price Overreactions. CESifo Working Paper Series No. 7011. Available at SSRN: <https://ssrn.com/abstract=>
- Caporale, G.M. and A. Plastun (2017), The Day of the Week Effect in the Crypto Currency Market. CESifo Working Paper Series No. 6716. Available at SSRN: <https://ssrn.com/abstract=3082117>
- Carrick, J., (2016), Bitcoin as a Complement to Emerging Market Currencies, *Emerging Markets Finance and Trade*, vol. 52, 2016, pp. 2321-2334.
- Catania, Leopoldo and Grassi, Stefano, (2017), Modelling Crypto-Currencies Financial Time-Series. Available at <http://dx.doi.org/10.2139/ssrn.3028486>

Cheung, A., E. Roca and J.-J. Su, (2015), Crypto-Currency Bubbles: An Application of the Phillips-Shi-Yu (2013) Methodology on Mt. Gox Bitcoin Prices, *Applied Economics*, 47, 2348-2358.

De Bondt W. and R. Thaler, (1985), Does the Stock Market Overreact? *Journal of Finance*, 40, 793-808.

Dickey, D. A., and Fuller, W. A., (1979), Distribution for the estimates for autoregressive time series with a unit root. *Journal of the American Statistical Association*, 74, 427–31.

Dwyer, G. P., (2015), The Economics of Bitcoin and Similar Private Digital Currencies, *Journal of Financial Stability*, 17, 81-91.

Eross, Andrea &Mcgroarty, Frank & Urquhart, Andrew & Wolfe, Simon, (2017), The Intraday Dynamics of Bitcoin. Available at: <https://www.researchgate.net/publication/318966774>

Govindaraj, S., Livnat, J., Savor P. and Zhaoe Ch., (2014), Large price changes and subsequent returns. *Journal Of Investment Management*, 12 (3), 31–58.

Granger, C.W.J., (1969), Investigating causal relations by econometric models and cross-spectral methods. *Econometrica*, 37, 424–438.

Granger, C.W.J. and Newbold, P., (1986), *Forecasting economic time series*. 2. New York, NY: Academic Press.

Halaburda, H. and N. Gandal, (2014), Competition in the Cryptocurrency Market. NET Institute Working Paper No. 14-17. Available at SSRN: <https://ssrn.com/abstract=2506463> or <http://dx.doi.org/10.2139/ssrn.2506463>

Kurihara, Yutaka and Fukushima, Akio, (2017), The Market Efficiency of Bitcoin: A Weekly Anomaly Perspective *Journal of Applied Finance & Banking*, 7 (3), 57-64.

Parallel Distributed Processing: Explorations in the Microstructures of Cognition / Ed. by Rumelhart D. E. and McClelland J. L. - Cambridge, MA: MIT Press, 1986

Sandoval, Leonidas, Franca, Italo De Paula, (2012), Correlation of financial markets in times of crisis, *Physica A: Statistical Mechanics and its Applications*, 391 (1–2), 187-208.

Schwarz, G. E., (1978), Estimating the dimension of a model. *Annals of Statistics*. 6 (2), 461–464.

Urquhart, A., (2016), The Inefficiency of Bitcoin, *Economics Letters*, 148, 80-82.

Wong, M., (1997), Abnormal Stock Returns Following Large One-day Advances and Declines: Evidence from Asian-Pacific Markets, *Financial Engineering and Japanese Markets*, 4, 71-177.


Appendix A

Frequency distribution of BitCoin

TableA.1: Frequency distribution of BitCoin, 2013-2018*

Plot	Frequency
<-0.04	181
-0.03	75
-0.02	96
-0.01	164
0	331
0.01	345
0.02	207
0.03	136
0.04	88
0.05	68
>0.05	168

Figure A.1: Frequency distribution of BitCoin, 2013-2018*



* 2013 data start on 01.05.2013; 2018 data end on 31.05.2018

Appendix B

Frequency of overreactions

Table B.1: Frequency of overreaction over the period 2013-2018, annual*

Year	Negative over	Positive over	All over	Mult
2013	29	41	70	0.7
2014	35	22	57	1.6
2015	25	21	46	1.2
2016	11	11	22	1.0
2017	50	53	103	0.9
2018	30	19	49	1.6
Mean	30	30	60	1.1
Std. Dev.	12.7	15.2	26.8	0.32

Figure B.1: Frequency of overreactions: dynamic analysis over the period 2013-2018, annual data*





Figure B.2: Frequency of overreactions: dynamic analysis over the period 2013-2018, monthly data*



* 2013 data start on 01.05.2013; 2018 data end on 31.05.2018

Appendix C

Impulse response function (IRF) analysis: log returns (Y)-D; negative overreactions (OF-)- E; positive overreactions (OF+)-F

Figure C.1: Response to a 1-standard deviation shock to log returns




Figure C.2: Response to a 1-standard deviation shock to negative overreactions




Figure C.3: Response to a 1-standard deviation shock to positive overreactions

