

A Service of

ZBW

Leibniz-Informationszentrum Wirtschaft Leibniz Information Centre for Economics

Chen, Xi

Working Paper Smog, Cognition and Real-World Decision Making

IZA Discussion Papers, No. 11921

Provided in Cooperation with: IZA – Institute of Labor Economics

Suggested Citation: Chen, Xi (2018) : Smog, Cognition and Real-World Decision Making, IZA Discussion Papers, No. 11921, Institute of Labor Economics (IZA), Bonn

This Version is available at: https://hdl.handle.net/10419/193215

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



WWW.ECONSTOR.EU



Initiated by Deutsche Post Foundation

DISCUSSION PAPER SERIES

IZA DP No. 11921

Smog, Cognition and Real-World Decision Making

Xi Chen

OCTOBER 2018



Initiated by Deutsche Post Foundation

DISCUSSION PAPER SERIES

IZA DP No. 11921

Smog, Cognition and Real-World Decision Making

Xi Chen Yale University and IZA

OCTOBER 2018

Any opinions expressed in this paper are those of the author(s) and not those of IZA. Research published in this series may include views on policy, but IZA takes no institutional policy positions. The IZA research network is committed to the IZA Guiding Principles of Research Integrity.

The IZA Institute of Labor Economics is an independent economic research institute that conducts research in labor economics and offers evidence-based policy advice on labor market issues. Supported by the Deutsche Post Foundation, IZA runs the world's largest network of economists, whose research aims to provide answers to the global labor market challenges of our time. Our key objective is to build bridges between academic research, policymakers and society.

IZA Discussion Papers often represent preliminary work and are circulated to encourage discussion. Citation of such a paper should account for its provisional character. A revised version may be available directly from the author.

IZA – Institute of Labor Economics		
Schaumburg-Lippe-Straße 5–9	Phone: +49-228-3894-0	
53113 Bonn, Germany	Email: publications@iza.org	www.iza.org

ABSTRACT

Smog, Cognition and Real-World Decision Making

Cognitive functioning is critical as in our daily life a host of real-world complex decisions in high-stakes markets have to be made. The decision-making process can be vulnerable to environmental stressors. Summarizing the growing economic and epidemiologic evidence linking air pollution, cognition performance and real-world decision making, we first illustrate key physiological and psychological pathways between air pollution and cognition. We then document the main patterns of air pollution affecting cognitive test performance by type of cognitive tests, gender, window of exposure, age profile, and educational attainment. We further extend to a review of real-world decision making that has been found to be affected by air pollution and the resulting cognitive impairments. Finally, rich implications on environmental health policies are drawn based on existing evaluations of social costs of air pollution.

JEL Classification:	I24, Q53, Q51, G11, G41, J24
Keywords:	air pollution, cognitive performance, intelligence, decision making

Corresponding author:

Xi Chen Department of Health Policy and Management and Department of Economics School of Public Health Yale University 60 College Street, P.O. Box 208034 New Haven, CT 06520-8034 USA

E-mail: xi.chen@yale.edu

1. Introduction

92 percent of the world's population lives in places where air quality levels exceed WHO limits set by WHO Ambient Air Quality Guidelines (1). Even in developed countries, more than 40 percent of Americans live in counties with unhealthy levels of air pollution (2), and nine out of ten European city-dwellers are exposed to pollution in excess of WHO guidelines (3). While it is well known that environmental stressors, such as polluted air, pose a significant threat to human health, knowledge about their consequences on our brains, especially among older adults, is limited. Damage on brains may affect earnings and health, impede human capital from being an important engine of economic growth, which in turn generate large economic losses we currently ignore (4,5).

Section 2 summarizes the two key physiological and psychological pathways and their respective growing evidence linking air pollution, cognition performance and real-world decision making. Section 3 illustrates the key patterns of air pollution affecting cognitive test performance by type of cognitive tests, gender, window of exposure, age profile, and educational attainment. Section 4 discusses suboptimal decision making and associated private and social costs that have been found to be affected by air pollution and the resulting cognitive impairments. Section 5 draws rich implications on environmental health policies at the country level and a strong demand for global coordinated efforts.

2. Air Pollution and Cognition: Key Pathways

Medical studies point to *physiological* pathways through which air pollution may impair cognitive ability (6), especially in the case of fine particulate matter (PM2.5). The small size of PM2.5 allows it to remain airborne longer, to carry toxins through small passageways, to penetrate buildings, to be inhaled easier, and to reach and accumulate within brain tissue (7). Post-mortem analysis detects that people living in more polluted areas for long periods tend to have elevated concentrations of PM2.5 in their brains, smaller brain volume, and higher rates of brain infarcts or areas of necrosis (8). Accumulation over time can be linked to markers of neuroinflammation and neuropathology, leading to symptoms of Alzheimer's disease, one of the most prevalent and expensive forms of cognitive decline, and other forms of dementia (9,10,11,12,13). Even healthy people living in polluted environment with APOE E4 allele (known to increase risk of developing Alzheimer's) demonstrate compromised cognitive responses compared with those carrying APOE gene with E3

allele. This gene environment interaction has been verified ranging from children to older adults (14,15). It is estimated that air pollution may account for 21 percent of dementia cases worldwide (15).

Some other *physiological* pathways include: first, pollution exposure may increase risk for strokes and then vascular dementia (16); second, people breathing polluted air are more likely to be oxygen deficient, which in turn impairs their cognitive abilities (17); third, exposure to pollution leads to the growth of white-matter lesions, potentially inhibiting cognition (18); fourth, air pollution may degrade cognitive ability via asthma and respiratory problems, persistently constraining the production of human capital, such as schooling (19) and labor force participation (20); finally, air pollution may also damage the immune system, hinder neurological development, and impair neuron behavior, which all contribute to long-term memory formation (16).

Recent economic studies also show air pollution may disrupt cognitive functioning through *psychological* pathways. For example, high concentration of pollutants is significantly associated with headache (21), cause psychiatric distress (22), and increase the risk of feeling unhappy and depressed in the United States (23), Canada (24), and China (25). PM2.5 is currently the only pollutant among key atmospheric pollutants in the Air Quality Index (AQI) evidenced to cause psychological disorders (26).

3. Air Pollution and Cognitive Test Performance: Key Patterns

Our central nervous system has two important tissues: gray matter and white matter. Gray matter represents information processing centers, and white matter represents the networking of - or connections between - these processing centers. Mathematics abilities, which require more local processing, mainly depend on gray matter. While language skills, which require integrating and assimilating information from distributed gray-matter regions in the brain, mainly rely on white matter (27,28).

Air pollution may demonstrate differential effects on different types of cognitive tests. A large body of literature has proven that air pollution can reduce the density of white matter more than that of grey matter in the brain (6,29), which may explain why air pollution appears to affect both verbal and math skills but in the meantime has a larger effect on verbal test than on math test scores. A recent study in China overcomes several key challenges to identify the causal link between air pollution and cognitive ability, including math and language skills, across all ages beginning at 10 years old (30). They exploit individual level longitudinal data, precisely matched timing and geographic location of the tests, rich demographic controls, exogenous changes in air pollution exposure, and information on sorting behavior. They indeed find that exposure to air pollution lowers both verbal and math test scores of survey subjects, and the former effect is larger than the latter.

The effect of air pollution on cognition also has a gender component. Brain scanning studies reveal that men have larger amount of gray matter *activated* during general intelligence tests than women do, but women have more white matter *activated* during general intelligence tests than men do (31). Given that gray matter is more required by math tests and white matter is more required by verbal tests, it is predicted that men's cognitive performance, especially in the verbal domain, tends to be more affected by exposure to air pollution, while women's cognition performance, especially in the math domain, is likely to be more affected. A more recent study explores the impact of air pollution on older adults in China (32). They indeed find that the detrimental effect on verbal skills is more concentrated towards older males.

Moreover, the effect of air pollution on cognition is cumulative and may become larger as one ages. An investigation using a national sample of older adults in China finds that the detrimental effect is the largest for the older persons above age 65. Even within the two older cohorts, the effect on those above age 65 is twice as much as those in the age cohort 55-64 (32). A 12-unit worsening of 3-year average Air Quality Index (AQI) is linked to an equivalent of one-year huge loss in educational attainment for those who are above age 65 (32). Since people in old age often make critical financial decisions and spend most of their wealth in their lifetime, the more sizable effect to the elderly and the associated large economic loss are especially worrisome.

The finding of larger negative effect of cumulative than transitory exposure to air pollution provides policy implications that short-term interventions (e.g. wearing face masks or turning on air filters on polluted days, rescheduling high-stakes cognitive activities) may be less effective than

improving long-term air quality. Public policies should effectively clean up the sky, rather than merely investing in avoidance. The finding of substantial cumulative effect also suggests that improvement in cognitive ability may take long time to realize, especially for many who have been exposed to many years of heavy pollution.

The fact that people who receive less education or often work outdoors demonstrating larger effects alerts us that environmental stressors may enlarge social inequality, including cognitive ability (30). Future research needs to evaluate to what extent this impact can be intergenerational. Once the social costs on environmental justice are accounted for, policymakers will have better understanding about the real cost of air pollution to help tighten existing environmental standards.

4. Air Pollution, Cognition, Suboptimal Decision Making and Associated Costs

Three channels may provide a preferential foundation linking haze, cognitive impairment to real world decision making in a set of important contexts, such as job market, health insurance market, stock market, and even the decision to commit a crime.

First, cognitive impairment may increase the cost of cognitive processing required to make decisions. Dementia and other forms of cognitive decline increase a set of financial mistakes regarding credit behavior as people age (33). Medicare beneficiaries diagnosed with dementia are less likely to comprehend key institutional features of insurance markets and more likely to make suboptimal decisions (34).

Assembling 15 years of administrative Medicare records on 7.4 million people age 65 and above, tracking their health, onset of Alzheimer's disease and related forms of dementia, demographics, residential cumulative exposures to fine particulate air pollution (PM2.5), and financial decisions, a recent study finds evidence that higher cumulative exposure increases the rate of dementia (35). Specifically, an 1 μ g/m³ increase in *decadal* exposure to PM2.5 (8.5% of the mean) increases the probability of a dementia diagnosis by the end of the decade by 0.5 to 1.2 percentage points (4% to 6%). Even more modest change in air pollution measured by an 1 μ g/m³ rise in annual average concentrations of PM2.5 would increase the rate of dementia by 1% to 3% (around 100,000 to 300,000 cases), lowering direct medical expenditures on dementia by \$3.5 to \$10.5 billion per year

in 2017 dollars. There is, however, no evidence that exposure to PM2.5 affects the diagnosis rates for morbidities thought to be unrelated to air pollution, providing some convincing evidence against confounding.

Meanwhile, higher cumulative exposure raises the probability to make poor financial decisions in prescription drug insurance markets under Medicare Part D among those not diagnosed with dementia (36). In particular, a 1 μ g/m³ increase in average *decadal* exposure to PM2.5 increases potential savings by \$4 (a 1% increase relative to the mean) and the probability of choosing a drug plan that is dominated by another in terms of cost, risk protection, and quality by 0.25 to 0.43 percentage points (a 0.5% to 1.2% increase relative to the mean). These effects are 3% to 6% of the size of the negative effect of a dementia diagnosis on the same decision-making outcomes. Even more moderate change in air pollution measured by an 1 μ g/m³ rise in annual average concentrations of PM2.5 would cost all consumers more than \$60 million per year additional spending on prescription drugs under Medicare Part D.

In addition to complex decision making like health insurance choices, hourly and daily spikes in pollution are found to reduce white-collar workers' labor productivity in cognitive tasks, such as number of calls that call center workers in a travel agency complete each day (5). The decrease in cognitive productivity is driven by increases in time spent on breaks rather than the duration of phone calls. Among various pollutants, PM2.5 poses the greatest threat to contemporaneous cognition, in part because it penetrates buildings and pollutes indoor air.

Second, air pollution may undermine rational risk attitudes and patience when discounting in a remote time horizon (37). Bad air quality in Manhattan therefore substantially reduces same-day return to the S&P 500 (38). Individuals may also become more aggressive, more selfish, and less cooperative with greater sense of fairness (39). Violent crime rate in Chicago is higher when air pollution is heavier, which reflects the impulsive nature of violent crime (40).

Third, since cognitive impairment can reduce life expectancy, it may reduce investments in health capital, leading to additional chronic conditions that increase the complexity of decisions about

health insurance (41). More generally, the potential return to the decisions can be health-state dependent and therefore decline in worsened cognitive status (42).

5. Policy Implications

Most of the existing evidence on air pollution, cognitive impairment and decision making comes from the United States and other developed countries where air pollution concentration is very low. The implications for developing countries with more polluted air can be quite large and deserve more attention in future research. The profound economic and health implications of air pollution on poor cognitive functioning suggest that the costs of pollution can be largely underestimated. The comprehensive set of evidence we summarize underscores the need for stronger regulations around air quality in response to the increasing concerns on air pollution, in particular the hidden cost on intellect and decision making, which has not been well recognized before.

Such large social costs can be avoided if individuals demonstrate strong willingness to pay for improved air quality. An average Chinese resident is willing to pay \$88 per year (or 3.8% of annual income) for a 1 µg/m³ reduction in PM2.5, while an average U.S. resident is willing to contribute as high as \$891 (or 2.1% of annual income) (43). Although people in the U.S. on average seem to be willing to pay a much higher amount in absolute terms, Chinese residents are more willing to pay a larger share of their income (23,43). When we obtain most reliable values of willingness to pay for major population groups in each country, policy makers will be able to learn the potential demand and how they can be matched with the supply of good air for cognitive activities and beyond.

The establishment of the U.S. Environmental Protection Agency (EPA) and the Clean Air Act of 1970 (1970 CAA) authorized the development of comprehensive federal and state regulations to substantially reduce air pollution, such as through creating and enforcing the national Ambient Air Quality Standards (AAQS). However, the AAQS has only been based on narrowly defined health assessments. Realizing the severity of this issue, the EPA recently calls for more research to assess the impact of ambient air pollutants on central nervous system function, such as cognitive processes and addresses the adequacy of existing standards. Many countries in the world have been adopting the AAQS as their environmental standards. This recent move in EPA's strategy to

address air pollution may therefore generate spillover effects on more stringent environmental standards and effective regulations in other countries.

As one of the most polluted countries adopting the AAQS, China has substantially tightened its environmental regulations in the past five years. In 2013, China started to implement the national *Air Ten Plan*, which involved ten concrete measures to restrict air pollutant emissions. Since then, air pollution in Chinese cities has dropped by an average of 30 percent (44). While such achievement may bear important implications for other countries which aim to improve their environmental quality, and neighboring countries may directly benefit from lower level of pollution being transmitted to them, the large uncertainty of governmental policies may put these efforts and their effectiveness at high risks.

The prospect on such advancement in environmental quality is grim. In August 2018, The U.S. President Donald Trump announced plans to dramatically relax fuel efficiency standards, a move that would flood American communities with more dangerous airborne particulates from vehicles (45). Moreover, the EPA determined that Trump's new regulations for emissions at coal-burning power plants will cause an additional 1,400 deaths a year (46).

Small-scale schemes are useless if other countries fail to act. Dirty air in many countries is swept over from neighboring countries. As a key global health issue, no wall could be built to effectively shield people from external pollutants. Countries should work closely together to take global actions in their fight against air pollution, one of the largest avoidable causes of death, illness, and human capital degradation.

Funding Acknowledgement

This study was supported by James Tobin Fund at Yale Economics Department, Yale Macmillan Center Faculty Research Award, the PEPPER Center Scholar Award (P30AG021342), and other NIH/NIA grants (K01AG053408; R03AG048920).

References

- World Health Organization. WHO releases country estimates on air pollution exposure and health impact. September 27, 2016. <u>http://www.who.int/news-room/detail/27-09-2016-</u> <u>who-releases-country-estimates-on-air-pollution-exposure-and-health-impact</u>. Accessed July 12, 2018.
- American Lung Association. Key Findings: The State of the Air 2018. <u>http://www.lung.org/our-initiatives/healthy-air/sota/key-findings/</u>. Accessed September 15, 2018.
- The Economist. Air Pollution: Choking on it. December 5, 2015. <u>https://www.economist.com/europe/2015/12/05/choking-on-it</u>. Accessed September 12, 2018.
- Ebenstein A, Lavy V, Roth S. The Long-Run Economic Consequences of High-Stakes Examinations: Evidence from Transitory Variation in Pollution. *American Economic Journal: Applied Economics* 2016;8(4): 36-65.
- Chang T, Graff Zivin J, Gross T, Neidell M. The Effect of Pollution on Worker Productivity: Evidence from Call-Center Workers in China. In press, *American Economic Journal: Applied Economics* 2018.
- Block ML, Calderón-Garcidueñas L. Air Pollution: Mechanisms of Neuroinflammation and CNS Disease. *Trends in Neurosciences* 2009;32(9): 506–516.
- Braniš M, Řezáčová P, Domasová M. The Effect of Outdoor Air and Indoor Human Activity on Mass Concentrations of PM10, PM2.5, and PM1 in a Classroom. *Environmental Research* 2005;99(2): 143–149.
- Wilker EH, Preis SR, Beiser AS, et al. Long-Term Exposure to Fine Particulate Matter, Residential Proximity to Major Roads and Measures of Brain Structure. *Stroke* 2015;46: 1161-1166.
- Calderón-Garcidueñas L, Reed W, Maronpot RR, et al. Brain inflammation and Alzheimer's-like pathology inindividuals exposed to severe air pollution. *Toxicologic Pathology* 2004;32: 650–658.
- Levesque S, Surace MJ, McDonald J, Block ML. Air pollution and the brain: Subchronic diesel exhaust exposure causes neuroinflammation and elevates early markers of neurodegenerative disease. *Journal of Neuroinflammation* 2011;8: 105.

- 11. Weuve J, Puett RC, Schwartz J. et al. Exposure to Particulate Air Pollution and Cognitive Decline in Older Women. *Archives of Internal Medicine* 2012;172(3): 219-227.
- 12. Wu YC, Lin YC, Yu HL. et al. Association between air pollutants and dementia risk in the elderly. *Alzheimer's & Dementia* 2015: 220-228.
- Chen H, Kwong JC, Copes R, et al. Living near major roads and the incidence of dementia, Parkinson's disease, and multiple sclerosis: a population-based cohort study. *The Lancet*. 2017;389(10070): 718 – 726.
- 14. Calderón-Garcidueñas L, Franco-Lira M, D'Angiulli A, et al. Mexico City normal weight children exposed to high concentrations of ambient PM2.5 show high blood leptin and endothelin-1, vitamin D deficiency, and food reward hormone dysregulation versus low pollution controls. Relevance for obesity and Alzheimer disease. *Environmental Research* 2015;140: 579-592.
- 15. Cacciottolo M, Wang X, Driscoll I, et al. Particulate air pollutants, APOE alleles and their contributions to cognitive impairment in older women and to amyloidogenesis in experimental models. *Translational Psychiatry* 2017;7: e1022.
- 16. Ng JB, Turek M, Hakim AM. Heart Disease as a Risk Factor for Dementia. *Clinical Epidemiology* 2013;5: 135-145.
- Amitai Y, Zlotogorski Z, Golan-Katzav V, Wexler A, Gross D. Neuropsychological Impairment from Acute Low-Level Exposure to Carbon Monoxide. *Archives of Neurology* 1998;55(6): 845–848.
- 18. Perera FP, Li Z, Whyatt R, et al. Prenatal Airborne Polycyclic Aromatic Hydrocarbon Exposure and Child IQ at Age 5 Years. *Pediatrics* 2009;124(2): e195–e202.
- 19. Sanders NJ. What Doesn't Kill You Makes You Weaker: Prenatal Pollution Exposure and Educational Outcomes. *Journal of Human Resources* 2012;47: 826–850.
- 20. Isen A, Rossin-Slater M, Walker WR. Every Breath You Take Every Dollar You'll Make: The Long-Term Consequences of the Clean Air Act of 1970. *Journal of Political Economy* 2017;125(3): 849-909.
- 21. Nattero G, Enrico A. Outdoor Pollution and Headache. *Headache* 1996;36: 243–245.
- 22. Rotton J, Frey J. Psychological Costs of Air Pollution: Atmospheric Conditions, Seasonal Trends, and Psychiatric Emergencies. *Population and Environment* 1984;7(1): 3–16.
- 23. Levinson A. Valuing Public Goods Using Happiness Data: The Case of Air Quality. Journal

of Public Economics 2012;96: 869–880.

- 24. Szyszkowicz M. Air Pollution and Emergency Department Visits for Depression in Edmonton, Canada. *International Journal of Occupational Medicine and Environmental Health* 2007;20(3): 241–245.
- 25. Zhang X, Zhang XB, Chen X. Happiness in the Air: How Does a Dirty Sky Affect Subjective Well-being? Journal of Environmental Economics and Management 2017a;85: 81–94.
- 26. Zhang X, Chen X, Zhang XB. Environment and Subjective Well-being. In press. *Handbook* of Well-being, Happiness and the Environment. 2018a.
- 27. University of California, Irvine. Intelligence in Men And Women Is A Gray And White Matter. Science Daily. 22 January 2005.
 www.sciencedaily.com/releases/2005/01/050121100142.htm. Accessed July 16, 2018.
- 28. Calderón-Garcidueñas L, Mora-Tiscareño A, Ontiveros E, et al. Air Pollution, Cognitive Deficits and Brain Abnormalities: A Pilot Study with Children and Dogs. *Brain and Cognition* 2008;68(2): 117–127.
- 29. Calderón-Garcidueñas L, Engle R, Mora-Tiscareño A, et al. "Exposure to Severe Urban Air Pollution Influences Cognitive Outcomes, Brain Volume and Systemic Inflammation in Clinically Healthy Children." *Brain and Cognition* 2011;77: 345-355.
- Chen X, Zhang XB, Zhang X. Smog in Our Brains: Gender Differences in the Impact of Exposure to Air Pollution on Cognitive Performance. *IZA Discussion Paper No. 10628*. 2017.
- Haier RJ, Jung RE, Yeo RA, Head K, Alkire MT. The Neuroanatomy of General Intelligence: Sex Matters. *NeuroImage* 2005;25: 320-332.
- 32. Zhang X, Chen X, Zhang XB. The Impact of Exposure to Air Pollution on Cognitive Performance. In press. *Proceedings of the National Academy of Sciences*. 2018b.
- 33. Agarwal S, Driscoll J, Gabaix X, Laibson D. The Age of Reason: Financial Decisions over the Life-Cycle and Implications for Regulation. *Brookings Papers on Economic Activity*. 2009;40(2): 51-117.
- Keane MP, Ketcham JD, Kuminoff NV, Neal T. Evaluating Consumers' Choices of Medicare Part D Plans. Working Paper. 2017.
- 35. Bishop K, Ketcham J, Kuminoff N, Powers C. Hazed and Confused: Air Pollution, Cognitive Functioning, and Financial Decision Making among the Elderly. Arizona State

University Working paper 2017.

- 36. Keane MP, Thorp S. Complex Decision Making: The Roles of Cognitive Limitations, Cognitive Decline and Ageing. In the *Handbook of Population Aging*, Elsevier, J. Piggott and A. Woodland (eds.) 2016.
- Huffman D, Maurer R, Mitchell OS. Time Discounting and Economic Decision-Making among the Elderly. *NBER Working paper #22438*. 2016.
- 38. Heyes A, Neidell M, Saberian S. The Effect of Air Pollution on Investor Behavior: Evidence from the S&P 500. NBER Working Paper No. 22753. 2016.
- Chew SH, Huang W, Li X. Haze and Decision Making: A Natural Laboratory Experiment. National University of Singapore working paper. 2017.
- Herrnstadt E, Muehlegger E. Air Pollution and Criminal Activity: Evidence from Chicago Microdata. NBER Working Paper No. 21787. 2016.
- 41. Fang HM, Keane M, Khwaja A, Salm M, Silverman D. Testing the Mechanism of Structural Models: The Case of the Mickey Mantle Effect. *American Economic Review Papers and Proceedings* 2007;97(2): 53-59.
- 42. Finkelstein A, Luttmer EFP, Notowidigdo MJ. What Good is Wealth Without Health? The Effect of Health on the Marginal Utility of Consumption. Journal of the European Economic Association 2013;11(S1): 221-258.
- Zhang X, Zhang XB, Chen X. Valuing Air Quality Using Happiness Data: The Case of China. *Ecological Economics* 2017b;137: 29-36.
- 44. World Health Organization. WHO Global Urban Ambient Air Pollution Database. 2016.
 <u>http://www.who.int/phe/health_topics/outdoorair/databases/cities/en/</u>. Accessed
 September 6, 2018.
- 45. Plumer B. How Big a Deal Is Trump's Fuel Economy Rollback? *The New York Times*. August 3, 2018. <u>https://www.nytimes.com/2018/08/03/climate/trump-climate-emissions-rollback.html</u>. Accessed September 14, 2018.
- 46. The U.S. Environmental Protection Agency. Regulatory Impact Analysis for the Proposed Emission Guidelines for Greenhouse Gas Emissions from Existing Electric Utility Generating Units; Revisions to Emission Guideline Implementing Regulations; Revisions to New Source Review Program. August 2018. <u>https://www.epa.gov/sites/production/files/2018-08/documents/utilities_ria_proposed_ace_2018-08.pdf</u>. Accessed September 2, 2018.