

Bond pricing when the short term interest rate follows a threshold process

Wolfgang Lemke

(Deutsche Bundesbank)

Theofanis Archontakis

(University of Frankfurt)



Discussion Paper
Series 1: Economic Studies
No 06/2006

Editorial Board:

Heinz Herrmann
Thilo Liebig
Karl-Heinz Tödter

Deutsche Bundesbank, Wilhelm-Epstein-Strasse 14, 60431 Frankfurt am Main,
Postfach 10 06 02, 60006 Frankfurt am Main

Tel +49 69 9566-1

Telex within Germany 41227, telex from abroad 414431, fax +49 69 5601071

Please address all orders in writing to: Deutsche Bundesbank,
Press and Public Relations Division, at the above address or via fax +49 69 9566-3077

Reproduction permitted only if source is stated.

ISBN 3-86558-121-8 (Printversion)

ISBN 3-86558-122-6 (Internetversion)

Abstract:

Using a stochastic discount factor approach, we derive the exact solution for arbitrage-free bond yields for the case that the short-term interest rate follows a threshold process with the intercept switching endogenously. The yield functions, mapping the one-month rate into n -period yields, exhibit a convex-concave shape to the left and the right of the threshold value, respectively. This is in contrast to linear short-rate processes which imply an affine yield function. The intervals for which convexity or concavity prevails increase with time to maturity.

JEL Classification: E43, G12, C63

Keywords: Threshold process, term structure of interest rates, nonlinear yield function

Non-Technical Summary

In dynamic factor models of the term structure, the joint evolution of interest rates of different maturities is ascribed to a small set of driving forces. If there is a single factor, it will usually coincide with the short-term (one-month) interest rate. The reaction of long-term yields to variations of the short rate is restricted by the condition of no arbitrage. Loosely speaking, the no-arbitrage assumption precludes trading strategies in bond portfolios that are characterized by zero initial net payments but guaranteed profits in the future. In no-arbitrage models it is mostly assumed that the factor process is linear and has Gaussian innovations. This setting implies that arbitrage-free bond yields are linear functions of the short rate: the sensitivity of long-term yields with respect to changes of the short rate is independent of the short rate's level.

In contrast, the empirical literature finds evidence that the dynamics of the short-term interest rate is characterized by nonlinearities, time-varying volatility and innovations which are not normally distributed. These deviations from linear Gaussian short rate models usually render an analytical solution for arbitrage-free bond yields infeasible.

This paper analyzes the term structure implications for such a nonlinear case. The short-term interest rate follows a threshold process, for which the intercept switches endogenously in an otherwise standard first-order autoregressive specification. As shown in the literature, this specification is especially suited to capture the near-random walk behavior of short-term interest rates. We derive the pricing function, that is the mapping between the one-month rate and n -period yields. The relationship between the short rate and any yield of longer maturity exhibits a convex-concave shape: the sensitivity of long-term yields with respect to changes in the short rate is first increasing in the level of the short rate but then decreases as the short-term interest rate increases further. This pattern is the more distinct the higher the maturity of the long-term bond.

Nicht technische Zusammenfassung

In dynamischen Faktormodellen der Zinsstruktur wird die gemeinsame zeitliche Entwicklung von Zinsen verschiedener Laufzeiten auf eine kleine Zahl von Bestimmungsgrößen zurückgeführt. In Modellen mit nur einem Faktor ist dies meist der kurzfristige Zins (Laufzeit ein Monat). Die Reaktion von langfristigen Renditen auf Veränderungen des Einmonatszinses wird durch die Bedingung der Arbitragefreiheit beschränkt. Das heißt, dass es keine Handelsstrategien gibt, die durch einen anfänglichen Nettokapitaleinsatz von Null, aber einen garantierten Gewinn in der Zukunft charakterisiert sind. In arbitragefreien Modellen wird meist unterstellt, dass der Faktorprozess linear ist und normalverteilte Innovationen aufweist. Unter diesen Annahmen lassen sich Anleiherenditen für alle Laufzeiten als lineare Funktionen des kurzfristigen Zinses darstellen. Das bedeutet, dass das Ausmaß der Reaktion von langfristigen Renditen auf Änderungen im Einmonatssatz unabhängig von dessen Niveau ist.

Die empirische Literatur liefert allerdings Belege dafür, dass die Dynamik des kurzfristigen Zinses durch Nichtlinearitäten, zeitvariierende Volatilität und Innovationen, die nicht normalverteilt sind, charakterisiert ist. Mit diesen Abweichungen vom linearen Gaußschen Modell ist es nur in wenigen Spezialfällen möglich, arbitragefreie Anleiherenditen analytisch zu berechnen.

Dieses Papier ermittelt die arbitragefreie Zinsstrukturdynamik für einen solchen Fall: Der kurzfristige Zins folgt einem autoregressiven Schwellenwert-Prozess, bei dem der Niveauparameter endogen zwischen zwei Werten hin und her wechselt. Wie in der Literatur gezeigt wird, ist diese Spezifikation besonders gut geeignet, das dynamische Verhalten des Kurzfristzinses, das oft dem eines Random Walk nahe kommt, zu beschreiben. Wir leiten analytisch die Preisfunktion, das heißt den funktionalen Zusammenhang zwischen Kurzfristzins und langfristigen Renditen, her. Diese Funktion weist eine konvex-konkave Gestalt auf: Langfristzinsen reagieren mit zunehmendem Niveau der Einmonatsrate zunächst stärker auf deren Änderungen, ab einem bestimmten Zinsniveau nimmt die Stärke der Zinsreaktion allerdings ab. Je länger die Laufzeit der betrachteten Anleihe ist, desto ausgeprägter ist dieses Muster.

Contents

1	Introduction	1
2	The Model	3
3	Arbitrage-free Term Structure	5
4	A Numerical Example	11
5	Summary and Outlook	13
A	Two Auxiliary Results	15
B	Derivation of the Bond Pricing Formula for $n > 2$	16

List of Figures

- 1 Two-, three- and six-month yield as a function of the short rate. 12
- 2 Second derivative of the yield function against the short rate. 13

Bond Pricing when the Short Term Interest Rate Follows a Threshold Process*

1 Introduction

Starting from the seminal contributions of Vasiček (1977) and Cox, Ingersoll, and Ross (1985), there is by now a large and growing literature that tries to explore the nature of the dynamics of interest rates and the relationship of yields with different maturities in an arbitrage-free framework. While models in the finance literature were preferably formulated in continuous time with continuous state space or in discrete time with discrete state space, models that are using discrete time and a continuous state space have become increasingly popular recently. This may in part be attributed to the fact that this framework is familiar to macroeconomists enabling them to integrate term structure elements in models of macroeconomic dynamics.

Models of the latter type (continuous state space, discrete time), usually consist of two components: a specification of the dynamics of the state vector and a formulation of the stochastic discount factor. Given these, the condition of no-arbitrage determines the dynamics of the whole spectrum of bond yields. If the state or factor vector is one-dimensional it usually coincides with the short-term (one-month) interest rate.

While the large empirical literature devoted to modeling and estimating short term interest rate dynamics is bringing up increasingly rich and advanced specifications, the literature on arbitrage-free term structure models usually restricts itself to simple linear state dynamics. This is because “researchers are inevitably confronted with trade-offs between the richness of econometric representations of the state variables and the computational burdens of pricing and estimation” as Dai and Singleton (2000) observe. They conclude that this is the reason why there is a huge emphasis on models from the affine

*Wolfgang Lemke: Deutsche Bundesbank, E-Mail: wolfgang.lemke@bundesbank.de. Theofanis Archontakis: Graduate Program Finance & Monetary Economics, Johann-Wolfgang-Goethe Universität Frankfurt, Uni-PF77, 60054 Frankfurt am Main, Germany, E-Mail: archontakis@finance.uni-frankfurt.de. The views expressed here are those of the authors and not necessarily those of the Deutsche Bundesbank. We thank Julia von Borstel, Heinz Herrmann, Malte Knüppel, Christian Schlag and seminar participants at the Bundesbank for discussion.

class in the literature. Affine models are treated in a unified framework by Duffie and Kan (1996), their properties are further analyzed by Dai and Singleton (2000).¹

Models of this class are characterized by a solution that expresses bond yields as an affine function of the state vector. This follows from linear state dynamics, Gaussian innovations and a stochastic discount factor that is a linear function of the state vector. If one of these assumptions is dropped, bond yields can generally not be expressed as affine functions of the state vector.² Moreover, there are only a few models outside the affine class that allow for an analytic solution at all: examples are the regime switching model by Bansal and Zhou (2002) and the quadratic model by Ahn, Dittmar, and Gallant (2002).

This paper contributes to the literature by deriving the analytical solution for bond yields for the case that the short rate follows a threshold process of the type presented by Lanne and Saikkonen (2002). Their formulation is especially suited to capture the near unit-root dynamics of interest rates. We consider the simplest version of their model in which the law of motion is an AR(1) with homoscedastic Gaussian innovations. The intercept is allowed to change between two regimes. The regime prevailing is determined by the previous period's realization of the short rate, i.e. the model is of the SETAR (self exciting threshold autoregressive) type.

Papers that consider term structure implications of threshold dynamics usually do so by means of simulation.³ However, Gospodinov (2005) remarks in a footnote that an analytical solution may be feasible for certain special cases of the fairly general TAR-GARCH model considered there.

Compared to an affine Gaussian one-factor model, the only difference of our state process is the changing intercept. However, it turns out that this slight modification induces substantial changes to the solution compared to the affine model. The yield function, mapping realizations of the short rate into yields of longer maturities, is nonlinear and exhibits a point of discontinuity at the threshold value. The function exhibits a convex-concave pattern, a phenomenon that qualitatively matches similar patterns observed in the data. For values of the short rate sufficiently far off the threshold value, however, the yield function is approximately linear. The width of the interval for which nonlinearity

¹The discrete-time version of the affine class is described by Backus, Foresi, and Telmer (1998).

²See, however, Backus et al. (1998) and Lemke (2006) who show that replacing the normal distribution of innovations by a Gaussian mixture still leads to an affine yield function.

³See Pfann, Schotman, and Tschernig (1996) and Gospodinov (2005). The paper by Audrino and Giorgi (2005) can be seen as an exception. It features beta-distributed regime shifts and exhibits a similar structure as the Markov regime switching model in Bansal and Zhou (2002).

in the yield function prevails is increasing with time to maturity.

However, there is a problem with the derived exact yield function as it can actually be computed for yields with a small time to maturity only (say up to six months). This is because computing the function for the n -period yield requires the value of the cumulative distribution function of an $(n - 2)$ -dimensional normal with non-diagonal variance-covariance matrix. Moreover, the number of required computations increases exponentially with time to maturity, posing in addition a curse-of-dimensionality problem. Accordingly, for longer times to maturity, approximations of our exact solution or simulation-based techniques have to be applied.⁴

The structure of the paper is as follows. The next section gives a description of the model, section 3 derives the analytical yield function, followed by a numerical example in section 4. The fifth section concludes, an appendix contains a detailed derivation of the yield function.

2 The Model

The model that we consider is in discrete time and operates on a continuous state space. One unit of time may be thought of as one month. The single state variable in our one-factor model is the one-month interest rate. Its dynamics is given by the SETAR specification

$$X_t = \nu + \beta I(X_{t-1} \geq c) + \kappa X_{t-1} + \sigma \epsilon_t, \quad \epsilon_t \sim N(0, 1) \quad (2.1)$$

where $I(\cdot)$ is the indicator function and the innovations ϵ_t are serially independent. The parameter κ is in the interval $(0, 1)$, guaranteeing stationarity of the process. The only difference to a linear Gaussian model – i.e. the discrete-time version of the Vasicek model⁵ – is the time-varying intercept. Depending on the previous realization of the short rate it is given by ν or $\nu + \beta$, respectively. Note that a regime-dependent intercept induces a regime-dependent long-run mean of the short rate. Approximating the data generating process of the one-month interest rate with a standard AR model (one intercept) usually requires a value of κ close to unity to capture the high persistence of the short rate process as observed in the data. Heuristically, the two-intercepts specification requires a lower κ since the short rate process is now allowed to revert to two different means.

⁴See Archontakis and Lemke (2005).

⁵See Backus et al. (1998).

The process given by (2.1) is the simplest member in a class of models proposed by Lanne and Saikkonen (2002). The more general specification is written as

$$X_t = \nu + \sum_{k=1}^r \beta_k I(X_{t-d} \geq c_k) + \sum_{j=1}^p \kappa_j X_{t-j} + \sigma(X_{t-d})\epsilon_t \quad (2.2)$$

i.e. it allows for more than two regimes, for more lags in the autoregressive specification, and for the threshold variable being lagged by more than one period. The coefficient of state innovations is also allowed to be regime-dependent, allowing for regime-dependent variance. In fact, the specification that is most adequate empirically turns out to be heteroscedastic, with r, d, p all exceeding unity.⁶ The reason for sticking to the case with $r = d = p = 1$ is that we want to point out the effects on the term structure of interest rates that are implied by only this slight modification of the purely linear case. Moreover, the solution approach that we take should be transferrable to the more general case, but we think that its structure can be made most transparent when concentrating on the special case.

Given the process (2.1) for the short term interest rate, we will now derive bond price processes for all maturities. Let P_t^n denote the time t price of a default-free zero-coupon bond with n periods left until maturity. The payoff is normalized to one, so $P_t^0 = 1$. Continuously compounded monthly yields are computed from bond prices as

$$y_t^n = -\frac{\ln P_t^n}{n}. \quad (2.3)$$

Absence of arbitrage is equivalent to the existence of a strictly positive stochastic discount factor (SDF) process $\{M_t\}$, with $E|M_t P_t^n| < \infty$ and

$$P_t^n = E(M_{t+1} P_{t+1}^{n-1} | \mathcal{F}_t), \quad (2.4)$$

where \mathcal{F}_t denotes the σ -algebra generated by $\{X_{t-i}\}_{i \geq 0}$. Since the short-rate dynamics has the Markov property, any expectation over the future conditional on \mathcal{F}_t equals the expectation conditional on the information contained in X_t alone. We will thus write the basic pricing equation simply as

$$P_t^n = E(M_{t+1} P_{t+1}^{n-1} | X_t). \quad (2.5)$$

For the stochastic discount factor we assume

$$M_{t+1} = \exp\{-\delta - X_t - \lambda\sigma\epsilon_{t+1}\}, \quad (2.6)$$

⁶See Lanne and Saikkonen (2002) for the UK and Switzerland as well as Archontakis and Lemke (2005) for Germany and the US.

where the exponential specification is chosen to guarantee positivity. We set

$$\delta = \frac{1}{2}\sigma^2\lambda^2 \quad (2.7)$$

with hindsight since this specification will lead to y_t^1 , the one-month yield, being equal to X_t .⁷ The parameter λ is referred to as the market price of risk, it governs the covariance of shocks to the state variable and the discount factor. In affine models, the expected one-period excess return of a long-term bond over the short rate, divided by its standard deviation, is a linear function of λ .⁸

The model specification is now complete: given the state process (2.1) and the pricing kernel specification (2.6), arbitrage free bond price processes $\{P_t^n\}$ are given as the solution of the stochastic difference equation (2.5). An explicit solution of the model writes bond prices, or equivalently yields, as functions of the factor X_t , i.e they are of the form

$$y_t^n = f_n(X_t; \psi), \quad (2.8)$$

where ψ collects all model parameters. The next section is devoted to finding this solution function f_n for our threshold model.

3 Arbitrage-free Term Structure

We start by writing bond prices as a function of future discount factors. Substituting the basic pricing equation (2.5) repeatedly into itself, using the law of iterated expectations and noting that $P_t^0 = 1$, we can write the time t price of the n -period bond as

$$\begin{aligned} P_t^n &= E(M_{t+1}P_{t+1}^{n-1}|X_t) \\ &= E(M_{t+1}E(M_{t+2}P_{t+2}^{n-2}|X_{t+1})|X_t) \\ &= \dots \\ &= E(M_{t+1} \cdot M_{t+2} \cdot \dots \cdot M_{t+n}|X_t), \end{aligned} \quad (3.1)$$

equivalently using discount factors in logs,

$$P_t^n = E(\exp[m_{t+1} + \dots + m_{t+n}]|X_t). \quad (3.2)$$

Before we turn to the model based on (2.1) it is instructive to consider the special case of $\beta = 0$, that is with X_t following the linear Gaussian process

$$X_t = \nu + \kappa X_{t-1} + \sigma\epsilon_t, \quad \epsilon_t \sim N(0, 1). \quad (3.3)$$

⁷See Backus et al. (1998).

⁸See Campbell, Lo, and MacKinlay (1997) and Cochrane (2001).

Since for this case X_t is a linear process, the sum of log SDFs can be written as a linear combination of X_t and future ϵ_t only. This yields for the bond price

$$P_t^n = E \left(\exp \left[-a_n - B_n X_t + \sum_{i=1}^n b_i^n \epsilon_{t+i} \right] \middle| X_t \right) \quad (3.4)$$

where a_n , B_n and b_n^i are coefficients depending on the model parameters ν , κ , σ , and λ as well as on time to maturity n .⁹

Since the ϵ_t are Gaussian white noise, their sum is also normal and the exponential expression in (3.4) has a conditional lognormal distribution. Computing the required expectation yields the solution¹⁰

$$P_t^n = \exp[-A_n - B_n X_t], \quad (3.5)$$

where

$$B_n = \sum_{i=0}^{n-1} \kappa^i = \frac{1 - \kappa^n}{1 - \kappa}, \quad (3.6)$$

$$A_n = \sum_{i=0}^{n-1} G(B_i), \quad (3.7)$$

with

$$G(B_i) = \delta + B_i \nu - \frac{1}{2}(\lambda + B_i)^2 \sigma^2.$$

Using (2.3), we obtain bond yields as an affine function of the short-term interest rate,

$$y_t^n = \frac{A_n}{n} + \frac{B_n}{n} X_t. \quad (3.8)$$

Note that this implies that for a given time to maturity n , the sensitivity of yields with respect to interest rate changes does not depend on the level of the short rate.

We now turn to the case that the short rate follows the threshold process (2.1). That is, the only little difference to the case considered up to now is that the intercept of

⁹The important point is the exponential-affine structure. The exact form of these coefficients, expressed in terms of ν , κ , σ , and λ is not relevant here. For the threshold model (which nests the linear model) they are given in proposition 3.1 below.

¹⁰Usually, bond prices for the linear Gaussian case are obtained using a method of undetermined coefficients, cf. Backus et al. (1998) or Cochrane (2001). One assumes that bond prices are in fact of the form (3.5) and inserts this expression on both sides of (2.5). It turns out that for A_n and B_n (viewed as a function of n) to satisfy (2.5) for all n and t , they have to solve a system of difference equations the solution of which is given by (3.6) and (3.7). Here we have chosen the approach using the moving average representation in order to parallel it to the solution approach for the threshold case.

the process is allowed to switch endogenously. However, it turns out that this slight modification makes the computation of bond prices a much more intricate task. The following will describe the basic idea of solving for bond prices and state the exact solution. The detailed derivation is delegated to the appendix.

For $n = 1$, we should obtain the short rate itself, i.e. $y_t^1 = X_t$. This is in fact the case since

$$\begin{aligned} P_t^1 &= E(M_{t+1} \cdot 1 | X_t) \\ &= E(\exp[-\delta - X_t - \lambda\sigma\epsilon_{t+1}] | X_t) \\ &= \exp[-\delta - X_t + \lambda^2\sigma^2], \end{aligned}$$

and thus, using (2.7),

$$y_t^1 = \delta + X_t - \frac{1}{2}\lambda^2\sigma^2 = X_t.$$

For treating maturities $n > 2$ we introduce the notation

$$S_t = I(X_t \geq c) \text{ and } a(S_t) = \nu + \beta S_t,$$

so for the threshold process (2.1),

$$X_{t+1} = a(S_t) + \kappa X_t + \sigma\epsilon_{t+1}. \quad (3.9)$$

The price of the two-period bond is given by

$$\begin{aligned} P_t^2 &= E(\exp[m_{t+1} + m_{t+2}] | X_t) \\ &= E(\exp[-2\delta - X_t - X_{t+1} - \sigma\lambda(\epsilon_{t+1} + \epsilon_{t+2})] | X_t) \\ &= \exp[-2\delta - X_t - a(S_t) - \kappa X_t] \cdot E(\exp[-\sigma(1 + \lambda)\epsilon_{t+1} - \sigma\lambda\epsilon_{t+2}] | X_t) \end{aligned}$$

Conditional on X_t , the last exponent is normally distributed with mean 0 and variance $\sigma^2((1 + \lambda)^2 + \lambda^2)$. Thus, the exponential expression has a conditional lognormal distribution, and

$$E(\exp[-\sigma(1 + \lambda)\epsilon_{t+1} - \sigma\lambda\epsilon_{t+2}] | X_t) = \exp\left[\frac{1}{2}\sigma^2((1 + \lambda)^2 + \lambda^2)\right].$$

Collecting terms delivers

$$P_t^2 = \exp[-A_2(X_t) - B_2 X_t] \quad (3.10)$$

with

$$A_2(X_t) = a(S_t) + 2\delta - \frac{1}{2}\sigma^2(\lambda^2 + (1 + \lambda)^2) \quad (3.11)$$

and

$$B_2 = (1 + \kappa). \quad (3.12)$$

Hence, using (2.3), for the yield we obtain

$$y_t^2 = \frac{A_2(X_t)}{2} + \frac{B_2}{2} X_t. \quad (3.13)$$

The derivation has employed the same techniques as in the purely Gaussian case. The structure of the solution, however, does differ from (3.8). The two-period yield is a stepwise linear function of the short rate: the intercept depends on $a(S_t) \equiv \nu + \beta \cdot I(X_t \geq c)$. Thus, y_t^2 viewed as a function of X_t features a discontinuity at $X_t = c$. However, at all points of continuity, the derivative of the two-month yield with respect to the short rate is constant. Moreover, the expression B_n is the same as in the linear case.

For $n > 2$ the solution of the bond price can be written in a similar form as in (3.4). However, since the underlying short-rate process now involves the time-varying intercepts, the representation of future log SDFs involves not only future ϵ_t but also future intercepts which in turn are dependent on future X_t . In the appendix it is shown that bond prices can be written as

$$\begin{aligned} P_t^n &= E(\exp[m_{t+1} + \dots + m_{t+n}] | X_t) \\ &= E \left(\exp \left[-n\delta - B_n X_t + \sum_{i=1}^n b_i^n \epsilon_{t+i} + \sum_{j=0}^{n-2} c_j^n \cdot a(S_{t+j}) \right] \middle| X_t \right), \end{aligned}$$

where B_n , b_i^n , c_j^n are coefficients depending on the model parameters κ , σ and λ . The crucial thing to note is that the expression in parentheses is not a linear function of future X_t anymore as it was in the case of a simple linear AR(1) for X_t .¹¹ Accordingly, conditional on X_t , the expression is not lognormal. Our solution for this case makes use of a similar idea as employed in Bansal and Zhou (2002). We will evaluate the expression by first computing the expectation for an arbitrary *given* realization of $(S_{t+1}, \dots, S_{t+n-2})'$, say $(\bar{S}_{t+1}, \dots, \bar{S}_{t+n-2})'$, and then take the probability-weighted sum over all possible realizations of $(S_{t+1}, \dots, S_{t+n-2})'$. That is, we first enlarge the conditioning information set and then integrate out the enlargement again.

However, even under the extended information set $\{X_t, \bar{S}_{t+1}, \dots, \bar{S}_{t+n-2}\}$, the exponential does not have a plain lognormal distribution. This is because $(S_{t+1}, \dots, S_{t+n-2})'$ and $(\epsilon_{t+1}, \dots, \epsilon_{t+n-2})'$ are not independent. In other words, knowing that a particular path of intercepts $(a(\bar{S}_{t+1}), \dots, a(\bar{S}_{t+n-2}))'$ has been realized, restricts the set of possible realizations of $(\epsilon_{t+1}, \dots, \epsilon_{t+n-2})'$: conditional on the extended information set, $(\epsilon_{t+1}, \dots, \epsilon_{t+n-2})'$ has a *truncated* multivariate lognormal distribution.

¹¹Recall that $a(S_t) = \nu + \beta \cdot I(X_t \geq c)$.

A final point to note is that, since S_{t+i} can assume two different values, 1 and 0, the number of different extended information sets, $\{X_t, \bar{S}_{t+1}, \dots, \bar{S}_{t+n-2}\}$, amounts to 2^{n-2} . It is obvious that this will be one obstacle for obtaining numerical values for bond yields with longer times to maturity.

The following proposition states the solution for bond yields with time to maturity exceeding two months.

Proposition 3.1 (Yield function for $n > 2$). *For the short rate process given by (2.1) and the pricing kernel defined by (2.6), yields with time to maturity $n > 2$ as a function of the short rate X_t are given as:*

$$y_t^n = \frac{A_n(X_t)}{n} + \frac{B_n}{n} X_t \quad (3.14)$$

with

$$B_n = \frac{1 - \kappa^n}{1 - \kappa} \quad (3.15)$$

and

$$\begin{aligned} & A_n(X_t) \\ = & n \cdot \delta - c_0^n a(S_t) - \frac{1}{2} b' b \\ & - \ln \left(\sum_{k=1}^{2^{n-2}} F(\tilde{h}(k); \tilde{H}(k) b^*, \tilde{H}(k) \tilde{H}(k)') \exp \left[\sum_{j=1}^{n-2} c_j^n \cdot a(\bar{S}_{t+j}(k)) \right] \right) \end{aligned} \quad (3.16)$$

which uses the following definitions:

$$\begin{aligned} b &= (b_1^n, \dots, b_n^n)', \quad b^* = (b_1^n, \dots, b_{n-2}^n)' \text{ with } b_i^n = -\sigma \left(\lambda + \frac{1 - \kappa^{n-i}}{1 - \kappa} \right) \\ c_j^n &= -\frac{1 - \kappa^{n-j-1}}{1 - \kappa}, \quad j = 0, 1, \dots, n-2 \end{aligned}$$

The function $F(r; \mu, \Sigma)$ denotes the cumulative distribution function of the multivariate normal $N(\mu, \Sigma)$ evaluated at the vector r .

The first summation in (3.16) runs over all possible realizations of the sequence $\{S_{t+1}, \dots, S_{t+n-2}\}$, i.e. over all possible sequences of length $n-2$ that consist of zeros and ones. $\{\bar{S}_{t+1}(k), \dots, \bar{S}_{t+n-2}(k)\}$ denotes a particular sequence of this sort. The indexing may be such that k is the decimal number (plus one) that corresponds to the binary number represented by the sequence. For instance, the sequence

$$\{\bar{S}_{t+1}(k), \bar{S}_{t+2}(k), \bar{S}_{t+3}(k), \bar{S}_{t+4}(k)\} = \{1, 0, 0, 1\}$$

corresponds to the decimal number 9 and would carry the index $k = 10 (= 9 + 1)$.

The vector $\tilde{h}(k)$ is given by¹²

$$\tilde{h}(k) = \tilde{c}(k) - \tilde{f}(k) \cdot X_t - \tilde{G}(k) \cdot a(\bar{\zeta}_t^*(k)). \quad (3.17)$$

The remaining expressions are defined as follows:

$$\bar{\zeta}_t^*(k) = (S_t, \bar{S}_{t+1}(k), \bar{S}_{t+2}(k), \dots, \bar{S}_{t+n-3}(k))', \quad (3.18)$$

$$a(\bar{\zeta}_t^*(k)) = (a(S_t), a(\bar{S}_{t+1}(k)), a(\bar{S}_{t+2}(k)), \dots, a(\bar{S}_{t+n-3}(k)))', \quad (3.19)$$

$$\tilde{f}(k) = \begin{pmatrix} R(\bar{S}_{t+1}(k)) \cdot \kappa^1 \\ \vdots \\ R(\bar{S}_{t+n-2}(k)) \cdot \kappa^{n-2} \end{pmatrix} \quad (3.20)$$

where

$$R(\bar{S}) = \begin{cases} 1, & \text{if } \bar{S} = 0 \\ -1, & \text{if } \bar{S} = 1, \end{cases} \quad (3.21)$$

$$\tilde{G}(k) = \begin{pmatrix} \tilde{g}_1^1(k) & 0 & 0 & \dots & 0 \\ \tilde{g}_1^2(k) & \tilde{g}_2^2(k) & 0 & \dots & 0 \\ \vdots & \vdots & \vdots & \vdots & \vdots \\ \tilde{g}_1^{n-2}(k) & \tilde{g}_2^{n-2}(k) & \tilde{g}_3^{n-2}(k) & \dots & \tilde{g}_{n-2}^{n-2}(k) \end{pmatrix} \quad (3.22)$$

with

$$\tilde{g}_j^i(k) = R(\bar{S}_{t+j}(k)) \cdot \kappa^{i-j}, \quad (3.23)$$

$$\tilde{c}(k) = c \cdot \begin{pmatrix} R(\bar{S}_{t+1}(k)) \\ \vdots \\ R(\bar{S}_{t+n-2}(k)) \end{pmatrix}, \quad (3.24)$$

and

$$\tilde{H}(k) = \begin{pmatrix} \tilde{h}_1^1(k) & 0 & 0 & \dots & 0 \\ \tilde{h}_1^2(k) & \tilde{h}_2^2(k) & 0 & \dots & 0 \\ \vdots & \vdots & \vdots & \vdots & \vdots \\ \tilde{h}_1^{n-2}(k) & \tilde{h}_2^{n-2}(k) & \tilde{h}_3^{n-2}(k) & \dots & \tilde{h}_{n-2}^{n-2}(k) \end{pmatrix} \quad (3.25)$$

¹²The expressions $\tilde{h}(k)$, $\tilde{c}(k)$, $\tilde{f}(k)$, $\tilde{G}(k)$, $\tilde{c}(k)$, $\tilde{H}(k)$ depend on n and t . However, we omit these arguments in order to avoid an even more messy notation.

with

$$\tilde{h}_j^i(k) = R(\bar{S}_{t+j}(k)) \cdot \sigma \kappa^{i-j}. \quad (3.26)$$

Given the parameters of the threshold model, ν , δ , c , κ , σ and λ , it is in principle possible to compute any n -period yield that corresponds to a realization X_t of the short rate. However, as n gets larger, the following computational obstacles occur.

First, as already mentioned above, the number of different intercept combinations increases exponentially with time to maturity. Second, the formula involves $F(\tilde{h}(k); \tilde{H}(k)b^*, \tilde{H}(k)\tilde{H}(k)')$, the c.d.f. of a multivariate normal with general (i.e. non-diagonal) covariance matrix. Numerical software¹³ usually has difficulties to compute the corresponding multiple integral for higher dimensions, say exceeding 6. Since computing bond yields of maturity n requires the computation of a c.d.f of an $(n-2)$ -variate normal, maturities exceeding eight months cannot be obtained in a straightforward fashion.

In the companion paper Archontakis and Lemke (2005) we circumvent these problems by computing bond prices for higher n employing a simulation-based approach. Conditional on a realization X_t of the short rate we generate N realizations – say $N=100,000$ – of $(X_{t+1}, \dots, X_{t+n-1})'$ and $(\epsilon_t, \dots, \epsilon_{t+n})'$ and compute the corresponding $\exp[m_{t+1} + \dots m_{t+n}]$. The average of the latter expression over all runs is an estimate of P_t^n , see (3.2). Using the simulation method, that paper explores the properties of bond yields in some detail. In this paper here, we restrict ourselves to illustrate some properties of the yield function for small n which is done in the next section.

4 A Numerical Example

Based on parameter estimates for US data in Archontakis and Lemke (2005), figure 1 draws yields of two-, three- and six-month yields as a function of the one-month rate. The parameters are given as

$$\begin{aligned} \nu &= 0.3058/1200, & \beta &= 0.2603/1200, & \kappa &= 0.9253, \\ c &= 5.5296/1200, & \sigma &= 0.7136/1200, & \lambda &= -155. \end{aligned}$$

Recall that for a linear one-factor model, the function that maps the short rate into n -period yields is given by (3.8), i.e. it is affine. For the threshold model, the two-period yield is obtained via (3.13), a stepwise linear function, for $n \geq 3$, the yield function (given

¹³We use GAUSS 6.0 here.




Figure 1: Two-, three- and six-month yield as a function of the short rate.

in proposition 3.1) is nonlinear. It turns out that the 'degree of nonlinearity' increases with time to maturity.¹⁴ However, for small n , for which yields can be actually computed, nonlinearity is hardly visible from the graph.

Therefore, we choose another representation that plots a measure of the second derivative of the yield function against the short rate. Let $f_n(x)$ denote the function that assigns the short rate x the corresponding n -period yield, i.e. $f_n(x) = A_n(x)/n + B_n/n \cdot x$, with $A_n(\cdot)$ and B_n given by (3.16) and (3.15). For a small number h , we approximate the second derivative as

$$\frac{d^2 f_n(x)}{dx^2} \approx \frac{f_n(x-h) - 2f_n(x) + f_n(x+h)}{h^2} =: k_n(x), \quad (4.1)$$

at all points of continuity. That is, we do not compute $k_n(x)$ if $[x-h, x+h]$ contains the threshold value c . Figure 2 plots $k_n(x)$ against x for $n = 2, 3$ and 6 .

For $n = 2$ the function is identically zero since $f_2(x)$ is stepwise linear, so the second derivative disappears at all points of continuity. For $n = 3$ and $n = 6$ the figure shows that

¹⁴See Archontakis and Lemke (2005).




Figure 2: Second derivative of the yield function against the short rate.

there is in fact a nonlinearity around the threshold value (that could not be made visible in figure 1). In particular, the yield functions f_3 and f_6 exhibit a convex-concave pattern: on the left of the threshold value the sensitivity of y^n with respect to x increases (positive second derivative, i.e. increase in (positive) first derivative), on the right it decreases (negative second derivative, i.e. decrease in (positive) first derivative). Moreover, the interval in which 'nonlinearity prevails' is bigger for $n = 6$ than for $n = 3$. As shown in Archontakis and Lemke (2005) it tends to rise monotonically with time to maturity.

5 Summary and Outlook

Assuming a linear Gaussian process for the short-term interest rate and an adequately chosen pricing kernel induces bond yields to be affine functions of the short rate under the condition of no-arbitrage. While this is a convenient property of linear models, the empirical literature on interest rate dynamics finds evidence for nonlinearities in short-rate dynamics. This poses the question how certain forms of nonlinear dynamics translate

into the cross-sectional relationship between bond yields of different maturities. This paper considered a very simple case of a nonlinear specification for the one-month rate: a SETAR process that allows the intercept parameter to switch, while all other parameters are assumed to be constant. This specification has been proposed by Lanne and Saikkonen (2002) as it is especially suited to capture the near-unit-root behavior of interest rates.

We derive the exact formula for bond yields as a function of the one-month rate. It turns out that the yield functions exhibit a convex-concave pattern around the threshold value. The region in which nonlinearity prevails increases with time to maturity. That is, for small time to maturity n , the corresponding yield as a function of the short rate is nearly (stepwise) linear.

While our solution for bond prices delivers the exact solution in a finite number of operations, two numerical problems arise for the computation of yields for longer (i.e. $n > 7$ months) time to maturity. First, the solution for the n -period yield requires the computation of the c.d.f. of an $(n - 2)$ -variate normal with general variance-covariance matrix, which is usually not feasible to be computed. The second problem lies in the fact that the computational burden increases exponentially with time to maturity. The companion paper Archontakis and Lemke (2005) circumvents these problems by relying on a pure simulation-based approach for longer times to maturity. For future research it is conceivable to use more clever numerical routines to compute the required c.d.f.s. Concerning the curse of dimensionality problem, one may employ a mixed approach that makes use of our analytical solution within a simulation-based approach.

The solution approach introduced in this paper can be transferred to richer nonlinear models of the term structure. For instance, parameters other than intercepts may be allowed to switch as well. This includes models for which the degree of mean reversion depends on the level of interest rates. Moreover, the technique introduced in this paper should be easily transferable to multifactor models. If solution functions for those models can actually be made computable, those nonlinear models should be compared to the well-established multifactor affine models.

A Two Auxiliary Results

We first provide two auxiliary results about the expectations of the (truncated) multivariate log-normal distribution. Let x be distributed as an m -variate normal, $x \sim N(0, \Omega)$, and let d and r be vectors of length m . Then:

$$E(\exp[d'x]) = \exp\left[\frac{1}{2}d'\Omega d\right] \quad (\text{A.1})$$

and

$$E(\exp[d'x]|x < r) = \frac{1}{Pr(x < r)} F(r; \Omega d, \Omega) \exp\left[\frac{1}{2}d'\Omega d\right], \quad (\text{A.2})$$

where $F(r; \Omega d, \Omega)$ denotes the c.d.f. of the multivariate normal with mean Ωd and variance-covariance matrix Ω evaluated at r .

Noting that $d'x$ is a scalar normal random variable, the first expression is a standard result. To show the second result, first note that the conditional density required to compute the expectation is given by

$$p(x|x < r) = \frac{p(x)}{Pr(x < r)}.$$

where $p(x)$ is the density of the normal $N(0, \Omega)$ and $Pr(x < r)$ is the c.d.f. of that normal evaluated at r .¹⁵

Then we have

$$\begin{aligned} & E(\exp[d'x]|x < r) \\ = & \frac{1}{Pr(x < r)} \int_{-\infty}^{r_m} \cdots \int_{-\infty}^{r_1} \frac{1}{(2\pi)^{(m/2)}} |\Omega|^{-1/2} \exp[-1/2x'\Omega^{-1}x] \exp[d'x] dx_1 \dots dx_m \\ = & \frac{1}{Pr(x < r)} \int_{-\infty}^{r_m} \cdots \int_{-\infty}^{r_1} \frac{1}{(2\pi)^{(m/2)}} |\Omega|^{-1/2} \\ & \times \exp[(-1/2)(x'\Omega^{-1}x - 2d'x - d'\Omega d + d'\Omega d)] dx_1 \dots dx_m \\ = & \frac{1}{Pr(x < r)} \int_{-\infty}^{r_m} \cdots \int_{-\infty}^{r_1} \frac{1}{(2\pi)^{(m/2)}} |\Omega|^{-1/2} \\ & \times \exp[(-1/2)(x - \Omega d)'\Omega^{-1}(x - \Omega d) + (1/2)d'\Omega d] dx_1 \dots dx_m \\ = & \frac{1}{Pr(x < r)} \cdot \exp[(1/2)d'\Omega d] \cdot \int_{-\infty}^{r_m} \cdots \int_{-\infty}^{r_1} \frac{1}{(2\pi)^{(m/2)}} |\Omega|^{-1/2} \\ & \times \exp[(-1/2)(x - \Omega d)'\Omega^{-1}(x - \Omega d)] dx_1 \dots dx_m \\ = & \frac{1}{Pr(x < r)} \cdot \exp[(1/2)d'\Omega d] \cdot F(r; \Omega d, \Omega). \end{aligned}$$

¹⁵So we could write here and in (A.2) $F(r; 0, \Omega)$ instead of $Pr(x < r)$. However, we stick to $Pr(x < r)$ since this is a more convenient notation for the derivation following in section B.

B Derivation of the Bond Pricing Formula for $n > 2$

1. Representation of X_{t+i} and partial sums of log SDFs

In the following we will need X_{t+i} written in terms of X_t , future ϵ_t and future intercepts as well as partial sums of the pricing kernel M_t .

Starting with X_t and iterating (3.9) forward leads to

$$\begin{aligned} X_{t+i} &= \kappa^i X_t + \kappa^{i-1} a(S_t) + \kappa^{i-2} a(S_{t+1}) + \dots + \kappa a(S_{t+i-2}) + a(S_{t+i-1}) \\ &\quad + \sigma \kappa^{i-1} \epsilon_{t+1} + \sigma \kappa^{i-2} \epsilon_{t+2} + \dots + \sigma \kappa \epsilon_{t+i-1} + \sigma \epsilon_{t+i}, \end{aligned}$$

in compact form

$$X_{t+i} = \kappa^i X_t + \sum_{l=1}^i g_l^i a(S_{t+l-1}) + h_l^i \epsilon_{t+l}. \quad (\text{B.3})$$

For partial sums of X_t we obtain

$$\begin{aligned} &X_{t+1} + X_{t+2} + \dots + X_{t+m} \\ &= (\kappa + \kappa^2 + \dots + \kappa^m) X_t \\ &\quad + (1 + \kappa + \dots + \kappa^{m-1}) a(S_t) + (1 + \kappa + \dots + \kappa^{m-2}) a(S_{t+1}) + \dots \\ &\quad + (1 + \kappa) a(S_{t+m-2}) + a(S_{t+m-1}) \\ &\quad + \sigma(1 + \kappa + \dots + \kappa^{m-1}) \epsilon_{t+1} + \sigma(1 + \kappa + \dots + \kappa^{m-2}) \epsilon_{t+2} + \dots \\ &\quad + \sigma(1 + \kappa) \epsilon_{t+m-1} + \sigma \epsilon_{t+m}, \end{aligned}$$

Using the latter result, the sum of the log discount factors, $m_t = \ln(M_t)$, can be written as

$$\begin{aligned} &m_{t+1} + m_{t+2} + \dots + m_{t+n} \\ &= -n\delta - X_t - X_{t+1} - \dots - X_{t+n-1} - \sigma \lambda \epsilon_{t+1} - \sigma \lambda \epsilon_{t+2} - \dots - \sigma \lambda \epsilon_{t+n} \\ &= -n\delta - (1 + \kappa + \dots + \kappa^{n-1}) X_t \\ &\quad - (1 + \kappa + \dots + \kappa^{n-2}) a(S_t) - (1 + \kappa + \dots + \kappa^{n-3}) a(S_{t+1}) - \dots \\ &\quad - (1 + \kappa) a(S_{t+n-3}) - a(S_{t+n-2}) \\ &\quad - \sigma(\lambda + 1 + \kappa + \dots + \kappa^{n-2}) \epsilon_{t+1} - \sigma(\lambda + 1 + \kappa + \dots + \kappa^{n-2}) \epsilon_{t+2} - \dots \\ &\quad - \sigma(\lambda + 1) \epsilon_{t+n-1} - \sigma \lambda \epsilon_{t+n-2}, \end{aligned}$$

compactly,

$$m_{t+1} + \dots + m_{t+n} = -n\delta - B_n X_t + \sum_{i=1}^n b_i^n \epsilon_{t+i} + \sum_{j=0}^{n-2} c_j^n \cdot a(S_{t+j}). \quad (\text{B.4})$$

2. Bond price as product of three factors

We plug (B.4) into the bond price formula (3.2) and obtain

$$\begin{aligned} P_t^n &= E(\exp[m_{t+1} + \dots + m_{t+n}] | X_t) \\ &= E \left(\exp \left[-n\delta - B_n X_t + \sum_{i=1}^n b_i^n \epsilon_{t+i} + \sum_{j=0}^{n-2} c_j^n \cdot a(S_{t+j}) \right] \middle| X_t \right). \end{aligned}$$

The random variables X_t and S_t are part of the conditioning information set and can thus be taken outside the expectation. (Note that knowing X_t implies knowing if $X_t < c$ is true and thus knowing the realization of $S_t = I(X_t \geq c)$.) Moreover, ϵ_{t+n-1} and ϵ_{t+n} are independent of $(S_t, S_{t+1}, S_{t+n-2}, \epsilon_{t+1}, \dots, \epsilon_{t+n-2})'$. Hence, we can write

$$\begin{aligned} P_t^n &= \exp[-n\delta - B_n X_t + c_0^n a(S_t)] \\ &\times E(\exp[b_{n-1}^n \epsilon_{t+n-1} + b_n^n \epsilon_{t+n}] | X_t) \\ &\times E \left(\exp \left[\sum_{i=1}^{n-2} b_i^n \epsilon_{t+i} + c_i^n a(S_{t+i}) \right] \middle| X_t \right). \end{aligned} \quad (\text{B.5})$$

The product consists of three factors. The first factor contains only quantities known at time t . The expectation of the second factor can be computed using the first of our auxiliary results, (A.1), since $(\epsilon_{t+n-1}, \epsilon_{t+n})'$ is conditionally (and unconditionally) normally distributed. Thus, using the terms of (A.1) we have $d = (b_{n-1}^n, b_n^n)'$, $x = (\epsilon_{t+n-1}, \epsilon_{t+n})'$, $\mu = 0_2$, and $\Omega = I_2$ and we obtain for the second factor in (B.5)

$$E(\exp[b_{n-1}^n \epsilon_{t+n-1} + b_n^n \epsilon_{t+n}] | X_t) = \exp[0.5(b_{n-1}^n)^2 + 0.5(b_n^n)^2]. \quad (\text{B.6})$$

3. Computation of $E \left(\exp \left[\sum_{i=1}^{n-2} b_i^n \epsilon_{t+i} + \sum_{j=1}^{n-2} c_j^n a(S_{t+j}) \right] \middle| X_t \right)$.

For computing the third factor in (B.5) it is important to note that $(S_{t+1}, \dots, S_{t+n-2})'$ and $(\epsilon_{t+1}, \dots, \epsilon_{t+n-2})'$ are not independent. We will evaluate the expression by first computing the expectation for an arbitrary *given* realization of $(S_{t+1}, \dots, S_{t+n-2})'$ and then take the probability-weighted sum over all possible realizations of $(S_{t+1}, \dots, S_{t+n-2})'$. That is, we first enlarge the conditioning information set and then integrate out the enlargement again.¹⁶

Let

$$\bar{\zeta}_t = (\bar{S}_{t+1}, \dots, \bar{S}_{t+n-2})'$$

¹⁶A similar approach is taken by Bansal and Zhou (2002), deriving bond prices for the case that the state evolution is subject to Markov regime switching.

denote a realization of

$$\zeta_t = (S_{t+1}, \dots, S_{t+n-2})',$$

i.e. $\bar{\zeta}_t$ is a sequence of zeros and ones. There are 2^{n-2} different such sequences. They will be indexed $k = 1, 2, \dots, 2^{n-2}$ such that $k - 1$ is that decimal number that corresponds to the binary number represented by $\bar{\zeta}_t$. For example for $n = 6$, $\bar{\zeta}_t(k = 1) = (0, 0, 0, 0)'$ and $\bar{\zeta}_t(k = 14) = (1, 1, 0, 1)'$.

Thus, we have

$$\begin{aligned} & E \left(\exp \left[\sum_{i=1}^{n-2} b_i^n \epsilon_{t+i} + c_i^n a(S_{t+i}) \right] \middle| X_t \right) \\ &= \sum_{k=1}^{2^{n-2}} Pr(\bar{\zeta}_t(k) | X_t) E \left(\exp \left[\sum_{i=1}^{n-2} b_i^n \epsilon_{t+i} + c_i^n a(\bar{S}_{t+i}(k)) \right] \middle| X_t, \bar{\zeta}_t(k) \right) \end{aligned}$$

where $Pr(\bar{\zeta}_t(k) | X_t)$ denotes the conditional probability of the realization $\zeta_t = \bar{\zeta}_t(k)$.

For the expectation conditional on the augmented information set we can pull out expressions involving \bar{S}_{t+i} , hence

$$\begin{aligned} & E \left(\exp \left[\sum_{i=1}^{n-2} b_i^n \epsilon_{t+i} + c_i^n a(S_{t+i}) \right] \middle| X_t \right) \\ &= \sum_{k=1}^{2^{n-2}} Pr(\bar{\zeta}_t(k) | X_t) \exp \left[\sum_{i=1}^{n-2} c_i^n a(\bar{S}_{t+i}(k)) \right] \\ &\quad \times E \left(\exp \left[\sum_{i=1}^{n-2} b_i^n \epsilon_{t+i} \right] \middle| X_t, \bar{\zeta}_t(k) \right). \end{aligned} \tag{B.7}$$

4. Computation of $E \left(\exp \left[\sum_{i=1}^{n-2} b_i^n \epsilon_{t+i} \right] \middle| X_t, \bar{\zeta}_t(k) \right)$.

In order to compute the last conditional expectation appearing in the latter expression we will make use of our auxiliary result (A.2). For this we will rewrite the conditioning information set as a set of inequality conditions.

To explain the approach, we consider the following example. If, for $n = 5$, $\bar{\zeta}_t(3) = (0, 1, 0)$, this is equivalent to the event

$$X_{t+1} < c, X_{t+2} \geq c, X_{t+3} < c.$$

Making use of (B.3), these three inequalities can be written as

$$\begin{aligned} \kappa X_t + g_1^1 a(S_t) + h_1^1 \epsilon_{t+1} &< c \\ \kappa^2 X_t + g_1^2 a(S_t) + a_2^2 a(\bar{S}_{t+1}(k)) + h_1^2 \epsilon_{t+1} + h_2^2 \epsilon_{t+2} &\geq c \\ \kappa^3 X_t + g_1^3 a(S_t) + g_2^3 a(\bar{S}_{t+1}(k)) + g_3^3 a(\bar{S}_{t+2}(k)) + h_1^3 \epsilon_{t+1} + h_2^3 \epsilon_{t+2} + h_3^3 \epsilon_{t+3} &< c \end{aligned}$$

To be able to apply our auxiliary result (A.2) we only want to have ' $<$ ' inequalities. So we multiply every ' \geq ' inequality by -1. Technically, we multiply through any inequality by a factor $R(\bar{S}_{t+i}(k))$, where for the function $R(\cdot)$ defined on $\{0, 1\}$, $R(0) = 1$, and $R(1) = -1$. Hence, in the above example $R(\bar{S}_{t+1}(k)) = R(0) = 1$, $R(\bar{S}_{t+2}(k)) = -1$, and $R(\bar{S}_{t+3}(k)) = 1$. Thus, the inequality corresponding to a particular $\bar{S}_{t+i}(k)$ is written as

$$R(\bar{S}_{t+i}(k)) \cdot \left[\kappa^i X_t + \sum_{l=1}^i g_l^i a(\bar{S}_{t+l-1}) + h_l^i \epsilon_{t+l} \right] < R(\bar{S}_{t+i}(k))c. \quad (\text{B.8})$$

Accordingly, the set of inequalities corresponding to a particular $(\bar{S}_{t+1}(k), \dots, \bar{S}_{t+n-2}(k))'$ can be written in vector-matrix notation as

$$\begin{aligned} & \begin{pmatrix} R(\bar{S}_{t+1}(k)) \\ R(\bar{S}_{t+2}(k)) \\ \vdots \\ R(\bar{S}_{t+n-2}(k)) \end{pmatrix} \odot \left(\begin{pmatrix} \kappa \\ \kappa^2 \\ \vdots \\ \kappa^{n-2} \end{pmatrix} X_t \right) \\ & + \begin{pmatrix} g_1^1 & 0 & 0 & \dots & 0 \\ g_1^2 & g_2^2 & 0 & \dots & 0 \\ \vdots & \vdots & \vdots & \vdots & \vdots \\ g_1^{n-2} & g_2^{n-2} & g_3^{n-2} & \dots & g_{n-2}^{n-2} \end{pmatrix} \begin{pmatrix} a(S_t) \\ a(\bar{S}_{t+1}(k)) \\ \vdots \\ a(\bar{S}_{t+n-3}(k)) \end{pmatrix} \\ & + \begin{pmatrix} h_1^1 & 0 & 0 & \dots & 0 \\ h_1^2 & h_2^2 & 0 & \dots & 0 \\ \vdots & \vdots & \vdots & \vdots & \vdots \\ h_1^{n-2} & h_2^{n-2} & h_3^{n-2} & \dots & h_{n-2}^{n-2} \end{pmatrix} \begin{pmatrix} \epsilon_{t+1} \\ \epsilon_{t+2} \\ \vdots \\ \epsilon_{t+n-2} \end{pmatrix} \\ & < c \cdot \begin{pmatrix} R(\bar{S}_{t+1}(k)) \\ R(\bar{S}_{t+2}(k)) \\ \vdots \\ R(\bar{S}_{t+n-2}(k)) \end{pmatrix} \end{aligned}$$

where ' \odot ' denotes elementwise multiplication of two vectors. Using the definitions (3.17) - (3.26), and $\mathcal{E}_t = (\epsilon_{t+1}, \dots, \epsilon_{t+n-2})'$ this is written compactly as

$$\tilde{f}(k)X_t + \tilde{G}(k)a(\bar{\zeta}_t^*(k)) + \tilde{H}(k)\mathcal{E}_t < \tilde{c}(k) \quad (\text{B.9})$$

or

$$\tilde{H}(k)\mathcal{E}_t < \tilde{h}(k). \quad (\text{B.10})$$

It is important to note that multiplying both sides of (B.10) by the inverse of $\tilde{H}(k)$ would not be an equivalent transformation of that inequality.¹⁷ We define a new random vector

$$\tilde{z}(k) = \tilde{H}(k) \mathcal{E}_t.$$

Since $\mathcal{E}_t \sim N(0_{n-2}, I_{n-2})$, we have

$$\tilde{z}(k) \sim N(0, \tilde{H}(k)\tilde{H}(k)')$$

Now we can turn the expression to be computed,

$$E(\exp[b^{*'}\mathcal{E}_t] | X_t, \bar{\zeta}_t(k)),$$

into the form of (A.2).¹⁸ That is we rewrite the exponential in terms of $\tilde{z}(k)$ and the conditioning on $\bar{\zeta}_t(k)$ in terms of an inequality for $\tilde{z}(k)$. Then we apply (A.2). We obtain

$$\begin{aligned} & E(\exp[b^{*'}\mathcal{E}_t] | X_t, \bar{\zeta}_t(k)) \\ = & E\left(\exp\left[\left(\tilde{H}(k)^{-1'}b^*\right)'\tilde{z}(k)\right] | X_t, \tilde{z}(k) < \tilde{h}(k)\right) \\ = & \frac{1}{Pr(\tilde{z}(k) < \tilde{h}(k) | X_t)} \\ & \times \exp\left[0.5 b^{*'}\tilde{H}(k)^{-1}\tilde{H}(k)\tilde{H}(k)'\tilde{H}(k)^{-1'}b^*\right] \\ & \times F\left(\tilde{h}(k); \tilde{H}(k)\tilde{H}(k)'\tilde{H}(k)^{-1'}b^*, \tilde{H}(k)\tilde{H}(k)'\right) \\ = & \frac{1}{Pr(\tilde{z}(k) < \tilde{h}(k) | X_t)} \\ & \times \exp\left[0.5 b^{*'}b^*\right] \\ & \times F\left(\tilde{h}(k); \tilde{H}(k)b^*, \tilde{H}(k)\tilde{H}(k)'\right) \end{aligned}$$

Finally note that

$$Pr(\tilde{z}(k) < \tilde{h}(k) | X_t) = Pr(\bar{\zeta}_t(k) | X_t),$$

since $\{\tilde{z}(k) < \tilde{h}(k) | X_t\}$ and $\{\bar{\zeta}_t(k) | X_t\}$ are equivalent events as we derived above.

5. Putting things together

¹⁷As a simple example, one can easily verify that $Ax < c$ – with $A = \begin{pmatrix} a_1 & 0 \\ a_2 & a_3 \end{pmatrix}$, $x = (x_1, x_2)'$, $c = (c_1, c_2)'$, a_1, a_2, a_3, c_1, c_2 all positive – defines a different region in x_1, x_2 space than $x < A^{-1}c$.

¹⁸Note that the only slight difference to (A.2) is that everything is conditional on X_t . However, a ‘conditional version’ of (A.2) could be derived in the same way as the unconditional version.

In step 4 we computed the last term in (B.7). Plugging in we obtain

$$\begin{aligned}
& E \left(\exp \left[\sum_{i=1}^{n-2} b_i^n \epsilon_{t+i} + c_i^n a(S_{t+i}) \right] \middle| X_t \right) \\
&= \sum_{k=1}^{2^{n-2}} \exp \left[\sum_{j=1}^{n-2} c_j^n a(\bar{S}_{t+j}(k)) \right] Pr(\bar{\zeta}_t(k) | X_t) \\
&\quad \times E \left(\exp \left[\sum_{i=1}^{n-2} b_i^n \epsilon_{t+i} \right] \middle| X_t, \bar{\zeta}_t(k) \right) \\
&= \sum_{k=1}^{2^{n-2}} \exp \left[\sum_{j=1}^{n-2} c_j^n a(\bar{S}_{t+j}(k)) \right] Pr(\bar{\zeta}_t(k) | X_t) \\
&\quad \times \frac{1}{Pr(\bar{\zeta}_t(k) | X_t)} \cdot \exp[0.5 b^{*'} b^*] \cdot F \left(\tilde{h}(k); \tilde{H}(k) b^*, \tilde{H}(k) \tilde{H}(k)' \right) \\
&= \sum_{k=1}^{2^{n-2}} \exp \left[\sum_{j=1}^{n-2} c_j^n a(\bar{S}_{t+j}(k)) \right] \\
&\quad \times \exp[0.5 b^{*'} b^*] \cdot F \left(\tilde{h}(k); \tilde{H}(k) b^*, \tilde{H}(k) \tilde{H}(k)' \right)
\end{aligned}$$

Using the latter and (B.6) we obtain for the bond price (B.5),

$$\begin{aligned}
P_t^n &= \exp[-n\delta - B_n + X_t + c_0^n a(S_t)] \\
&\quad \times E(\exp[b_{n-1}^n \epsilon_{t+n-1} + b_n^n \epsilon_{t+n}] | X_t) \\
&\quad \times E \left(\exp \left[\sum_{i=1}^{n-2} b_i^n \epsilon_{t+i} + c_i^n a(S_{t+i}) \right] \middle| X_t \right) \\
&= \exp[-n\delta - B_n X_t + c_0^n a(S_t)] \cdot \exp[0.5(b_{n-1}^n)^2 + 0.5(b_n^n)^2] \\
&\quad \times \sum_{k=1}^{2^{n-2}} \exp \left[\sum_{j=1}^{n-2} c_j^n a(\bar{S}_{t+j}(k)) \right] \\
&\quad \times \exp[0.5 b^{*'} b^*] \cdot F \left(\tilde{h}(k); \tilde{H}(k) b^*, \tilde{H}(k) \tilde{H}(k)' \right) \\
&= \exp[-n\delta - B_n X_t + c_0^n a(S_t)] \cdot \exp[0.5 b' b] \\
&\quad \times \sum_{k=1}^{2^{n-2}} \exp \left[\sum_{j=1}^{n-2} c_j^n a(\bar{S}_{t+j}(k)) \right] F \left(\tilde{h}(k); \tilde{H}(k) b^*, \tilde{H}(k) \tilde{H}(k)' \right)
\end{aligned}$$

Transferring the price into a yield using (2.3) completes the proof.

References

- AHN, D., DITTMAR, R. F., AND GALLANT, A. R. (2002). Quadratic Term Structure Models: Theory and Evidence. *The Review of Financial Studies*, 15:243–288.
- ARCHONTAKIS, T. AND LEMKE, W. (2005). Threshold Dynamics of Short Term Interest Rates – Empirical Evidence and Implications for the Term Structure. mimeo.
- AUDRINO, F. AND GIORGI, E. D. (2005). Beta Regimes for the Yield Curve. Working Paper 244, Institute for Empirical Research in Economics - University of Zurich.
- BACKUS, D., FORESI, S., AND TELMER, C. (1998). Discrete-Time Models of Bond Pricing. Working Paper 6736, NBER.
- BANSAL, R. AND ZHOU, H. (2002). Term Structure of Interest Rates with Regime Shifts. *Journal of Finance*, 57:1997–2044.
- CAMPBELL, J., LO, A., AND MACKINLAY, A. (1997). *The Econometrics of Financial Markets*. Princeton University Press.
- COCHRANE, J. (2001). *Asset Pricing*. Princeton University Press, Princeton et al.
- COX, J. C., INGERSOLL, J. E., AND ROSS, S. A. (1985). A Theory of the Term Structure of Interest Rates. *Econometrica*, 53:385–407.
- DAI, Q. AND SINGLETON, K. J. (2000). Specification Analysis of Affine Term Structure Models. *The Journal of Finance*, 55:1943–1978.
- DUFFIE, D. AND KAN, R. (1996). A Yield-Factor Model of Interest Rates. *Mathematical Finance*, 6:379–406.
- GOSPODINOV, N. (2005). Testing for Threshold Nonlinearity in Short-Term Interest Rates. *Journal of Financial Econometrics*, 3:344–371.
- LANNE, M. AND SAIKKONEN, P. (2002). Threshold Autoregressions for Strongly Auto-correlated Time Series. *Journal of Business and Economic Statistics*, 20:282–289.
- LEMKE, W. (2006). *Term Structure Modeling and Estimation in a State Space Framework*. Springer, Berlin et al.
- PFANN, G. A., SCHOTMAN, P. C., AND TSCHERNIG, R. (1996). Nonlinear Interest Rate Dynamics and Implications for the Term Structure. *Journal of Econometrics*, 74:149–176.

VASIČEK , O. A. (1977). An Equilibrium Characterisation of the Term Structure. *Journal of Financial Economics*, 5:177–188.

The following Discussion Papers have been published since 2005:

Series 1: Economic Studies

1	2005	Financial constraints and capacity adjustment in the United Kingdom – Evidence from a large panel of survey data	Ulf von Kalckreuth Emma Murphy
2	2005	Common stationary and non-stationary factors in the euro area analyzed in a large-scale factor model	Sandra Eickmeier
3	2005	Financial intermediaries, markets, and growth	F. Fecht, K. Huang, A. Martin
4	2005	The New Keynesian Phillips Curve in Europe: does it fit or does it fail?	Peter Tillmann
5	2005	Taxes and the financial structure of German inward FDI	Fred Ramb A. J. Weichenrieder
6	2005	International diversification at home and abroad	Fang Cai Francis E. Warnock
7	2005	Multinational enterprises, international trade, and productivity growth: Firm-level evidence from the United States	Wolfgang Keller Steven R. Yeaple
8	2005	Location choice and employment decisions: a comparison of German and Swedish multinationals	S. O. Becker, K. Ekholm, R. Jäckle, M.-A. Muendler
9	2005	Business cycles and FDI: evidence from German sectoral data	Claudia M. Buch Alexander Lipponer
10	2005	Multinational firms, exclusivity, and the degree of backward linkages	Ping Lin Kamal Saggi

11	2005	Firm-level evidence on international stock market comovement	Robin Brooks Marco Del Negro
12	2005	The determinants of intra-firm trade: in search for export-import magnification effects	Peter Egger Michael Pfaffermayr
13	2005	Foreign direct investment, spillovers and absorptive capacity: evidence from quantile regressions	Sourafel Girma Holger Görg
14	2005	Learning on the quick and cheap: gains from trade through imported expertise	James R. Markusen Thomas F. Rutherford
15	2005	Discriminatory auctions with seller discretion: evidence from German treasury auctions	Jörg Rocholl
16	2005	Consumption, wealth and business cycles: why is Germany different?	B. Hamburg, M. Hoffmann, J. Keller
17	2005	Tax incentives and the location of FDI: evidence from a panel of German multinationals	Thiess Buettner Martin Ruf
18	2005	Monetary Disequilibria and the Euro/Dollar Exchange Rate	Dieter Nautz Karsten Ruth
19	2005	Berechnung trendbereinigter Indikatoren für Deutschland mit Hilfe von Filterverfahren	Stefan Stamford
20	2005	How synchronized are central and east European economies with the euro area? Evidence from a structural factor model	Sandra Eickmeier Jörg Breitung
21	2005	Asymptotic distribution of linear unbiased estimators in the presence of heavy-tailed stochastic regressors and residuals	J.-R. Kurz-Kim S.T. Rachev G. Samorodnitsky

22	2005	The Role of Contracting Schemes for the Welfare Costs of Nominal Rigidities over the Business Cycle	Matthias Paustian
23	2005	The cross-sectional dynamics of German business cycles: a bird's eye view	J. Döpke, M. Funke S. Holly, S. Weber
24	2005	Forecasting German GDP using alternative factor models based on large datasets	Christian Schumacher
25	2005	Time-dependent or state-dependent price setting? – micro-evidence from German metal-working industries –	Harald Stahl
26	2005	Money demand and macroeconomic uncertainty	Claus Greiber Wolfgang Lemke
27	2005	In search of distress risk	J. Y. Campbell, J. Hilscher, J. Szilagyi
28	2005	Recursive robust estimation and control without commitment	Lars Peter Hansen Thomas J. Sargent
29	2005	Asset pricing implications of Pareto optimality with private information	N. R. Kocherlakota Luigi Pistaferri
30	2005	Ultra high frequency volatility estimation with dependent microstructure noise	Y. Aït-Sahalia, P. A. Mykland, L. Zhang
31	2005	Umstellung der deutschen VGR auf Vorjahrespreisbasis – Konzept und Konsequenzen für die aktuelle Wirtschaftsanalyse sowie die ökonomische Modellierung	Karl-Heinz Tödter

32	2005	Determinants of current account developments in the central and east European EU member states – consequences for the enlargement of the euro area	Sabine Herrmann Axel Jochem
33	2005	An estimated DSGE model for the German economy within the euro area	Ernest Pytlarczyk
34	2005	Rational inattention: a research agenda	Christopher A. Sims
35	2005	Monetary policy with model uncertainty: distribution forecast targeting	Lars E.O. Svensson Noah Williams
36	2005	Comparing the value relevance of R&D reporting in Germany: standard and selection effects	Fred Ramb Markus Reitzig
37	2005	European inflation expectations dynamics	J. Döpke, J. Dovern U. Fritsche, J. Slacalek
38	2005	Dynamic factor models	Sandra Eickmeier Jörg Breitung
39	2005	Short-run and long-run comovement of GDP and some expenditure aggregates in Germany, France and Italy	Thomas A. Knetsch
40	2005	A “wreckers theory” of financial distress	Ulf von Kalckreuth
41	2005	Trade balances of the central and east European EU member states and the role of foreign direct investment	Sabine Herrmann Axel Jochem
42	2005	Unit roots and cointegration in panels	Jörg Breitung M. Hashem Pesaran
43	2005	Price setting in German manufacturing: new evidence from new survey data	Harald Stahl

1	2006	The dynamic relationship between the Euro overnight rate, the ECB's policy rate and the term spread	Dieter Nautz Christian J. Offermanns
2	2006	Sticky prices in the euro area: a summary of new micro evidence	Álvarez, Dhyne, Hoeberichts Kwapil, Le Bihan, Lünnemann Martins, Sabbatini, Stahl Vermeulen, Vilmunen
3	2006	Going multinational: What are the effects on home market performance?	Robert Jäckle
4	2006	Exports versus FDI in German manufacturing: firm performance and participation in international markets	Jens Matthias Arnold Katrin Hussinger
5	2006	A disaggregated framework for the analysis of structural developments in public finances	Kremer, Braz, Brosens Langenus, Momigliano Spolander
6	2006	Bond pricing when the short term interest rate follows a threshold process	Wolfgang Lemke Theofanis Archontakis

Series 2: Banking and Financial Studies

1	2005	Measurement matters – Input price proxies and bank efficiency in Germany	Michael Koetter
2	2005	The supervisor’s portfolio: the market price risk of German banks from 2001 to 2003 – Analysis and models for risk aggregation	Christoph Memmel Carsten Wehn
3	2005	Do banks diversify loan portfolios? A tentative answer based on individual bank loan portfolios	Andreas Kamp Andreas Pfingsten Daniel Porath
4	2005	Banks, markets, and efficiency	F. Fecht, A. Martin
5	2005	The forecast ability of risk-neutral densities of foreign exchange	Ben Craig Joachim Keller
6	2005	Cyclical implications of minimum capital requirements	Frank Heid
7	2005	Banks’ regulatory capital buffer and the business cycle: evidence for German savings and cooperative banks	Stéphanie Stolz Michael Wedow
8	2005	German bank lending to industrial and non-industrial countries: driven by fundamentals or different treatment?	Thorsten Nestmann
9	2005	Accounting for distress in bank mergers	M. Koetter, J. Bos, F. Heid C. Kool, J. Kolari, D. Porath
10	2005	The eurosystem money market auctions: a banking perspective	Nikolaus Bartzsch Ben Craig, Falko Fecht
11	2005	Financial integration and systemic risk	Falko Fecht Hans Peter Grüner

12	2005	Evaluating the German bank merger wave	Michael Koetter
13	2005	Incorporating prediction and estimation risk in point-in-time credit portfolio models	A. Hamerle, M. Knapp, T. Liebig, N. Wildenauer
14	2005	Time series properties of a rating system based on financial ratios	U. Krüger, M. Stötzel, S. Trück
15	2005	Inefficient or just different? Effects of heterogeneity on bank efficiency scores	J. Bos, F. Heid, M. Koetter, J. Kolatri, C. Kool

Visiting researcher at the Deutsche Bundesbank

The Deutsche Bundesbank in Frankfurt is looking for a visiting researcher. Among others under certain conditions visiting researchers have access to a wide range of data in the Bundesbank. They include micro data on firms and banks not available in the public. Visitors should prepare a research project during their stay at the Bundesbank. Candidates must hold a Ph D and be engaged in the field of either macroeconomics and monetary economics, financial markets or international economics. Proposed research projects should be from these fields. The visiting term will be from 3 to 6 months. Salary is commensurate with experience.

Applicants are requested to send a CV, copies of recent papers, letters of reference and a proposal for a research project to:

Deutsche Bundesbank
Personalabteilung
Wilhelm-Epstein-Str. 14

D - 60431 Frankfurt
GERMANY