

Rabacal, Judith S.; Oducado, Ryan Michael F.; Tamdang, Khen A.

Article — Published Version

COVID-19 Impact on the Quality of Life of Teachers: A Cross-Sectional Study

Asian Journal for Public Opinion Research

Suggested Citation: Rabacal, Judith S.; Oducado, Ryan Michael F.; Tamdang, Khen A. (2020) : COVID-19 Impact on the Quality of Life of Teachers: A Cross-Sectional Study, Asian Journal for Public Opinion Research, ISSN 2288-6168, Center for Asian Public Opinion Research & Collaboration Initiative, Daejeon, Vol. 8, Iss. 4, pp. 478–492-, <https://doi.org/10.15206/ajpor.2020.8.4.478>

This Version is available at:

<https://hdl.handle.net/10419/227136>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



<https://creativecommons.org/licenses/by-nc/4.0/>

COVID-19 Impact on the Quality of Life of Teachers: A Cross-Sectional Study

Judith S. Rabacal

Northern Negros State College of Science and Technology, Philippines

Ryan Michael F. Oducado¹

West Visayas State University, Philippines

Khen A. Tamdang

Assumption Iloilo, Inc., Philippines

Abstract

The COVID-19 global health crisis has affected the mental and psychological health and well-being of the people around the world. However, little is known about the impact of COVID-19 among Filipino teachers. This study was conducted to determine the impact of the COVID-19 pandemic on the quality of life (QoL) of professional teachers in the Philippines. A descriptive cross-sectional study was used involving 139 licensed professional teachers. The COVID-19 Impact on Quality of Life (COV19-QoL) was the primary measure used in this study. Descriptive statistics, t-test, and one-way ANOVA were the statistical tools employed to analyze the data. Results indicated a moderate COVID-19 impact on the QoL of the teachers. There was a significant difference in the impact of COVID-19 on QoL by degree program. However, the impact of COVID-19 on QoL did not significantly differ by age, sex, marital status, employment status, monthly salary, presence of a COVID-19 case near their residence, personal knowledge of someone who was infected or died of COVID-19, presence of a medical condition, and perceived threat. The psychological well-being and QoL of teachers must be recognized and teachers must be provided with support as they continue to adapt to

¹ All correspondence concerning this article should be addressed to Ryan Michael F. Oducado at West Visayas State University, La Paz, Iloilo City, Philippines or by e-mail at rmoducado@wvsu.edu.ph.

the impact brought by the COVID-19 pandemic. This study contributes to the growing literature on the impact of the pandemic.

Keywords: COVID-19, cross-sectional studies, mental health, pandemics, Philippines, quality of life, teachers

COVID-19 is a new viral infection that was declared as a public health emergency of international concern in January 2020 (AlAteeq et al., 2020). Globally, as of September 11, 2020, there have been 28,040,853 confirmed cases of COVID-19, including 906,092 deaths, reported to the World Health Organization (2020). In the Philippines, the cumulative number of confirmed cases reported to the Philippine Department of Health (2020) has reached 252,964 cases. The Philippines has been one of the countries in Asia most impacted by the prolonged and widespread transmission of the coronavirus. As of this writing, the Philippines has the largest number of COVID-19 cases in Southeast Asia and surpassed Indonesia for the most reported cases in Southeast Asia on August 6, 2020 (Center for Strategic and International Studies, 2020; Ranada, 2020).

The Philippines has been severely affected by the COVID-19 public health disaster. Apart from the employment sector that was significantly affected by the crisis (Bautista et al., 2020), the pandemic also resulted in unprecedented challenges in education (Moralista & Oducado, 2020). Countries around the world scrambled to prepare for the health, economic, and educational challenges of containing the highly transmissible virus. Despite the aggressive interventions of the Philippine government to stop the further transmission of the disease, cases of COVID-19 in the country are still growing (Moralista & Oducado, 2020). The closure of schools and social isolation implemented globally can result in sudden anxiety among teachers (Talidad & Toquero, 2020). Teachers are transitioning through an uncertain period in terms of their professional (Allen et al., 2020) and personal lives. Apart from the obvious risks to physical health, the psychological impact of COVID-19 also carries significant threats and dangers to mental health and well-being as higher levels of anxiety and stress are further exacerbated by the on-going uncertainty of the situation. Moreover, aside from the conceivable stresses teachers face regarding the threat of COVID-19 to themselves and their families, they are forced to transition into the new normal in the

educational landscape and undertake effective remedial education (Guillasper et al., 2020; Moralista & Oducado, 2020). Teachers may not necessarily have the technologies, resources, and competencies that they need to engage and succeed in this new modality of teaching.

The impact on the mental health of other epidemics like SARS, MERS-CoV, H1N1, and Ebola has also been recorded (Zhang & Ma, 2020). The knowledge about COVID-19 is evolving and research regarding the impact of the COVID-19 pandemic on mental health and quality of life (QoL) is growing. Some studies conducted on the impact of COVID-19 QoL involved patients with breast (Bargon et al., 2020) and ovarian cancer (Frey et al., 2020) and sarcomas (Younger et al., 2020). The immediate impact of the COVID-19 pandemic on mental health and QoL of the general local Chinese residents (Zhang & Ma, 2020), health and well-being of Moroccan adults not infected with COVID-19 after two months of quarantine (Samlani et al., 2020), and the QoL of people with no mental health-related diagnoses and those diagnosed with severe mental health disorders in European countries have also been investigated (Repišti et al., 2020).

Understanding how COVID-19 impacts the lives of the people in severely affected countries (Zhang & Ma, 2020), like the Philippines, is imperative. Despite the growing research on QoL, the literature about Filipinos is scarce among, particularly about professional teachers. This study was conducted to determine the impact of the COVID-19 pandemic on QoL primarily related to the mental health of licensed professional teachers in the Philippines.

Methodology

Study Design

This study employed a descriptive, cross-sectional research design. The participants of this study were the licensed professional Filipino teachers enrolled in the master's and doctoral program majoring in Educational Management at a government-funded college in the Philippines. A total of 140 participants were invited, 139 responded, for a response rate of 99%.

The online survey was conducted August 27-29, 2020. Administrative clearance to conduct the study was obtained from the Dean of the Graduate program. Participants were informed of the purpose of the study. The participants were reminded that proceeding with the survey grants their consent to voluntarily participate in the survey. Confidentiality of data and anonymity of participants were guaranteed throughout the study.

Survey Instrument

The COVID-19 Impact on Quality of Life (COV19-QoL) was the primary measure for this study and was utilized to capture the effect of COVID-19 on the main areas covering the QoL in relation to mental health (Repišti, et al., 2020). The measure uses five-point Likert response options ranging from 1 (completely disagree) to 5 (completely agree), and participants were asked to reflect on their feelings and thoughts for each item on the scale during the past seven days. The tool had a good internal consistency of a Cronbach's $\alpha > .80$ for both clinical and non-clinical samples (Repišti, et al., 2020). The COV19-QoL in this study had a Cronbach's $\alpha = .90$. Demographic profiles were also collected and participants were asked about their knowledge about the presence of a COVID-19 case near their residence, personal knowledge of someone infected with or who died of COVID-19, and the presence of a medical condition that increases their risk of severe COVID-19 illness. The six-item Perceived Coronavirus Threat Questionnaire (PCTQ) was also used to assess COVID-19 threat-related thoughts and worries (Conway et al., 2020). The participants were asked to respond in five-point Likert response options ranging from 1 (not true of me at all) to 5 (very true of me). The PCTQ had a reported Cronbach's $\alpha = .84$ (Nikčević & Spada, 2020). The internal consistency of the PCTQ in the current study was computed at $\alpha = .79$. The following scale of means was used to interpret that data: low = 1.00-2.33; moderate = 2.34-3.66; and high = 3.67-5.00.

Statistical Data Analysis

Descriptive statistics, Independent Sample t Test, and one-way Analysis of Variance (ANOVA) were employed to analyze the data with the aid of the Statistical Package for Social Sciences (SPSS) version 23. A normality test was performed on the

dependent variable and suggested that data do not significantly deviate from a normal distribution. When p-values were less than .05, the differences were considered statistically significant.

Results

Characteristics of Participants

Table 1 shows that the average age of the participants was 34.66 (SD = 9.29) years. The majority were females (84.9%), married (59.7%), enrolled in the master’s program (79.9%), permanently employed (95%), with a monthly salary of between 20,000-29,999 Philippine pesos (PHP) (approximately 400-600USD) (80.6%). A little over half (55.4%) reported a COVID-19 case near their residence, although the majority did not personally know someone who was infected (72.7%) or had died (92.1%) of COVID-19. There were some (12.2%) who reported having medical conditions that increase their risk of severe COVID-19 complications, such as hypertension and asthma. Additionally, teachers reported a moderate (46%) or high (46.8%) perceived COVID-19 threat.

Table 1

Characteristics of Participants

| Variables | f | % |
|--|-----|------|
| Age (Mean = 34.66, SD = 9.29; Median = 33) | | |
| 30 and below | 54 | 38.8 |
| 31 to 40 | 51 | 36.7 |
| 41 and above | 34 | 24.5 |
| Sex | | |
| Male | 21 | 15.1 |
| Female | 118 | 84.9 |
| Marital status | | |
| Single | 56 | 40.3 |
| Married | 83 | 59.7 |

Table 1

Characteristics of Participants (Contd.)

| Variables | f | % |
|--|-----|------|
| Degree program | | |
| Doctoral | 28 | 20.1 |
| Masters | 111 | 79.9 |
| Employment status | | |
| Permanent | 132 | 95 |
| Contractual/Part-Time/Unemployed | 7 | 5.1 |
| Monthly salary | | |
| PHP Below 20,000 (below 400 USD) | 15 | 10.8 |
| PHP 20,000-29,999 (400 USD to < 600 USD) | 112 | 80.6 |
| PHP 30,000 and above (600 USD and above) | 12 | 8.6 |
| Presence of COVID-19 case near their residence | | |
| Yes | 36 | 25.9 |
| No | 77 | 55.4 |
| Unsure | 26 | 18.7 |
| Personally know someone infected with COVID-19 | | |
| Yes | 38 | 27.3 |
| No | 101 | 72.7 |
| Personally know someone who died of COVID-19 | | |
| Yes | 11 | 7.9 |
| No | 128 | 92.1 |
| Presence of a medical condition | | |
| Yes | 17 | 12.2 |
| Hypertension | 8 | |
| Asthma | 5 | |
| Diabetes | 1 | |
| Cardiomegaly | 1 | |
| Obesity | 1 | |
| Undergone 3 surgeries | 1 | |
| No | 122 | 87.8 |
| Perceived COVID-19 threat (M = 3.60; SD = .81) | | |
| High | 65 | 46.8 |
| Moderate | 64 | 46.0 |
| Low | 10 | 7.2 |

COVID-19 Impact on QoL

Table 2 shows that generally, COVID-19 impacted the QoL of teachers to a moderate extent (M = 2.75; SD = .92). COVID-19 had the highest impact on their personal safety (M = 3.60; SD = 1.09) and least on their mental health (M = 2.08; SD = 1.15).

Table 2

COVID-19 Impact on QoL

| Due to the spread of the Coronavirus | M | SD | Rank |
|--|------|------|------|
| I feel that my personal safety is at risk. | 3.60 | 1.09 | 1 |
| I think my quality of life is lower than before. | 3.04 | 1.08 | 2 |
| I feel more tense than before. | 2.76 | 1.21 | 3 |
| I think my physical health may deteriorate. | 2.41 | 1.13 | 4 |
| I feel more depressed than before. | 2.37 | 1.31 | 5 |
| I think my mental health has deteriorated. | 2.08 | 1.15 | 6 |
| COV19-QoL (total scale) | 2.75 | .92 | |

Differences in the Impact of COVID-19 on QoL

Table 3 shows a significant difference ($t = -2.592$; $p = .011$) in the impact of COVID-19 when grouped by degree program. The impact of the COVID-19 pandemic was significantly higher among teachers enrolled in the master's program (M = 2.84; SD = 0.89) than those enrolled in the doctoral program (M = 2.35; SD = 0.95). However, impact of COVID-19 concerning mental health did not significantly differ according to age ($F = .174$; $p = .841$), sex ($t = 1.718$; $p = .088$), marital status ($t = -.778$; $p = .438$), employment status ($t = .307$; $p = .760$), monthly salary ($F = -.131$, $p = .877$), presence of COVID-19 case near their residence ($F = .185$; $p = .688$), personal knowledge of someone who was infected ($t = 1.298$; $p = .196$) or died ($t = .720$; $p = .473$) of COVID-19, presence of medical condition ($t = -.430$; $p = .668$) and perceived threat ($F = 1.163$; $p = .316$).

Table 3

Differences in the Impact of COVID-19 on QoL

| Variables | M | SD | t statistics | p-value |
|--|------|------|--------------|---------|
| Age | | | .174 | .841 |
| 30 and below | 2.74 | .92 | | |
| 31 to 40 | 2.70 | .95 | | |
| 41 and above | 2.82 | .90 | | |
| Sex | | | 1.718 | .088 |
| Male | 3.06 | .99 | | |
| Female | 2.69 | .90 | | |
| Marital status | | | -.778 | .438 |
| Single | 2.67 | .93 | | |
| Married | 2.80 | .92 | | |
| Degree program | | | -2.592 | .011* |
| Doctoral | 2.35 | .95 | | |
| Masters | 2.84 | .89 | | |
| Employment status | | | .307 | .760 |
| Permanent/Plantilla | 2.75 | .94 | | |
| Contractual/Part-Time/Unemployed | 2.64 | .66 | | |
| Monthly salary | | | -.131 | .877 |
| PHP Below 20,000 (below 400 USD) | 2.64 | .94 | | |
| PHP 20,000-29,999 (400 USD to < 600 USD) | 2.75 | .92 | | |
| PHP 30,000 and above (600 USD and above) | 2.82 | .95 | | |
| Presence of COVID-19 case near their residence | | | .185 | .688 |
| Yes | 2.66 | .90 | | |
| No | 2.79 | .90 | | |
| Unsure | 2.74 | 1.04 | | |
| Personally know someone infected with COVID-19 | | | 1.298 | .196 |
| Yes | 2.91 | 1.00 | | |
| No | 2.69 | .89 | | |
| Personally know someone who died of COVID-19 | | | .720 | .473 |
| Yes | 2.94 | 1.01 | | |
| No | 2.73 | .92 | | |
| Presence of a medical condition | | | -.430 | .668 |
| Yes | 2.66 | 1.18 | | |
| No | 2.76 | .89 | | |
| Perceived COVID-19 threat | | | 1.163 | .316 |
| High | 2.62 | .99 | | |
| Moderate | 2.85 | .85 | | |
| Low | 2.88 | .98 | | |

Discussion

This study looked into the impact of COVID-19 on the QoL of Filipino teachers. This study found that the mean composite score of teachers in the COV19-QoL scale was 2.75 for nearly six months since the Philippines implemented strict community quarantine across the archipelago. This finding, while slightly lower, is somewhat comparable to the non-clinical samples in Croatia where the mean was 2.91 (Repišti, et al., 2020). Moreover, this study also suggests that the sample of teachers in this study perceived a greater impact of the COVID-19 pandemic on their QoL as a whole compared to those in the European sample with pre-existing severe mental disorders (M = 2.40) (Repišti, et al., 2020). Patients with cancer likewise experienced COVID-19 worry and deterioration in their emotional and social functioning (Bargon et al., 2020; Frey et al., 2020; Younger et al., 2020). Correspondingly, a mild stressful immediate impact of COVID-19 was noted among local Chinese residents in Liaoning Province, mainland China (Zhang & Ma, 2020), and moderate disruption on QoL was noted among participants in Morocco (Samlani et al., 2020).

Moreover, the findings of this study also indicated that the greatest impact of the pandemic among teachers was on their personal safety followed by QoL in general whereas mental health was the least impacted. This is similar to the findings of Repišti and colleagues among their non-clinical samples wherein the greatest impact of the COVID-19 crisis was found on the QoL area in general and the least impact on the mental health aspect (Repišti et al., 2020). According to the authors, the least impact on the mental health could be explained by the assumption that because COVID-19 presents a looming and apparent risk to safety and physical health, people tend to concentrate more on their physical health at present (Repišti, et al., 2020). It was earlier reported that Filipino teachers felt positive about spending more time with their families during the quarantine (Talidong & Toquero, 2020). Moreover, it could also be assumed that compared to the earlier parts of the lockdown, teachers may have developed coping strategies to deal with the mental stresses brought by the pandemic.

Although the disease may still pose a moderate to high threat of transmission, may not any longer be regarded as a very severe illness compared to when knowledge about the pandemic was still developing or during the initial stages of the community

quarantine. While the perception of the disease has a relevant role in the individual's psychological adjustment (Pérez-Fuentes et al., 2020), this study found no significant difference in the impact of COVID-19 on QoL based on perceived threat and between those with either knowledge of the presence or absence of any COVID-19 cases near their residence. Filipinos are known for their natural resilience and their ability to rise above the challenge in times of calamities and catastrophes. Protective factors identified in the literature include Filipino's strong faith and family ties, sense of humor, optimism, hopefulness, resourcefulness, and adaptability (Hechanova et al., 2015). On the other hand, a study on risk perception around the world disclosed that personal experience with the virus and hearing about the virus from friends and family significantly predicted risk perception (Dryhurst et al., 2020). Also, the perception of threat and risk from COVID-19 were found to influence negative mental states and emotions (Pérez-Fuentes et al., 2020; Kim et al., 2020).

It was also demonstrated in this study that teachers perceived a moderate to a high threat of COVID-19. Similarly, a little over half of the participants in a study conducted in China, despite not feeling helpless, felt horrified and apprehensive due to the pandemic (Zhang & Ma, 2020). This is an important consideration for policy-makers and educational planners in shifting to remote, distance, flexible, blended, hybrid or other online learning approaches during the pandemic to provide, not only the students but the teachers as well, a sense of security from the danger of COVID-19. Amid the COVID-19 situation and to avoid face-to-face interactions, the Philippine Department of Education and Commission on Higher Education opted to adopt flexible, blended, modular, or online learning schemes or modalities in the delivery of instruction (Moralista & Oducado, 2020; Quinones, 2020).

Notably, teachers enrolled in the master's program posted a significantly greater impact of COVID-19 on their QoL as a whole compared to those enrolled in the doctoral program. Perhaps it can be assumed that teachers in the doctoral program were able to cope better than those in the master's program. Nonetheless, further research is still required to confirm this result of the study.

The findings of this research must be interpreted in light of the limitations of the present study. This study involves only professional teachers enrolled in the

graduate program of one school in the Philippines and the survey was conducted at a particular point in time. The generalizability of findings cannot be guaranteed. Caution is warranted when interpreting and using the results of this study. Moreover, the findings of this research need to be verified by other studies involving a larger population that may also involve a qualitative component. A comparison of the QoL of teachers employed in public and private schools and in areas with high and low COVID-19 cases may also be performed. Since there are speculations that a greater impact on mental health could possibly be found in the aftermath of the pandemic (Repišti et al., 2020), additional research may be conducted in the future.

Conclusion

The COVID-19 pandemic is having a far-reaching effect on the QoL of teachers. However, despite the moderate to high threat of COVID-19, teachers appear to have somehow coped with the impact of COVID-19 as indicated by the moderate impact on their QoL concerning mental health almost six months after the massive lockdown in the country. Nonetheless, the QoL of teachers along with their physical and mental well-being must also be continuously given attention. Teachers must also be provided with support as they continue to adapt to the impact brought by the COVID-19 pandemic. This study contributes to the growing literature on the impact of the pandemic which could serve as a baseline or reference for future studies.

References

- AlAteeq, D. A., Aljhani, S., & AlEesa, D. (2020). Perceived stress among students in virtual classrooms during the COVID-19 outbreak in KSA. *Journal of Taibah University Medical Sciences*, 15(5), 398-403.
<https://doi.org/10.1016/j.jtumed.2020.07.004>
- Allen, J., Rowan, L., & Singh, P. (2020). Teaching and teacher education in the time of COVID-19. *Asia-Pacific Journal of Teacher Education*, 48(3), 233-236.
<https://doi.org/10.1080/1359866X.2020.1752051>

- Bargon, C., Batenburg, M., van Stam, L., Mink van der Molen, D., van Dam, I., van der Leij, F., Baas, I., Ernst, M., Maarse, W., Vermulst, N., Schoenmaeckers, E., van Dalen, T., Bijlsma, R., Young-Afat, D., Doeksen, A., & Verkooijen, H. (2020). The impact of the COVID-19 pandemic on quality of life, physical and psychosocial wellbeing in breast cancer patients and survivors - A prospective, multicenter cohort study. *European Journal of Cancer*, 138.
[https://doi.org/10.1016/S0959-8049\(20\)30563-3](https://doi.org/10.1016/S0959-8049(20)30563-3)
- Bautista Jr., A., Balibrea, D., & Bleza, D. G. (2020). Knowledge, attitude, and practice toward the coronavirus disease (COVID-19) outbreak among selected employed people in the National Capital Region, Philippines. *Asian Journal for Public Opinion Research*, 8(3), 324-350.
<https://doi.org/10.15206/ajpor.2020.8.3.324>
- Center for Strategic and International Studies. (2020). *Southeast Asia COVID-19 tracker*. Retrieved September 11, 2020 from
<https://www.csis.org/programs/southeast-asia-program/southeast-asia-covid-19-tracker-0>
- Conway, L. G., III, Woodard, S. R., & Zubrod, A. (2020). *Social psychological measurements of COVID-19: Coronavirus perceived threat, government response, impacts, and experiences questionnaires*. PsyArXiv.
<https://doi.org/10.31234/osf.io/z2x9a>
- Dryhurst, S., Schneider, C. R., Kerr, J., Freeman, A. L. J., Recchia, G., van der Bles, A. M., Spiegelhalter, D., & van der Linden, S. (2020). Risk perceptions of COVID-19 around the world. *Journal of Risk Research*.
<https://doi.org/10.1080/13669877.2020.1758193>
- Frey, M. K., Ellis, A. E., Zeligs, K., Chapman-Davis, E., Thomas, C., Christos, P. J., Kolev, V., Prasad-Hayes, M., Cohen, S., Holcomb, K., & Blank, S. V. (2020). Impact of the coronavirus disease 2019 pandemic on the quality of life for women with ovarian cancer. *American Journal of Obstetrics and Gynecology*.
<https://doi.org/10.1016/j.ajog.2020.06.049>
- Guillasper, J. N., Soriano, G. P., & Oducado, R. M. F. (2020). Psychometric properties of 'attitude towards e-learning scale' among nursing students. *International*

Journal of Educational Sciences, 30(1-3), 1-5.

<https://doi.org/10.31901/24566322.2020/30.1-3.1135>

Hechanova, M., Waelde, L., Docena, P. S., Alampay, L. P., Alianan, A. S., Flores, M. J. B., Ramos, P. A. P., & Melgar, M. I. E. (2015). The development and initial evaluation of Katatagan: A resilience intervention for Filipino disaster survivors. *Philippine Journal of Psychology*, 48(2), 105-131.

<https://archium.ateneo.edu/cgi/viewcontent.cgi?article=1051&context=psychology-faculty-pubs>

Kim, S., Cho, S. K., & LoCascio, S. P. (2020). The role of media use and emotions in risk perception and preventive behaviors related to COVID-19 in South Korea. *Asian Journal for Public Opinion Research*, 8(3), 297-323.

<https://doi.org/10.15206/ajpor.2020.8.3.297>

Moralista, R. B., & Oducado, R. M. F. (2020). Faculty perception toward online education in a state college in the Philippines during the coronavirus disease 19 (COVID-19) pandemic. *Universal Journal of Educational Research*, 8(10), 4736-4742. <https://doi.org/10.13189/ujer.2020.081044>

Nikčević, A. V., & Spada, M. M. (2020). The COVID-19 anxiety syndrome scale: Development and psychometric properties. *Psychiatry Research*, 292, 113322.

<https://doi.org/10.1016/j.psychres.2020.113322>

Pérez-Fuentes, M. D. C., Molero Jurado, M. D. M., Martos Martínez, Á., & Gázquez Linares, J. J. (2020). Threat of COVID-19 and emotional state during quarantine: Positive and negative affect as mediators in a cross-sectional study of the Spanish population. *PLoS One*, 15(6), e0235305.

<https://doi.org/10.1371/journal.pone.0235305>

Philippine Department of Health. (2020). *COVID-19 case bulletin #181*. Retrieved September 11, 2020 from <https://www.doh.gov.ph/covid-19/case-tracker>

Quinones, M. T. (2020). *DepEd clarifies blended, distance learning modalities for SY 2020-2021*. Philippine Information Agency.

<https://pia.gov.ph/news/articles/1046619>

- Ranada, P. (2020). PH overtakes Indonesia as ASEAN country with most COVID-19 cases. *Rappler*. <https://www.rappler.com/nation/coronavirus-cases-philippines-august-6-2020>
- Repišti, S., Jovanović, N., Kuzman, M. R., Medved, S., Jerotić, S., Ribić, E., Majstorović, T., Simoska, S. M., Novotni, L., Milutinović, M., Stoilkovska, B. B., Radojičić, T., Ristić, I., Zebić, M., Pemovska, T., & Russo, M. (2020). How to measure the impact of the COVID-19 pandemic on quality of life: COV19-QoL - the development, reliability and validity of a new scale. *Global Psychiatry*, 3(2), 1-10. <https://doi.org/10.2478/gp-2020-0016>
- Samlani, Z., Lemfadli, Y., Errami, A. A., Oubaha, S., & Krati, K. (2020). The impact of the COVID-19 pandemic on quality of life and well-being in Morocco. *Archives of Community Medicine and Public Health*, 6(2), 130-134. <https://doi.org/10.17352/2455-5479.000091>
- Talidong, K. J. B., & Toquero, C. M. D. (2020). Philippine teachers' practices to deal with anxiety amid COVID-19. *Journal of Loss and Trauma*, 25(6-7), 573-579. <https://doi.org/10.1080/15325024.2020.1759225>
- World Health Organization. (2020). *WHO Coronavirus disease (COVID-19) dashboard*. Retrieved September 11, 2020 from https://covid19.who.int/?gclid=Cj0KCQjwwOz6BRCgARIsAKEG4FUyqbeZEXq0e0ABMULBiBeUQ-vPmd8YhdUaXU8IOfCu67FyVZFkX_waAiKUEALw_wcB
- Younger, E., Smrke, A., Lidington, E., Farag, S., Ingley, K., Chopra, N., Maleddu, A., Augustin, Y., Merry E., Wilson, R., Benson, C., Miah, A., Zaidi, S., McTiernan, A., Strauss S. J., Dileo, P., Gennatas, S., Husson, O., & Jones, R. L. (2020). Health-related quality of life and experiences of sarcoma patients during the COVID-19 pandemic. *Cancers*, 12(8), 2288. <https://doi.org/10.3390/cancers12082288>
- Zhang, Y., & Ma, Z. F. (2020). Impact of the COVID-19 pandemic on mental health and quality of life among local residents in Liaoning Province, China: A cross-sectional study. *International Journal of Environmental Research and Public Health*, 17(7), 2381. <https://doi.org/10.3390/ijerph17072381>

Biographical Notes

Judith S. Rabacal, Ph.D., L.P.T., is a Doctor of Philosophy in Educational Management graduate of Northern Negros State College of Science and Technology (NONESCOST). She holds a rank of Associate Professor V and serves as the dean of the Graduate School of NONESCOST. She is also the Editor in Chief of the Journal of Education and Technology Management.

She can be reached at Northern Negros State College of Science and Technology, Old Sagay, Sagay City, Negros Occidental, Philippines or by e-mail at judithrabacal.jr@gmail.com.

Ryan Michael F. Oducado, Ph.D., R.N., R.M., L.P.T., is an Assistant Professor at West Visayas State University College of Nursing. He holds a doctoral degree in education and a master's degree in both nursing and education. His research interests are in the fields of nursing, education, and public health.

He can be reached at West Visayas State University College of Nursing, Luna Street, La Paz, Iloilo City, Philippines or by e-mail at rmoducado@wvsu.edu.ph.

Khen A. Tamdang, B.S.Ed., L.P.T., earned his Bachelor of Secondary Education at West Visayas State University. He is currently the Social Studies Coordinator at Assumption Iloilo, Inc.

He can be reached at Assumption Iloilo, Inc., General Luna Street, Iloilo City, Philippines or by email at ktamdang@assumptioniloilo.edu.ph.

Date of submission: 2020-09-12

Date of the review result: 2020-10-10

Date of the decision: 2020-10-16