

Oducado, Ryan Michael F.

Article — Published Version

Influence of self-esteem, psychological empowerment, and empowering leader behaviors on assertive behaviors of staff nurses

Belitung Nursing Journal

Suggested Citation: Oducado, Ryan Michael F. (2021) : Influence of self-esteem, psychological empowerment, and empowering leader behaviors on assertive behaviors of staff nurses, Belitung Nursing Journal, ISSN 2477-4073, Belitung Raya Foundation, Manggar, Bangka-Belitung, Indonesia, Vol. 7, Iss. 3, pp. 179-185,
<https://doi.org/10.33546/bnj.1424>

This Version is available at:

<https://hdl.handle.net/10419/248111>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



<https://creativecommons.org/licenses/by-nc/4.0/>

Influence of self-esteem, psychological empowerment, and empowering leader behaviors on assertive behaviors of staff nurses

Belitung Nursing Journal
Volume 7(3), 179-185
© The Author(s) 2021
<https://doi.org/10.33546/bnj.1424>

Ryan Michael F. Oducado* 

Abstract

Background: Being assertive is essential skill nurses need to learn and develop. While many studies exist on nurses' assertiveness, there is limited research on the factors associated with Filipino nurses' assertive behaviors.

Objective: This study examined the correlation of self-esteem, psychological empowerment, and leader empowering behaviors on staff nurses' assertiveness in the workplace.

Methods: This cross-sectional study conducted in 2019 involved 223 staff nurses working in two tertiary hospitals in the Philippines. Data were gathered using four validated self-reported scales: self-esteem scale, psychological empowerment scale, leader empowering behavior questionnaire, and workplace assertive behavior questionnaire. Correlational analysis using Pearson's r was performed to test the relationship between the key variables.

Results: The composite scores for the self-esteem, psychological empowerment, empowering leader behaviors, and workplace assertiveness were 32.06 ($SD = 3.65$), 4.22 ($SD = 0.43$), 3.86 ($SD = 0.51$) and 3.61 ($SD = 0.55$), respectively. Self-esteem ($r = 0.216$; $p = 0.001$), psychological empowerment ($r = 0.455$, $p = 0.000$), and empowering leader behaviors ($r = 0.269$; $p = 0.000$) were significantly correlated with staff nurses' assertiveness in the workplace.

Conclusion: Self-esteem, nurse leadership behaviors, and empowerment play vital roles in staff nurses' assertiveness. Understanding the factors influencing nurses' assertiveness is important, and looking into these variables can be beneficial for nursing management when developing strategies to build nurses' assertiveness. Thus, it is vital to focus on helping nurses nurture healthy self-esteem and initiate empowering conditions at work to aid nurses in setting healthy boundaries and supporting assertive behaviors at work.

Keywords

assertiveness; leadership; nurses; self-concept; workplace; Philippines

Assertiveness is the ability to express your ideas, interests, thoughts, feelings, beliefs, and needs freely, clearly, confidently, and honestly, without denying or violating others' rights (Alberti & Emmons, 2008; Oducado, 2021). Assertiveness is an important skill that nurses must learn to acquire and need to develop (Oducado, 2021; Yoshinaga et al., 2018). With the advancements and

developments in healthcare, nurses are expected to exhibit assertiveness to work with other health care professionals effectively, thereby impacting positively patient safety and outcome (Okuyama et al., 2014a). Being the largest workforce in the hospital settings, nurses are uniquely positioned to speak up for changes in the care plan of their patients if they see it deemed necessary (Hall, 2016). In

West Visayas State University, College of Nursing, Iloilo City, Philippines

Corresponding author:

Dr. Ryan Michael F. Oducado

West Visayas State University, College of Nursing, La Paz, Iloilo City, Philippines, 5000

Email: rmducado@wvsu.edu.ph

Article Info:

Received: 15 March 2021

Revised: 16 April 2021

Accepted: 3 May 2021

This is an **Open Access** article distributed under the terms of the [Creative Commons Attribution-NonCommercial 4.0 International License](#), which allows others to remix, tweak, and build upon the work non-commercially as long as the original work is properly cited. The new creations are not necessarily licensed under the identical terms.

E-ISSN: 2477-4073 | P-ISSN: 2528-181X

other words, nurses need to speak up or call the attention of the healthcare team member when they see a problem with regards to patient care, when standard processes are not followed, or when improper practices are observed. However, being assertive and speaking up can be challenging for nurses, and that silence still prevails in many nursing situations (Okuyama et al., 2014b; Rainer, 2015; Schwappach & Richard, 2018).

The importance of assertiveness in nursing cannot be overemphasized. Firstly, assertiveness is necessary for establishing a trusting nurse and patient relationship and communicating effectively with patients and members of the health team (Larijani et al., 2017; Mushtaq, 2018). Assertiveness is required for openness to speak up, is instrumental in ensuring patient safety, and is integral to professional accountability (Nacioglu, 2016; Reid & Bromiley, 2012). Additionally, nurses are ethically, morally, and legally bound to question an inappropriate or incorrect doctor's order and speak up to protect patient's rights and safety (Rainer, 2015; Reuter & Fitzsimons, 2013). Patient advocacy is an important nursing responsibility (Gerber, 2018). Nurses have the critical role as patient advocates, serving as voices of their patients (Palatnik, 2016). The State Practice Acts in other countries like the United States of America mandate that nurses act as patient advocates (Gerber, 2018). The Code of Ethics of Filipino Registered Nurses explicitly states that nurses should take appropriate steps to safeguard the rights and privileges of their patients (Board of Nursing of the Philippines, 2004). Being assertive means nurses are defending and safeguarding the rights of their patients. Nurses have to be assertive enough to preserve their rights as well as the rights of their clients (Mushtaq, 2018). Lastly, assertiveness is a means which can be used to combat negative and stressful situations like mobbing, conflict situations, to communicate better, and to enhance empowerment (Asi Karakas & Okanli, 2015; Deltidou, 2009).

Given the importance of assertiveness in nursing, identifying variables that influence or promote assertiveness is therefore necessary. Some prior studies conducted elsewhere studied the factors affecting assertiveness among nursing students (Ibrahim, 2011; Larijani et al., 2017). Other scholars investigated the effectiveness of assertiveness training on nurses (Asi Karakas & Okanli, 2015; Kanade, 2018; Nakamura et al., 2017; Shimizu et al., 2004; Yoshinaga et al., 2018) and nursing students (Omura et al., 2019). Variables such as self-esteem (Binuja, 2020; Maheshwari & Gill, 2015; Shrestha, 2019) and psychological empowerment (Azizi et al., 2020; Bostanabad et al., 2018; Ibrahim, 2011) were found to be associated with assertiveness. However, for most studies, these variables were correlated with general assertiveness and not specifically with workplace assertiveness of nurses. Studies have also shown that leadership, managerial, and administrative support influenced speaking-up and voicing behaviors (Darawad et al., 2020; Lee et al., 2021; Okuyama et al., 2014a; Wong et al., 2010), but the role of leader empowering behaviors on

assertiveness has not been investigated. Besides, the studies earlier cited were conducted in other countries and not in the context of Filipino nurses.

Although there has been growing research on nurses' assertiveness abroad, there is a scarcity of published research looking into the factors associated with nurses' assertiveness in a generally collectivist culture like the Philippines. In general, the Filipino culture and their Asian counterparts are predisposed to be conformist, collective, and group-oriented instead of individualistic and assertive (Niikura, 1999). Assertiveness is frowned upon as it can be suggestive of pride, and some Filipino traits work against it. Alongside this backdrop, this study was conducted to determine the influence of self-esteem, psychological empowerment, and empowering leader behaviors on staff nurses' workplace assertiveness.

Methods

Research Design

A cross-sectional study design was adopted.

Sample and Setting

The participants were registered nurses with staff nurse positions ($N = 403$) from two randomly selected tertiary hospitals in the Western Visayas part of the Philippines. Tertiary or teaching and training hospitals were chosen since these hospitals had a greater number of nurses compared to other hospital levels. The Slovin's formula $n = N/(1+Ne^2)$ cited in Almeda et al. (2010) was used to compute the sample size yielding the desired sample size of 201. Also, priori power analysis using G*Power 3.1 software suggested that a sample size of 84 staff nurses would already be sufficient to achieve a statistical power of 0.80 in bivariate correlation analysis with 0.05 alpha and 0.30 medium effect size (Faul et al., 2009). However, to enhance the geographical diversity per hospital unit or department, the researcher included more than the desired sample size. A total of 230 questionnaires were randomly distributed and administered to staff nurses; 223 responded, obtaining a response rate of 97%. This study only involved staff nurses. Nurses occupying supervisory positions, trainees, volunteers, over 65 years old and employed in other hospitals were excluded from the study.

Instruments

Data were gathered using four validated self-reported scales used among nurses in studies conducted in other countries. The authors of the scales granted permission to use the instruments in the current study through email correspondence.

Self-esteem Scale (SES) (Rosenberg, 1965). The 10-item SES was used to measure nurses' global self-worth. Nurses were asked to rate each item using a 4-point scale (1 = strongly disagree to 4 = strongly agree). The SES had a fairly acceptable internal consistency of 0.75 in nursing samples (McMullen & Resnick, 2013) and 0.77

among Filipino youths and adolescents (Reyes et al., 2017).

Psychological Empowerment Scale (PES) (Spreitzer, 1995). This 12-item scale with four subscales (meaning, competence, self-determination, and impact) was used to measure nurses' psychological empowerment. All items were answerable in a 5-point Likert scale format (1 = strongly disagree to 6 = strongly agree). Studies conducted among nurses reported fairly high Cronbach's alpha values of 0.80 and above (Shapira Lishchinsky & Benoliel, 2019; Uner & Turan, 2010).

Leader Empowering Behavior Questionnaire (LEBQ) (Konczak et al., 2000). This scale was administered to measure staff nurses' perception of the empowering behaviors of their leader. The LEBQ by Konczak et al. (2000) originally consisted of 17 items, but Bester et al. (2015) recently added two items. The 19-item version of the scale was utilized in this study, consisting of six subscales: accountability for outcomes, self-directed decision-making, information sharing, skills development, delegation of authority, and coaching for innovative performance. Nurses responded using a 5-point Likert scale (1 = strongly disagree to 5 = strongly agree). The LEBQ was previously pilot-tested among Filipino nurses (Oducado, 2019). Konczak et al. (2000) reported reliability coefficients that range between 0.82 and 0.88.

Workplace Assertive Behavior Questionnaire (WABQ) (Timmins & McCabe, 2005a, 2005b). This scale was utilized to assess nurses' assertiveness in the workplace. The participants were asked to indicate how often they use the eight assertive behaviors towards their nursing colleagues or co-staff nurses, the nursing management (head nurses or supervisors), and the medical personnel (doctors or physicians). Nurses were asked to answer using a 5-point Likert scale (1 = never to 5 = always). Timmins and McCabe (2005a, 2005b) stated an acceptable internal consistency ($\alpha = 0.88$) of items within the questionnaire.

For all the scales in this study, higher scores indicate a higher level of self-esteem, psychological empowerment, leader empowering behaviors, and assertiveness in the workplace. The personal characteristics of nurses were also collected.

To make sure that the result of this study will be culturally sensitive and to increase its scientific accuracy, the instruments were subjected to face and content validation and pilot testing. Seven local experts with master's or doctoral degrees and relevant experience and training in nursing, management, and psychology evaluated the items in the instruments to be relevant, clear, and culturally appropriate. A survey instrument validation rating scale was used in the validation of instruments (Oducado, 2020). Pilot testing was done among 30 nursing staff in another hospital. Preliminary reliability testing and actual survey revealed acceptable to high internal consistency values of SES ($\alpha = 0.87$, $\alpha = 0.71$), PES ($\alpha = 0.88$, $\alpha = 0.88$), LEBQ ($\alpha = 0.91$, $\alpha = 0.89$) and WABQ ($\alpha = 0.95$, $\alpha = 0.92$). Five participants during the pilot test were

interviewed to share their comments about the instruments. No further changes were made to the instruments as per the acceptable result of pilot testing.

Data Collection

The survey was conducted between June to July of 2019. Before actual data gathering, administrative clearance to conduct the study was obtained from the Hospital Director through the Director of Nursing. In coordination with the Nursing Service Office, the researcher and trained data gatherers distributed the survey instruments inside a sealed envelope to staff nurses either before they go on duty or after shift. Staff nurses were briefly oriented regarding the purpose of the study, were allowed to ask questions, and were given the opportunity to refuse to join the study. The participants were asked to answer the forms at their most convenient time and place and were asked to return them sealed to the researcher or data gatherers to ensure confidentiality of responses. The researcher allocated sufficient days for data collection to allow the adequate representation of staff nurses despite shifting schedules of staff nurses, and the participants were given ample time to answer the survey. During retrieval, the completeness of data entry was checked.

Data Analysis

After data checking and cleaning, the responses were encoded and computer-processed via the IBM Statistical Package for the Social Sciences (SPSS) software version 23. Frequency (n), percentage (%), mean (M), and standard deviation (SD) were used to quantify and describe the data. Kolmogorov-Smirnov ($p = 0.20$) and Shapiro-Wilk ($p = 0.31$) indicated that data do not significantly deviate from normal distribution. The Pearson's r correlation coefficient was used to determine the relationship between the key variables of the study. The correlation coefficient was interpreted following the work of Schober et al. (2018): + 0.90-1.00 = very strong positive (negative) correlation, + 0.70-0.89 = strong positive (negative) correlation, + 0.40-0.69 = moderate positive (negative) correlation, + 0.10-0.39 = weak positive (negative) correlation, and + 0.00 to 0.10 = negligible positive (negative) correlation. A p -value equal to or less than 0.05 was considered the level of acceptable significance.

Ethical Consideration

The study was reviewed and approved by the Ethics Committee of the West Visayas State University. A written informed consent form was obtained from all participants. No personal identifiers were collected to protect the anonymity of the participants and the confidentiality of the data. This report is part of a larger study exploring Filipino nurses' assertiveness.

Results

Table 1 shows that the mean age was 32.34 years ($SD = 8.14$), and the average number of years of nursing work

experience was 7.36 years ($SD = 6.41$). The majority were female ($n = 153$, 68.6%) and Bachelor's degree holders ($n = 150$, 67.3%). There was an almost equal number of participants from public ($n = 113$, 50.7%) and private ($n =$

110, 49.3%) hospitals. There were 126 (56.5%) staff nurses assigned in specialty areas and 97 (43.5%) in medical and surgical units.

Table 1 Profile of staff nurses

Profile	Categories	<i>M</i>	<i>SD</i>	<i>n</i>	%
Age		32.34	8.14		
Years of experience		7.36	6.41		
Sex	Male			70	31.4
	Female			153	68.6
Education	Bachelor's degree			150	67.3
	Bachelor's degree with Master's units			73	32.7
Type of hospital	Public			113	50.7
	Private			110	49.3
Hospital unit	Specialty Areas			126	56.5
	Medical and Surgical			97	43.5

Overall, the composite scores of the key variables in this study were above midpoint (**Table 2**). The composite score of nurses' self-esteem was 32.06 ($SD = 3.65$), whereas the composite scores of the measures of psychological empowerment and leader empowering behaviors were 4.22 ($SD = 0.43$) and 3.86 ($SD = 0.51$), respectively. Assertiveness in the workplace had a composite score of 3.61 ($SD = 0.55$).

Table 2 Description of the key variables

Scales/Subscales	<i>M</i>	<i>SD</i>
Self-esteem	32.06	3.65
Psychological Empowerment	4.22	0.43
Meaning	4.51	0.50
Competence	4.26	0.52
Self-determination	4.13	0.52
Impact	3.97	0.58
Leader Empowering Behaviors	3.86	0.51
Accountability for outcomes	4.07	0.63
Self-directed decision-making	3.89	0.69
Information sharing	3.88	0.66
Skills development	3.87	0.73
Delegation of authority	3.85	0.58
Coaching for innovative performance	3.62	0.72
Assertiveness in the Workplace	3.61	0.55
Toward nursing colleagues	3.78	0.55
Toward medical personnel	3.65	0.65
Toward management personnel	3.40	0.68

The correlation between variables is presented in **Table 3**. There was a positive, weak, significant correlation between nurses' level of self-esteem ($r = 0.216$; $p = 0.001$) and assertiveness and staff nurses' perception of the empowering behaviors of their leaders ($r = 0.269$; $p = 0.000$) and assertiveness. Moreover, statistical analysis revealed a positive, moderate, significant correlation between psychological empowerment ($r = 0.455$, $p = 0.000$) and assertiveness in the workplace.

Table 3 Correlation of independent variables to assertiveness

Independent variables	Pearson's correlation (<i>r</i>)	<i>p</i> -value
Self-esteem	0.216	0.001*
Psychological Empowerment	0.455	0.000*
Competence	0.434	0.000*
Impact	0.412	0.000*
Self-determination	0.351	0.000*
Meaning	0.272	0.000*
Leader Empowering Behaviors	0.269	0.000*
Accountability for outcomes	0.355	0.000*
Delegation of authority	0.262	0.000*
Self-directed decision-making	0.200	0.003*
Information sharing	0.192	0.004*
Coaching for innovative performance	0.173	0.010*
Skills development	0.111	0.098

Discussion

The present study looked into the influence of self-esteem, psychological empowerment, and leader empowering behaviors on nurses' workplace assertive behaviors. This study demonstrated that self-esteem had a positive, weak, yet significant correlation with nurses' workplace assertiveness. Healthy self-esteem is important to learning to be assertive, or being assertive can lead to high levels of self-esteem. Healthy self-esteem represents a critical asset or necessary quality in developing assertiveness (Darjan et al., 2020). It can be difficult for nurses to assert themselves when nurses have low self-esteem. Those with low self-esteem are likely to encounter problems defending their opinions or making decisions for themselves (Darjan et al., 2020). Studies among Japanese and Indian nurses found that nurses' self-esteem improved after assertiveness training (Kanade, 2018; Shimizu et al., 2004). Similarly, a significant positive correlation between assertive behavior and self-esteem was reported in a study conducted in India among nurses (Binuja, 2020; Maheshwari & Gill, 2015) and in Nepal among nursing students (Shrestha, 2019). This

study proposes that efforts should be made to improve and to achieve healthy and balanced self-esteem among nurses to better communicate and assert themselves in the workplace.

This study also found that psychological empowerment was significantly related to assertiveness in the workplace with a moderate positive correlation. Results of the current study also indicated a significant correlation between all the components of psychological empowerment and workplace assertiveness. This finding indicates that a higher level of psychological empowerment, such as giving nurses the authority to make decisions and enhancing their competence, results in higher levels of assertiveness. This finding is relatively consistent with that of the study of [Azizi et al. \(2020\)](#) and [Ibrahim \(2011\)](#). The authors found a significant positive relationship between psychological empowerment and assertiveness with samples of midwifery and nursing students in Iran and nursing students in Egypt. A similar finding was reported among Iranian neonatal nurses ([Bostanabad et al., 2018](#)). The result of this study suggests the importance of empowering nurses for them to act more assertively. Accordingly, it is necessary to pay attention to improving nurses' competence, independence, and autonomy, likewise creating better opportunities for nurses to appreciate the impact and value of their work for them to exhibit assertiveness.

Finally, it was shown in this study that there was a positive, weak, but significant relationship between leader empowering behaviors and workplace assertiveness of staff nurses. It has been disclosed that managerial and organizational support enables nurses to become more assertive, empowered, and speak up against unsafe practices, and the process of becoming assertive or learning to speak up tends to be influenced by the management's approach toward nurses ([Darawad et al., 2020](#)). [Garon \(2012\)](#) likewise discovered that the strongest theme for nurses to speak up was related to a climate of openness that is generally created by the leaders (managers and administration). The role of a supportive working culture in facilitating nurses' ability and willingness to voice concerns was also noted in another study ([Mansour et al., 2020](#)). Correspondingly, the study of [Wong et al. \(2010\)](#) revealed that authentic leadership influenced nurses' trust in their manager, which predicted voicing behavior. Review studies similarly noted that hospital administrative support and attitude of leaders or superiors were actors influencing health care professionals and nurses' speaking-up behavior for patient safety ([Lee et al., 2021](#); [Okuyama et al., 2014a](#)). The finding of this current study indicates the valuable role of nurse leaders and managers in supporting nurses to exhibit assertive behaviors. Nurses tend or are likely to assert themselves when assertive behavior is supported in the workplace. It is, therefore, vital for the nursing management to set up empowering conditions at work, such as increasing nurses' accountability, autonomy, and self-directed decision-making to support nurses' assertive behaviors. In the

process of becoming more assertive, managerial and organizational support should also be in place to grant nurses the necessary power, autonomy, and access to resources to exercise assertive behaviors ([Darawad et al., 2020](#)).

Some shortcomings were encountered in this study that could be addressed by future scholars. This research was limited among nursing staff in two tertiary hospitals. Caution is recommended when results of the present study are extrapolated with all Filipino nurses and nurses working in other countries and other healthcare sectors. It might be useful to replicate the study on a larger scale involving nurses from different countries. Another limitation is the study design (cross-sectional) has temporal limitations and cannot establish causality between the variables. The use of survey questionnaires is subjected to self-reported bias. Validating self-reported data through method triangulation may be conducted in future studies. There may also be other factors influencing nurses' assertiveness, such as personality and emotional intelligence not included in this analysis. Nevertheless, this research has contributed to a better understanding of the factors influencing nurses' assertiveness in the workplace.

Conclusion

This research highlighted that higher levels of self-esteem, psychological empowerment, and empowering behaviors of the leader result in higher workplace assertiveness among nursing staff. Nurse leadership behaviors and empowerment play vital roles in staff nurses' assertiveness. The results suggest that empowered nurses are assertive nurses. Also, helping nurses nurture healthy self-esteem and improve their confidence can potentially lead to better assertive behaviors in the workplace and assist nurses in setting and maintaining healthy boundaries. Nurses' evaluation of themselves and empowering conditions significantly contribute to nurses' assertiveness or their chosen method of communicating with others in social interactions. Understanding and looking into these factors can help the nursing management develop strategies to build and improve nurses' assertiveness. Interventions and necessary platforms aimed at enhancing nurses' self-worth should be initiated. At the same time, efforts must be directed towards fostering greater empowerment at the individual and organizational levels to promote assertiveness in the workplace.

Declaration of Conflicting Interest

The author has no conflict of interest to declare.

Funding

This research received funding from the West Visayas State University – University Research and Development Center.

Acknowledgment

The author would like to thank the Hospital Administration and Nursing Directors for allowing the researcher to conduct the study and all the staff nurses who participated in the study. The author

would also like to express his gratitude to Dr. Hilda C. Montañón for her guidance in the completion of this study. Lastly, the author wishes to acknowledge the Philippine Commission on Higher Education for the support awarded to the researcher.

Author Contribution

The author made a substantial contribution from the conception, finalization, and writing of the final version of this article.

Author Biography

Ryan Michael F. Oducado, PhD, RN, RM, LPT is an Assistant Professor at West Visayas State University, College of Nursing, Iloilo City, Philippines.

Data Availability Statement

The datasets generated during and/or analyzed during the current study are available from the corresponding author on reasonable request.

References

- Alberti, R. E., & Emmons, M. L. (2008). *Your perfect right: A guide to assertive behavior* (9th ed.). San Luis Obispo, CA: Impact Publishers.
- Almeda, J. V., Capistrano, T. G., & Sarte, G. (2010). *Elementary statistics*. Quezon City, Philippines: UP Press.
- Asi Karakas, S., & Okanli, A. e. (2015). The effect of assertiveness training on the mobbing that nurses experience. *Workplace Health & Safety*, 63(10), 446-451. <https://doi.org/10.1177/2165079915591708>
- Azizi, S. M., Heidarzadi, E., Soroush, A., Janatolmakan, M., & Khatony, A. (2020). Investigation the correlation between psychological empowerment and assertiveness in nursing and midwifery students in Iran. *Nurse Education in Practice*, 42, 102667. <https://doi.org/10.1016/j.nepr.2019.102667>
- Bester, J., Stander, M. W., & Van Zyl, L. E. (2015). Leadership empowering behaviour, psychological empowerment, organisational citizenship behaviours and turnover intention in a manufacturing division. *SA Journal of Industrial Psychology*, 41(1), 1-14. <https://doi.org/10.4102/sajip.v41i1.1215>
- Binuja, P. (2020). Assertiveness and self-esteem of nurses. *Asian Journal of Nursing Education and Research*, 10(2), 160-162. <https://doi.org/10.5958/2349-2996.2020.00035.X>
- Board of Nursing of the Philippines. (2004). *The code of ethics of registered nurses*. Retrieved from <https://www.prc.gov.ph/uploaded/documents/Board%20of%20Nursing-CE.pdf>
- Bostanabad, M. A., Sahebiagh, M. H., Asadollahi, M., & Zakernik, M. (2018). Psychological empowerment and its relationship with assertiveness skill among nurses in neonatal wards. *Cukurova Medical Journal*, 43(4), 828-834. <https://doi.org/10.17826/cumj.389821>
- Darawad, M. W., Mansour, M., & Al-Niarat, T. (2020). Organisational empowerment and assertive communication behaviours: A survey of Jordanian newly qualified nurses. *British Journal of Nursing*, 29(7), 419-425. <https://doi.org/10.12968/bjon.2020.29.7.419>
- Darjan, I., Negru, M., & Ilie, D. (2020). Self-esteem – the decisive difference between bullying and assertiveness in adolescence? *Journal of Educational Sciences*, 41(1), 19-34. <https://doi.org/10.35923/JES.2020.1.02>
- Deltsidou, A. (2009). Undergraduate nursing students' level of assertiveness in Greece: A questionnaire survey. *Nurse Education in Practice*, 9(5), 322-330. <https://doi.org/10.1016/j.nepr.2008.08.002>
- Faul, F., Erdfelder, E., Buchner, A., & Lang, A.-G. (2009). Statistical power analyses using G* Power 3.1: Tests for correlation and regression analyses. *Behavior Research Methods*, 41(4), 1149-1160. <https://doi.org/10.3758/BRM.41.4.1149>
- Garon, M. (2012). Speaking up, being heard: Registered nurses' perceptions of workplace communication. *Journal of Nursing Management*, 20(3), 361-371. <https://doi.org/10.1111/j.1365-2834.2011.01296.x>
- Gerber, L. (2018). Understanding the nurse's role as a patient advocate. *Nursing2020*, 48(4), 55-58. <https://doi.org/10.1097/01.NURSE.0000531007.02224.65>
- Hall, N. (2016). Speak up: Easier to say than do. *Journal of Perioperative & Critical Intensive Care Nursing*, 2(1), 1000111. <https://doi.org/10.4172/jpcic.1000111>
- Ibrahim, S. A. E. A. (2011). Factors affecting assertiveness among student nurses. *Nurse Education Today*, 31(4), 356-360. <https://doi.org/10.1016/j.nedt.2010.07.006>
- Kanade, A. (2018). The effect of assertiveness training program on nurses. *Indian Journal of Psychiatric Nursing*, 15(2), 19-23. <https://doi.org/10.4103/2231-1505.255708>
- Konczak, L. J., Stelly, D. J., & Trusty, M. L. (2000). Defining and measuring empowering leader behaviors: Development of an upward feedback instrument. *Educational and Psychological Measurement*, 60(2), 301-313. <https://doi.org/10.1177/00131640021970420>
- Larijani, T. T., Aghajani, M., Zamani, N., & Ghadirian, F. (2017). Assertiveness and the factors affecting it among nursing students of Tehran University of Medical Sciences. *International Journal of New Technology and Research*, 3(5), 34-38.
- Lee, S. E., Choi, J., Lee, H., Sang, S., Lee, H., & Hong, H. C. (2021). Factors influencing nurses' willingness to speak up regarding patient safety in East Asia: A systematic review. *Risk Management and Healthcare Policy*, 14, 1053. <https://doi.org/10.2147/RMHP.S297349>
- Maheshwari, S. K., & Gill, K. K. (2015). Relationship of assertiveness and self-esteem among nurses. *International Journal of Health Sciences and Research*, 5(6), 440-449.
- Mansour, M., Jamama, A., Al-Madani, M., Mattukoyya, R., & Al-Anati, A. (2020). Reconciling assertive communication skills with undergraduate nursing education: Qualitative perspectives from British and Saudi newly-graduated nurses. *Health Professions Education*, 6(2), 176-186. <https://doi.org/10.1016/j.hpe.2020.02.001>
- McMullen, T., & Resnick, B. (2013). Self-esteem among nursing assistants: Reliability and validity of the Rosenberg Self-Esteem Scale. *Journal of Nursing Measurement*, 21(2), 335-344. <https://doi.org/10.1891/1061-3749.21.2.335>
- Mushtaq, B. (2018). Assertiveness in nursing. *COJ Nursing & Health Care*, 3(3), 272-273.
- Nacioglu, A. (2016). As a critical behavior to improve quality and patient safety in health care: Speaking up! *Safety in Health*, 2(1), 1-25. <https://doi.org/10.1186/s40886-016-0021-x>
- Nakamura, Y., Yoshinaga, N., Tanoue, H., Kato, S., Nakamura, S., Aoshi, K., & Shiraishi, Y. (2017). Development and evaluation of a modified brief assertiveness training for nurses in the workplace: A single-group feasibility study. *BMC Nursing*, 16(1), 1-8. <https://doi.org/10.1186/s12912-017-0224-4>
- Niikura, R. (1999). Assertiveness among Japanese, Malaysian, Filipino, and US white-collar workers. *The Journal of Social Psychology*, 139(6), 690-699. <https://doi.org/10.1080/00224549909598249>
- Oducado, R. M. F. (2019). Leader empowering behaviors and psychological empowerment as perceived by young hospital staff nurses: A pilot study. *Jurnal Ners*, 14(1), 47-54. <https://doi.org/10.20473/jn.v14i1.15056>

- Oducado, R. M. F. (2020). Survey instrument validation rating scale. SSRN. <http://dx.doi.org/10.2139/ssrn.3789575>
- Oducado, R. M. F. (2021). *Nurse assertiveness repertoire skills: A training text and workbook* (1st ed.). Quezon City, Philippines: Central Books.
- Okuyama, A., Wagner, C., & Bijnen, B. (2014a). How we can enhance nurses' assertiveness: A literature review. *Journal of Nursing Care*, 3(194), 2167-2168. <http://dx.doi.org/10.4172/2167-1168.1000194>
- Okuyama, A., Wagner, C., & Bijnen, B. (2014b). Speaking up for patient safety by hospital-based health care professionals: A literature review. *BMC Health Services Research*, 14(1), 1-8. <https://doi.org/10.1186/1472-6963-14-61>
- Omura, M., Levett-Jones, T., & Stone, T. E. (2019). Evaluating the impact of an assertiveness communication training programme for Japanese nursing students: A quasi-experimental study. *Nursing Open*, 6(2), 463-472. <https://doi.org/10.1002/nop.228>
- Palatnik, A. (2016). Speak up for patient safety. *Nursing2020 Critical Care*, 11(6), 4. <https://doi.org/10.1097/01.CCN.0000503425.05594.02>
- Rainer, J. (2015). Speaking up: Factors and issues in nurses advocating for patients when patients are in jeopardy. *Journal of Nursing Care Quality*, 30(1), 53-62. <https://doi.org/10.1097/NCQ.0000000000000081>
- Reid, J., & Bromiley, M. (2012). Clinical human factors: The need to speak up to improve patient safety. *Nursing Standard*, 26(35), 35-40.
- Reuter, C., & Fitzsimons, V. (2013). Physician orders. *AJN The American Journal of Nursing*, 113(8), 11. <https://doi.org/10.1097/01.NAJ.0000432941.27219.95>
- Reyes, M. E. S., Amistoso, M. N. G., Babaran, C. A. C., Bulaong, G. B. M., Reyes, V. D. M., & Tubig, N. N. (2017). Death anxiety and self-esteem of Filipino youths and older adults. *North American Journal of Psychology*, 19(2), 435-450.
- Rosenberg, M. (1965). *Society and the adolescent self-image*. Princeton, NJ: Princeton University Press.
- Schober, P., Boer, C., & Schwarte, L. A. (2018). Correlation coefficients: Appropriate use and interpretation. *Anesthesia & Analgesia*, 126(5), 1763-1768. <https://doi.org/10.1213/ANE.0000000000002864>
- Schwappach, D., & Richard, A. (2018). Speak up-related climate and its association with healthcare workers' speaking up and withholding voice behaviours: A cross-sectional survey in Switzerland. *BMJ Quality & Safety*, 27(10), 827-835. <http://dx.doi.org/10.1136/bmjqs-2017-007388>
- Shapira-Lishchinsky, O., & Benoliel, P. (2019). Nurses' psychological empowerment: An integrative approach. *Journal of Nursing Management*, 27(3), 661-670. <https://doi.org/10.1111/jonm.12726>
- Shimizu, T., Kubota, S., Mishima, N., & Nagata, S. (2004). Relationship between self-esteem and assertiveness training among Japanese hospital nurses. *Journal of Occupational Health*, 46(4), 296-298. <https://doi.org/10.1539/joh.46.296>
- Shrestha, S. (2019). Assertiveness and self-esteem among nursing students of Manipal College of Medical Science of Pokhara, Nepal. *Journal of Chitwan Medical College*, 9(2), 54-59. <https://doi.org/10.3126/jcmc.v9i2.24535>
- Spreitzer, G. M. (1995). Psychological empowerment in the workplace: Dimensions, measurement, and validation. *Academy of Management Journal*, 38(5), 1442-1465. <https://doi.org/10.5465/256865>
- Timmins, F., & McCabe, C. (2005a). How assertive are nurses in the workplace? A preliminary pilot study. *Journal of Nursing Management*, 13(1), 61-67. <https://doi.org/10.1111/j.1365-2834.2004.00492.x>
- Timmins, F., & McCabe, C. (2005b). Nurses' and midwives' assertive behaviour in the workplace. *Journal of Advanced Nursing*, 51(1), 38-45. <https://doi.org/10.1111/j.1365-2648.2005.03458.x>
- Uner, S., & Turan, S. (2010). The construct validity and reliability of the Turkish version of Spreitzer's psychological empowerment scale. *BMC Public Health*, 10(1), 1-8. <https://doi.org/10.1186/1471-2458-10-117>
- Wong, C. A., Spence Laschinger, H. K., & Cummings, G. G. (2010). Authentic leadership and nurses' voice behaviour and perceptions of care quality. *Journal of Nursing Management*, 18(8), 889-900. <https://doi.org/10.1111/j.1365-2834.2010.01113.x>
- Yoshinaga, N., Nakamura, Y., Tanoue, H., MacLiam, F., Aoishi, K., & Shiraishi, Y. (2018). Is modified brief assertiveness training for nurses effective? A single-group study with long-term follow-up. *Journal of Nursing Management*, 26(1), 59-65. <https://doi.org/10.1111/jonm.12521>

Cite this article as: Oducado, R. M. F. (2021). Influence of self-esteem, psychological empowerment, and empowering leader behaviors on assertive behaviors of staff nurses. *Belitung Nursing Journal*, 7(3), 179-185. <https://doi.org/10.33546/bnj.1424>