

Druedahl, Jeppe; Graber, Michael; Jørgensen, Thomas H.

Working Paper

High Frequency Income Dynamics

CEBI Working Paper Series, No. 08/21

Provided in Cooperation with:

Center for Economic Behavior and Inequality (CEBI), Department of Economics, University of Copenhagen

Suggested Citation: Druedahl, Jeppe; Graber, Michael; Jørgensen, Thomas H. (2021) : High Frequency Income Dynamics, CEBI Working Paper Series, No. 08/21, University of Copenhagen, Department of Economics, Center for Economic Behavior and Inequality (CEBI), Copenhagen

This Version is available at:

<https://hdl.handle.net/10419/258952>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.

CEBI WORKING PAPER SERIES

Working Paper 08/21

HIGH FREQUENCY INCOME DYNAMICS

Jeppe Druedahl

Michael Graber

Thomas H. Jørgensen

ISSN 2596-44TX

CEBI

Department of Economics
University of Copenhagen
www.cebi.ku.dk

High Frequency Income Dynamics^{*}

Jeppe Druedahl[†]

Michael Graber[‡]

Thomas H. Jørgensen[§]

March 29, 2021

Abstract

We generalize the canonical permanent-transitory income process to allow for infrequent shocks. The distribution of income growth rates can then have a discrete mass point at zero and fat tails as observed in income data. We provide analytical formulas for the unconditional and conditional distributions of income growth rates and higher-order moments. We prove a set of identification results and numerically validate that we can simultaneously identify the frequency, variance, and persistence of income shocks. We estimate the income process on monthly panel data of 400,000 Danish males observed over 8 years. When allowing shocks to be infrequent, the proposed income process can closely match the central features of the data.

JEL Codes: C33, D31, J30

Keywords: Consumption-saving, income dynamics, panel data models

Replication package: [GitHub](#)

^{*}We thank Jakob Langager Christensen, Christoffer Kinttof Øhlenschläger, Emil Holst Partsch and Joachim Kahr Rasmussen for excellent research assistance. Financial support from the Economic Policy Research Network (EPRN), Denmark and the Danish Council for Independent Research in Social Sciences is gratefully acknowledged (FSE, grant no. 4091-00040 and 5052-00086B). Center for Economic Behavior and Inequality (CEBI) is a center of excellence at the University of Copenhagen, founded in September 2017, financed by a grant from the Danish National Research Foundation, Grant DNRF134. All errors are ours.

[†]CEBI, Department of Economics, University of Copenhagen, Øster Farimagsgade 5, Building 35, DK-1353 Copenhagen K, Denmark. E-mail: jeppe.druedahl@econ.ku.dk. Website: sites.google.com/view/jeppe-drueadahl/.

[‡]Department of Economics, University of Chicago, 1126 East 59th Street Chicago, Illinois 60637. E-mail: m.graber@uchicago.edu. Website: sites.google.com/view/michaelgraber.

[§]CEBI, Department of Economics, University of Copenhagen, Øster Farimagsgade 5, Building 35, DK-1353 Copenhagen K, Denmark. E-mail: thomas.h.jorgensen@econ.ku.dk. Website: www.tjeconomics.com.

1 Introduction

Recent Heterogeneous Agent New Keynesian (HANK) models emphasize the importance of idiosyncratic income risk for business cycle fluctuations.¹ However, calibrating these models has been proven difficult. The theoretical framework is typically formulated at quarterly frequency or higher, whereas empirical evidence on the dynamics of income at such high frequency is scarce. The goal of this paper is to fill this gap by providing a detailed picture of the dynamics of income at monthly frequency.


Identification of credible high frequency income processes is key for an accurate representation of consumption and portfolio behavior.² When consumers face many frequent income shocks they need low-return liquid assets to smooth their consumption. If consumers instead face larger, but more infrequent shocks, they are more willing to hold a large share of high-return illiquid assets and be wealthy hand-to-mouth consumers (Kaplan and Violante, 2014; Larkin, 2019). Heterogeneity in access to liquidity across households leads to substantial heterogeneity in the marginal propensity to consume (MPC) out of temporary income changes. The distribution of MPCs in turn plays a key role for many important economic questions, including the response of the macroeconomy to aggregate shocks. The conclusions reached about these questions likely depend on the specification of the income process used to calibrate these models.

In this paper, we propose to model monthly income fluctuations using a generalization of the canonical permanent-transitory income process extended with infrequent permanent and transitory shocks. We provide analytical formulas for how the frequency of shocks affect central moments of income growth rates, such as their variance, co-variance, and kurtosis. We use this to show that once the arrival probabilities of the infrequent persistent and transitory shocks are pinned down, the remaining parameters controlling the persistence and volatility of shocks are identified using standard moment conditions (as in e.g. Hryshko, 2012). In some specific cases, the arrival probabilities of shocks are furthermore identified in closed-form from e.g. the share of observations with zero income growth between months.

¹ See for example Oh and Reis 2012; McKay and Reis 2016; Guerrieri and Lorenzoni 2017; Den Haan et al. 2018; Bayer et al. 2019; Hagedorn et al. 2019; Ravn and Sterk 2020; Luetticke 2020. A review of the literature is provided by Kaplan and Violante (2018).

² A related literature uses transaction level data to analyze high frequency consumer behavior. See e.g. Gelman et al. (2014), Kueng (2018), Ganong and Noel (2019), Baker (2018), Olafsson and Pagel (2018), and Druedahl et al. (2020)

Figure 1.1: The fit of the estimated income process.



Notes: This figure shows the fit of the proposed incomes process estimated on monthly Danish register data. The income process is introduced in Section 2, and the data and estimation results are presented in detail in Section 4.

In the general specification, the arrival probabilities are, however, not identified in closed-form. In a numerical exercise, we instead validate that they are simultaneously identified with all the other parameters by a set of standard mean, variance, and co-variances moments combined with information on the unconditional and conditional distribution of income growth rates and the kurtosis of growth rates. Additionally, we show that we are also able to identify non-zero mean transitory shocks such as bonuses. Finally, our analytical formulas allow us to estimate our model without simulating it, which computationally is orders of magnitude faster.

A key challenge in estimating income risk at high frequency is that most panel data on income, whether based on surveys or administrative tax records, are available only at annual frequency, sometimes even lower. We exploit a unique source of panel data containing monthly income records for every employee in Denmark from January 2011 to December 2018. The key advantage of this dataset is the accuracy of the income information provided, the large sample size and the monthly frequency at which income is recorded. In our empirical application, we investigate the dynamics of monthly earnings for more than 400,000 Danish men.

Our key finding is that shocks to monthly earnings are rather infrequent, with estimated arrival probabilities of less than 30 percent across all specifications. The estimated model fits the main features of the data reasonably well. Importantly, we closely match the sizable mass-point at zero for monthly income growth rates (see Figure (1.1)) and the gradual dispersion of the distribution of longer horizon growth rates. The significantly negative higher-order auto-covariances suggest that we cannot exclude even the most infrequent persistent shocks without reducing the

fit markedly.

Our paper is related to the large and growing literature on estimating income processes with early contributions by [Lillard and Willis \(1978\)](#) and [MaCurdy \(1982\)](#) who developed the permanent transitory framework.³ Recently, a burgeoning literature has focused on the importance of non-linear and idiosyncratic dynamics using data on annual earnings ([Browning et al., 2010](#); [Altonji et al., 2013](#); [Arellano et al., 2017](#); [Guvenen et al., 2019](#); [De Nardi et al., 2020, 2021](#)). In contrast, we focus on monthly instead of annual income dynamics and allow for shocks of varying frequency.

[Klein and Telyukova \(2013\)](#) discuss estimation of high frequency income processes using only auto-covariances of log-income from annual data. They show that the frequency of shocks is not identified using their proposed moments. [Kaplan et al. \(2018\)](#) rely on higher-order moments of annual income growth rates to infer high frequency earnings dynamics. [Eika \(2018\)](#) discusses identification of the variance of transitory and permanent shocks using auto-covariances of growth rates when all households receive a single shock at a random point in time during the year. He shows that the transitory shock variance becomes biased because a permanent shock midway through year t induces a positive co-variance between the growth rate from $t - 1$ to t and the growth rate from t to $t + 1$. [Crawley 2020](#) and [Crawley and Kuchler \(2018\)](#) also discuss time aggregation problems. We avoid such problems by estimating the income process directly on the frequency where the wage is paid out, i.e. monthly.

The paper proceeds as follows. Section 3 presents our proposed monthly income process and derives central analytical properties. Section 3 discusses identification issues. Section 4 presents the Danish register data and the empirical results. Section 5 concludes. Appendix A contains the proofs, and Appendix B presents additional tables and figures.

2 Monthly income process

We propose to model monthly income fluctuation using a simple generalization of the canonical persistent-transitory income process extended with infrequent persistent

³ See, for example, the review by [Meghir and Pistaferri \(2011\)](#) and the extensive list of studies referenced therein. Scandinavian register data have previously been used to estimate income processes by e.g. [Browning and Ejrnæs \(2013\)](#), [Blundell et al. \(2015\)](#), [Daly et al. \(2016\)](#) and [Drue Dahl and Munk-Nielsen \(2018\)](#).

and transitory shocks. Our specification for log-income, y_t , in month t is given by

$$\begin{aligned}
y_t &= z_t + p_t + \pi_t^\xi \xi_t + \pi_t^\eta \eta_t + \epsilon_t \\
z_t &= z_{t-1} + \pi_t^\phi \phi_t \\
p_t &= \varrho_t p_{t-1} + \pi_t^\psi \psi_t \\
\varrho_t &= 1 - \pi_t^\psi (1 - \rho), \quad \rho \in [0, 1] \\
\pi_t^x &\sim \text{Bernoulli}(p_x), \quad x \in \{\phi, \eta, \psi, \xi\}, \\
\mathbb{E}[x_t] &= 0, \quad x \in \{\psi, \eta\} \\
\mathbb{E}[x_t] &= \mu_x, \quad x \in \{\phi, \xi\} \\
\text{Var}[x_t] &= \sigma_x^2, \quad x \in \{\psi, \phi, \eta, \xi, \epsilon\} \\
&\quad \phi_t, \psi_t, \eta_t, \xi_t, \pi_t^\phi, \pi_t^\psi, \pi_t^\eta, \pi_t^\xi, \epsilon_t \text{ are serially uncorrelated and i.i.d.}
\end{aligned} \tag{2.1}$$

The income process has five components:

1. A *permanent* component, z_t , where a shock arrives with a probability of p_ϕ . The shock has a variance of σ_ϕ^2 and a mean of μ_ϕ .
2. A *persistent* component, p_t , modeled as an AR(1) process, which is constant until a shock arrives with a probability of p_ψ . The shock has a variance of σ_ψ^2 and have a mean of zero. Previous shocks depreciates with a rate of ρ .
3. A *transitory* component, η_t , where a shock arrives with a probability of p_η . The shock has a variance of σ_η^2 and a mean of zero.
4. A *transitory* component, ξ_t , where a shock arrives with a probability of p_ξ . The shock has a variance of σ_ξ^2 and a mean of μ_ξ .
5. An *ever-present* transitory shock (e.g. measurement error) with a variance of σ_ϵ^2 and a mean of zero.

We analyze the model in the limit, where the effect of the initial values for the permanent and persistent components, z_t and p_t , have died out. The income process in eq. (2.1) nests the canonical persistent-transitory income process when $p_\phi = p_\psi = p_\eta = p_\xi = 1$ and $\mu_\phi = \mu_\xi = 0$.

In the rest of this section, we derive several analytical properties of the income process in eq. (2.1). These results allow us to estimate the model without simulating it and are used to provide identification results in Section 3.

2.1 Alternative formulation

In order to simplify the analysis of the model, it is beneficial to note that our assumption of constant variances of the permanent and persistent shocks implies that it is only the number of shocks and not their timing which matters. Our assumption of no serial correlation further implies that the number of shocks in a given time interval is binomially distributed. Consequently, an alternative, but equivalent, formulation of the permanent and persistent components are,

$$z_t = z_0 + \sum_{s=1}^{n_\phi} \phi_s \quad (2.2)$$

$$p_t = \rho^{n_\psi} p_0 + \sum_{s=1}^{n_\psi} \rho^s \psi_s \quad (2.3)$$

$$n_x \sim \text{Binomial}(t, p_x), \quad x \in \{\phi, \psi\},$$

where n_x is the number of arrived shocks of type x up to and including period t , and ψ_s and ϕ_s (with a slight abuse of notation) now refer to the s 'th shock of each type (rather than the shock in period s). For later, denote the probability mass function of the binomial distribution by $f_B(n|q, p)$ for a success probability of p and q trials. Similarly, the k -month growth rate of the permanent component, $\Delta_k z_t = z_t - z_{t-k}$, and the persistent component, $\Delta_k p_t = p_t - p_{t-k}$, can be formulated equivalently as

$$\Delta_k z_t = \sum_{s=1}^{n_\phi} \phi_s \quad (2.4)$$

$$\Delta_k p_t = (\rho^{n_\psi} - 1)p_{t-k} + \sum_{s=0}^{n_\psi-1} \rho^s \psi_s \quad (2.5)$$

$$n_x \sim \text{Binomial}(k, p_x), \quad x \in \{\psi, \phi\}.$$

2.2 Stationary distribution

Lemma 1 shows that the limiting stationary distribution of the persistent component, p_t , is unaffected by the frequency of shocks. If e.g. all shocks are Gaussian, the distribution of the persistent component is also Gaussian.

Lemma 1. *If $\rho \in [0, 1)$, the limiting distribution of the persistent component, p_t , exists and is independent of the arrival probabilities. In particular, the mean and*

variance are

$$\begin{aligned}\mathbb{E}[\lim_{t \rightarrow \infty} p_t] &= 0 \\ \text{Var}[\lim_{t \rightarrow \infty} p_t] &= \frac{\sigma_\psi^2}{1 - \rho^2}.\end{aligned}$$

Proof. See Online Supplemental Material [A](#). □

2.3 Conditional moments

Theorem 1 provides an expression for the mean and variance of the k -period growth rate of income,

$$\Delta_k y_t = \Delta_k z_t + \Delta_k p_t + \pi_t^\eta \eta_t - \pi_{t-k}^\eta \eta_{t-k} + \pi_t^\xi \xi_t - \pi_{t-k}^\xi \xi_{t-k} + \epsilon_t - \epsilon_{t-k}, \quad (2.6)$$

conditional on the number of arrived persistent and transitory shocks, and use this to model $\Delta_k y_t$ as a mixture distribution. The mean is increasing in the mean of the permanent shock and can either be affected positively or negatively by the transitory shock with a non-zero mean depending on when it arrives. The variance increases with the number of both transitory and persistent shocks.

Theorem 1. *Let n_ϕ, n_ψ denote the number of permanent/persistent shocks of type ϕ and ψ arrived in the time interval $[t - k + 1, t]$. Let $m_{\eta 0}, m_{\eta 1} \in \{0, 1\}$ and $m_{\xi 0}, m_{\xi 1} \in \{0, 1\}$ denote whether there was a transitory shock of respectively type η and ξ in period $t - k$ and period t . Conditional on $n_\phi, n_\psi, m_{\eta 0}, m_{\eta 1}, m_{\xi 0}$, and $m_{\xi 1}$, the mean and variance of the k -month growth rate are*

$$\mathbb{E}[\Delta_k y_t | n_\phi, n_\psi, m_{\eta 0}, m_{\eta 1}, m_{\xi 0}, m_{\xi 1}] = n_\phi \mu_\phi + (m_{\xi 1} - m_{\xi 0}) \mu_\xi \quad (2.7)$$

$$\begin{aligned}\text{Var}[\Delta_k y_t | n_\phi, n_\psi, m_{\eta 0}, m_{\eta 1}, m_{\xi 0}, m_{\xi 1}] &= 2\sigma_\psi^2 \frac{1 - \rho^{n_\psi}}{1 - \rho^2} + n_\phi \sigma_\phi^2 \\ &\quad + (m_{\xi 0} + m_{\xi 1}) \sigma_\xi^2 \\ &\quad + (m_{\eta 0} + m_{\eta 1}) \sigma_\eta^2 + 2\sigma_\epsilon^2.\end{aligned} \quad (2.8)$$

The distribution of $\Delta_k y_t$ is a mixture distribution. The set of components is

$$s = (n_\phi, n_\psi, m_{\eta 0}, m_{\eta 1}, m_{\xi 0}, m_{\xi 1}) \in \mathbb{S} = \{0, \dots, k\}^2 \times \{0, 1\}^4, \quad (2.9)$$

where $\mu_s \equiv \mathbb{E}[\Delta_k y_t | s]$ and $\Xi_s \equiv \text{Var}[\Delta_k y_t | s]$ are the mean and variance of the s 'th

component, and the mixture weights are given by

$$\omega_s = f_B(n_\phi|k, p_\phi) f_B(n_\psi|k, p_\psi) f_B(m_{\eta 0}|1, p_\eta) f_B(m_{\eta 1}|1, p_\eta) f_B(m_{\xi 0}|1, p_\xi) f_B(m_{\xi 1}|1, p_\xi). \quad (2.10)$$

Proof. See Online Supplemental Material [A](#). $\square$

Theorem 2 extends the result above to the auto-covariance of income growth conditional on the number of arrived persistent and transitory shocks and uses this to model the joint distribution of $(\Delta_k y_t, \Delta_k y_{t-k})$ as a mixture distribution.

Theorem 2. Let $n_{\phi 0}, n_{\phi 1}, n_{\psi 0}, n_{\psi 1}$, denote the number of permanent/persistent shocks of type ϕ and ψ arrived in the time intervals $[t-2k+1, t-k]$ and $[t-k+1, t]$. Let $m_{\eta 0}, m_{\eta 1}, m_{\eta 2} \in \{0, 1\}$ and $m_{\xi 0}, m_{\xi 1}, m_{\xi 2} \in \{0, 1\}$ denote whether there was a transitory shock of respectively type η and ξ in period $t-2k, t-k$ and t . Conditional on $n_{\phi 0}, n_{\phi 1}, n_{\psi 0}, n_{\psi 1}, m_{\eta 0}, m_{\eta 1}, m_{\eta 2}, m_{\xi 0}, m_{\xi 1}, m_{\xi 2}$ the auto-covariance of k -month income growth is

$$\begin{aligned} \text{Cov}[\Delta_k y_t, \Delta_k y_{t-k} | n_{\psi 0}, n_{\psi 1}, m_{\xi 1}, m_{\eta 1}] &= \frac{(\rho^{n_{1\psi}} - 1)(1 - \rho^{n_{0\psi}})}{1 - \rho^2} \sigma_\psi^2 \\ &\quad - (m_{\xi 1} \sigma_\xi^2 + m_{\eta 1} \sigma_\eta^2 + \sigma_\epsilon^2) \end{aligned} \quad (2.11)$$

and the means and variances can be calculated as in Lemma 1.

The joint distribution of $(\Delta_k y_t, \Delta_k y_{t-k})$ is a mixture distribution. The set of components is

$$\begin{aligned} s &= (n_{\phi 0}, n_{\phi 1}, n_{\psi 0}, n_{\psi 1}, m_{\eta 0}, m_{\eta 1}, m_{\eta 2}, m_{\xi 0}, m_{\xi 1}, m_{\xi 2}) \\ &\in \mathbb{S} = \{0, \dots, k\}^4 \times \{0, 1\}^6, \end{aligned} \quad (2.12)$$

where the mean and covariance matrix of the s 'th component are

$$\mu_s = (\mu_{1s}, \mu_{2s}) \quad (2.13)$$

$$\Xi_s = \begin{bmatrix} \Xi_{1s} & \mathbb{C}_s \\ \mathbb{C}_s & \Xi_{2s} \end{bmatrix}, \quad (2.14)$$

where

$$\begin{aligned}
\mu_{1s} &\equiv \mathbb{E}[\Delta_k y_{t-k} | n_{\phi 0}, n_{\psi 0}, m_{\eta 0}, m_{\eta 1}, m_{\xi 0}, m_{\xi 1}] \\
\Xi_{1s} &\equiv \text{Var}[\Delta_k y_{t-k} | n_{\phi 0}, n_{\psi 0}, m_{\eta 0}, m_{\eta 1}, m_{\xi 0}, m_{\xi 1}] \\
\mu_{2s} &\equiv \mathbb{E}[\Delta_k y_t | n_{\phi 1}, n_{\psi 1}, m_{\eta 1}, m_{\eta 2}, m_{\xi 1}, m_{\xi 2}] \\
\Xi_{2s} &\equiv \text{Var}[\Delta_k y_t | n_{\phi 1}, n_{\psi 1}, m_{\eta 1}, m_{\eta 2}, m_{\xi 1}, m_{\xi 2}] \\
\mathbb{C}_s &\equiv \text{Cov}[\Delta_k y_t, \Delta_k y_{t-k} | n_{\psi 0}, n_{\psi 1}, m_{\xi 1}, m_{\eta 1}],
\end{aligned}$$

and the mixture weights are given by

$$\begin{aligned}
\omega_s = & \left(\prod_{i \in \{0,1\}} f_B(n_{\phi i} | k, p_\phi) \right) \left(\prod_{i \in \{0,1\}} f_B(n_{\psi i} | k, p_\psi) \right) \\
& \left(\prod_{i \in \{0,1,2\}} f_B(m_{\eta i} | 1, p_\eta) \right) \left(\prod_{i \in \{0,1,2\}} f_B(m_{\xi i} | 1, p_\xi) \right).
\end{aligned}$$

Proof. See Online Supplemental Material [A](#). □

2.4 Moments

Corollary 1 derives expressions for the mean and variance of k -month growth.

Corollary 1. *The mean and variance of k -month income growth are*

$$\mathbb{E}[\Delta_k y_t] = kp_\phi \mu_\phi \quad (2.15)$$

$$\begin{aligned}
\text{Var}[\Delta_k y_t] &= 2\bar{\sigma}_\psi^2(1 - \tilde{\rho}_k) + k(\tilde{\mu}_\phi^2 + p_\phi \sigma_\phi^2) \\
&\quad + 2(p_\xi \sigma_\xi^2 + \tilde{\mu}_\xi^2 + p_\eta \sigma_\eta^2 + \sigma_\epsilon^2)
\end{aligned} \quad (2.16)$$

where the adjusted persistence parameter is

$$\tilde{\rho}_x \equiv (1 - p_\psi(1 - \rho))^x, \quad (2.17)$$

the long-run variance component of the persistent shock is

$$\bar{\sigma}_\psi^2 \equiv \frac{\sigma_\psi^2}{1 - \rho^2}, \quad (2.18)$$

and the adjusted means are

$$\tilde{\mu}_\phi^2 \equiv p_\phi(1 - p_\phi)\mu_\phi^2 \quad (2.19)$$

$$\tilde{\mu}_\xi^2 \equiv p_\xi(1 - p_\eta)\mu_\xi^2. \quad (2.20)$$

Proof. See Online Supplemental Material [A](#). □

Corollary 2 derives expressions for the auto-covariance and fractional auto-covariance of k -month growth rates.

Corollary 2. *The auto-covariance and fractional auto-covariance of k -month income growth are*

$$\text{Cov}[\Delta_k y_t, \Delta_k y_{t-k}] = -\bar{\sigma}_\psi^2(1 - \tilde{\rho}_k)^2 - (p_\xi \sigma_\xi^2 + \tilde{\mu}_\xi^2 + p_\eta \sigma_\eta^2 + \sigma_\epsilon^2) \quad (2.21)$$

$$\text{Cov}[\Delta_k y_t, \Delta_k y_{t-\ell k}] = -\bar{\sigma}_\psi^2(1 - \tilde{\rho}_k)^2 \tilde{\rho}_k^{(\ell-1)k}, \quad \ell \in \{2, 3, \dots\} \quad (2.22)$$

$$\begin{aligned} \text{Cov}[\Delta_k y_t, \Delta_k y_{t-\ell}] &= \bar{\sigma}_\psi^2(2\tilde{\rho}_\ell - \tilde{\rho}_{k-\ell} - \tilde{\rho}_{k+\ell}) \\ &\quad + \tilde{\mu}_\phi^2(k - \ell) + \sigma_\phi^2 p_\phi(k - \ell) \\ &\quad \text{for } \ell \in \{1, 2, \dots, k-1\}. \end{aligned} \quad (2.23)$$

Proof. See Online Supplemental Material [A](#). □

Corollary 3 derives expressions for the skewness and kurtosis of k -month growth rates.

Corollary 3. *If ψ_t , ξ_t , η_t , ϕ_t and ϵ_t are all Gaussian, the skewness and excess kurtosis of k -month income growth rates are*

$$\text{Skew}[\Delta_k y_t] = -3 + \frac{1}{\Xi^{\frac{3}{2}}} \sum_{s \in \mathbb{S}} \omega_s (\mu_s - \mu) (3\Xi_s + (\mu_s - \mu)^2) \quad (2.24)$$

$$\text{Kurt}[\Delta_k y_t] = \frac{1}{\Xi^2} \sum_{s \in \mathbb{S}} \omega_s (3\Xi_s^2 + 6(\mu_s - \mu)^2 \Xi_s + (\mu_s - \mu)^4), \quad (2.25)$$

where $\mu = \mathbb{E}[\Delta_k y_t]$ and $\Xi = \text{Var}[\Delta_k y_t]$.

Proof. See Online Supplemental Material [A](#). □

Corollary 4 derives expressions for the changes in variances and co-variances of levels of income.

Corollary 4. *The changes in variances and co-variances of levels of income are*

$$\text{Var}[y_{t+k}] - \text{Var}[y_t] = k(p_\phi \sigma_\phi^2 + \tilde{\mu}_\phi^2) \quad (2.26)$$

$$\begin{aligned} \text{Cov}[y_t, y_{t+k+\ell}] - \text{Cov}[y_{t+k}, y_t] &= \left[(1 - p_\psi(1 - \rho))^{k+\ell} - (1 - p_\psi(1 - \rho))^k \right] \\ &\quad \times \frac{\sigma_\psi^2}{1 - \rho^2} \end{aligned} \quad (2.27)$$

Proof. See Online Supplemental Material [A](#). □

2.5 Distributions

Corollary 5 derives an expression for the full CDF of k -month income growth rates.

Corollary 5. *If ϕ_t , ψ_t , η_t , ξ_t , and ϵ_t are all Gaussian, then, using the same notation as in Theorem 1, the CDF of k -month growth rates is*

$$Pr[\Delta_k y_t < x] = \sum_{s \in \mathbb{S}} \omega_s \Phi \left(\frac{x - \mu_s}{\sqrt{\Xi_s}} \right), \quad (2.28)$$

where $\Phi(x)$ is the standard Gaussian CDF.

Proof. See Online Supplemental Material A. □

Corollary 6 derives an expression for the full bi-variate CDF of just-connected k -month income growth rates.

Corollary 6. *If ϕ_t , ψ_t , η_t , ξ_t , and ϵ_t are all Gaussian, then, using the same notation as in Theorem 2, the bi-variate CDF of just-connected k -month income growth rates is*

$$Pr[\Delta_k y_t < x_1 \wedge \Delta_k y_{t-k} < x_2] = \sum_{s \in \mathbb{S}} \omega_s \Phi_2 \left(\frac{x_1 - \mu_{1s}}{\sqrt{\Xi_{1s}}}, \frac{x_2 - \mu_{2s}}{\sqrt{\Xi_{2s}}}, \frac{\mathbb{C}_s}{\sqrt{\Xi_{1s}}\sqrt{\Xi_{2s}}} \right), \quad (2.29)$$

where $\Phi_2(x_1, x_2, r)$ is the bi-variate Gaussian CDF with a correlation coefficient of r .

Proof. See Online Supplemental Material A. □

There does not exist an analytical expression for the bi-variate CDF, so the expression in (2.29) is in principle only analytical up to the evaluation of $\Phi_2(\bullet)$.

3 Identification

In this section, we turn to identification of the empirically relevant 11 model parameters,⁴

$$\theta = (p_\phi, p_\psi, p_\xi, p_\eta, \sigma_\xi, \mu_\xi, \sigma_\phi, \sigma_\psi, \sigma_\eta, \mu_\phi, \rho)$$

In line with our later empirical analysis, we will mainly focus on 12-month growth rates, which are more robust to introducing seasonality than e.g. 1-month growth

⁴ The ever-present shock, ϵ_t , is empirically irrelevant as we observe a large share of exact zero income growth rates.

rates. We first prove two informative closed-form conditional identification results. Secondly, we numerically verify a general identification conjecture based on the closed-form results.

3.1 Closed form results

Combing Corollary 1 and Corollary 2, we see that the shock variances and the persistence parameter affect the variances and covariances qualitatively in the same way as when all shocks are ever-present (see e.g. Hryshko 2012 or Druedahl and Munk-Nielsen (2018)). Standard identification arguments are therefore valid for these parameters. This is formalized in Lemma 2.

Lemma 2. *Given the arrival probabilities, p_ϕ , p_ψ , p_ξ , and p_η , and the mean and variance of the non-zero-mean transitory shock, μ_ξ and σ_ξ^2 , the persistence parameter, ρ , and the permanent, persistent, and transitory shock variances, σ_ϕ^2 , σ_ψ^2 , and σ_ξ^2 , and the mean of the permanent shock, μ_ϕ , are identified by*

$$\mu_\phi = \frac{\mathbb{E}[\Delta_{12}y_t]}{12p_\phi} \quad (3.1)$$

$$\rho = 1 - \frac{1 - \left(\frac{\text{Cov}[\Delta_{12}y_t, \Delta_{12}y_{t-3 \cdot 12}]}{\text{Cov}[\Delta_{12}y_t, \Delta_{12}y_{t-2 \cdot 12}]} \right)^{\frac{1}{12}}}{p_\psi} \quad (3.2)$$

$$\sigma_\psi^2 = \frac{\left(2(\text{Var}[\Delta_{24}y_t] - \tilde{\mu}_{\phi 24}) - \sum_{k \in \{12, 36\}} (\text{Var}[\Delta_k y_t] - \tilde{\mu}_{\phi k}) \right) (1 - \rho^2)}{2(\tilde{\rho}_{12} + \tilde{\rho}_{36} - 2\tilde{\rho}_{24})} \quad (3.3)$$

$$\sigma_\phi^2 = \frac{(\text{Var}[\Delta_{24}y_t] - \tilde{\mu}_{\phi 24}) - (\text{Var}[\Delta_{12}y_t] - \tilde{\mu}_{\phi 12}) - \frac{2\sigma_\psi^2(\tilde{\rho}_{12} - \tilde{\rho}_{24})}{1 - \rho^2}}{12p_\phi} \quad (3.4)$$

$$\sigma_\eta^2 = -\frac{\text{Cov}[\Delta_{12}y_t, \Delta_{12}y_{t-12}] + \frac{\sigma_\psi^2(1 - \tilde{\rho}_{12})^2}{1 - \rho^2} + p_\xi \sigma_\xi^2 + \tilde{\mu}_\xi^2}{p_\eta}. \quad (3.5)$$

Proof. Follows directly from Corollary 1-2. $\square$

If the non-zero-mean shocks have zero variance, i.e. $\sigma_\phi^2 = \sigma_\xi^2 = 0$, identification of the arrival probabilities are straightforward. Lemma 3 shows that the arrival probabilities are identified from mass points in the distribution of income growth rates.

Lemma 3. *If the non-zero-mean shocks have zero variance, $\sigma_\phi^2 = \sigma_\xi^2 = 0$, the distribution of income growth rates has mass points given by*

$$Pr[\Delta_k y_t = 0] = (1 - p_\psi)^k \left((1 - p_\xi)^2 + p_\xi^2 \right) \times (1 - p_\phi)^k (1 - p_\eta)^2 \quad (3.6)$$

$$Pr[\Delta_k y_t = \mu_\phi] = (1 - p_\psi)^k \left((1 - p_\xi)^2 + p_\xi^2 \right) \times k p_\phi (1 - p_\phi)^{k-1} (1 - p_\eta)^2 \quad (3.7)$$

$$Pr[\Delta_k y_t = \mu_\xi | \Delta_k y_{t-k} = 0] = (1 - p_\psi)^k (1 - p_\phi)^k \times \frac{(1 - p_\eta)}{p_\xi^2 + (1 - p_\xi)^2} p_\xi (1 - p_\xi)^2 \quad (3.8)$$

$$Pr[\Delta_k y_t = -\mu_\xi | \Delta_k y_{t-k} = 0] = (1 - p_\psi)^k (1 - p_\phi)^k \times \frac{(1 - p_\eta)}{p_\xi^2 + (1 - p_\xi)^2} (1 - p_\xi) p_\xi^2 \quad (3.9)$$

and the arrival probabilities, p_ϕ , p_ψ , p_ξ and p_η , are identified by

$$p_\phi = \frac{Pr[\Delta_{12} y_t = \mu_\phi]}{(12 Pr[\Delta_{12} y_t = 0] + Pr[\Delta_{12} y_t = \mu_\phi])} \quad (3.10)$$

$$p_\xi = \frac{Pr[\Delta_{12} y_t = -\mu_\xi | \Delta_{12} y_{t-12} = 0]}{Pr[\Delta_{12} y_t = \mu_\xi | \Delta_{12} y_{t-12} = 0] + Pr[\Delta_{12} y_t = -\mu_\xi | \Delta_{12} y_{t-12} = 0]} \quad (3.11)$$

$$p_\psi = 1 - \frac{\left(\frac{Pr[\Delta_{24} y_t = 0]}{Pr[\Delta_{12} y_t = 0]} \right)^{\frac{1}{12}}}{1 - p_\phi} \quad (3.12)$$

$$p_\eta = 1 - \sqrt{\frac{Pr[\Delta_{12} y_t = 0]}{(1 - p_\psi)^{12} \left((1 - p_\xi)^2 + p_\xi^2 \right) (1 - p_\phi)^{12}}}. \quad (3.13)$$

Proof. Follows directly from the arrival of a shock being Bernoulli distributed. $\square$

3.2 Numerical identification test

When the non-zero-mean shocks have non-zero variances, $\sigma_\phi^2, \sigma_\xi^2 > 0$, the arrival probabilities can no longer be estimated by the knife-edge conditions in Lemma 3 because the exact mass points disappear. There will, however, still be identifying information in the probability mass of income growth rates around these mass points. This suggests that it is valuable to target the uni-variate and bi-variate CDFs of income growth rates, which we showed how to calculate in Corollary 5 and Corollary 6. The slopes of the CDFs around the excess mass regions, for given means of the permanent and transitory shocks, μ_ϕ and μ_ξ , will also contain valuable information on the variances, σ_ϕ^2 and σ_ξ^2 . Additionally using the moments in Lemma 2, we

conjecture that all the parameters are identified.

To test this conjecture, we conduct the following numerical experiment. We first draw J sets of random model parameters indexed by j ,

$$\theta_{j0} = (p_\phi, p_\psi, p_\xi, p_\eta, \sigma_\xi, \mu_\xi, \sigma_\phi, \sigma_\psi, \sigma_\eta, \mu_\phi, \rho)_j.$$

We draw these from a uniform distribution with pre-specified bounds. For each random set, we estimate the model parameters by minimizing

$$\hat{\theta}_j = \arg \min_{\theta} [h(\theta) - h(\theta_{j0})]' [h(\theta) - h(\theta_{j0})] \quad (3.14)$$

where $h(\bullet)$ is the vector of moments used. Specifically we use:

1. **Mean of 12-month growth rates:**
 $\mathbb{E}[\Delta_{12k}y_t], k \in \{1, 2, \dots, 6\}$
2. **Variance of 12-month growth rates:**
 $\text{Var}[\Delta_{12k}y_t], k \in \{1, 2, \dots, 6\}$
3. **Kurtosis of 12-month growth rates:**
 $\text{Kurt}[\Delta_{12k}y_t], k \in \{1, 2, \dots, 6\}$
4. **Auto-covariance of 12-month growth rates:**
 $\text{Cov}[\Delta_{12}y_t, \Delta_{12}y_{t-12\ell}], \ell \in \{1, 2, 3, 4, 5\}$
5. **Fractional auto-covariance of 12-month growth rates:**
 $\text{Cov}[\Delta_{12}y_t, \Delta_{12}y_{t-\ell}], \ell \in \{1, 2, \dots, 11\}$
6. **Unconditional CDF of 12-month growth rates:**
 $\Pr[\Delta_{12k}y_t < \omega], \omega \in \Omega, k \in \{1, 2, \dots, 5\}$
7. **Conditional CDF of 12-month growth rates:**
 $\Pr[\Delta_{12}y_t < \omega | \Delta_{12}y_{t-12} \in [-0.01, 0.01]], \omega \in \Omega$
8. **Unconditional CDF of 1-month growth rates:**
 $\Pr[\Delta y_t < \omega], \omega \in \Omega$
9. **Conditional CDF of 1-month growth rates:**
 $\Pr[\Delta y_t < \omega | \Delta y_{t-1} \in [-0.01, 0.01]], \omega \in \Omega$
10. **Changes in variance of income levels**
 $\text{Var}[y_{t+12k}] - \text{Var}[y_t], k \in \{1, 2, \dots, 5\}$

11. Changes in covariance of income levels

$$\text{Cov}[y_t, y_{t+12+12\ell}] - \text{Cov}[y_{t+12}, y_t], \ell \in \{1, 2, \dots, 4\}$$


where $\Omega = \{\pm x, x \in [0.50, 0.30, 0.10, 0.05, 0.01, 10^{-3}, 10^{-4}]\}$. For the 12-month growth rates, we thus combine standard moments for the mean, variance, and autocovariance with additional information in the kurtosis and unconditional and conditional CDFs. To improve on identification in practice, we also include the unconditional and conditional CDF of 1-month growth rates, and information from the variance and covariance of income levels. In general, we include relatively fewer values of ω for the conditional CDF because this moment is by far the most time-consuming to calculate, creating a bottleneck in the estimation procedure.⁵ We use the exact same moments when estimating the model on the data in the next section.⁶

We solve the problem in eq. (3.14) using a numerical optimizer over $(p_\phi, p_\psi, p_\xi, p_\eta, \sigma_\xi, \mu_\xi)$ with $(\sigma_\phi, \sigma_\psi, \sigma_\eta, \mu_\phi, \rho)$ implied by Lemma 2. We first evaluate the objective function for M random guesses inside the pre-specified bounds and start the optimizer in the best guess. We then evaluate the objective function for M new guesses calculated as a weighted average of the previous guesses and the true parameters and again start the optimizer in the best guess. The result with the lowest objective function across the two optimizer runs is the estimate, $\hat{\theta}_j$. We thus simultaneously increase the likelihood that we can find potential global minima away from the true parameters, and that we will at least find the global minima at the true parameters.

⁵ There is no closed-form expression for the bi-variate Gaussian cumulative distribution function, but efficient quadrature-based algorithms have been invented to evaluate it efficiently.


⁶ Note, that we do not use any skewness moments. The reason is that our income process is not designed to match this aspect of the data.

Figure 3.1: Test of identification of p_ϕ , p_ψ , p_ξ and p_η .




Notes: These figures show the results of $J = 500$ experiments. In each experiment, we draw a set of random model parameters, $\theta_0 = (p_\phi, p_\psi, p_\xi, p_\eta, \sigma_\xi, \mu_\xi, \sigma_\phi, \sigma_\psi, \sigma_\eta, \mu_\phi, \rho)$, inside the bounds shown on the x-axes above. The model is estimated by minimizing the objective in eq. (3.14) imposing the bounds of the true parameters. The targeted moments are listed in sub-section 3.2. Each plot is a scatter-plot with the true parameter value on the x-axis and the estimated value on the y-axis. The 45-degree line thus represents the case where the estimated and true value coincide. We solve the problem in eq. (3.14) using a numerical optimizer over $(p_\phi, p_\psi, p_\xi, p_\eta, \sigma_\xi, \mu_\xi)$ with $(\sigma_\phi, \sigma_\psi, \sigma_\eta, \mu_\phi, \rho)$ implied by Lemma 2. We first evaluate the objective function for $M = 500$ random guesses inside the pre-specified bounds and start the optimizer in the best guess. We next evaluate the objective function for $M = 500$ new guesses calculated as a weighted average of the previous guesses (weight = 0.01) and the true parameters (weight = 0.99) and again start the optimizer in the best guess. The best result across the two converged optimizer runs is used (blue squares and circles). The converged result starting from the random guess is also shown (green crosses).

Figure 3.2: Test of identification of σ_ϕ , σ_ψ , σ_ξ and σ_η .



Notes: See Figure 3.1.

Figure 3.3: Test of identification of μ_ϕ , μ_ξ , and ρ .



Notes: See Figure 3.1.

In Figures 3.1--3.3, we plot the true parameters, θ_{j0} , against the estimated parameters, $\hat{\theta}_j$. The parameters seem to be well-identified as almost no deviations from the true parameters are observed as all estimations end up on the 45-degree line (the blue squares and circles). When there are small deviations, the resulting objective functions are above $1e-8$, while we know that the true minimum is exact 0 (up to numerical provision). This indicates that full convergence has not been achieved.⁷ The small green crosses show where the estimator ends up when starting from the random guess. We see that it sometimes converge to points away from the 45-degree line, but that these are local minima, as the estimations starting closer to the true parameters have a lower objective value after the solver convergences.

⁷ We use a combination of Nelder-Mead and BFGS numerical optimizers. First, we iterate with a Nelder-Mead optimizer for a maximum of 500 iterations. Second, we continue iterating with the BFGS optimizer with a gradient tolerance of $1e-8$.

4 Application: Danish Monthly Income Data

In this section, we provide background information on the Danish administrative data we use for estimation, and present our empirical results.

4.1 Sample selection

We use 8 years of Danish administrative data from January 2011 to December 2018. All firms in Denmark have to report wages and hours for every employee to the national tax agency. This information is reported monthly and is recorded in the BFL register.⁸ The register contains unique identifiers for both the employees and firms allowing us to link the data to other administrative data at Statistics Denmark. We aggregate the data to a monthly frequency (summing across multiple jobs) and include all labor income before taxes.

Table 4.1: Sample Selection.

	Individuals	Observations
0. Initial sample	894,828	83,351,112
1. Always in income register	868,884	80,948,028
2. Never self-employed	725,852	67,582,788
3. Never retired	639,479	59,579,988
4. Annual wage never above 3 mil. DKK	636,899	59,336,580
5. Monthly wage never above 500,000 DKK	628,664	58,560,420
6. Full-time employed 50 percent of the time	438,494	40,878,804

Notes: Anyone with more than 20,000 DKK in annual non-labor business income is defined as self-employed. Anyone with income from private or public pensions is defined as retired. We define an individual to be full-time employed if his reported hours are above 95 percent of the standard full-time measure of 160.33 hours, and simultaneously have monthly labor income in excess of 10,000 DKK. An individual is unemployed if his monthly income is missing or less than 1,000 DKK. Monetary selection cut-offs are adjusted relative to 2019 using the change in disposable income of Danish men in the age range 35–59 based on the series INDKP106 from Statistics Denmark. In the sample period, the USD-DKK exchange rate has fluctuated in the range 5–7.

For simplicity, we focus our analysis on regularly full-time employed prime-age male workers. Specifically, we use males from the cohorts 1956–1978 in the age span 35–60 ensuring at least 6 years of longitudinal data. We further require that individuals

⁸ The data has also been used by [Kreiner et al. \(2014\)](#) and [Kreiner et al. \(2016\)](#) to study intertemporal shifting of income before and after a tax reform. We exclude the years 2008–2010 to avoid our estimates to be too affected by the financial crisis.


are always in the annual income register, are never self-employed, and never retire in our sample period. We define self-employed as individuals having more than 20,000 DKK in annual profits from own firms. Finally, we remove individuals who at any point in the sample period have an annual labor income above 3 million DKK⁹, earn more than 500,000 in a single month, or who are not full-time-employed in at least half of the months in which they are observed. We define an individual to be full-time employed in a given month if his reported hours are above 95 percent of the standard full-time measure of 160.33 hours, and simultaneously have labor income in excess of 10,000 DKK. An individual is denoted unemployed if his monthly income is missing or less than 1,000 DKK. Details of the sample selection process are described in Table 4.1. We end up with a sample of about 400,000 male workers with on average around 93 months of observations. About 90 percent of the observations are full-time employed, and 2.7 percent are unemployed. We calculate growth rates as log-differences for all employed observations winsorizing at the 0.1 and 99.9 percentiles. To reduce the influence of seasonality, we only use data for February, March, and August through November when calculating 1-month growth rates.

4.2 Data overview

To get an overview of the data, Figure 4.1a shows the average monthly labor income (conditional on employment) for each cohort and year. We observe a standard life-cycle profile for labor income with initially high growth gradually slowing down.

⁹ In the sample period, the USD-DKK exchange rate has fluctuated in the range 5-7.

Figure 4.1: Data overview.



Notes: This figure shows the monthly income data. Panel (a): Average monthly labor income. Each line represents a cohort. Panel (b)–(f): Observations are pooled across cohorts and years, and plotted on a symmetric log-scale such that 10^0 is 1 percent, 10^1 is 10 percent, etc.

Figure 4.1b shows the pooled distribution of 1-month growth rates on symmetric log-scale in percent (i.e. 10^0 is 1 percent, 10^1 is 10 percent, etc.). We see that in most calendar months more than half of the observations are very close to zero, and while February-March and August-November seem very similar, the remaining

months are highly affected by seasonal fluctuations.¹⁰

Figure 4.1c shows that the seasonality in 12-month growth is very limited, and that a substantial share of the 12-month changes is also very close to zero. Figure 4.1d shows that the zero changes disappear as the horizon is increased. Figure 4.1e shows that conditioning on age mostly affects the right-hand side of the distribution. Figure 4.1f shows that the left-tail of the distribution collapses when conditioning on the lagged growth rate being numerically small. This indicates that most of the negative changes observed are due to previous positive changes.

4.3 Estimation results

We estimate the model parameters, $\theta = (p_\phi, p_\psi, p_\xi, p_\eta, \sigma_\xi, \mu_\xi, \sigma_\phi, \sigma_\psi, \sigma_\eta, \mu_\phi, \rho)$, of the monthly income process in eq. (2.1) using the generalized method of moments (GMM) as

$$\hat{\theta} = \arg \min_{\theta} [h(\theta) - h^{data}]' W [h(\theta) - h^{data}] \quad (4.1)$$

where $h(\theta)$ is the vector of theoretical model moments calculated given θ , h^{data} are the same moments calculated in the data, and W is a symmetric positive semi-definite weighting matrix. We use the same moments as specified in sub-section 3.2. We use a diagonal weighting matrix with the inverse of bootstrapped variances of each moment on the diagonal.¹¹

The results are shown in Table 4.2. We estimate all of the shocks to be highly infrequent suggesting that this is a crucial extension of the canonical permanent-transitory income process when fitting high-frequency income data. First, consider the first column with the full specification. The permanent shock, ϕ_t , arrives with a probability of 15 percent and has a positive mean of 0.012 and a low standard deviation of 0.015. The persistent shock, ψ_t , arrives much more infrequently with a probability just below 1 percent, but with a larger standard deviation of 0.20, but depreciates fully when a new shock arrives as $\rho = 0.0$. The mean-zero transitory shock, η_t , arrives with a probability of about 7 percent and has an enormous standard deviation of 0.65. The other transitory shock, ξ_t , has positive a mean of 0.085 and

¹⁰See also Appendix Figures B.1c and B.1d.

¹¹We solve the problem in eq. (4.1) numerically using a multi-start algorithm. We run the estimation algorithm 50 times, where we each time first draw 500 random parameter combinations, and then start a Nelder-Mead optimizer from the parameters associated with the lowest value of the objective function. Using the result of the Nelder-Mead optimizer, we start a BFGS optimizer to get the final results of each estimation. The estimates reported are from the estimation associated with the lowest value of the objective function.

arrives more regularly with a probability of 0.21, but a lower standard deviation of 0.12.

The parameters are all very precisely estimated. The only parameter with a substantial standard deviation is the auto-correlation parameter ρ in the persistent shock process. In practice, this parameter is hard to estimate precisely because of the extremely infrequent arrival of the ψ_t shock. To investigate the effect of ρ , we show estimation results when fixing $\rho = 0.99$ and $\rho = 0.50$ in the second and third columns. While the other parameter estimates remain largely unchanged, the value of the objective function increases significantly. Below, we show that this reduction in fit stems primarily from the auto-covariances which these restricted models cannot fit. The infrequency of the shock, however, implies that ρ is hard to identify even in our long panel data.

In column four we remove the persistent shock completely ($\psi_t = 0$) to investigate if the very low arrival probability suggests that the persistent process is not important to fit the data. The very large increase in the value of the objective function suggests that the persistent shock is absolutely central to include in the process to be able to match both the auto-covariances and the growth-rate distributions in the data. Finally, in column five we instead remove the non-zero mean transitory shock ($\xi_t = 0$) which also leads to a substantial increase in the value of the objective function. Both these experiments show that these components are necessary to fit the data well.

Table 4.2: Estimation results.

Parameters		Estimates				
		baseline	$\rho = 0.99$	$\rho = 0.5$	$\psi_t = 0$	$\xi_t = 0$
Prob. of permanent shock	p_ϕ	0.146 (0.000)	0.146 (0.000)	0.146 (0.000)	0.159 (0.000)	0.158 (0.000)
Prob. of persistent shock	p_ψ	0.008 (0.000)	0.009 (0.000)	0.009 (0.000)	0.000†	0.003 (0.000)
Prob. of mean-zero transitory shock	p_η	0.071 (0.000)	0.072 (0.000)	0.072 (0.000)	0.091 (0.000)	0.237 (0.000)
Prob. of transitory shock	p_ξ	0.206 (0.000)	0.204 (0.000)	0.205 (0.000)	0.165 (0.000)	0.000†
Std. of permanent shock	σ_ϕ	0.015 (0.000)	0.015 (0.000)	0.015 (0.000)	0.024 (0.000)	0.019 (0.000)
Std. of persistent shock	σ_ψ	0.198 (0.002)	0.253 (0.001)	0.231 (0.000)	0.000†	0.424 (0.007)
Std. of mean-zero transitory shock	σ_η	0.646 (0.001)	0.643 (0.001)	0.645 (0.001)	0.583 (0.000)	0.281 (0.000)
Std. of transitory shock	σ_ξ	0.122 (0.000)	0.123 (0.000)	0.122 (0.000)	0.141 (0.000)	0.000†
Persistence	ρ	0.000 (0.022)	0.990†	0.500†	0.000†	0.000 (0.038)
Mean of permanent shock	μ_ϕ	0.012 (0.000)	0.012 (0.000)	0.012 (0.000)	0.011 (0.000)	0.011 (0.000)
Mean of transitory shock	μ_ξ	0.085 (0.000)	0.086 (0.000)	0.086 (0.000)	0.162 (0.000)	0.000†
Objective function		1.3499	1.3628	1.3553	4.8707	4.4132


Notes: This table shows the estimation results. The upper part of the table shows the parameter estimates. The lower part of the table shows the resulting value of the objective function calculated as in eq. (4.1). See the text for details on the chosen moments and weighting matrix. In the data, we calculate each moment by age and birth cohort and use the average across birth cohorts and age. We winsorize data used in each moment at the 0.1th and 99.9th percentiles to dampen the effect of outliers on our estimates. The standard errors are computed using a variance-covariance matrix calculated using 500 bootstraps.

† fixed parameter

4.4 Fit

Figure 4.2 shows the model fit for the mean, variance, and kurtosis of $12k$ -month growth rates for $k \in \{1, \dots, 6\}$. The fit of the mean is good for all specifications at all horizons. The variance and kurtosis profiles are fitted well for both the baseline specification and when varying the auto-correlation parameter, ρ . However, when removing the persistent component ($\psi_t = 0$) the variance for low values of k is too high and the subsequent increase undershoot, while the kurtosis profile starts too low and is too flat. When removing the non-zero mean transitory shock ($\xi_t = 0$) the variance and kurtosis are always too low.

Figure 4.2: Fit: Mean, variance, and kurtosis of $12k$ -month growth rates.




Notes: This figure compares the moments implied by the estimated parameters and the moments in the data. The estimated parameters are shown in Table 4.2. The data used for estimations are winsorized at the 0.1th and 99.9th percentiles.

Figure 4.3 shows the model fit for the auto-covariances of 12-month growth rates. The overall fit is good but most specifications imply a too numerically large first-order auto-covariance and too numerically low higher-order auto-covariances. The baseline specification has the best fit. It is thus clear that including these moments

in the estimation will result in a low estimated ρ . Note that the baseline model implies negative higher-order auto-covariances even though $\rho = 0$ because the shock is infrequent.¹²

Figure 4.3: Fit: Auto-covariances of $12k$ -month growth rates.




Notes: See Figure 4.2.

Figure 4.4 shows the model fit for the fractional auto-covariances of 12-month growth rates. All specifications imply slightly too low fractional auto-covariances for low levels of ℓ and too high values for higher values of ℓ . Again the baseline specification has slightly better fit than when fixing ρ at 0.99 and 0.00.

¹²We have also experimented with allowing ρ to be negative. This improves the fit of auto-covariances slightly leading to a reduction in the value of the objective function. In terms of economic theory, it is however unclear how a negative ρ should be interpreted. We have thus restricted attention to $\rho \geq 0$ in the main analysis.

Figure 4.4: Fit: Fractional auto-covariances of 12 k -month growth rates.


(a) $k = 1$



Notes: See Figure 4.2.

Figure 4.5 shows the model fit for the unconditional CDF of 1-month, 12-month, 24-month, and 108-month income growth. The fit is remarkably good in the baseline specification. Fixing ρ to 1.0 or 0.5 does not change the fit significantly but disregarding ψ_t or ξ_t completely does. This clearly shows why we cannot remove the persistent process completely although the arrival probability is estimated quite low. Importantly, the model fits the extreme mass-point at zero for 1-month growth rates and the gradual dispersion of the distribution for longer growth rates. This clearly shows that allowing for infrequent shocks is absolutely key to match high-frequency income dynamics.


Figure 4.5: Fit: Distributions of income growth rates.



Notes: See Figure 4.2. This figure shows the unconditional distribution of k -month growth rates.

Figure 4.6 shows the CDF of 1-month and 12-month income growth rates conditional on lagged income growth being numerically smaller than one percent. Again, the baseline specification provides a very good fit. However, for both the 1-month and 12-month growth rates the CDF is too flat for small positive growth rates. For the 12-month growth rate, the proportions of exact zero are a bit too small in the baseline specification. This could indicate that the shocks are not fully i.i.d. Shutting off either the persistent or transitory components worsens the fit significantly.


Figure 4.6: Fit: Conditional distributions of k -month growth rates.



Notes: See Figure 4.2. The figure shows the distribution of 1-month and 12-month growth rates conditional on the lagged income growth rate being numerically small, i.e. $\Delta_{12k} y_{t-12k} \in [-0.01, 0.01]$, $k \in \{1, 12\}$.

Figure 4.7 shows moments related to the level of log-income. As also often observed in annual data, there is some tension between moments in growth rates and level. The baseline specification implies a too low increase in the variance of log-income over time. This is improved when the persistent shock is removed and the standard deviation of the permanent shock is estimated to be slightly more frequent and has a standard deviation of 0.024 instead of 0.015. This is also the case when the transitory shock, ξ_t , is removed. The changes in covariances of the income level are, however, best matched in the baseline specification.

Figure 4.7: Fit: Variance and covariances of log-income.



Notes: See Figure 4.2. This figure shows changes in variance of log-income and co-variances of log-income.

5 Conclusions

In this paper, we have analyzed and estimated a generalization of the canonical permanent-transitory income model allowing for infrequent and non-zero mean shocks. We provide analytical formulas for the unconditional and conditional distributions of income growth rates and higher-order moments. We prove a set of identification results and numerically validate that we can simultaneously identify the frequency, variance, and persistence of income shocks.

Using our theoretically motivated monthly income moments, we estimate the proposed model using 8 years of Danish monthly income data. The results show that income shocks are highly infrequent, and that this is central for explaining the non-Gaussian elements of the data. Consumption-saving models with idiosyncratic income risk should thus pay attention not just to the volatility and persistence of shocks, but also their frequency. Extending the analysis in this paper with heterogeneity across types and dynamics over the life-cycle, up and down the job ladder, and in and out of employment is an interesting avenue for future work.

References

- Altonji, J. G., Smith, A. A., and Vidangos, I. (2013). Modeling Earnings Dynamics. *Econometrica*, 81(4):1395–1454.
- Arellano, M., Blundell, R., and Bonhomme, S. (2017). Earnings and Consumption Dynamics: A Nonlinear Panel Data Framework. *Econometrica*, 85(3):693–734.
- Baker, S. R. (2018). Debt and the Response to Household Income Shocks: Validation and Application of Linked Financial Account Data. *Journal of Political Economy*, 126(4):1504–1557.
- Bayer, C., Luetticke, R., Pham-Dao, L., and Tjaden, V. (2019). Precautionary Savings, Illiquid Assets, and the Aggregate Consequences of Shocks to Household Income Risk. *Econometrica*, 87(1):255–290.
- Blundell, R., Graber, M., and Mogstad, M. (2015). Labor income dynamics and the insurance from taxes, transfers, and the family. *Journal of Public Economics*, 127:58–73.
- Browning, M. and Ejrnæs, M. (2013). Heterogeneity in the Dynamics of Labor Earnings. *Annual Review of Economics*, 5(1):219–245.
- Browning, M., Ejrnæs, M., and Alvarez, J. (2010). Modelling Income Processes with Lots of Heterogeneity. *The Review of Economic Studies*, 77(4):1353–1381.
- Crawley, E. (2020). In search of lost time aggregation. *Economics Letters*, 189:108998.
- Crawley, E. and Kuchler, A. (2018). Consumption Heterogeneity: Micro Drivers and Macro Implications. Danish National Bank Working Paper 129.
- Daly, M., Hryshko, D., and Manovskii, I. (2016). Reconciling estimates of earnings processes in growth rates and levels. Technical report, manuscript.
- De Nardi, M., Fella, G., Knoef, M., Paz-Pardo, G., and Van Ooijen, R. (2021). Family and government insurance: Wage, earnings, and income risks in the Netherlands and the U.S. *Journal of Public Economics*, 193:104327.
- De Nardi, M., Fella, G., and Paz-Pardo, G. (2020). Nonlinear Household Earnings Dynamics, Self-Insurance, and Welfare. *Journal of the European Economic Association*, 18(2):890–926.

- Den Haan, W. J., Rendahl, P., and Riegler, M. (2018). Unemployment (Fears) and Deflationary Spirals. *Journal of the European Economic Association*, 16(5):1281–1349.
- Drue Dahl, J., Jensen, E. B., and Leth-Petersen, S. (2020). The Intertemporal Marginal Propensity to Consume out of Future Persistent Cash-Flows:. Technical report.
- Drue Dahl, J. and Munk-Nielsen, A. (2018). Identifying heterogeneous income profiles using covariances of income levels and future growth rates. *Journal of Economic Dynamics and Control*, 94:24–42.
- Eika, L. (2018). Income dynamics when shocks occur during the year. *Economics Letters*, 173:27–29.
- Ganong, P. and Noel, P. (2019). Consumer Spending during Unemployment: Positive and Normative Implications. *American Economic Review*, 109(7):2383–2424.
- Gelman, M., Kariv, S., Shapiro, M. D., Silverman, D., and Tadelis, S. (2014). Harnessing Naturally Occurring Data to Measure the Response of Spending to Income. *Science*, 345(6193):212–215.
- Guerrieri, V. and Lorenzoni, G. (2017). Credit Crises, Precautionary Savings, and the Liquidity Trap. *The Quarterly Journal of Economics*, 132(3):1427–1467.
- Guvenen, F., Karahan, F., Ozkan, S., and Song, J. (2019). What Do Data on Millions of U.S. Workers Reveal about Life-Cycle Earnings Dynamics? Working Paper.
- Hagedorn, M., Manovskii, I., and Mitman, K. (2019). The Fiscal Multiplier. NBER Working Paper 25571, National Bureau of Economic Research.
- Hryshko, D. (2012). Labor income profiles are not heterogeneous: Evidence from income growth rates. *Quantitative Economics*, 3(2):177–209.
- Kaplan, G., Moll, B., and Violante, G. L. (2018). Monetary Policy According to HANK. *American Economic Review*, 108(3):697–743.
- Kaplan, G. and Violante, G. L. (2014). A Model of the Consumption Response to Fiscal Stimulus Payments. *Econometrica*, 82(4):1199–1239.
- Kaplan, G. and Violante, G. L. (2018). Microeconomic Heterogeneity and Macroeconomic Shocks. *Journal of Economic Perspectives*, 32(3):167–194.

- Klein, P. and Telyukova, I. A. (2013). Measuring high-frequency income risk from low-frequency data. *Journal of Economic Dynamics and Control*, 37(3):535–542.
- Kreiner, C. T., Leth-Petersen, S., and Skov, P. E. (2014). Year-End Tax Planning of Top Management: Evidence from High-Frequency Payroll Data. *American Economic Review*, 104(5):154–158.
- Kreiner, C. T., Leth-Petersen, S., and Skov, P. E. (2016). Tax Reforms and Intertemporal Shifting of Wage Income: Evidence from Danish Monthly Payroll Records. *American Economic Journal: Economic Policy*, 8(3):233–257.
- Kueng, L. (2018). Excess Sensitivity of High-Income Consumers. *The Quarterly Journal of Economics*, 133(4):1693–1751.
- Larkin, K. P. (2019). Job Risk, Separation Shocks and Household Asset Allocation. Working Paper.
- Lillard, L. A. and Willis, R. J. (1978). Dynamic Aspects of Earning Mobility. *Econometrica*, 46(5):985–1012.
- Luetticke, R. (2020). Transmission of Monetary Policy with Heterogeneity in Household Portfolios. forthcoming in *American Economic Journal: Macroeconomics*.
- MaCurdy, T. E. (1982). The use of time series processes to model the error structure of earnings in a longitudinal data analysis. *Journal of econometrics*, 18(1):83–114.
- McKay, A. and Reis, R. (2016). The Role of Automatic Stabilizers in the U.S. Business Cycle. *Econometrica*, 84(1):141–194.
- Meghir, C. and Pistaferri, L. (2011). Chapter 9 - Earnings, Consumption and Life Cycle Choices. In Ashenfelter, D. C. a. O., editor, *Handbook of Labor Economics*, volume 4, Part B, pages 773–854. Elsevier.
- Oh, H. and Reis, R. (2012). Targeted Transfers and the Fiscal Response to the Great Recession. *Journal of Monetary Economics*, 59:S50–S64.
- Olafsson, A. and Pagel, M. (2018). The Liquid Hand-to-Mouth: Evidence from Personal Finance Management Software. *The Review of Financial Studies*, 31(11):4398–4446.
- Ravn, M. O. and Sterk, V. (2020). Macroeconomic Fluctuations with HANK&SAM: an Analytical Approach. forthcoming in *Journal of the European Economic Association*.

A Proofs

This appendix provides proofs for the theoretical results presented in the main text. In sub-section A.1, we state some results regarding mixture distributions used extensively in the proofs. In sub-section A.2, we state some auxiliary lemmas used in the proofs.

A.1 Mixtures

Remark 1 states a number of general results regarding mixtures.

Remark 1. Let P be a stochastic variable with possible values $\{1, \dots, m\}$ and corresponding probabilities, p_i . Let $X_1, X_2, \dots, X_m$ be stochastic variables with finite first and second moment, then

$$\mu_X \equiv \mathbb{E}[X_P] = \sum_{i=1}^m p_i \mu_{iX} \quad (\text{A.1})$$

$$\Xi_X \equiv \mathbb{E}[(X_P - \mu_X)^2] = -\mu_X^2 + \sum_{i=1}^m p_i (\Xi_{iX} + \mu_{iX}^2), \quad (\text{A.2})$$

where

$$\begin{aligned} \mu_{iX} &\equiv \mathbb{E}[X_i] \\ \Xi_{iX} &\equiv \mathbb{E}[(X_i - \mu_i)^2]. \end{aligned}$$

Further, let $Y_1, Y_2, \dots, Y_m$ be another set of stochastic variables with finite first and second moment, then

$$\text{Cov}[X_P, Y_P] = -\mu_X \mu_Y + \sum_{i=1}^m p_i (\text{Cov}[X_i, Y_i] + \mu_{iX} \mu_{iY}). \quad (\text{A.3})$$

Remark 2 states a general result regarding the skewness and kurtosis of a Gaussian mixture.

Remark 2. Let P be a stochastic variable with possible values $\{1, \dots, m\}$ and corresponding probabilities, p_i . Let $X_1, X_2, \dots, X_m$ be stochastic variables drawn from Gaussian distributions, then using the same notation as in remark 1 we have

$$\text{Skew}[X_P] = \frac{1}{\Xi_X^{\frac{3}{2}}} \sum_{i=1}^m p_i (\mu_{iX} - \mu_X) (3\Xi_{iX} + (\mu_{iX} - \mu_X)^2) \quad (\text{A.4})$$

$$\text{Kurt}[X_P] = \frac{1}{\Xi_X^2} \sum_{i=1}^m p_i (3\Xi_{iX}^2 + 6(\mu_{iX} - \mu_X)^2 \Xi_{iX} + (\mu_{iX} - \mu_X)^4). \quad (\text{A.5})$$

A.2 Auxiliary lemmas

Lemma 4 provides a formula for the mean and variance of a mean-zero infrequent shock.

Lemma 4. *If $X \sim \text{Bernoulli}(p)$ and Y is an independent stochastic variable with mean μ and variance Ξ , then*

$$\begin{aligned} \mathbb{E}[XY] &= p\mu \\ \text{Var}[XY] &= p\Xi + p(1-p)\mu^2. \end{aligned}$$

Proof. We directly have

$$\begin{aligned} \mathbb{E}[XY] &= p \cdot \mathbb{E}[1 \cdot Y] + (1-p) \cdot \mathbb{E}[0 \cdot Y] = p\mu \\ \mathbb{E}[Y^2] &= \text{Var}[Y] + \mathbb{E}[Y]^2 = \Xi + \mu^2 \\ \mathbb{E}[(XY)^2] &= p \cdot \mathbb{E}[(1 \cdot Y)^2] + (1-p) \cdot 0 \cdot \mathbb{E}[(0 \cdot Y)^2] \\ &= p(\Xi + \mu^2). \end{aligned}$$

Using that $\text{Var}[Z] = \mathbb{E}[Z^2] - \mathbb{E}[Z]^2$ for any stochastic variable Z , we further have

$$\begin{aligned} \text{Var}[XY] &= \mathbb{E}[(XY)^2] - \mathbb{E}[XY]^2 \\ &= p(\Xi + \mu^2) - p^2\mu^2 \\ &= p\Xi + p\mu^2 - p^2\mu^2 \\ &= p\Xi + p(1-p)\mu^2. \end{aligned}$$

□

Lemma 5 provides a formula for a geometric sum with binomial weights.

Lemma 5. *If $X \sim \text{Binomial}(n, p)$ with probability mass function $f_B(k|n, p)$ and*

$\rho \in \mathbb{R}$, then

$$\forall n \in \mathbb{N} : F(n) \equiv \sum_{k=0}^n f_B(k|n, p) \rho^k = (1 - p(1 - \rho))^n. \quad (\text{A.6})$$

Proof. Let $Y \sim \text{Bernoulli}(p)$. An equivalent formulation of $F(n)$ then is

$$F(n) = \sum_{h=0}^1 \Pr[Y = h] \rho^h \sum_{k=0}^{n-1} f_B(k|n-1, p) \rho^k. \quad (\text{A.7})$$

This implies the following recursive formula for $F(n)$,

$$\begin{aligned} F(n) &= \sum_{h=0}^1 p^h (1-p)^{1-h} \rho^h F(n-1) \\ &= p \rho F(n-1) + (1-p) F(n-1) \\ &= (1 - p(1 - \rho)) F(n-1). \end{aligned}$$

From $F(1) = p\rho^1 + (1-\rho)\rho^0 = 1 - p(1 - \rho)$ the result follows by induction. $\square$

Lemma 6 provides a formula for the mean squared number of successes of a binomial distributed variable.

Lemma 6. *If $X \sim \text{Binomial}(n, p)$ with probability mass function $f_B(k|n, p)$, then*

$$\forall n \in \mathbb{N} : F(n) \equiv \sum_{k=0}^n f_B(k|n, p) k^2 = np(1-p) + (np)^2. \quad (\text{A.8})$$

Proof. Note that $F(n) = \mathbb{E}[X^2]$. Using the standard result for the mean and variance of a binomial variable, we have

$$\begin{aligned} \mathbb{E}[X^2] - \mathbb{E}[X]^2 &= np(1-p) \Leftrightarrow \\ \mathbb{E}[X^2] &= np(1-p) + (np)^2. \end{aligned}$$

$\square$

A.3 Proof of Lemma 1

The probability of a persistent shock arriving in any period is p_ψ independently of what happens in any other period, and the sum of probabilities from period 1 to infinity, $\sum_{t=1}^{\infty} p_\psi$, thus clearly diverges. By the second Borel-Cantelli lemma the number of arrived shocks therefore converges to infinity for $t \rightarrow \infty$. Consequently,

using the formulation in eq. (2.2), we have

$$\begin{aligned}\lim_{t \rightarrow \infty} p_t &= \lim_{k \rightarrow \infty} \rho^k p_0 + \lim_{k \rightarrow \infty} \sum_{s=0}^k \rho^s \psi_s \\ &= \sum_{s=0}^{\infty} \rho^s \psi_s.\end{aligned}\tag{A.9}$$

From this, it directly follows using our mean-zero and independence assumptions that

$$\mathbb{E}[p_t] = \sum_{s=0}^{\infty} \rho^s \mathbb{E}[\psi_j] = 0 \tag{A.10}$$

$$\text{Var}[p_t] = \sum_{s=0}^{\infty} \text{Var}[\rho^s \psi_j] = \sum_{s=0}^{\infty} \rho^{2s} \sigma_{\psi}^2 = \frac{\sigma_{\psi}^2}{1 - \rho^2}.\tag{A.11}$$

A.4 Proof of Theorem 1

Using the formulation in eq. (2.4) and our mean-zero assumptions, we have

$$\begin{aligned}\mathbb{E}[\Delta_k y_t | n_{\psi}, n_{\phi}, m_{\xi 0}, m_{\xi 1}, m_{\eta 0}, m_{\eta 1}] &= \mathbb{E}[\Delta_k p_t | n_{\psi}] + \mathbb{E}[\Delta_k z_t | n_{\phi}] + \mathbb{E}[\pi_t^{\xi} \xi_t | m_{\xi 1}] - \mathbb{E}[\pi_{t-1}^{\xi} \xi_{t-1} | m_{\xi 0}] \\ &\quad + \mathbb{E}[\pi_t^{\eta} \eta_t | m_{\eta 1}] - \mathbb{E}[\pi_t^{\eta} \eta_{t-k} | m_{\eta 0}] + \mathbb{E}[\epsilon_t] - \mathbb{E}[\epsilon_{t-k}] \\ &= (\rho^{n_{\psi}} - 1)^2 \mathbb{E}[p_{t-k}] + \sum_{s=0}^{n_{\psi}-1} \rho^s \mathbb{E}[\psi_s] \\ &\quad + \sum_{s=0}^{n_{\phi}-1} \mathbb{E}[\phi_s] + m_{\eta 1} \mu_{\eta} - m_{\eta 0} \mu_{\eta} \\ &= n_{\phi} \mu_{\phi} + (m_{\eta 1} - m_{\eta 0}) \mu_{\eta},\end{aligned}\tag{A.12}$$

where we have used that $\mathbb{E}[p_{t-k}] = 0$ by lemma 1.

Using the formulation in eq. (2.4) and our independence assumptions, we have

$$\begin{aligned}\text{Var}[\Delta_k p_t | n_{\psi}] &= (\rho^{n_{\psi}} - 1)^2 \text{Var}[p_{t-k}] + \sum_{s=0}^{n_{\psi}-1} \rho^{2s} \text{Var}[\psi_s] \\ &= (\rho^{n_{\psi}} - 1)^2 \frac{\sigma_{\psi}^2}{1 - \rho^2} + \frac{1 - \rho^{2n_{\psi}}}{1 - \rho^2} \sigma_{\psi}^2 \\ &= 2 \frac{1 - \rho^{n_{\psi}}}{1 - \rho^2} \sigma_{\psi}^2,\end{aligned}\tag{A.13}$$

where we have used that $\text{Var}[p_{t-k}] = \frac{\sigma_{\psi}^2}{1 - \rho^2}$ by lemma 1.

$$\text{Var}[\Delta_k z_t | n_\phi] = \sum_{s=0}^{n_\phi-1} \text{Var}[\phi_s] = n_\phi \sigma_\phi^2$$

Using the formulation in eq. (2.5), we directly have $\text{Var}[\Delta_k z_t | n_\phi] = 0$, and thus $\text{Cov}[\Delta_k p_t, \Delta_k z_t | n_\psi, n_\phi] = 0$.

Using eq. (2.6) and our independence assumptions, we arrive at the result

$$\begin{aligned} \text{Var}[\Delta_k y_t | n_\psi, n_\phi, m_{\xi 0}, m_{\xi 1}, m_{\eta 0}, m_{\eta 1}] &= \text{Var}[\Delta_k p_t | n_\psi] + \text{Var}[\Delta_k z_t | n_\phi] \\ &\quad + \text{Var}[\pi_t^\xi \xi_t | m_{\xi 1}] + \text{Var}[\pi_{t-k}^\xi \xi_{t-k} | m_{\xi 0}] \\ &\quad + \text{Var}[\pi_t^\eta \eta_t | m_{\xi 1}] + \text{Var}[\pi_t^\eta \eta_t | m_{\xi 0}] \\ &\quad + \text{Var}[\epsilon_t] + \text{Var}[\epsilon_{t-k}] \\ &= 2 \frac{1 - \rho^{n_\psi}}{1 - \rho^2} \sigma_\psi^2 + n_\phi \sigma_\phi^2 + (m_{\xi 0} + m_{\xi 1}) \sigma_\xi^2 \\ &\quad + (m_{\eta 0} + m_{\eta 1}) \sigma_\eta^2 + 2\sigma_\epsilon^2. \end{aligned} \quad (\text{A.14})$$

A.5 Proof of Theorem 2

By our assumptions, we have

$$\begin{aligned} \Delta_k y_t &= \Delta_k p_t + \Delta_k z_t + m_{\xi 2} \xi_t - m_{\xi 1} \xi_{t-k} + m_{\eta 2} \eta_t - m_{\eta 1} \eta_{t-k} + \epsilon_t - \epsilon_{t-k} \\ \Delta_k p_t &= \rho^{n_{\psi 1}} p_{t-k} - p_{t-k} + \sum_{s=0}^{n_{\psi 1}-1} \rho^s \psi_{s, n_1} \\ &= (\rho^{n_{\psi 1}} - 1) \rho^{n_{\psi 0}} p_{t-2k} + (\rho^{n_{\psi 1}} - 1) \sum_{s=0}^{n_{\psi 0}-1} \rho^s \psi_{s, n_0} + \sum_{s=0}^{n_{\psi 1}-1} \rho^s \psi_{s, n_1} \\ \Delta_k z_t &= \sum_{s=0}^{n_{\phi 1}-1} \phi_{s, n_1}, \end{aligned}$$

and

$$\begin{aligned} \Delta_k y_{t-k} &= \Delta_k p_{t-k} + \Delta_k z_{t-k} + m_{\xi 1} \xi_{t-k} - m_{\xi 0} \xi_{t-2k} + m_{\eta 1} \eta_{t-k} - m_{\eta 0} \eta_{t-2k} + \epsilon_{t-k} - \epsilon_{t-2k} \\ \Delta_k p_{t-k} &= (\rho^{n_{\psi 0}} - 1) p_{t-2k} + \sum_{s=0}^{n_{\psi 0}-1} \rho^s \psi_{s, n_0} \\ \Delta_k z_{t-k} &= \sum_{s=0}^{n_{\phi 0}-1} \phi_{s, n_0}. \end{aligned}$$

This implies

$$\begin{aligned}
\text{Cov}[\Delta_k p_t, \Delta_k p_{t-k} | n_0, n_1] &= (\rho^{n_{\psi 1}} - 1) \rho^{n_{0\psi}} (\rho^{n_{0\psi}} - 1) \text{Var}[p_{t-2k}] \\
&\quad + (\rho^{n_{\psi 1}} - 1) \sum_{s=0}^{n_{0\psi}-1} \rho^{2s} \sigma_\psi^2 \\
&= (\rho^{n_{\psi 1}} - 1) \rho^{n_{0\psi}} (\rho^{n_{0\psi}} - 1) \frac{\sigma_\psi^2}{1 - \rho^2} \\
&\quad + (\rho^{n_{\psi 1}} - 1) \frac{1 - \rho^{2n_{0\psi}}}{1 - \rho^2} \sigma_\psi^2 \\
&= (\rho^{n_{\psi 1}} - 1) \frac{\rho^{2n_{0\psi}} - \rho^{n_{0\psi}} + 1 - \rho^{2n_{0\psi}}}{1 - \rho^2} \sigma_\psi^2 \\
&= \frac{(\rho^{n_{\psi 1}} - 1)(1 - \rho^{n_{0\psi}})}{1 - \rho^2} \sigma_\psi^2.
\end{aligned}$$

Noting

$$\begin{aligned}
\text{Cov}[\Delta_k p_t, \Delta_k z_{t-k} | n_{0\psi}, n_{\psi 1}, n_{0\phi}, n_{\phi 1}] &= \text{Cov}[\Delta_k p_{t-k}, \Delta_k z_t | n_{0\psi}, n_{\psi 1}, n_{0\phi}, n_{\phi 1}] \\
&= 0,
\end{aligned}$$

and using our independence assumptions, we arrive at the result

$$\begin{aligned}
\text{Cov}[\Delta y_t, \Delta_k y_{t-k} | n_{0\psi}, n_{\psi 1}, n_{0\phi}, n_{\phi 1}, m_{\xi 1}, m_{\eta 1}] &= \text{Cov}(\Delta_k p_t, \Delta_k p_{t-k}) \\
&\quad - (m_{\xi 1} \sigma_\xi^2 + m_{\eta 1} \sigma_\eta^2 + \sigma_\epsilon^2) \\
&= \frac{(\rho^{n_{\psi 1}} - 1)(1 - \rho^{n_{0\psi}})}{1 - \rho^2} \sigma_\psi^2 \\
&\quad - (m_{\xi 1} \sigma_\xi^2 + m_{\eta 1} \sigma_\eta^2 + \sigma_\epsilon^2).
\end{aligned}$$

A.6 Proof of Corollary 1

A.6.1 Mean

Theorem 1 and remark 1 imply the result

$$\begin{aligned}
\mathbb{E}[\Delta_k y_t] &= \sum_{s \in \mathbb{S}} \omega_s \mathbb{E}[\Delta_k y_t | n_\psi, n_\phi, m_{\xi 0}, m_{\xi 1}, m_{\eta 0}, m_{\eta 1}] \\
&= \sum_{s \in \mathbb{S}} \omega_s n_\phi \mu_\phi \\
&= \mu_\phi \sum_{s \in \mathbb{S}} \omega_s n_\phi \\
&= \mu_\phi \sum_{n_\phi=0}^k f_B(n_\phi | k, p_\phi) n_\phi \\
&= \mu_\phi k p_\phi
\end{aligned}$$

A.6.2 Variance

Theorem 1 and remark 1 imply

$$\begin{aligned}
\text{Var}[\Delta_k p_t] &= -\mathbb{E}[\Delta_k p_t]^2 + \sum_{s \in \mathbb{S}} \omega_s [\text{Var}[\Delta_k p_t | n_\psi, m_{\xi 0}, m_{\xi 1}] + \mathbb{E}[\Delta_k p_t | n_\psi, m_{\xi 0}, m_{\xi 1}]^2] \\
&= \sum_{s \in \mathbb{S}} \omega_s \text{Var}[\Delta_k p_t | n_\psi] \\
&= \sum_{n_\phi=0}^k f_B(n_\psi | k, p_\psi) \left(2 \frac{1 - \rho^{n_\psi}}{1 - \rho^2} \sigma_\psi^2 \right) \\
&= \frac{2\sigma_\psi^2}{1 - \rho^2} \left(\sum_{n_\psi=0}^k f_B(n_\psi | k, p_\psi) (1 - \rho^{n_\psi}) \right) \\
&= \frac{2\sigma_\psi^2}{1 - \rho^2} \left(1 - \sum_{n_\psi=0}^k f_B(n_\psi | k, p_\psi) \rho^{n_\psi} \right) \\
&= \frac{2\sigma_\psi^2}{1 - \rho^2} (1 - \tilde{\rho}_k),
\end{aligned}$$

where we have used lemma 5.

Similarly, we have

$$\begin{aligned}
\text{Var}[\Delta_k z_t] &= -\mathbb{E}[\Delta_k z_t]^2 + \sum_{s \in \mathbb{S}} \omega_s (\text{Var}[\Delta_k z_t | n_\phi, m_{\xi 0}, m_{\xi 1}] + \mathbb{E}[\Delta_k z_t | n_\phi, m_{\xi 0}, m_{\xi 1}])^2 \\
&= -(kp_\phi \mu_\phi)^2 + \sum_{s \in \mathbb{S}} \omega_s (n_\phi \sigma_\phi^2 + (n_\phi \mu_\phi))^2 \\
&= -(kp_\phi \mu_\phi)^2 + kp_\phi \sigma_\phi^2 + (kp_\phi(1 - p_\phi) + (kp_\phi)^2) \mu_\phi^2 \\
&= kp_\phi(1 - p_\phi) \mu_\phi^2 + kp_\phi \sigma_\phi^2 \\
&= k(\tilde{\mu}_\phi^2 + p_\phi \sigma_\phi^2)
\end{aligned}$$

where we have used lemma (6), and

$$\begin{aligned}
\text{Cov}[\Delta_k p_t, \Delta_k z_t] &= -\mathbb{E}[\Delta_k z_t] \mathbb{E}[\Delta_k p_t] + \sum_{s \in \mathbb{S}} \omega_s [\text{Cov}[\Delta_k p_t, \Delta_k z_t | n_\psi, n_\phi] + \mathbb{E}[\Delta_k z_t | n_\phi] \mathbb{E}[\Delta_k p_t | n_\psi]] \\
&= 0
\end{aligned}$$

Using lemma (4), we have

$$\begin{aligned}
\text{Var}[\pi_t^\xi \xi_t] &= p_\xi \sigma_\xi^2 + p_\xi(1 - p_\xi) \mu_\xi^2 \\
\text{Var}[\pi_t^\eta \eta_t] &= p_\eta \sigma_\eta^2 + p_\eta(1 - p_\eta) \mu_\eta^2 = p_\eta \sigma_\eta^2
\end{aligned}$$

Combining the above results and using our independence assumptions, this implies the result

$$\begin{aligned}
\text{Var}[\Delta_k y_t] &= \text{Var}[\Delta_k p_t] + \text{Var}[\Delta_k z_t] + \text{Var}[\pi_t^\xi \xi_t - \pi_{t-k}^\xi \xi_{t-k}] \\
&\quad + \text{Var}[\pi_t^\eta \eta_t - \pi_{t-k}^\eta \eta_{t-k}] + \text{Var}[\epsilon_t - \epsilon_{t-k}] \\
&= \frac{2\sigma_\psi^2}{1 - \rho^2} (1 - \tilde{\rho}_k) - (kp_\phi \mu_\phi)^2 + (kp_\phi(1 - p_\phi) + (kp_\phi)^2) (\sigma_\phi^2 + \mu_\phi^2) \\
&\quad + 2(p_\xi \sigma_\xi^2 + p_\xi(1 - p_\xi) \mu_\xi^2 + p_\eta \sigma_\eta^2 + \sigma_\epsilon^2) \\
&= \frac{2\sigma_\psi^2}{1 - \rho^2} (1 - \tilde{\rho}_k) + k(\tilde{\mu}_\phi^2 + p_\phi \sigma_\phi^2) \\
&\quad + 2(p_\xi \sigma_\xi^2 + \tilde{\mu}_\xi^2 + p_\eta \sigma_\eta^2 + \sigma_\epsilon^2)
\end{aligned}$$

A.7 Proof of Corollary 2

A.7.1 Autocovariance

By our assumptions, we have

$$\begin{aligned}
\Delta_k p_{t-\ell k} &= (\rho^{a_\psi} - 1)p_{t-(\ell+1)k} + \sum_{s=0}^{a_\psi-1} \rho^s \psi_{s,a_\psi} \\
p_{t-k} - p_{t-\ell k} &= (\rho^{b_\psi} - 1)p_{t-\ell k} + \sum_{s=0}^{b_\psi-1} \rho^s \psi_{s,b_\psi} \\
\Delta_k p_t &= (\rho^{c_\psi} - 1)p_{t-k} + \sum_{s=0}^{c_\psi-1} \rho^s \psi_{s,c_\psi} \\
&= (\rho^{c_\psi} - 1) \left[\rho^{a_\psi+b_\psi} p_{t-(\ell+1)k} + \rho^{b_\psi} \sum_{s=0}^{a_\psi-1} \rho^s \psi_{s,a_\psi} + \sum_{s=0}^{b_\psi-1} \rho^s \psi_{s,b_\psi} \right] + \sum_{s=0}^{c_\psi-1} \rho^s \psi_{s,c_\psi} \\
a_\psi, c_\psi &\sim \text{Binomial}(k, p_\psi) \\
b_\psi &\sim \text{Binomial}((\ell-1)k, p_\psi).
\end{aligned}$$

This implies

$$\begin{aligned}
\text{Cov}[\Delta_k p_t, \Delta_k p_{t-\ell k} | a_\psi, b_\psi, c_\psi] &= (\rho^{a_\psi} - 1)(\rho^{c_\psi} - 1) \rho^{a_\psi+b_\psi} \text{Var}[p_{t-(\ell+1)k}] \\
&\quad + (\rho^{c_\psi} - 1) \rho^{b_\psi} \sum_{s=0}^{a_\psi-1} \rho^{2s} \sigma_\psi^2 \\
&= ((\rho^{a_\psi} - 1)(\rho^{c_\psi} - 1) \rho^{a_\psi+b_\psi} + (\rho^{c_\psi} - 1) \rho^{b_\psi} (1 - \rho^{2a_\psi})) \frac{\sigma_\psi^2}{1 - \rho^2} \\
&= -(1 - \rho^{c_\psi})(1 - \rho^{a_\psi}) \rho^{b_\psi} \frac{\sigma_\psi^2}{1 - \rho^2},
\end{aligned}$$

where we have used that $\text{Var}[p_{t-(\ell+1)k}] = \frac{\sigma_\psi^2}{1-\rho^2}$ by lemma 1.

Using remark 1 and lemma 5, we now have

$$\begin{aligned}
\text{Cov}[\Delta_k p_t, \Delta_k p_{t-\ell k}] &= \sum_{a_\psi=0}^k f_B(a_\psi|k, p_\psi) \sum_{b_\psi=0}^{(\ell-1)k} f_B(b_\psi|(\ell-1)k, p_\psi) \sum_{c_\psi=0}^k f_B(c_\psi|k, p_\psi) \\
&\quad \left(-(1 - \rho^{c_\psi})(1 - \rho^{a_\psi}) \rho^{b_\psi} \frac{\sigma_\psi^2}{1 - \rho^2} \right) \\
&= -\frac{\sigma_\psi^2}{1 - \rho^2} \left(\sum_{a_\psi=0}^k f_B(a_\psi|k, p_\psi)(1 - \rho^{c_\psi}) \right) \\
&\quad \left(\sum_{b_\psi=0}^{(\ell-1)k} f_B(b_\psi|(\ell-1)k, p_\psi) \rho^{b_\psi} \right) \left(\sum_{c_\psi=0}^k f_B(c_\psi|k, p_\psi)(1 - \rho^{a_\psi}) \right) \\
&= -\frac{\sigma_\psi^2}{1 - \rho^2} (1 - (1 - p_\psi(1 - \rho))^k)^2 (1 - p_\psi(1 - \rho))^{(\ell-1)k}.
\end{aligned}$$

Using remark 1, we also have

$$\begin{aligned}
\text{Cov}[\Delta_k z_t, \Delta_k z_{t-\ell k}] &= -\mathbb{E}[\Delta_k z_t] \mathbb{E}[\Delta_k z_{t-\ell k}] \\
&\quad + \sum_{a_\phi=0}^k f_B(a_\phi|k, p_\phi) \sum_{b_\phi=0}^{(\ell-1)k} f_B(b_\phi|(\ell-1)k, p_\phi) \sum_{c_\phi=0}^k f_B(c_\phi|k, p_\phi) (a_\phi \mu_\phi)(c_\phi \mu_\phi) \\
&= -(kp_\phi \mu_\phi)^2 + \left(\sum_{a_\phi=0}^k f_B(a_\phi|k, p_\phi) a_\phi \right) \left(\sum_{c_\phi=0}^k f_B(c_\phi|k, p_\phi) c_\phi \right) \mu_\phi^2 \\
&= 0.
\end{aligned}$$

Combining the above results and using our independence assumptions, this implies the result

$$\begin{aligned}
\text{Cov}[\Delta_k y_t, \Delta_k y_{t-\ell k}] &= \text{Cov}[\Delta_k p_t, \Delta_k p_{t-\ell k}] + \text{Cov}[\pi_{t-k}^\xi \xi_{t-k}, \pi_{t-\ell k}^\xi \xi_{t-\ell k}] \\
&\quad + \text{Cov}[\pi_{t-k}^\eta \eta_{t-k}, \pi_{t-\ell k}^\eta \eta_{t-\ell k}] + \text{Cov}[\epsilon_{t-k}, \epsilon_{t-\ell k}] \\
&= \text{Cov}[\Delta_k p_t, \Delta_k p_{t-\ell k}] - \begin{cases} p_\xi \sigma_\xi^2 + \tilde{\mu}_\xi^2 + p_\eta \sigma_\eta^2 + \tilde{\mu}_\eta^2 + \sigma_\epsilon^2 & \text{if } \ell = 1 \\ 0 & \text{if } \ell \in \{2, 3, \dots\}. \end{cases}
\end{aligned}$$

A.7.2 Fractional covariance

Using the same argumentation as when formulating eq. (2.4), we have

$$\begin{aligned}
\Delta_k p_{t-\ell} &= (\rho^{a_\psi+b_\psi} - 1)p_{t-\ell-k} + \rho^{b_\psi} \sum_{s=0}^{a_\psi-1} \rho^s \psi_{s,a_\psi} + \sum_{s=0}^{b_\psi-1} \rho^s \psi_{s,b_\psi} \\
\Delta_k z_{t-\ell} &= \sum_{s=0}^{a_\phi-1} \phi_{s,a_\phi} + \sum_{s=0}^{b_\phi-1} \phi_{s,b_\phi} \\
\Delta_k p_t &= (\rho^{b_\psi+c_\psi} - 1)p_{t-k} + \rho^{c_\psi} \sum_{s=0}^{b_\psi-1} \rho^s \psi_{s,b_\psi} + \sum_{s=0}^{c_\psi-1} \rho^s \psi_{s,c_\psi} \\
&= (\rho^{b_\psi+c_\psi} - 1) \left[\rho^{a_\psi} p_{t-\ell-k} + \sum_{s=0}^{a_\psi-1} \rho^s \psi_{s,a_\psi} \right] + \rho^{c_\psi} \sum_{s=0}^{b_\psi-1} \rho^s \psi_{s,b_\psi} + \sum_{s=0}^{c_\psi-1} \rho^s \psi_{s,c_\psi} \\
\Delta_k z_t &= \sum_{s=0}^{b_\phi-1} \phi_{s,b_\phi} + \sum_{s=0}^{c_\phi-1} \phi_{s,c_\phi} \\
a_i, c_i &\sim \text{Binomial}(\ell, p_i) \quad i \in \{\psi, \phi\} \\
b_i &\sim \text{Binomial}(k - \ell, p_i) \quad i \in \{\psi, \phi\}
\end{aligned}$$

This implies

$$\begin{aligned}
\text{Cov}[\Delta_k p_t, \Delta_k p_{t-\ell} | a_\psi, b_\psi, c_\psi] &= (\rho^{a_\psi+b_\psi} - 1)(\rho^{b_\psi+c_\psi} - 1)\rho^{a_\psi} \text{Var}[p_{t-\ell-k}] \\
&\quad + (\rho^{b_\psi+c_\psi} - 1)\rho^{b_\psi} \sum_{s=0}^{a_\psi-1} \rho^{2s} \sigma_\psi^2 \\
&\quad + \rho^{c_\psi} \sum_{s=0}^{b_\psi-1} \rho^{2s} \sigma_\psi^2 \\
&= [(\rho^{a_\psi+b_\psi} - 1)(\rho^{b_\psi+c_\psi} - 1)\rho^{a_\psi} + (\rho^{b_\psi+c_\psi} - 1)\rho^{b_\psi}(1 - \rho^{2a_\psi}) \\
&\quad + \rho^{c_\psi}(1 - \rho^{2b_\psi})] \cdot \frac{\sigma_\psi^2}{1 - \rho^2} \\
&= [\rho^{a_\psi} - \rho^{b_\psi} + \rho^{c_\psi} - \rho^{a_\psi+b_\psi+c_\psi}] \frac{\sigma_\psi^2}{1 - \rho^2}.
\end{aligned}$$

where we have used that $\text{Var}[p_{t-\ell-k}] = \frac{\sigma_\psi^2}{1-\rho^2}$ by lemma 1.

Using remark 1 and lemma 5, we now have

$$\begin{aligned}
\text{Cov}[\Delta_k p_t, \Delta_k p_{t-\ell k}] &= \sum_{a_\psi=0}^{\ell} f_B(a_\psi|\ell, p_\psi) \sum_{b_\psi=0}^{k-\ell} f_B(b_\psi|k-\ell, p_\psi) \sum_{c_\psi=0}^{\ell} f_B(c_\psi|k, p_\psi) \\
&\quad \left(\rho^{a_\psi} - \rho^{b_\psi} + \rho^{c_\psi} - \rho^{a_\psi+b_\psi+c_\psi} \right) \frac{\sigma_\psi^2}{1-\rho^2} \\
&= \left[2(1-p_\psi(1-\rho))^\ell \right. \\
&\quad \left. - (1-p_\psi(1-\rho))^{k-\ell} \right. \\
&\quad \left. - (1-p_\psi(1-\rho))^{2\ell} (1-p_\psi(1-\rho))^{k-\ell} \right] \frac{\sigma_\psi^2}{1-\rho^2} \\
&= (2\tilde{\rho}_\ell - \tilde{\rho}_{k-\ell} - \tilde{\rho}_{\ell+k}) \frac{\sigma_\psi^2}{1-\rho^2}
\end{aligned}$$

Using remark 1, we also have

$$\begin{aligned}
\text{Cov}[\Delta_k z_t, \Delta_k z_{t-\ell}] &= -\mathbb{E}[\Delta_k z_t] \mathbb{E}[\Delta_k z_{t-k}] \\
&\quad + \sum_{a_\phi=0}^{\ell} f_B(a_\phi|\ell, p_\phi) \sum_{b_\phi=0}^{k-\ell} f_B(b_\phi|k-\ell, p_\phi) \sum_{c_\phi=0}^{\ell} f_B(c_\phi|k, p_\phi) \left[b\sigma_\phi^2 \right. \\
&\quad \left. + (a_\phi + b_\phi)(b_\phi + c_\phi)\mu_\phi^2 \right] \\
&= -(kp_\phi\mu_\phi)^2 \\
&\quad + \mu_\phi^2 \sum_{b_\phi=0}^{k-\ell} f_B(b_\phi|k-\ell, p_\phi) b_\phi^2 + \sigma_\phi^2 \sum_{b_\phi=0}^{k-\ell} f_B(b_\phi|k-\ell, p_\phi) b_\phi \\
&\quad + \mu_\phi^2 \left(\sum_{a_\phi=0}^{\ell} f_B(a_\phi|\ell, p_\phi) a_\phi \right) \left(\sum_{b_\phi=0}^{k-\ell} f_B(b_\phi|k-\ell, p_\phi) b_\phi \right) \\
&\quad + \mu_\phi^2 \left(\sum_{a_\phi=0}^{\ell} f_B(a_\phi|\ell, p_\phi) a_\phi \right) \left(\sum_{c_\phi=0}^{\ell} f_B(c_\phi|k, p_\phi) c_\phi \right) \\
&\quad + \mu_\phi^2 \left(\sum_{b_\phi=0}^{k-\ell} f_B(b_\phi|k-\ell, p_\phi) b_\phi \right) \left(\sum_{c_\phi=0}^{\ell} f_B(c_\phi|k, p_\phi) c_\phi \right) \\
&= -(kp_\phi\mu_\phi)^2 + \sigma_\phi^2 p_\phi(\ell - k) + \mu_\phi^2 (p_\phi(1-p_\phi)(\ell - k) \\
&\quad + p_\phi^2(\ell - k)^2 + p_\phi^2 2\ell(k - \ell) + p_\phi^2 \ell^2) \\
&= -(kp_\phi\mu_\phi)^2 + \sigma_\phi^2 p_\phi(\ell - k) + \mu_\phi^2 (p_\phi(1-p_\phi)(\ell - k) + (kp_\phi)^2) \\
&= (k - \ell)\tilde{\mu}_\phi^2 + \sigma_\phi^2 p_\phi(\ell - k)
\end{aligned}$$

Combining the above results and using our independence assumptions, this yields the result

$$\text{Cov}[\Delta_k y_t, \Delta_k y_{t-\ell}] = (2\tilde{\rho}_\ell - \tilde{\rho}_{k-\ell} - \tilde{\rho}_{\ell+k}) \frac{\sigma_\psi^2}{1 - \rho^2} + (k - \ell) \tilde{\mu}_\phi^2 + \sigma_\phi^2 p_\phi (\ell - k).$$

A.8 Proof of Corollary 3

When ψ_t , ξ_t , η_t , ϕ_t , and ϵ_t are all Gaussian then, using the notation of Theorem 1, $\Delta_k y_t | n_\psi, n_\phi, m_{\xi 0}, m_{\xi 1}, m_{\eta 0}, m_{\eta 1}$ is a linear combination of Gaussian variables and therefore also a Gaussian variable. The mean and variance of $\Delta_k y_t | n_\psi, n_\phi, m_{\xi 0}, m_{\xi 1}, m_{\eta 0}, m_{\eta 1}$ are given in Theorem 1. Then using remark 2 gives the result.

A.9 Proof of Corollary 4

Variance. The variance of the transitory shocks are the same in period t and $t+k$ by assumption. In turn, using that all shocks are independent together with Lemma 4, we have that

$$\begin{aligned} \text{Var}[y_{t+k}] - \text{Var}[y_t] &= \text{Var}[z_{t+k}] - \text{Var}[z_t] + \text{Var}[p_{t+k}] - \text{Var}[p_t] \\ &= \text{Var}\left[z_t + \sum_{j=1}^k \pi_{t+j}^\phi \phi_{t+j}\right] - \text{Var}[z_t] + \Delta_k \text{Var}[p_{t+k}] \\ &= \sum_{j=1}^k \text{Var}[\pi_{t+j}^\phi \phi_{t+j}] + \Delta_k \text{Var}[p_{t+k}] \\ &= k(\sigma_\phi^2 + p_\phi(1 - p_\phi)\mu_\phi^2) + \Delta_k \text{Var}[p_{t+k}] \end{aligned}$$

From Theorem 1 we have that $\lim_{t \rightarrow \infty} \Delta_k \text{Var}[p_{t+k}] = 0$ and the difference in income-level variances converges to

$$k(\sigma_\phi^2 + p_\phi(1 - p_\phi)\mu_\phi^2).$$

Covariance There is no covariance of the transitory shocks by assumption, and the co-variance of the permanent component is independent of the span given a common starting point, i.e. $\text{Cov}[z_t, z_{t+k}] = \text{Cov}[z_t, z_{t+k+\ell}]$. Using that all shocks are assumed to be independent, it follows using Lemma 5 and Lemma 1 that

$$\begin{aligned}
\text{Cov}[y_t, y_{t+k+\ell}] - \text{Cov}[y_t, y_{t+k}] &= \text{Cov}[p_t, p_{t+k+\ell}] - \text{Cov}[p_t, p_{t+k}] \\
&= \sum_{n_\psi=0}^{k+\ell} f_B(n_\psi|k+\ell, p_\psi) \text{Cov}[\rho^{n_\psi} p_t + \sum_{s=1}^{n_\psi} \rho^s \psi_s, p_t] \\
&\quad - \sum_{n_\psi=0}^k f_B(n_\psi|k, p_\psi) \text{Cov}[\rho^{n_\psi} p_t + \sum_{s=1}^{n_\psi} \rho^s \psi_s, p_t] \\
&= (1 - p_\psi(1 - \rho))^{k+\ell} \frac{\sigma_\psi^2}{1 - \rho^2} - (1 - p_\psi(1 - \rho))^k \frac{\sigma_\psi^2}{1 - \rho^2} \\
&= \left[(1 - p_\psi(1 - \rho))^{k+\ell} - (1 - p_\psi(1 - \rho))^k \right] \frac{\sigma_\psi^2}{1 - \rho^2}
\end{aligned}$$

A.10 Proof of Corollary 5

When ψ_t , ξ_t , η_t , ϕ_t , and ϵ_t are all Gaussian then, using the notation of Theorem 1, $\Delta_k y_t | n_\psi, n_\phi, m_{\xi 0}, m_{\xi 1}, m_{\eta 0}, m_{\eta 1}$ is a linear combination of Gaussian variables and therefore also a Gaussian variable. The mean and variance of $\Delta_k y_t | n_\psi, n_\phi, m_{\xi 0}, m_{\xi 1}, m_{\eta 0}, m_{\eta 1}$ are given in Theorem 1. We then have

$$\Pr[\Delta_k y_t < x | n_\psi, n_\phi, m_{\xi 0}, m_{\xi 1}, m_{\eta 0}, m_{\eta 1}] = \Phi\left(\frac{x - \mu_s}{\sqrt{\Xi_s}}\right)$$

Consequently

$$\begin{aligned}
\Pr[\Delta_k y_t < x] &= \sum_{s \in \mathbb{S}} \omega_s \Pr[\Delta_k y_t < x | n_\psi, n_\phi, m_{\xi 0}, m_{\xi 1}, m_{\eta 0}, m_{\eta 1}] \\
&= \sum_{s \in \mathbb{S}} \omega_s \Phi\left(\frac{x - \mu_s}{\sqrt{\Xi_s}}\right)
\end{aligned}$$

A.11 Proof of Corollary 6

When ψ_t , ξ_t , η_t , ϕ_t , and ϵ_t are all Gaussian then, using the notation of Theorem 2, $\Delta_k y_t | n_{\psi 1}, n_{\psi 2}, n_{\phi 1}, n_{\phi 2}, m_{\xi 0}, m_{\xi 1}, m_{\xi 2}, m_{\eta 0}, m_{\eta 1}, m_{\eta 2}$ and $\Delta_k y_{t-k} | n_{\psi 1}, n_{\psi 2}, n_{\phi 1}, n_{\phi 2}, m_{\xi 0}, m_{\xi 1}, m_{\xi 2}, m_{\eta 0}, m_{\eta 1}, m_{\eta 2}$ are both linear combinations of Gaussian variables and therefore jointly Gaussian. The covariances matrix is implied by Theorem 2. We then have


$$\begin{aligned}
&\Pr[\Delta_k y_t < x_1 \wedge \Delta_k y_{t-k} < x_2 | n_{\psi 1}, n_{\psi 2}, n_{\phi 1}, n_{\phi 2}, m_{\xi 0}, m_{\xi 1}, m_{\xi 2}, m_{\eta 0}, m_{\eta 1}, m_{\eta 2}] \\
&= \Phi_2\left(\frac{x_1 - \mu_{1s}}{\sqrt{\Xi_{1s}}}, \frac{x_2 - \mu_{2s}}{\sqrt{\Xi_{2s}}}, \frac{\mathbb{C}_s}{\sqrt{\Xi_{1s}}\sqrt{\Xi_{2s}}}\right)
\end{aligned}$$

Consequently

$$\begin{aligned}
\Pr[\Delta_k y_t < x_1 \wedge \Delta_k y_{t-k} < x_2] &= \sum_{s \in \mathbb{S}} \omega_s \Pr[\Delta_k y_t < x_1 \wedge \Delta_k y_{t-k} < x_2 | \\
&\quad n_{\psi 1}, n_{\psi 2} n_{\phi 1}, n_{\phi 2}, m_{\xi 0}, m_{\xi 1}, m_{\xi 2}, m_{\eta 0}, m_{\eta 1}, m_{\eta 2}] \\
&= \sum_{s \in \mathbb{S}} \omega_s \Phi \left(\frac{x_1 - \mu_{1s}}{\sqrt{\Xi_{1s}}}, \frac{x_2 - \mu_{2s}}{\sqrt{\Xi_{2s}}}, \frac{\mathbb{C}_s}{\sqrt{\Xi_{1s}} \sqrt{\Xi_{2s}}} \right)
\end{aligned}$$

B Additional figures

Figure B.1: Additional data figures



Notes: Panels (a)–(b) show the age profiles of the mean and variance of monthly log-income. Panels (c)–(d) show the age profiles of the share of observations with absolute monthly income growth below 1 and 5 percent, split by month. Black dots are averages over February–March and August–November. Panels (e)–(f) show the average 12 and 1-month growth rates over the sample period. All measures are pooled across cohorts.