

A Service of

ZBW

Leibniz-Informationszentrum Wirtschaft Leibniz Information Centre for Economics

Lee, Myung Je; Kim, Changhee

Article

A network DEA aeronautical and non-aeronautical production model: An application to South Korea airports

Journal of Economic Structures

Provided in Cooperation with: Pan-Pacific Association of Input-Output Studies (PAPAIOS)

Suggested Citation: Lee, Myung Je; Kim, Changhee (2018) : A network DEA aeronautical and nonaeronautical production model: An application to South Korea airports, Journal of Economic Structures, ISSN 2193-2409, Springer, Heidelberg, Vol. 7, Iss. 32, pp. 1-12, https://doi.org/10.1186/s40008-018-0130-2

This Version is available at: https://hdl.handle.net/10419/261503

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.



https://creativecommons.org/licenses/by/4.0/

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.





RESEARCH

Open Access



A network DEA aeronautical and non-aeronautical production model: an application to South Korea airports

Myung Je Lee¹ and Changhee Kim^{2*}

*Correspondence: ckim@inu.ac.kr ² College of Business Administration, Incheon National University, 119, Academy-ro, Yeonsu-gu, Incheon 22012, Republic of Korea Full list of author information is available at the end of the article

Abstract

This study evaluates the overall efficiency of aeronautical and non-aeronautical production process. Moreover, it investigates the each stage efficiency using network data envelopment analysis and compares the results with tradition DEA to find out the causes of inefficiency and analyze its stage in detail. The framework for assessing the airports' performance was devised to capture the trend of airport industry and provide the multiple perspectives to decision makers. It results in the fruition that the aeronautical efficiency does not always guarantee the non-aeronautical efficiency. High air traffic was highly related to the aeronautical efficiency but non-aeronautical side of business could be the driving factors for the whole efficiency. Moreover, looking at sub-processe efficiency, it can be inferred that inefficiency in certain sub-process could be detrimental for the whole process or could be offset by other efficiency.

Keywords: Aeronautical, Non-aeronautical, Network DEA, Efficiency analysis, South Korean airports

1 Introduction

According to 2013 Airport International Council (AIC) Airport Economics report, non-aeronautical revenue accounted for around half of the total operating revenue. It was estimated that non-aeronautical side of business had been crucial part of the business and would be incredibly important, especially in the volatility of airport business cycle. From each year's report, non-aeronautical part of business seems to take a crucial role in airport business.

There have been a numerous attempts at analyzing the airports' efficiency adopting a number of methodologies. The researches, however, seem to be outdated since its main focus is on measuring aeronautical side of airports. The idea that analyzing efficiency should be parallel to nowadays airport business trend is the motivation for the paper.

Airport is very intricate business in terms of production process. At the same time, it can be easily measured, as most of inputs are quasi-fixed. Once airport is built, it cannot be easily modified due to the high cost of building infrastructures. As a result, when travelers use airports or when airplane takes off or lands at the airport, all the data



© The Author(s) 2018. This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

are collected quantitatively which makes a number of researchers easy to calculate its efficiency.

This paper examines and devises the production model for airport efficiency, considering multiple variables. Our focus is to divide production process into several sub-processes and investigate its performance microscopically and analyze the overall performance, comparing with results derived from past papers methodology.

Due to the volatility of the airlines business cycle, there has been an increase in urge to maximize profits with non-aeronautical side of airport such as parking lots, duty-free stores, restaurants and so forth. Not only is it important to meet the aeronautical needs, but also it has become critical to capture the needs of non-aeronautical sides, considering that airports' revenue is being generated from non-aeronautical business. A number of papers have neglected the importance of non-aeronautical sides.

In this paper, a new airport efficiency model is presented to evaluate the performance of airports in South Korea, taking multiple inputs, intermediate inputs and outputs into account. We present two NDEA (network data envelopment analysis) models and split the processes into two sub-processes. Then, we measure the relative efficiency of homogenous airports in South Korea and look into each stage. We are capturing the trend of airport performance, and this will be reflected upon our model. In stage 2, we discuss the possible environmental factors and investigate the possible determinants for airport performance. In stage 3, as the airport has quasi-fixed inputs, it is hard just to increase the size of terminal capacity or etc. So, given the circumstances, we investigate what airport could do without compromising consumers' service quality.

In Sect. 2, relevant studies on airport performance are revised. Section 3 presents the framework for airport production model that could capture the trend of current airport production process. The following section presents the data and methodology that have been utilized. Section 5 describes the empirical results derived from data and methodology that we have used. Lastly, the conclusion will be presented.

2 Background

There have been numerous attempts to capture the airport performance efficiency in various methods. Total factor productivity index (TFP), data envelopment analysis (DEA) and stochastic frontier analysis (SFA) were mainly used to measure the efficiency. Among nonparametric methods, DEA has been the most popular method.

In the former studies, these methods were adapted by numerous papers: Abbott and Wu (2002), Hooper and Hensher (1997), Oum et al. (2003), Parker (1999), Pels et al. (2001) and Yoshida and Fujimoto (2004). Following these papers, airport efficiency was measured through these methods: Abrate and Erbetta (2010), Adler et al. (2013), Barros and Sampaio (2004), Barros (2008a, b), Gitto and Mancuso (2012a, b), Malighetti et al. (2007), Merkert et al. (2012), Merkert and Mangia (2013) and Nicola et al. (2013). Moreover, there has been a number of researches on Asia-pacific region, measuring different aiport efficiencies in a different timeline (Fung et al. 2008a; Lam et al. 2009; Ha et al. 2010; Chow and Fung 2012; Fan et al. 2014; Li 2014). Oum et al. (2006) and Adler and Liebert (2014) adjusted all financial data according to the tool of Purchasing Power Parity (PPP) when collecting a sample from different Asia regions. Furthermore, after conducting DEA analysis, in recent studies, the usage of regression analysis has become a

general method to determine the factors that affect the levels of efficiency in an airport company (Adler et al. 2013; Barros and Sampaio 2004; Chi-Lok and Zhang 2009; Coto-Millan et al. 2014; Ha et al. 2013; Merkert and Mangia 2014; Tsui et al. 2014). Especially, there has been a numerous attempts to explore the additional determinants of DEA estimates using censored regression from Tobin (1958). However, McDonald (2009) proposed using Panel Data regression model to find the influential factors of efficiency for the airport companies. Especially, Chang et al. (2013) found that the more airlines and destinations, the higher aeronautical efficiency, that is, the bigger the airport, the higher chance that the airports are aeronautically efficient. The above studies mainly focus on aeronautical efficiency, which place the number of passengers, cargos and aircraft movement as output variables and runway, terminal, operation cost as input variables. The input of runway was represented by number of runways or runway length or runway area; similarly, the inputs of terminal were expressed by cargo terminal size, passenger terminal size or total size (Chang et al. 2013; Chow and Fung 2012; Fung et al. 2008a, 2008b; Ha et al. 2013; Lam et al. 2009; Merkert and Assaf 2015; Tsui et al. 2014, etc). In addition, the operation cost usually was represented as soft cost input, as used by Oum et al. (2003), Oum and Yu (2004), Oum et al. (2007). Only Oum et al. (2003), Oum and Yu (2004), Oum et al. (2007) and Yu (2004) considered commercial services revenue and airport revenue to output variables. Above all, most studies considered an airport company as a whole by exploring the overall efficiency and productivity change with initial inputs and final outputs. This method treats an airport industry as a black box, neglecting intermediate products of linking activities in an airport company or failing to distinguish the sources from different sub-processes resulting in airport company efficiency (Tone and Tsutsui 2009; Tsui et al. 2014). This issue could not provide corresponding improvement strategies to managers.

In recent studies, Puls and Lentz (2018) indicated that airports in Europe improve their non-aeronautical revenue from travelers. And many articles focused on the nonaeronautical revenue for airport sustainability (Chuchu et al. 2018; Kidokoro and Zhang 2018; Fuerst and Gross 2018).

Except for the recent attempts to grapple with the black box issues in regard to DEA (Yu 2010; Lozano et al. 2013; Maghbouli et al. 2014), the recent studies were underpinned by exploring efficiency and productivity changes in accordance with initial inputs and final outputs. Airport operation was divided into two sub-processes, including aircraft movement process and aircraft loading movement process. Then, they, respectively, measured the efficiencies of each sub-process. They, however, used input and output variables, which were lopsided to aeronautical efficiency. Liu (2016) tried to capture commercial efficiency using NDEA and regression analysis. For the input in the first sub-process, runway area, staff costs and other operating costs were employed as other paper did (Adler et al. 2013; Coto-Millan et al. 2014; Fung et al. 2008a; Gillen and Lall 1997). In addition, as an intermediate product, aircraft movement was employed to link the two sub-processes. (Yu 2010; Abrate and Erbetta 2010; Lozano et al. 2013; Maghbouli et al. 2014; Pels et al. 2003) As the output, passengers and cargo and operating revenue were utilized. As the output of aeronautical business and other business includes the number of passengers and amount of cargo and the operating revenue reflects the results of business, these factors were included as the outputs. This is comparable to

Efficiency Measure	Model	Input	Intermediate	Output
Aeronautical efficiency	NDEA	Airside capacity Runway Terminal capacity The number of workers	Aircraft movement	Aeronautical revenue Cargo Passengers
Non-aeronautical efficiency	NDEA	Non-airside capacity Duty-free store size Restaurant size Parking lot capacity The number of workers	Aircraft movement	Non-aeronautical revenue Passengers
Total efficiency	NDEA	Total capacity Duty-free store size Restaurant size Parking lot capacity The number of workers Runway Terminal capacity The number of workers	Aircraft movement	Aeronautical revenue Non-aeronautical revenue Cargo Passengers

Table 1 Variables for each production process

most studies (Ahn and Min 2014; Ha et al. 2013; Tsui et al. 2014; Yu et al. 2008). Then, influencing factors for the sub-process were measured using regression analysis.

3 Conceptual framework for the airport performance production model

Airport is a complex and dynamic place where not only does planes take off and land at, but also travelers enjoy shopping, relax while waiting for transfer or have a nice farewell meal with their family or beloved ones.

Airport production could be divided into two parts: non-aeronautical and aeronautical process. Aeronautical production includes any activities directly related to aircraft taking off and landing. Airport invests on quasi-fixed infrastructure such as runway and terminal capacity. Moreover, labor forces are required to manage the aircraft movement. These are the inputs for measuring aeronautical efficiency. Utilizing these inputs directly leads to aircraft movement. If inputs were efficiently utilized, the first process would turn out to be efficient. Aircraft movement results in aeronautical revenue that is generated from aircraft landing and taking off. In addition, cargos and passengers are the result of the intermediate input. Table 1 shows that how we are going to apply NDEA model to measure different efficiencies. Variables for input, intermediate and output are chosen carefully with the help of previous researches (Lozano et al. 2013; Maghbouli et al. 2014; Wanke 2013; Yu 2010) and by considering the availability of data.

Non-aeronautical production per se is very complex due to the fact that airport is no longer just a place where people go travel by airplane. The non-aeronautical business, that is also known as commercial service usually consists of franchise-based operations and self-operations, such as ground handling agent service supplied for airliners, in-flight catering services, duty free and other retail shops in the terminals, leasing of advertising space inside and outside the terminals of the airport, provision of goods warehousing, cargo handling agent companies (Liu 2016; Adler and Liebert 2014; Oum et al. 2003, 2007; Oum and Yu 2004). The airport is rightly a place for airplane but the business expanded to non-aeronautical side due to the increase in air traffic globally. Studying financial statements for the airport and counseling with airport managers, among inputs for non-aeronautical business,

top three contributing inputs were chosen: restaurant size, duty-free store size and parking lot capacity. Inefficiency occurs when aircraft movement is low given the non-aeronautical inputs. Aircraft movement is chosen as intermediate product as airports' main focus is aircraft taking off and landing. From managerial perspective, decreasing the size of non-aeronautical inputs should be considered if aircraft movement is low; that is, not many people visit airport but excessive investment on building large airport should be reconsidered. For the second sub-process for the non-aeronautical production, if the small number of aircraft movement leads to higher non-aeronautical and the large number of passengers, it could be efficient. This could give us an insight that passengers visiting the airport might spend relatively more money than other airports or a number of visitors visit the airport or the schedule for the aircraft movement is tight. Overall, we want to see whether the inefficiency or efficiency for the sub-processes might have an impact upon the overall efficiency by calculating the overall efficiency.

The major disadvantage of DEA is that these processes are treated as 'black box'. NDEA, however, separates the whole box into smaller boxes which could give insights to decision makers by investigating the inefficiency or efficiency for the sub-process. This also provides which sub-process could generate inefficiency.

4 Data and methodology

4.1 Data

The data include 14 airports in South Korea from 2011 to 2015. All data are obtained from Korea Airports Corporation (KAC) and Incheon International Airport. Additional information that is not open to public is requested to Korea government, and the government assisted to gather relevant information by contacting KAC and Incheon International Airport.

4.2 Methodology

There has been a number of researches on Network Data Envelopment Analysis (NDEA) and different methods of NDEA are studied (Kao 2014). Liang et al. (2008) presented centralized and noncooperative NDEA using game theory concepts. Non-cooperative model is under leader-follower assumption where first stage (leader) is more important than second stage (follower). This does not fit into airport production process, where both two-stages are equally important and should be considered simultaneously. Thus, we viewed this problem with the centralized perspective, where the efficiencies of both stages are evaluated simultaneously. So, the centralized NDEA was employed to measure the two-stages of devised production processes in Fig. 1. According to CCR DEA model (Charnes et al. 1978), the following can be derived.

$$e_j^1 = \sum_{d=1}^D w_d z_{dj} / \sum_{i=1}^m v_i x_{ij}$$
 and $e_j^2 = \sum_{r=1}^s u_r y_{rj} / \sum_{d=1}^D \tilde{w}_d z_{dj}$ (1)

The efficiency for the first stage of DMU_j is denoted as e_j^1 and the second of that as e_j^2 , where v_i , w_d , \tilde{w}_d and u_r are unknown nonnegative weights. The centralized model sets w_d and \tilde{w}_d are equal. It results in $e_j^1 \times e_j^2 = \sum_{r=1}^{s} u_r y_{ro} / \sum_{i=1}^{m} v_i x_{io}$



Therefore, the centralized model can be expressed as

$$e_0^{\text{centralized}} = \text{Max}e_0^1 \times e_0^2 = \sum_{r=1}^s u_r y_{ro} / \sum_{i=1}^m v_i x_{io}$$
(2)

s.t. $e_j^1 \leq 1 \text{ and } e_j^2 \leq 1 \text{ and } w_d = \tilde{w}_d$

Equation 3 can then be converted into the following linear program:

$$e_0^{\text{centralized}} = \text{Max } e_j^1 \times e_j^2 = \sum_{r=1}^s u_r y_{ro} / \sum_{i=1}^m v_i x_{io}$$
 (3)

$$\sum_{r=1}^{s} u_r y_{rj} - \sum_{d=1}^{D} w_d z_{dj} \le 0, \quad j = 1, 2, \dots, n$$

$$\sum_{d=1}^{D} w_d z_{dj} - \sum_{i=1}^{m} v_i x_{ij} \le 0, \quad j = 1, 2, \dots, n$$

$$\sum_{i=1}^{m} v_i x_{io} = 1,$$

$$(4.3)$$

Airport name	IATA code	Туре	Aeronautical-focused NDEA			DEA score
			Stage 1	Stage 2	Overall	
Incheon	ICN	International	2	1	2	1 (2)
Gimpo	GMP	International	3	3	3	3
Daegu	TAE	International/military	9	5	7	5
Gimhae	PUS	International/military	5	6	5	6
Jeju	CJU	International	1	2	1	1 (2)
Muan	MWX	International	13	11	13	11
Cheongju	CJJ	International/military	8	4	6	4
Ulsan	USN	Domestic	6	12	9	12
Yangyang	YNY	International	14	9	14	9
Gwangju	KWJ	Domestic/military	4	7	4	7
Gunsan	KUV	Domestic/military	7	8	8	8
Wonju	ULW	Domestic/military	11	10	10	10
Sachun	HIN	Domestic/military	12	14	12	14
Yeosu	RSU	Domestic	10	13	11	13

 Table 2 Airport ranking based on average airport aeronautical efficiency scores 2011–

 2015

 $w_d \ge 0, d = 1, 2, \dots, D; v_i \ge 0, i = 1, 2, \dots, m; u_r \ge 0, r = 1, 2, \dots s.$

Equation (4) yields the overall efficiency of the two-stage process based upon assumption that (4) gives a unique solution.

5 Empirical results

Table 2 shows the efficiency ranking of airports in South Korea using NDEA and DEA. And the (#) means the number of same ranks in the DMU group. Top ranking three airports are ICN, GMP and CJU. The results could be easily expected as the number of air traffic for these airports is high due to it is located at the hub of South Korea. The high aeronautical efficiency is inevitable since it is highly related to the traffic.

Table 3 shows airport ranking based upon non-aeronautical efficiency scores. Nonaeronautical efficiency gives an interesting result. Tracing the top three airports that show the high efficiency in aeronautical efficiency, rank 2 ICN in aeronautical efficiency is placed at rank 10. Looking at the sub-processes efficiency, it can be inferred that the first stage causes the whole inefficiency; that is, given the significant input of non-aeronautical, it does not generate sufficient aircraft movement. This indicates that ICN invests relatively a lot compared to the aircraft movement. However, the second stage of ICN is ranked 1, which means that ICN generates enough non-aeronautical revenue and passengers. However, the overall efficiency is still ranked 10, which is derived from inefficiency occurred in the first stage. The combined efficiency, which includes aero and non-aero efficiency, should be analyzed if this inefficiency might have a significant impact upon combined efficiency. If this inefficiency can be overcome with excellent performance of aero side of business, ICN will be placed top 3.

Airport name	IATA code	Туре	Non-aero	DEA score		
			Stage 1	Stage 2	Overall	
Incheon	ICN	International	12	1	10	1 (6)
Gimpo	GMP	International	1 (3)	3	2	1 (6)
Daegu	TAE	International/military	13	6	12	11
Gimhae	PUS	International/military	4	7	3	7
Jeju	CJU	International	1 (3)	2	1	1 (6)
Muan	MWX	International	14	11	14	14
Cheongju	CJJ	International/military	9	4	5	1 (6)
Ulsan	USN	Domestic	8	12	9	12
Yangyang	YNY	International	11	5	11	8
Gwangju	KWJ	Domestic/military	1 (3)	8	4	1 (6)
Gunsan	KUV	Domestic/military	7	9	6	1 (6)
Wonju	ULW	Domestic/military	6	10	7	9
Sachun	HIN	Domestic/military	10	14	13	13
Yeosu	RSU	Domestic	5	13	8	10

Table 3 Airport ranking based on average airport non-aeronautical efficiency scores 2011–2015

As the Table 4 shows, ICN is placed at rank 3. This is a bit disappointment as it is ranked 2 in aeronautical efficiency and ICN is a representative for South Korea airports. As discussed in non-aero parts, ICN rank does reflect upon the fact that the inefficiency caused in the first process of the non-aero sides can be overcome but not just enough to beat GMP. Still, it performs relatively well but through our research, inefficiency arises in the first stage of non-aero side of business.

TAE, however, is still placed at rank 12, which gives us similar results to non-aeronautical efficiency. This indicates that it is non-aeronautical side of business that TAE's strategic plan should focus on.

Airport name	IATA code	Туре	Aeronautical- and non- aeronautical-focused NDEA			DEA score
			Stage 1	Stage 2	Overall	
Incheon	ICN	International	5	1	3	1 (7)
Gimpo	GMP	International	1 (3)	3	2	1 (7)
Daegu	TAE	International/military	13	6	12	10
Gimhae	PUS	International/military	4	7	4	1 (7)
Jeju	CJU	International	1 (3)	2	1	1 (7)
Muan	MWX	International	14	11	14	14
Cheongju	CJJ	International/military	10	4	6	1 (7)
Ulsan	USN	Domestic	9	12	11	13
Yangyang	YNY	International	12	5	10	8
Gwangju	KWJ	Domestic/military	1 (3)	8	5	1 (7)
Gunsan	KUV	Domestic/military	6	9	7	1 (7)
Wonju	ULW	Domestic/military	8	10	8	9
Sachun	HIN	Domestic/military	11	14	13	11
Yeosu	RSU	Domestic	7	13	9	12

Table 4 Airport ranking based on average airport aeronautical and non-aeronauticalefficiency scores 2011–2015

Running 3 NDEA models on data provided us a number of different perspectives toward airport industry. As illustrated, separating production processes into aeronautical and non-aeronautical efficiency enabled us to look at the performance in various ways. In contrast, traditional DEA model notably shows the issues of 'black box,' which neglects the importance of sub-process. Lastly, combining the non-aero and aero provided the driving factors in terms of overall efficiency.

6 Conclusion

The main objective of this research is to provide multiple perspectives toward airport performance by proposing the framework to measure the efficiency. The devised framework for assessing the airport performance and centralized NDEA established by Liang et al. (2008) were utilized to evaluate the efficiency of all South Korea airports between 2011 and 2015.

In this study, NDEA was utilized in order to capture the efficiency for the sub-process as well as the whole production process for aero, non-aeronautical and combined efficiency.

Our findings show that the standard DEA model does overvalue the performance, as it does not take sub-processes into account. Employing the centralized NDEA enabled us to view the efficiency for each sub-process for aero, non-aero and combined production process. Using the results, it is concluded that aeronautical efficiency does not always guarantee the overall efficiency. Moreover, it indicates that non-aeronautical sides of business are becoming critical due to the volatility of airport markets.

Using the framework that we devised, there might be a number of applications. The globalism is being shackled by terrorisms worldwide. This trend affects the airport industries for sure. The aero, non-aero and combined efficiency could be measured to show the effect of certain terrorism or incidents by showing timeline changes in efficiency. Furthermore, influencing factors for the sub-processes and sources of inefficiency could be found using regression-based analysis as common in the efficiency literature. Therefore, policy makers can use framework in this study for sustainability airport in their nations.

Authors' contributions

MJL designed model and wrote the manuscript. CK supervised the project and revised the manuscript. All authors contributed to approve this work. Both authors read and approved the final manuscript.

Author details

¹ College of Liberal Studies, Seoul National University, 1, Gwanak-ro, Gwanak-gu, Seoul 08737, Republic of Korea. ² College of Business Administration, Incheon National University, 119, Academy-ro, Yeonsu-gu, Incheon 22012, Republic of Korea.

Acknowledgements

Not applicable.

Competing interests

The authors declare that they have no competing interests.

Availability of data and materials

All data are obtained from Korea Airports Corporation (KAC) and Incheon International Airport. Additional information that is not open to public is requested to Korea government, and the government assisted to gather relevant information by contacting KAC and Incheon International Airport.

Funding

There is no funding.

Appendix

See Table 5.

	Input/output	Mean	SD	Min	Max
2011					
Variables	Runway (meters)	230,903.1	158,325	90,000	690,000
	Total terminal capacity (square meters)	43,235.5	52,104.36	1596	167,703
	The number of workers	150.2857	239.647	17	905
	Duty-free size (square meters)	1588.071	4358.443	0	16,395
	Restaurant size (square meters)	1687.143	3151.299	0	11,228
	Parking lot capacity (square meters)	2941.357	5154.814	90	18,923
	Aircraft movement (sorties)	41,401.79	69,108.29	72	229,580
	Cargo (tons)	271,459.2	819,221	71	3,099,699
	Aeronautical revenue (million won)	51,478.93	141,766	53	536,400
	Non-aeronautical revenue (million won)	96,308.93	255,360.8	110	960,200
	Operating revenue (million won)	91,910.43	199,000.4	258	722,324
2012					
Variables	Runway (m)	230,903.1	158,325	90,000	690,000
	Total terminal capacity (square meters)	43,235.5	52,104.36	1596	167,703
	the number of workers	154.4286	254.7553	16	963
	Duty-free size (square meters)	1588.071	4358.443	0	16,395
	Restaurant size (square meters)	1775.857	3198.371	0	11,228
	Parking lot capacity (the number of cars)	3120.071	5435.521	90	19,999
	Aircraft movement (sorties)	44,403.64	75,426.16	198	254,037
	Cargo (tons)	267,032.1	808,675.6	212	3,059,333
	Aeronautical revenue (million won)	55,458	152,945.6	157	578,500
	Non-aeronautical revenue (million won)	104,149	268,186	118	1,003,200
	Operating revenue (million won)	102,894.6	221,868.6	288	797,772
2013					
Variables	Runway (m)	230,903.1	158,325	90,000	690,000
	Total terminal capacity (square meters)	44,908.14	53,489.53	1596	167,703
	The number of workers	158.6429	267.9654	19	1015
	Duty-free size (square meters)	1588.071	4358.443	0	16,395
	Restaurant size (square meters)	1749.286	3206.805	15	11,228
	Parking lot capacity (the number of cars)	3173.286	5614.189	90	20,744
	Aircraft movement (sorties)	47,097	80,400.06	304	271,224
	Cargo (tons)	267,908.9	819,062.9	411	3,097,572
	Aeronautical revenue (million won)	56,574.07	155,365.2	188	587,900
	Non-aeronautical revenue (million won)	106,450.9	271,297.5	128	1,015,000
	Operating revenue (million won)	106,062.9	226,295.6	307	814,527
2014					
Variables	Runway (m)	230,903.1	158,325	90,000	690,000
	Total terminal capacity (square meters)	44,968.86	53,546.35	1596	167,703
	The number of workers	167.7143	290.4494	21	1107
	Duty-free size (square meters)	1601.143	4356.084	0	16,395
	Restaurant size (square meters)	1877	3381.425	17	11,228
	Parking lot capacity (the number of cars)	3464.071	6378.798	90	23,678
	Aircraft movement (sorties)	50,367.64	85,793.73	689	290,043
	Cargo (tons)	284,038.7	857,287.1	447	3,243,111
	Aeronautical revenue (million won)	61,751.93	168,085.4	181	636,400

Table 5 (continued)

	Input/output	Mean	SD	Min	Max
	Non-aeronautical revenue (million won)	112,921.7	279,617.3	135	1,043,400
	Operating revenue (million won)	117,261.1	246,771.7	298	887,291
2015					
Variables	Runway (m)	230,903.1	158,325	90,000	690,000
	Total terminal capacity (square meters)	45,039.57	53,620.07	1596	167,703
	The number of workers	174.3571	302.444	22	1152
	Duty-free size (square meters)	1663.929	4528.645	0	17,074
	Restaurant size (square meters)	1935.714	3492.935	17	11,962
	Parking lot capacity (the number of cars)	3649.071	6882.156	90	25,625
	Aircraft movement (sorties)	107,238.6	206,334.4	706	753,180
	Cargo (tons)	584,718.9	1,337,180	444	4,094,333
	Aeronautical revenue (million won)	66,461.79	180,904.7	179	685,400
	Non-aeronautical revenue (million won)	125,876.6	317,385.9	126	1,193,100
	Operating revenue (million won)	131,998	284,745.4	304	1,044,857

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Received: 19 July 2018 Accepted: 12 November 2018 Published online: 27 November 2018

References

Abbott M, Wu S (2002) Total factor productivity and efficiency of Australian airports. Aust Econ Rev 35(3):244-260 Abrate G, Erbetta F (2010) Efficiency and patterns of service mix in airport companies: an input distance function approach. Transp Res E 46(5):693-708

- Adler N, Liebert V (2014) Joint impact of competition, ownership form and economic regulation on airport performance and pricing. Transp Res A 64(6):92-109
- Adler N, Ülkü T, Yazhemsky E (2013) Small regional airport sustainability: lessons from benchmarking. J Air Transp Manag 33(10):22-31
- Ahn YH, Min H (2014) Evaluating the multi-period operating efficiency of inter- national airports using data envelopment analysis and the Malmquist productivity index. J Air Transp Manag 39(7):2-22

Barros CP (2008a) Technical efficiency of UK airports. J Air Transp Manag 14(4):175–178

- Barros CP (2008b) Technical change and productivity growth in airports: a case study. Transp Res A 42(5):818–832 Barros CP, Sampaio A (2004) Technical and allocative efficiency in airports. Int J Transp Econ 31(3):355-377
- Chang YC, Yu MM, Chen PC (2013) Evaluating the performance of Chinese air- ports. J Air Transp Manag 31(8):19–21 Charnes A, Cooper WW, Rhodes E (1978) Measuring the efficiency of decision making units. Eur J Oper Res 2(6):429-444
- Chi-Lok YA, Zhang A (2009) Effects of competition and policy changes on Chinese airport productivity: an empirical investigation. J Air Transp Manag 15(4):166–174
- Chow CKW, Fung MKY (2012) Estimating indices of airport productivity in Greater China. J Air Transp Manag 24(9):12–17 Chuchu T, Chiliya N, Chinomona R (2018) The impact of servicescape and traveller perceived value on affective destination image: an airport retail services case. Retail Mark Rev 14(1):45-57
- Coto-Millan P, Casares-Hontaà ± Ã³n P, Inglada V, Agüeros M, Pesquera MÃ, Badiola A (2014) Small is beautiful? The impact of economic crisis, low cost carriers, and size on efficiency in Spanish airports (2009–2011). J Air Transp Manag 40(8):34-41
- Fan LW, Wu F, Zhou P (2014) Efficiency measurement of Chinese airports with flight delays by directional distance function. J Air Transp Manag 34(1):140-145
- Fuerst F, Gross S (2018) The commercial performance of global airports. Transp Policy 61:123–131
- Fung MKY, Wan KKH, Hui YV, Law JS (2008a) Productivity changes in Chinese airports 1995-2004. Transp Res E 44(3):521-542
- Fung MKY, Chow CKW, Hui YV, Law JS (2008b) Measuring the efficiency of airports in China with the DEA and endogenous-weight TFP methods. Int J Transp Econ 35(1):45-73
- Gillen D, Lall A (1997) Developing measures of airport productivity and performance: an application of data envelopment analysis. Transp Res E 33(4):261-273
- Gitto S, Mancuso P (2012a) The two faces of airport business: a non-parametric analysis of the Italian airport industry. J Air Transp Manag 20(5):39-42

Gitto S, Mancuso P (2012b) Bootstrapping the Malmquist indexes for Italian airports. Int J Prod Econ 135(1):403–411 Ha HK, Yoshida Y, Zhang A (2010) Comparative analysis of efficiency for major Northeast Asia airports. Transp J 49:9–23 Ha HK, Wan Y, Yoshida Y, Zhang A (2013) Airline market structure and airport efficiency: evidence from major Northeast Asian airports. J Air Transp Manag 33(10):32–42

Hooper PG, Hensher DA (1997) Measuring total factor productivity of airports: an index number approach. Transp Res E 33(4):249–259

Kao C (2014) Network data envelopment analysis: a review. Eur J Oper Res 239(1):1-16

Kidokoro Y, Zhang A (2018) Airport congestion pricing and cost recovery with side business. Transp Res A 114:222–236 Lam SW, Low JM, Tang LT (2009) Operational efficiencies across Asia-Pacific airports. Transp Res E 45(4):654–665

Li SL (2014) The cost allocation approach of airport service activities. J Air Transp Manag 38(6):48–53

Liang L, Cook WD, Zhu J (2008) DEA models for two-stage processes: game approach and efficiency decomposition. Naval Res Logistics 55:643–653

- Liu D (2016) Measuring aeronautical service efficiency and commercial service efficiency of East Asia airport companies: an application of network data envelopment analysis. J Air Transp Manag 52:11–22
- Lozano S, Gutiérrez E, Moreno P (2013) Network DEA approach to airports performance assessment considering undesirable outputs. Appl Math Model 37(4):1665–1676

Maghbouli M, Amirteimoori A, Kordrostami S (2014) Two-stage network structures with undesirable outputs: a DEA based approach. Measurement 48(2):109–118

Malighetti P, Martini G, Paleari S, Redondi R (2007) An empirical investigation on the efficiency, capacity and ownership of Italian airports. Riv Polit Econ 97:57–188

McDonald J (2009) Using least squares and Tobit in second stage DEA efficiency analysis. Eur J Oper Res 197(2):792–798 Merkert R, Assaf AG (2015) Using DEA models to jointly estimate service quality perception and profitability-evidence from international airports. Transp Res A 75(5):42–50

Merkert R, Mangia L (2013) Explanatory power of different data envelopment analysis models for determining airports' cost efficiency. Transp Res Rec 2336:91–96

Merkert R, Mangia L (2014) Efficiency of Italian and Norwegian airports: a matter of management or of the level of competition in remote regions? Transp Res A 62(4):30–38

Merkert R, Odeck J, Brathen S, Pagliari R (2012) A review of different bench-marking methods in the context of regional airports. Transp Rev 32(3):379–395

Nicola AD, Gitto S, Mancuso P (2013) Airport quality and productivity changes: a Malmquist index decomposition assessment. Transp Res E 58(11):67–75

Oum TH, Yu C (2004) Measuring airports' operating efficiency: a summary of the 2003 ATRS global airport benchmarking report. Transp Res E 40(6):515–532

Oum TH, Yu C, Fu X (2003) A comparative analysis of productivity performance of the world's major airports: summary report of the ATRS global airport benchmarking research report-2002. J Air Transp Manag 9(5):285–297

Oum TH, Adler N, Yu C (2006) Privatization, corporation, ownership forms and their effects on the performance of the world's major airports. J Air Transp Manag 12(3):109–121

Oum TH, Yan J, Yu C (2007) Ownership forms matter for airport efficiency: results from bayesian estimation of stochastic cost frontiers for worldwide airports. J Urban Econ 64(2):422–435

Parker D (1999) The performance of BAA before and after privatization: a DEA study. J Transp Econ Polic 33(2):133–146

Pels E, Nijkamp P, Rietveld P (2001) Relative efficiency of European airports. Transp Policy 8(3):183–192

- Pels E, Nijkamp P, Rietveld P (2003) Inefficiencies and scale economies of European airport operations. Transp Res E 39(5):341–361
- Puls R, Lentz C (2018) Retail concessions at European airports: commercial strategies to improve non-aeronautical revenue from leisure travelers. J Air Transp Manag 71:243–249

Tobin J (1958) Estimating the relationship for limited dependent variable. Econometrica 26:24–36

Tone K, Tsutsui M (2009) Network DEA: a slacks-based measure approach. Eur J Oper Res 197(1):243–252

Tsui WHK, Balli HO, Gilbey A, Gow H (2014) Operational efficiency of Asia-Pacific airports. J Air Transp Manag 40(8):16–24

Wanke PF (2013) Physical infrastructure and flight consolidation efficiency drivers in Brazilian airports: a two-stage network-DEA approach. J Air Transp Manag 31(8):1–5

Yoshida Y, Fujimoto H (2004) Japanese-airport benchmarking with the DEA and endogenous-weight TFP methods: testing the criticism of over investment in Japanese regional airports. Transp Res E 40(6):533–546

Yu MM (2004) Measuring physical efficiency of domestic airports in Taiwan with undesirable outputs and environmental factors. J Air Transp Manag 10(5):295–303

Yu MM (2010) Assessment of airport performance using the SBM-NDEA model. Omega 38(6):440e452

Yu MM, Hsu SH, Chang CC, Lee DH (2008) Productivity growth of Taiwan's major domestic airports in the presence of aircraft noise. Transp Res E 44(3):543–554