ECONSTOR Make Your Publications Visible.

A Service of

ZBW

Leibniz-Informationszentrum Wirtschaft Leibniz Information Centre for Economics

Hiller, Tobias

Article — Published Version Shapley-based risk rankings: some theoretical considerations

International Review of Economics

Provided in Cooperation with: Springer Nature

Suggested Citation: Hiller, Tobias (2023) : Shapley-based risk rankings: some theoretical considerations, International Review of Economics, ISSN 1863-4613, Springer, Berlin, Heidelberg, Vol. 71, Iss. 1, pp. 67-74, https://doi.org/10.1007/s12232-023-00434-7

This Version is available at: https://hdl.handle.net/10419/312796

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.



WWW.ECONSTOR.EU

https://creativecommons.org/licenses/by/4.0/

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



RESEARCH ARTICLE



Shapley-based risk rankings: some theoretical considerations

Tobias Hiller¹

Received: 27 June 2023 / Accepted: 23 September 2023 / Published online: 17 October 2023 $\ensuremath{\textcircled{}}$ The Author(s) 2023

Abstract

In this note, we enhance the analysis done by Auer and Hiller (Int J Finance Econ 24(2):884–889, 2019; Manag Decis Econ 42(4):876–884, 2021). Whereas their articles uses several simulation settings to illustrate that cooperative game theory may have the potential to solve the low-risk puzzle, we calculate for the three-asset case the conditions for partial ranking corrections between assets. Hence, our note could be interpreted as theoretical counterpart to Auer and Hiller (Int J Finance Econ 24(2):884–889, 2019; Manag Decis Econ 42(4):876–884, 2021).

Keywords Low-risk puzzle · Cooperative game theory · Shapley value

JEL Classification C71 · G10 · G11

1 Introduction

In a recent article, Auer and Hiller (2019) illustrated by several simulation settings that cooperative game theory—in particular the Shapley value (Shapley 1953)—may have the potential to solve the so called low-risk puzzle. According to this phenomenon, investment opportunities with low risk consistently tend to outperform their high-risk counterparts (Ang et al. 2006, 2009; Dutt and Humphery-Jenner 2013; Frazzini and Pedersen 2014; Auer and Schuhmacher 2021). Because it holds across different markets and asset classes and seriously challenges asset pricing theory's traditional notion of a positive risk-return trade-off, the low-risk puzzle is considered to be one of the most important capital market anomalies discovered so far.

One rationale for this phenomenon might be that researchers are simply using "the wrong measure of risk" (Baker et al. 2011). Previous studies have relied on the standard deviation of returns (Dutt and Humphery-Jenner 2013), idiosyncratic volatility (Ang et al. 2006) or beta (Frazzini and Pedersen 2014) to document the puzzle

Tobias Hiller hiller@wifa.uni-leipzig.de

¹ Department of Microeconomics, University Leipzig, Leipzig, Germany

and to point out its relevance for investors.¹ However, all these measures have serious limitations because they do not fully capture the risk that is actually relevant for typical investment decisions and/or because they are bound to restrictive theoretical assumptions. For example, popular measures of systematic risk (such as beta) capture how an asset contributes to the risk of a portfolio which is not relevant from a practical perspective.

To show a new research approach to solve the low-risk puzzle, Auer and Hiller (2019) model the asset market by a cooperative game where the assets are the players that form coalitions to reduce risk (Kadan 2016; Colini-Baldeschi et al. 2018; Balog et al. 2017). The authors argued that ranking assets based on their Shapley payoffs to the risk of an investment portfolio has the potential to solve the low-risk puzzle, since the Shapley value considers marginal contributions to risk to all possible asset coalitions. Hence, in contrast to standalone risk measures like single assets variance, Shapley payoffs can capture additional information (on favorable correlation). In their model, the authors look at an investor who is interested in combining individual assets in a portfolio and evaluates the riskiness of each asset based on the different payoffs with respect to the portfolio variance and assume that the low-risk puzzle exists in the individual asset variances. In their three-player simulation, Auer and Hiller (2019) provide simulation evidence that ranking assets based on their Shapley values instead of standard risk measures can provide asset orders consistent with the classic notion of a risk-return trade-off. The analysis by Auer and Hiller (2019) is limited by a focus on one specific risk allocation method: the Shapley value. In Auer and Hiller (2021), two additional methods are considered into analysis: the cost gap method (Tijs and Driessen 1986) and the nucleolus (Schmeidler 1969). A detailed analysis ranks the Shapley method on top of the other two approaches. Hence in our note, we focus on the Shapley value and calculate for the three-player case the mathematical conditions for partial ranking corrections between assets. Afterward, we interpret our results with respect to portfolio theory. The three-player case is sufficient to demonstrate the possibilities of cooperative game theory, i.e., take into account one more player would not change the basic results.

Underscoring the importance of cooperative game theory, a growing body of literature has emerged that uses cooperative game theory, especially the Shapley value (Shapley 1953), the Nucleolus (Schmeidler 1969) and the τ value—also known as cost gap method (Tijs and Driessen 1986; Tijs 1987), for risk allocation (Mussard and Terraza 2008; Ortmann 2016, 2018; Balog et al. 2017; Shalit 2020). Hiller (2022) used coalition structure games of cooperative game theory to analyze the low-risk puzzle. Hiller (2023) applied cooperation structures of cooperative game theory to this analysis.²

¹ Others have extended the traditional capital asset pricing model by using partial moments (Bawa and Lindenberg 1977), the conditional value at risk (Kaplanski 2004) or drawdowns (Zabarankin et al. 2014) as alternative concepts to measure risk.

² Another interesting application of cooperative game theory in the area of risk is the analysis of terrorist attacks and attacker–defender situations (Cox 2009; Zhang and Reniers 2016; Algaba et al. 2023).

The remainder of our article is organized as follows. In Sect. 2, we present the basic notations of cooperative game theory. Section 3 presents our results. Finally, Sect. 4 concludes and outlines directions for future research.

2 Cooperative game theory

A cooperative game can be defined by a pair(N, v). $N = \{1, 2, ..., n\}$ is the set of players (assets). The coalition function v specifies for every subset K of N a certain worth v(K) reflecting the risk of portfolio K, i.e., $v : 2^N \to \mathbb{R}$ such that $v(\emptyset) = 0$. The function v is subadditive if for all $K, S \subseteq N$ and $K \cap S = \emptyset, v(K) + v(S) \ge v(K \cup S)$ is fulfilled.

A value is an operator ϕ that assigns (unique) payoff vectors to all games (N, v)(i.e., uniquely determines a payoff for every player in every TU game). We interpret the payoff of player *i* as *it*'s contribution to the portfolio risk v(N), i.e., we use this payoff as a measure for the "risk" of assets mentioned in the introduction. One important value is the Shapley value. For calculating the player's payoffs, rank orders ρ on *N* are used. They are written as (ρ_1, \dots, ρ_n) where ρ_1 is the first player in the order, ρ_2 the second player, etc. The set of these orders is denoted by RO(N); *n*! rank orders exist. The set of players before *i* in rank order ρ including *i* is called $K_i(\rho)$. For player *i*, the Shapley payoff is determined by (Shapley 1953):

$$Sh_i(N, \nu) = \frac{1}{n!} \sum_{\rho \in RO(N)} \nu \left(K_i(\rho) \right) - \nu \left(K_i(\rho) \setminus \{i\} \right).$$
(1)

An alternative formula is given by:

$$Sh_{i}(N, v) = \sum_{K \subseteq N \setminus \{i\}} \frac{k! \cdot (n - k - 1)!}{n!} \cdot v(K \cup \{i\}) - v(K)$$
(2)

The Shapley value has been applied to the problem of risk allocation in papers by Mussard and Terraza (2008), Ortmann (2016), Balog et al. (2017), Auer and Hiller (2019, 2021) and Shalit (2020).³

3 Results

In this section, we analyze conditions on which ranking risky assets based on the Shapley values instead of variances corrects the "wrong" ranking. We assume a three-asset scenario, $N = \{1, 2, 3\}$ with

³ Other value-like solution concepts of cooperative game theory are presented by Banzhaf (1965), Schmeidler (1969), Holler (1982), Tijs (1987), for example.

 w_i , asset *i*'s weight in N μ_i , asset *i*'s mean returns ρ_{ij} correlation between *i* and *j* σ_i^2 , variance of asset *i*.

with $\sum_{i \in N} w_i = 1$.

The covariance σ_{ii} between two assets $i, j \in N, i \neq j$ is defined by:

$$\sigma_{ij} = \sigma_i \cdot \sigma_j \cdot \rho_{ij}. \tag{3}$$

A "wrong" ranking is defined by $\mu_i > \mu_j > \mu_h$ and $\sigma_i^2 \le \sigma_j^2 \le \sigma_h^2$. The coalition function is given by

$$v(\{i\}) = \sigma_i^2,\tag{4}$$

$$v(\{i,j\}) = \left(\frac{w_i}{w_i + w_j}\right)^2 \cdot \sigma_i^2 + \left(\frac{w_j}{w_i + w_j}\right)^2 \cdot \sigma_j^2 + 2 \cdot \left(\frac{w_i}{w_i + w_j}\right) \cdot \left(\frac{w_j}{w_i + w_j}\right) \cdot \sigma_{ij}$$
(5)

for $i, j \in N$ and

$$v(N) = w_1^2 \cdot \sigma_1^2 + w_2^2 \cdot \sigma_2^2 + w_3^2 \cdot \sigma_3^2 + 2 \cdot (w_1 \cdot w_2 \cdot \sigma_{12} + w_1 \cdot w_3 \cdot \sigma_{13} + w_2 \cdot w_3 \cdot \sigma_{23}).$$
(6)

The worth v(N) is the variance of the portfolio of all assets.

In our analyses, we will use the term *partial ranking correction*:

Definition 1 A partial ranking correction occurs if for at least two assets $i, j \in N$ we have $\sigma_i^2 \ge \sigma_i^2$ and $Sh_i(N, v) < Sh_i(N, v)$.

For first insights, we assume equal weights for the assets of our portfolio. The condition for partial ranking corrections between assets is:

Theorem 2 Let $N = \{1, 2, 3\}$ be a portfolio with $w_1 = w_2 = w_3$. For $\sigma_i^2 > \sigma_j^2$, $i, j, h \in N, i \neq j \neq h$, we have $Sh_i(N, v) < Sh_i(N, v)$ iff

$$\frac{2}{3} \cdot \left(\sigma_{ih} - \sigma_{jh}\right) < \sigma_j^2 - \sigma_i^2. \tag{7}$$

The proof is given in the "Appendix." Since subadditivity is one of the desirable properties of risk measures in risk management, we show, by example, that the conditions of Eq. 7 are compatible with subadditivity of v(N).

Example 3 The portfolio $N = \{1, 2, 3\}$ with $w_1 = w_2 = w_3$ and

Deringer

σ_1^2	σ_2^2	σ_3^2	ρ_{12}	ρ_{13}	ρ_{23}
23.44	14.91	31.13	5.61	-12.70	-9.48

is subadditive and using the Shapley-risk measures yields a partial ranking correction.

From Theorem 2, we deduce:

Corollary 4 Let $N = \{1, 2, 3\}$ be a portfolio with $w_i = w_j = w_h$, $\sigma_{ij} = \sigma_{ih} = \sigma_{jh}$. For $\sigma_i^2 > \sigma_j^2$, $i, j \in N$, $i \neq j$, we have $Sh_i(N, v) > Sh_j(N, v)$.

To gain some more insights, we assume as limit case $\sigma_i^2 = \sigma_j^2 = \sigma_h^2 = \sigma^2$. Again, we are interested on the conditions for a ranking correction between two assets *i* and *j*. From Theorem 2, we deduce:

Corollary 5 Let $N = \{1, 2, 3\}$ be a portfolio with $w_i = w_j = w_h$ and $\sigma_i^2 = \sigma_j^2 = \sigma_h^2 = \sigma^2$. We have $Sh_i(N, v) < Sh_j(N, v)$ iff $\sigma_{jh} > \sigma_{ih}$, $i, j, h \in N$, $i \neq j \neq h$.

Hence, a partial ranking correction occurs in the limit case $\sigma_i^2 = \sigma_j^2 = \sigma_h^2 = \sigma^2$, if:

- Asset *i* contributes a negative covariance with *h* to portfolio risk, whereas j contributes a positive covariance with *h*.
- The positive covariance of *i* with *h* is lower than the covariance between *j* and *h*.

for example. With respect to portfolio literature, this is a desirable property of the Shapley value, since one aim when structuring portfolios is to reduce portfolio risk. The Shapley value honors assets with negative marginal contributions to portfolio risk in all possible asset subsets.

In the last step, we analyze the impact of changes of asset *i*'s share of the portfolio. Therefore, we assume $w_j = w_h = \frac{1-w_i}{2}$. Hence, reducing/increasing w_i affects the weights of assets *j* and *h* in the same way. Again, we assume equal variance of assets.

Theorem 6 Let $N = \{1, 2, 3\}$ be a portfolio with $w_j = w_h = \frac{1-w_i}{2}$, $\sigma_i^2 = \sigma_j^2 = \sigma_h^2 = \sigma^2$, $i, j, h \in N, i \neq j \neq h$. An increase in w_i could not cause a partial ranking correction, i.e., $Sh_i(N, v) < Sh_i(N, v)$, between assets i and j if $w_i > \frac{1}{6}$.

The proof is given in the "Appendix." Hence, only a small starting weight w_i could cause a ranking correction while increasing w_i depending on the constellation of correlations. This result is also in line with portfolio theory. The effect of diversification of an additional asset is greatest at lower weights. Since Shapley value captures these effects on risk, in this interval of weights a partial ranking correction is most likely. In addition, our limit w_i is in range of assets optimal weights in minimum variance portfolios (Jorion 1985).

4 Conclusion

In our note, we enhance the articles by Auer and Hiller (2019, 2021) in a theoretical way. We calculate for the three-asset case the conditions for partial ranking corrections between rankings based on assets variance and rankings based on assets Shapley payoffs. We interpret our results and fit it into current portfolio theory literature. The results refer to the three-asset case. Already with this, the possibilities of cooperative game theory can be demonstrated. Considering more assets would entail stronger assumptions regarding the variable of the assets. This would also limit the findings.

This note is a starting point for a great range of further research. For example, dynamic models of portfolio construction—e.g., rebalancing assets weights—could be modeled and analyzed using dynamic/evolutionary cooperative game theory (see Newton 2018 for an overview and Casajus et al. 2020 for some new insights). Second, our analysis may be extended to Shapley alternatives like the nucleolus (Schmeidler 1969), for example. After this theoretical research is done, a new asset pricing model may be developed based on the findings (Ortmann 2016). Another line of research could be the empirical testing of Shapley-based asset pricing formulations. In other words, we have to answer the question whether our results hold for typical test assets (like size, value, momentum and industry portfolios).

Appendix

Theorem 2 For *i*'s Shapley payoffs, we have:

$$Sh_i(N, v) = \frac{1}{3} \cdot \sigma_i^2 + \frac{1}{6} \cdot \left(v(\{i, j\}) - \sigma_j^2\right) + \frac{1}{6} \cdot \left(v(\{i, h\}) - \sigma_h^2\right) + \frac{1}{3} \cdot (v(N) - v(\{j, h\})).$$
(8)

The payoffs for the other assets are calculated analogous.

We show for *i*, *j* by contradiction that $Sh_i(N, v) > Sh_j(N, v)$ and $\frac{2}{3} \cdot (\sigma_{ih} - \sigma_{jh}) < \sigma_i^2 - \sigma_i^2$ are not possible:

$$Sh_{i}(N, v) > Sh_{j}(N, v)$$

$$\sigma_{i}^{2} - \sigma_{j}^{2} > v(\{j, h\}) - v(\{i, h\})$$

$$\frac{3}{2}\sigma_{i}^{2} - \frac{3}{2}\sigma_{j}^{2} > \sigma_{jh} - \sigma_{ih}$$

$$\frac{2}{3} \cdot (\sigma_{ih} - \sigma_{jh}) > \sigma_{j}^{2} - \sigma_{i}^{2}.$$

$$(9)$$

Theorem 6 We have $Sh_i(N, v) < Sh_i(N, v)$ if

$$\frac{1}{3} \cdot \sigma^{2} + \frac{1}{6} \cdot \left(v(\{i,j\}) - \sigma^{2}\right) + \frac{1}{6} \cdot \left(v(\{i,h\}) - \sigma^{2}\right) + \frac{1}{3} \cdot \left(v(N) - v(\{j,h\})\right) \\
< \frac{1}{3} \cdot \sigma^{2} + \frac{1}{6} \cdot \left(v(\{i,j\}) - \sigma^{2}\right) + \frac{1}{6} \cdot \left(v(\{j,h\}) - \sigma^{2}\right) + \frac{1}{3} \cdot \left(v(N) - v(\{i,h\})\right) \\
v(\{i,h\}) < v(\{j,h\}) \\
0 > w_{i}^{2} + w_{i} \cdot \left(\frac{1 - w_{i}}{2}\right) \cdot \rho_{ih} - \left(\frac{1 - w_{i}}{2}\right)^{2} - \left(\frac{1 - w_{i}}{2}\right)^{2} \cdot \rho_{jh} \tag{10}$$

Partial derivation the right side of the Equation with respect to w_i yields:

$$\frac{1}{2} + \frac{3}{2}w_i + \rho_{ih}\left(\frac{1}{2} - w_i\right) + \rho_{jh}\left(\frac{1}{2} - \frac{1}{2}w_i\right).$$
(11)

Since Inequality 10 is negative, an increase in w_i could only induce a ranking correction, if Eq. 11 is negative (negative influence of w_i).

First, we assume $\frac{1}{2} > w_i$. For a negative Eq. 11, ρ_{ih} and ρ_{jh} must be negative. The lowest correlations (limit case) are $\rho_{ih} = \rho_{jh} = -1$. For this case, we obtain $w_i = \frac{1}{6}$. Only to that limit, a negative influence of an increasing w_i is possible and a ranking correction may occur.

In the case of $\frac{1}{2} \le w_i$, the first two terms of Eq. 11 are at least $\frac{5}{4}$ ($w_i = \frac{1}{2}$). Even $\rho_{ih} = 1$ and $\rho_{jh} = -1$ could not exceed $\frac{5}{4}$ in a negative way. An increasing w_i enhances this finding. Hence, in the case of $\frac{1}{2} \le w_i$, the influence of an increase in w_i is always positive.

Acknowledgements I would like to thank Benjamin Auer for valuable comments and discussions on this paper.

Author contributions Single authorship: TH wrote the main manuscript, drafted the work, approved the version to be published and agreed to be accountable for all aspects of the work.

Funding Open Access funding enabled and organized by Projekt DEAL.

Declarations

Conflict of interest The authors declare that they have no conflict of interest.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicate of the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

References

- Algaba E, Prieto A, Saavedra-Nieves A (2023) Risk analysis sampling methods in terrorist networks based on the Banzhaf value. Risk Anal (forthcoming)
- Ang A, Hodrick R, Xing Y, Zhang X (2006) The cross-section of volatility and expected returns. J Finance 61(1):259–299
- Ang A, Hodrick R, Xing Y, Zhang X (2009) High idiosyncratic volatility and low returns: international and further U.S. evidence. J Financ Econ 91(1):1–23
- Auer BR, Hiller T (2019) Can cooperative game theory solve the low risk puzzle? Int J Financ Econ 24(2):884–889
- Auer BR, Hiller T (2021) Cost gap, Shapley or nucleolus allocation: Which is the best game-theoretic remedy for the low-risk anomaly? Manag Decis Econ 42(4):876–884
- Auer BR, Schuhmacher F (2021) Are there multiple independent risk anomalies in the cross section of stock returns? J Risk 24(2):43–87
- Baker M, Bradley B, Wurgler J (2011) Benchmarks as limits to arbitrage: understanding the low-volatility anomaly. Financ Anal J 67(1):40–54
- Balog D, Bátyi TL, Csóka P, Pintér M (2017) Properties and comparison of risk capital allocation methods. Eur J Oper Res 259(2):614–625
- Banzhaf JF (1965) Weighted voting doesn't work: a mathematical analysis. Rutgers Law Rev 19(2):317-343
- Bawa V, Lindenberg E (1977) Capital market equilibrium in a mean-lower partial moment framework. J Financ Econ 5(2):189–200
- Casajus A, Kramm M, Wiese H (2020) Asymptotic stability in the Lovász–Shapley replicator dynamic for cooperative games. J Econ Theory 186(1):104993
- Colini-Baldeschi R, Scarsini M, Vaccari S (2018) Variance allocation and Shapley value. Methodol Comput Appl Probab 20:919–933
- Cox LA (2009) Game theory and risk analysis. Risk Anal 29(8):1062-1068
- Dutt T, Humphery-Jenner M (2013) Stock return volatility, operating performance and stock returns: international evidence on drivers of the 'low volatility' anomaly. J Bank Finance 37(3):999–1017
- Frazzini A, Pedersen L (2014) Betting against beta. J Financ Econ 111(1):1-25
- Hiller T (2022) Allocation of portfolio risk and outside options. Manag Decis Econ 43(7):2845-2848
- Hiller T (2023) Portfolio structures: Can they contribute to solving the low-risk puzzle? Manag Decis Econ (forthcoming)
- Holler MJ (1982) Forming coalitions and measuring voting power. Polit Stud 30(2):262-271
- Jorion P (1985) International portfolio diversification with estimation risk. J Bus 58(3):259-278
- Kadan O (2016) Generalized systematic risk. Am Econ j: Microecon 8(2):86-127
- Kaplanski G (2004) Traditional beta, downside risk beta and market risk premiums. Q Rev Econ Finance 44(5):636–653
- Mussard S, Terraza V (2008) The Shapley decomposition for portfolio risk. Appl Econ Lett 15(9):713–715
- Newton J (2018) Evolutionary game theory: a renaissance. Games 9(2):31
- Ortmann KM (2016) The link between the Shapley value and the beta factor. Decis Econ Finance 39(2):311–325
- Ortmann KM (2018) Preservation of risk in capital markets. Oper Res Lett 46(3):329-334
- Schmeidler D (1969) The nucleolus of a characteristic function game. SIAM J Appl Math 17(6):1163–1170
- Shalit H (2020) The Shapley value of regression portfolios. J Asset Manag 21(1):506-512
- Shapley LS (1953) A value for n-person games. In: Kuhn HW, Tucker AW (eds) Contributions to the theory of games, vol 2. Princeton University Press, Princeton, pp 307–317
- Tijs SH (1987) An axiomatization of the t-value. Math Soc Sci 13(2):177-181
- Tijs SH, Driessen TSH (1986) Game theory and cost allocation problems. Manag Sci 32(8):1015-1028
- Zabarankin M, Pavlikov K, Uryasev S (2014) Capital asset pricing model (CAPM) with drawdown measure. Eur J Oper Res 234(2):508–517
- Zhang L, Reniers G (2016) A game-theoretical model to improve process plant protection from terrorist attacks. Risk Anal 36(12):2285–2297

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.