

A Service of

ZBW

Leibniz-Informationszentrum Wirtschaft Leibniz Information Centre for Economics

Kaplan, Merve; Yildirim, Seda; Yildirim, Durmus Cagri

Article

Pufferfish versus lionfish: Comparing risks for Turkish marine economics

Marine Economics and Management (MAEM)

Provided in Cooperation with: Ocean University of China, Qingdao

Suggested Citation: Kaplan, Merve; Yildirim, Seda; Yildirim, Durmus Cagri (2022) : Pufferfish versus lionfish: Comparing risks for Turkish marine economics, Marine Economics and Management (MAEM), ISSN 2516-158X, Emerald, Leeds, Vol. 5, Iss. 2, pp. 173-187, https://doi.org/10.1108/MAEM-09-2022-0008

This Version is available at: https://hdl.handle.net/10419/320067

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.



WWW.ECONSTOR.EU

https://creativecommons.org/licenses/by/4.0/

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



Pufferfish versus lionfish: comparing risks for Turkish marine economics

Merve Kaplan

Department of Fishing, and Seafood Processing Technology, Çanakkale Onsekiz Mart University, Çanakkale, Turkey

Seda Yildirim

Department of Business Administration, Tekirdag Namik Kemal University, Tekirdağ, Turkey, and

Durmus Cagri Yildirim

Department of Economics, Tekirdag Namik Kemal University, Tekirdağ, Turkey

Abstract

Purpose – This study aims to explore the risk level of pufferfish and lionfish by comparing them among Turkish marines. In addition, this study focuses on comparing pufferfish with lionfish to determine which one is more dangerous for marine economics in Türkiye.

Design/methodology/approach – This study employs descriptive content analysis to give some qualitative evidence for the related literature. As a sample case, Türkiye was selected in the context of being a country in the Mediterranean Basin. By reviewing recent news, reports and publications, this study firstly will conclude how invasive alien marine species affect Turkish marines. Then, pufferfish and lionfish will be compared together to determine the risk level of these species for Turkish marine economics.

Findings – As a result of descriptive findings, it is seen that captured fishery has been declined in Turkey recently due to many factors including climate change, global warming, overfishing, environmental pollution and attack of invasive alien species. Pufferfish and lionfish are seen as the most spread marine species in Turkish marines. When comparing pufferfish with lionfish, it is seen that pufferfish is more dangerous than lionfish for Turkish marine economics.

Research limitations/implications – This study provides descriptive and original findings as a result of comparison of pufferfish and lionfish due to their impact on Turkish marine economy. It is thought to give useful importation for the fight against invasive alien marine species in the Mediterranean Basin. Future studies can investigate different invasive alien marine species and their impacts on marine economics in the Mediterranean Basin.

Practical implications – Based on the Turkish cases, it is determined that there should be different policies for fight against invasive alien marine species in the Mediterranean Sea. Each marine species has different impacts on seafood market. Some of marine species can be consumed as a seafood product but some of them can't be consumed that policy makers should develop other strategies such as catching them to reduce their population in the local marines.

Social implications – The spread of invasive alien marine species is still continuing in the Mediterranean Basin. Each country has been affected by the attack of invasive alien marine species. To keep sustainable seafood market and marine economics, countries should both implement common policies and develop policies specific to threats in their own countries.

© Merve Kaplan, Seda Yildirim and Durmus Cagri Yildirim. Published in *Marine Economics and Management*. Published by Emerald Publishing Limited. This article is published under the Creative Commons Attribution (CC BY 4.0) licence. Anyone may reproduce, distribute, translate and create derivative works of this article (for both commercial and non-commercial purposes), subject to full attribution to the original publication and authors. The full terms of this licence may be seen at http://creativecommons.org/licences/by/4.0/legalcode

This study is derived from a paper which was presented in "2nd International Symposium on Pufferfish/Lionfish" in 2022.

Risk level of pufferfish and lionfish

173

Received 11 September 2022 Revised 2 November 2022 Accepted 4 November 2022



Marine Economics and Management Vol. 5 No. 2, 2022 pp. 173-187 Emerald Publishing Limited 2516-158X DOI 10.1108/MAEM-09-2022-0008 MAEM 5.2

Originality/value – This study reveals key points in the rise of invasive alien marine species in Turkish marines at first. The main contribution of this study is to be a recent sample for a country which is under attack by invasive alien marine species by giving a comparison of pufferfish and lionfish.

Keywords Invasive alien marine species, Pufferfish, Lionfish, Seafood market, Mediterranean Basin, Marine economics

Paper type Research paper

174

Introduction

The Mediterranean Basin has been under the attack of invasive alien marine species for decades (Galil, 2014; Katsanevakis et al., 2014; Mannino and Balistreri, 2021; Yildirim and Kaplan, 2022). Unfortunately, the invasion of foreign fish species in the Mediterranean continues at a rapid pace (Baggi, 2021). Cheilodipterus novemstriatus was firstly recorded in Israel in 2010 and then it was seen in in Lebanon, Turkey, Cyprus and Syria. This invasive alien species was recently seen in Greece too. Seas have changed since warming temperature and climate change and policymakers should recognize this fact to develop efficient strategies in the long term (Marine fauna, news, 2020). It has been believed that approximately one species enters the Mediterranean every 1.5 weeks. Cyprus, located in the Mediterranean, is also among the countries that are vulnerable to invasive species attacks. Therefore, within the scope of sustainable blue economy for Cyprus, necessary investments should be made for coastal and sea cleaning and protection of ecosystems in the region (Department of Fisheries and Marine Research, n.d.). The international union for conservation of nature (IUCN) stated that within the scope of the MEDMIS plan to fight against invasive marine species in marine protected areas in the Mediterranean Sea, a highly harmful invasive species of lionfish has been observed in Turkey and Cyprus. According to Dr. Carlos Jiménez (The Cyprus Institute, marine biologist), "lionfish" can have a severe negative impact on ecosystems as well as local economies. Ecologically, the nature of lionfish also imposes detrimental effects on natural marine diversity. Because they are harmful and aggressive, they can cause a decrease in herbivorous fish and an increase in algae. Since the lionfish is poisonous, it can also create dangers in terms of tourism. On the other hand, some countries outside the Mediterranean are trying to evaluate and commercialize lionfish as a food to combat this invasive alien fish species in addition to other measures (IUCN, 2016). In Table 1, temporal variability of Non-indigenous species (NIS) introductions associated with each pathway in Mediterranean is given.

Giuseppe di Carlo (director of World Wildlife Fund's (WWF's) Mediterranean marine initiative) determined that the Mediterranean was not the same sea since last decade due to its transformation into tropicalization. The climate change is today's issue when considering the impact of it on the current situation. Although the sustainability of healthy ecosystems is the biggest tool in the fight against climate change, it is seen that marine biodiversity is facing a great threat in the Mediterranean. The number of native molluscs has decreased by 90% in Israeli waters, and invasive species account for 80% of the fish caught in Turkey. Coastal communities, on the other hand, have begun to find alternative methods to combat the invasive marine species whose population is increasing. For example, catching and cooking rabbitfish, jellyfish and other alien marine species and also using some species in the cosmetic sector can all be a solution in the long term (WWF (World Wildlife Fund), 2021).

The recent studies show that the population of invasive alien marine species is increasing rapidly and there is a viral threat to blue economy in the Mediterranean Sea. It is a fact that increasing population of invasive alien species is a huge risk to seafood security and marine biodiversity in the Mediterranean Sea. The literature gives main factors such as climate change, Suez Canal, and shipping that increase the introduction of invasive alien marine species into the Mediterranean Marines (Öztürk, 2021; Yildirim and Kaplan, 2022).

Year	Release in nature	Escape from confinement	Corridor	Transport contaminant	T-S/ballast water	T-S/hull fouling	T-S/other	Sea
1970–1975	0	ç	0	5	6	7	1	Western Mediterranean Sea
1976 - 1981	1	2	4	15	17	20	2	Western Mediterranean Sea
1982 - 1987	0	2	0	17	13	20	2	Western Mediterranean Sea
1988 - 1993	0	2	0	7	15	19	-	Western Mediterranean Sea
1994 - 1999	0	0	0	13	10	7	1	Western Mediterranean Sea
2000 - 2005	0	2	2	11	18	15	2	Western Mediterranean Sea
2006-2011	0	4	2	9	12	6	5	Western Mediterranean Sea
2012 - 2017	0	5	1	5	11	13	-1	Western Mediterranean Sea
1970 - 1975	0	1	1	11	5	14	1	Central Mediterranean Sea
1976 - 1981	0	1	1	က	10	×	-	Central Mediterranean Sea
1982 - 1987	0	1	1	cr,	7	9	2	Central Mediterranean Sea
1988 - 1993	0	2	1	4	9	11	-1	Central Mediterranean Sea
1994 - 1999	0	4	က	cr,	8	×	-1	Central Mediterranean Sea
2000 - 2005	0	2	0	9	6	16	-	Central Mediterranean Sea
2006 - 2011	0	4	7	5	18	16	co	Central Mediterranean Sea
2012 - 2017	0	12	4	9	18	16	2	Central Mediterranean Sea
1970 - 1975	0	1	29	2	ന	9	0	Eastern Mediterranean Sea
1976 - 1981	0	1	22	1	7	6	0	Eastern Mediterranean Sea
1982 - 1987	0	0	22	7	10	13	0	Eastern Mediterranean Sea
1988 - 1993	0	1	44	9	20	21	1	Eastern Mediterranean Sea
1994 - 1999	0	1	62	9	19	34	2	Eastern Mediterranean Sea
2000 - 2005	0	9	57	0	41	38	9	Eastern Mediterranean Sea
2006 - 2011	0	14	53	1	28	15	-	Eastern Mediterranean Sea
2012 - 2017	0	2	39	7	16	23	co	Eastern Mediterranean Sea
Source(s): Eu	ropean Environ	Source(s): European Environment Agency (EEA), (2019)	v), (2019)					

Risk level of pufferfish and lionfish

175

Table 1.Temporal variability of
NIS introductions

MAEM 5.2

176

Figure 1 shows a model examining the invasion of alien marine species in the Mediterranean Sea which is developed by Yildirim and Kaplan's (2022) study.


As is seen in Table 1, climate change, global warming, connection straits, Suez Canal and shipping all increase the population and spread of invasive alien marine species in the Mediterranean Sea. Especially, climate change and global warming has transformed the Mediterranean Sea into a tropical sea. The higher population of invasive alien marine species also threatens local marine biodiversity and sustainable seafood market in the Mediterranean Basin.

Invasive alien species attack encountered by Mediterranean countries is among the important issues examined in the literature. Some of the studies are reviews and some contribute to the literature empirically. Although it is difficult to physically detect and track these alien species in invasive alien research, researchers put forward various assumptions about the effects of alien species on the seas and the fight against these species (Zenetos et al., 2005; Galil, 2007; Brundu, 2015; Peyton et al., 2019; Bonanno and Orlando-Bonaca, 2019; Kourantidou *et al.*, 2021). Invasive alien marine species firstly affect fishermen in the context of blue economy. Not only reducing seafood products, invasive alien marine species also damage marine tourism and biodiversity too (Sciberras and Schembri, 2007). Galil (2007) stated in his study that 500 foreign marine species are listed in the Mediterranean. How the increase in the population and diversity of these alien species will have long-term effects on local biodiversity should be among the top issues to be addressed by policymakers. Peyton et al. (2019) explored 225 alien marine species in Cyprus and made a risk rating in their study. It has been stated that 100 alien species examined are of very high, high or medium risk for biodiversity, and 125 species are of low-grade risk. Considering the negative impact of alien marine species on human health and the threat to biodiversity, it is an important issue to be analyzed. Zenetos et al. (2005) investigated invasive alien marine species in Mediterranean Sea. They analyzed 963 invasive alien marine species which were recorded until December 2005. As a result of their study, it was determined how it was hard to explore new invasive alien marine species and categorize them due to higher cost of research and lack of sufficient methods.

Invasive alien fish (species) have been expanding in the Mediterranean Sea for a long time and Turkey has been under attack by many invasive alien marine species too. This study aims to give a brief framework for examining the risk level of pufferfish and lionfish among Turkish marines.

Descriptive study design

Like as many Mediterranean countries, Turkey has been challenged with invasive alien marine species in Turkish marines. This study aims to give a brief framework for examining the risk level of pufferfish and lionfish for Turkish marines. Based on a qualitative research approach, this study will review the latest research and news about pufferfish and lionfish



Source(s): Adapted from Yildirim and Kaplan, 2022

and give some descriptive evidence for the risk level of pufferfish and lionfish among Turkish marines. It is thought that qualitative approaches can help researchers to explore specific issues deeply to guide empirical studies in the future. Fight against lionfish and pufferfish is a general issue in Mediterranean Basin. Each study can help policymakers to find new ways of ending the population of these invasive species in marines.

Sample case: selected Turkish cases

This study collected some recent and available news and reports through different sources. When selecting cases, this study used some criteria. These criteria can be categorized as follows:

- (1) Cases must be related to invasive alien species including pufferfish and lionfish.
- (2) Cases must include Turkish marines.
- (3) Cases must give some findings for the result of the invasion of pufferfish and lionfish into the Turkish marines.
- (4) Cases should give some findings for the impact of pufferfish and lionfish on Turkish marines.

Selected recent news on invasive alien marine species in Turkish Marines can be given as follows:

- (1) A type of fish that they have not encountered before in the Marmara Sea was attached to the fishing lines of amateur fishermen who sailed from Gemlik district. As a result of their investigation, the fishermen learned that the fish they caught was a pufferfish. Balloon fish, which has a very strong poison, can lead people who eat it to death. It was warned that especially amateur fishermen should be careful about the dangerous pufferfish, which can be seen in the Marmara Sea, which has a strong jaw structure and razor-sharp teeth. A balloon fish was caught on the fishing line of the fishermen, whose boat was organized for amateur fishermen in Gemlik, Marmara Sea. The fishermen who saw the poisonous blowfish for the first time in the Marmara Sea were shocked (IHA, 2021).
- (2) There are around 10 alien and invasive species currently identified in the Mediterranean. This number is considerably higher than the sum of the European seas. These alien species have negatively affected the species diversity in the Mediterranean as they are the dominant species. Among these alien species, especially 10 species have been identified as those that can endanger human health. Seven of these 10 species are fish, the others are sea urchin and jellyfish. Blowfish contain very strong poisons in places such as skin and liver, most likely thanks to the bacteria they contain in their digestive systems (Bayrakh, 2021).
- (3) 105 invasive alien species and 540 alien species have been detected in Turkish seas by the Ministry of Agriculture and Forestry, General Directorate of Nature Conservation and National Parks in 2020. It has been stated that 14 of the world's 100 worst invasive alien species are found in Turkey. While the number of alien species in the Mediterranean exceeds 1,000, it has been determined that as of 2020, the number of alien species in Turkish seas has increased to 540 and the number of invasive alien species to 105. Twenty-eight alien species were seen in the Black Sea, 124 were seen in the Marmara Sea, 253 were seen in the Aegean Sea and 413 were seen in the Mediterranean. Among these invasive species, the most dangerous ones are lionfish,

Risk level of pufferfish and lionfish

177

MAEM 5,2	pufferfish, stonefish, sea snail, migratory jellyfish and striped snake catfish (Unutmaz, 2021).
-,-	As given by Kaplan and Yildirim's (2023) study, there were important recorded news on the threats of pufferfish and lionfish in Turkish marines. The main findings of these news can be given as follows (Kaplan and Yıldırım, 2023):
178	(1) News based on İklim Haber (2020) and Interview with Prof. Dr. M. Gökoğlu (from Akdeniz University): It was seen that pufferfish and lionfish invaded the Mediterranean Sea and new alien marine species also keep going to the Mediterranean Sea due to the changing weather.
	(2) News based on Akgüneş (2020) and Interview with Prof. Dr. Köşker (from Çukurova University): It can be said that there was no predator for Lionfish in the Mediterranean that this species was accepted to reach higher population.
	(3) News based on Özacar (2020) and Interview with Assoc. Prof. Topaloglu (from Istanbul University): It was seen that the population of alien marine species was a huge danger to local biodiversity and ecosystem.
	(4) News based on DHA (Demirören News Agency) (2018) and Interview with The international joint press release of the Turkish Marine Research Foundation on "Toxic Alien Species": It was seen that invasive alien marine species were dangerous for people and ecosystem.
	(5) News based on <u>Calkaya (2020)</u> and Interview with Ramazan Özkaya (the Chairman of the Board of Directors of the Central Union of Fisheries Cooperatives): Lionfish was so harmful to the local biodiversity and seafood market.
	(6) News based on Özacar (2019) and Interview with Prof. Dr. F.S. Karakulak (from Istanbul University): It was seen that seafood market was under attack by invasive alien marine species.
	(7) News based on Sarı (2021) and Interview with Prof. Dr. H. Filiz (from Mugla Sıtkı Kocman University): It was seen that invasive alien species also began to go to the Black Sea.

Descriptive findings: the risk level of pufferfish and lionfish

Descriptive findings are all based on recorded news and studies. To compare lionfish with pufferfish, this study analyzes recorded news carefully. Descriptive content analysis can help researchers to determine key factors that are related to specific issues (Yıldırım *et al.*, 2021; Öncü *et al.*, 2021; Yıldırım and Bostancı, 2021). As a result of content analysis, this study gives some useful tables and figures seen in Table 2:

As presented in Table 3, it can be said when the population of alien marine species is increasing, the population of local species in Turkish marines is decreasing. Like other threats to the biodiversity in marines, invasive alien species also influence the sustainability of marine biodiversity in the long term.

When considering literature and recorded news, it is seen that there are main differences between pufferfish and lionfish. This study categorized key issues that are examining the difference between pufferfish and lionfish as below:

 First issue: Monetary incentive: In Turkey, Pufferfish can be determined as having higher risk against seafood market. When considering some measurements for Pufferfish, it is seen that Turkish government take action to reduce the population of

Variables	Findings	Key points	Risk level of pufferfish and
Temperature of marines	Warming marine temperature welcomes new species for the Mediterranean Sea and others in Turkey	The biggest warming is seen in the Mediterranean and so higher numbers of alien species migrate to the	lionfish
	and others in Turkey	Mediterranean	
The population of invasive alien species	Recent observations said that types and numbers of alien species were all increased	There are almost higher types and numbers of alien species in the Mediterranean. Accordingly, new species (alien species) have become local species	179
Fishing	Fishermen complaints about invasive alien species. For example, pufferfish eat local fish and they also eat or harm fishing net	Invasive alien species such as Pufferfish and Lionfish harm fishing industry	
Seafood market	Due to the decreasing numbers of caught fish and other marine species, the future of seafood market should be thought as under danger	With increasing numbers of alien species in Turkish marines, seafood market will suffer from lower quantity of seafood	Table 2. Determining the risk of invasive alien species
Source(s): Created	by authors		in Turkish Marines

Variables	Increase	Decrease	
The local population of marine biodiversity		Х	
The population of alien species	Х		
Types of alien species	X		Table 3.
The temperature of marines	X		Changes in Turkish
Types of local fish and other seafood products		Х	Marines in the last
Source(s): Created by authors			decade

Pufferfish in Turkish marines. At this point, Turkish government supports catching Pufferfish in the Mediterranean to decrease the population of Pufferfish in the Mediterranean. Fishers will be funded by Turkish government for the number of caught Pufferfish. Incentives were started to be given for the fishing of pufferfish, which is an invasive fish species. According to the legal decision published in the Official Gazette, those who catch up to 500 thousand of the Lagocephalus Sceleratus species of Pufferfish will be paid 5 Turkish Liras each, and those who catch other species will be paid 0.50 Liras up to 5 million pieces. Thanks to the fish caught, the presence of pufferfish will be reduced and the fish will be brought into the economy. The payments will be covered by the agricultural support budgets of the Ministry of Agriculture and Forestry for 2021, 2022 and 2023. Fishermen engaged in aquaculture activities will be able to catch pufferfish with a fishing vessel with a license. The support payments are public resources and lien, execution, or similar transactions cannot be carried out before the support payments transferred to the account of the fishermen (Cnntürk.com, 2021). Table 4 presents the quantity and fund for catching pufferfish.

On the other side, there is no monetary incentive for catching lionfish in Turkish marines.

(2) *Second issue: Seafood option:* Although lionfish is a dangerous species, it can be a seafood product. Especially, fight against the population of lionfish species mostly

includes using seafood option in the Mediterranean region (Ulman et al., 2021). Lionfish can be used and consumed as seafood product in Turkish seafood market but pufferfish cannot be consumed or commercialized as seafood product in general. Serkan Erkan (Mediterranean Fisheries Research, Production and Training Institute Manager) stated that the consumption of lionfish will be beneficial for the fish market when suitable conditions are provided. In terms of combating the rapidly increasing population of lionfish, the absence of hunters of these fish species has made alternative ways necessary (Yıldız, 2020). Consumption of lionfish will provide economic benefits and it will be possible for people to replace seafood with an alternative species against other diminishing fish products. Assoc. Prof. İlker Aydın (Ege University, Faculty of Fisheries, Fishing Technology Department) also determined that lionfish has a commercial value in seafood market. So, fishers can benefit from catching lionfish when reducing its invasion in Turkish marines (AA, 2021).

- Third issue: Position: Both Lionfish and Pufferfish and its other sub-types were (3)mostly introduced into the Mediterranean Sea. Recently, Lionfish was mostly observed in Aegean Sea and recent news showed that lionfish began to live in Aegean Sea (Yıldız, 2020; AA, 2021; Akgün, 2019).
- (4) Fourth issue: Danger level: Some animals are poisonous, but their poison must reach humans in the form of ingestion, inhalation or absorption through the skin in order to harm humans. Poisonous animals tend to be more passive-aggressive and do not become aggressive. On the other hand, venom can be transmitted to humans in the form of a bite or sting. Venom consists of small and large molecules and needs a wound to enter the body. Venomous animals are active in defense (Australian Academy of Science, n.d.). Lionfish are venomous but they are not poisonous marine species. Lionfish transmit their toxins through their spines. When lionfish do not have spines, they cannot inject their venom. So as long as people avoid the spines of the lionfish, they are safe. Once the spines of these fish are carefully removed, they can be safely cooked (Lanese, 2019). The lionfish is a venomous fish that actually lives in the Atlantic Ocean, Gulf of Mexico and the Caribbean Sea. The lionfish seems so attractive marine species but it is dangerous when its spine touches you. However, it is a venomous fish, they are not aggressive to attack people frequently (Higuera, 2020). Pufferfish is a poisonous fish as having tetrodotoxin. This fish is accepted as one of the most dangerous marine species. Pufferfish has the power of murdering people when people consume or eat them carelessly (Plantz, 2021).
- (5) Fifth issue: Alternative consumption: In Türkiye, policymakers are looking for different ways to end the invasion of pufferfish and lionfish in Turkish marines. In this context, lionfish seems to be used as seafood for households in general. On the other side, the invasion of pufferfish needs different methods to be ended. Ministry of Agriculture and Forestry, General Director of Fisheries and Aquaculture Mr. Atalay

	Types of Pufferfish	Quantity	Fund
Table 4. The payments for Pufferfish	Lagocephalus Sceleratus Lagocephalus Spadiceus, Lagocephalus Suezensis, Lagocephalus Lagocephalus, Lagocephalus Guentheri, Torquigener Flavimaculosus, Sphoeroides Pachygaster Source(s): Cnntürk.com (2021)	Up to five hundred thousand Up to five million	5 Turkish Liras 0.50 Turkish Liras

180

MAEM

5.2

determined that the leather and venom of the blowfish would be used in industry in Türkiye. Because the pufferfish inflates like a balloon, its skin has a very flexible and robust structure. Therefore, it is thought to have a structure that can be used easily both in the textile and clothing industry and in other sectors. For example, a bag can be made from the leather of the pufferfish because it is easy to process and dye the leather of pufferfish. In addition, the leather of pufferfish can be used for making different jewellery, belts, ornaments, and wallets If there are companies that want to buy pufferfish in bulk from Ministry of Agriculture and Forestry, all of them will be free of charge. Ministry of Agriculture and Forestry will give pufferfish based on a specific contract. Ministry of Agriculture and Forestry will have companies sign the disposal specifications. After removing the leather of the fish and tanning it, then they will be able to use them as they wish (Adam, 2021).

Figure 2 shows lionfish situation in seafood market and Figure 3 shows pufferfish situation in seafood market. Lionfish seems to be used as a seafood product after its spines are all cleaned. On the other side, pufferfish cannot be used as a usual seafood product because it is a poisonous species.

Conclusion

Mediterranean Basin has an important value in the context of marine economics. However, the invasion of alien marine species threats Mediterranean counties in recent decades. Due to many factors such as pollution, global warming, overfishing, climate change and invasion of alien species, seafood security is also in danger (Yildirim and Kaplan, 2020; Yildirim and




Figure 2. Lionfish situation in seafood market

Source(s): Created by authors, Lionfish was photographed by Seda Yıldırım



Totally includes tetrodotoxin. Pufferfish can't be consumed as a usual seafood by households.

Source(s): Created by authors, Pufferfish was photographed by Seda Yıldırım

Figure 3. Pufferfish situation in seafood market

Risk level of pufferfish and lionfish

181

Yıldırım, 2021). Invasive marine species have serious effects on the marine ecosystem. Apart from the negative effects of environmental pollution, global climate change and other human activities, the introduction of invasive marine species into the oceans and seas and their proliferation in the local marine environment is a serious threat. Unfortunately, it can be assumed that alien invasive species have the power to destroy human health, food security and diversity in the long run (Sciberras and Schembri, 2007; Galil, 2007; Brundu, 2015; Peyton et al., 2019; Bonanno and Orlando-Bonaca, 2019; Mannino and Balistreri, 2021).

Pufferfish and lionfish are the two most prominent species of invasive fish species that reproduce and increase in population in the Mediterranean. At this point, this study aims to give some descriptive evidence for key factors in fight against pufferfish and lionfish by comparing them together. As seen in Table 5, there are differences between pufferfish and lionfish. Firstly, lionfish has more potential to be used in seafood market and seems less harmful to human or other marine species. But pufferfish seems to be a more dangerous species for human and other species in local marines. Pufferfish has no natural predator and there is no chance to use pufferfish in the usual seafood market in the long term.

The literature and recent news have both shown that lionfish should be used as seafood product in general. There is an option for lionfish to be cooked and consumed by households (Demirci and Demirhan, 2022; Davis, 2016; Manacioglu and Manacioglu, 2018; Simnitt et al., 2020; Blakeway et al., 2020). On the other side, pufferfish has not any option in the usual seafood market due to its poisonous nature. Reducing the population of pufferfish needs more complex ways. For example, Türkiye developed new ways to fight against pufferfish such as giving money incentive to fishermen. There are also projects on using leather of pufferfish and developing new industrial areas. Also, poison of pufferfish is thought to be used by industry in the long term. If there can be any mass market for these invasive alien marine species, their population can be reduced and controlled in marines.

As presented in Figure 4, this study explores the ways of fight against pufferfish and lionfish as invasive alien marine species in Turkish marines. There are different ways to reduce the population of these alien species in Turkish marines. Firstly, the population of pufferfish can be reduced by usual catching methods but fishermen should be paid for it. Then, there are some alternative consumption ways for pufferfish including using its leather and poison in industry. Secondly, lionfish can be cooked and consumed as a seafood product by restaurants. Accordingly, policymakers can benefit from pufferfish and lionfish economically while their population is declining under control.


The main contribution of this study is expected to guide future studies related to fight against lionfish and pufferfish. Especially, as a country in Mediterranean Basin, Türkiye can be a good sample for similar countries in Mediterranean Basin. The invasion of alien marine species is a big threat to each county in Mediterranean Basin. Accordingly, countries should develop strategies and policies to reduce the population of these species in their marines.

	Elements	Pufferfish	Lionfish
Table 5. Key elements representing Pufferfish and Lionfish among Turkish Marines	Possibility of use as a food nutrient Danger level Threats for people as being an aggressive species Its priority in sustainability policies and its place in the struggle Degree of awareness and observation by the public Alternative usage Source(s): Created by authors	Lower Higher Higher Higher Higher Higher	Higher Lower Lower Lower Lower Lower

182

MAEM

5.2



Source(s): Created by authors

When considering the importance of marine economics in Mediterranean Basin, seafood security and seafood sustainability are all important issues that cannot be ignored.

References

- AA (2021), "İstilacı aslan balığı kıyılarımızda: Görürseniz çöpe atmayın, [Invasive lionfish on our shores: if you see it, don't throw it away]", available at: https://www.cumhuriyet.com.tr/ turkiye/istilaci-aslan-baligi-kiyilarimizda-gorurseniz-cope-atmayin-1883910 (accessed 10 February 2022).
- Adam, G. (2021), "Balon balığının derisi ve zehri sanayide kullanılacak, [The skin and venom of the blowfish will be used in industry]", available at: https://www.aa.com.tr/tr/ekonomi/balonbaliginin-derisi-ve-zehri-sanayide-kullanilacak/2300170#:~:text=%22Balon%20bal%C4% B1%C4%9F%C4%B1%2C%20balon%20gibi%20%C5%9Fi%C5%9Fti%C4%9Fi,kabul% 20eden%20bir%20deriye%20sahip (accessed 10 February 2022).
- Akgün, C. (2019), "Ege Denizi'nde 'aslan balığı' istilası, ['Lionfish' invasion in the Aegean Sea]", available at: https://www.hurriyet.com.tr/yerel-haberler/mugla/ege-denizinde-aslan-baligiistilasi-41069633 (accessed 10 February 2022).
- Akgüneş, G. (2020), "Balon balığıyla yaşamayı öğrenmeliyiz, [We must learn to live with blowfish]", available at: https://www.milliyet.com.tr/yazarlar/gurkan-akgunes/balon-baligiyla-yasamayiogrenmeliyiz-6239709 (accessed 10 February 2022).
- Australian Academcy of Science (n.d), "Poison vs Venom", available at: https://www.science.org.au/ curious/people-medicine/poison-vs-venom (accessed 10 February 2022).
- Baggi, D. (2021), "Invasive fish push westward as the Mediterranean Sea slowly becomes tropical", available at: https://www.theguardian.com/environment/2021/aug/24/tropical-invaders-themeds-warming-seas-put-native-species-in-hot-water (accessed 10 February 2022).

MAEM 5,2	Bayrakh, A. (2021), "Denizdeki tehdit: İstilacı türler, [Threat at sea: invasive species]", TRT News, available at: https://www.trthaber.com/haber/yasam/denizdeki-tehdit-istilaci-turier-580991.html (accessed 10 February 2022).
	Blakeway, R.D., Jones, G.A. and Boekhoudt, B. (2020), "Controlling lionfishes (Pterois spp.) with consumption: survey data from Aruba demonstrate acceptance of non-native lionfishes on the menu and in seafood markets", <i>Fisheries Management and Ecology</i> , Vol. 27, pp. 227-230, doi: 10. 1111/fme.12404.
184	Bonanno, G. and Orlando-Bonaca, M. (2019), "Non-indigenous marine species in the Mediterranean Sea—myth and reality", <i>Environmental Science and Policy</i> , Vol. 96, pp. 123-131.
	Brundu, G. (2015), "Plant invaders in European and Mediterranean inland waters: profiles, distribution, and threats", <i>Hydrobiologia</i> , Vol. 746, pp. 61-79, doi: 10.1007/s10750-014-1910-9.
	Çalkaya, M. (2020), "Balıkçılar balon balığı avcılığının teşvik edilmesini olumlu karşıladı, [Fishermen welcomed the promotion of blowfish fishing]", available at: https://www.aa.com.tr/tr/ekonomi/ balikcilar-balon-baligi-avciliginin-tesvik-edilmesini-olumlu-karsiladi/2064002 (accessed 10 February 2022).
	Cnntürk.com (2021), "Resmi Gazete'de yayımlandı: Balon balığı avlayana 5 TL para verilecek.[Published in the Official Gazette: 5 TL will be given to those who catch balloon fish]", available at: https://www.cnnturk.com/turkiye/resmi-gazetede-yayimlandi-balon-baligi- avlayana-5-tl-para-verilecek (accessed 10 February 2022).
	Davis, A. (2016), "The consumption of lionfish as a control of an invasive species in Bermuda", Undergraduate Honors Theses, Paper 1045.
	Demirci, B. and Demirhan, S. (2022), "Food composition and dietary overlap of the lionfish species in Iskenderun bay", <i>Natural and Engineering Sciences</i> , Vol. 7 No. 3, pp. 228-235.
	Department of Fisheries and Marine Research (n.d), "Marine environment", available at: http://www. moa.gov.cy/moa/dfmr/dfmr.nsf/All/6561CB64C528ECFA42257F370041F296?OpenDocument (accessed 10 February 2022).
	DHA (Demirören News Agency) (2018), "Akdeniz'de insan sağlığı için tehlikeli 10 türe dikkat, [Attention to 10 species dangerous for human health in the Mediterranean]", available at: https://www.cnnturk.com/turkiye/akdenizde-insan-sagligi-icin-tehlikeli-10-ture-dikkat (accessed 10 February 2022).
	European Environment Agency (EEA) (2019), "Temporal variability of NIS introductions associated with each pathway at marine sub-region level", available at: https://www.eea.europa.eu/data- and-maps/daviz/emporal-variability-in-pathways-of/#tab-chart_1 (accessed 10 February 2022).
	Galil, B.S. (2007), "Loss or gain? Invasive aliens and biodiversity in the Mediterranean Sea", <i>Marine Pollution Bulletin</i> , Vol. 55 No. 7-9, pp. 314-322.
	Galil, B. (2014), "How to stop the Mediterranean's invasive species", available at: https://www. weforum.org/agenda/2014/12/how-to-stop-the-mediterraneans-invasive-species/ (accessed 10 February 2022).
	Higuera, V. (2020), "Lionfish stings and how to treat them", available at: https://www.healthline.com/ health/lionfish-sting#about (accessed 10 February 2022).
	IHA (2021), "Balıkçıların kabusu balon balığı Marmara denizinde yakalandı [Fishermen's nightmare, blowfish caught in Marmara sea]", available at: https://www.ntv.com.tr/turkiye/balikcilarin- kabusu-balon-baligi-marmara-denizinde-yakalandi,kTxEhOGe60OY-yGeZvQCsQ (accessed 10 February 2022).
	İklim, H. (2020), "İstilacı 2 Tür Akdeniz Balıkları Arasındaki Yerini Aldı, [invasive 2 species take place among mediterranean fish]", available at: https://ww.iklimhaber.org/istilaci-2-tur-akdeniz- baliklari-arasindaki-yerini-aldi/ (accessed 10 February 2022).
	IUCN (The International Union for Conservation of Nature) (2016), "New lionfish sightings in Turkey and Cyprus marine protected areas", available at: https://www.iucn.org/news/mediterranean/ 201606/new-lionfish-sightings-turkey-and-cyprus-marine-protected-areas (accessed 10 February 2022).

- Kaplan, M. and Yildirim, S. (2023), "The sustainability of seafood market under the attack of invasive alien species: a review on Turkish marine", in Ben Salem, A., Rhazi, L. and Karmaoui, A. (Eds), *Climatic and Environmental Significance of Wetlands: Case Studies from Eurasia and North Africa*, IGI Global, Hershey, PA, In pressing.
- Katsanevakis, S., Coll, M., Piroddi, C., Steenbeek, J., Ben, R.L.F., Zenetos, A. and Cardoso, A.C. (2014), "Invading the Mediterranean Sea: biodiversity patterns shaped by human activities", *Frontiers in Marine Science*, Vol. 1, doi: 10.3389/fmars.2014.00032.
- Kourantidou, M., Cuthbert, R.N., Haubrock, P.J., Novoa, A., Taylor, N.G., Leroy, B., Capinha, C., Renault, D., Angulo, E., Diagne, C. and Courchamp, F. (2021), "Economic costs of invasive alien species in the Mediterranean basin", in Zenni, R.D., McDermott, S., García-Berthou, E. and Essl, F. (Eds), *The Economic Costs of Biological Invasions Around the World, NeoBiota*, Vol. 67, pp. 427-458. https://doi.org/10.3897/neobiota.67.58926.
- Lanese, N. (2019), "Lionfish: beautiful and dangerous invaders", available at: https://www.livescience. com/64533-lionfish.html (accessed 10 February 2022).
- Manacioğlu, T. and Manacioğlu, S. (2018), "Lionfish preparation for cooking in Turkey", in Hüseyinoğlu, M.F. and Öztürk, B. (Eds), *Lionfish Invasion and its Management in the Mediterranean Sea*, Turkish Marine Research Foundation (TUDAV) Publication number: 49, Istanbul, p. 121.
- Mannino, A.N. and Balistreri, P. (2021), "Invasive alien species in Mediterranean marine protected areas: the egadi islands (Italy) case study", *Biodiversity*, Vol. 22 Nos 1-2, pp. 13-23, doi: 10.1080/ 14888386.2021.1875263.
- Marine Fauna, News (2020), "The first record in Greece of a new alien fish species", available at: https://archipelago.gr/en/the-first-record-in-greece-of-a-new-alien-fish-species/ (accessed 10 February 2022).
- Öncü, M.A., Yıldırım, S., Bostancı, S. and Erdoğan, F. (2021), "The effect of COVID-19 pandemic on health management and health services: a case of Turkey", *Duzce Medical Journal*, Vol. 23 Special Issue, pp. 61-70, doi: 10.18678/dtfd.860733.
- Özacar, İ.U. (2019), "Denizlerde balık stoku azalıyor [Fish stocks are declining in the seas]", available at: https://www.trthaber.com/haber/turkiye/denizlerde-balik-stoku-azaliyor-432836.html (accessed 10 February 2022).
- Özacar, İ.U. (2020), "İklim değişikliği denizlerdeki istilacı türleri de artırıyor, [Climate change is also increasing invasive species in the seas]", available at: https://www.trthaber.com/haber/turkiye/ iklim-degisikligi-denizlerdeki-istilaci-turieri-de-artiriyor-513312.html (accessed 10 February 2022).
- Oztürk, B. (2021), Non-indigenous species in the Mediterranean and the Black Sea, Studies and Reviews No. 87, (General Fisheries Commission for the Mediterranean), FAO, Rome. doi: 10.4060/cb5949en.
- Peyton, J., Martinou, A.F., Pescott, O.L., Demetriou, M., Adriaens, T., Arianoutsou, M., Bazos, I., Bean, C.W., Booy, O., Botham, M., Britton, J.R., Cervia, J.L., Charilaou, P., Chartosia, N., Dean, H.J., Delipetrou, P., Dimitriou, A.C., Dörflinger, G., Fawcett, J., Fyttis, G., Galanidis, A., Galil, B., Hadjikyriakou, T., Hadjistylli, M., Ieronymidou, C., Jimenez, C., Karachle, P., Kassinis, N., Kerametsidis, G., Kirschel, A.N.G., Kleitou, P., Kleitou, D., Manolaki, P., Michailidis, N., Mountford, J.O., Charis Nikolaou, C., Papatheodoulou, A., Payiatas, G., Ribeiro, F., Rorke, S.L., Samuel, Y., Savvides, P., Schafer, S.M., Tarkan, A.S., Silva-Rocha, I., Top, N., Tricarico, E., Turvey, K., Tziortzis, I., Tzirkalli, E., Hugo Verreycken, H., Winfield, I.J., Zenetos, A. and Roy, H.E. (2019), "Horizon scanning for invasive alien species with the potential to threaten biodiversity and human health on a Mediterranean island", *Biological Invasions*, Vol. 21, pp. 2107-2125, doi: 10.1007/s10530-019-01961-7.
- Plantz, S.H. (2021), "Pufferfish poisoning, first aid & injuries centertopic guide", available at: https:// www.emedicinehealth.com/wilderness_pufferfish_poisoning/article_em.htm (accessed 10 February 2022).
- Sarı, İ. (2021), "İstilacı türler Marmara ve Karadeniz'i de tehdit ediyor! Yerli balık türleri azalırsa bizi neler bekliyor? [Invasive species threaten Marmara and Black Sea as well! What awaits us if native fish species decrease?]", available at: https://www.hurriyet.com.tr/gundem/istilaci-turier-

Risk level of pufferfish and lionfish

185

marmara-ve-karadenizi-de-tehdit-ediyor-yerli-balik-turieri-azalirsa-bizi-neler-bekliyor-41885358 (accessed 10 February 2022).

- Sciberras, M. and Schembri, P.J. (2007), "A critical review of records of alien marine species from the Maltese Islands and surrounding waters (Central Mediterranean)", *Mediterranean Marine Science*, Vols 8/1, pp. 41-46.
- Simnitt, S., House, L., Larkin, S.L., Tookes, J.S. and Yandle, T. (2020), "Using markets to control invasive species: lionfish in the US Virgin Islands", *Marine Resource Economics*, Vol. 35 No. 4, pp. 319-341.
- Ulman, A., Harris, H.E., Doumpas, N., Akbora, H.D., Al Mabruk, S.A.A., Azzurro, E., Baricher, M., Çiçek, B.A., Deidun, A., Demirel, N., Fogg, A.Q., Katsavenakis, S., Kletou, D., Kleitou, P., Papadopoulou, A., Ben Souissi, J., Hall-Spencer, J.M., Tiralongo, F. and Yildiz, T. (2021), "Low pufferfish and lionfish predation in their native and invaded ranges suggests human control mechanisms may Be necessary to control their Mediterranean abundances", *Frontiers in Marine Science*, Vol. 8, doi: 10.3389/fmars.2021.670413.
- Unutmaz, Ş. (2021), "Dünyanın en kötü 100 istilacı türünden 14'ü Türkiye'de, [14 of the world's 100 worst invasive species are in Turkey]", available at: https://www.hurriyet.com.tr/gundem/dunyanin-en-kotu-100-istilaci-turunden-14u-turkiyede-41844749 (accessed 10 February 2022).
- WWF (World Wildlife Fund) (2021), "Mediterranean is turning into the fastest warming sea with irreversible changes for marine and human life", available at: https://www.wwf.mg/?3676966/ Mediterranean-is-turning-into-the-fastest-warming-sea-with-irreversible-changes-for-marineand-human-life (accessed 10 February 2022).
- Yıldırım, S. and Bostancı, S.H. (2021), "The efficiency of e-government portal management from a citizen perspective: evidences from Turkey", World Journal of Science, Technology and Sustainable Development, Vol. 18 No. 3, pp. 259-273, doi: 10.1108/WJSTSD-04-2021-0049.
- Yildirim, S. and Kaplan, M. (2020), "Seafood security and sustainability through sustainable development: a review of Turkish seafood market", in Obayelu, A. and Obayelu, O. (Eds), *Developing Sustainable Food Systems, Policies, and Securities*, IGI Global, Hershey, PA, pp. 16-36, doi: 10.4018/978-1-7998-2599-9.ch002.
- Yildirim, S. and Kaplan, M. (2022), "The threat of invasive alien marine species to the blue economy: the mediterranean case", in Raimi, L. and Kah, J. (Eds), *Implications for Entrepreneurship and Enterprise Development in the Blue Economy*, IGI Global, Hershey, PA, pp. 50-80, doi: 10.4018/ 978-1-6684-3393-5.ch004.
- Yıldırım, S. and Yıldırım, D.C. (2021), "Achieving seafood security in the Mediterranean region: a case of Turkey", in Castanho, R. and Martín Gallardo, J. (Eds), *Management and Conservation of Mediterranean Environments*, IGI Global, Hershey, PA, pp. 175-195, doi: 10.4018/978-1-7998-7391-4.ch011.
- Yıldırım, S., Bostancı, S.H., Yıldırım, D.Ç. and Erdoğan, F. (2021), "Rethinking mobility of international university students during COVID-19 pandemic", *Higher Education Evaluation and Development*, Vol. 15 No. 2, pp. 98-113, doi: 10.1108/HEED-01-2021-0014.
- Yıldız, A. (2020), "Aslan balığı tezgahlarda yerini almaya başladı.[Lionfish started to take its place on the counters]", available at: https://www.aa.com.tr/tr/ekonomi/aslan-baligi-tezgahlarda-yerinialmaya-basladi/1833592 (accessed 10 February 2022).
- Zenetos, A., Cınar, M., Pancucci-Papadopoulou, M., Harmelin, J., Furnari, G., Andaloro, F., Bellou, N., Streftaris, N. and Zibrowius, H. (2005), "Annotated list of marine alien species in the Mediterranean with records of the worst invasive species", *Mediterranean Marine Science*, Vol. 6 No. 2, pp. 63-118, doi: 10.12681/mms.186.

Further reading

Austwick, M. (2022), "Freshwater puffer fish", available at: https://squeaksandnibbles.com/freshwaterpuffer-fish/ (accessed 10 February 2022).

5.2

MAEM

Barmani, A.K.A., Mustafi, S.K., Hasan, M., Roy, N.C., Hossain, M., Barman, P.P. and Rasul, G. (2018),	Risk level of
"Puffer fish poisoning: an assessment of consumer awareness and availability in Sylhet region",	pufferfish and
Bangladesh. International Journal of Fisheries and Aquatic Studies, Vol. 6 No. 2, pp. 110-116.	lionfish
Skyler, S., House, L., Larkin, S.L., Tookes, J.S. and Yandle, T. (2020), "Using markets to control	HOHHSH
invasive species: lionfish in the US Virgin Islands", Marine Resource Economics, Vol. 35 No. 4.	

187

Corresponding author

Seda Yildirim can be contacted at: sedayil1@gmail.com

For instructions on how to order reprints of this article, please visit our website: www.emeraldgrouppublishing.com/licensing/reprints.htm Or contact us for further details: permissions@emeraldinsight.com