

Seid, Hadia; Kessy, John; Dahlin, A. Sigrun; Asfaw, Zebene

Article

Homegarden improved avocado cultivation, income diversification, and food security for rural households in Central Ethiopia

Cogent Economics & Finance

Provided in Cooperation with:

Taylor & Francis Group

Suggested Citation: Seid, Hadia; Kessy, John; Dahlin, A. Sigrun; Asfaw, Zebene (2024) : Homegarden improved avocado cultivation, income diversification, and food security for rural households in Central Ethiopia, Cogent Economics & Finance, ISSN 2332-2039, Taylor & Francis, Abingdon, Vol. 12, Iss. 1, pp. 1-16,
<https://doi.org/10.1080/23322039.2024.2426537>

This Version is available at:

<https://hdl.handle.net/10419/321667>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



<https://creativecommons.org/licenses/by/4.0/>

Homegarden improved avocado cultivation, income diversification, and food security for rural households in Central Ethiopia

Hadia Seid, John Kessy, A. Sigrun Dahlin & Zebene Asfaw

To cite this article: Hadia Seid, John Kessy, A. Sigrun Dahlin & Zebene Asfaw (2024) Homegarden improved avocado cultivation, income diversification, and food security for rural households in Central Ethiopia, Cogent Economics & Finance, 12:1, 2426537, DOI: [10.1080/23322039.2024.2426537](https://doi.org/10.1080/23322039.2024.2426537)

To link to this article: <https://doi.org/10.1080/23322039.2024.2426537>



© 2024 The Author(s). Published by Informa UK Limited, trading as Taylor & Francis Group



[View supplementary material](#)



Published online: 11 Nov 2024.



[Submit your article to this journal](#)



Article views: 631



[View related articles](#)



[View Crossmark data](#)



Citing articles: 1 [View citing articles](#)

Homegarden improved avocado cultivation, income diversification, and food security for rural households in Central Ethiopia

Hadia Seid^a, John Kessy^a, A. Sigrun Dahlin^b and Zebene Asfaw^c

^aRegional Research School in Forest Sciences (REFOREST), College of Forestry Wildlife and Tourism, Sokoine University of Agriculture, Chuo Kikuu, Morogoro, Tanzania; ^bDepartment of Crop Production Ecology, Swedish University of Agricultural Sciences, Uppsala, Sweden; ^cWondo Genet College of Forestry and Natural Resource, Hawassa University, Shashemene, Ethiopia

ABSTRACT

Homegarden avocado cultivation offers a viable option for smallholder farmers to diversify their sources of income and food. This study examined the contribution of avocado cultivars to household income diversification and food security in the Jewe and Upper Gana kebeles of Central Ethiopia. Data were collected from 164 households using a semi-structured questionnaire and supplemented with focus group discussions. The results of this study indicated that Nabal, Hass, and Ettinger were the most commonly cultivated avocado cultivars. On average, the households owned four improved avocado trees. This study revealed that households had highly diversified income sources, with an average SID value of 0.63. The average fruit yields for the Nabal, Hass, and Ettinger cultivars ranged from 45 to 60 kg per household. These cultivars contributed approximately 14% and 10% of the household income sources and food consumption scores, respectively. This study found that, on average, households consumed 40 kg of Hass and 25 kg of Ettinger fruits, and sold 55 kg of Nabal and 25 kg of Ettinger fruits per harvest season. Improved avocado cultivation was positively associated with household income and food consumption. Local governments should encourage cultivation of these cultivars to enhance income and food security for farmers.

IMPACT STATEMENT

The cultivation of improved avocado cultivars has sparked significant interest among Ethiopian smallholder farmers owing to the potential benefits offered by the different cultivars. This study examines how avocado cultivars contribute to household income diversification and food consumption among smallholder farmers in Central Ethiopia. The findings indicated that Nabal, Hass, and Ettinger were the most commonly grown avocado cultivars, which significantly contributed to household income sources and food consumption. Furthermore, 64% of the total avocado harvest was used to generate household income, while 36% was used for food consumption. Expanding these three avocado cultivars has the potential to maximise economic profits, enhance food and nutrition security, and support demand-driven avocado farming practices, both within the country and beyond. Consequently, these findings provide valuable information to local government agricultural extension experts, fruit tree development partners, avocado seedling production enterprises, and smallholder avocado farmers. The results can also guide policymakers in developing local-specific enabling policy frameworks that encourage the cultivation of these avocado cultivars on a wider scale, thereby enhancing food security and household income generation.

ARTICLE HISTORY

Received 4 July 2024
Revised 18 September 2024
Accepted 3 November 2024

KEYWORDS

Avocado cultivar; food consumption; household; income generation; and income diversification

SUBJECTS

Development Studies; Rural Development; Health & Development; Sustainable Development

CONTACT Hadia Seid  hadi04seid@gmail.com  Regional Research School in Forest Sciences (REFOREST), College of Forestry Wildlife and Tourism, Sokoine University of Agriculture, Chuo Kikuu, Morogoro, Tanzania

 Supplemental data for this article can be accessed online at <https://doi.org/10.1080/23322039.2024.2426537>.

© 2024 The Author(s). Published by Informa UK Limited, trading as Taylor & Francis Group

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. The terms on which this article has been published allow the posting of the Accepted Manuscript in a repository by the author(s) or with their consent.

1. Introduction

Homegarden agroforestry on smallholder farms encompasses a variety of woody plants and herbaceous species that support sustainable agricultural practices and improve living standards (Nair et al., 2021). It is a mixed cropping system that offers additional food and income sources at the household level (Galhena et al., 2013). Homegarden is an important strategy for achieving the Sustainable Development Goal of zero hunger (Sharma et al., 2022). Crop and income diversification strategies employed by smallholder farmers substantially improved the livelihoods of poor rural communities in Malawi, Zambia, and Niger (Asfaw et al., 2019). Homegarden agroforestry in Ethiopia integrates multiple types of fruit and cash crops including mango (*Mangifera indica*), avocado (*Persia americana*), papaya (*Carica papaya*), banana (*Musa paradisiaca*), enset (*Ensetee ventricosum*), coffee (*Coffea arabica*), gesho (*Rhamnus prinoides*), khat (*Catha edulis*), vegetables, and spices (Admasu et al., 2022). The improved avocado cultivars are commonly integrated with coffee, spices, vegetables, and cereals in homegarden (Biazin et al., 2018).

Homegarden fruit tree cultivation contributes significantly to the food and nutrition security and dietary diversity of rural households and communities (Jemal and Callo-Concha, 2017; Romeo et al., 2016). Homegarden provides 25–85% of the food needs for rural households in South Ethiopia (Wolka et al., 2021). Fruit trees grown in homegardens have significant potential to enhance food security for rural communities, particularly during times of crisis (Rahaman et al., 2015). Diversifying crop production and income can enhance household food security by increasing food spending among wealthier households relative to poorer ones (Matsuura-Kannari et al., 2023). Farmers who engaged in homegarden cultivation exhibited significant and positive improvements in food security, with a 4.6% increase in the food consumption score of their households compared to non-participating farmers (Issahaku et al., 2023). Smallholder farmers who cultivate macadamia nuts and avocados, alongside staple crops exhibit an enhanced capacity to maintain a steady income and consistent access to food throughout the year, in contrast to those who focus solely on annual crop production (Ngcaba & Maroyi, 2021; Modika & Oluwatayo, 2022). This is due to the distinct fruiting and maturation patterns of fruit trees and annual crops, which complement the household's food and nutrition security at different times of the year. Improved avocado cultivation can reduce reliance on cereal crops and can be used for home consumption during the dry and lean seasons, which can enhance household food security (Mokria et al., 2022; Gebru et al., 2022). For instance, according to Sora (2023), Ettinger (29 ton/ha), Hass (23 ton/ha), and Fuerte (22 ton/ha) are known for their high fruit yields, demonstrating their potential to increase household income and food security in Southwest Ethiopia.

Homegarden fruit and vegetable cultivation also provides an important contribution to household total income generation (Mathewos et al., 2018). It significantly enhances the financial well-being of households by providing a source of income through the sale of fruits, vegetables, and other tree products harvested from the homegarden (Amenu, 2017). Fruit trees can thus significantly contribute to socio-economic stability, employment opportunities, and income generation (Tola, 2023). The cultivation of improved avocado cultivars can enable farmers to increase their income (Hakizimana & May, 2018), diversification, and resilience to economic disruption (Alobo Loison, 2015). In addition, smallholder farmers who participated in avocado export markets generated more income for their households (Amare et al., 2019).

The cultivation of improved avocado cultivars has gained considerable interest among farmers motivated because of the potential benefits offered by the different cultivars (Desta & Lamage, 2019; Mokria et al., 2022). These benefits include increased yield, superior fruit quality, and shorter maturation periods, enabling farmers to sell their produce sooner and earn greater profits (Ramírez-Gil et al., 2019). The extended fruit-setting seasons of certain avocado cultivars, such as Fuerte and Shepard, provide a consistent supply of avocado fruits to consumers, thereby sustaining farmers' profits over a longer period (Ferreira et al., 2016).

Despite the potential for fruit tree cultivation, approximately 50% of Ethiopia's population lives below the poverty line and more than 11% of the people in rural areas are food insecure and unable to meet their basic needs even after a year of normal rainfall (FAO, 2020). Based on the Central Statistics Agency, fruit crop production in Ethiopia comprises an estimated 150,900 ha of cropland. Among these, 27,400 ha has been allocated to the cultivation of avocados. The country produced a total of 1780

million kilograms of fruit in smallholder farmer homegarden agroforestry farms in 2022, of which avocados accounted for approximately 190 million kilograms (CSA, 2022), representing 10% of the total fruit production. According to Sina et al. (2023), Ethiopia's agroecological conditions are conducive to smallholder avocado cultivation. However, the current avocado cultivation in smallholder farms does not fully utilize the country's potential (Abdela & Brahmbhatt, 2023). This is because smallholder avocado growers have faced various implementation challenges, including limited access to high-quality avocado seedlings, insufficient supplementary irrigation, issues with fruit degeneration, disease concerns, and inadequate technical skills in the propagation of grafted seedlings and tree management practices (Garedew & Tsegaye, 2011; Faris, 2016; Seid et al., 2024). Additionally, there is a shortage of high-quality scion material for avocado propagation (Banjaw et al., 2023), and there are practical difficulties in obtaining access to superior avocado cultivar mother trees as sources of this scion material. Furthermore, the limited cultivation efficiency of these avocado cultivars has resulted in a yield gap compared to the global average avocado fruit yield (Jalata, 2021).

In the study area, a few previous studies have assessed the growth, fruit production potential, and market value chain of improved avocado cultivars (Mokria et al., 2022; Gebru et al., 2022; Eyuel, 2020). However, these studies did not examine the impact of improved avocado cultivars on the diversification of household income and food security. Furthermore, there may be differences in the level of food consumption, income generation, and benefits obtained from planting avocado trees in rural communities for each production year. Therefore, this study aimed to explore the contribution of avocado cultivation to household income diversification and food consumption in Central Ethiopia. This study provides a comprehensive analysis of the income and home consumption contributions of three avocado cultivars in the study area, which enables stakeholders to expand their farm products based on consumer demand, maximize economic profits, promote the nutritional value of these avocado cultivars, and support sustainable avocado farming practices in smallholder avocado producers.

2. Materials and methods

2.1. Description of the study area

The study site was located in Lemo District in the central regional state of Ethiopia. The area is situated between the coordinates 7°22'00"–7°39'59" North and 37°40'00"–38°00'00" East. It experiences an annual rainfall of 900–1400 mm. The minimum and maximum temperatures in the area are 12°C and 26°C, respectively, and the altitude ranges from 1990 to 2720 m above sea level (Degefa, 2019). The study area falls within the midland agroecological zone, which is favorable for fruit and vegetable crop production. Most households derive earnings for subsistence and commercial purposes from cultivated cereals, fruits, and vegetable crops (CSA, 2022).

In the study area, both seeded and grafted avocado trees were grown as key components of homegarden agroforestry. In 2014, the Africa RISING (Africa Research In Sustainable Intensification for the Next Generation) project introduced five improved avocado cultivars (Hass, Ettinger, Fuerte Nabal, and Reed) at the study site. The main distinction between the local and improved types of avocado trees is that local (seeded) avocado trees take between seven and nine years to bear fruit, with small fruit size but large tree size. In contrast, the improved (grafted) avocado trees mature early and can produce fruit within two to three years of establishment, with larger and sweeter fruits, and dwarf tree height, making them easier to harvest than seeded avocado trees.

2.2. Data sources and method of data collection

2.2.1. Research design

This study used a mixed research design method that incorporated both quantitative and qualitative data collection approaches. Primary data were gathered through a household survey and supplemented with focus group discussions to gain more detailed and in-depth qualitative insights from the participants.

2.2.2. Sampling procedure and data collection

The household survey was conducted in Upper Gana and Jewe Kebeles. This study was a complementary study to the previous Africa RISING Project research intervention. A total of 164 households engaged in improved avocado cultivation on their farms at both sites were purposively selected and interviewed. These included all farm households that planted avocado cultivars introduced by the Africa RISING project in 2014 and that still lived at the study site. This enabled the investigation of improved avocado trees with comparable age, cultivar type, and management practices. A semi-structured questionnaire was used to collect data. Household income diversification was determined using the Simpson Index of Diversity (SID), as described in Equation 1 (Agyeman et al., 2014). This index was chosen because it presents a range of values between 0 and 1 and also considers the number and distribution of income sources evenly (Alemu, 2023). A value near to 0 indicates a high level of specialization in a single income source, whereas a value close to 1 indicates highly diversified income sources. Household income diversification was classified as low (0–0.30), moderate (0.31–0.60), or high (0.61–1), as described by Dev et al. (2016).

$$SID = 1 - \sum_{i=1}^n p^2 \quad (1)$$

Where SID is the Simpson index of diversity, n is the number of active income sources, and P is the proportion of income from the sources.

SID in this study was denoted as:

$$SID = 1 - \sum ((CI/THI)^2 + (VI/THI)^2 + (LI/THI)^2 + (IAI/THI)^2 + (MTI/THI)^2 + (REI/THI)^2 + (OFI/THI)^2).$$

CI: Cereal crop production income (wheat, maize, teff, faba bean, peas, lentils); VI: Vegetable crop income (local cabbage, chilly, potato & carrot); LI: Livestock income (sheep, ox, cow, by-product such as cheese); IAI: Improved avocado tree income (Hass, Ettinger, Nabal); MTI: Multipurpose & cash tree income (lumber, fuelwood, khat); REI: Remittance income (migrant family members cash support); OFI: Off-farm income (income from security guard, farm work, carpentry); THI: Total income.

The harvested avocado fruits per tree were recorded as the number of filled sacks per tree, which was then converted into kilograms using a conversion factor derived from weighing a sack of Ettinger, Hass, and Nabal fruit (Juma et al., 2019). Then the total avocado fruit yield per household per year was subsequently calculated as a sum of the fruit harvest weights of the three cultivars collected per household in the production years of 2022 and 2023.

The avocado contribution to household income was calculated based on the gross income generated from the avocado cultivars. The gross income was determined by multiplying the total avocado fruit harvest per household by the local market price per kilogram per production year (Teshome et al., 2015).

The food consumption score (FCS) calculation involved determining the food items consumed and the frequency of food item consumption in the studied households, multiplied by their corresponding weight factors. The sum of the weighted scores for each food item provides the food consumption score.

The household food consumption score was categorized as follows: 0–21: Poor; 21–35: Borderline; >35, acceptable, Equation 2, as outlined by the World Food Program (WFP, 2008)

$$FCS_i = \sum (wX_j)(fX_{ji}) \dots \dots \dots (2)$$

Where FCS_i = Food consumption score for household i , wX_j denotes the weight of food item j consumed by individual i (value of j : main staple food = 2; pulses = 3; vegetables = 1; fruit = 1; meat, egg, fish = 4; milk = 4; sugar = 0.5; oil = 0.5). fX_{ji} refers to the frequency of consumption of food item j by individual i , ranging from one day to seven days.

Food items (j) included: the main staples (enset (kocho), teff (injera), wheat/maize (bread), and tubers/potato); main pulses (faba beans, peas, lentils); meat, fish, eggs, milk, oil, vegetables, and main fruits (avocado, banana).

Two focus group discussions were conducted (one with each kebele). Each focus group consisted of male, female, youth, and elder members of the community, with a total membership of 10–12 participants, aiming to promote active and equitable engagement and foster meaningful discussions.

2.2.3. Statistical analysis

Data collected from the household survey were analyzed using IBM SPSS version 23. Descriptive statistics such as means, frequency, and percentages, were used to identify the variability and pattern of trends in fruit yield, household income diversity, and food contribution across different avocado cultivars. One-way analysis of variance (ANOVA) was conducted to test the statistical significance differences in fruit yield and income contribution among avocado cultivars. The Games-Howell post-hoc test was used to identify significant differences between the means ($p < 0.05$). A multiple regression analysis was employed to examine the relationship between avocado production, income generation, household income diversity, and food consumption contribution. This analysis determined the most important contribution aspect of avocado cultivars to rural household subsistence improvement. The independent variables included revenue from the sale of avocado fruit, household source of income, and food consumption group (main staples, pulses, meat, fish, eggs, milk, oil, vegetables, and fruits). The avocado fruit yield per household was considered as a dependent variable, hereafter referred to as avocado cultivation. The model fit was evaluated using Beta Coefficients and p -values. The data gathered from the focus group discussions were statistically analyzed using frequency and mean, then summarized qualitatively through text narratives and tabular presentations using Excel.

3. Results

3.1. Demographic characteristics of respondents

The study findings revealed that the participating households were predominantly male-headed (86%), with low female participants in improved avocado cultivation across the study sites (Table 1). The majority of the participants had attained basic education up to secondary school, while 11% and 18% were identified as illiterate in Jewe and Upper Gana, respectively. In terms of age distribution, the majority of participants were between the ages of 30 and 60, and most of them were married (Table 1). Furthermore, the respondents had medium-sized families comprising six to ten family members. The majority of the respondents operated on land holdings of less than one hectare at both study sites, implying that avocado farming practices are predominantly under small-scale farming.

3.2. Avocado cultivar types and distribution

The survey results indicated that Ettinger, Hass, Nabal, Reed, and Fuerte were avocado cultivars grown by farmers, with Nabal, Hass, and Ettinger being the most frequent while Fuerte the least common (Figure 1a). On average, farmers owned three cultivars and four trees per household. However, some

Table 1. Demographic characteristics of respondents.

Description		Jewe Kebele (%)	Upper Gana Kebele (%)	Total ($n = 164$) (%)
Sex	Female	15	13	14
	Male	85	87	86
Marital status	Married	94	91	93
	Unmarried	6	9	7
Education	Illiterate	11	18	15
	Literate	89	82	85
Age (years)	< 30	6	11	9
	31–60	89	78	84
	>60	5	11	8
Family size (No)	1–5	19	28	24
	6–10	71	68	70
	10– - 15	10	4	7
Land holding (ha)	0–1	26	34	30
	1.1–2	60	50	55
	>2	14	16	15




Figure 1. Distribution of avocado cultivars (a); No. of avocado trees at household level (b).




Figure 2. Percentage of income sources (a) and income diversification levels (b).

Table 2. Main staple crop and fruit tree harvest calendar in the study site for 2023.

Crop & fruit tree type	Months											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Wheat												
Barley												
Maize												
Teff												
Enset												
Hass												
Ettinger												
Nabal												
Local avocado												
Banana												
Note												

Planting
 Mid-season (Flowering)
 Harvesting

farmers grew up to ten trees per household (Figure 1b). In light of their uneven distribution, this study concentrated on the three most widely cultivated avocado cultivars, Hass, Ettinger, and Nabal, and assessed their contributions to household income diversification and food consumption.

Table 3. Avocado yield and its contribution to household income and consumption.

Cultivar	In year 2022				In year 2023			
	Total yield (kg/tree) Contribution (%)	Consumed (kg/tree) Contribution (%)	Sold (kg/tree) Contribution (%)	Total income (ETB/tree) Contribution (%)	Total yield (kg/tree) Contribution (%)	Consumed (kg/tree) Contribution (%)	Sold (kg/tree) Contribution (%)	Total income (ETB/tree) Contribution (%)
Ettinger	39 (31)	26 (38)	17 (22)	509 (22)	57 (30)	25 (32)	33 (31)	1665 (31)
Hass	38 (30)	36 (53)	2 (4)	93 (4)	56 (30)	50 (64)	5 (5)	244 (5)
Nabal	49 (39)	6 (9)	43 (74)	1729 (74)	72 (39)	3 (4)	69 (64)	3434 (64)
Total	126 (100)	68 (100)	57 (100)	2331 (100)	185 (100)	78 (100)	107 (100)	5343 (100)
N	492	492	492	492	492	492	492	492

Note: The value outside the parenthesis is the mean value and value inside the parenthesis is its contribution percentage score per household.




Figure 3. Average fruit yield contribution percentage of each avocado cultivar per household per both years (a) and average income contribution of each avocado cultivar per household per both years (b).

3.3. Households' income diversification

The respondents mentioned that their primary sources of revenue were crop production (27%), livestock production (21%), and remittances (16%) (Figure 2a). The findings revealed that improved avocado and multipurpose or cash tree products were ranked as the fourth household income source among the seven sources (Figure 2a).

The crop and tree harvest calendar indicated that the income generated from the improved avocado was a single harvest in one production season, whereas the income derived from the crop harvest was the lump sum received from various types of grains. The avocado fruit and cereal crops are harvested at different periods of the year, resulting in variations in income generation time (Table 2). Moreover, the Simpson index of diversity (SID) indicated that the majority of respondents had well-diversified income sources, with an average SID value of 0.63 (Figure 2b). Only 3% of households fell under a low-income source, with SID values less than 0.30.

3.4. Avocado fruit yield and contribution to household income

The overall average fruit yield across avocado cultivars demonstrated a statistically significant variation in fruit production (supplementary table ST 1). The average fruit yields were 125 kilograms and 180 kilograms per household in 2022 and 2023, respectively (Table 3). The highest and lowest mean total fruit yields were recorded for the Nabal and Hass cultivars, respectively (Figure 3a). Of the total avocado fruit production, approximately 112 kilograms of Nabal fruit per household was sold for revenue generation in both years (Table 3).




Figure 4. Market options for selling avocado fruit in the study area.

Table 4. Mean value of food consumption categories per household and its food consumption percentage score.

No	Food Item	Mean food intake frequency in 7 days (Days)	Weight factor	FCS contribution (%)
1	Enset (kocho)	2.2	2	7
2	Teff (injera)	3.6	2	12
3	Wheat (bread)	3.3	2	11
4	Tubers / potato	2.0	2	6
5	Pulses (bean, pea, lentil)	4	3	11
6	Meat	0.2	4	1
7	Oil, butter	4.0	4	13
8	Eggs	0.8	4	3
9	Milk and dairy	2.3	4	7
10	Vegetables	4.0	1	13
11	Improved avocado	3.4	1	11
12	Local avocado	1.3	1	4
13	Banana	0.5	1	2
	Total	30.9		100

Thus, the average income generated between avocado cultivars differed significantly (ST 2). The average gross annual income derived from the sale of the assessed avocado cultivars amounted to 3830 Ethiopian Birr (ETB) (68 USD) per household per year, with Nabal being the most sold cultivar, followed by Ettinger, whereas Hass made the least contribution to income generation (Figure 3b).

The respondents also reported that approximately 64% of the total avocado production was used for household income at both study sites. According to the focus group discussions, the primary purpose of Nabal was immediate sale because of its relatively short shelf life and high production. The study revealed that the majority of participants sold avocado fruits in the central market, whereas only a few chose to sell them in local markets and farm gates (Figure 4).

Earnings from selling avocado fruits have been allocated for various purposes. Approximately 37% was utilized to cover school fees and purchase exercise books, clothes, and shoes for children; 34% was used for the acquisition of consumable food items (coffee, salt, cooking oil), soap, and kerosene. About 12% was designated for government farmland tax payment, 10% was allocated to purchase inorganic fertilizer while the remaining 7% contributed towards social activities such as 'Iddire' and 'Equb'. Iddir is an indigenous social insurance association primarily established to provide support for burial matters. Equb is a traditional savings and credit scheme in which a group of people agrees to contribute a fixed amount of money to a common pool regularly, and the accumulated funds are then distributed to members in rotation, usually on a weekly or monthly basis.

3.5. Food consumption score (FCS)

The study results showed that the avocado cultivars accounted for 10% of the food consumption score of the household (Table 4). Approximately 36% of the total avocado production was used for home




Figure 5. Percentage of households in food consumption categories (a) Percentage contribution of the studied improved avocado cultivars to the household food consumption score (b); The Food Consumption Score (FCS) level specified as 0–21 as poor, 21.5–35 as borderline, and >35 as acceptable (WFP, 2008).

Table 5. Correlations between avocado cultivation and the rural household income and food consumption.

Variables	Standardized Coefficients Beta	t value	p value	Collinearity Statistics (VIF)
(Constant)		2.387	0.018	
Farm income diversification	0.041	0.572	0.568	1.187
Avocado income generation	0.479	6.794	<0.001*	1.156
Food consumption score	0.063	0.459	0.647	1.369
Kocho (Enset)	0.075	1.073	0.285	1.13
Injera	−0.24	−2.29	0.023*	2.553
Bread	−0.017	−0.187	0.852	2.006
Tubers /Potato,	−0.004	−0.045	0.964	1.487
Pulses	0.165	2.034	0.044*	1.536
Meat	0.088	1.223	0.223	1.207
Food oil, butter	0.078	0.832	0.407	2.069
Eggs	0.103	1.493	0.138	1.103
Milk and dairy	0.102	1.507	0.134	1.075
Vegetables	0.068	0.849	0.397	1.499
Improved avocado	0.042	0.318	0.751	1.415
Local avocado	−0.075	−0.975	0.331	1.378
Banana	0.002	0.034	0.973	1.139
Adjusted R ²	0.30			
F statistics	5.37		<0.001*	

Dependent Variables: avocado production per household per both years.

consumption at both sites. Among cultivars, Hass avocado is predominantly used for household consumption due to its nutritional benefits and year-round fruit production. Approximately 35 kg and 50 kg of Hass fruit per household were consumed in 2022 and 2023, respectively (Table 3). Moreover, the results of the focus group discussions indicated that the Hass avocado was mainly used for consumption because of its delicious taste, continuous yield, and relatively longer shelf life compared with other cultivars.

A significant difference in food consumption scores was found between households (Figure 5a and ST 3). Similarly, avocado cultivars significantly contributed to the household frequency of avocado intake (ST 4). The study found that the average FCS values for the households under investigation were 48, 32, and 20, corresponding to the acceptable, marginal, and low categories, respectively. Approximately 73% of the respondents had a food consumption score within an acceptable range, 23% had a borderline consumption score, and the remaining 4% fell into the poor category (Figure 5), implying that 27% of the households were food insecure. Furthermore, participants reported that their avocado consumption was higher in 2023 than in 2022. This observation was linked to the high local availability and affordability of avocado fruit in 2023.

3.5. Correlation between avocado production and household income and food consumption score

Regression analysis revealed a strong positive correlation between avocado cultivation and income generation ($p < 0.001$) (Table 5). The results also indicated that avocado cultivation tended to be positively associated with household food consumption scores (Figure 5b) and the diversification of farm income sources, but these relationships were not statistically significant. Furthermore, the study showed that avocado cultivation had a significant positive correlation with households that consumed pulses ($p = 0.044$), whereas it was negatively associated with households that consumed injera ($p = 0.023$) (Table 5). Which showed avocado cultivation mainly contributed to household income generation and stimulated pulse consumption more than other food groups.

4. Discussion

The survey results indicated that the most commonly cultivated improved avocado cultivars in the study area are Hass, Nabal, and Ettinger. These findings are consistent with those of a study by Sina et al. (2023) who reported that Hass is the most commonly cultivated and distributed avocado cultivar in southern Ethiopia. However, Fuerte cultivars are commonly grown in Rwanda, followed by Hass and Ettinger, this is because of the availability of local and global avocado markets (Gaspard et al., 2021). Differences in avocado cultivars grown in different countries can be attributed to factors such as climate suitability, farming practices, and market demand (Juma et al., 2019).

Owing to a shortage of grafted seedling access, the majority of participants had approximately three to four avocado trees per household. The number of trees per household is consistent with a study by Jalata (2021), who found that farmers owned an average of eight avocado trees in the Oromia region, Ethiopia, somewhat higher number of avocado trees grown per household in the Oromia region was linked to the relatively larger farms in the Oromia region than in our study area. The lack of grafted seedlings from known sources has been identified as a major obstacle to avocado production in Ethiopia (Megerssa and Alemu, 2013). This is because avocado trees are commonly grown from seeds rather than grafted seedlings (Biazin et al., 2018), leading to difficulties in obtaining adequate scion materials for sufficient propagation of grafted seedlings. The findings of this study suggest that the expansion of grafted avocado cultivation could be an area for future intervention by local governmental and non-government organizations focused on fruit tree development.

The survey results showed that households depend mainly on income from annual crop farming and livestock rearing. This result agrees with the findings of Berhanu and Guye (2022), who found that both crop production and livestock contributed substantially to household earnings. Moreover, this study found an SID value of 0.63, indicating that households derived income from a variety of sources. Similar studies conducted by Gecho (2017) and W/kidan and Tafesse (2023), reported slightly lower SID values of 0.59 and 0.56, respectively, among smallholder farmers in southern Ethiopia. Homegarden agroforestry enables farmers to diversify their income sources and improve their financial stability and resilience under unforeseen conditions by providing additional sources of income (Bojnec and Knific, 2021). This finding suggests that smallholder farmers may benefit from the cultivation of various avocado cultivars through increased fruit yield and diversified crop harvests, thereby supplementing their diet.

Most respondents observed differences in fruit yields and financial returns among the three avocado cultivars. Nabal accounted for approximately 39% of the total fruit production, whereas Ettinger and Hass accounted for 31% and 30%, respectively. The yield difference between Nabal and Hass could be attributed to fruit drop issues in the Hass cultivar, which can exhibit a high flowering rate followed by fruitlet abscission (Garner et al., 2008). In addition, Nabal exhibited a higher yield with large fruit size and longer harvest period than Hass, which enabled avocado farmers to prolong their harvest time and increase their income.

In terms of income generation, Nabal generated approximately 67% of the total household avocado income, followed by Ettinger at 26%, and Hass at only 5% in both years. The participants observed a trend of increasing avocado prices, leading to new marketing opportunities for avocado growers. On average, rural households earn approximately 3830 ETB (68 USD) per year from selling the fruits of the

three cultivars. This finding aligns with prior research by Adane et al. (2019), who found that a household can earn an additional income of 2750 ETB (49 USD) per year through fruit sales in a fruit tree-based agroforestry system. This suggests that agricultural extension services should focus on enhancing farmers' understanding of the potential yields of various avocado cultivars and effective cultivation methods.

Furthermore, avocado cultivation was strongly and positively correlated with household avocado income. A 1% increase in avocado production by farm households corresponds to a 0.48% increase in income derived from avocados. This positive association can be attributed to the fact that avocado cultivars provide a higher income contribution to households than to their food consumption. A similar result was reported by Mulyatno and Titik (2021), indicating that an increase in avocado production leads to increased income for rural households. Mwambi et al. (2016) reported that the income of smallholder avocado growers in Kenya was greatly improved by contract avocado farming and market linkage. Additionally, farmers who owned bigger farms with a greater number of Hass avocado trees and participated in the export market obtained higher income and revenue compared to farmers who did not participate in the export market (Amare et al., 2019).

The income generated from avocado marketing was used to cover the cost of children's school fees, clothes, and shoes, as well as purchasing consumable food items (coffee, salt, cooking oil), agricultural supplies, government taxes, and social contributions. This finding suggests that selling avocado fruit can support children's education and cover household costs but may decrease dietary benefits. Therefore, local government officials and development experts must balance the economic benefits of avocado cultivation with the potential impact on health.

Furthermore, the survey results showed that avocado cultivation contributes to household food consumption, with approximately 36% of the total avocado harvested being used in homes. This finding is consistent with earlier studies by Garedew and Tsegaye (2011), which indicated that households consumed approximately 20% of avocado production and regarded it as an essential commodity. Avocado fruit consumption by local farmers has also increased in the Wondo Genet area of, Southern Ethiopia (Banjaw et al., 2023). Across cultivars, Hass played a greater role in supporting domestic food consumption, owing to its delicious taste and year-round production. The cultivation of avocados substantially enhanced dietary diversity among households that grew this fruit, especially during the avocado production season from May to December (Uosukainen, 2018). Fruit trees growing in homegardens can reduce dependence on grain crops, increase food availability during times of scarcity, and improve family nutrition (Oladele et al., 2020). It has the capacity to contribute to household livelihood improvement (Mathewos et al., 2018), which is consistent with (Gebru et al., 2022; Mokria et al., 2022).

According to the food consumption score (FCS) finding of the study, over 70% of participants had satisfactory levels of food intake. On average the studied avocado cultivars accounted for 10% of the total food consumption score but contributed only 6% to households with borderline or inadequate levels of food consumption. The study findings also indicate a positive relationship between the income diversification of farm households and their food consumption scores. Households with high food consumption scores also have a high value for income diversification. Similar results were obtained by Mango et al. (2018), who found that households practiced high levels of crop diversification and tended to maintain diverse food consumption. The regression results showed that avocado cultivation had a positive relationship with food consumption, but this was not significant, suggesting that even though farmers had grown avocado trees, their actual consumption of avocados was inadequate. This implies that more efforts are required to increase household fruit intake and promote nutritive dietary habits because avocados have a positive influence on smallholder farmers' food security and health (Hakizimana and May, 2018).

A significant positive correlation was observed between the avocado cultivation and pulse consumption. A 1% increase in avocado production led to a 0.16% increase in the likelihood of pulse consumption. Conversely, avocado production was significantly and negatively associated with injera consumption. A 1% increase in avocado production may result in a 0.24% decrease in the probability of consuming injera, and households involved in avocado cultivation are more likely to consume pulses and less inclined to consume injera, which suggests that avocado cultivation can stimulate healthier and

nutritious diets. This is attributed to households that cultivate avocado cultivars having the opportunity to consume more avocado fruits, which reduces their reliance on injera. Injera is a traditional Ethiopian staple food, which is produced from teff grain, that requires lengthy fermentation and cooking processes. In contrast, freshly harvested pulses can be rapidly prepared by boiling or roasting, facilitating more immediate consumption in the study area. In addition, teff has a higher price than pulses, farmers view it as a valuable crop. As a result, more than half of the teff harvest in the study area is sold commercially rather than retained for household consumption. Teff is consumed in higher amounts by urban wealthy households compared to rural poor households, as it is often priced at double the cost of the cheapest cereal, maize (Tadele & Hibistu, 2021). This shift in food consumption patterns promotes dietary diversity and improved nutritional outcomes in rural communities. Pulses are recognized for their protein content and essential minerals, aligning with healthy food consumption and enhancing food security (Lal, 2017). Incorporating pulses into people's diets can improve their dietary quality and provide essential nutrition (Marinangeli et al., 2017). These findings indicate that promoting avocado cultivation could potentially lead to a shift towards nutritious food intake. Further investigation on the impacts of specific avocado cultivars on the food and dietary diversity of rural households could be a valuable research area.

In general, the results of this study demonstrated that the expansion of homegardens to improve avocado cultivation is highly beneficial. This can increase income, stimulate diverse food options for smallholder farmers, support food and nutrition security efforts, and contribute to the national economic development of smallholder fruit growers.

5. Conclusions

This study focused on the contribution of improved avocado cultivation to household income and food security. The study found that Nabal, Hass, and Ettinger were the most commonly cultivated cultivars, with Nabal and Hass producing the highest and lowest fruit yield, respectively. It was also evident that avocado cultivation played a crucial role in both the income generation and food consumption of the households involved in the study. Household income was highly diversified, as indicated by the average SID value of 0.63. This study also revealed that, on average, the three cultivars made up 14% and 10% of household income sources and food consumption scores, respectively. Most of the respondents achieved an adequate food consumption score, but approximately 30% of the farmers still experienced food insecurity.

Overall, cultivating these three avocado cultivars has the potential to enhance the economic situation of rural farmers and support food security and dietary diversity. However, avocado producers are more interested in using avocado cultivation as an income-generating option, rather than for home consumption. Policymakers and development partners should support the integration of these cultivars into rural farming systems to, expand income sources for farmers. Moreover, to ensure food security in rural households, raising farmers' awareness of the nutritional benefits of consuming avocados through agricultural extension services is recommended.

Acknowledgments

We are grateful to the CIFOR ICRAF Africa RISING project, which provided the avocado cultivars used in this study. We are grateful to Mr. Demeke Beyene, Mr. Birhanu Michu, Mr. Dargicho Dutmo, and Mr. Tafesse Hindino for their invaluable assistance with the data collection. Our appreciation also goes to the farmers at the study site who shared their indigenous knowledge and personal experiences, which were crucial for the success of this research.

Ethical approval

This study was approved by the Ethics Committee of Sokoine University of Agriculture, (reference number SUA/FSC/D/2020/0018/14), on 04 March 2022.

Authors' contributions

Hadia Seid: conceptualized the study, designed the methodology, curated and analyzed the data, drafted the original manuscript, and reviewed and edited the manuscript. John Kessy provided supervision the study, contributed to the study design, and reviewed and edited the manuscript. A. Sigrun Dahlin offered supervision, contributed to the study design, and reviewed and edited the manuscript. Zebene Asfaw provided supervision, participated in the design process, and reviewed and edited the manuscript.

Study participation informed consent

We obtained verbal consent from the study participants prior to conducting the household survey and the focus group discussions. At the time of data collection, we introduced the study's purpose and asked participants whether they wished to participate, using the following question: 'Do you wish to participate in this study?' Those who indicated 'Yes' were included, and the information they provided was treated with utmost confidentiality, while those who selected 'No' were excluded, and we proceeded to the next participant.

Disclosure statement

No potential conflict of interest was reported by the author(s).

Funding

This research was financially supported by the Swedish International Development Agency (Sida) (Grant number 13394).

About the authors

Hadia Seid a PhD graduate in Forest Sciences from Regional Research School in Forest Sciences (REFOREST) at Sokoine University of Agriculture, Tanzania in 2024. She holds an M.Sc. in Tropical Land Resources Management from Mekelle University, and BSc. in Forestry at Wondo Genet College of Forestry and Natural Resources, Hawassa University, Ethiopia. Her primary research interests include sustainable tree-crop intensification in the agroforestry system, soil fertility, natural resource management, fruit tree cultivation, and food security.

Prof. John Kessy is currently working at the College of Forestry, Wildlife, and Tourism, Sokoine University of Agriculture in Morogoro, Tanzania. He has a PhD in Forestry from Wageningen Agricultural University in the Netherlands, an MSc in Management of Natural Resources from the Agricultural University of Norway, and a BSc in Forestry from Sokoine University of Agriculture. His areas of specialization and research interests include resource economics, community-based management of natural resources, strategic planning, governance, monitoring, and evaluation. For the past twenty years he has worked and published extensively in these areas.

Assoc. Prof. Sigrun Dahlin is a senior lecturer in the Department of Crop Production Ecology of the Swedish University of Agricultural Sciences (SLU). She has an MSc degree in horticulture and a PhD degree and associate professorship in soil science, all from SLU. Her long-term focus is on soil fertility and health and on nutrient cycling and provision to crops in different farming systems. She has also engaged in interdisciplinary and transdisciplinary research focusing on smallholder farms in low-income countries over the last 15 years, including agroforestry systems.

Zebene Asfaw is an associate professor at Wondo Genet College of Forestry and Natural resources, Hawassa University. He has a PhD degree in agroforestry and silviculture from Swedish University of Agricultural Sciences (SLU), MSc in Forestry from Bangor University, and BSc in plant science from Addis Ababa University in Ethiopia. His research interest is agroforestry, silviculture, forestry and natural resources management.

Data availability statement

Data supporting the findings of this study are available upon reasonable request from the corresponding author.

References

Abdela, K., & Brahmabhatt, D. (2023). Review on current status of avocado production in Ethiopia. *EPRA International Journal*, 9(8), 446–451. <https://doi.org/10.36713/epra2013>

- Adane, F., Legesse, A., Weldeamanuel, T., & Belay, T. (2019). The contribution of a fruit tree-based agroforestry system for household income to smallholder farmers in Dale District, Sidama zone, Southern Ethiopia. *Advances in Plants & Agriculture Research*, 9(1), 78–84. <https://doi.org/10.15406/apar.2019.09.00415>
- Admasu, T. T., Damtie, Y. A., & Taye, M. A. (2022). Determinants of livelihood diversification among households in the Sub-Saharan Town of Merawi, Ethiopia. *Advances in Agriculture*, 2022, 1–9. <https://doi.org/10.1155/2022/6600178>
- Agyeman, B. A. S., Asuming-Brempong, S., & Onumah, E. E. (2014). Determinants of income diversification of farm households in the Western Region of Ghana. *Quarterly Journal of International Agriculture*, 53(1), 55–72.
- Alemu, F. M. (2023). Measuring the intensity of rural livelihood diversification strategies, and Its impacts on rural households' welfare: Evidence from South Gondar zone, Amhara Regional State, Ethiopia. *MethodsX*, 10, 102191. <https://doi.org/10.1016/j.mex.2023.102191>
- Alobo Loison, S. (2015). Rural livelihood diversification in Sub-Saharan Africa: A literature review. *The Journal of Development Studies*, 51(9), 1125–1138. <https://doi.org/10.1080/00220388.2015.1046445>
- Amare, M., Mariara, J., Oostendorp, R., & Pradhan, M. (2019). The impact of smallholder farmers' participation in avocado export markets on the labor market, farm yields, sales prices, and incomes in Kenya. *Land Use Policy*, 88(6), 104168. <https://doi.org/10.1016/j.landusepol.2019.104168>
- Amenu, B. T. (2017). Home-garden agro-forestry practices and its contribution to rural livelihood in Dawro Zone Essera District. *Journal of Environment and Earth Science*, 7(5), 88–96. <https://doi.org/10.1155/2022/6600178>
- Asfaw, S., Scognamiglio, A., Caprera, G. D., Sitko, N., & Ignaciuk, A. (2019). Heterogeneous impact of livelihood diversification on household welfare: Cross-country evidence from Sub-Saharan Africa. *World Development*, 117, 278–295. <https://doi.org/10.1016/j.worlddev.2019.01.017>
- Banjaw, D. T., Megersa, H. G., Lema, D. T., & Abewoy, D. (2023). Establishment of improved avocado farming villages at Wondo and Wondo Genet Districts, Southern Ethiopia. *Advances in Crop Science and Technology*, 11(10), 10–12. <https://doi.org/10.4172/2329-8863.1000632>
- Berhanu, D., & Guye, J. (2022). Gender role in home-garden agroforestry management in Chuko district, Southern Ethiopia. *Advances in Agriculture, Food Science, and Forestry*, 10(1), 1–10.
- Biazin, B., Hailelassie, A., Zewdie, T., Mekasha, Y., Gebremedhin, B., Fekadu, A., & Shewage, T. (2018). Smallholders' avocado production systems and tree productivity in the southern highlands of Ethiopia. *Agroforestry Systems*, 92(1), 127–137. <https://doi.org/10.1007/s10457-016-0020-2>
- Bojnec, Š., & Knific, K. (2021). Farm household income diversification as a survival strategy. *Sustainability*, 13(11), 6341. <https://doi.org/10.3390/su13116341>
- CSA. (2022). The Federal Democratic Republic of Ethiopia Central Statistical Agency Report on Area and Production of Major Crops. *Statistical Bulletin*, 584, 121.
- Degefa E. (2019). [Determinants of adopting and improved bread wheat varieties: the case of Lemo woreda Hadiya zone, SNNPR Ethiopia]. [MSc]. Thesis, Haramaya University, Ethiopia.
- Desta, H., & Lemage, B. (2019). Management of traditional agroforestry homegarden and its contribution to household livelihood diversification in Tembaro District. *Southern Ethiopia. Journal of Agriculture and Environmental Science*, 4(2), 57–68. <http://ejol.aau.edu.et/index.php/JAES/article/view/1432>
- Dev, T., Sultana, N., & Hossain, M. E. (2016). Analysis of the impact of income diversification strategies on food security status of rural households in Bangladesh: A case study of Rajshahi district. *American Journal of Theoretical and Applied Business*, 2(4), 46–56. <https://doi.org/10.11648/j.ajtab.20160204.13>
- Eyuel, T. (2020). *Factors Influencing Marketable Supply of Avocado Fruit: A Case of Lemo Woreda in Hadiya Zone of SNNPR, Ethiopia*. Msc.Thesis, Wochamo University.
- FAO. (2020). The Change Drivers of Population Growth In Ethiopia, FAO, Rome. Forestry Outlook Study for East Africa. <https://www.fao.org/4/y8693e/y8693e00.pdf>
- Faris, A. (2016). Review on avocado value chain in Ethiopia. *Industrial Engineering Letters*, 6(3)33–40.
- Ferreira, R., Sellés, G., Saavedra, J., Ortiz, J., Zúñiga, C., Troncoso, C., Rivera, S. A., González-Agüero, M., & Defilippi, B. G. (2016). Identification of pre-harvest factors that affect fatty acid profiles of avocado fruit (*Persea americana* Mill) cv. 'Hass' at harvest. *South African Journal of Botany*, 104, 15–20. <https://doi.org/10.1016/j.sajb.2015.10.006>
- Galhena, D. H., Freed, R., & Maredia, K. M. (2013). Homegardens: A promising approach to enhance household food security and wellbeing. *Agriculture & Food Security*, 2(1), 1–13. <https://doi.org/10.1186/2048-7010-2-8>
- Garedew, W., & Tsegaye, B. (2011). Trends of avocado (*Persea americana* Mill) production and its constraints in Mana Woreda, Jimma Zone: A potential crop for coffee diversification. *Trends in Horticultural Research*, 1(1), 20–26. <https://doi.org/10.3923/thr.2011.20.26>
- Garner, L. C., Ashworth, V. E., Clegg, M. T., & Lovatt, C. J. (2008). The impact of outcrossing on yields of 'Hass' avocado. *Journal of the American Society for Horticultural Science*, 133(5), 648–652. <https://doi.org/10.21273/JASHS.133.5.648>
- Gaspard, N., Claude, T. J., Protais, M., Felicien, N., Noel, M. J. C., Claude, I. J., Fidèle, H., & Ogwenso, J. O. (2021). An economic analysis of the factors influencing avocado production, profitability and sustainability in Rwanda: A case study of Burera, Gicumbi, and Musanze Districts. *International Journal of Finance and Banking Research*, 7(6), 164–173. <https://doi.org/10.11648/j.ijfbr.20210706.14>

- Gebru, M., Baye, K., Demissie, M., Bogala, S., & Ekesa, B. (2022). Incorporating avocado production in agri-food systems: Benefits, opportunities, and challenges: Lemo Woreda's experience in Hadiya Zone. *Southern Ethiopia. Alliance Biodiversity and CIAT*, 5(11), 7–12.
- Gecho, Y. (2017). Rural farm households' income diversification: The Case of Wolaita Zone, Southern Ethiopia. *Social Sciences*, 6(2), 45. <https://doi.org/10.11648/j.ss.20170602.12>
- Hakizimana, C., & May, J. (2018). Can smallholder avocado production reduce poverty and improve food security through internal markets? The case of Giheta, Burundi. *Forests Trees and Livelihoods*, 27(4), 203–216. <https://doi.org/10.1080/14728028.2018.1515041>
- Issahaku, G., Kornher, L., Saiful Islam, A. H. M., & Abdul-Rahaman, A. (2023). Heterogeneous impacts of home-gardening on household food and nutrition security in Rwanda. *Food Security*, 15(3), 731–750. <https://doi.org/10.1007/s12571-023-01344-w>
- Jalata, Z. (2021). Current status, potentials, and opportunities of avocado production as an alternative crop: the case of Ethiopia: A review. *Agricultural Reviews*, 42(Of), 336–341. <https://doi.org/10.18805/ag.R-179>
- Jemal, O. M., & Callo-Concha, D. (2017). Potential of agroforestry for food and nutrition security of small-scale farming households. ZEF Working Paper Series, No. 161.
- Juma, I., Fors, H., Hovmalm, H. P., Nyomora, A., Fatih, M., Geleta, M., Carlsson, A. S., & Ortiz, R. O. (2019). Avocado production and local trade in the southern highlands of Tanzania: A case of an emerging trade commodity from horticulture. *Agronomy*, 9(11), 749. <https://doi.org/10.3390/agronomy9110749>
- Lal, R. (2017). Improving soil health and human protein nutrition by pulses-based cropping systems. *Advances in Agronomy*, 145, 167–204. <https://doi.org/10.1016/bs.agron.2017.05.003>
- Mango, N., Makate, C., Mapemba, L., & Sopo, M. (2018). The role of crop diversification in improving household food security in central Malawi. *Agriculture & Food Security*, 7(1), 1–10. <https://doi.org/10.1186/s40066-018-0160-x>
- Marinangeli, C. P., Curran, J., Barr, S. I., Slavin, J., Puri, S., Swaminathan, S., Tapsell, L., & Patterson, C. A. (2017). Enhancing nutrition with pulses: Defining a recommended serving size for adults. *Nutrition Reviews*, 75(12), 990–1006. <https://doi.org/10.1093/nutrit/nux058>
- Mathewos, M., Hundera, K., & Biber-Freudenberger, L. (2018). Planting fruits and vegetables in homegarden as a way to improve livelihoods and conserve plant biodiversity. *Agriculture*, 8(12), 190. <https://doi.org/10.3390/agriculture8120190>
- Matsuura-Kannari, M., Luh, Y. H., & Islam, A. H. (2023). Weather shocks, livelihood diversification, and household food security: Empirical evidence from rural Bangladesh. *Agricultural Economics*, 54(4), 455–470. <https://doi.org/10.1111/agec.12776>
- Megerssa, B., & Alemu, D (2013). The Role of avocado production in coffee based farming systems of South Western Ethiopia: The case of Jimma Zone. *Journal of Agricultural Science and Applications*, 02(02), 86–95. <https://doi.org/10.14511/jasa.2013.020206>
- Modika, M. P., & Oluwatayo, I. B. (2022). Intra-household food security among smallholder macadamia nuts and avocado farmers in Makhado and Thulamela municipalities, Limpopo Province, South Africa. *Food Research*, 6(4), 420–427. [https://doi.org/10.26656/fr.2017.6\(4\).337](https://doi.org/10.26656/fr.2017.6(4).337)
- Mokria, M., Gebrekirstos, A., Said, H., Hadgu, K., Hagazi, N., Dubale, W., & Bräuning, A. (2022). Fruit weight and yield estimation models for five avocado cultivars in Ethiopia. *Environmental Research Communications*, 4(7), 075013. <https://doi.org/10.1088/2515-7620/ac81a4>
- Mulyatno, S B, & Titik, E. (2021). The influence of socio-economic factors on sustainability avocado farming (Persea americana). *IOP Conference Series: Earth and Environmental Science*, 803(1), 012067. <https://doi.org/10.1088/1755-1315/803/1/012067>
- Mwambi, M. M., Oduol, J., Mshenga, P., & Saidi, M. (2016). Does contract farming improve smallholder income? The case of avocado farmers in Kenya. *Journal of Agribusiness in Developing and Emerging Economies*, 6(1), 2–20. <https://doi.org/10.1108/JADEE-05-2013-0019>
- Nair, P. K. R., Kumar, B. M., & Nair, V. D. (2021). *An introduction to agroforestry: four decades of scientific developments*. (pp. 1-649). Springer Nature, Cham, Switzerland. https://doi.org/10.1007/978-3-030-75358-0_2
- Ngcaba, P., & Maroyi, A. (2021). Homegardens in the Eastern Cape province, South Africa: A promising approach to enhance household food security and well-being. *Biodiversitas Journal of Biological Diversity*, 22(9), 4045–4053. <https://doi.org/10.13057/biodiv/d220953>
- Oladele, O. N., Emeghara, U. U., Ayodele, J. T., Ishola, B. F., Awobona, T. A., & Olukotun, O. (2020). Contribution of homegardening to household food security: A case study of Homegardeners in Igabi Local Government Area of Kaduna State, Nigeria. *Asian Journal of Agricultural and Horticultural Research*, 6(2), 13–23. <https://doi.org/10.9734/ajahr/2020/v6i330073>
- Rahaman, M. M., Haider, M. Z., & Chakraborty, M. (2015). Contribution of homegarden to the household economy in rural Areas of Bangladesh. *Asia-Pacific Journal of Rural Development*, 25(1), 49–60. <https://doi.org/10.1177/1018529120150105>
- Ramírez-Gil, J. G., López, J. H., & Henao-Rojas, J. C. (2019). Causes of Hass avocado fruit rejection in preharvest, harvest, and packinghouse: Economic losses and associated variables. *Agronomy*, 10(1), 8. <https://doi.org/10.3390/agronomy10010008>

- Romeo, A., Meerman, J., Demeke, M., Scognamillo, A., & Asfaw, S. (2016). Linking farm diversification to household diet diversification: Evidence from a sample of Kenyan ultra-poor farmers. *Food Security*, 8(6), 1069–1085. <https://doi.org/10.1007/s12571-016-0617-3>
- Seid, H., Kessy, J., Dahlin, A. S., & Asfaw, Z. (2024). Exploring farmers' perceptions on improved avocado on-farm integration and factors influencing tree-crop interactions in Central Ethiopia. *Forests Trees and Livelihoods*, 33(4), 334–350. <https://doi.org/10.1080/14728028.2024.2374255>
- Sharma, R., Mina, U., & Kumar, B. M. (2022). Homegarden agroforestry systems in achievement of sustainable development goals. A review. *Agronomy for Sustainable Development*, 42(3), 44. <https://doi.org/10.1007/s13593-022-00781-9>
- Sina, B., Demissie, H., & Rezene, Y. (2023). Evaluation of smallholder farmers' use of indigenous knowledge in Ethiopian avocado (*Persea americana* Mill.) production and fruit preference criteria. *CABI Agriculture and Bioscience*, 4(1), 1–17. <https://doi.org/10.1186/s43170-023-00198-8>
- Sora, S. A. (2023). Evaluation of Avocado (*Persea americana*) for growth and yield at Teppi, Southwestern Ethiopia. *International Journal of Fruit Science*, 23(1), 46–50. <https://doi.org/10.1080/15538362.2023.2178595>
- Tadele, E., & Hibistu, T. (2021). Empirical review on the use dynamics and economics of teff in Ethiopia. *Agriculture & Food Security*, 10(1), 1–13. <https://doi.org/10.1186/s40066-021-00329-2>
- Teshome, B., Kassa, H., Mohammed, Z., & Padoch, C. (2015). Contribution of dry forest products to household income and determinants of forest income levels in the northwestern and southern lowlands of Ethiopia. *Natural Resources*, 06(05), 331–338. <https://doi.org/10.4236/nr.2015.65030>
- Tola, F. K. (2023). Ensuring Smallholder farmers' food security through homegarden agroforestry system in Ethiopia. *Journal of Natural Sciences Research*, 14(7), 23–31. <https://doi.org/10.7176/JNSR/14-7-03>
- Uosukainen, D. V. (2018). [Fruit for Food: The food and nutrition security impacts of inclusive export-oriented avocado farming in the Upper Mara river basin, Kenya]. [Master's thesis]. Utrecht University. <https://studenttheses.uu.nl/handle/20.500.12932/30856>
- W/kidan, A., & Tafesse, A. (2023). Determinants of smallholder farmers' income diversification in Sodo Zuria district, southern Ethiopia. *Advances in Agriculture*, 2023, 1–9. <https://doi.org/10.1155/2023/6038569>
- WFP. (2008). *Food consumption analysis: Calculation and use of the food consumption score in food security analysis, Technical Guidance Sheet*.
- Wolka, K., Biazin, B., Martinsen, V., & Mulder, J. (2021). Soil organic carbon and associated soil properties in Enset (*Ensete ventricosum* Welw. Cheesman)-based homegardens in Ethiopia. *Soil and Tillage Research*, 205, 104791. <https://doi.org/10.1016/j.still.2020.104791>