

Solano-Barliza, Andrés et al.

Article

Recommender systems applied to the tourism industry: a literature review

Cogent Business & Management

Provided in Cooperation with:

Taylor & Francis Group

Suggested Citation: Solano-Barliza, Andrés et al. (2024) : Recommender systems applied to the tourism industry: a literature review, Cogent Business & Management, ISSN 2331-1975, Taylor & Francis, Abingdon, Vol. 11, Iss. 1, pp. 1-23,
<https://doi.org/10.1080/23311975.2024.2367088>

This Version is available at:

<https://hdl.handle.net/10419/326349>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



<https://creativecommons.org/licenses/by/4.0/>

Recommender systems applied to the tourism industry: a literature review

Andrés Solano-Barliza, Isabel Arregocés-Julio, Marlin Aarón-Gonzalez, Ronald Zamora-Musa, Emiro De-La-Hoz-Franco, José Escorcia-Gutierrez & Melisa Acosta-Coll

To cite this article: Andrés Solano-Barliza, Isabel Arregocés-Julio, Marlin Aarón-Gonzalez, Ronald Zamora-Musa, Emiro De-La-Hoz-Franco, José Escorcia-Gutierrez & Melisa Acosta-Coll (2024) Recommender systems applied to the tourism industry: a literature review, Cogent Business & Management, 11:1, 2367088, DOI: [10.1080/23311975.2024.2367088](https://doi.org/10.1080/23311975.2024.2367088)

To link to this article: <https://doi.org/10.1080/23311975.2024.2367088>



© 2024 The Author(s). Published by Informa UK Limited, trading as Taylor & Francis Group



Published online: 25 Jun 2024.



Submit your article to this journal [↗](#)



Article views: 4751



View related articles [↗](#)



View Crossmark data [↗](#)



Citing articles: 8 View citing articles [↗](#)

Recommender systems applied to the tourism industry: a literature review

Andrés Solano-Barliza^{a,b,c} , Isabel Arregocés-Julio^{a,d} , Marlin Aarón-Gonzalez^c ,
Ronald Zamora-Musa^e , Emiro De-La-Hoz-Franco^a , José Escorcia-Gutierrez^a  and
Melisa Acosta-Coll^a 

^aDepartment of Computer Science and Electronics, Universidad de la Costa, Barranquilla, Colombia; ^bDepartament d'Enginyeria Informàtica i Matemàtiques, Escola Tècnica Superior d'Enginyeria, Universitat Rovira i Virgili, Tarragona, Spain; ^cFaculty of Engineering, Universidad de La Guajira, Riohacha, Colombia; ^dFaculty of Economics and Administrative Sciences, Universidad de La Guajira, Riohacha, Colombia; ^eDepartment of Industrial Engineering, Universidad Cooperativa de Colombia UCC, Barrancabermeja, Colombia

ABSTRACT

Recommender systems -RS- have experienced exponential growth in various fields, especially in the tourism sector, improving tourism activities' accuracy, personalization, and experience, thus strengthening indicators such as promotion. However, some challenges and opportunities exist to overcome, such as the lack of data on emerging destinations wishing to adopt these solutions. This manuscript presents a literature review of the current trends in RS applied to the tourism industry, including categories associated with their use and emerging techniques. Likewise, it presents a pathway for implementing an RS when insufficient data are available for a destination. The SLR followed the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines and used the WoS, Science Direct, and Scopus databases. The results show that the hybrid RS integrates deep learning algorithms, data analytics, and optimisation techniques with collaborative tourism features to provide innovative solutions in terms of performance, accuracy, and personalisation of recommendations, thus achieving the management of tourist destinations or tourism-oriented services. Emerging destinations that lack RS data in tourism should use various data sources generated by tourists on social media, tourism portals, and through their interaction with tour operators. New tourism recommender system solutions can emerge following trends integrating new technologies based on user experience, collaboration, and the integration of multiple data sources.

ARTICLE HISTORY

Received 19 October 2023
Revised 4 June 2024
Accepted 7 June 2024

KEYWORDS

Recommender system; tourism industry; tourism management; learning systems; modelling; emerging tourism destination

REVIEWING EDITOR

Kaouter Kooli,
Bournemouth University,
United Kingdom of Great
Britain and Northern
Ireland

SUBJECTS

artificial intelligence;
machine Learning -
Design; tourism;

1. Introduction

The tourism industry generates essential contributions to the world economy and is a valuable resource for developing nations that need to address the industry's requirements by enhancing product diversification and competitiveness in the services they provide (Gof et al., 2019; Kontogianni & Alepis, 2020; Solano-Barliza et al., 2023). Tourism, as an economic sector, is vital because it is an essential source of income for many countries and communities, as tourists spend money on accommodation, transport, food, activities, and shopping. It can also help boost the local economy and create jobs in the tourism industry and related sectors, such as hospitality, transport, and commerce. It can also help preserve and promote the culture and heritage of a region as tourists can visit historical sites, museums, and local festivals (Ovallos & Zamora-musa, 2020).

The tourism industry is an integral organisation that produces the products of a tourist destination, made up of companies that develop activities such as transport, cuisine, hotels, and those that create

CONTACT Andrés Solano-Barliza  andresolano@uniguajira.edu.co  Department of Computer Science and Electronics, Universidad de la Costa, Barranquilla 080002, Colombia.

© 2024 The Author(s). Published by Informa UK Limited, trading as Taylor & Francis Group

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. The terms on which this article has been published allow the posting of the Accepted Manuscript in a repository by the author(s) or with their consent.

infrastructure to promote cultural exchange (Florida-Benítez, 2022; Yu, 2022). This industry is currently developed and carried out within the different typologies of tourism presented by the author (P. Zhang et al., 2023), such as mass tourism, social tourism, elite tourism, study tourism, honeymoon tourism, voluntary tourism, backpacker tourism, package tourism, halal tourism, pilgrimage tourism, romantic tourism, family adventure tourism, friendship tourism.

According to Kontogianni and Alepis (2020), the term 'smart tourism' refers to the application of intelligent technologies and innovative solutions in the tourism industry to improve the tourist experience and the efficiency of tourism services (Lu et al., 2022). This includes the use of technologies such as artificial intelligence (Li et al., 2022), the Internet of Things (Makoondall-chadee, 2021), augmented reality (Psefti et al., 2021), blockchain, big data (Chen et al., 2021), and immersive environments (Zamora-musa, 2017), among others, to offer personalised services tailored to the needs of tourists, as well as to improve the management and promotion of tourism destinations (Bigi et al., 2022), such as the use of social media in destination marketing organisations (DMOs) (Florida-Benítez, 2022). Leveraging Information and Communication Technologies (ICT) is the foremost approach to enhancing the competitiveness of tourist destinations (Ghorbani et al., 2020; Nadeem et al., 2022).

Today, the tourism industry uses technology to improve the efficiency and quality of tourism services, enhance tourist experience, and increase customer satisfaction. For example, technology can help book accommodation (Xu & Gursoy, 2021), transport, and tourist activities more quickly and easily, save time and reduce stress for tourists, and help promote and market tourist destinations more effectively, which can increase the number of tourists visiting a region. Another example is that social media and digital marketing platforms can reach a wider audience and promote regional tourist attractions (Feng et al., 2022). Likewise, technology enhances tourism services' efficiency, quality, promotion, and safety, benefiting tourists and tourism businesses and destinations.

Although the tourism sector uses a wide range of technologies, there is currently a growing use of Recommender Systems-RS in this sector, contributing to the development, accessibility and innovation of destinations and improving competitiveness indicators such as strengthening the supply and management of destinations (Hanafiah & Zulkifly, 2019; Solano-Barliza et al., 2023). According to Isinkaye et al. (2015), RS are algorithms for data analysis and information gathering through user criteria to make predictions, represented as recommendations, promoting the tourist's interaction with the environment and with other users.

Tourism RSs were first implemented in the 1990s. One of the first tourism RS was the 'Ringo' system developed by the University of Minnesota in 1995, which recommended restaurants and bars in Minneapolis. Since then, RS have been developed for streaming, social networking, e-commerce, health-care, education, scientific information, and tourism (Almomani et al. 2023). In tourism, various areas, such as recommending hotels (Alrehili et al., 2018), tourist attractions (Herzog et al., 2018), tourist mobility (Senefonte et al., 2022), points of interest (Massimo & Ricci, 2021), and RS. With the advancement of technology and increasing availability of data, tourism RS is more sophisticated and accurate and is expected to continue to evolve in the future.

Therefore, researchers need to further explore the development of recommender systems that tackle the associated challenges to enhance their performance and aspects related to tourism competitiveness in a destination. However, designing such technology becomes more intricate when attempting to implement it in tourist destinations with limited data to train and prepare models. Despite the successful implementation of RS in tourism destinations, challenges and opportunities remain, such as the lack of data on emerging destinations wishing to adopt these solutions.

This manuscript presents a systematic literature review (SLR) of current trends in SR applied to the tourism industry, including categories associated with their use and emerging techniques, and contributes to improving the construction of recommender systems in emerging tourism destinations for the management of tourism destinations and tourism-oriented services. It also presents a pathway for implementing an RS when insufficient data are available for a destination. [Section 2](#) discusses the related work on implementing RS in the tourism industry. [Section 3](#) presents the methodology used in this study. [Section 4](#) presents the results and discussions. Finally, the section relates to the concluding aspects, summarises the identified gaps, and suggests approaches for future research.

2. Related works

As technology, RS is increasingly used in different areas of knowledge. Some use cases have been found in mathematics (Wu et al., 2021; Xu et al., 2022), Social Sciences (Laštovi et al., 2022; Rodpysh et al., 2022), Business, Management and Accounting (Kang et al., 2022), economic sciences (tourism) (Hassannia et al., 2019; Logesh et al., 2018; Shafqat & Byun, 2020; Suanpang et al., 2022), and Smart Tourism (Torabi et al., 2023; Ur et al., 2021; Yuan et al., 2014).

In the context of tourism, reviews such as that proposed by Borràs et al. (2014) presented a review of intelligent recommender systems in tourism, highlighting the use of ontologies, planning, and clustering as key elements in these systems. The methodology used includes the analysis of previous work and the evaluation of different approaches based on web or mobile interfaces for tourism recommendations. The data sources vary according to the specific system but range from location data and user preferences to contextual information such as weather. It was found that some systems go beyond providing a list of recommended tourist attractions, using automatic planners to organise these recommendations into a route that may span several days. The review highlights areas for improvement, including the adaptation of web applications for use during the tourist's stay, as many are not currently designed to be easily accessible.

Ko et al. (2022) presented the trends of using RS between 2013 and 2020 in different fields and identified the most used models and techniques. The methodology employed included the selection of more than 135 high-ranking articles and analysis of Google Scholar data from 2010 to identify trends in the research and application of recommender systems in various service fields. The main findings revealed that recommender systems have expanded and been used in various service fields, such as streaming services, social networks, tourism, e-commerce, healthcare, education, and academic information. In the field of tourism, interest in tourism service recommendation research increased slightly at first and then gained momentum in 2019, coinciding with an increase in the number of Airbnb users. This study found that the most commonly employed models were content-based filtering, collaborative filtering, and hybrid systems. These techniques include text mining, K-nearest neighbours (KNN), clustering, matrix factoring, and neural networks. This also indicates that 17.9% of RS applications have been in the tourism sector. However, this article does not present a more in-depth review of the specific techniques and algorithms used in each service field, especially in tourism, where the article indicates a significant increase in interest.

A study developed by Hamid et al. (2021) presents a systematic literature review of smart tourism RS applying data management in a time window from 2013 to 2020. The authors analysed some studies to highlight the benefits, challenges, and recommendations of smart e-tourism. The methodology used in this review included a Boolean search using several keywords related to intelligent recommendation approaches and e-tourism systems. Inclusion and exclusion criteria were defined to select relevant studies. Finally, 65 articles were selected and classified into two main categories: recommendation systems based on intelligent tourism, and tourism marketing. The main findings showed that the content model-based approach has a profound impact on intelligent e-tourism, while the collaborative filtering approach has the worst impact. Several techniques and algorithms have been identified in the field of tourism and recommender systems, including collaborative filtering, content models, context models, and hybrid models. These approaches were classified according to their application in smart tourism and tourism marketing, highlighting the importance of context awareness, recommender systems, social networks, the Internet of Things (IoT), real-time user experience, and user modelling. However, this review lacks an in-depth exploration of existing studies, as it is described as a superficial systematic review.

Kulkarni and Rodd (2020) review the Context-Aware RS applied in tourism. This study classified the techniques for these types of recommender systems into the categories of bio-inspired computing techniques and statistical computing techniques. The study also shows the ability of these systems to cope with cold start, data sparsity, and scalability. The methodology employed includes the analysis of different techniques and algorithms to improve the accuracy and efficiency of recommender systems, such as the inclusion of frame keywords and movie mood similarity in the matrix factorization (MF) model, and the use of parallel programming frameworks to address the scalability problem. The main findings indicate that incorporating contextual information, such as plot keywords and specific movie mood

similarities, improves the performance of recommender systems compared to popularity-based methods and other MF approaches. Furthermore, it highlights the importance of developing integrative models that use more than one technique together with the appropriate use of context and feedback mechanisms, without compromising privacy. However, this review did not address the inclusion of specific and in-depth aspects of recommender systems in the tourism context, such as the exploration of machine learning techniques, inclusion of contextual information features, and user- and item-specific information, which could further improve the accuracy of the system.

Although the aforementioned studies have reviewed recommender systems, they have not gone in depth and detailed these technologies in the tourism industry. Currently, these systems have a significant impact on industries that continue to grow owing to digitalisation. Therefore, it is crucial to develop methods of personalising services to improve the competitiveness of the sector. This review considers the technical aspects of recommender system technology and presents solutions that offer useful insights into the management of emerging tourism destinations or tourism-oriented services.

3. Materials and methods

This systematic review combines and synthesises multiple research studies to answer two research questions using the preferred reporting items for systematic reviews and meta-analyses (PRISMA) methodology (Chaudhari & Thakkar, 2019; Ferretti et al., 2021; Jacob et al., 2023).

The questions that guided the review were as follows: (RQ1) What are the current trends in techniques, models, or algorithms for recommender systems in the context of tourism? (RQ2) What are some alternative solutions for developing systems for tourist destinations with limited data availability?

3.1. Eligibility criteria

The literature review encompassed research on 'recommender systems', 'tourism', 'algorithms', 'machine learning', 'multi-objective', and Selection criteria for the literature included articles, books or book chapters written in English, published between 2010 and 2023. Records were excluded if they did not meet inclusion criteria.

3.2. Information sources and search strategy

During the identification phase of the PRISMA process, bibliographic searches were performed using the Web of Science (WoS), Science Direct, and Scopus databases. The keywords used for the review were selected from a previous study of articles that only had the keywords 'Recommender system' and 'tourism'. As a result of this first search, the keywords that were repeated the most in the articles consulted emerged, and from these, the words that guided the search were defined. For the database query process, the Boolean operators 'AND' and 'OR' were used.

3.3. Study selection and exclusion criteria

To ensure consistency and accuracy, we conducted individual reviews of the downloaded results and eliminated duplicates by cross-referencing the DOI identifiers and document titles. Initially, the search yielded 2745 records, searching abstracts, titles, and keywords from the databases. In the database search, only open-access articles were considered for the review. This process removed 213 duplicate records. We then created a comprehensive database containing various details, such as record type, language, authors, title, abstract, keywords, number of citations, and year of publication.

Subsequently, 117 non-English documents were excluded from the study. Relevance checks were then carried out on the remaining documents, with a focus on excluding publications that did not meet the criteria for peer-reviewed academic articles, books, or book chapters. This additional screening resulted in the removal of 22 retracted papers, 53 papers related to health, 60 papers related to education, and 1,924 records related to other topics. This left 336 retrieved records for the eligibility assessment.




Figure 1. PRISMA diagram of data ‘identification, screening, eligibility, and inclusion process’.

After thorough discussion and resolution of any disagreements among the research teams, it was unanimously agreed that 180 publications met the eligibility criteria. However, during the subsequent full-text reading, 10 papers were excluded despite their potential to provide contextual information for the review. A visual representation of the data identification, selection, eligibility, and inclusion processes is provided in [Figure 1](#), which shows the PRISMA diagram.

4. Results

This section presents the results and discussions of the systematic literature review process through a scientometric analysis of the reviewed documents, which can be divided into three categories to identify the current trends in techniques, models, and algorithms for recommender systems applied in tourism. The last section describes alternative solutions for developing recommender systems for tourist destinations with limited data availability.

4.1. Descriptive scientometric analysis

This scientometric section presents descriptive statistics, analysing the distribution of publications by year, journals, authors, type of scientific papers, and countries of publication on the research topic addressed in recommender systems. [Figure 2](#) shows the distribution of publications from 2010 to 2023, revealing a notable surge over the last eight years.

[Figure 2](#) shows that around 80% of the papers included in the SLR were published within the last eight years, while the remaining 20% were published before this period, indicating a growing interest among researchers in the utilisation and application of recommender systems in the tourism sector.

For this SLR, 100 journals had articles related to RS, and seven featured multiple articles about interest. The journals with the highest number of publications were *Advances in Intelligent Systems* and




Figure 2. Distribution of publications from 2010 to 2023.




Figure 3. Authors of publications topic research.

Computing (19), ACM International Conference Proceeding Series (14), Tourism Management (13), Expert Systems with Applications (10), Sustainability (Switzerland) (9), the International Journal of Advanced Computer Science and Applications (7), and the International Journal of Contemporary Hospitality Management (7).

The authors who contributed the most papers on the topic addressed in this systematic review are presented in [Figure 3](#).

The authors are Neidhardt, J. (19), Zanker, M. (18), Ricci, F. (16), Wörndl, W. (16), Martins C. (14), Almeida, A. (13), Sebastia, L. (10), Bedi, P. (9), Kuflik, T. (9), and Lombardi, M. (9). [Figure 4](#) presents the types of scientific documents consulted to conduct the review.

From [Figure 4](#), the results show that 89% are equivalent to scientific articles, most of which developed prototypes, designs, and implementations of recommender systems. Regarding the origin of country publications, [Figure 5](#) presents the country publication origin of the research.

[Figure 5](#) shows that China had the most significant number of publications in this area, corresponding to 24% of the articles consulted, followed by India and Italy, with 11% and 8%, respectively. The most significant percentage of the graph is represented by other countries, including the United States, Indonesia, United Kingdom, Malaysia, Spain, Brazil, Iran, Greece, Saudi Arabia, Ukraine, Canada, Iraq, Iran, Morocco, Russia, New Zealand, Germany, and Argentina. China has the highest number of publications in this area because it has significant technological development. The countries with the most publications correspond to Asia and Europe. In Latin America, research has only been conducted in Brazil and Argentina.




Figure 4. Publications according to the type of scientific documents.




Figure 5. Publications according to the countries of origin of the research.

Table 1. Categories emerging from a review of tourism recommendation systems.

Category	References
Recommender system and tourist management: Use of recommender systems in tourism businesses	(Bi et al., 2021; X. Li et al., 2021; Rodriguez-Sanchez & Martinez-Romo, 2017)
Recommender system and typology and Techniques: It refers to the technical and technological aspects of recommender systems applied in the tourism context.	(Alhijawi & Kilani, 2020; Farani et al., 2021; Ko et al., 2022; Kolahkaj et al., 2020; Maru'ao, 2021; Nan et al., 2022; Saeid Hosseini, et al., 2019; Shambour et al., 2022; Wayan et al., 2022; Wayan & Yuni, 2021)
Recommender system and learning systems: Refers to the algorithms used for learning recommender systems used in the tourism sector and emerging trends within recommender systems	(Avval & Harounabadi, n.d.; Forouzandeh et al., 2021; Halkiopoulos et al., 2021; Nilashi et al., 2021; Qiao et al., 2022; Ranga & Nagpal, 2023) (Baker et al., 2021; Baker & Yuan, 2021; Bellodi et al., 2022; Luo et al., 2021; Malthouse et al., 2019; Raffe et al., 2015; Sinha & Dhanalakshmi, 2020; Wenan et al., 2022; C. Zhang et al., 2023)

4.2. Categorization technical analysis

In a study using the R tool in the Biblioshiny environment, three main categories emerged within tourism recommender systems. For this analysis, data were exported from Bibliometrix databases in the BibTex format, which is compatible with imports into Biblioshiny for use with Bibliometrix tools. The most recent version of this R package includes Biblioshiny, a web interface application designed specifically to facilitate bibliometric analysis. This tool allows the data to be filtered directly within Biblioshiny. In our article, we took advantage of these capabilities to present the results obtained from such analyses. [Table 1](#) presents the categories that emerged, their significance within the review, and some references supporting these categories within the tourism recommender systems.

The first category, 'Recommender Systems and Tourism Management' refers to the Use of recommender systems in tourism businesses. The second category, 'Recommender system and typology and Techniques' refers to the technical and technological aspects of recommender systems applied in the tourism context and 'Recommender Systems and Learning Systems,' refers to the algorithms used for learning recommender systems used in the tourism sector and emerging trends within recommender systems. Each category that emerged from the analysis of recommender systems is explained below.

Table 2. Types of uses of recommender systems in tourism.

Uses of recommender systems in tourism	Purpose	References
Lodging	These RS can help travellers find the best accommodation that suits their needs and preferences, based on location, price, amenities and other users' opinions.	(Guizzardi et al., 2021; Ramli et al., 2019; Shambour et al., 2022; X. Zheng et al., 2018)
Restaurants	These RS can help tourists find the best restaurants based on their gastronomic preferences, the type of food they want to try, the location and the opinions of other users.	(Al-Nafjan et al., 2022; Amirat & Fournier-viger, 2018; Baizal et al., 2021; Hong & Jung, 2021)
Transportation	This type of recommender system helps tourists find the best transportation options to move from one place to another, such as trains, buses, and rental cars.	(Arif et al., 2022; Baizal et al., 2021; Fararni et al., 2021; Gamidullaeva et al., 2023; Hsu et al., 2012; Huiling & Jing, 2022; Missaoui et al., 2019; W. Zheng et al., 2017; X. Zheng et al., 2018)
Tourist activities	These RS help travellers find the best tourist activities for their interests and preferences, such as guided tours, excursions, and adventure sports.	(Al-Ghobari et al., 2021; Esmaeili et al., 2020; Fararni et al., 2021; Lin, 2021; Richa & Bedi, 2019; Urdaneta-Ponte et al., 2021) (Casillo, et al., 2021).

4.2.1. Recommender system and tourism management

Recommender systems applied to tourism management are one of the primary uses of this technology in this economic sector since generates an increment of user satisfaction and revenue for businesses. These systems have strengthened indicators related to food (Almomani et al., 2023; Hong & Jung, 2021), improving the overall tourist experience (Huda et al., 2022; Richa & Bedi, 2019).

According to Liu et al. (2023), recommender systems enable tourism companies to collect behavioural data and predict user preferences to conduct targeted planning and work organisations to improve economic benefits and promote the construction of smart destinations (Huda et al., 2021; Mishra et al., 2023).

From the analysed documents, in tourism management, the main activities using the recommender system are gastronomic, natural, and cultural. Table 2 presents a breakdown of the classified tourism activities, purposes, and specific activities for which recommender systems have been used.

In the realm of tourist activities, recommender systems employ various features including location, temperature, week, season, weather, time of day, traffic conditions, nearby resources, and the company of fellow travellers. Such features prove beneficial in the context of tourism (Al-Ghobari et al, 2023; Solano et al., 2021; Zhao et al., 2020). Consequently, the interaction between users, system, and context contributes to the configuration of preferences, resulting in the creation of a set of contextual data.

4.2.2. Recommender system and typology and techniques

The recommender system-RS algorithm optimises data analysis and information collection through user criteria to make predictions, represented as recommendations (Isinkaye et al., 2015), promoting the tourist's interaction with the environment and other users (Solano-Barliza, 2021). Collaborative filtering (CF) has been the most widely used model for recommender systems since the early stages of its development (Li et al., 2019).

To better understand the diverse types of recommender systems used in the tourism industry, Figure 6 summarises the classification of the recommender systems most used in different areas.

Based on a literature review, Table 3 displays the prevalent models of recommender systems employed within the tourism domain. These include collaborative filtering, location-based recommendations, content-based filtering, context-aware systems, and hybrid models, each accompanied by a brief description.

Collaborative filtering, location-based filtering, content-based filtering, context-awareness, and hybrid models are the most commonly used. The hybrid model is the most popular, with collaborative filtering being the most frequently used hybridised technique.

The review found that location-based recommender systems can be considered a subset of context-aware systems because location can be understood as an attribute or characteristic that is integral to the context in which users find themselves. Context-aware systems consider information that characterizes a situation related to the interaction between people and their environment. In this sense,




Figure 6. Classification of recommender systems (Source: Ko et al., 2022; Stitini et al., 2022; Yochum et al., 2020).

Table 3. Types of recommender systems applied to tourism.

Types of recommender systems	Description	References
Collaborative filtering	This typology recommends personalized items by effectively using the information stored in the system to identify similarities between different domains. This model works by comparing each user’s rating data on the same item to determine their similarities, generating a list of the N items that best match their tastes based on the ratings provided by a group of similar users. The main drawbacks or limitations of Collaborative Filtering (CF), which can affect its accuracy and effectiveness in providing relevant recommendations to users. Cold start problem: The system has difficulty making recommendations for new users or items with limited data. Data size management difficulty: The large amount of data required can be difficult to manage, affecting system performance.	(Alhijawi & Kilani, 2020; Alhijawi, & Kilani, 2020; Choi et al., 2021; Fararni et al., 2021; Hasan, 2019; Lin, 2021; Nan et al., 2022; Renjith et al., 2022; Shambour et al., 2022)
Content-based filtering	Content-based filtering is another model in recommender systems, where items are suggested based on their inherent information or content. However, this model has limitations as it cannot recommend items that are not directly related to existing content. It has mainly been used in services that recommend articles or textual data, leaving out items that are added later.	(Fararni et al., 2021; Isinkaye et al., 2015; Lavanya et al., 2021; Ojagh et al., 2020; Wayan et al., 2022)
Location-based	Location-based recommender systems use geographic location to improve recommendations for places or activities that a user may be interested in. There are two types of location-based systems: autonomous place recommender systems and sequential place recommender systems. Autonomous place recommender systems match the user’s preferences for restaurants, hotels, or cities, while sequential place recommender systems provide popular routes, time budgets, and costs.	(Amirat & Fournier-viger, 2018; Artemenko et al., 2019; Bahulikar et al., 2017; Baral et al., 2019; Gao et al., 2020; Huang et al., 2020; Ojagh et al., 2020; Shafqat & Byun, 2020; Suguna et al., 2020)
Context-aware	Context-aware recommender systems aim to provide more personalized and relevant recommendations by considering contextual variables in the user’s activity. These systems can be classified into collaborative filtering, content-based filtering, graphical, and hybrid models. The context information is categorized into individual, activity, time, space, and communication categories, and includes elements such as location, time of day, and network connectivity.	(Abbasi-moud et al., 2022; Abu-issa et al., 2017; Boppana & Sandhya, 2021; Huo & Jing, 2018; Kolahkaj et al., 2020; Naser, 2019; Richa & Bedi, 2019; M. del C. Rodríguez-Hernández et al., 2017; M. Rodríguez-Hernández & Ilarri, 2021; Syed et al., 2022)
Hybrid	Hybrid recommender systems combine two or more techniques to improve recommendation accuracy by complementing the limitations of each individual technique.	(Alhijawi & Kilani, 2020; Fararni et al., 2021; Forouzandeh et al., 2022; Ko et al., 2022; Kolahkaj et al., 2020; Maru’ao, 2021; Ravi et al., 2019; Sabet et al., 2022; Saeid Hosseini, et al, 2019; Wayan et al., 2022; Wayan & Yuni, 2021)

Table 4. Classification of recommender systems applied in tourism.

Type of recommender systems	Use of learning algorithms	References
Location-based RS	Clustering, K-means, K Nearest Neighbor (KNN), Support vector machine, Neural networks Neural network, recurrent neural networks, Deep Learning	(R. Ding & Chen, 2018; Duan et al., 2018; Suguna et al., 2020; Xing et al., 2018)
Context-aware RS	Clustering, Deep neural networks, Recurrent Neural Network	(Baral et al., 2019; M. Rodríguez-Hernández & Ilarri, 2021; L. Wu et al., 2022)
Collaborative filtering	Clustering, K-Nearest Neighbors	(Kolahkaj et al., 2020; Wayan & Yuni, 2021)
Hybrid RS	Clustering, associative rules, Deep neural network, Support vector machine, Forecasting	(Bhaskaran & Marappan, n.d.; Forouzandeh et al., 2022; Wang et al., 2020)

location is a key contextual attribute that influences the recommendations offered to users. Therefore, location-based systems can be considered a specific application of context-aware systems, where location acts as a critical component of the context used to improve the relevance and personalisation of recommendations for products and services in the tourism industry.

4.2.3. Recommender system and learning systems

This category highlights the strong correlation between recommender and learning systems, such as the use of machine learning algorithms to generate personalised recommendations (Acharya et al., 2023). These algorithms scrutinise user behaviour and preferences to identify patterns and similarities that can be employed to suggest items that would appeal to or interest users. In this regard, learning systems are critical in enhancing the precision and efficacy of RS.

By training on extensive datasets, machine learning algorithms can boost recommendation accuracy and adjust user preferences and behaviour shifts over time. Additionally, they can tackle the typical challenges of recommender systems, including data sparsity and cold-start problems. Furthermore, RS can utilise deep learning techniques to examine significant data volumes and provide more precise and personalised recommendations. Table 4 lists the learning system algorithms used by diverse types of recommender systems.

Recommender systems utilize a variety of techniques and algorithms for data processing. The algorithms implemented within machine learning are supervised and unsupervised. The prevalence of algorithms employed in every model is clustering (Orama et al., 2022; X. Zheng et al., 2016), sentiment analysis (Santamaria-granados & Mendoza-moreno, 2021; Srivastava et al., 2022), ontology (Baizal et al., 2021), semantics (Ferraro & Lo Re, 2014), KNN, Deep neural networks, and fuzzy (Baizal et al., 2021; Roy et al., 2016). The most popular machine-learning technique in this review is clustering. In contrast, KNN uses a proximity-based classification approach that evaluates datasets by measuring the similarity between individual data points using distance-weighted metrics. It primarily uses the Euclidean distance, cosine similarity, and Pearson correlation to measure similarity (Ko et al., 2022).

The review found that 70% of recommender systems applied to tourism were hybrid systems, with collaborative filtering being the most commonly used algorithm. The features and qualities of these systems play a crucial role in promoting innovation, progress, and accessibility of destinations. They have the potential to improve competitiveness metrics, including strengthening the supply chain and improving destination management (Esmaili et al., 2020; Solano-Barliza et al., 2023). In addition, the review highlighted the hybridisation of collaborative filtering with multi-criteria approaches used in the field of multi-criteria decision aid-MCDA, such as the study by Shambour et al. (2022), which uses a technological solution to provide more effective and personalised hotel recommendations.

In contrast, recommender systems use optimisation algorithms to improve the effectiveness and efficiency of their algorithms and recommendation techniques, resulting in more accurate and relevant recommendations. In the field of tourism, it has been applied in various areas such as tourist route planning, personalised itineraries, point of interest (POI) recommendations, and tours in urban environments, among others (Zaizi et al., 2023). Optimisation algorithms can improve recommendations by (1) balancing criteria such as accuracy, diversity, and novelty, resulting in more accurate and personalised recommendations; (2) facilitating the exploration of a large solution space, identifying optimal combinations of recommendations that maximise accuracy; (3) adjusting the parameters

of the recommendation model to improve the accuracy of predictions; and (4) addressing multi-objective recommendation problems, resulting in a significant improvement in the accuracy of recommendations.

By addressing scalability and accuracy issues, optimisation algorithms can help overcome the challenges and limitations faced by these systems. Therefore, optimisation algorithms are crucial for improving the quality of recommender systems and providing better user experience. Some examples of these optimisation techniques are addressed by Cai et al. (2020), who presented a hybrid recommendation model that combines multi-objective optimisation techniques (MaOEA) to improve recommendation accuracy, diversity, novelty, and coverage.

Similarly, the study developed by Xiaoyao Zheng et al. (2023), a tourist route RS is presented by a multi-objective evolutionary algorithm using a two-stage decomposition structure and Pareto layers to improve the diversity and distribution of the proposed solution. This method decomposes the multi-objective problem into several sub-problems and improves the solution distribution using a two-stage method. Evaluating it on real data from Beijing tourist sites and comparing it with other methods demonstrated the effectiveness and efficiency of the algorithm.

Ding and Chen (2018) propose a Tourism RS (TRS) using the Fireworks Algorithm (FWA) as a meta-heuristic method. At the same time, TTDP is a multi-constraint discrete optimisation problem whose main difference lies in the definition of distance. The experimental results demonstrated the effectiveness of the proposed FWA.

Forouzandeh et al. (2022) proposed a hybrid tourist destination RS using an artificial bee-colony algorithm and Fuzzy TOPSIS. It reviewed the literature on recommender systems and methods in the tourism sector and analysed the effectiveness of the ABC algorithm and TOPSIS model. The proposed system was evaluated through online surveys and compared with other algorithms, demonstrating high accuracy and highlighting the relevance of this solution for personalisation in the tourism sector. Multi-objective genetic algorithms used in tourism recommender systems include NSGA-II, MOEA/D, and MOGA. These algorithms optimise different objectives in tourism recommender systems, such as accuracy, recommendation diversity, and user satisfaction.

4.3. Main limitations of tourism recommender systems

The main difficulties encountered in recommender systems in the scope of the reviewed articles were cold start, accuracy, efficiency, data sparsity. An explanation of each constraint is presented below.

Cold start refers to the difficulty faced by these systems in making accurate recommendations when little or no information is available regarding a new user or item. This is the type of limitation faced by most recommender systems (Cui et al., 2018; Renjith et al., 2020).

Accuracy refers to the calibration and balancing of the diversity of recommendations. This is related to ensuring that the recommendations given by the system match the tastes and preferences of users (Aliannejadi & Crestani, 2017).

Efficiency is related to the scalability of the systems, as the volume of data and the number of users increases, the recalculation of large intermediate matrices can become computationally expensive, which affects the efficiency of the system (Jinpeng Chen et al., 2018; Zaizi et al., 2023).

Data sparsity in recommender systems refers to insufficient information regarding users and recommended items (Gamidullaeva et al., 2023). This phenomenon occurs when few users interact with articles, making it difficult for the system to identify patterns and provide accurate recommendations. In addition, data sparsity can occur when there are many items but few users, making it difficult to identify similar users and create reliable neighbourhoods. Overcoming data sparsity is a common challenge in recommender systems, often requiring the application of machine learning techniques and strategic approaches to improve the accuracy of recommendations and expand coverage (Cui et al., 2018; Jinpeng Chen et al., 2018; G. Li et al., 2020; Ravi et al., 2019; Saeid Hosseini, et al., 2019).

Although technical in nature, the problems associated with recommender systems can have a significant impact on the user experience of various products and services in tourism destinations. These issues require careful attention because the solutions provided by recommender systems are crucial for tourists. If not properly addressed or if recommender systems do not work optimally, they may generate

inaccurate or irrelevant recommendations. This scenario could result in an unsatisfactory experience for tourists, undermining trust in the tourism sector. It is important to proactively address the challenges associated with recommender systems to ensure that tourists receive accurate and relevant recommendations. This approach not only improves user experience but also increases the efficiency and profitability of tourism businesses.

4.4. Emerging tourist destinations with lack of data

The main challenge for emerging destinations lies in the collection of data for the operation of intelligent systems, such as recommender systems (Acharya et al., 2023). Consequently, the lack of data is an obstacle for these destinations when implementing smart systems, such as recommender systems. Data is one of the challenges in implementing recommender systems. collection (Muneer and Basheer, 2022). Despite their involvement in tourism activities, especially in developing countries, destinations often lack adequate data management practices, hindering the development of sufficient datasets. Table 5 presents the different proposed actions for data collection in recommender systems based on different data sources.

The data sources outlined in Table 5 indicate that the resulting data can be structured, semi-structured, or unstructured, which presents challenges in creating high-quality datasets and integrating these data types to generate inputs for recommender system implementation. Consequently, there is a responsibility to collect and store accurate and relevant data for use in recommender systems. These data must be continually updated and maintained to ensure the accuracy and value of recommendation algorithms. Efficient and reliable data collection and storage processes are critical for ensuring data quality, as only complete, accurate, and unbiased data can lead to useful recommendations (Kushwaha & Pant, 2021).

Although the amount of tourism data is increasing through social media and tourism portals, many emerging destinations still lack sufficient data to build effective recommender systems (Acharya et al., 2023; Kolahkaj et al., 2020). This limitation is more pronounced for lesser-known destinations or less-popular tourist attractions, where less data are likely to be available.

To address these limitations, innovative methods for collecting and analysing tourism data need to be developed. Strategies can be explored to collect data from a variety of sources and types, including actively engaging tourists through mobile applications and digital platforms to collect information on their experiences and preferences. Government agencies, destination marketing organisations, and service providers should collaborate in these data-collection efforts to generate data for tourism recommendation systems. Table 5 details practical and accessible actions, many of which may require manual data collection for recording in simple databases, such as Microsoft Excel. This initial process can be an essential starting point for integrating solutions to optimise the management and customisation of tourism products in emerging destinations. Currently, online portals such as TripAdvisor or Booking.com are valuable sources of data, collecting information on a wide range of destinations, including those that are considered smart and others that are in the process of being promoted. Using data from these portals can be key to developing smart solutions. However, data collection and extraction followed by classification and analysis are often required to identify the most relevant information for recommender system development.

5. Discussions

Recommender systems have become crucial in tourism management. According to Hamid et al. (2021), the main objectives of these tourism systems range from identifying the most attractive destinations to improving the accuracy and efficiency of recommendations. They also focus on integrating different transport options, considering multi-criteria and capturing changing user preferences (Jabreel et al., 2020). The review also found that various multi-criteria decision aid (MCDA) methods have been used in tourism to build recommender systems. This field of research is dedicated to the development of methods that consider different evaluation criteria to analyse a set of alternatives and thus rank recommendations according to their overall suitability, thus facilitating user decision-making (Arif et al., 2022; Hong & Jung, 2021; Maru'ao & Suharjito, 2021; Shambour et al., 2022). These systems play an essential role in

Table 5. Specific actions for building a collection of data for recommender systems.

Data sources	Type data	Specific actions	Tools for recollection
Data generated by tourists themselves, such as opinions and ratings of products and services consumed.	Structured data Semi-structured data Unstructured data	Surveys (questionnaires focused on finding out the interests and preferences of the destination visited by the tourist).	Survey monkey Google forms
Data generated by tourist feedback	Semi-structured data Unstructured data	Interviews (direct questioning of users to find out their interests regarding the destination)	Videos Audio
Data from social networks and social media.	Semi-structured data	User opinions (Selection of comments on social media to evaluate positive and negative aspects of the destination) Location of users (Identify the most visited points of interest in the destination) (Collection of distances from strategic points in the city to others, using google maps. This can be used to make recommendations by proximity to points of interest)	Twitter (X. Zheng et al., 2018) Facebook (Forouzandeh et al., 2022) Instagram (Egger & Yu, 2021; Silaa et al., 2022)
Data from destination tourism managers	Unstructured data	User feedback (Collection of ratings and comments from customers in hotels and restaurants) Costs (Collection of historical prices of products in the establishments)	Hotels data (Patel et al., 2023) Restaurants data (Fararni et al., 2021)
Data from tourism portals	Structured data Semi-structured data Unstructured data	Ratings (Collection of data related to ratings, analysis of reviews, and ratings of products and services offered by hotels) Market trends based on tourism behaviour (Recording and storage of purchases made by users in the establishment).	TripAdvisor (Rinaldi et al., 2022) Booking (Bennawy & el-Kafrawy, 2022) Trivago (Bennawy & el-Kafrawy, 2022; Srivastava et al., 2022) Blogs of travels
Data on collaboration with other organizations.	Structured data Semi-structured data	Historical data on tourism behaviour (Registration and storage of studies carried out by governmental organisations, universities and researchers on the interests and areas of improvement in the destination).	Technology companies, Universities Research organizations

improving tourism services, increasing destination awareness, and facilitating tourism tracking and segmentation. The adoption of technologies, such as recommender systems, represents a significant opportunity to personalise and enrich tourism products and services.

Destinations, therefore, need to focus on implementing strategies to attract new visitors and better understand tourists' needs and preferences. This will lead to more accurate and personalised recommendations, which, in turn, will improve customer satisfaction. Technological developments in the tourism sector are reinforced by the inclusion of contextual information, such as the tourist's current location and specific situation, which allows recommender systems to provide more relevant suggestions tailored to tourists' immediate needs. All these developments contribute significantly to strengthening the branding and promotion of tourism destinations and to the benefit of both destinations and tourism service providers.

However, in relation to recommender systems and their typology and techniques, the study found that there are limitations and areas for improvement. Several limitations were identified in the reviewed studies, including the scarcity of research evaluating the effectiveness of recommender systems in terms of user satisfaction and improved travel experiences. In addition, there is a need for research on how recommender systems can be integrated with other emerging technologies, such as augmented reality and artificial intelligence, to improve user experience. Other limitations include the need to explore how recommender systems can address specific challenges in the tourism industry, such as seasonality and variability in the quality of tourism services, and a lack of studies evaluating the effectiveness of these systems in different cultural and geographical contexts.

From the review, several common trends and patterns were identified, including: (1) the use of data mining and machine learning techniques to analyse large amounts of user data and generate personalised recommendations; (2) the integration of RS into mobile applications and online platforms to improve user experience and increase customer satisfaction. At this point, it is essential to note that new proposals for tourism RS must balance the personalisation and privacy of the data provided by tourists, particularly their interests, preferences, GPS data, and opinions (Srisawatsakul & Boontarig, 2020).

Another trend identified in this review is the growth of existing Group Travel Recommendation Systems (GTRS), which focus on individual user preferences and make group recommendations by aggregating profiles Kargar and Lin (2021). Ceh-Varela et al. (2022) reviewed studies on group recommender systems (GRecSys) and presented commonly used aggregation strategies and functions to combine the preferences of group members. The results show that GRecSys evaluation should use both data types and that singular value decomposition or neural collaborative filtering methods perform better than the others. W. Liu and Liu (2019) introduce Travel RS (TRS) and Group Travel RS (GTRS). Current GTRSs exploit users' individual preferences and make group recommendations by aggregating their profiles or recommendations. This study proposes a conceptual framework for a hybrid group travel recommendation system that considers the interactions between tourists and their influence on group travel preferences.

Hybrid model solutions with optimisation algorithms such as NSGA-II would allow the generation of recommendations based not only on geographical proximity, but also on other important characteristics such as quality of service, price, and accessibility. Allows a more comprehensive and personalised approach to the user, which can increase satisfaction and trust in recommendations. The application of multi-objective optimisation in recommender systems has shown promising results in improving the diversity, novelty, and coverage of recommendations (Gamidullaeva et al., 2023). New recommender system solutions can be significantly improved by integrating optimisation techniques and algorithms as they help find more efficient and accurate solutions, thus improving the quality of recommendations offered to users (Cai et al., 2020).

In addition, there are opportunities to develop metrics to assess the effectiveness of recommendations received by tourists, and to use these metrics to improve the quality of recommendations and measure their impact on businesses or activities. Analyzing tourist behavior in smart destinations can help define key predictors of tourist intentions, enabling governments and tourism managers to implement more comprehensive and specific tourism plans to promote better perceptions among potential tourists (Kontogianni et al., 2022; Liao et al., 2022; Xia, 2022).

The challenges facing the tourism industry and the use of recommender systems in the coming years need to address the gaps identified in the review, which include: (1) Lack of consideration of social influence: Some recommender systems do not consider social influence when recommending points of interest. (2) Adaptation to dynamic changes in external factors and formulation of personalised recommendations for tourists in changing situations. (3) Bias and lack of diversity: Some recommender systems may be affected by bias and lack of diversity in recommendations, limiting the exploration of new destinations and tourism experiences. (4) Limited choice of places to visit: recommender systems tend to recommend the most popular and well-known places, leaving out lesser-known, but potentially relevant and interesting places. (5) The lack of data for designing and developing sustainable tourism infrastructure is the main challenge for the tourism sector. Many emerging destinations require the adoption of technologies based on artificial intelligence; however, the culture and practice of data collection have not yet been established in this area, which significantly hinders progress in the implementation of these technological solutions.

6. Conclusions and future work

The review found that the recommender systems most commonly used in tourism are collaborative filtering, content-based, location-based, contextual, and hybrid. These recommender systems have impacted the tourism industry by improving competitive indicators, such as supply, promotion, security, and user satisfaction. These technological solutions have enabled destinations and tourism companies to collect and analyse data on tourist behaviour, anticipate their preferences, and plan and organise their work efficiently.

The development of recommender systems in tourism involves the application of advanced data analysis and machine learning techniques to increase accuracy and efficiency. Today, new recommender system solutions can be built following trends such as personalisation, integration of new technologies, focus on user experience, collaboration, and the integration of multiple data sources.

Recommender systems in tourism currently face several challenges, such as adaptation to dynamic and temporal context, and the quality, reliability, and sparsity of data on user preferences and behaviour, especially in lesser-known tourist destinations.

Lack of data is one of the main limitations of building recommendation systems, especially for less known destinations or less popular tourist attractions. The main actions to address these limitations are

the collection and processing of data from surveys, interviews, user opinions, user location, observations, tourist images, destination images, user opinions, rating data, costs, comments, tourism behaviour, market trends, and historical tourism behaviour data. These are the primary sources for the collection and implementation of recommendation systems.

Future work on the use of recommender systems should consider the user context, such as geographical location, travel history, and personal preferences, to generate relevant and accurate recommendations. Multiple data sources, such as social media, user reviews, and booking data, are used to improve the quality of recommendations. There is a need to continuously evaluate and improve recommender systems to ensure their effectiveness and relevance in a constantly evolving tourism environment. Use of recommender systems for accessible tourism for people with disabilities. Explore how recommender systems can contribute to indicators such as tourism safety and destination sustainability. In addition, we propose to develop tourism recommendation systems using multi-objective optimisation algorithm techniques and to further investigate different multi-criteria methods, which will allow the development of more personalised systems that are more responsive to users' interests and preferences.

Author contributions

Analysis and interpretation of the data: Andrés Solano-Barliza, Isabel Arregocés-Julio and Melisa Acosta-Coll. Drafting of the paper: Marlin Aarón-Gonzalvez, Ronald Zamora-Musa, Emiro De-La- Hoz-Franco, Isabel Arregocés-Julio and Andrés Solano-Barliza. Revising it critically for intellectual content: Andrés Solano-Barliza, José Escorcía-Gutierrez, and Melisa Acosta-Coll. Final approval of the version to be published: Emiro De-La- Hoz-Franco, José Escorcía-Gutierrez, Ronald Zamora-Musa and, Melisa Acosta-Coll. All authors have read and agreed to the published version of the manuscript.

Disclosure statement

No potential conflict of interest was reported by the author(s).

Funding

The authors thank the Colombian Ministry of Science, Technology, and Innovation (MinCiencias-Colombia) for awarding a grant in 2021 within the framework of the Bicentennial Doctoral Excellence Scholarship Program. In addition, we are grateful to Rovira i Virgili University for their support in financing the tuition fees for the co-direction of doctoral research.

About the authors

Andrés Solano-Barliza is a PhD student in Information and Communication Technologies-ICT, at the Universidad de la Costa (Colombia) and is also a PhD student in Computer Science and Mathematics of Security at the Universitat Rovira i Virgili (Spain). In 2014 he obtained his degree in Systems Engineering from the University of La Guajira (Colombia), in 2023 he received his degree as Specialist in Analytics and Big Data, by corporacion universitaria iberoamericana (Colombia) and in 2019 his master in Pedagogy of Information and Communication Technologies from the University of La Guajira (Colombia). His research interests include Recommender Systems, Analytics and Big Data, Machine Learning, Pedagogy and ICT use. He is currently a full time professor in the Faculty of Engineering at the University of La Guajira (Colombia).

Isabel Arregocés-Julio is a PhD student in Information and Communication Theologies-ICT at the Universidad de la Costa, CUC (Colombia). In 2008 she obtained the degree of Systems and Telecommunications Engineer from the Universidad Cooperativa de Colombia, in 2012 the degree of Specialist in Health Services Management from the Universidad de la Guajira (Colombia) and in 2019 the Master in Pedagogy of Information and Communication Technologies from the Universidad de la Guajira (Colombia). Her research interests include Recommender Systems, Machine Learning, Pedagogy, Tourism and ICT. She is currently a full professor at the Faculty of Economics and Administrative Sciences of the University of Guajira.

Marlin Aarón-Gonzalvez received a PhD in Projects from Universidad Unini de Mexico 2024. In 1990 she obtained a degree in Systems Engineering from Universidad del Norte (Colombia), and in 2014 a Master in Pedagogy of Information and Communication Technologies from Universidad de La Guajira (Colombia). Her research interests include systems modeling and simulation, system dynamics, pedagogy and the use of ICT. She is currently a full time professor in the Faculty of Engineering at the University of La Guajira (Colombia).

Ronald Zamora-Musa is a Research Professor of Engineering at the “Universidad Cooperativa de Colombia” in Barrancabermeja, Santander. His research covers innovation and new technology; he is interested in renewable energy, IT applications, and collaborative and immersive environments. He is a candidate for a Ph.D. in Engineering with MSc Engineering, and he is an Electronics and Telecommunications Engineer.

Emiro De-La-Hoz-Franco was born in Barranquilla, Atlántico, Colombia in 1972. He received a M.Sc. degree in Computer and Network Engineering in 2011 and a Ph.D. degree in Information and Communication Technology in 2016, both by the University of Granada – Spain. Currently he is a full time professor and member of GIECUC and the Software Engineering & Networks research groups at “Universidad de la Costa – CUC” (Barranquilla, Colombia). His research interests are in the field of Machine Learning and Recognition of Activities of Daily Life - ADL.

José Escorcía-Gutierrez received the Ph.D. degree in Computer Science and Mathematics of Security from the Universitat Rovira i Virgili in 2021 (Spain). In 2009 and 2011, he received the B.S. and M.Sc. degrees in Electronic Engineering from the Universidad del Norte (Colombia). His research interests include image processing, pattern recognition, computer vision, machine learning, and medical image analysis. Currently, He is a full-time professor in the Department of Computational Science and Electronics, Universidad de la Costa, CUC (Colombia).

Melisa Acosta-Coll is a researcher at the Universidad de la Costa in the Computer Science and Electronic Department (Barranquilla, Colombia). Her work focuses on early warning systems, wireless sensor networks, weather radar, remote sensing, and geoscience. She has contributed significantly to the field with numerous publications on flood warning systems and environmental monitoring technologies.

ORCID

Andrés Solano-Barliza  <http://orcid.org/0000-0003-4244-3750>
 Isabel Arregocés-Julio  <http://orcid.org/0000-0001-5791-5533>
 Marlin Aarón-Gonzalvez  <http://orcid.org/0000-0002-7882-972X>
 Ronald Zamora-Musa  <http://orcid.org/0000-0003-4949-4438>
 Emiro De-La-Hoz-Franco  <http://orcid.org/0000-0002-4926-7414>
 José Escorcía-Gutierrez  <http://orcid.org/0000-0003-0518-3187>
 Melisa Acosta-Coll  <http://orcid.org/0000-0002-5433-0414>

Data availability statement

Data are available on request from the authors.

References

- Abbasi-Moud, Z., Hosseinabadi, S., Kelarestaghi, M., & Eshghi, F. (2022). CAFOB: Context-aware fuzzy-ontology-based tourism recommendation system. *Expert Systems with Applications*, 199(August 2021), 1. <https://doi.org/10.1016/j.eswa.2022.116877>
- Abu-Issa, A., Nawawreh, H., Shreteh, L., Salman, Y., Hassouneh, Y., Tumar, I., & Hussein, M. (2017). A smart city mobile application for multitype, proactive, and context-aware recommender system [Paper presentation]. In 2017 International Conference on Engineering and Technology (ICET), August (pp. 1–22). IEEE. <https://doi.org/10.1109/ICEngTechnol.2017.8308181>
- Acharya, M., Yadav, S., & Mohbey, K. K. (2023). How can we create a recommender system for tourism? A location centric spatial binning-based methodology using social networks. *International Journal of Information Management Data Insights*, 3(1), 100161. <https://doi.org/10.1016/j.jjime.2023.100161>
- Al-Ghobari, M., Muneer, A., & Fati, S. M. (2021). Location-aware personalized traveler recommender system (lapta) using collaborative filtering knn. *Computers, Materials & Continua*, 69(2), 1553–1570. <https://doi.org/10.32604/cmc.2021.016348>
- Alhijawi, B., & Kilani, Y. (2020). A collaborative filtering recommender system using genetic algorithm. *Information Processing & Management*, 57(6), 102310. <https://doi.org/10.1016/j.ipm.2020.102310>
- Aliannejadi, M., & Crestani, F. (2017). Personalized context-aware point of interest recommendation. *ACM Transactions on Information Systems*, 36(4), 1–28. <https://doi.org/10.1145/3231933>
- Almomani, A., Saavedra, P., Barreiro, P., Durán, R., Crujeiras, R., Loureiro, M., & Sánchez, E. (2023). Application of choice models in tourism recommender systems. *Expert Systems*, 40(3), 1–18. <https://doi.org/10.1111/exsy.13177>
- Al-Nafjan, A., Alrashoudi, N., & Alrasheed, H. (2022). Recommendation system algorithms on location-based social networks: Comparative study. *Information*, 13(4), 188. <https://doi.org/10.3390/info13040188>
- Alrehili, M., Alsubhi, B., Almoghamsi, R., Almutairi, A.-A., & Alansari, I. (2018). Tourism mobile application to guide Madinah visitors [Paper presentation]. 2018 1st International Conference on Computer Applications & Information Security (ICCAIS) (pp. 1–4). <https://doi.org/10.1109/CAIS.2018.8442023>

- Amirat, H., & Fournier-Viger, P. (2018). *Recommendation in LBSN*. IEEE Access.
- Arif, Y. M., Nurhayati, H., Nugroho, S. M. S., & Hariadi, M. (2022). Destinations ratings based multi-criteria recommender system for Indonesian halal tourism game. *International Journal of Intelligent Engineering and Systems*, 15(1), 282–294. <https://doi.org/10.22266/ijies2022.0228.26>
- Artemenko, O., Pasichnyk, V., & Kunanec, N. (2019). *E-tourism mobile location-based hybrid recommender system with context evaluation* [Paper presentation]. 2019 IEEE 14th International Scientific and Technical Conference on Computer Sciences and Information Technologies (CSIT) (pp. 114–118). <https://doi.org/10.1109/STC-CSIT.2019.8929775>
- Avval, A. A. N., & Harounabadi, A. (n.d.). A hybrid recommender system using topic modeling and prefixspan algorithm in social media. *Complex & Intelligent Systems*, 9(4), 4457–4482. <https://doi.org/10.1007/s40747-022-00958-5>
- Bahulikar, S., Upadhye, V., Patil, T., Kulkarni, B., & Patil, D. (2017). Airline recommendations using a hybrid and location based approach. In *2017 International Conference on Intelligent Computing and Control Systems (ICICCS)*. (pp. 972–977). IEEE. <https://doi.org/10.1109/ICCONS.2017.8250610>
- Baizal, Z. K. A., Tarwidi, D., & Wijay, B. (2021). Tourism destination recommendation using ontology-based conversational recommender system. *International Journal of Computing and Digital Systems*, 10(1), 829–838. <https://doi.org/10.12785/ijcds/100176>
- Baker, O., & Yuan, Q. (2021). *Machine learning: Factorization machines and normalized discounted cumulative gain for tourism recommender system optimisation* [Paper presentation]. 2021 IEEE International Conference on Computing, ICOCO 2021 (pp. 31–36). <https://doi.org/10.1109/ICOCO53166.2021.9673502>
- Baral, R., Iyengar, S. S., Zhu, X., Li, T., & Sniatala, P. (2019). HiRecS: A hierarchical contextual location recommendation system. *IEEE Access*, 6(5), 1020–1037.
- Bellodi, E., Zese, R., & Bertasi, F. (2022). Machine learning in a policy support system for smart tourism management. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 13163, 457–472. https://doi.org/10.1007/978-3-030-95467-3_33
- Bennawy, M., & el-Kafrawy, P. (2022). Recommendations on streaming data: E-tourism event stream processing recommender system. *Lecture Notes in Networks and Systems*, 505, 514–523. https://doi.org/10.1007/978-3-031-09176-6_59
- Bhaskaran, S., & Marappan, R. (n.d.). Design and analysis of an efficient machine learning based hybrid recommendation system with enhanced density-based spatial clustering for digital e-learning applications. *Complex & Intelligent Systems*, 9, 3517–3533. <https://doi.org/10.1007/s40747-021-00509-4>
- Bi, J.-W., Li, H., & Fan, Z.-P. (2021). Tourism demand forecasting with time series imaging: A deep learning model. *Annals of Tourism Research*, 90, 103255. <https://doi.org/10.1016/j.annals.2021.103255>
- Bigi, A., Cassia, F., & Ugolini, M. M. (2022). Who killed food tourism? Unaware cannibalism in online conversations about traveling in Italy. *British Food Journal*, 124(2), 573–589. <https://doi.org/10.1108/BFJ-04-2021-0401>
- Boppana, V., & Sandhya, P. (2021). Web crawling based context aware recommender system using optimized deep recurrent neural network. *Journal of Big Data*, 8(1), 144. <https://doi.org/10.1186/s40537-021-00534-7>
- Borràs, J., Moreno, A., & Valls, A. (2014). Intelligent tourism recommender systems: A survey. *Expert Systems with Applications*, 41(16), 7370–7389. <https://doi.org/10.1016/j.eswa.2014.06.007>
- Cai, X., Hu, Z., Zhao, P., Zhang, W., & Chen, J. (2020). A hybrid recommendation system with many-objective evolutionary algorithm. *Expert Systems with Applications*, 159, 113648. <https://doi.org/10.1016/j.eswa.2020.113648>
- Casillo, M., Santo, M. D., Lombardi, M., Mosca, R., Santaniello, D., & Valentino, C. (2021). *Recommender systems and digital storytelling to enhance tourism experience in cultural heritage sites* [Paper presentation]. 2021 IEEE International Conference on Smart Computing (SMARTCOMP) (pp. 323–328). <https://doi.org/10.1109/SMARTCOMP52413.2021.00067>
- Ceh-Varela, E., Cao, H., & Lauw, H. W. (2022). Performance evaluation of aggregation-based group recommender systems for ephemeral groups. *ACM Transactions on Intelligent Systems and Technology*, 13(6), 1–26. <https://doi.org/10.1145/3542804>
- Chaudhari, K., & Thakkar, A. (2019). A comprehensive survey on travel recommender systems. *Archives of Computational Methods in Engineering*, 27(5), 1545–1571. <https://doi.org/10.1007/s11831-019-09363-7>
- Chen, J., Becken, S., & Stantic, B. (2021). Using Weibo to track global mobility of Chinese visitors. *Annals of Tourism Research*, 89, 103078. <https://doi.org/10.1016/j.annals.2020.103078>
- Chen, J., Zhang, W., Zhang, P., Ying, P., Niu, K., & Zou, M. (2018). Exploiting spatial and temporal for point of interest recommendation. *Complexity*, 2018, 1–16. <https://doi.org/10.1155/2018/6928605>
- Choi, I. Y., Ryu, Y. U., & Kim, J. K. (2021). A recommender system based on personal constraints for smart tourism city. *Asia Pacific Journal of Tourism Research*, 26(4), 440–453. <https://doi.org/10.1080/10941665.2019.1592765>
- Cui, G., Luo, J., & Wang, X. (2018). Personalized travel route recommendation using collaborative filtering based on GPS trajectories. *International Journal of Digital Earth*, 11(3), 284–307. <https://doi.org/10.1080/17538947.2017.1326535>
- Ding, R., & Chen, Z. (2018). RecNet: A deep neural network for personalized POI recommendation in location-based social networks. *International Journal of Geographical Information Science*, 32(8), 1631–1648. <https://doi.org/10.1080/13658816.2018.1447671>
- Duan, Z., Tang, L., Gong, X., & Zhu, Y. (2018). Personalized service recommendations for travel using trajectory pattern discovery. *International Journal of Distributed Sensor Networks*, 14(3), 155014771876784. <https://doi.org/10.1177/1550147718767845>
- Egger, R., & Yu, J. (2021). Identifying hidden semantic structures in Instagram data: A topic modelling comparison. *Tourism Review*, 77(4), 1234–1246. <https://doi.org/10.1108/TR-05-2021-0244>

- Esmaeili, L., Mardani, S., Golpayegani, S. A. H., & Madar, Z. Z. (2020). A novel tourism recommender system in the context of social commerce. *Expert Systems with Applications*, 149, 113301. <https://doi.org/10.1016/j.eswa.2020.113301>
- Fararni, K. A., Aghoutane, B., Yahyaouy, A., Riffi, J., & Sabri, A. (2021). Tourism recommender systems: an overview. *International Journal of Cloud Computing*, 10(5/6), 603. <https://doi.org/10.1504/IJCC.2021.120397>
- Fararni, K. A., Nafis, F., Aghoutane, B., Yahyaouy, A., Riffi, J., & Sabri, A. (2021). Hybrid recommender system for tourism based on big data and AI: A conceptual framework. *Big Data Mining and Analytics*, 4(1), 47–55. <https://doi.org/10.26599/BDMA.2020.9020015>
- Feng, Y.-L., Zhang, H.-Q., & Peng, C.-T. (2022). Fast recommendation method of personalized tourism big data information based on improved clustering algorithm. *Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, LNICST*, 417, 284–296. https://doi.org/10.1007/978-3-030-94554-1_23
- Ferraro, P., & Lo Re, G. (2014). Designing ontology-driven recommender systems for tourism. In *Advances in intelligent systems and computing* (Vol. 260, pp. 339–352). Springer Verlag. https://doi.org/10.1007/978-3-319-03992-3_24
- Ferretti, A., Hedrich, N., Lovey, T., Vayena, E., & Schlagenhauf, P. (2021). Mobile apps for travel medicine and ethical considerations: A systematic review. *Travel Medicine and Infectious Disease*, 43, 102143. <https://doi.org/10.1016/j.tmaid.2021.102143>
- Florida-Benitez, L. (2022). The impact of tourism promotion in tourist destinations: A bibliometric study. *International Journal of Tourism Cities*, 8(4), 844–882. <https://doi.org/10.1108/IJTC-09-2021-0191>
- Forouzandeh, S., Berahmand, K., Nasiri, E., & Rostami, M. (2021). A hotel recommender system for tourists using the artificial bee colony algorithm and fuzzy TOPSIS model: A case study of TripAdvisor. *International Journal of Information Technology & Decision Making*, 20(01), 399–429. <https://doi.org/10.1142/S0219622020500522>
- Forouzandeh, S., Rostami, M., & Berahmand, K. (2022). A hybrid method for recommendation systems based on tourism with an evolutionary algorithm and Topsis model. *Fuzzy Information and Engineering*, 14(1), 26–50. <https://doi.org/10.1080/16168658.2021.2019430>
- Gamidullaeva, L., Finogeev, A., Kataev, M., & Bulysheva, L. (2023). A design concept for a tourism recommender system for regional development. *Algorithms*, 16(1), 58. <https://doi.org/10.3390/a16010058>
- Gao, K., Yang, X. U., Wu, C., Qiao, T., Chen, X., Yang, M. I. N., & Chen, L. (2020). Exploiting location-based context for POI recommendation when traveling to a new region. *IEEE Access*, 8, 52404–52412. <https://doi.org/10.1109/ACCESS.2020.2980982>
- Ghorbani, A., Danaei, A., Zargar, S. M., & Hematian, H. (2020). Heliyon designing of smart tourism organization (STO) for tourism management: A case study of tourism organizations of South Khorasan province, Iran. *Heliyon*, 5(6), e01850. <https://doi.org/10.1016/j.heliyon.2019.e01850>
- Gof, G., Cucculelli, M., & Masiero, L. (2019). Fostering tourism destination competitiveness in developing countries: The role of sustainability. *Journal of Cleaner Production*, 209, 101–115. <https://doi.org/10.1016/j.jclepro.2018.10.208>
- Guizzardi, A., Pons, F. M. E., Angelini, G., & Ranieri, E. (2021). Big data from dynamic pricing: A smart approach to tourism demand forecasting. *International Journal of Forecasting*, 37(3), 1049–1060. <https://doi.org/10.1016/j.ijfore-cast.2020.11.006>
- Halkiopoulos, C., Dimou, E., Kompothrekas, A., Telonis, G., & Boutsinas, B. (2021). The E-tour facilitator platform supporting an innovative health tourism marketing strategy. In Z. C. van & V. Katsoni (Eds.), *Springer proceedings in business and economics* (pp. 609–623). Springer Science and Business Media B.V. https://doi.org/10.1007/978-3-030-72469-6_39
- Hamid, R. A., Albahri, A. S., Alwan, J. K., Al-Qaysi, Z. T., Albahri, O. S., Zaidan, A. A., Alnoor, A., Alamoodi, A. H., & Zaidan, B. B. (2021). How smart is e-tourism? A systematic review of smart tourism recommendation system applying data management. *Computer Science Review*, 39, 100337. <https://doi.org/10.1016/j.cosrev.2020.100337>
- Hanafiah, M. H., & Zulkifly, M. I. (2019). Tourism destination competitiveness and a secondary data approach. *Competitiveness Review*, 29(5), 592–621. <https://doi.org/10.1108/CR-07-2018-0045>
- Hasan, M., & Roy, F. (2019). An item – Item collaborative filtering recommender system using trust and genre to address the cold-start problem. *Big Data and Cognitive Computing*, 3(3), 39. <https://doi.org/10.3390/bdcc3030039>
- Hassannia, R., Barenji, A. V., Li, Z., & Alipour, H. (2019). Web-based recommendation system for smart tourism: Multiagent technology. *Sustainability*, 11(2), 323. <https://doi.org/10.3390/su11020323>
- Herzog, D., Laß, C., & Wörndl, W. (2018). *Tourrec - A tourist trip recommender system for individuals and groups* [Paper presentation]. RecSys 2018 - 12th ACM Conference on Recommender Systems (pp. 496–497). <https://doi.org/10.1145/3240323.3241612>
- Hong, M., & Jung, J. J. (2021). Multi-criteria tensor model for tourism recommender systems. *Expert Systems with Applications*, 170, 114537. <https://doi.org/10.1016/j.eswa.2020.114537>
- Hosseini, S., Yin, H., Zhou, X., Sadiq, S., Kangavari, M. R., & Cheung, N.-M. (2019). Leveraging multi-aspect time-related influence in location recommendation. *World Wide Web*, 22(3), 1001–1028. <https://doi.org/10.1007/s11280-018-0573-2>
- Hsu, F.-M., Lin, Y.-T., & Ho, T.-K. (2012). Design and implementation of an intelligent recommendation system for tourist attractions: The integration of EBM model, Bayesian network and Google Maps. *Expert Systems with Applications*, 39(3), 3257–3264. <https://doi.org/10.1016/j.eswa.2011.09.013>
- Huang, Z., Lin, X., Liu, H., Zhang, B., Chen, Y., & Tang, Y. (2020). Deep representation learning for location-based recommendation. *IEEE Access*, 7(3), 648–658.
- Huda, C., Heryadi, Y., Lukas., & Budiharto, W. (2022). *Aspect-based sentiment analysis in tourism industry for tourism recommender system* [Paper presentation]. 2022 5th International Seminar on Research of Information Technology and Intelligent Systems, ISRITI 2022 (pp. 407–412). <https://doi.org/10.1109/ISRITI56927.2022.10053083>

- Huda, C., Ramadhan, A., Trisetyarso, A., Abdurachman, E., & Heryadi, Y. (2021). Smart tourism recommendation model: A systematic literature review. *International Journal of Advanced Computer Science and Applications*, 12(12), 167–174. <https://doi.org/10.14569/IJACSA.2021.0121222>
- Huiling, Y., & Jing, J. (2022). A personalized recommendation technique for travel route based on fuzzy consistent matrix. *Mobile Information Systems*, 2022, 1–10. <https://doi.org/10.1155/2022/3974382>
- Isinkaye, F. O., Folajimi, Y. O., & Ojokoh, B. A. (2015). Recommendation systems: Principles, methods and evaluation. *Egyptian Informatics Journal*, 16(3), 261–273. <https://doi.org/10.1016/j.eij.2015.06.005>
- Jabreel, M., Maarooif, N., Valls, A., & Moreno, A. (2020). Introducing sentiment analysis of textual reviews in a multi-criteria decision aid system. *Applied Sciences*, 11(1), 216. <https://doi.org/10.3390/app11010216>
- Jacob, T., França, F., Henrique, S., Barroso, P., Manuel, V., & Duarte, P. (2023). Artificial intelligence applied to potential assessment and talent identification in an organisational context. *Heliyon*, 9(4), e14694. <https://doi.org/10.1016/j.heliyon.2023.e14694>
- Kang, S., Lee, D., Kweon, W., & Yu, H. (2022). Knowledge-based systems personalized knowledge distillation for recommender system. *Knowledge-Based Systems*, 239, 107958. <https://doi.org/10.1016/j.knsys.2021.107958>
- Kargar, M., & Lin, Z. (2021). A socially motivating and environmentally friendly tour recommendation framework for tourist groups. *Expert Systems with Applications*, 180, 115083. <https://doi.org/10.1016/j.eswa.2021.115083>
- Ko, H., Lee, S., Park, Y., & Choi, A. (2022). A survey of recommendation systems: Recommendation models, techniques, and application fields. *Electronics*, 11(1), 141. <https://doi.org/10.3390/electronics11010141>
- Kolahkaj, M., Harounabadi, A., Nikravanshalmani, A., & Chinipardaz, R. (2020). A hybrid context-aware approach for e-tourism package recommendation based on asymmetric similarity measurement and sequential pattern mining. *Electronic Commerce Research and Applications*, 42(July 2019), 100978. <https://doi.org/10.1016/j.elerap.2020.100978>
- Kontogianni, A., & Alepis, E. (2020). Smart tourism: State of the art and literature review for the last six years. *Array*, 6(January), 100020. <https://doi.org/10.1016/j.array.2020.100020>
- Kontogianni, A., Alepis, E., & Patsakis, C. (2022). Promoting smart tourism personalised services via a combination of deep learning techniques. *Expert Systems with Applications*, 187(September 2021), 115964.
- Kulkarni, S., & Rodd, S. F. (2020). Context aware recommendation systems: A review of the state of the art techniques. *Computer Science Review*, 37, 100255. <https://doi.org/10.1016/j.cosrev.2020.100255>
- Kushwaha, N., & Pant, M. (2021). Fuzzy electromagnetic optimisation clustering algorithm for collaborative filtering. *Journal of Experimental & Theoretical Artificial Intelligence*, 33(4), 601–616. <https://doi.org/10.1080/0952813X.2019.1647557>
- Laštovi, M., Javorník, M., & Komárková, J. (2022). Computers & security TC 11 briefing papers CRUSOE: A toolset for cyber situational awareness and decision support in incident handling. *Computers & Security*, 115, 102609. <https://doi.org/10.1016/j.cose.2022.102609>
- Lavanya, R., Khokle, T., & Maity, A. (2021). Review on hybrid recommender system for mobile devices. In *Lecture notes in networks and systems* (Vol. 130, Issue August 2020). Springer Singapore. https://doi.org/10.1007/978-981-15-5329-5_44
- Li, G., Chen, Q. I., Zheng, B., Yin, H., Viet, Q., Nguyen, H., & Zhou, X. (2020). Group-based recurrent neural networks for POI recommendation. *ACM/IMS Transactions on Data Science*, 1(1), 3.
- Li, J., Zhang, K., Yang, X., Wei, P., Wang, J., Mitra, K., & Ranja, R. (2019). Category preferred canopy-K-means based collaborative filtering algorithm. *Future Generation Computer Systems*, 93, 1046–1054. <https://doi.org/10.1016/j.future.2018.04.025>
- Li, X., Li, H., Pan, B., & Law, R. (2021). Machine learning in internet search query selection for tourism forecasting. *Journal of Travel Research*, 60(6), 1213–1231. <https://doi.org/10.1177/0047287520934871>
- Li, Y., Guo, J., & Chen, Y. (2022). A new approach for tourists' visual behavior patterns and perception evaluation based on multi-source data. *Journal of Geo-Information Science*, 24(10), 2004–2020. <https://doi.org/10.12082/dqxkx.2022.210840>
- Liao, Z., Zheng, W., & Lin, Z. (2022). Annals of tourism research time apart while together: A smart trip design for group travelers. *Annals of Tourism Research*, 93, 103374. <https://doi.org/10.1016/j.annals.2022.103374>
- Lin, Y., Huang, C., Yao, W., & Shao, Y. (2021). Personalised attraction recommendation for enhancing topic diversity and accuracy. *Journal of Information Science*, 49(2), 302–318. <https://doi.org/10.1177/0165551521999801>
- Liu, W., & Liu, D. R. (2019). A hybrid travel recommender system for group tourists. In L. E.Y., L. E.Y., & L. H. (Eds.), *Proceedings of the International Conference on Electronic Business (ICEB)* (Vols. 2019-December, pp. 506–510). International Consortium for Electronic Business. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85082573169&partnerID=40&md5=eb5d830edac874befbb9b5545226d4b6>
- Liu, Y., Wu, H., Rezaee, K., Khosravi, M. R., Khalaf, O. I., Khan, A. A., Ramesh, D., Member, S., & Qi, L. (2023). Interaction-enhanced and time-aware graph convolutional network for successive point-of-interest recommendation in traveling enterprises. *IEEE Transactions on Industrial Informatics*, 19(1), 635–643. <https://doi.org/10.1109/TII.2022.3200067>
- Logesh, R., Subramaniaswamy, V., Vijayakumar, V., Gao, X. Z., & Indragandhi, V. (2018). A hybrid quantum-induced swarm intelligence clustering for the urban trip recommendation in smart city. *Future Generation Computer Systems*, 83, 653–673. <https://doi.org/10.1016/j.future.2017.08.060>
- Lu, Y., Huang, Y., Yu, H., & Lan, Y. (2022). *Research on consumer service quality based on hotel online reviews* [Paper presentation]. Proceedings - 2022 5th International Conference on Advanced Electronic Materials, Computers and Software Engineering, AEMCSE 2022 (pp. 836–840). <https://doi.org/10.1109/AEMCSE55572.2022.00168>

- Lu, Y., Zhao, Z., Zhang, B., Ma, L., Huo, Y., & Jing, G. (2018). A context-aware budget-constrained targeted advertising system for vehicular networks. *IEEE Access*, 6, 8704–8713. <https://doi.org/10.1109/ACCESS.2018.2805106>
- Luo, X., Zhou, M., Li, S., Wu, D., Liu, Z., & Shang, M. (2021). Algorithms of unconstrained non-negative latent factor analysis for recommender systems. *IEEE Transactions on Big Data*, 7(1), 227–240. <https://doi.org/10.1109/TBDATA.2019.2916868>
- Makoondlall-Chadee, T. (2021). Sustainable tourism, technology and Internet 4.0: Opportunities and challenges for small island developing states. 0–5.
- Malthouse, E. C., Hessary, Y. K., Vakeel, K. A., Burke, R., & Fudurić, M. (2019). An algorithm for allocating sponsored recommendations and content: unifying programmatic advertising and recommender systems. *Journal of Advertising*, 48(4), 366–379. <https://doi.org/10.1080/00913367.2019.1652123>
- Maru'ao, M. S. P., & Suharjito, (2021). Tourism recommender system using hybrid multi-criteria approach Tourism recommender system using hybrid multi-criteria approach. *IOP Conference Series: Earth and Environmental Science*, 729(1), 012118. <https://doi.org/10.1088/1755-1315/729/1/012118>
- Massimo, D., & Ricci, F. (2021). Popularity, novelty and relevance in point of interest recommendation: An experimental analysis. *Information Technology & Tourism*, 23(4), 473–508. <https://doi.org/10.1007/s40558-021-00214-5>
- Mishra, R. K., Jothi, J. A. A., Urolagin, S., & Irani, K. (2023). Knowledge based topic retrieval for recommendations and tourism promotions. *International Journal of Information Management Data Insights*, 3(1), 100145. <https://doi.org/10.1016/j.jjime.2022.100145>
- Missaoui, S., Kassem, F., Viviani, M., Agostini, A., Faiz, R., & Pasi, G. (2019). LOOKER: A mobile, personalized recommender system in the tourism domain based on social media user-generated content. *Personal and Ubiquitous Computing*, 23(2), 181–197. <https://doi.org/10.1007/s00779-018-01194-w>
- Muneer, V. K., & Basheer, K. P. M. (2022). Collaborative travel recommender system based on Malayalam travel reviews. *Communications in Computer and Information Science*, 1546, 651–659. https://doi.org/10.1007/978-3-030-95711-7_53
- Nadeem, M., Wasid, M., Nadeem, M., Talha Alam, M., Sohail, S., Shakil, Ubaid, S., & Shahab, S. (2022). Performance comparison of randomized and non-randomized learning algorithms based recommender systems. *International Journal of Next-Generation Computing* 13(3, SI), 560–576. <https://doi.org/10.47164/ijngc.v13i3.820>
- Nan, Xiang, Wang, Xiaolan, Kayo Kanato, (2022). Design and implementation of a personalized tourism recommendation system based on the data mining and collaborative filtering algorithm. *Computational Intelligence and Neuroscience*, 2022,1424097. <https://doi.org/10.1155/2022/1424097>
- Naser, R. S. (2019). *Context aware web service recommender supported by user-based classification* [Paper presentation]. 2019 International Engineering Conference (IEC) (pp. 131–135).
- Nilashi, M., Minaei-Bidgoli, B., Alrizq, M., Alghamdi, A., Alsulami, A. A., Samad, S., & Mohd, S. (2021). An analytical approach for big social data analysis for customer decision-making in eco-friendly hotels. *Expert Systems with Applications*, 186, 115722. <https://doi.org/10.1016/j.eswa.2021.115722>
- Ojagh, S., Malek, M. R., Saeedi, S., & Liang, S. (2020). A location-based orientation-aware recommender system using IoT smart devices and Social Networks. *Future Generation Computer Systems*, 108, 97–118. <https://doi.org/10.1016/j.future.2020.02.041>
- Orama, J. A., Huertas, A., Borràs, J., Moreno, A., & Clavé, S. A. (2022). Identification of mobility patterns of clusters of city visitors: An application of artificial intelligence techniques to social media data. *Applied Sciences*, 12(12), 5834. <https://doi.org/10.3390/app12125834>
- Ovallos, D., & Zamora-Musa, R. (2020). Innovation, technology and user experience in museums: Insights from scientific literature. *Lecture Notes in Computer Science*, 12249(March 2021), 819–832. <https://doi.org/10.1007/978-3-030-58799-4>
- Patel, A., Shah, N., Parul, V. B., & Suthar, K. S. (2023). *Hotel recommendation using feature and machine learning approaches: A review* [Paper presentation]. Proceedings 5th International Conference on Smart Systems and Inventive Technology, ICSSIT 2023, 1144–1149. <https://doi.org/10.1109/ICSSIT55814.2023.10061034>
- Psefti, D., Poulaki, I., Papaioannou, A., & Katsoni, V. (2021). The evolution of online travel agencies in the last decade: E-travel SA as an exceptional paradigm. In van Z. C. Katsoni V. (Ed.), *Springer proceedings in business and economics* (pp. 625–633). Springer Science and Business Media B.V. https://doi.org/10.1007/978-3-030-72469-6_40
- Qiao, Y., Sun, Q., Cao, H., Wang, J., & Hao, T. (2022). Privacy-preserving dish-recommendation for food nutrition through edging computing. *Transactions on Emerging Telecommunications Technologies*, 33(6), e3869. <https://doi.org/10.1002/ett.3869>
- Raffe, W. L., Zambetta, F., Li, X., & Stanley, K. O. (2015). Integrated approach to personalized procedural map generation using evolutionary algorithms. *IEEE Transactions on Computational Intelligence and AI in Games*, 7(2), 139–155. <https://doi.org/10.1109/TCIAIG.2014.2341665>
- Ramli, R., Miraz, M. H., Mahamud, K.-R. K., Omar, M. F., & Kayat, K. (2019). Collaborative-based web recommender system for homestay program: A bridging tool in a tourism supply chain. *International Journal of Supply Chain Management*, 8(6), 978–982.
- Ranga, K. K., & Nagpal, C. K. (2023). A big data analytics framework for determining the travel destination preferences of Indian tourists. *International Journal of Modern Physics C*, 34(02), 2350024. <https://doi.org/10.1142/S0129183123500249>
- Ravi, L., Subramaniaswamy, V., Vijayakumar, V., Chen, S., Karmel, A., & Devarajan, M. (2019). Hybrid location-based recommender system for mobility and travel planning. *Mobile Networks and Applications*, 24(4), 1226–1239. <https://doi.org/10.1007/s11036-019-01260-4>

- Renjith, S., Sreekumar, A., & Jathavedan, M. (2020). An extensive study on the evolution of context-aware personalized travel recommender systems. *Information Processing & Management*, 57(1), 102078. <https://doi.org/10.1016/j.ipm.2019.102078>
- Renjith, S., Sreekumar, A., & Jathavedan, M. (2022). An empirical research and comparative analysis of clustering performance for processing categorical and numerical data extracts from social media. *Acta Scientiarum. Technology*, 44, e58653. <https://doi.org/10.4025/actascitechnol.v44i1.58653>
- Richa, N. A., & Bedi, P. (2019). Parallel context-aware multi-agent tourism recommender system. *International Journal of Computational Science and Engineering*, 20(4), 536–549. <https://doi.org/10.1504/IJCSE.2019.104440>
- Rinaldi, F. R., & Setiawan, N. A. (2022). A review text-based recommendation system in text mining [Paper presentation]. ICOSNIKOM 2022 - 2022 IEEE International Conference of Computer Science and Information Technology: Boundary Free: Preparing Indonesia for Metaverse Society. <https://doi.org/10.1109/ICOSNIKOM56551.2022.10034884>
- Rodpysh, K. V., Mirabedini, S. J., & Banirostam, T. (2022). Computer standards & interfaces model-driven approach running route two-level SVD with context information and feature entities in recommender system. *Computer Standards & Interfaces*, 82(January), 103627. <https://doi.org/10.1016/j.csi.2022.103627>
- Rodríguez-Hernández, M., & Ilarri, S. (2021). AI-based mobile context-aware recommender systems from an information management perspective: Progress and directions. *Knowledge-Based Systems*, 215, 106740. <https://doi.org/10.1016/j.knosys.2021.106740>
- Rodríguez-Hernández, M., del C., Ilarri, S., Trillo, R., & Hermoso, R. (2017). Context-aware recommendations using mobile P2P [Paper presentation]. The 15th International Conference (pp. 82–91). <https://doi.org/10.1145/3151848.3151856>
- Rodriguez-Sanchez, M. C., & Martinez-Romo, J. (2017). GAWA – Manager for accessibility Wayfinding apps. *International Journal of Information Management*, 37(6), 505–519. <https://doi.org/10.1016/j.ijinfomgt.2017.05.011>
- Roy, A., Tavana, M., Banerjee, S., & Di Caprio, D. (2016). A secured context-aware tourism recommender system using artificial bee colony and simulated annealing. *International Journal of Applied Management Science*, 8(2), 93–113. <https://doi.org/10.1504/IJAMS.2016.077014>
- Sabet, A. J., Shekari, M., Guan, C., Rossi, M., Schreiber, F., & Tanca, L. (2022). THOR: A hybrid recommender system for the personalized travel experience. *Big Data and Cognitive Computing*, 6(4), 131. <https://doi.org/10.3390/bdcc6040131>
- Santamaria-Granados, L., & Mendoza-Moreno, J. F. (2021). Tourist recommender systems based on emotion recognition—A scientometric review. *Future Internet*, 13(1), 1–37.
- Senefonte, H. C. M., Delgado, M. R., Luders, R., & Silva, T. H. (2022). PredicTour: Predicting mobility patterns of tourists based on social media user's profiles. *IEEE Access*, 10, 9257–9270. <https://doi.org/10.1109/ACCESS.2022.3143503>
- Shafqat, W., & Byun, Y.-C. (2020). A context-aware location recommendation system for tourists using hierarchical LSTM model. *Sustainability*, 12(10), 4107. <https://doi.org/10.3390/su12104107>
- Shambour, Q. Y., Abu-Shareha, A. A., & Abualhaj, M. M. (2022). A hotel recommender system based on multi-criteria collaborative filtering. *Information Technology and Control*, 51(2), 390–402. <https://doi.org/10.5755/j01.itc.51.2.30701>
- Silaa, V., Masui, F., & Ptaszynski, M. (2022). A method of supplementing reviews to less-known tourist spots using geotagged tweets. *Applied Sciences*, 12(5), 2321. <https://doi.org/10.3390/app12052321>
- Sinha, B. B., & Dhanalakshmi, R. (2020). A recommender system based on a new similarity metric and upgraded crow search algorithm. *Journal of Intelligent & Fuzzy Systems*, 39(3), 3167–3182. <https://doi.org/10.3233/JIFS-191594>
- Solano-Barliza, A. (2021). Revisión conceptual de sistemas de recomendación y geolocalización aplicados a la seguridad turística Conceptual review of recommendation and geolocation systems applied to tourism security. *Computer and Electronic Sciences: Theory and Applications*, 2(2), 37–43. <https://doi.org/10.17981/cesta.02.02.2021.05>
- Solano-Barliza, A., Acosta-Coll, M., Escorcia-Gutierrez, J., De-La-Hoz-Franco, E., & ARRegocés-Julio, I. (2023). Hybrid recommender system model for tourism industry competitiveness increment. In *International Conference on Computer Information Systems and Industrial Management* (pp. 209–222). Springer Nature Switzerland.
- Srisawatsakul, C., & Boontarig, W. (2020). *Tourism recommender system using machine learning based on user's public Instagram photos*. IEEE Access.
- Srivastava, P. R., Eachempati, P., Charles, V., & Rana, N. P. (2022). A hybrid machine learning approach to hotel sales rank prediction. *Journal of the Operational Research Society*, 74(6), 1407–1423. <https://doi.org/10.1080/01605682.2022.2096498>
- Stitini, O., Kaloun, S., & Bencharef, O. (2022). An improved recommender system solution to mitigate the over-specialization problem using genetic algorithms. *Electronics*, 11(2), 242. <https://doi.org/10.3390/electronics11020242>
- Suanpang, P., Jamjuntr, P., Kaewyong, P., Niamsorn, C., & Jernsittiparsert, K. (2022). An intelligent recommendation for intelligently accessible charging stations: Electronic vehicle charging to support a sustainable smart tourism city. *Sustainability*, 15(1), 455. <https://doi.org/10.3390/su15010455>
- Suguna, R., Sathishkumar, P., & Deepa, S. (2020). *User location and collaborative based recommender system using naive Bayes classifier and UIR matrix* [Paper presentation]. 2020 4th International Conference on Electronics, Communication and Aerospace Technology (ICECA), Coimbatore, India.
- Syed, M. H., Quoc, T., Huy, B., & Chung, S. (2022). Context-aware explainable recommendation based on domain knowledge graph. *Big Data and Cognitive Computing*, 6(1), 11. <https://doi.org/10.3390/bdcc6010011>
- Torabi, Z., Pourtaheri, M., Hall, C. M., Sharifi, A., & Javidi, F. (2023). Smart tourism technologies, revisit intention, and word-of-mouth in emerging and smart rural destinations. *Sustainability*, 15(14), 10911. <https://doi.org/10.3390/su151410911>
- Ur, H., Khan, R., Lim, C. K., Ahmed, M. F., Tan, K. L., & Mokhtar, M. B. (2021). Systematic review of contextual suggestion and recommendation systems for sustainable e-tourism. *Sustainability*, 13(15), 8141. <https://doi.org/10.3390/su13158141>

- Urdaneta-Ponte, M. C., Méndez-Zorrilla, A., & Oleagordia-Ruiz, I. (2021). Lifelong learning courses recommendation system to improve professional skills using ontology and machine learning. *Applied Sciences*, 11(9), 3839. <https://doi.org/10.3390/app11093839>
- Wang, S., Bhuiyan, Z. A., Peng, H. A. O., & Du, B. (2020). Hybrid deep neural networks for friend recommendations in edge computing environment. *IEEE Access*, 8, 10693–10706.
- Wayan, N., & Yuni, P. (2021). *Designing a tourism recommendation system using a hybrid method (Collaborative filtering and content-based filtering)* [Paper presentation]. 2021 IEEE International Conference on Communication, Networks and Satellite (COMNETSAT), Purwokerto, Indonesia (pp. 298–305).
- Wayan, N., Yuni, P., Permanasari, A. E., Hidayah, I., & Zulfa, M. I. (2022). Collaborative and content-based filtering hybrid method on tourism recommender system to promote less explored areas. *International Journal of Applied Engineering & Technology*, 4(2), 59–65.
- Wenan, T., Shrestha, D., Gaudel, B., Rajkarnikar, N., & Jeong, S. R. (2022). Analysis and evaluation of TripAdvisor data: A case of Pokhara, Nepal. *Lecture Notes in Networks and Systems*, 371, 738–750. https://doi.org/10.1007/978-3-030-93247-3_71
- Wu, J., He, X., Wang, X., Wang, Q., Chen, W., Lian, J., & Xie, X. (2022). Graph convolution machine for context-aware recommender system. *Frontiers of Computer Science*, 16(6), 166614.
- Xia, W. (2022). Digital transformation of tourism industry and smart tourism recommendation algorithm based on 5G background. *Mobile Information Systems*, 2022, 4021706. <https://doi.org/10.1155/2022/4021706>
- Xing, S., Liu, F., Zhao, X., & Li, T. (2018). Points-of-interest recommendation based on convolution matrix factorization. *Applied Intelligence*, 48(8), 2458–2469. <https://doi.org/10.1007/s10489-017-1103-0>
- Xu, R., Li, J., Li, G., Pan, P., Zhou, Q., & Wang, C. (2022). SDNN: Symmetric deep neural networks with lateral connections for recommender systems. *Information Sciences*, 595, 217–230. <https://doi.org/10.1016/j.ins.2022.02.050>
- Xu, X., & Gursoy, D. (2021). STHRSCAPE: Developing and validating a collaborative economy based short-term hospitality rental servicescape scale. *International Journal of Hospitality Management*, 94(December 2020), 102833. <https://doi.org/10.1016/j.ijhm.2020.102833>
- Yochum, P., Chang, L., Gu, T., & Zhu, M. (2020). Linked open data in location-based recommendation system on tourism domain: A survey. *IEEE Access*, 8, 16409–16439. <https://doi.org/10.1109/ACCESS.2020.2967120>
- Yu, B. (2022). How consumer opinions are affected by marketers: An empirical examination by deep learning approach. *Journal of Research in Interactive Marketing*, 16(4), 601–614. <https://doi.org/10.1108/JRIM-04-2021-0106>
- Yuan, Y., Jin, M., Ren, J., Hu, M., & Ren, P. (2014). The dynamic coordinated development of a regional environment-tourism-economy system: A case study from Western Hunan Province, China. *Sustainability*, 6(8), 5231–5251. <https://doi.org/10.3390/su6085231>
- Zaizi, F. E., Qassimi, S., & Rakrak, S. (2023). Multi-objective optimization with recommender systems: A systematic review. *Information Systems*, 117, 102233. <https://doi.org/10.1016/j.is.2023.102233>
- Zamora-Musa, R., Vélez, J., & Paez-Logreira, H. (2017). Evaluating learnability in a 3D heritage tour. *Presence: Teleoperators and Virtual Environments*, 26(4), 366–377. <https://doi.org/10.1162/PRES>
- Zhang, P., Wang, J., & Li, R. (2023). Tourism-type ontology framework for tourism-type classification, naming, and knowledge organization. *Heliyon*, 9(4), e15192. <https://doi.org/10.1016/j.heliyon.2023.e15192>
- Zhao, J., Wang, W., Zhang, Z., Sun, Q., Huo, H., Qu, L., & Zheng, S. (2020). Knowledge-based Systems TrustTF: A tensor factorization model using user trust and implicit feedback for context-aware recommender systems. *Knowledge-Based Systems*, 209, 106434. <https://doi.org/10.1016/j.knosys.2020.106434>
- Zheng, W., Huang, X., & Li, Y. (2017). Understanding the tourist mobility using GPS: Where is the next place? *Tourism Management*, 59, 267–280. <https://doi.org/10.1016/j.tourman.2016.08.009>
- Zheng, X., Han, B., Ni, Z., & Member, S. (2023). Tourism route recommendation based on a multi-objective evolutionary algorithm using two-stage decomposition and Pareto layering. *IEEE/CAA Journal*, 10(2), 486–500.
- Zheng, X., Luo, Y., Sun, L., Zhang, J., & Chen, F. (2018). A tourism destination recommender system using users' sentiment and temporal dynamics. *Journal of Intelligent Information Systems*, 51(3), 557–578. <https://doi.org/10.1007/s10844-018-0496-5>
- Zheng, X., Luo, Y., Xu, Z., Yu, Q., & Lu, L. (2016). Tourism destination recommender system for the cold start problem. *KSII Transactions on Internet and Information Systems*, 10(7), 3192–3212. <https://doi.org/10.3837/tiis.2016.07.018>
- Zou, T., Han, Q., & Qin, J. (2022). Pedigree identification and spatial differentiation of the “Millennium Canal” brand genes. *Dili Yanjiu*, 41(3), 713–730. <https://doi.org/10.11821/dlyj020210313>