

Make Your Publications Visible.

A Service of



Leibniz-Informationszentrum Wirtschaft Leibniz Information Centre

Schwarz, Gerhard; Pitlik, Hans; Brandl, Bernd; Bechter, Barbara

Conference Paper

Near Is My Shirt, But Nearer Is My Skin: Ideology or Self-Interest as Determinants of Public Opinion on Fiscal Policy Issues

Beiträge zur Jahrestagung des Vereins für Socialpolitik 2010: Ökonomie der Familie - Session: Public Economics: How do individuals vote and behave?, No. E18-V1

Provided in Cooperation with:

Verein für Socialpolitik / German Economic Association

Suggested Citation: Schwarz, Gerhard; Pitlik, Hans; Brandl, Bernd; Bechter, Barbara (2010): Near Is My Shirt, But Nearer Is My Skin: Ideology or Self-Interest as Determinants of Public Opinion on Fiscal Policy Issues, Beiträge zur Jahrestagung des Vereins für Socialpolitik 2010: Ökonomie der Familie - Session: Public Economics: How do individuals vote and behave?, No. E18-V1, Verein für Socialpolitik, Frankfurt a. M.

This Version is available at: https://hdl.handle.net/10419/37248

${\bf Standard\text{-}Nutzungsbedingungen:}$

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



Submission to Verein für Socialpolitik, Jahrestagung 2010,

Kiel, Germany

Near Is My Shirt, But Nearer Is My Skin: Ideology or Self-Interest as Determinants of Public Opinion on Fiscal Policy Issues

Hans Pitlik, Gerhard Schwarz

(Austrian Institute of Economic Research WIFO, Vienna)

Barbara Bechter, Bernd Brandl

(University of Vienna, Department of Industrial Sociology)

Gerhard Schwarz (corresponding author and presenter)

Author contact information:

gerhard.schwarz@wifo.ac.at

Austrian Institute of Economic Research (WIFO)

Arsenal Objekt 20, A-1030 Vienna, Austria

Phone: +43 1 798 26 01 - 263

Fax: +43 1 798 93 86

Abstract

Several empirical studies derive that personal positions with respect to policy measures are dominated by ideology instead of narrow self-interest. In the present field study we carried out a telephone survey with 1.003 respondents all over Austria. Instead of only measuring self-interest indirectly, we requested respondents to assess directly whether they expect to be affected by policy measures. Our results indicate that such a subjectively measured narrow self-interest explains attitudes towards economic policies at least as good as ideological conviction. In some cases, however, ideology appears to determine whether people feel affected by a proposed policy measure.

Key words: public opinion, sociotropic voting, ideology, self-interest, telephone surveys

This version: 01 March 2010

1 Introduction

Which factors determine public opinion on economic policy issues? How do people derive their personal positions with respect to policy measures? Although these questions are at the heart of an understanding of voting behavior and, probably, for the making of economic policies in democratic societies (*Page and Shapiro*, 1983), Public Choice theory still lacks a unique conception about the process of individual preference formation and voter motivation. Somewhat simplifying, two broad lines of reasoning to explain opinion formation can be separated, an egocentric (self-interest) approach and a sociotropic approach.

Simple rational choice theory claims that individual attitudes towards economic policies are determined by narrow self-interest. Individuals know what is in their own interest and make choices accordingly. Based on perceptions of the individual costs and benefits people develop expectations about the net effects of policies on their personal well-being. If the expected effect of a certain policy measure is positive, the respective citizen-voters are in favor of it. All that is required for an accurate determination of individual attitudes towards some specific policy measure is an assessment of the economic consequences on personal well-being. Hence, from this point of view individual opinion is exclusively shaped by egocentric motivation.

This view is often criticized. First, it is argued that an average person does not have the capability to calculate the individual costs and benefits of most policy measures. She/he usually lacks the technical knowledge and the information to gauge the personal consequences of certain policy measures on her/his personal well-being. Second, rational citizen-voters usually do not have an incentive to become informed about economic policy issues. As the cost of acquiring information are positive and the individual impact of an informed vote on final election outcomes is negligible, citizen-voters should remain rationally ignorant with respect to the effects of most policy issues.

Attitudes towards economic policies are then often driven by ideological convictions (*Downs*, 1957). Party ideologies serve as a substitute for the individual cost of acquiring political and economic information. Yet such ideologically shaped opinions might still be consistent with self-interested behavior. Rational individuals 'choose' a certain ideology as an information short-cut, and their choice depends on which ideological party affiliation is expected to suit best to selfish motives. In many cases ideological and self-interested opinion formation are therefore not easily separable.

A somewhat different thinking dominates the sociotropic approach. According to this view, when forming opinions about economic policies, people have a normative view of the world in mind, i.e. a notion how it 'should' be (*Denzau* and *North*, 1994). Ideas and ideologies matter in particular in collective choices, as people do not have an incentive to collect information. According to the theory of low-cost decisions and expressive voting (see e.g. *Kirchgässner and Pommerehne*, 1993; *Brennan and Lomansky*, 1993) supporting or opposing a specific economic policy has no direct consequences for personal well-being, as individual action does not have an effect on the overall outcome. In such a situation it is almost without personal costs to express ideological convictions that are not necessarily in accordance with narrow self-interest. On the contrary, in the market sphere decisions which are only based on ideological judgments are associated with high costs as the consequences of a decision are borne by the decider. Hence, due to the low cost character of expressing preferences in the political sphere, ideology and a personal conception of "the common good" are stronger motives in

individual voting behaviour and may thus explain opinion formation much better than pure self-interest.

Empirical investigations of individual and collective opinion formation so far often support the latter view. Studies from the fields of economics, sociology and political science show an increasing interest in the topic of self-interest and opinions on economic policy issues and address the question of the empirical relevance of former assumptions (see *Citrin and Green, 1990; Sears and Funk, 1990; MacKuen et al., 1992; Mutz, 1993; Holbrook and Garand, 1996; Krause, 1997; Fuchs et al. 1998; Boeri and Tabellini, 2005*). In general, these studies find (often based on the 1996 "Survey of Americans and Economists on the Economy") that attitudes towards economic policy issues deviate with a systematic bias from self-interest, i.e. the opinion whether a specific economic policy should be carried out is often not systematically related to egoistic motivations. Empirical studies for the U.S. (*Walstad, 1997; Caplan, 2001, 2002, 2006*) and for Germany (*Heinemann et al., 2007*) conclude that knowledge and ideology are of special relevance in explaining the bias, or are even the main determinants of opinion formation.

In a widely recognized recent paper, *Blinder and Krueger* (2004) use a specially designed telephone survey to address the problem of opinion formation on economic policy issues in the U.S. A main result of their study is that public opinion on the quality and adequacy of economic policies is mainly driven by ideological factors. With respect to policy issues like taxes, budget deficits, minimum wages, social security, and health insurance, ideology is the most consistently important determinant of individual preferences and policy acceptance, whereas objective measures of self-interest are the least important. These findings seem consistent with the idea that people use ideology as a short cut for deciding which position to take, especially when informing oneself is costly. *Blinder and Krueger* (2004) report that in many cases respondents in the telephone survey seem to have answered against their narrow self-interest, which is proxied by 'objective' variables, most notably household income.

Yet it is somewhat questionable whether narrow self-interest can be measured objectively. What matters eventually is what people believe to be in their self-interest. Blinder and Krueger have in mind a specific economic model on how certain individuals are affected by particular economic policies. In general there is no guarantee that the Blinder-Krueger economic view of the world is identical to what respondents think about the working properties of an economy. Most probably, this is not the case, as laymen usually have a different view of the economic world (Caplan, 2001). If we want to know whether people systematically neglect their own self-interest in the process of opinion formation on economic policies in favor of an ideologically defined common good, we should have a better, i.e. a subjective measure of self-interest. Put differently, in order to find out if narrow self-interest is really dominated by ideological convictions and ideas of 'the public good', it is important to know which policies people perceive to be in their self-interest or not. As ideology should serve as a simple rule-of-thumb in case of a lack of knowledge, people might express ideological preferences that appear to be against their self-interest from the view of economists. However, in their own view respondents might express opinions on policy issues which they believe to be in their narrow interest. The main purpose of the present paper is to examine whether the often found dominance of ideological convictions survives if we measure self-interest more subjectively and directly.

The methodology of the present study closely follows *Blinder and Krueger* (2004). In autumn 2008 we carried out a telephone survey with 1.003 respondents all over Austria. The survey consisted of a

series of questions about personal opinions on a variety of fiscal policy issues. In contrast to *Blinder-Krueger* we not only asked for certain 'objective' measures that appear to be related to egocentric opinion formation. We additionally requested respondents directly to assess whether they expect to benefit from certain economic and fiscal policy measures. Hence, we need not speculate about a respondent's economic view of the world and whether he/she deviates from narrow self-interest; we simply asked them. All in all, our results show that – in contrast to *Blinder and Krueger* (2004) and several other investigations –subjectively measured narrow self-interest explains attitudes towards economic policies at least as good as ideological conviction.

4

A usual and often heard objection is that in interviews individuals can easily express opinions for an economic policy although they know that this policy will reduce their own well-being or income. Hence, doubts have been raised about whether the questions commonly asked in opinion polls show true preferences. This is certainly correct, but it does not invalidate our results. Taking part in a public opinion survey is comparable to the act of voting. In either case, individual action does not have individual consequences. Hence, both are certainly situations in which it is not individually costly to express socially desired or ideological preferences.

The paper proceeds as follows. In section 2 we present a very short overview on the political and methodological background of the study and the telephone survey. Section 3 reports some descriptive statistics. In section 4 we present the main results of our logit-regressions and discuss the results in the light of the two different approaches to opinion formation. Section 5 concludes.

2 Political and methodological background

In September 2008 we launched a telephone survey in Austria in order to replicate and verify the results of *Blinder and Krueger* (2004) that "ideology seems to play a stronger role in shaping opinion on economic policy issues than either self-interest or knowledge" for the case of Austria. Of course we adapted the methodology; in particular we focus on ideology and self-interest only, leaving out knowledge as a possible determinant in the present study. 1.003 eligible Austrian voters were interviewed over the telephone. Fieldwork covered the last days of the campaign in federal elections for the Austrian National Council in 2008 and some of the first days after the elections.

One of the main topics discussed during the election campaign was whether and in which way a reform of the income tax should be put into practice.¹ The two parties which formed a grand coalition before as well as after the elections in principle agreed on the need for an income tax reform and that the reduction should amount to approximately € 3 bn, i.e. about 1% of GDP (*Statistik Austria, 2009*). Although it was obvious that at least parts of the income tax reductions had to be financed by raising other taxes and/or by cutting expenditures in the federal budget, politicians' statements on financing the income tax reform were at best very ambiguous. Against this background we asked the participants of our survey which of the following ten policy measures would be appropriate for financing a reduction of the income tax²:

- Raising the VAT
- Raising the petroleum tax

¹ Note that in September 2008 there was still no open public debate about the possible consequences of the U.S. housing market and financial crisis on the Austrian economy.

² To prevent order biases the sequence of categories was randomized.

- Raising profit taxes on public/private limited companies
- Raising environmental taxes on companies
- Impose a property or inheritance tax
- Raising the tax on capital returns
- Increasing public debt
- Cutting social security benefits
- Cutting subsidies for companies
- Cutting jobs in public administration

In stark contrast to *Blinder and Krueger* and other similar studies we did not only ask the respondents for socio-demographic characteristics, i.e. sex, age, occupation, personal income and education to assess whether they might be adversely affected by a certain policy measure, but also whether they believe this measure would have an adverse impact on them. This survey design enables us to find out how the *perceived adverse impact of a policy* measure influences its acceptance among the public.

To assess the effects of ideology on the acceptance of our policy measures we asked our interviewees to assign their political position on a five point Left-to-Right-Scale (LRS). Alternately the respondents could also choose "other" if they did not think the proposed scale matched their ideological position, or "refuse to answer" (the two latter categories were asked unprompted). Figure 1 shows the distribution of respondents' answers along the Left-to-Right-Scale. It is definitely clear that the by far largest group of people classifies itself as centrists, while the share of (moderate) leftists is slightly larger than the share of (moderate) rightists.




Figure 1: Ideological self-assignment based on the Left-to-Right-Scale

3 Descriptive Statistics

3.1 Acceptance of measures and subjective ('perceived') self-interest

Descriptive analyses reveal a clear adverse correlation between the share of respondents who suppose a given policy measure is appropriate for financing a tax reform (acceptance) and the share of respondents who think this specific measure would have an adverse impact on them (Pearson's Correlation Coefficient = -0.89). In other words: the more people expect to be adversely affected by a

certain measure, the fewer people tend to accept this measure (see Figure 2). The least popular measure is a VAT increase, followed by an increase of the petroleum tax. Almost 80 % of the respondents think that raising profit taxes is an appropriate way to finance a personal income tax reduction, and about 70% think that savings by reducing jobs in public administration is an appropriate measure.

100% Repsondentes who think a given measure would affect 90% Raising the VAT Raising the petroleum tax 80% ▲ Raising profit taxes on public/private 70% limited companies × Raising environmental taxes on companies them negatively 60% * Impose a property or inheritance tax 50% Raising the tax on capital returns 40% + Increasing public debt 30% - Cutting social security benefits 20% Cutting subsidies for companies 10% Cutting jobs in public administration 0% 20% 80% 100% 0% 40% 60%

Figure 2: Acceptance of policy measures and average perceived personal impact

Respondents who think a given measure is appropriate to finance a tax reform

Remarkably this strong correlation does not simply imply that people who fear an adverse impact on themselves oppose a certain measure while people who do not feel affected are in favor of it. Figure 3 clearly shows that the rates of acceptance show a similar pattern for both groups (Pearson's Correlation Coefficient = 0.97), i.e. if many people feel negatively affected only few support a given measure, even among those who do not expect an adverse impact on themselves, and vice versa. However, in all cases adversely affected persons are less likely to accept a certain measure than people who do not expect a negative impact. In eight out of ten cases the difference is significant (p<0.05). Only "cutting subsidies for companies" and "raising the VAT" do not show significant differences. In the latter case this is probably due to the fact that hardly anybody supports a higher VAT (4%), while a vast majority (89%) feels adversely affected by VAT increases so that there is hardly any room for a big differential among the groups.

7




Figure 3: Acceptance of policy measures by subjective ('perceived') impact

3.3 Acceptance of measures and ideological orientation

Looking at the rates of acceptance according to ideological orientation based on the Left-to-Right-Scale³ we find a similar pattern. The rates of acceptance are highly correlated for all displayed groups (see Figure 6), while the differences between the ideological groups are significant for the same eight policy measures as above. However, while people who assign themselves to the political centre or the right agree on average with 3.5 measures and 3.4 measures respectively, leftists agree with 4.2 political measures (which are significantly more).




Figure 6: Acceptance of policy measures by political self-assignment

³ For clarity the groups "left" and "moderately left" as well as "right" and "moderately right" were merged into the groups "(moderate) leftist" and "(moderate) rightist" respectively.

Figure 5 also shows that people who declare themselves as standing 'left' in general seem to prefer tax increases (except for VAT) compared to people with a centrist or rightist ideological orientation. With respect to spending cuts differences between the ideological groups seem to disappear. Moreover, center and right ideology appear to be very closely related, while leftist ideology is much more distinct.

4 Results of logit regressions

4.1 Basic results

To analyze more deeply the impact of perceived adverse impacts and ideological orientation we ran a set of logit regressions to reveal the main drivers of acceptance of policy measures as a dependent variable. We included the following possible determinants of acceptance into our models:

- 1. "Subjective" self-interest
 - Expected adverse impact of the policy measure (dummy)
- 2. "Objective" self-interest
 - Occupation (set of dummies: employee in the private sector, employee in the public sector, self-employed, retired; reference group: others)
 - Personal net income (ordinal)
 - Living in a big city (100,000 inhabitants and more, dummy)
- 3. Ideology
 - (Moderately) leftist (dummy).⁴
- 4. Control variables
 - Sex (dummy)
 - Age (ordinal)
 - Educational level (ordinal)

Of course several of these variables are correlated. E.g., our survey shows that the higher the degree of education, the higher is the probability of adhering to a more left-wing ideology. However, tests of collinearity did not give any reason for concern. Interaction terms were not implemented given the methodological problems that their use causes in logit–models (see *Ai and Norton, 2003*). Seven of the ten models tested are properly specified, while for three models the chosen predictors are not meaningful, i.e. these three models fail in explaining the differences in the acceptance of the respective policy measures. The remaining seven models yield Pseudo-R² ranging from 0.16 – which we suppose to be acceptable – to rather limited 0.03.

Summing up results of our estimates we find that perceived adverse personal consequences of a policy measure have a significant impact on the acceptance of this measure in all seven properly specified models (at the 95%-level, see Table 1). The signs of the coefficients are – as expected – negative in all those cases, i.e. the acceptance of a policy measure is systematically lower among persons who expect to be adversely affected personally. This means that (perceived) self-interest clearly plays

⁴ As the descriptive results showed clear differences between (moderate) leftists on the one hand and centrists and (moderate) rightists on the other hand, the ordinary left-to-right-scale has been recoded into a dummy variable indicating whether a respondent declared herself as (moderately) left or not. Respondents who did not assign themselves to the left-to-right-scale (i.e. refused to answer or answered that the categories appropriate for them) were omitted from further analyses.

a remarkable if not dominant role – compared to ideology - in forming personal opinions on policy measures.

Personal net income, which is regularly used as a variable to proxy self-interest in many empirical investigations, is insignificant in all models. From an egoistic model of opinion formation, we would at least have expected that a higher net income is also associated with an increasing probability of acceptance of cuts in social benefits and a reduced acceptance of property tax increases in order to finance income tax reductions. With respect to occupation/profession as a determinant of objective self-interest, we find that public sector employees support profit tax and inheritance tax increases to a higher degree than other groups of persons. Somewhat surprisingly they do not oppose job cuts in the public sector significantly more often than other vocational groups. Interestingly people living in big cities (> 100.000 inhabitants) have a lower probability of accepting job cuts in the public sector than people from less urban areas. We suppose that this results from the large number of public sector employees living in the big cities where most of the workplaces in public administrations are located.

Remarkably, the share of opponents of higher petroleum taxes rises with the respondents' age. This is counterintuitive as older people (above 65) are less likely to have access to cars (*Herry and Sammer, 1998*) and therefore are less prone to increased petroleum taxes. Consistently they also feel adversely affected by higher petroleum taxes to a lesser extent than younger peer groups. We guess this contradiction between the low rate of adverse consequences and the high rate of refuse reflects differences in the valuation of private transport among different peer groups and might therefore indicate that ideological positions beyond political attribution might play a significant role in the opinion formation.

Political ideology plays a significant role in five of the seven proper models. Ideological left-wingers are systematically likelier to accept tax rises as policy measures than self-declared right-wingers and centrists, even when we control for objective and subjective self-interest as well as a number of further socio-economic variables. Somewhat surprisingly left-wingers are not significantly more dismissive towards cutting social security benefits than centrists and rightists.

Table 1: Acceptance of policy measures by several determinants (logit models, full specification)

,												
		Sub- jec- tive self- inter- est	ec- ve Objective self-interest ef- ter-						Ide- ology	Control variables		bles
	Pseudo R ²	Expected adverse consequences of measure	Employee in the private sector	Employee in the public sector	Self-employed	Retired	Personal monthly net Income	Living in a big city	(Moderate) Leffist	Sex	Age	Educational level
Increasing VAT	0.14									1		1
Increasing the petroleum tax	0.16	Ψ							^		Ψ	1
Raising profit taxes on public/private limited companies	0.07	•		1					^			4
Raising environmental taxes on companies	0.08	•						^	^		Ψ	
Impose a property or inheritance tax	0.03	•		1					^			1
Raising the tax on capital returns	0.06	•							^			
Increasing public debt	0.05	•										
Cutting social security benefits	0.07	•										
Cutting subsidies for companies	0.01											
Cutting jobs in public administration	0.08	•						•			^	

Occupation (Employee in the private sector/Employee in the public sector/Self-employed/Retired): 0 = No, 1 = Yes, Other = Reference group

Living in a big city: 0 = No, 1 = Yes

Personal monthly net income: 1 = none, 2 = Up to 1000 €, 3 = 1001 to 1500 €, 4 = 1501 to 2000 €, 5 = 2001 to 2500 €, 6 = 2501 to 3000 €, 7 = More than 3000 €

(Moderate) Leftist:0 = Rightist, moderate rightist, centrist, 1 = Moderate leftist, leftist

Sex: 0 = Female, 1 = Male

Age: 1 = 16 to 25 years, 2 = 26 to 35 years, 3 = 36 to 45 years, 4 = 46 to 55 years, 5 = 56 to 65 years, 6 = 65 years and older

Educational level: 1 = Compulsory education attendance, 2 = Apprenticeship, 3 = Vocational school, 4 = Abitur (British A-Level), 5 = University (of applied sciences)

Positive coefficient, significant at the 95%-level

... Negative coefficient, significant at the 95%-level

* ... Variable not included in the model

... Model misspecified, set of chosen predictors not meaningful (linktest, hat: p> 0.05) ... Model misspecified, unobserved predictors or interactions probable (linktest, hatsq: p < 0.05)

4.2 Alternative specifications

To get a picture on how subjective and objective self-interest and ideology mutually impair each other we ran alternative specifications of the models introduced above. By omitting the subjective ('perceived') self- interest the indicators of objective self-interest become more important in explaining the acceptance of policy measures (Table 2). The number of significant cases of objective self-interest jumps from 4 to 10 out of 42 possible cases (6 variables x 7 valid models). Public sector employees, for example, now are less likely to accept job cuts in the public sector than other occupational groups, while self-employed are more in favor of lowering public security benefits than others. This shows that subjective ("perceived") self-interest corresponds to people's objective self-interest.

While in our basic model-setting ideology does not correspond significantly – and somewhat surprisingly – with the proposition of cutting social security benefits, by omitting the perceived self-interest from the model ideology becomes a significant predictor of people's attitudes towards this policy measure: leftists now are significantly less likely to acclaim to cutting social security benefits than centrists and rightists.

Table 2: Acceptance of policy measures by several determinants (logit models without 'subjective' - perceived - self-interest)

		Sub- jec- tive self- inter- est	Objective self-interest Occupation					lde- ology	Co	ntrol varia	bles	
	Pseudo R ²	Expected adverse consequences of measure	Employee in the private sector	Employee in the public sector	Self-employed	Retired	Personal monthly net Income	Living in a big city	(Moderate) Leftist	Sex	Age	Educational level
Increasing VAT	0.13	×								^		^
Increasing the petroleum tax	0.12	×						1	^		•	1
Raising profit taxes on public/private limited companies	0.05	×		^					^			•
Raising environmental taxes on companies	0.07	×						1	^		•	
Impose a property or inheritance tax	0.03	×		^					^			1
Raising the tax on capital returns	0.03	×	↑				•	1	1			
Increasing public debt	0.02	×							1			
Cutting social security benefits	0.04	×			^				•			
Cutting subsidies for companies	0.01	×										
Cutting jobs in public administration	0.06	×		•				•			^	

Occupation (Employee in the private sector/Employee in the public sector/Self-employed/Retired): 0 = No, 1 = Yes, Other = Reference group

Living in a big city: 0 = No, 1 = Yes

Personal monthly net income: 1 = none. 2 = Up to 1000 €. 3 = 1001 to 1500 €. 4 = 1501 to 2000 €. 5 = 2001 to 2500 €. 6 = 2501 to 3000 €. 7 = More than 3000 €

(Moderate) Leftist:0 = Rightist, moderate rightist, centrist, 1 = Moderate leftist, leftist

Sex: 0 = Female, 1 = Male

Age: 1 = 16 to 25 years, 2 = 26 to 35 years, 3 = 36 to 45 years, 4 = 46 to 55 years, 5 = 56 to 65 years, 6 = 65 years and older

Educational level: 1 = Compulsory education attendance, 2 = Apprenticeship, 3 = Vocational school, 4 = Abitur (British A-Level), 5 = University (of applied sciences)

... Positive coefficient, significant at the 95%-level

... Negative coefficient, significant at the 95%-level

🕱 ... Variable not included in the model

... Model misspecified, set of chosen predictors not meaningful (linktest, hat: p> 0.05)

... Model misspecified, unobserved predictors or interactions probable (linktest, hatsq: p < 0.05)

Omitting ideology as a predictor changes the set of properly specified models somewhat (Table 3). While this modification does not change the impact of perceived self-interest, it moderately raises the number of cases where objective measures of self-interest have a significant impact on the acceptance of policy measures from 4 out of 42 possible cases to 5 out of 48 (as now 8 models are properly specified). Three of these 5 cases occur in a specific model, i.e. apply to the acceptance of job cuts in the public sector. We therefore conclude that ideology and objective self-interest are only loosely related – at least as far as our set of objective measures is concerned.

Table 3: Acceptance of policy measures by several determinants (logit models without ideological orientation)

		Sub- jec- tive self- inter- est	Objective self-interest Occupation					Ide- ology	Cc	ntrol varia	bles	
	Pseudo R²	Expected adverse consequences of measure	Employee in the private sector	Employee in the public sector	Self-employed	Retired	Personal net Income	Living in a big city	(Moderate) Leftist	Sex	Age	Educational level
Increasing VAT	0.10								×	^		^
Increasing the petroleum tax	0.14	•							×	^	•	^
Raising profit taxes on public/private limited companies	0.05	•		^					×			•
Raising environmental taxes on companies	0.06	•						1	×		•	
Impose a property or inheritance tax	0.02	•							×			^
Raising the tax on capital returns	0.05	Ψ							×			
Increasing public debt	0.05	•							×			
Cutting social security benefits	0.06	Ψ							×	1		
Cutting subsidies for companies	0.01								×			
Cutting jobs in public administration	0.08	•		•	1			•	*		^	

Occupation (Employee in the private sector/Employee in the public sector/Self-employed/Retired): 0 = No, 1 = Yes, Other = Reference group (Employee) (1 = Ves) (1 = Ves

Living in a big city: 0 = No, 1 = Yes

Personal monthly net income: 1 = none. 2 = Up to 1000 €. 3 = 1001 to 1500 €. 4 = 1501 to 2000 €. 5 = 2001 to 2500 €. 6 = 2501 to 3000 €. 7 = More than 3000 €

(Moderate) Leftist:0 = Rightist, moderate rightist, centrist, 1 = Moderate leftist, leftist

Sex: 0 = Female, 1 = Male

Age: 1 = 16 to 25 years, 2 = 26 to 35 years, 3 = 36 to 45 years, 4 = 46 to 55 years, 5 = 56 to 65 years, 6 = 65 years and older

Educational level: 1 = Compulsory education attendance, 2 = Apprenticeship, 3 = Vocational school, 4 = Abitur (British A-Level), 5 = University (of applied sciences)

... Positive coefficient, significant at the 95%-level

... Negative coefficient, significant at the 95%-level

🕱 ... Variable not included in the model

... Model misspecified, set of chosen predictors not meaningful (linktest, hat: p> 0.05)

... Model misspecified, unobserved predictors or interactions probable (linktest, hatsq: p < 0.05)

Removing the objective measures of self-interest from our basic models leaves the impact of perceived self-interest on the acceptance of policy measures unchanged (Table 4). The number of cases where ideology plays a significant role goes up from 5 to 6 out of 7 properly specified models. As the set of properly specified models differs from our basic specification a significant influence of ideology emerges for two policy measures which did not show a significant impact of ideology in the basic setting. Leftists oppose cutting social security benefits significantly more often than centrists and rightists when subjective self-interest is not included in the model specification.

Table 4: Acceptance of policy measures by several determinants (logit models without 'objective' self-interest)

objective sem meerestj												
		Sub- jec- tive self- inter- est	Objective self-interest Occupation					Ide- ology	Co	ontrol varia	ibles	
	Pseudo R ²	Expected adverse consequences of measure	Employee in the private sector	Employee in the public sector	Self-employed	Retired	Personal monthly net Income	Living in a big city	(Moderate) Leftist	Sex	Age	Educational level
Increasing VAT	0.09		×	×	×	×	×	×		^	Ψ.	
Increasing the petroleum tax	0.14	•	×	×	×	×	×	×	^		Ψ	^
Raising profit taxes on public/private limited companies	0.05	•	×	×	×	×	*	×	^			
Raising environmental taxes on companies	0.07	•	×	×	×	×	×	×	^		Ψ	
Impose a property or inheritance tax	0.03	•	×	×	×	×	*	×	^			1
Raising the tax on capital returns	0.04	•	*	×	×	×	*	*	^			
Increasing public debt	0.05	•	*	×	*	×	*	×				
Cutting social security benefits	0.06	•	*	×	*	×	*	×	•		Ψ	
Cutting subsidies for companies	0.01		*	×	*	×	*	×				
Cutting jobs in public administration	0.06	•	*	×	*	×	*	×		^	1	1

Occupation (Employee in the private sector/Employee in the public sector/Self-employed/Retired): 0 = No, 1 = Yes, Other = Reference group

Living in a big city: 0 = No, 1 = Yes

Personal monthly net income: 1 = none. 2 = Up to 1000 €. 3 = 1001 to 1500 €. 4 = 1501 to 2000 €. 5 = 2001 to 2500 €. 6 = 2501 to 3000 €. 7 = More than 3000 €

(Moderate) Leftist:0 = Rightist, moderate rightist, centrist, 1 = Moderate leftist, leftist

Age: 1 = 16 to 25 years, 2 = 26 to 35 years, 3 = 36 to 45 years, 4 = 46 to 55 years, 5 = 56 to 65 years, 6 = 65 years and older

Educational level: 1 = Compulsory education attendance, 2 = Apprenticeship, 3 = Vocational school, 4 = Abitur (British A-Level), 5 = University (of applied sciences)

... Positive coefficient, significant at the 95%-level

... Negative coefficient, significant at the 95%-level

🗶 ... Variable not included in the model

... Model misspecified, set of chosen predictors not meaningful (linktest, hat: p> 0.05)

... Model misspecified, unobserved predictors or interactions probable (linktest, hatsq: p < 0.05)

Summarizing, people who expect adverse effects of a certain policy measure on themselves are less likely to assent to this specific measure. Subjective (perceived) self-interest therefore turns out to be a valid and robust indicator of the acceptance of policy measures - given that large proportions of the observed variance remain unexplained. The same holds true for ideology - given raising taxes is the topic. Leftists are clearly in favor of tax increases compared to centrists and rightists. Attitudes towards cutting public expenses seem to be unaffected by ideological orientation when subjective and/or objective measures of self-interest are taken into account. Only after removing variables representing self-interest from the models the impression of an ideological bias emerges, i.e. that leftists are more reluctant to cuts in public spending than centrists and rightists.

4.2 Ideology and perceived adverse affection

To complete the picture and to find out whether ideology has an impact on the expectations of adverse impacts stemming from policy measures we ran similar logit regressions as above on the acceptance of policy measures: the model specification stays in principle the same while - of course - the expected adverse impact is now the dependent variable.

In principle, we should not expect ideological convictions to have a significant impact on people's perception of the consequences of specific policy measures: whether an action affects a person adversely is not a question of ideology or political belief. Nevertheless, the results presented above indicate some interaction of ideology and (perceived) self-interest. All in all our models do not cope very well with this task. Only four out of ten models are properly specified (Table 5). This might be interpreted as an indication that in these cases ideology – on the one hand – does not contribute much in explaining perceived self interest, as the chosen set of predictors turns out to be not meaningful and/or unobserved predictors (including unobserved interaction effects) are indicated. In these cases the same is true for our objective measures of self-interest, suggesting that the concept of subjective self-interest covers objective interests beyond the scope of our dataset and/or only imagined interests.

Focusing on the four properly specified models we find that objective self-interest determines subject self-interest in all four cases. Most times the coefficients' signs are headed in the expected direction. Still, it is astonishing that the self-employed feel less affected by increasing the capital return tax than other groups and, moreover, that the pensioners suppose to be less prone to cuts of social security benefits than other occupational groups as their (main) income, i.e. pensions are a social security benefit. Yet, we cannot exclude that the pensioners do not identify received pension payments as a social transfer. Ideology is a significant predictor in two of the four properly specified models. This suggests that the political orientation might at least in some cases influence the perception of political measures. However, we cannot reject the possibility that ideology only proxies objective interests not operationalized in our models.

Table 5: Determinants of subjective ('perceived') adverse consequences of policy measures (logit-models)

ures (logit-models)											
		Objective self-interest						Ideol- ogy	Co	ontrol variab	les
		Occupation									
	Pseudo R²	Employee in the private sector	Employee in the public sector	Self-employed	Retired	Personal monthly net Income	Living in a big city	(Moderate) Leftist	Sex	Age	Educational level
Increasing VAT	0.06						Ψ				1
Increasing the petroleum tax	0.11					^	•	•			
Raising profit taxes on public/private limited companies	0.03		Ψ			^		•			
Raising environmental taxes on companies	0.03		4	↑				•			
Impose a property or inheritance tax	0.02								•		1
Raising the tax on capital returns	0.03			4		↑					
Increasing public debt	0.01				•						
Cutting social security benefits	0.04		Ψ	•	•						
Cutting subsidies for companies	0.08		4					Ψ			
Cutting jobs in public administration	0.05		↑								

Occupation (Employee in the private sector/Employee in the public sector/Self-employed/Retired): 0 = No, 1 = Yes, Other = Reference group

Living in a big city: 0 = No, 1 = Yes

Personal monthly net income: 1 = none, 2 = Up to 1000 €, 3 = 1001 to 1500 €, 4 = 1501 to 2000 €, 5 = 2001 to 2500 €, 6 = 2501 to 3000 €, 7 = More than 3000 €

(Moderate) Leftist:0 = Rightist, moderate rightist, centrist, 1 = Moderate leftist, leftist

Sex: 0 = Female, 1 = Male

Age: 1 = 16 to 25 years, 2 = 26 to 35 years, 3 = 36 to 45 years, 4 = 46 to 55 years, 5 = 56 to 65 years, 6 = 65 years and older

Educational level: 1 = Compulsory education attendance, 2 = Apprenticeship, 3 = Vocational school, 4 = Abitur (British A-Level), 5 = University (of applied sciences)

Positive coefficient, significant at the 95%-level

Negative coefficient

^{...} Negative coefficient, significant at the 95%-level

^{...} Variable not included in the model

^{...} Model misspecified, set of chosen predictors not meaningful (linktest, hat: p> 0.05) \dots Model misspecified, unobserved predictors or interactions probable (linktest, hatsq: p < 0.05)

5 Conclusions

Following *Blinder and Krueger (2004)* we conducted a survey among 1.003 eligible Austrian voters in order to test whether their findings and those of several others - namely that ideology is a more powerful predictor of attitudes towards policy measures than self-interest – hold. Nevertheless we modified the methodology by introducing the concept of "subjective (perceived) self-interest": we asked people if they think a specific measure will affect them adversely.

We find that subjective self-interest – in this specific case the expectation of personally adverse consequences of a policy measure – is the most important, if not dominant, identified determinant of the acceptance of policy measures. People who expect to personally face adverse consequences of a policy measure are less likely to find this measure appropriate.

Our results therefore do not suggest that "ideology seems to play a stronger role in shaping opinion on economic policy issues than either self-interest or knowledge" (Blinder and Krueger, 2004) – given that our operationalizations of both – self-interest and ideology – differ from the operationalizations chosen by Blinder and Krueger and that we do not account for knowledge in our models. On the contrary, our results indicate that (subjective, perceived) self-interest is the stable factor in opinion formation while the influence of ideology is vastly dependent on the nature of the tested policy measure (tax raises vs. spending cuts).

Ideology too appears to play a part in the process of opinion forming, but only in certain contexts. In particular (moderate) leftists are more likely to accept tax raises as adequate policy measures than centrists and (moderate) rightists. Concerning cuts in public expenditures the political orientation is a significant predictor only after measures of objective and/or subjective self-interest are omitted from the analyses.

Some results related to the attitudes towards raising the petroleum tax among different age groups suggest that ideological concepts apart from political ideology might play a role in shaping opinions on policy measures, for example peer group related concepts of private transport.

However, we find that objective self-interest and ideology are only loosely related. Moreover, subjective (perceived) self-interest and ideology contribute to the acceptance of policy measures in parallel; therefore not substituting each other at least as far as tax increases are concerned. This addresses the question whether (political) ideology is the laymen's shortcut to political opinion formation, not because of some normative view of the world how it "should be", but because ideology shapes the positive view of how the economy works.

Subjective and objective self-interest as well as ideology only explain a small fraction of the variation inherent in the formation of public opinions. For example 80% of those not feeling adversely affected think that raising profit taxes on corporations is an appropriate measure for financing a reform of the income tax, while still 60% among those who feel adversely affected agree with this measure. This of course raises the question on what determines the opinion formation of those 60% and how the relevant determinants can be measured.

References

- Ai, C., Norton, E.C. (2003): Interaction Terms in Logit and Probit Models, Economics Letters 80, 123–129.
- Blinder, A.S. and Krueger, A.B. (2004): What does the public know about economic policy, and how does it know it? NBER Working Paper Series, Working Paper 10787, National Bureau of Economic Research.
- Boeri, T. and Tabellini, G. (2005): Does information increase political support for pension reform? CEPR Discussion Papers 5319.
- Brennan, G. and Lomansky, L. (1993): Democracy and decisions: The pure theory of electoral preference. Cambridge University Press, Cambridge.
- Caplan, B. (2001): What makes people think like economists? Evidence from the Survey of Americans and Economists on the Economy. *Journal of Law and Economics* 44, 395-426.
- Caplan, B. (2002): Sociotropes, systematic bias, and political failure: Reflections on the Survey of Americans and economists on the economy. *Social Science Quarterly* 83, 416-435.
- Caplan, B. (2006): How do voters form positive economic beliefs? Evidence from the Survey of Americans and economists on the economy. *Public Choice* 128, 367-381.
- Citrin, J. and Green, D. (1990): The self-interest motive in American public opinion. In: Long, S. (ed.). Research in Micropolitics, 3, p. 1-28.
- Denzau, A.T. and North, D.C. (1994): Shared Mental Models: Ideologies and Institutions. *Kyklos* 47, 3-31.
- Downs, A. (1957): An Economic Theory of Democracy, New York.
- Fuchs, V.R., Krueger, A.B. and Poterba, J.M. (1998): Economists' view about parameters, values, and policies: Survey results in Labor and Public Economics. *Journal of Economic Literature* 36, 1387-1425.
- Herry and Sammer (1998): Mobilitätserhebung österreichischer Haushalte, Arbeitspaket A3-H2 im Rahmen des Österreichischen Bundesverkehrswegeplan im Auftrag des BMWV.
- Heinemann, F., Förg, M., Frey, D., Jonas, E., Rotfuß, W., Traut-Mattausch, E., Westerheide, P. (2007):

 Psychologie, Wachstum und Reformfähigkeit, Zentrum für Europäische Wirtschaftsforschung.

- Kirchgässner, G. and Pommerehne, W.W. (1993): Low-cost decisions as a challenge to Public Choice. *Public Choice* 77, 107-115.
- Krause, G. (1997): Voters, information heterogeneity, and the dynamics of aggregate economic expectations. *American Journal of Political Science* 41, 1170-1200.
- Keeter, S., Miller, C., Kohut, A., Groves, R., Presser, S. (2000): Consequences of Reducing Nonresponse in a National Telephone Survey." Public Opinion Quarterly 64(2): 125-148
- MacKuen, M., Erikson, R. and Stimson, J. (1992): Peasants or bankers? The American electorate and the U.S. economy. *American Political Science Review* 86, 597-611.
- Mutz, D. (1993): Direct and indirect routes to politicizing personal experience: does knowledge make a difference? *Public Opinion Quarterly* 57, 483-502.
- Page, B.I. and Shapiro, R.Y. (1983): Effects of public opinion on policy. *American Political Science Review* 77, 175-190.
- Sears, D. and Funk, C. (1990): Self-interest in Americans' political opinions. In: Mansbridge, J. (ed.). Beyond Self-Interest. Chicago University Press, Chicago, p. 147-170.
- Statistik Austria (2009), Bruttoinlandsprodukt nach Wirtschaftssektoren, nominell.

 http://www.statistik.at/web_de/static/bruttoinlandsprodukt_nach_wirtschaftssektoren_no
 minell_019715.pdf
- Survey of Americans and Economists on the Economy (1996). The Washington Post, Kaiser Family Foundation and Harvard University.
- Walstad, W. (1997): The effect of economic knowledge on public opinion of economic issues. *Journal of Economic Education* 28, 195-205.

Annex 1 - List of Variables

```
19
Acceptance of policy measures (0 = No, 1 = Yes)
        f10_1x ... Increasing VAT
        f10 2x ... Increasing the petroleum tax
        f10_3x ... Raising profit taxes on public/private limited companies
        f10 4x ... Raising environmental taxes on companies
        f10_5x ... Impose a property or inheritance tax
        f10 6x ... Raising the tax on capital returns
        f10 7x ... Increasing public debt
        f10_8x ... Cutting social security benefits
        f10_9x ... Cutting subsidies for companies
        f10_10x ... Cutting jobs in public administration
Expected adverse consequences of measure (0 = No, 1 = Yes)
        f11_1x ... Increasing VAT
        f11 2x ... Increasing the petroleum tax
        f11_3x ... Raising profit taxes on public/private limited companies
        f11 4x ... Raising environmental taxes on companies
        f11_5x ... Impose a property or inheritance tax
        f11 6x ... Raising the tax on capital returns
        f11_7x ... Increasing public debt
        f11_8x ... Cutting social security benefits
        f11_9x ... Cutting subsidies for companies
        f11_10x ... Cutting jobs in public administration
Occupation (0 = No, 1 = Yes, Other = Reference group)
        s3_1x ... Employee in the private sector
        s3 2x ... Employee in the public sector
        s3_3x ... Self-employed
        s3 4x ... Retired
s4x ... Personal monthly net income (1 = None, 2 = Up to 1000 €, 3 = 1001 to 1500 €, 4 = 1501 to
        2000 €, 5 = 2001 to 2500 €, 6 =2501 to 3000 €, 7 = More than 3000 €)
GrStadt ... Living in a big city (0 = No, 1 = Yes)
leftist ... (Moderate) Leftist (0 = Rightist, moderate rightist, centrist, 1 = Moderate leftist, leftist)
```

s1x ... Sex (0 = Female, 1 = Male)

- s2x ... Age (1 = 16 to 25 years, 2 = 26 to 35 years, 3 = 36 to 45 years, 4 = 46 to 55 years, 5 = 56 to 65 years, 6 = 65 years and older)
- s7x ... Educational level (1 = Compulsory education attendance, 2 = Apprenticeship, 3 = Vocational school, 4 = Abitur (British A-Level), 5 = University (of applied sciences))

Annex 2 – Acceptance of policy measures by several determinants (logit models, full speci-fication)

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_1x	1.04 2.38 1.76 1.74 4.02 1.70 1.11 1.06 1.24 2.55 1.27	1.02 1.54 1.33 1.32 2.01 1.30 1.05 1.03 1.11 1.60	0.9607 0.4196 0.5694 0.5749 0.2487 0.5896 0.9045 0.9463 0.8056 0.3915	0.0393 0.5804 0.4306 0.4251 0.7513 0.4104 0.0955 0.0537 0.1944 0.6085 0.2148
Mean VIF	1.81			

	Eigenval	Cond Index
1 2 3 4 5 6 7 8 9 10 11	6.6078 1.1353 1.0189 1.0041 0.7732 0.5768 0.4243 0.1855 0.1240 0.0640 0.0604 0.0258	1.0000 2.4125 2.5466 2.5652 2.9234 3.3846 3.9465 5.9685 7.3007 10.1625 10.4619 15.9941

15.9941 Condition Number

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept) Det(correlation matrix) $0.0816\,$

Iteration 0: log likelihood = -108.88629
Iteration 1: log likelihood = -100.20432
Iteration 2: log likelihood = -94.379397
Iteration 3: log likelihood = -94.124386
Iteration 4: log likelihood = -94.122586
Iteration 5: log likelihood = -94.122585

Number of obs = LR chi2(11) = Prob > chi2 = Pseudo R2 = Logistic regression 729 29.53 0.0019 Log likelihood = -94.122585

f10_1x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
f11 1x	7908343	.5486105	-1.44	0.149	-1.866091	.2844225
s3 1x	5523875	.6826995	-0.81	0.418	-1.890454	.785679
s3 2x	5168884	.9427688	-0.55	0.584	-2.364681	1.330904
s3 3x	5492724	.9475763	-0.58	0.562	-2.406488	1.307943
s3 4x	.8530472	1.060614	0.80	0.421	-1.225718	2.931812
s4x	2544873	.2294624	-1.11	0.267	7042252	.1952507
GrStadt	.3662238	.4539218	0.81	0.420	5234466	1.255894
leftist	5472242	.5102837	-1.07	0.284	-1.547362	.4529135
s1x	1.723561	.5476459	3.15	0.002	.6501945	2.796927
s2x	4019306	.2272795	-1.77	0.077	8473903	.043529
s7x	.3744895	.1831893	2.04	0.041	.015445	.7335339
cons	-2.809879	1.037068	-2.71	0.007	-4.842495	7772629

Iteration 0: log likelihood = -108.88629
Iteration 1: log likelihood = -96.753467
Iteration 2: log likelihood = -94.995369
Iteration 3: log likelihood = -94.194269
Iteration 4: log likelihood = -94.092761
Iteration 5: log likelihood = -94.092673
Iteration 6: log likelihood = -94.092673

Number of obs = LR chi2(2) = Prob > chi2 = Logistic regression 729 29.59 0.0000 Log likelihood = -94.092673Pseudo R2 0.1359

f10_1x | Coef. Std. Err. z P>|z| [95% Conf. Interval]
 hat |
 1.209533
 .8709117
 1.39
 0.165
 -.4974224

 hatsq |
 .0353261
 .1425574
 0.25
 0.804
 -.2440812

 _cons |
 .2683865
 1.23363
 0.22
 0.828
 -2.149484
 2.916489 .3147334 2.686257 __cons |

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_2x s3_1x s3_2x s3_2x s3_3x s3_4x s4x GrStadt leftist s1x s2x s7x	1.11 2.38 1.76 1.74 3.98 1.72 1.13 1.06 1.24 2.53	1.05 1.54 1.33 1.32 2.00 1.31 1.07 1.03 1.11 1.59	0.9001 0.4200 0.5694 0.5756 0.2511 0.5822 0.8814 0.9397 0.8071 0.3947	0.0999 0.5800 0.4306 0.4244 0.7489 0.4178 0.1186 0.0603 0.1929 0.6053 0.2119
Mean VIF	1.81			

	Eigenval	Cond Index
1 2 3 4 5 6 7 8 9 10 11	6.5431 1.1420 1.0181 1.0037 0.7946 0.5778 0.4235 0.1906 0.1451 0.0722 0.0611 0.0282	1.0000 2.3937 2.5351 2.5533 2.8695 3.3651 3.9306 5.8597 6.7150 9.5181 10.3475

Condition Number 15.2251

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept) Det(correlation matrix) $0.0771\,$

Iteration 0: log likelihood = -286.17024
Iteration 1: log likelihood = -246.59782
Iteration 2: log likelihood = -239.58293
Iteration 3: log likelihood = -239.51627
Iteration 4: log likelihood = -239.51621

Number of obs = LR chi2(11) = Prob > chi2 = Pseudo R2 = 731 Logistic regression 93.31 0.0000 0.1630

Log likelihood = -239.51621

f10_2x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
f11_2x s3_1x s3_2x s3_3x s3_4x s4x GrStadt leftist s1x s2x s7x	.4073186 .19509 2120822 1365356 .3800618 .7198616 .2556429 3066642	.2863023 .3831196 .4544541 .5016955 .5495433 .1242133 .2614328 .2481311 .259412 .1153993 .0991609	-5.28 -0.98 0.90 0.39 -0.39 -1.10 1.45 2.90 0.99 -2.66 2.36	0.000 0.327 0.370 0.697 0.700 0.272 0.146 0.004 0.324 0.008 0.018	-2.072098 -1.126167 4833952 7882151 -1.289167 3799893 132337 2527953 5328426 .0401318	
_cons	4213856	.5412651	-0.78	0.436	-1.482246	.6394745

Iteration 0: log likelihood = -286.17024
Iteration 1: log likelihood = -252.11088
Iteration 2: log likelihood = -243.67399
Iteration 3: log likelihood = -239.49385
Iteration 4: log likelihood = -239.49121
Iteration 5: log likelihood = -239.49121

731 93.36 Number of obs = 731 LR chi2(2) = 93.36 Prob > chi2 = 0.0000 Pseudo R2 = 0.1631 Logistic regression Log likelihood = -239.49121

f10_2x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	1.053141	.2641497	3.99	0.000	.535417	1.570865
_hatsq	.0184931	.0826283	0.22	0.823	1434554	.1804416
_cons	.0171872	.2293618	0.07	0.940	4323536	.4667281

683

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_3x s3_1x s3_2x s3_3x s3_4x s4x GrStadt leftist s1x s2x s7x	1.03 2.43 1.80 1.75 4.01 1.72 1.09 1.07 1.23 2.54	1.01 1.56 1.34 1.32 2.00 1.31 1.05 1.03 1.11 1.59	0.9709 0.4120 0.5568 0.5710 0.2495 0.5828 0.9140 0.9383 0.8107 0.3936 0.7980	0.0291 0.5880 0.4432 0.4290 0.7505 0.4172 0.0860 0.0617 0.1893 0.6064 0.2020

Mean VIF 1.81

	Eigenval	Cond Index
1 2 3 4 5 6 7 8 9 10 11 12	5.9407 1.1425 1.0471 1.0037 0.8483 0.7116 0.5669 0.3994 0.1664 0.0788 0.0617 0.0329	1.0000 2.2803 2.3819 2.4329 2.6463 2.8893 3.2371 3.8566 5.9756 8.6820 9.8141 13.4462

Condition Number 13.4462

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept) Det(correlation matrix) $0.0820\,$

Iteration 0: log likelihood = -356.99586
Iteration 1: log likelihood = -333.35226
Iteration 2: log likelihood = -331.77852
Iteration 3: log likelihood = -331.74639
Iteration 4: log likelihood = -331.74632

Logistic regression

Number of obs = LR chi2(11) = Prob > chi2 = Pseudo R2 = 50.50 0.0000 0.0707 Log likelihood = -331.74632

f10_3x	Coef.	Std. Err.	Z	P> z	[95% Conf.	<pre>Interval]</pre>
f11_3x s3_1x s3_2x s3_3x s3_4x s4x GrStadt	9879703	.2336066	-4.23	0.000	-1.445831	5301097
	.1011876	.3062727	0.33	0.741	4990958	.7014711
	1.542693	.5409684	2.85	0.004	.4824142	2.602971
	4391373	.3988181	-1.10	0.271	-1.220806	.3425318
	0317585	.4053246	-0.08	0.938	8261801	.7626631
	.0746167	.0975634	0.76	0.444	116604	.2658373
	.0029887	.224228	0.01	0.989	4364901	.4424674
leftist	.644791	.2394007	2.69	0.007	.1755743	1.114008
s1x	.028512	.2134862	0.13	0.894	3899133	.4469373
s2x	.0688365	.089909	0.77	0.444	1073818	.2450549
s7x	1912686	.0822071	-2.33	0.020	3523916	0301456
_cons	1.30792	.4133036	3.16	0.002	.4978595	2.11798

Iteration 0: log likelihood = -356.99586
Iteration 1: log likelihood = -332.76805
Iteration 2: log likelihood = -331.14356
Iteration 3: log likelihood = -331.12709
Iteration 4: log likelihood = -331.12709

Logistic regression

Number of obs = LR chi2(2) = Prob > chi2 = Pseudo R2 = 683 51.74 0.0000 0.0725 Log likelihood = -331.12709

f10_3x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	1.361018	.3556096	3.83	0.000	.6640359	2.058
_hatsq	1483315	.1285798	-1.15	0.249	4003433	.1036804
_cons	1564586	.247352	-0.63	0.527	6412596	.3283424

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_4x s3_1x s3_2x s3_3x s3_4x s4x s4x frstadt leftist s1x s2x s7x	1.04 2.41 1.77 1.77 3.97 1.70 1.10 1.06 1.23 2.51	1.02 1.55 1.33 1.33 1.99 1.31 1.05 1.03 1.11 1.58	0.9621 0.4154 0.5656 0.5647 0.2522 0.5867 0.9074 0.9443 0.8137 0.3986 0.7923	0.0379 0.5846 0.4344 0.4353 0.7478 0.4133 0.0926 0.0557 0.1863 0.6014 0.2077

Mean VIF 1.80

	Eigenval	Cond Index
1	6.0124	1.0000
2	1.1299	2.3068
3	1.0830	2.3562
4	1.0044	2.4466
5	0.8085	2.7270
6	0.6419	3.0606
7	0.5794	3.2212
8	0.3969	3.8921
9	0.1699	5.9484
10	0.0787	8.7406
11	0.0621	9.8410
12	0.0329	13.5137

13.5137 Condition Number

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept) Det(correlation matrix) $0.0833\,$

Iteration 0: log likelihood = -457.62466
Iteration 1: log likelihood = -420.68702
Iteration 2: log likelihood = -419.98995
Iteration 3: log likelihood = -419.9882
Iteration 4: log likelihood = -419.9882

Number of obs = LR chi2(11) = Prob > chi2 = Pseudo R2 = Logistic regression 687 75.27 0.0000

Log likelihood = -419.9882 0.0822

f10_4x	Coef.	Std. Err.	Z	P> z	[95% Conf.	<pre>Interval]</pre>
f11_4x s3_1x s3_2x s3_3x s3_4x s4x	5475382 0810252 .0798978 4413382 .3428547 083734	.1919157 .288915 .3736966 .3789141 .349591	-2.85 -0.28 0.21 -1.16 0.98 -0.97	0.004 0.779 0.831 0.244 0.327	9236861 6472882 6525341 -1.183996 3423311	1713903 .4852378 .8123298 .3013199 1.028041
GrStadt	.5192704	.1996851	2.60	0.009	.1278949	.9106459
leftist s1x s2x s7x cons	.7841509 0977631 3214198 .0711734 1.553662	.2000342 .1846844 .0818986 .0706943 .3834563	3.92 -0.53 -3.92 1.01 4.05	0.000 0.597 0.000 0.314 0.000	.392091 4597379 4819381 0673849 .8021011	1.176211 .2642116 1609016 .2097318 2.305222

Iteration 0: log likelihood = -457.62466
Iteration 1: log likelihood = -420.90311
Iteration 2: log likelihood = -419.79683
Iteration 4: log likelihood = -419.79682

Number of obs =
LR chi2(2) =
Prob > chi2 =
Pseudo R2 = Logistic regression 75.66 0.0000 Log likelihood = -419.796820.0827

f10_4x | Coef. Std. Err. z P>|z| [95% Conf. Interval] hat | .9065598 .1950661 4.65 0.000 hatsq | .0892781 .1455341 0.61 0.540 _cons | -.0155966 .1003413 -0.16 0.876 .5242373 1.288882 -.1959635 .3745197 -.2122619 .1810687

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_5x s3_1x s3_2x s3_3x s3_4x s4x GrStadt leftist s1x	1.03 2.37 1.76 1.74 3.95 1.71 1.10 1.06	1.01 1.54 1.33 1.32 1.99 1.31 1.05 1.03	0.9723 0.4223 0.5683 0.5742 0.2532 0.5860 0.9098 0.9441 0.8054	0.0277 0.5777 0.4317 0.4258 0.7468 0.4140 0.0902 0.0559 0.1946
s2x s7x	2.53 1.28	1.59 1.13	0.3956 0.7842	0.6044 0.2158

Mean VIF 1.80

	Eigenval	Cond Index
1 2 3 4 5 6 7 8 9 10 11	6.2212 1.1375 1.0189 1.0043 0.7755 0.5754 0.5653 0.3619 0.1655 0.0801 0.0625 0.0321	1.0000 2.3386 2.4710 2.4889 2.8324 3.2882 3.3175 4.1460 6.1315 8.8120 9.9779

Condition Number 13.9251

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept) Det(correlation matrix) $0.0838\,$

Iteration 0: log likelihood = -489.28726
Iteration 1: log likelihood = -473.41377
Iteration 2: log likelihood = -473.3841
Iteration 3: log likelihood = -473.3841

Number of obs = LR chi2(11) = Prob > chi2 = Pseudo R2 = 716 31.81 Logistic regression 0.0008 Log likelihood = -473.3841

f10_5x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
f11_5x	37283	.1574895	-2.37	0.018	6815037	0641563
s3_1x	.4002692	.2618037	1.53	0.126	1128566	.913395
s3_2x	.7352641	.3410079	2.16	0.031	.0669009	1.403627
s3_3x	.0365507	.3557783	0.10	0.918	6607619	.7338633
s3_4x	.3398463	.3328856	1.02	0.307	3125975	.9922902
s4x	068361	.0818116	-0.84	0.403	2287088	.0919868
GrStadt	0698638	.1789291	-0.39	0.696	4205584	.2808307
leftist	.5251443	.1734097	3.03	0.002	.1852675	.8650211
s1x	.2607684	.1717603	1.52	0.129	0758755	.5974123
s2x	0316309	.0747601	-0.42	0.672	178158	.1148962
s7x	.1380685	.0654772	2.11	0.035	.0097355	.2664015
cons	7675269	.3503394	-2.19	0.028	-1.454179	0808744

Iteration 0: log likelihood = -489.28726
Iteration 1: log likelihood = -473.12081
Iteration 2: log likelihood = -473.09951
Iteration 3: log likelihood = -473.09951

Number of obs = LR chi2(2) = Prob > chi2 = Pseudo R2 = Logistic regression 716 32.38 0.0000 Log likelihood = -473.09951 0.0331

f10_5x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	1.111876	.2388361	4.66	0.000	.6437663	1.579986
_hatsq	.2429436	.323668	0.75	0.453	3914339	.8773212
_cons	0309643	.1008395	-0.31	0.759	228606	.1666774

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_6x s3_1x s3_2x s3_3x s3_4x s4x GrStadt leftist s1x s2x s7x	1.04 2.41 1.77 1.76 4.02 1.70 1.10 1.07 1.24 2.56 1.27	1.02 1.55 1.33 1.33 2.00 1.30 1.05 1.03 1.11 1.60	0.9606 0.4156 0.5660 0.5681 0.2488 0.5872 0.9076 0.9385 0.8084 0.3910 0.7857	0.0394 0.5844 0.4340 0.4319 0.7512 0.4128 0.0924 0.0615 0.1916 0.6090 0.2143
Mean VIF	1.81			

Cond Eigenval 6.2672 1.0000 1.1401 1.0257 2.4718 1.0044 2.4980 2.8113 3.3094 0.5722 0.4821 0.3788 4.0676 0.1640 6.1827 0.0791 0.0617 8.9009 10.0815 10 12 0.0317 14.0589

Condition Number 14.0589

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept) Det(correlation matrix) 0.0805

Iteration 0: log likelihood = -480.38912 Iteration 1: log likelihood = -451.92743 Iteration 2: log likelihood = -451.78962 Iteration 3: log likelihood = -451.78958

[95% Conf. Interval] f10 6x | Coef. Std. Err. P>|2| f11 6x | -.9141246 s3_1x | .5229136 s3_2x | .5466482 s3_3x | -.145348 s3_4x | -.145367 GrStadt | .3580528 leftist | .3843174 -1.233758 -.0127355 -.1364574 -.8574306 -.8190853 .1630814 -5.61 1.91 1.57 0.000 -.594491 .2732954 0.056 1.058563 .5667345 .3633141 -0.40 -0.43 0.689 0.671 -1.66 1.95 2.14 -.3104537 -.0023573 .0315912 0.096 .0856735 .0253802 .1838861 0.052 .7184628 .2968322 .078526 .1778271 1.67 0.095 0.313 -.0517025 -.0738694 s1x | .6453669 .2309215 s2x | .0291059 .1611421 s7x | .0673666 .3567181 0.43 -0.76 0.666 0.445 -.1029303 -.9715943 _cons |

Iteration 0: log likelihood = -480.38912 Iteration 1: log likelihood = -451.56066 Iteration 2: log likelihood = -451.4532 Iteration 3: log likelihood = -451.45318

f10_6x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
_hat	1.081263	.1728643	6.25	0.000	.7424548	1.420071
_hatsq	.1675717	.2049359	0.82	0.414	2340953	.5692387
_cons	0450501	.1012269	-0.45	0.656	2434513	.153351

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_7x s3_1x s3_2x s3_2x s3_3x s3_4x s4x f2stadt leftist s1x s2x s7x	1.02 2.38 1.77 1.74 3.91 1.69 1.10 1.06 1.23 2.47 1.26	1.01 1.54 1.33 1.32 1.98 1.30 1.05 1.03 1.11 1.57	0.9814 0.4204 0.5657 0.5751 0.2559 0.5910 0.9111 0.9475 0.8163 0.4041	0.0186 0.5796 0.4343 0.4249 0.7441 0.4090 0.0889 0.0525 0.1837 0.5959

Mean VIF 1.78

	Eigenval	Cond Index
1 2 3 4 5 6 7 8 9 10 11	6.3674 1.1330 1.0164 1.0043 0.7725 0.5773 0.4475 0.3426 0.1649 0.0776 0.0631 0.0333	1.0000 2.3706 2.5029 2.5179 2.8710 3.3211 3.7719 4.3111 6.2137 9.0571 10.0417 13.8382

Condition Number 13.8382

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept) Det(correlation matrix) $0.0879\,$

Iteration 0: log likelihood = -268.01122
Iteration 1: log likelihood = -255.02355
Iteration 2: log likelihood = -254.33376
Iteration 3: log likelihood = -254.3324
Iteration 4: log likelihood = -254.3324

Number of obs = 696 LR chi2(11) = 27.36 Prob > chi2 = 0.0041 Pseudo R2 = 0.0510 Logistic regression Log likelihood = -254.3324

s3_1x .1809622 .3694938	754048
GrStadt .1075649	051567 065942 0555692 000762 141798 010302 216556 087554 293584

Iteration 0: log likelihood = -268.01122
Iteration 1: log likelihood = -256.16372
Iteration 2: log likelihood = -253.84873
Iteration 3: log likelihood = -253.84697
Iteration 4: log likelihood = -253.84697

Number of obs = LR chi2(2) = Prob > chi2 = Pseudo R2 = Logistic regression 28.33 0.0000 0.0528

Log likelihood = -253.84697

f10_7x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	2.007756	1.032922	1.94	0.052	0167335	4.032245
_hatsq	.2797592	.2807236	1.00	0.319	270449	.8299673
_cons	.8059711	.8880234	0.91	0.364	9345228	2.546465

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_8x s3_1x s3_2x s3_3x s3_4x s4x GrStadt leftist s1x s2x s7x	1.06 2.39 1.77 1.75 4.00 1.71 1.10 1.06 1.24 2.53	1.03 1.54 1.33 1.32 2.00 1.31 1.05 1.03 1.12 1.59	0.9406 0.4190 0.5641 0.5706 0.2497 0.5835 0.9097 0.9442 0.8036 0.3950 0.7891	0.0594 0.5810 0.4359 0.4294 0.7503 0.4165 0.0903 0.0558 0.1964 0.6050 0.2109
Mean VIF	1.81			

	Eigenval	Cond Index
1	6.2722	1.0000
2	1.1370	2.3487
3	1.0293	2.4685
4	1.0098	2.4922
5	0.7689	2.8560
6	0.5968	3.2418
7	0.4953	3.5586
8	0.3595	4.1768
9	0.1634	6.1957
10	0.0735	9.2375
11	0.0623	10.0353
12	0.0318	14.0462

Condition Number 14.0462

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept) Det(correlation matrix) $0.0803\,$

Iteration 0: log likelihood = -273.34912 Iteration 1: log likelihood = -255.6748 Iteration 2: log likelihood = -254.1837 Iteration 3: log likelihood = -254.17551 Iteration 4: log likelihood = -254.17551

Number of obs = LR chi2(11) = Prob > chi2 = Pseudo R2 = 721 Logistic regression 38.35 0.0001 0.0701 Log likelihood = -254.17551

f10_8x	Coef.	Std. Err.	Z	P> z	[95% Conf.	<pre>Interval]</pre>
f11_8x	9182604	.245707	-3.74	0.000	-1.399837	4366836
s3 1x	.1676866	.386877	0.43	0.665	5905784	.9259517
s3 2x	4410568	.5602256	-0.79	0.431	-1.539079	.6569653
s3 3x	.6927721	.4745904	1.46	0.144	237408	1.622952
s3 4x	016997	.5168362	-0.03	0.974	-1.029977	.9959833
s4x	1831846	.1234806	-1.48	0.138	4252022	.0588331
GrStadt	0593064	.2732316	-0.22	0.828	5948305	.4762177
leftist	5407952	.2935375	-1.84	0.065	-1.116118	.0345277
s1x	.4722305	.264573	1.78	0.074	0463231	.990784
s2x	1452428	.1087218	-1.34	0.182	3583336	.0678481
s7x	0015756	.0966527	-0.02	0.987	1910114	.1878601
cons	6267806	.5063046	-1.24	0.216	-1.619119	.3655582

Iteration 0: log likelihood = -273.34912 Iteration 1: log likelihood = -257.59448 Iteration 2: log likelihood = -253.30715 Iteration 3: log likelihood = -253.29626 Iteration 4: log likelihood = -253.29626

Number of obs = LR chi2(2) = Prob > chi2 = Pseudo R2 = Logistic regression 40.11 0.0000 0.0734

Log likelihood = -253.29626

f10_8x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
 _hat _hatsq	1.871682 .2400832	.6679095 .1759443	2.80 1.36	0.005 0.172	.562603 1047614	3.18076 .5849278
_cons	.6707242	.5908411	1.14	0.256	4873032	1.828752

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_9x s3_1x s3_2x s3_3x s3_4x s4x GrStadt leftist s1x s2x	1.07 2.38 1.79 1.76 4.08 1.70 1.10 1.07 1.24 2.59	1.04 1.54 1.34 1.33 2.02 1.30 1.05 1.03 1.11 1.61	0.9323 0.4197 0.5599 0.5692 0.2449 0.5899 0.9112 0.9389 0.8085 0.3854	0.0677 0.5803 0.4401 0.4308 0.7551 0.4101 0.0888 0.0611 0.1915 0.6146
s7x	1.2/	1.13		0.2129

Mean VIF 1.82

	Eigenval	Cond Index
1 2 3 4 5 6 7 8 9 10 11	5.9151 1.1927 1.0899 1.0035 0.8087 0.6845 0.5782 0.3894 0.1664 0.0778 0.0619 0.0319	1.0000 2.2270 2.3297 2.4279 2.7044 2.9397 3.1984 3.8977 5.9615 8.7187 9.7715

Condition Number 13.6129

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept) Det(correlation matrix) $0.0780\,$

Iteration 0: log likelihood = -453.26151
Iteration 1: log likelihood = -448.90752
Iteration 2: log likelihood = -448.90581

Number of obs = LR chi2(11) = Prob > chi2 = Pseudo R2 = Logistic regression 662 8.71 0.6485 Log likelihood = -448.90581

f10_9x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval
f11 9x	.0068012	.217672	0.03	0.975	4198282	.433430
s3 1x	3199154	.2651928	-1.21	0.228	8396838	.19985
s3 2x	4926285	.3475371	-1.42	0.156	-1.173789	.188531
s3 3x	6283894	.3613006	-1.74	0.082	-1.336526	.07974
s3 4x	5029098	.3425901	-1.47	0.142	-1.174374	.16855
s4x	.1131987	.0822663	1.38	0.169	0480403	.27443
GrStadt	0113556	.1816979	-0.06	0.950	3674769	.34476
leftist	.1749939	.177729	0.98	0.325	1733486	.52333
s1x	.1822719	.1761276	1.03	0.301	1629319	.52747
s2x	.1122901	.0779601	1.44	0.150	0405088	.26508
s7x	0392612	.067488	-0.58	0.561	1715352	.093012
cons	6913961	.3573799	-1.93	0.053	-1.391848	.00905

Iteration 0: log likelihood = -453.26151
Iteration 1: log likelihood = -448.42019
Iteration 2: log likelihood = -448.40718
Iteration 3: log likelihood = -448.40718

Number of obs = LR chi2(2) = Prob > chi2 = Pseudo R2 = 662 9.71 0.0078 0.0107 Logistic regression

Log likelihood = -448.40718

f10_9x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	.4870005	.6162227	0.79	0.429	7207739	1.694775
_hatsq	-1.03008	1.038071	-0.99	0.321	-3.064663	1.004502
_cons	0093925	.1185666	-0.08	0.937	2417787	.2229938

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_10x s3_1x s3_2x s3_3x s3_4x s4x GrStadt leftist s1x s2x	1.06 2.37 1.79 1.73 3.93 1.71 1.09 1.06 1.24 2.51	1.03 1.54 1.34 1.32 1.98 1.31 1.05 1.03 1.12	0.9476 0.4213 0.5585 0.5769 0.2543 0.5841 0.9147 0.9467 0.8032 0.3985	0.0524 0.5787 0.4415 0.4231 0.7457 0.4159 0.0853 0.0533 0.1968 0.6015
s7x	1.26	1.12	0.7955 	0.2045

Mean VIF 1.80

	Eigenval	Cond Index
1 2 3 4 5	5.9867 1.1331 1.1058 1.0093 0.7654	1.0000 2.2985 2.3268 2.4355 2.7966
6 7 8 9 10 11	0.6892 0.5749 0.3893 0.1714 0.0793 0.0625 0.0330	2.9472 3.2269 3.9217 5.9095 8.6895 9.7839 13.4777

13.4777 Condition Number

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept) Det(correlation matrix) $0.0829\,$

Iteration 0: log likelihood = -423.31279
Iteration 1: log likelihood = -389.01683
Iteration 2: log likelihood = -388.30468
Iteration 3: log likelihood = -388.30315
Iteration 4: log likelihood = -388.30315

Logistic regression Number of obs = 708 LR chi2(11) Prob > chi2 Pseudo R2 = = = 70.02 0.0000 Log likelihood = -388.30315 0.0827

:| [95% Conf. Interval] f10_10x | Coef. Std. Err. z P>|z| -.5697188 0.000 -1.364978 -.3117191 -1.246074 -.0624184 0.386 .8063689 0.143 0.069 .1807043 -.7731249 -.1445529 -.884278 0.937 0.657 0.012 .7127461 .2290974 -.1109253 -1.21 1.76 2.80 1.95 -.2369422 .3469719 .2400413 .1955418 .1969894 0.226 -.6201971 -.0391203 .1463127 leftist | s1x | s2x | s7x | .0856197 .0741193 .3715728 .0722297 -.0004712 -1.030109 0.005 .4078529 s7x | .1448 _cons | -.3018396

-0.81

0.417

.4264297

0.0827

Iteration 0: log likelihood = -423.31279
Iteration 1: log likelihood = -389.20229
Iteration 2: log likelihood = -388.29023
Iteration 3: log likelihood = -388.28598
Iteration 4: log likelihood = -388.28598

Logistic regression Number of obs = LR chi2(2) Prob > chi2 Pseudo R2 70.05 0.0000

Log likelihood = -388.28598

f10_10x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	1.036637	.2356121	4.40	0.000	.5748453	1.498428
_hatsq	0255112	.1376084	-0.19	0.853	2952188	.2441964
_cons	0004869	.1388518	-0.00	0.997	2726314	.2716576

Annex 3 – Acceptance of policy measures by several determinants (logit models without 'subjective' – perceived - self-interest)

Collinearity Diagnostics

 Variable	VIF	SQRT VIF	Tolerance	R- Squared
s3_1x s3_2x s3_3x s3_4x s4x GrStadt leftist s1x s2x s7x	2.37 1.75 1.73 3.96 1.71 1.10 1.06 1.24 2.53 1.27	1.54 1.32 1.32 1.99 1.31 1.05 1.03 1.11 1.59	0.4216 0.5713 0.5772 0.2528 0.5859 0.9108 0.9468 0.8068 0.3957 0.7881	0.5784 0.4287 0.4228 0.7472 0.4141 0.0892 0.0532 0.1932 0.6043 0.2119

Mean VIF 1.87

	Eigenval	Cond Index
1 2 3 4 5 6 7 8 9 10	5.7542 1.1342 1.0181 1.0037 0.7640 0.5764 0.4028 0.1710 0.0802 0.0624 0.0330	1.0000 2.2524 2.3773 2.3944 2.7444 3.1595 3.7798 5.8005 8.4693 9.6035 13.2099

11 0.0330 13.2099

Condition Number 13.2099

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)

Det(correlation matrix) 0.0859

```
Iteration 0: log likelihood = -108.88629
Iteration 1: log likelihood = -100.23238
Iteration 2: log likelihood = -95.264905
Iteration 3: log likelihood = -95.050224
Iteration 4: log likelihood = -95.050224
Iteration 5: log likelihood = -95.048816
Iteration 5: log likelihood = -95.048816
Logistic regression
                                                                            Number of obs =
                                                                                                                   729
                                                                             LR chi2(10)
Prob > chi2
                                                                                                               27.67
                                                                                                               0.0020
Log likelihood = -95.048816
                                                                            Pseudo R2
                                                                                                               0 1271
                             Coef. Std. Err.
                                                                         P>|z|
                                                                                         [95% Conf. Interval]
         f10 1x |
                                                   ______
                       -.5680755
-.5264414
                                        .6884022 -0.83
.9377107 -0.56
                                                                                    -1.917319
-2.364321
                                                                                                         .7811681
1.311438
          s3_1x |
                                                                       0.409
          s3_2x |
s3_3x |
s3_4x |
                                                                          0.575
                                                                                     -2.364321
-2.413041
-1.160479
-.7094763
-.4816934
-1.513831
                        -.5565995
.8851626
-.2521256
                                                            -0.59
0.85
                                                                         0.557
                                           .9471815
                                                                                                           1.299842
              s4x
                                                            -1.08
                                           .2333465
                                                                         0.280
                                                                                                            .2052252
                                                          -1.08
0.90
-1.05
3.26
-1.71
                                                                                                          1.292002
                        .4051542
        GrStadt |
                                           .4524816
                                                                         0.371
                                                                                                         .4592085
                                           .5033358
        leftist |
                                                                         0.295
            s1x |
                           1 78058
                                          .5458372
                                                                         0.001
                                                                                          7107588
         s2x | -3848149 2244692
s7x | 3592026 1828626
cons | -3.55735 9086245
                                                                                     -.8247664
                                                                                                         .0551365
                                                                          0.086
                                                          1.96
-3.92
                                                                         0.049
                                                                                          .0007985
                                                                                                             .7176067
                                                                                    -5.338221
                    log likelihood = -108.88629
log likelihood = -97.596125
log likelihood = -95.442133
log likelihood = -95.059658
log likelihood = -95.03825
log likelihood = -95.038163
log likelihood = -95.038163
Iteration 0:
Iteration 1:
Iteration 2:
Iteration 3:
 Iteration 4:
Iteration 5:
Iteration 6:
                                                                            Number of obs = 729

LR chi2(2) = 27.70

Prob > chi2 = 0.0000

Proudo P2 - 0.1272
Logistic regression
Log likelihood = -95.038163
       hat | 1.129534 .9050492 1.25 0.212
hatsq | .0218086 .148243 0.15 0.883
_cons | .1682096 1.296135 0.13 0.897
                                                                                   -.6443296
-.2687424
-2.372168
                                                                                                            .3123596
Iteration 0: log likelihood = -286.3125
Iteration 1: log likelihood = -257.0175
Iteration 2: log likelihood = -253.34084
Iteration 3: log likelihood = -253.32138
Iteration 4: log likelihood = -253.32138
                                                                            Number of obs =
LR chi2(10) =
Prob > chi2 =
Logistic regression
                                                                                                                   732
                                                                                                                65.98
                                                                                                               0.0000
Log likelihood = -253.32138
                                                                             Pseudo R2
f10_2x | Coef. Std.
                                                                                         [95% Conf. Interval]
                                          Std. Err.
                                                                         P>|z|
                                                                 Z
                                                                                 .
-----
                                                   -.3599865
.3042289
          s3_1x |
s3_2x |
s3_3x |
s3_4x |
                                                         -0.98
                                                                                    -1.078602
-.5551955
                                        .3666473
                                                                       0.326
                                                            0.69
0.21
-0.02
                                                                         0.488
0.834
0.988
                                           .4384899
                                                                                                            1.163653
                                                                                    -.5551955
-.844105
-1.034932
-.4470394
.2016498
                        .100799
                                          .4821028
                                                                                                            1.045703
                                                                                                          1.018714
                                                          -1.69
2.78
3.38
1.33
              _
s4x |
                                                                                                          .0332836
                        -.2068779
                                           .1225336
                                                                         0.091
                        .6828089
        GrStadt |
                                          .2454939
                                                                          0.005
                         .8063847
                                           .238928
.252586
        leftist |
                                                                          0.001
                                                                                         .3380945
                                                                                                          1.274675
                        .3358355
                                                            -2.39
                                                                                                         -.0474483
             s2x I
                                             .110831
                                                                         0.017
                                                                                       -.4818978
              s7x |
                                         .0975311
                                                           2.49
-3.66
                         .2425665
                                                                         0.013
                                                                                          0514091
                                                                                                            4337239
                                                                                     -2.680326
                       -1.746256
                                                                          0.000
            cons
                      log likelihood = -286.3125
log likelihood = -262.00338
log likelihood = -253.25777
log likelihood = -252.97681
Iteration o.
Iteration 1:
---ion 2:
Iteration 0:
 Iteration 3:
Iteration 4: \log \text{ likelihood} = -252.97661
Logistic regression
                                                                            LR chi2(2)
Prob > chi2
Pseudo R2
                                                                                                                66.67
                                                                                                               0.0000
Log likelihood = -252.97679
                                                                                                               0.1164
                                       .4331273 3.10
.1267155 0.84
.3333545 0.57
       f10 2x |
                           Coef. Std. Err.
                                                               z P>|z|
                                                                                    [95% Conf. Interval]
                                                                                   .4945785
-.1422169
-.4623363
                                                                         0.002
        _hat | 1.343492
_hatsq | .106141
                                                                                                        2.192406
.3544988
.8443893
                                                                         0.402
                       .1910265
_cons |
```

```
Iteration 0: log likelihood = -364.06809
Iteration 1: log likelihood = -348.22308
Iteration 2: log likelihood = -347.24916
Iteration 3: log likelihood = -347.22475
Iteration 4: log likelihood = -347.22471
                                                                Number of obs =
LR chi2(10) =
Prob > chi2 =
Logistic regression
                                                                                              33.69
                                                                                             0.0002
                                                                Pseudo R2
Log likelihood = -347.22471
                                                                                             0.0463
       f10_3x |
                        Coef. Std. Err.
                                                      z
                                                            P>|z|
                                                                          [95% Conf. Interval]
                   .1958493
1.702324
-.3934741
                                   s3_1x |
                                                                                          .7804921
                                                                      -.3887935
.6497673
-1.151388
-.5997402
-.1520406
-.4501295
.2609781
-.4077293
-.1260124
         s3_2x |
s3_2x |
s3_3x |
s3_4x |
s4x |
                                                                                        2.754881
.3644394
.9350763
.2210618
                    .1676681
.0345106
-.0202008
                                                  0.43
                                                             0.668
                                      .391542
      GrStadt |
                                                 -0.09
                                                             0.927
                                    .2193554
                                                                                          .4097279
                                                                                        1.175845
                    .7184113
                                                3.08
0.00
0.51
-2.15
       leftist |
                                    .2333886
                                                             0.002
                                    .2081508
                                                             0.999
           s1x |
                                                                                           .408207
                                  .0870942
           s2x | .044689
s7x | -.1726222
                                                                                        2153905
                                                             0.608
                                                                       -.3297539
                                                             0.031
                                                                    . .35587
                                  .4027332
        _cons | 1.145212
                                                    2.84
                                                             0.004
                                                                                         1.934555
Iteration 0:
                  log likelihood = -364.06809
Lueration 0: log likelihood = -364.06809

Iteration 1: log likelihood = -347.9481

Iteration 2: log likelihood = -347.11725

Iteration 3: log likelihood = -347.09173

Iteration 4: log likelihood = -347.09167
                                                               Logistic regression
                                                                                                691
                                                                                             33.95
                                                                                            0.0000
                                                                Pseudo R2
Log likelihood = -347.09167
                                                                                             0.0466
f10_3x | Coef. Std. Err. z P>|z| [95% Conf. Interval]
     .0687988
-.5148727
-1.06932
                                                                                         2 565508
                                                                                       .2967336
Iteration 0: log likelihood = -471.03976
Iteration 1: log likelihood = -437.45033
Iteration 2: log likelihood = -436.9064
Iteration 3: log likelihood = -436.90538
Iteration 4: log likelihood = -436.90538
Logistic regression
                                                                Number of obs =
                                                                                                705
                                                                Number of obs =

LR chi2(10) =

Prob > chi2 =
                                                                                             68.27
0.0000
Log likelihood = -436.90538
                                                               Pseudo R2
                                                                                             0 0725
                                                                     [95% Conf. Interval]
                                                     z P>|z|
       f10_4x |
                       Coef. Std. Err.
                                                                      -.6488875
-.6636284
-1.374035
-.4244434
-.2333078
                                                -0.33
                   -.0936852 .2832717
                                                                                         .4615172
                                                             0.741
0.905
         s3_1x |
                                                    0.12
                                   .3605978
         s3_2x |
s3_3x |
s3_4x |
                     .0431302
                                                                                         .7498889
                                                  -1.80
0.72
                                                                                         .0602154
                    -.65691
.2485533
                                    .365887
.343372
                                                             0.073
0.469
                    -.0689992
                                   .0838325
           s4x
                                                  -0.82
                                                             0.410
                                                                                         .0953094
                                                                        .1165488
      GrStadt |
                   .4950018
.8295875
-.0781625
                                                    2.56
                                                                                         .8734547
1.215027
                                    .1930918
                                                             0.010
                                   .1966563
                                                                          .4441482
      leftist |
                                                             0.000
                                   .181061
                                                  -0.43
-3.71
                                                             0.666
                                                                        -.4330356
                                                                                        .2767105
           s1x I
                    -.2979203
                                                                        -.4551863
           s2x |
                                                  0.79
                                                                                        .1902742
                   .0547376
1.347101
            s7x I
                                    .0691526
                                                             0.429
                                                                          -.080799
Iteration 0:
                   log likelihood = -471.03976
Number of obs =
LR chi2(2) =
Prob > chi2 =
Logistic regression
                                                                                                705
                                                                                             0.0000
                                                                Pseudo R2
Log likelihood = -436.4136
       f10 4x |
                  Coef. Std
                                   Std. Err.
                                                             P>|z| [95% Conf. Interval]
                                                      Z
           _hatsq |
_cons |
                    -.0200516
                                                                           -.211936
```

```
Iteration 0: log likelihood = -492.37674
Iteration 1: log likelihood = -479.4982
Iteration 2: log likelihood = -479.48473
Iteration 3: log likelihood = -479.48472
                                                                           Number of obs =
                                                                                                                721
Logistic regression
                                                                           LR chi2(10) = Prob > chi2 =
                                                                                                            25.78
                                                                                                            0.0040
Log likelihood = -479.48472
                                                                           Pseudo R2
                                                                                                            0.0262
   f10_5x | Coef. Std. Err. z P>|z|
                                                                                 [95% Conf. Interval]
                      .3756738
                                                                                  -.1332656
                                         .2596677 1.45
.3382257 2.16
          s3_1x |
                                                                       0.148
                                                                                                         8846132
                                                                                  .0685648
-.6808052
-.3386123
-.2400354
-.3938359
          s3_2x |
s3_3x |
s3_4x |
                                                                       0.031
                                                                                                       1.394385
                                                                                                        .7014752
                       .010335
                                         .352629
                                                          0.03
                                                                       0.977
                                                                                                        .9560337
                                                                                                       .0780208
                       -.0810073
-.0449127
                                                          -1.00
-0.25
             s4x
                                         .0811383
                                                                       0.318
       GrStadt |
                       .5416325
                                                                                   .2037047
-.0633123
-.1602246
                                                          3.14
1.59
       leftist |
                                         .1724153
                                                                       0.002
                                                                                                        .8795603
                      .270952
                                         .1705461
                                                                                                       .6052163
                                                                       0.112
                                                          -0.20
             s2x I
                                                                       0.842
                                                                                                            .13061
s7x |
_cons |
                    | .1276368 .0649233 1.97
| -.9337031 .3401668 -2.74
                                                                       0.049
                                                                                       0003894
                                                                                                       2548841
                                                                                   -1.600418
                                                                                                      -.2669883
                                                                       0.006
Iteration 0: log likelihood = -492.37674
Iteration 1: log likelihood = -479.49358
Iteration 2: log likelihood = -479.4802
Iteration 3: log likelihood = -479.4802
                                                                          Number of obs =

LR chi2(2) =

Prob > chi2 =
                                                                                                            721
25.79
Logistic regression
                                                                                                            0.0000
Log likelihood = -479.4802
                                                                           Pseudo R2
                                                                                       [95% Conf. Interval]
hat | 1.016295 .2645695 3.84
hatsq | .0397756 .4183013 0.10
_cons | -.0043384 .1056445 -0.04
                                                                                                     1.534841
                                                                                 .4977481
-.7800798
-.2113978
                                                                       0.000
                                                                       0.924
                                                                                                     .202721
                                                                       0.967
Iteration 0: log likelihood = -485.98894
Iteration 1: log likelihood = -473.71428
Iteration 2: log likelihood = -473.69388
Iteration 3: log likelihood = -473.69388
                                                                          Number of obs =

LR chi2(10) =

Prob > chi2 =
Logistic regression
                                                                                                             24.59
                                                                                                            0.0062
Log likelihood = -473.69388
                                                                          Pseudo R2
                                                                                                            0.0253
        f10 6x |
                            Coef. Std. Err.
                                                               7
                                                                      P>|z|
                                                                                      [95% Conf Interval]
          s3_1x |
s3_2x |
s3_3x |
                      .5230366
.4665406
-.0164927
                                         .2624612
                                                        1.99
1.38
-0.05
                                                                                  .0086221
-.1962768
-.7037238
                                                                       0.046
                                                                                                        1.037451
                                                                                                      1.037451
1.129358
.6707383
                                         .3381784
                                                                       0.168
                                                                                  -.7606714
-.3472385
.0362616
.0837959
          s3_4x |
s4x |
                       -.1135322
-.1843409
                                         .3301791
                                                         -0.34
-2.22
                                                                       0.731
0.027
                                                                                                         5336069
                                                                                                       -.0214432
                                                          2.16
2.44
1.63
1.16
       GrStadt |
                       .3856085
.4258994
                                         .1782415
.1745458
                                                                       0.031
                                                                                                       .7349553
.7680029
        leftist |
                        .2815549
            s1x
                                         .1727089
                                                                       0.103
                                                                                    -.0569483
                                                                                                         .6200581
                                                                                                        .2328569
             s2x |
s7x |
                                        .0745759
                                                                     0.245
                                                                                     -.0594754
                          .0866907
          s7x | -.0049805
_cons | -.5281895
                                                          -0.08
                                                                                                        .1225707
                                                                                      -.1325316
                                                                                   -.1325310
-1.192921
                                       .3391548
                                                         -1.56 0.119
                                                                                                       .1365417
Iteration 0: log likelihood = -485.98894
Iteration 1: log likelihood = -473.65376
Iteration 2: log likelihood = -473.63774
Iteration 3: log likelihood = -473.63774
                                                                          Number of obs = LR chi2(2) = chi2 =
Logistic regression
                                                                                                             24.70
                                                                                                            0.0000
Log likelihood = -473.63774
                                                                          Pseudo R2
                                                                                                            0.0254
                                                                                [95% Conf. Interval]
f10_6x | Coef. Std. Err. z P>|z|
_hat | 1.049366 .2553284 4.11 0.000
_hatsq | .1247686 .3717894 0.34 0.737
_cons | -.0124952 .0975855 -0.13 0.898
                                                                                                      1.549801
                                                                                       .548932
                                          .2553284 4.11 0.000 .548932
.3717894 0.34 0.737 -.6039253
.0975855 -0.13 0.898 -.2037592
                                                                                                53 .8534626
92 .1787688
```

```
Iteration 0: log likelihood = -281.13036

Iteration 1: log likelihood = -274.51846

Iteration 2: log likelihood = -274.3273

Iteration 3: log likelihood = -274.32714
                                                                          Number of obs =
                                                                                                               722
Logistic regression
                                                                          Number of obs = 
LR chi2(10) = 
Prob > chi2 =
                                                                                                           13.61
                                                                                                           0.1917
Log likelihood = -274.32714
                                                                          Pseudo R2
                                                                                [95% Conf. Interval]
       f10_7x | Coef. Std. Err. z P>|z|
                                                                                 -.3685702
-1.214112
-1.405306
-.7625966
-.2393733
-.4101561
.0560744
-.6843538
                                         .3608063 0.94
.5028057 -0.45
                      .3385971
-.2286306
                                                                                                       1.045764
          s3_1x |
                                                                      0.348
          s3_2x |
s3_3x |
s3_4x |
                                                                      0.649
0.557
0.684
                                                                                                       .7568505
                                                          -0.59
0.41
                       -.3241497
                                          .5516205
                                                                                                         7570067
                                                                                                       1.162603
                                         .4911313
                        .2000031
                       -.0065663
.0851923
.5197652
                                                                                                       .2262408
                                         .1187813
                                                                      0.956
             s4x
                                                           -0.06
                                                                                                      .2262408
.5805408
.9834561
       GrStadt |
                                         .2365813
                                                                       0.028
       leftist |
                                                                                                          .283544
                       -.2004049
                                         .2469172
                                                          -0.81
                                                                       0.417
                       -.1345566
                                                          -1.24
                                                                                                       .0787427
                                         .1088282
                                                                      0.216
             s2x I
                                                                                      -.347856
                                                                     0.899
                                                                                  -.1720544
-2.571009
s7x |
_cons |
                    | .0118766 .0938441 0.13
| -1.632392 .4788948 -3.41
                                                                                                         1958075
                                                                       0.001
Iteration 0: log likelihood = -281.13036
Iteration 1: log likelihood = -274.66602
Iteration 2: log likelihood = -274.27437
Iteration 3: log likelihood = -274.27312
Iteration 4: log likelihood = -274.27312
Iteration 4: log likelihood = -274.27312
                                                                          Number of obs = LR chi2(2) = Prob > chi2 = Pseudo R2 =
Logistic regression
                                                                                                            13.71
                                                                                                           0.0011
Log likelihood = -274.27312
                                                                                [95% Conf. Interval]
                                                                 z P>|z|
        f10_7x | Coef. Std. Err. z
                        .329735 2.071035 0.16
-.1864166 .5711166 -0.33
-.5716014 1.825433 -0.31
                                                                    0.874 -3.729419
0.744 -1.305785
0.754 -4.149385
            _hat |
                                                                                                    4.388889
Iteration 0: log likelihood = -276.36333
Number of obs =
Logistic regression
                                                                          LR chi2(10)
Prob > chi2
                                                                                                            22.01
                                                                                                           0.0150
Log likelihood = -265.35773
                                                                          Pseudo R2
                                                                                                           0.0398
                                                                               [95% Conf. Interval]
                8x | Coef. Std. Err. z
        f10 8x |
                                                                      P>|z|
                      .242549 .3761991 0.64 0.519 -.4947876

-.2484771 .54983 -0.45 0.651 -1.326124

.8996532 .4598787 1.96 0.050 -.0016924

.2481632 .5107392 0.49 0.627 -.7528672

-.1417068 .1207192 -1.17 0.240 -.3783121

.0679913 .2654792 0.26 0.798 -.4523384

-.5965709 .2887599 -2.07 0.039 -1.16253
          s3_1x |
                                                                                                      .9798856
          s3_2x |
s3_3x |
s3_4x |
s4x |
                                                                                                         .8291699
                                                                                                       1.800999
                                                                                                       1.249194
       GrStadt |
                      .0679913
                                                                                                        .5883211
                                                         -2.07
1.83
-1.39
                                         .2887599
                                                                       0.039
                                                                                      -1.16253
                                                                                                      -.0306119
                                                                                   -1.10255
                        .4693406
          s1x |
s2x |
                                                                      0.067
                                                                                                       .9712008
                      -.1515589
                                                                                                       .0624216
                                         .1091757
                                                                      0.165
                                                                                   -.3655393
                                       .0958896
                                                          -0.01
-2.72
                                                                     0.992
                                                                                  -.1889301
-2.258758
                           -.00099
                                                                                                     .1869501
-.3656378
Iteration 0: log likelihood = -276.36333

Iteration 1: log likelihood = -266.49374

Iteration 2: log likelihood = -264.5536

Iteration 3: log likelihood = -264.55165

Iteration 4: log likelihood = -264.55165
                                                                          Number of obs =
Logistic regression
                                                                          LR chi2(2) = Prob > chi2 =
                                                                                                            23 62
Log likelihood = -264.55165
                                                                          Pseudo R2
                                                                                                           0.0427
        f10_8x | Coef. Std. Err. z
                                                                      P>|z|
                                                                                     [95% Conf. Interval]
                                                                                                     4.536917
 _hat | 2.3941 1.093294
_hatsq | .3813864 .2912207
_cons | 1.16292 .9837907

    2.3941
    1.093294
    2.19
    0.029
    .251283

    3813864
    .2912207
    1.31
    0.190
    -.1893957

    1.16292
    .9837907
    1.18
    0.237
    -.7652744

                                                                                      251283
                                                                                                    .9521686
3.091114
                                                                    0.237
```

Iteration 0: Iteration 1: Iteration 2:	log likeliho log likeliho log likeliho	pod = -458.0 pod = -453.0 pod = -453.0	4246 2463 2225			
Logistic regre	ession				of obs = 12(10) =	669 10.04
Log likelihood	d = -453.0222	5		Prob > Pseudo	> chi2 = = = =	0.4370 0.0110
f10_9x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
s3_1x s3_2x s3_3x s3_4x s4x GrStadt leftist s1x s2x	3260807 5054093 6688831 5361216 1245927 0082001 1774838 .1725378	.2632399 .3447809 .3579875 .3387615 .0820671 .1813607 .1765596 .1754773	-1.47 -1.87 -1.58 1.52 -0.05 1.01 0.98 1.60	0.215 0.143 0.062 0.114 0.129 0.964 0.315 0.325 0.110	1/13915 0279839	.1703488 .0327595 .1278388 .2854412 .3472603 .5235342 .5164671 .2735143
Iteration 0: Iteration 1: Iteration 2: Iteration 3:	log likeliho log likeliho	pod = -452.4	3413		6)	550
Logistic regre		3		LR chi	c of obs = 12(2) = chi2 = R2 =	11.22 0.0037 0.0122
	Coef.					
_hat _hatsq _cons	.5114024 9807602 0018004	.5508109 .9106213 .1135637	0.93 -1.08 -0.02	0.353 0.281 0.987	5681672 -2.765545 2243813	1.590972 .8040248 .2207804
Iteration 0: Iteration 1: Iteration 2: Iteration 3:	log likeliho	ood = -429.7	6251			
Iteration 3:	log likeliho log likeliho	pod = -404.7 pod = -404.	6707 7662			
Logistic regre	ession		.213 6707 7662	LR chi Prob >	c of obs = 12(10) = chi2 = 22	49.99 0.0000
	ession		.213 6707 7662	LR chi Prob >	12(10) =	0.0000
Logistic regre	ession d = -404.7662	2 Std. Err.	z	LR chi Prob > Pseudo	22(10) = chi2 = R2 = [95% Conf.	0.0000 0.0582 Interval]
Logistic regree Log likelihood f10_10x s3_1x s3_2x s3_3x s3_4x s4x GrStadt leftist s1x s2x s7x	ession d = -404.766: 	Std. Err. .2778219 .3519123 .4311159 .3680803 .0932661 .1920034 .1907554 .1920503 .0834384 .0723263	1.07 -2.18 1.94 0.06 0.74 -3.04 1.87 2.56 1.92	LR chi Prob > Pseudo 	L2(10) = chi2 =	0.0000 0.0582 Interval]
Logistic regree Log likelihood f10_10x s3_1x s3_2x s3_3x s3_4x s4x GrStadt leftist s1x s2x s7x	d = -404.766: Coef. .2976663 .765463 .8350654 .0206825 .068569 5791879 1989463 .358933 .213842 .138475 4931833	Std. Err2778219 .3519123 .4311159 .3680803 .0932661 .1920034 .1907554 .1920503 .0834384 .0723263 .3619756	1.07 -2.18 1.94 0.06 0.74 -3.02 -1.04 1.87 2.56 1.92 -1.36	LR chi Prob > Pseudo 	L2(10) = Chi2 = R2 = [95% Conf - 2468547 - - 1.455198 - - 0099062 - - 7007416 - - 1142292 - - 9555076 - - 5728201 - - 0174787 - - 0503057 - - 0028095	0.0000 0.0582
Logistic regree Log likelihood f10_10x s3_1x s3_2x s3_3x s3_4x s4x GrStadt leftist s1x s2x s7xcons Iteration 0: Iteration 1: Iteration 2: Iteration 3:	coef. Coef. .2976663 .2976663 .8350654 .0206825 .068569 5791879 1989463 .358933 .213842 .1389475 4931833	Std. Err2778219 .3519123 .4311159 .3680803 .0932661 .1920034 .1907554 .1920503 .0834384 .0723263 .3619756	1.07 -2.18 1.94 0.06 0.74 -3.02 -1.04 1.87 2.56 1.92 -1.36	LR chi Prob > Pseudo 	2(10) = chi2 = c	0.0000 0.0582
Logistic regree Log likelihood f10_10x s3_1x s3_2x s3_3x s3_4x s4x Grstadt leftist s1x s2x s7xcons Iteration 0: Iteration 1: Iteration 2: Iteration 3: Iteration 4:	Coef. Coef. Coef. -765463 -765463 8350654 0206825 068569 -5791879 -1989463 358933 213842 1389475 -4931833	Std. Err2778219 .3519123 .4311159 .3680803 .0932661 .1920034 .1907554 .1920503 .0834384 .0723263 .3619756	1.07 -2.18 1.94 0.06 0.74 -3.02 -1.04 1.87 2.56 1.92 -1.36	LR chi Prob > Pseudo 	L2(10) = chi2 =	0.0000 0.0582
Logistic regree Log likelihood f10_10x s3_1x s3_2x s3_3x s3_4x s4x GrStadt leftist s1x s2x s7x _cons Iteration 0: Iteration 1: Iteration 2: Iteration 3: Iteration 4: Logistic regree Log likelihood f10_10x	Coef. Coef. Coef. -765463 -765463 8350654 0206825 068569 -5791879 -1989463 358933 213842 1389475 -4931833	Std. Err. .2778219 .3519123 .4311159 .3680803 .0932661 .1920034 .1907554 .1920503 .0834384 .0723263 .3619756 cod = -429.7 cod = -404.6 cod = -404.6 g Std. Err.	2 -2.18 1.94 0.06 0.74 -3.02 -1.04 1.87 2.56 1.92 -1.36 6251 1488 9975 9799 9799	LR chi Prob > Pseudc 0.284 0.030 0.053 0.955 0.462 0.003 0.297 0.062 0.010 0.055 0.173 	2(10)	0.0000 0.0582

Annex 4 – Acceptance of policy measures by several determinants (logit models without ideological orientation)

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11 1x s3_1x s3_2x s3_3x s3_4x s4x GrStadt s1x s2x s7x	1.04 2.41 1.80 1.67 3.94 1.69 1.09 1.21 2.51	1.02 1.55 1.34 1.29 1.99 1.30 1.04 1.10	0.9621 0.4153 0.5560 0.5979 0.2537 0.5902 0.9207 0.8236 0.3984 0.7803	0.0379 0.5847 0.4440 0.4021 0.7463 0.4098 0.0793 0.1764 0.6016 0.2197

	Eigenval	Cond Index
1 2 3 4 5 6 7 8 9	6.2531 1.1349 1.0114 1.0028 0.6832 0.4473 0.1921 0.1245 0.0632 0.0614 0.0263	1.0000 2.3473 2.4865 2.4971 3.0254 3.7389 5.7056 7.0882 9.9504 10.0907

15.4290 Condition Number

Condition Number 15.4290
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.0883

Iteration 0: log likelihood = -139.05462
Iteration 1: log likelihood = -129.90606
Iteration 2: log likelihood = -124.82493
Iteration 3: log likelihood = -124.64751
Iteration 4: log likelihood = -124.64687
Iteration 5: log likelihood = -124.64687

Number of obs = LR chi2(10) = Prob > chi2 = Pseudo R2 = 924 28.82 Logistic regression 0.0013 Log likelihood = -124.64687

f10_1x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
s3_1x s3_2x s3_3x s3_4x s4x GrStadt s1x s2x s7x	4746259 9755235 8363936 -1.105469 .2119853 0700955 .1715122 1.40822 2596375 .3460981 -3.411415	.5240467 .5961048 .7757693 .8753234 .8514097 .1905369 .4013359 .4464776 .1907051 .1594046	-0.91 -1.64 -1.08 -1.26 0.25 -0.37 0.43 3.15 -1.36 2.17 -3.72	0.365 0.102 0.281 0.207 0.803 0.713 0.669 0.002 0.173 0.030	-1.501739 -2.143868 -2.356873 -2.821071 -1.456747 4435411 6150916 .5331396 6334126 .0336708 -5.210675	.5524868 .1928205 .6840862 .6101335 1.880718 .930335 .9581161 2.283299 .1141376 .6585255 -1.612155

Iteration 0: log likelihood = -139.05462
Iteration 1: log likelihood = -126.36963
Iteration 2: log likelihood = -124.46229
Iteration 3: log likelihood = -124.28626
Iteration 4: log likelihood = -124.28322
Iteration 5: log likelihood = -124.28321

Number of obs = LR chi2(2) = Prob > chi2 = Pseudo R2 = Logistic regression 924 29.54 0.0000 0.1062 Log likelihood = -124.28321

f10_1x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
_hat	1.765106	.8962089	1.97	0.049	.0085692	3.521643
_hatsq	.128206	.1457282	0.88	0.379	1574161	.413828
_cons	1.013852	1.293131	0.78	0.433	-1.520637	3.548341

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_2x s3_1x s3_2x s3_3x s3_4x s4x GrStadt s1x s2x s7x	1.09 2.41 1.80 1.67 3.92 1.71 1.11 1.21 2.50 1.27	1.04 1.55 1.34 1.29 1.98 1.31 1.05 1.10	0.9184 0.4156 0.5564 0.5986 0.2554 0.5833 0.8989 0.8236 0.4002 0.7865	0.0816 0.5844 0.4436 0.4014 0.7446 0.4167 0.1011 0.1764 0.5998 0.2135

	Eigenval	Cond Index
1 2 3 4 5 6 7 8 9	6.1975 1.1428 1.0112 1.0018 0.6939 0.4450 0.1976 0.1487 0.0725 0.0610 0.0280	1.0000 2.3287 2.4757 2.4873 2.9885 3.7318 5.5999 6.4549 9.2468 10.0786

Condition Number 14.8774
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.0846

Iteration 0: log likelihood = -355.02402
Iteration 1: log likelihood = -312.69592
Iteration 2: log likelihood = -305.60197
Iteration 3: log likelihood = -305.53608
Iteration 4: log likelihood = -305.53603

Number of obs = LR chi2(10) = Prob > chi2 = Pseudo R2 = Logistic regression 925 98.98 0.0000 0.1394 Log likelihood = -305.53603

f11_2x -1.583581	f10_2x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
	s3_1x	5636687	.3366544	-1.67	0.094	-1.223499	.0961617
	s3_2x	.0967693	.3931482	0.25	0.806	6737871	.8673257
	s3_3x	1428504	.4443502	-0.32	0.748	-1.013761	.72806
	s3_4x	3878565	.4743449	-0.82	0.414	-1.317555	.5418424
	s3_4x	0627614	.108117	-0.58	0.562	2746668	.1491439
	GrStadt	.3647034	.2327752	1.57	0.117	0915276	.8209344
	s1x	.5097882	.2296693	2.22	0.026	.0596446	.9599319
	s2x	3051157	.1014606	-3.01	0.003	5039749	1062566

Iteration 0: log likelihood = -355.02402
Iteration 1: log likelihood = -319.69515
Iteration 2: log likelihood = -309.367
Iteration 3: log likelihood = -305.53441
Iteration 4: log likelihood = -305.53274
Iteration 5: log likelihood = -305.53274

Number of obs = LR chi2(2) = Prob > chi2 = Pseudo R2 = Logistic regression 925 98.98 0.0000 Log likelihood = -305.53274Pseudo R2 0.1394

f10_2x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
_hat	1.019657	.2656996	3.84	0.000	.4988955	1.540419
_hatsq	.0065659	.0808924	0.08	0.935	1519804	.1651122
_cons	.0083471	.2318324	0.04	0.971	4460362	.4627303

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11 3x s3_1x s3_2x s3_2x s3_3x s3_4x s4x GrStadt s1x s2x s7x	1.03 2.44 1.83 1.68 3.93 1.72 1.07 1.21 2.49 1.26	1.01 1.56 1.35 1.30 1.98 1.31 1.04 1.10	0.9731 0.4097 0.5468 0.5941 0.2542 0.5824 0.9331 0.8253 0.4014 0.7953	0.0269 0.5903 0.4532 0.4059 0.7458 0.4176 0.0669 0.1747 0.5986 0.2047

1 5.5992	1.0000
2 1.1445	2.2118
3 1.0220	2.3406
4 1.0010	2.3651
5 0.7861	2.6689
6 0.6748	2.8805
7 0.4247	3.6309
8 0.1739	5.6736
9 0.0801	8.3619
10 0.0610	9.5817
11 0.0326	13.1072

Condition Number 13.1072
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.0896

Iteration 0: log likelihood = -445.86032 Iteration 1: log likelihood = -425.03488 Iteration 2: log likelihood = -424.07714 Iteration 3: log likelihood = -424.07136 Iteration 4: log likelihood = -424.07135

Number of obs = LR chi2(10) = Prob > chi2 = Pseudo R2 = Logistic regression 847 43.58 0.0000 0.0489 Log likelihood = -424.07135

f10_3x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
f11_3x s3_1x s3_2x s3_3x s3_4x s4x GrStadt s1x s2x	969981 .0004965 1.015674 6341687 1772715 .0713204 0087045 .1036337 .0666749	.2075768 .2753082 .4290401 .3544241 .3605068 .0881772 .1944271 .1865056 .0810085	-4.67 0.00 2.37 -1.79 -0.49 0.81 -0.04 0.56 0.82	0.000 0.999 0.018 0.074 0.623 0.419 0.964 0.578 0.410	-1.376824 5390976 .1747707 -1.328827 8838518 1015038 3897746 2619105 0920988 2928943	563138 .5400907 1.856577 .0604897 .5293087 .2441445 .3723656 .4691779 .2254485
_cons	1.427926	.3719589	3.84	0.000	.6988999	2.156952

Iteration 0: log likelihood = -445.86032 Iteration 1: log likelihood = -424.46887 Iteration 2: log likelihood = -423.26375 Iteration 3: log likelihood = -423.26167

Number of obs = LR chi2(2) = Prob > chi2 = Pseudo R2 = Logistic regression 847 45.20 0.0000 Log likelihood = -423.26167 0.0507

f10_3x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
_hat	1.524637	.439697	3.47	0.001	.6628465	2.386427
_hatsq	2281285	.1753145	-1.30	0.193	5717387	.1154816
_cons	2312822	.27622	-0.84	0.402	7726634	.310099

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_4x s3_1x s3_2x s3_3x s3_4x s4x GrStadt s1x s2x s7x	1.03 2.42 1.80 1.69 3.90 1.70 1.08 1.20 2.47	1.01 1.56 1.34 1.30 1.98 1.30 1.04 1.10	0.9746 0.4126 0.5548 0.5921 0.2561 0.5888 0.9277 0.8326 0.4042 0.7936	0.0254 0.5874 0.4452 0.4079 0.7439 0.4112 0.0723 0.1674 0.5958 0.2064

	Eigenval	Cond Index
1 2	5.6603 1.1303	1.0000 2.2378
3 4	1.0546	2.3167 2.3766
5 6	0.7324	2.7801
7	0.4268	3.6416
8 9	0.1769 0.0787	5.6569 8.4831
10 11	0.0618 0.0328	9.5727 13.1380

Condition Number 13.1380

Condition Number 13.1380
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.0913

Iteration 0: log likelihood = -579.39838
Iteration 1: log likelihood = -545.14665
Iteration 2: log likelihood = -544.79142
Iteration 3: log likelihood = -544.79112

Number of obs = 862 LR chi2(10) = 69.21 Prob > chi2 = 0.0000 Pseudo R2 = 0.0597 Logistic regression Log likelihood = -544.79112

f10_4x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
f11_4x s3 1x	5949641 182352	.1689332	-3.52 -0.72	0.000	9260671 6798579	263861 .3151539
s3_2x	.1168218	.3244564	0.36	0.719	5191012	.7527447
s3_3x s3_4x	3621152 .2443964	.3352985	-1.08 0.80	0.280	-1.019288 357883	.2950579 .8466758
s4x GrStadt	0720567 .5983563	.0772025	-0.93 3.46	0.351	2233708 .2591112	.0792574
s1x	0979215	.1595453	-0.61	0.539	4106245	.2147816
s2x	3052079	.072053	-4.24 1.74	0.000	4464291	1639868
s7x _cons	.1083354 1.52982	.3340545	4.58	0.000	0134426 .8750851	.2301134

Iteration 0: log likelihood = -579.39838
Iteration 1: log likelihood = -545.14096
Iteration 2: log likelihood = -544.47975
Iteration 3: log likelihood = -544.47568
Iteration 4: log likelihood = -544.47568

Number of obs = 862 LR chi2(2) = 69.85 Prob > chi2 = 0.0000 Pseudo R2 = 0.0603 Logistic regression Log likelihood = -544.47568

f10_4x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
_hat	.8709307	.2053518	4.24	0.000	.4684486	1.273413
_hatsq	.1391982	.1763267	0.79	0.430	2063959	.4847923
_cons	015834	.0887419	-0.18	0.858	189765	.158097

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_5x s3_1x s3_2x s3_3x s3_4x s3_4x GrStadt s1x s2x s7x	1.03 2.40 1.81 1.69 3.91 1.70 1.08 1.21 2.50	1.01 1.55 1.35 1.30 1.98 1.30 1.04 1.10	0.9746 0.4159 0.5512 0.5929 0.2555 0.5889 0.9288 0.8239 0.4001 0.7828	0.0254 0.5841 0.4488 0.4071 0.7445 0.4111 0.0712 0.1761 0.5999 0.2172

	Eigenval	Cond Index
1 2 3 4 5 6 7 8 9 10	5.8640 1.1362 1.0116 1.0010 0.6843 0.5735 0.3836 0.1717 0.0801 0.0619 0.0320	1.0000 2.2718 2.4076 2.4203 2.9273 3.1976 3.9096 5.8437 8.5553 9.7346 13.5471

Condition Number 13.5471

Condition Number 13.5471
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.0897

Iteration 0: log likelihood = -607.53773
Iteration 1: log likelihood = -594.13749
Iteration 2: log likelihood = -594.11257
Iteration 3: log likelihood = -594.11257

Number of obs = 899 LR chi2(10) = 26.85 Prob > chi2 = 0.0028 Pseudo R2 = 0.0221 Logistic regression Log likelihood = -594.11257

f10_5x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
f11_5x s3 1x	4001695 .3967122	.1411858	-2.83 1.70	0.005	6768887 061528	1234504 .8549523
s3_2x	.5120379	.296031	1.73	0.084	0681722	1.092248
s3_3x	0191488	.319908	-0.06	0.952	646157	.6078593
s3_4x	.2284003	.2956028	0.77	0.440	3509704	.8077711
s4x	0524568	.0737282	-0.71	0.477	1969615	.0920479
GrStadt	.0849658	.1579498	0.54	0.591	22461	.3945417
s1x	.180612	.1515784	1.19	0.233	1164762	.4777002
s2x	0382935	.0670906	-0.57	0.568	1697887	.0932017
s7x	.1620153	.0588699	2.75	0.006	.0466325	.2773981
cons	7255472	.3085521	-2.35	0.019	-1.330298	1207962

Iteration 0: log likelihood = -607.53773
Iteration 1: log likelihood = -593.92866
Iteration 2: log likelihood = -593.90419
Iteration 3: log likelihood = -593.90419

Number of obs = 899
LR chi2(2) = 27.27
Prob > chi2 = 0.0000
Pseudo R2 = 0.0224 Logistic regression Log likelihood = -593.90419

f10_5x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
_hat	1.214743	.3878184	3.13	0.002	.4546328	1.974853
_hatsq	.2805059	.4338523	0.65	0.518	569829	1.130841
_cons	.0065248	.1003216	0.07	0.948	190102	.2031516

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11 6x s3_1x s3_2x s3_3x s3_4x s4x GrStadt s1x s2x s7x	1.03 2.43 1.80 1.69 3.99 1.70 1.08 1.21 2.53 1.27	1.01 1.56 1.34 1.30 2.00 1.30 1.04 1.10 1.59 1.13	0.9734 0.4120 0.5545 0.5592 0.2508 0.5900 0.9271 0.8249 0.3956 0.7867	0.0266 0.5880 0.4455 0.4078 0.7492 0.4100 0.0729 0.1751 0.6044 0.2133

	Eigenval	Cond Index
1 2 3 4 5 6 7 8 9	5.9202 1.1414 1.0139 1.0014 0.6845 0.4956 0.3996 0.1717 0.0786	1.0000 2.2774 2.4164 2.4315 2.9410 3.4562 3.8491 5.8717 8.6778 9.8167
11	0.0317	13.6551

Condition Number 13.6551
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.0881

Iteration 0: log likelihood = -594.32321
Iteration 1: log likelihood = -565.77168
Iteration 2: log likelihood = -565.66553
Iteration 3: log likelihood = -565.66551

Number of obs = 873 LR chi2(10) = 57.32 Prob > chi2 = 0.0000 Pseudo R2 = 0.0482 Logistic regression Log likelihood = -565.66551

f10_6x	Coef.	Std. Err.	Z	P> z	[95% Conf.	<pre>Interval]</pre>
f11_6x s3 1x	8951125 .4372341	.1447197	-6.19 1.79	0.000	-1.178758 042676	611467 .9171441
s3_2x	.5459479	.3078542	1.77	0.076	0574352	1.149331
s3_3x s3_4x	0251081 2667711	.3260715 .30728	-0.08 -0.87	0.939 0.385	6641965 8690288	.6139804 .3354867
s4x GrStadt	1194084 .2807228	.0769363 .1629829	-1.55 1.72	0.121	2702008 0387177	.0313841
s1x s2x	.2823244	.1567624	1.80	0.072	0249243 010088	.5895731 .2630736
s7x	.0727424	.0604919	1.20	0.229	0458195 -1.17058	.1913044
_cons	349/192	.310//14	-1./4	0.003	-1.1/058	.0/11413

Iteration 0: log likelihood = -594.32321
Iteration 1: log likelihood = -564.80966
Iteration 2: log likelihood = -564.74673
Iteration 3: log likelihood = -564.74672

Number of obs = LR chi2(2) = Prob > chi2 = Pseudo R2 = Logistic regression 59.15 0.0000 0.0498 Log likelihood = -564.74672

f10_6x	1	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
_hat _hatsq _cons	i	1.214831 .3280926 0533402	.2124313 .2423167 .0909631	1.35	0.000 0.176 0.558	.798473 1468394 2316245	1.631188 .8030245 .1249442

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_7x s3_1x s3_2x s3_3x s3_4x s4x GrStadt s1x s2x s7x	1.02 2.43 1.82 1.69 3.91 1.69 1.08 1.21 2.45 1.26	1.01 1.56 1.35 1.30 1.98 1.30 1.04 1.10 1.57	0.9802 0.4119 0.5482 0.5921 0.2558 0.5906 0.9289 0.8274 0.4076 0.7930	0.0198 0.5881 0.4518 0.4079 0.7442 0.4094 0.0711 0.1726 0.5924 0.2070

2 1.1321 2. 3 1.0114 2. 4 1.0010 2. 5 0.6820 2. 6 0.4626 3. 7 0.3485 4. 8 0.1700 5. 9 0.0779 8. 10 0.0619	0000 3059 4396 4523 9708 6073 1558 9511 7926 9.8608 3.4967

13.4967 Condition Number

Condition Number 15.496/ Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept) Det(correlation matrix) 0.0921

Iteration 0: log likelihood = -344.06992
Iteration 1: log likelihood = -326.25427
Iteration 2: log likelihood = -325.27808
Iteration 3: log likelihood = -325.27629
Iteration 4: log likelihood = -325.27629

Number of obs = LR chi2(10) = Prob > chi2 = Pseudo R2 = Logistic regression 874 37.59 0.0000 Log likelihood = -325.27629Pseudo R2 0.0546

f10_7x | Coef. Std. Err. z P>|z| [95% Conf. Interval] | 11 | 7x | -1.022696 | .2082488 | -4.91 | 0.000 | -1.430856 | -.6145354 |
s3_1x	.4589042	.3341138	1.37	0.170	-.195947	1.113755
s3_2x	-.0772627	.4504489	-0.17	0.864	-.9601263	.8056008
s3_3x	-1.502098	.4942807	-0.30	0.761	-1.118982	.8185625
s3_4x	.0278132	.4557076	0.06	0.951	-.8653573	.9209838
s4x	-0.393377	.1077317	-0.37	0.715	-.2504879	.1718125
GrStadt	.105727	.231438	0.46	0.648	-.3478832	.5593371

Iteration 0: log likelihood = -344.06992 Iteration 1: log likelihood = -327.47914 Iteration 2: log likelihood = -324.12732 Iteration 3: log likelihood = -324.12505

Number of obs = LR chi2(2) = Prob > chi2 = Logistic regression 874 LR chi2(2) Prob > chi2 Pseudo R2 39.89 0.0000 Log likelihood = -324.12505 0.0580

f10_7x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	2.347366	.8980722	2.61	0.009	.5871771	4.107555
_hatsq	.3822891	.2494639	1.53	0.125	1066512	.8712294
_cons	1.037413	.7425755	1.40	0.162	4180085	2.492834

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11 8x s3_1x s3_2x s3_3x s3_4x s4x GrStadt s1x s2x s7x	1.04 2.40 1.81 1.67 3.90 1.71 1.08 1.22 2.49	1.02 1.55 1.34 1.29 1.97 1.31 1.04 1.10	0.9588 0.4168 0.5535 0.5980 0.2565 0.5842 0.9284 0.8212 0.4014 0.7863	0.0412 0.5832 0.4465 0.4020 0.7435 0.4158 0.0716 0.1788 0.5986 0.2137

	Eigenval	Cond Index
1 2 3 4 5 6 7 8 9 10	5.9192 1.1359 1.0214 1.0097 0.6882 0.5195 0.3666 0.1701 0.0756 0.0621 0.0316	1.0000 2.2828 2.4073 2.4213 2.9327 3.3756 4.0181 5.8990 8.8472 9.7600 13.6898

13.6898 Condition Number

Condition Number 13.6898 Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept) Det(correlation matrix) 0.0884

Iteration 0: log likelihood = -347.07741
Iteration 1: log likelihood = -326.89581
Iteration 2: log likelihood = -325.35765
Iteration 3: log likelihood = -325.34791
Iteration 4: log likelihood = -325.34791

Number of obs = LR chi2(10) = Prob > chi2 = Pseudo R2 = Logistic regression 909 43.46 0.0000 0.0626 Log likelihood = -325.34791

f10_8x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
f11_8x s3_1x s3_2x s3_3x s3_4x s4x GrStadt s1x s2x s7x	8951392 .2779367 8450812 .6436228 1018392 109902 2719653 .4569566 0861864	.2140296 .339948 .5282317 .4158423 .445303 .1096884 .245954 .2292226 .0963861 .0861767	-4.18 0.82 -1.60 1.55 -0.23 -1.00 -1.11 1.99 -0.89 0.08	0.000 0.414 0.110 0.122 0.819 0.316 0.269 0.046 0.371 0.939	-1.31463 388349 -1.880396 1714132 9746171 3248873 7540263 .0076886 2750996 1623235	4756489 .9442225 .1902339 1.458659 .7709386 .1050834 .2100956 .9062246 .1027268
_cons	-1.110157	.4537949	-2.45	0.014	-1.999579	2207355

Iteration 0: log likelihood = -347.07741
Iteration 1: log likelihood = -327.68985
Iteration 2: log likelihood = -323.5615
Iteration 3: log likelihood = -323.55552
Iteration 4: log likelihood = -323.55552

Number of obs = 909 LR chi2(2) = 47.04 Prob > chi2 = 0.0000 Pseudo R2 = 0.0678 Logistic regression

Log likelihood = -323.55552

f10_8x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
_hat	2.269489	.6690527	3.39	0.001	.95817	3.580809
_hatsq	.3430693	.1728311	1.98	0.047	.0043266	.681812
_cons	1.016964	.6000035	1.69	0.090	1590216	2.192949

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_9x s3_1x s3_2x s3_3x s3_4x s4x GrStadt s1x s2x s7x	1.05 2.41 1.80 1.69 3.98 1.68 1.07 1.21 2.53 1.26	1.03 1.55 1.34 1.30 1.99 1.30 1.04 1.10 1.59	0.9503 0.4146 0.5542 0.5908 0.2516 0.5960 0.9304 0.8257 0.3947 0.7909	0.0497 0.5854 0.4458 0.4092 0.7484 0.4040 0.0696 0.1743 0.6053 0.2091

1 5.5871	1.0000
2 1.1907	2.1662
3 1.0527	2.3038
4 1.0018	2.3616
5 0.7362	2.7549
6 0.6616	2.9060
7 0.4227	3.6357
8 0.1750	5.6501
9 0.0786	8.4332
10 0.0621	9.4870
11 0.0316	13.3004

Condition Number 13.3004

Condition Number 13.3004
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.0871

Iteration 0: log likelihood = -564.82395
Iteration 1: log likelihood = -560.84117
Iteration 2: log likelihood = -560.84009

Number of obs = 824 LR chi2(10) = 7.97 Prob > chi2 = 0.6320 Pseudo R2 = 0.0071 Logistic regression Log likelihood = -560.84009

f10_9x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
f11_9x s3_1x s3_2x s3_3x s3_4x s4x GrStadt s1x s2x s7x	1356998 224569 4615312 458881 4429798 .124634 .147615 .0588716 .0747871 0581373	.1878592 .2379905 .3041973 .3228488 .3024844 .0749817 .1618528 .1556521 .0695112 .0602323	-0.72 -0.94 -1.52 -1.42 -1.46 1.66 0.91 0.38 1.08 -0.97	0.470 0.345 0.129 0.155 0.143 0.096 0.362 0.705 0.282 0.334	503897 6910217 -1.057747 -1.091653 -1.035838 0223275 1696106 246201 0614524 1761903	.2324974 .2418838 .1346844 .1738911 .1498787 .2715955 .4648405 .3639442 .2110267
_cons	4881742	.318784	-1.53	0.126	-1.112979	.1366311

Iteration 0: log likelihood = -564.82395
Iteration 1: log likelihood = -560.64087
Iteration 2: log likelihood = -560.63474
Iteration 3: log likelihood = -560.63474

Number of obs = 824 LR chi2(2) = 8.38 Prob > chi2 = 0.0152 Pseudo R2 = 0.0074 Logistic regression Log likelihood = -560.63474

f10_9x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	.6564606	.6426706	1.02	0.307	6031506	1.916072
_hatsq	7281998	1.139823	-0.64	0.523	-2.962212	1.505812
_cons	0121396	.1142327	-0.11	0.915	2360316	.2117525

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_10x s3_1x s3_2x s3_3x s3_4x s4x GrStadt s1x s2x s7x	1.05 2.40 1.82 1.67 3.87 1.70 1.07 1.22 2.47 1.25	1.02 1.55 1.35 1.29 1.97 1.30 1.03 1.10	0.9566 0.4171 0.5503 0.5985 0.2583 0.5879 0.9355 0.8220 0.4049 0.7972	0.0434 0.5829 0.4497 0.4015 0.7417 0.4121 0.0645 0.1780 0.5951 0.2028

	Eigenval	Cond Index
1 2 3 4 5 6 7 8 9	5.6437 1.1320 1.0921 1.0018 0.6853 0.6762 0.4152 0.1790 0.0799 0.0622	1.0000 2.2329 2.2733 2.3735 2.8698 2.8890 3.6870 5.6154 8.4065 9.5218

Condition Number

Condition Number 15.1399
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.0907

13.1399

Iteration 0: log likelihood = -534.64679
Iteration 1: log likelihood = -493.68571
Iteration 2: log likelihood = -492.86265
Iteration 3: log likelihood = -492.8599
Iteration 4: log likelihood = -492.8599

Number of obs = LR chi2(10) = Prob > chi2 = Pseudo R2 = Logistic regression 884 83.57 0.0000 Log likelihood = -492.8599 Pseudo R2 0.0782

f10_10x | Coef. Std. Err. z P>|z| [95% Conf. Interval]

Iteration 0: log likelihood = -534.64679
Iteration 1: log likelihood = -493.84606
Iteration 2: log likelihood = -492.84794
Iteration 3: log likelihood = -492.84303
Iteration 4: log likelihood = -492.84303

Number of obs = LR chi2(2) = Prob > chi2 = Pseudo R2 = Logistic regression 83.61 0.0000 Log likelihood = -492.84303

f10_10x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	1.031265	.2066476	4.99	0.000	.6262434	1.436287
_hatsq	0228766	.1244497	-0.18	0.854	2667935	.2210403
_cons	000017	.1227629	-0.00	1.000	2406279	.240594

Annex 5 – Acceptance of policy measures by several determinants (logit models without 'objective' self-interest)

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_1x	1.03	1.01	0.9719	0.0281
leftist	1.03	1.01	0.9741	0.0259
s1x	1.03	1.01	0.9742	0.0258
s2x	1.07	1.04	0.9332	0.0668
s7x	1.06	1.03	0.9463	0.0537

	Eigenval	Cond Index
1 2 3 4 5	4.5185 0.6795 0.4733 0.1852 0.1146 0.0290	1.0000 2.5788 3.0898 4.9397 6.2797 12.4873

Condition Number 12.4873

Condition Number 12.48/3 Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept) Det(correlation matrix) 0.9004

Iteration 0: log likelihood = -109.97872
Iteration 1: log likelihood = -101.96287
Iteration 2: log likelihood = -99.899653
Iteration 3: log likelihood = -99.832951
Iteration 4: log likelihood = -99.832767

Logistic regression Number of obs = 761
LR chi2(5) = 20.29
Prob > chi2 = 0.0011
Log likelihood = -99.832767 Pseudo R2 = 0.0923

f10_1x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
f11_1x	9351058	.5385789	-1.74	0.083	-1.990701	.1204893
leftist	4328064	.4963807	-0.87	0.383	-1.405695	.5400819
s1x	1.338971	.5126939	2.61	0.009	.3341095	2.343833
s2x	272612	.131884	-2.07	0.039	5311	014124
s7x	.2781196	.1689839	1.65	0.100	0530827	.6093219
_cons	-3.295133	1.003557	-3.28	0.001	-5.262067	-1.328198

Iteration 0: log likelihood = -109.97872
Iteration 1: log likelihood = -101.15758
Iteration 2: log likelihood = -99.75155
Iteration 3: log likelihood = -99.599853
Iteration 4: log likelihood = -99.596257
Iteration 5: log likelihood = -99.596254

f10_1x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	1.900437	1.295345	1.47	0.142	6383931	4.439267
_hatsq	.1380031	.1936901	0.71	0.476	2416225	.5176287
_cons	1.349181	2.04309	0.66	0.509	-2.655201	5.353564

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_2x	1.04	1.02	0.9624	0.0376
leftist	1.04	1.02	0.9648	0.0352
s1x	1.02	1.01	0.9766	0.0234
s2x	1.08	1.04	0.9222	0.0778
s7x	1.05	1.03	0.9496	0.0504

	Eigenval	Cond Index
1 2 3 4 5	4.4541 0.6918 0.4649 0.1952 0.1608 0.0332	1.0000 2.5374 3.0953 4.7772 5.2638 11.5787

Condition Number 11.5787
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.8896

Iteration 0: log likelihood = -296.34904 Iteration 1: log likelihood = -296.34904

Iteration 1: log likelihood = -260.22364

Iteration 2: log likelihood = -254.46831

Iteration 3: log likelihood = -254.41887

Iteration 4: log likelihood = -254.41885

Number of obs = 763 LR chi2(5) = 83.86 Prob > chi2 = 0.0000 Pseudo R2 = 0.1415 763 Logistic regression Log likelihood = -254.41885

f10_2x | Coef. Std. Err. z P>|z| [95% Conf. Interval] -1.025935 1.165612 .5223416 -.2045518 .4362885

Iteration 0: log likelihood = -296.34904
Iteration 1: log likelihood = -266.78085
Iteration 2: log likelihood = -256.58373
Iteration 3: log likelihood = -254.37987
Iteration 4: log likelihood = -254.3788

Number of obs = 763 LR chi2(2) = 83.94 Prob > chi2 = 0.0000 Pseudo R2 = 0.1416 Logistic regression Log likelihood = -254.3788

f10_2x	 	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat _hatsq _cons	 	.9234887 026105 0303598	.2941293 .0925449 .245726	3.14 -0.28 -0.12	0.002 0.778 0.902	.3470058 2074897 5119739	1.499972 .1552797 .4512544

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_3x	1.01	1.01	0.9871	0.0129
leftist	1.03	1.02	0.9662	0.0338
s1x	1.02	1.01	0.9767	0.0233
s2x	1.05	1.03	0.9495	0.0505
s7x	1.05	1.03	0.9512	0.0488

	Eigenval	Cond Index
1 2 3 4 5	3.8425 0.8640 0.6231 0.4479 0.1787 0.0438	1.0000 2.1089 2.4833 2.9288 4.6367 9.3694

Condition Number 9.3694

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9162

Iteration 0: log likelihood = -373.56199
Iteration 1: log likelihood = -356.4683
Iteration 2: log likelihood = -355.7343
Iteration 3: log likelihood = -355.73381

f10_3x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
f11_3x	-1.045416	.2210326	-4.73	0.000	-1.478631	6121997
leftist	.6560987	.2292949	2.86	0.004	.206689	1.105508
s1x	.1049112	.1884771	0.56	0.578	2644971	.4743194
s2x	.0370932	.0581893	0.64	0.524	0769556	.1511421
s7x	1313119	.0722285	-1.82	0.069	2728771	.0102533
cons	1.538983	.3696323	4.16	0.000	.8145172	2.263449

Iteration 0: log likelihood = -373.56199
Iteration 1: log likelihood = -356.7526
Iteration 2: log likelihood = -355.72093
Iteration 3: log likelihood = -355.72002
Iteration 4: log likelihood = -355.72002

Logistic regression Number of obs = 714

LR chi2(2) = 35.68

Prob > chi2 = 0.0000

Log likelihood = -355.72002 Pseudo R2 = 0.0478

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_4x	1.01	1.01	0.9899	0.0101
leftist	1.03	1.02	0.9681	0.0319
s1x	1.02	1.01	0.9794	0.0206
s2x	1.05	1.03	0.9494	0.0506
s7x	1.05	1.02	0.9528	0.0472

	Eigenval	Cond Index
1 2 3 4 5	3.9283 0.8081 0.5967 0.4421 0.1815 0.0432	1.0000 2.2047 2.5657 2.9810 4.6521 9.5306

Condition Number 9.5306

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9205

Iteration 0: log likelihood = -480.64598
Iteration 1: log likelihood = -449.17528
Iteration 2: log likelihood = -448.78019
Iteration 3: log likelihood = -448.77974

Logistic regression Number of obs = 719
LR chi2(5) = 63.73
Prob > chi2 = 0.0000
Log likelihood = -448.77974 Pseudo R2 = 0.0663

f10_4x	1	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
f11_4x	i	5766827	.1820406	-3.17	0.002	9334756	2198897
leftist		.8486372	.1915481	4.43	0.000	.4732099	1.224065
s1x	1	239531	.1619505	-1.48	0.139	5569481	.0778862
s2x	1	2404982	.051257	-4.69	0.000	3409601	1400363
s7x		.0724833	.0617258	1.17	0.240	0484971	.1934637
_cons	1	1.210852	.3248965	3.73	0.000	.5740668	1.847638

Iteration 0: log likelihood = -480.64598
Iteration 1: log likelihood = -449.1765
Iteration 2: log likelihood = -448.39067
Iteration 3: log likelihood = -448.38287
Iteration 4: log likelihood = -448.38287

f10_4x | Coef. Std. Err. z P>|z| [95% Conf. Interval]

_hat | .8434484 .2195117 3.84 0.000 .4132134 1.273683
hatsq | .1577894 .1788003 0.88 0.378 -.1926527 .5082315
_cons | -.0184788 .098198 -0.19 0.851 -.2109434 .1739857

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_5x	1.02	1.01	0.9772	0.0228
leftist	1.03	1.02	0.9692	0.0308
s1x	1.03	1.01	0.9748	0.0252
s2x	1.07	1.03	0.9375	0.0625
s7x	1.06	1.03	0.9442	0.0558

	Eigenval	Cond Index
1 2 3 4 5	4.1338 0.6974 0.5533 0.3971 0.1764 0.0420	1.0000 2.4347 2.7333 3.2265 4.8405 9.9169

Condition Number 9.9169
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9033

Iteration 0: log likelihood = -510.05745
Iteration 1: log likelihood = -495.94937
Iteration 2: log likelihood = -495.93416
Iteration 3: log likelihood = -495.93416

Number of obs = 748 LR chi2(5) = 28.25 Prob > chi2 = 0.0000 Pseudo R2 = 0.0277 Logistic regression Log likelihood = -495.93416

f10_5x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
f11_5x leftist s1x s2x s7x	3850581 .5937061 .205526 0256575 .1144832	.1534353 .1667035 .152556 .0474216	-2.51 3.56 1.35 -0.54	0.012 0.000 0.178 0.588 0.049	6857858 .2669733 0934784 1186022	0843305 .920439 .5045303 .0672872
_cons	649659	.3092255	-2.10	0.036	-1.25573	0435881

Iteration 0: log likelihood = -510.05745
Iteration 1: log likelihood = -495.9348
Iteration 2: log likelihood = -495.91818
Iteration 3: log likelihood = -495.91818

Number of obs = 748 LR chi2(2) = 28.28 Prob > chi2 = 0.0000 Pseudo R2 = 0.0277 Logistic regression Log likelihood = -495.91818

f10_5x	Coef.	Std. Err.	Z	P> z	[95% Conf.	<pre>Interval]</pre>
_hat _hatsq _cons	1.033444 .0749449 0082145	.2684348 .4191144 .1048647	3.85 0.18 -0.08	0.000 0.858 0.938	.5073211 7465042 2137455	1.559566 .896394 .1973166

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_6x	1.02	1.01	0.9773	0.0227
leftist	1.03	1.02	0.9668	0.0332
s1x	1.02	1.01	0.9770	0.0230
s2x	1.06	1.03	0.9431	0.0569
s7x	1.07	1.03	0.9370	0.0630

	Eigenval	Cond Index
1	4.1843	1.0000
2	0.7031	2.4394
3	0.4993	2.8948
4	0.3963	3.2493
5	0.1744	4.8976
6	0.0425	9.9227

Condition Number 9.9227
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9021

Iteration 0: log likelihood = -498.78239
Iteration 1: log likelihood = -476.98325
Iteration 2: log likelihood = -476.94036
Iteration 3: log likelihood = -476.94036

Number of obs = 728 LR chi2(5) = 43.68 Prob > chi2 = 0.0000 Pseudo R2 = 0.0438 Logistic regression Log likelihood = -476.94036

 f10_6x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
 f11_6x leftist s1x s2x s7x	9054108 .4275392 .1493957 0317113 .0364457	.1566653 .1721172 .1557306 .0489434 .0597729	-5.78 2.48 0.96 -0.65 0.61	0.000 0.013 0.337 0.517 0.542	-1.212469 .0901958 1558306 1276385 0807071	5983525 .7648826 .454622 .0642159 .1535985
_cons	0099962	.3120964	-0.03	0.974	6216939	.6017015

Iteration 0: log likelihood = -498.78239
Iteration 1: log likelihood = -476.98563
Iteration 2: log likelihood = -476.93957
Iteration 3: log likelihood = -476.93957

Number of obs = 728 LR chi2(2) = 43.69 Prob > chi2 = 0.0000 Pseudo R2 = 0.0438 Logistic regression Log likelihood = -476.93957

f10_6x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	1.007224	.2389596	4.22	0.000	.5388716	1.475576
_hatsq	.0143296	.3599623	0.04	0.968	6911835	.7198428
_cons	0026141	.1078196	-0.02	0.981	2139365	.2087084

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_7x	1.01	1.00	0.9937	0.0063
leftist	1.03	1.01	0.9740	0.0260
s1x	1.02	1.01	0.9806	0.0194
s2x	1.05	1.02	0.9537	0.0463
s7x	1.05	1.03	0.9486	0.0514

	Eigenval	Cond Index
1 2 3 4 5	4.2864 0.6860 0.4815 0.3259 0.1774 0.0428	1.0000 2.4997 2.9835 3.6264 4.9150 10.0098

Condition Number 10.0098

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9256

Iteration 0: log likelihood = -279.51577
Iteration 1: log likelihood = -267.37835
Iteration 2: log likelihood = -266.82701
Iteration 3: log likelihood = -266.82623
Iteration 4: log likelihood = -266.82623

f10_7x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
f11_7x	9793545	.2287156	-4.28	0.000	-1.427629	5310802
leftīst	.4459179	.2413635	1.85	0.065	0271458	.9189816
s1x	0828876	.2280191	-0.36	0.716	5297968	.3640216
s2x	1258988	.0694697	-1.81	0.070	2620569	.0102593
s7x	.0006789	.087427	0.01	0.994	1706749	.1720327
_cons	-1.03917	.4429215	-2.35	0.019	-1.90728	1710593

Iteration 0: log likelihood = -279.51577
Iteration 1: log likelihood = -267.48881
Iteration 2: log likelihood = -265.4534
Iteration 3: log likelihood = -265.45143

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_8x	1.02	1.01	0.9776	0.0224
leftist	1.03	1.01	0.9707	0.0293
s1x	1.03	1.01	0.9715	0.0285
s2x	1.07	1.03	0.9368	0.0632
s7x	1.05	1.03	0.9493	0.0507

	Eigenval	Cond Index
1 2 3 4 5	4.2017 0.6719 0.5250 0.3798 0.1815 0.0401	1.0000 2.5007 2.8290 3.3261 4.8110 10.2381

Condition Number 10.2381
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9060

Iteration 0: log likelihood = -293.05204
Iteration 1: log likelihood = -277.70434
Iteration 2: log likelihood = -276.89303
Iteration 3: log likelihood = -276.89044
Iteration 4: log likelihood = -276.89044

Number of obs = LR chi2(5) = Prob > chi2 = Pseudo R2 = 753 32.32 0.0000 Logistic regression Log likelihood = -276.890440.0551

_	f10_8x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
	f11_8x leftist s1x s2x s7x _cons	8916461 5738425 .3967038 1773823 0477612 7666529	.2306819 .2769361 .2282025 .0688795 .0844243 .4443284	-3.87 -2.07 1.74 -2.58 -0.57 -1.73	0.000 0.038 0.082 0.010 0.572 0.084	-1.343774 -1.116627 0505649 3123837 2132299 -1.637521	4395178 0310578 .8439726 0423809 .1177074 .1042149

Iteration 0: log likelihood = -293.05204
Iteration 1: log likelihood = -278.69826
Iteration 2: log likelihood = -276.42016
Iteration 3: log likelihood = -276.41348
Iteration 4: log likelihood = -276.41348

Number of obs = 753 LR chi2(2) = 33.28 Prob > chi2 = 0.0000 Pseudo R2 = 0.0568 Logistic regression Log likelihood = -276.41348

f10_8x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	1.868984	.8955782	2.09	0.037	.1136825	3.624285
_hatsq	.2376046	.2383889	1.00	0.319	229629	.7048383
_cons	.7026791	.7846161	0.90	0.370	8351403	2.240498

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_9x	1.02	1.01	0.9776	0.0224
leftist	1.04	1.02	0.9641	0.0359
s1x	1.02	1.01	0.9796	0.0204
s2x	1.07	1.03	0.9357	0.0643
s7x	1.05	1.02	0.9519	0.0481

	Eigenval	Cond Index
1 2 3 4 5	3.8336 0.8634 0.6352 0.4469 0.1783 0.0425	1.0000 2.1072 2.4567 2.9289 4.6363 9.4933

Condition Number 9.4933

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9065

Iteration 0: log likelihood = -474.35896
Iteration 1: log likelihood = -471.70413
Iteration 2: log likelihood = -471.70367

Logistic regression Number of obs = 693

LR chi2(5) = 5.31

Prob > chi2 = 0.3792

Log likelihood = -471.70367 Pseudo R2 = 0.0056

f10_9x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
f11_9x leftist s1x s2x s7x _cons	0288748 .1764816 .2385678 .0760276 0127043 6820787	.2048817 .1714505 .1558459 .0491958 .0598032 .3179047	-0.14 1.03 1.53 1.55 -0.21 -2.15	0.888 0.303 0.126 0.122 0.832 0.032	4304357 1595551 0668847 0203943 1299164 -1.305161	.372686 .5125184 .5440202 .1724495 .1045078

Iteration 0: log likelihood = -474.35896
Iteration 1: log likelihood = -471.27498
Iteration 2: log likelihood = -471.27464

Logistic regression Number of obs = 693

LR chi2(2) = 6.17

Prob > chi2 = 0.0458

Log likelihood = -471.27464 Pseudo R2 = 0.0065

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_10x	1.01	1.00	0.9932	0.0068
leftist	1.03	1.01	0.9730	0.0270
s1x	1.03	1.01	0.9728	0.0272
s2x	1.06	1.03	0.9474	0.0526
s7x	1.05	1.03	0.9510	0.0490

	Eigenval	Cond Index
1 2 3 4 5	3.8981 0.7869 0.6621 0.4290 0.1803 0.0436	1.0000 2.2257 2.4264 3.0143 4.6492 9.4548

Condition Number 9.4548

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9193

Iteration 0: log likelihood = -433.47263 Iteration 1: log likelihood = -406.72292 Iteration 2: log likelihood = -406.22705 Iteration 3: log likelihood = -406.22683

f10_10x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
f11_10x	-1.097461	.1955387	-5.61	0.000	-1.48071	7142124
leftist	3170437	.1899047	-1.67	0.095	6892501	.0551628
s1x	.4193061	.174868	2.40	0.016	.0765711	.762041
s2x	.2167636	.0544796	3.98	0.000	.1099856	.3235416
s7x	.1310754	.0663373	1.98	0.048	.0010566	.2610942
_cons	0715567	.3347001	-0.21	0.831	7275568	.5844433

Iteration 0: log likelihood = -433.47263
Iteration 1: log likelihood = -405.34079
Iteration 2: log likelihood = -404.81169
Iteration 3: log likelihood = -404.81065
Iteration 4: log likelihood = -404.81065

Annex 6 – Acceptance of policy measures by several determinants (logit models without 'objective' self-interest)

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_1x	1.03	1.01	0.9719	0.0281
leftist	1.03	1.01	0.9741	0.0259
s1x	1.03	1.01	0.9742	0.0258
s2x	1.07	1.04	0.9332	0.0668
s7x	1.06	1.03	0.9463	0.0537

	Eigenval	Cond Index
1 2 3 4 5	4.5185 0.6795 0.4733 0.1852 0.1146 0.0290	1.0000 2.5788 3.0898 4.9397 6.2797 12.4873

Condition Number 12.4873

Condition Number 12.48/3 Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept) Det(correlation matrix) 0.9004

Iteration 0: log likelihood = -109.97872
Iteration 1: log likelihood = -101.96287
Iteration 2: log likelihood = -99.899653
Iteration 3: log likelihood = -99.832951
Iteration 4: log likelihood = -99.832767

Logistic regression Number of obs = 761

LR chi2(5) = 20.29

Prob > chi2 = 0.0011

Log likelihood = -99.832767 Pseudo R2 = 0.0923

f10_1x	ļ	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
 f11_1x leftist s1x s2x s7x _cons		9351058 4328064 1.338971 272612 .2781196 -3.295133	.5385789 .4963807 .5126939 .131884 .1689839 1.003557	-1.74 -0.87 2.61 -2.07 1.65 -3.28	0.083 0.383 0.009 0.039 0.100 0.001	-1.990701 -1.405695 .3341095 5311 0530827 -5.262067	.1204893 .5400819 2.343833 014124 .6093219 -1.328198

Iteration 0: log likelihood = -109.97872
Iteration 1: log likelihood = -101.15758
Iteration 2: log likelihood = -99.75155
Iteration 3: log likelihood = -99.599853
Iteration 4: log likelihood = -99.596257
Iteration 5: log likelihood = -99.596254

f10_1x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
_hat	1.900437	1.295345	1.47	0.142	6383931	4.439267
_hatsq	.1380031	.1936901	0.71	0.476	2416225	.5176287
_cons	1.349181	2.04309	0.66	0.509	-2.655201	5.353564

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_2x	1.04	1.02	0.9624	0.0376
leftist	1.04	1.02	0.9648	0.0352
s1x	1.02	1.01	0.9766	0.0234
s2x	1.08	1.04	0.9222	0.0778
s7x	1.05	1.03	0.9496	0.0504

	Eigenval	Cond Index
1 2 3 4 5	4.4541 0.6918 0.4649 0.1952 0.1608 0.0332	1.0000 2.5374 3.0953 4.7772 5.2638 11.5787

Condition Number 11.5787

Condition Number 11.5/8/ Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept) Det(correlation matrix) 0.8896

Iteration 0: log likelihood = -296.34904
Iteration 1: log likelihood = -260.22364
Iteration 2: log likelihood = -254.46831
Iteration 3: log likelihood = -254.41887
Iteration 4: log likelihood = -254.41885

Logistic regression Number of obs = 763

LR chi2(5) = 83.86

Prob > chi2 = 0.0000

Log likelihood = -254.41885 Pseudo R2 = 0.1415

f10_2x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
f11_2x	-1.53728	.2608951	-5.89	0.000	-2.048625	-1.025935
leftist	.7001217	.2374996	2.95	0.003	.2346311	1.165612
s1x	.0642406	.2337293	0.27	0.783	3938604	.5223416
s2x	3512414	.074843	-4.69	0.000	497931	2045518
s7x	.2603965	.0897424	2.90	0.004	.0845046	.4362885
cons	616775	.5139301	-1.20	0.230	-1.624059	.3905094

Iteration 0: log likelihood = -296.34904
Iteration 1: log likelihood = -266.78085
Iteration 2: log likelihood = -256.58373
Iteration 3: log likelihood = -254.37987
Iteration 4: log likelihood = -254.3788

| Number of obs = 763 | LR chi2(2) = 83.94 | Prob > chi2 = 0.0000 | Log likelihood = -254.3788 | Pseudo R2 = 0.1416

f10_2x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	.9234887	.2941293	3.14	0.002	.3470058	1.499972
_hatsq	026105	.0925449	-0.28	0.778	2074897	.1552797
_cons	0303598	.245726	-0.12	0.902	5119739	.4512544

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_3x	1.01	1.01	0.9871	0.0129
leftist	1.03	1.02	0.9662	0.0338
s1x	1.02	1.01	0.9767	0.0233
s2x	1.05	1.03	0.9495	0.0505
s7x	1.05	1.03	0.9512	0.0488

	Eigenval	Cond Index
1	3.8425	1.0000
2	0.8640	2.1089
3	0.6231	2.4833
4	0.4479	2.9288
5	0.1787	4.6367
6	0.0438	9.3694

Condition Number 9.3694

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9162

Iteration 0: log likelihood = -373.56199
Iteration 1: log likelihood = -356.4683
Iteration 2: log likelihood = -355.7343
Iteration 3: log likelihood = -355.73381

f10_3x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
f11_3x leftist	-1.045416 .6560987	.2210326	-4.73 2.86	0.000	-1.478631 .206689	6121997 1.105508
s1x	.1049112	.1884771	0.56	0.578	2644971	.4743194
s2x s7x	.0370932 1313119	.0581893 .0722285	0.64 -1.82	0.524	0769556 2728771	.1511421
cons I	1.538983	.3696323	4.16	0.000	.8145172	2.263449

Iteration 0: log likelihood = -373.56199
Iteration 1: log likelihood = -356.7526
Iteration 2: log likelihood = -355.72093
Iteration 3: log likelihood = -355.72002
Iteration 4: log likelihood = -355.72002

Logistic regression Number of obs = 714

LR chi2(2) = 35.68

Prob > chi2 = 0.0000

Log likelihood = -355.72002 Pseudo R2 = 0.0478

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_4x	1.01	1.01	0.9899	0.0101
leftist	1.03	1.02	0.9681	0.0319
s1x	1.02	1.01	0.9794	0.0206
s2x	1.05	1.03	0.9494	0.0506
s7x	1.05	1.02	0.9528	0.0472

	Eigenval	Cond Index
1 2 3 4 5	3.9283 0.8081 0.5967 0.4421 0.1815 0.0432	1.0000 2.2047 2.5657 2.9810 4.6521 9.5306

Condition Number 9.5306

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9205

Iteration 0: log likelihood = -480.64598
Iteration 1: log likelihood = -449.17528
Iteration 2: log likelihood = -448.78019
Iteration 3: log likelihood = -448.77974

| Logistic regression | Number of obs = 719 |
| LR chi2(5) = 63.73 |
| Prob > chi2 = 0.0000 |
| Log likelihood = -448.77974 | Pseudo R2 = 0.0663

f10_4x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
f11_4x leftist s1x	5766827 .8486372 239531	.1820406 .1915481 .1619505	-3.17 4.43 -1.48	0.002 0.000 0.139	9334756 .4732099 5569481 3409601	2198897 1.224065 .0778862
s2x s7x	2404982 .0724833	.051257 .0617258 3248965	-4.69 1.17 3.73	0.000	0484971 5740668	1400363 .1934637

Iteration 0: log likelihood = -480.64598 Iteration 1: log likelihood = -449.1765 Iteration 2: log likelihood = -448.39067 Iteration 3: log likelihood = -448.38287 Iteration 4: log likelihood = -448.38287

f10_4x | Coef. Std. Err. z P>|z| [95% Conf. Interval]

_hat | .8434484 .2195117 3.84 0.000 .4132134 1.273683
hatsq | .1577894 .1788003 0.88 0.378 -.1926527 .5082315
_cons | -.0184788 .098198 -0.19 0.851 -.2109434 .1739857

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_5x	1.02	1.01	0.9772	0.0228
leftist	1.03	1.02	0.9692	0.0308
s1x	1.03	1.01	0.9748	0.0252
s2x	1.07	1.03	0.9375	0.0625
s7x	1.06	1.03	0.9442	0.0558

	Eigenval	Cond Index
1 2 3 4 5	4.1338 0.6974 0.5533 0.3971 0.1764 0.0420	1.0000 2.4347 2.7333 3.2265 4.8405 9.9169

Condition Number 9.9169
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9033

Iteration 0: log likelihood = -510.05745
Iteration 1: log likelihood = -495.94937
Iteration 2: log likelihood = -495.93416
Iteration 3: log likelihood = -495.93416

Number of obs = 748 LR chi2(5) = 28.25 Prob > chi2 = 0.0000 Pseudo R2 = 0.0277 Logistic regression Log likelihood = -495.93416

 f10_5x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
 f11_5x leftist s1x s2x	3850581 .5937061 .205526 0256575	.1534353 .1667035 .152556 .0474216	-2.51 3.56 1.35 -0.54	0.012 0.000 0.178 0.588	6857858 .2669733 0934784 1186022	0843305 .920439 .5045303 .0672872
s7x _cons	.1144832 649659	.0581587 .3092255	1.97 -2.10	0.049	.0004943 -1.25573	.228472 0435881

Iteration 0: log likelihood = -510.05745
Iteration 1: log likelihood = -495.9348
Iteration 2: log likelihood = -495.91818
Iteration 3: log likelihood = -495.91818

Number of obs = 748 LR chi2(2) = 28.28 Prob > chi2 = 0.0000 Pseudo R2 = 0.0277 Logistic regression Log likelihood = -495.91818

f10_5x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	1.033444	.2684348	3.85	0.000	.5073211	1.559566
_hatsq	.0749449	.4191144	0.18	0.858	7465042	.896394
_cons	0082145	.1048647	-0.08	0.938	2137455	.1973166

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_6x	1.02	1.01	0.9773	0.0227
leftist	1.03	1.02	0.9668	0.0332
s1x	1.02	1.01	0.9770	0.0230
s2x	1.06	1.03	0.9431	0.0569
s7x	1.07	1.03	0.9370	0.0630

	Eigenval	Cond Index
1	4.1843	1.0000
2	0.7031	2.4394
3	0.4993	2.8948
4	0.3963	3.2493
5	0.1744	4.8976
6	0.0425	9.9227

Condition Number 9.9227
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9021

Iteration 0: log likelihood = -498.78239
Iteration 1: log likelihood = -476.98325
Iteration 2: log likelihood = -476.94036
Iteration 3: log likelihood = -476.94036

Number of obs = 728 LR chi2(5) = 43.68 Prob > chi2 = 0.0000 Pseudo R2 = 0.0438 Logistic regression Log likelihood = -476.94036

f10_6x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
f11_6x	9054108	.1566653	-5.78	0.000	-1.212469	5983525
leftist	.4275392	.1721172	2.48	0.013	.0901958	.7648826
s1x	.1493957	.1557306	0.96	0.337	1558306	.454622
s2x	0317113	.0489434	-0.65	0.517	1276385	.0642159
s7x	.0364457	.0597729	0.61	0.542	0807071	.1535985
_cons	0099962	.3120964	-0.03	0.974	6216939	.6017015

Iteration 0: log likelihood = -498.78239
Iteration 1: log likelihood = -476.98563
Iteration 2: log likelihood = -476.93957
Iteration 3: log likelihood = -476.93957

Number of obs = 728 LR chi2(2) = 43.69 Prob > chi2 = 0.0000 Pseudo R2 = 0.0438 Logistic regression Log likelihood = -476.93957

f10_6x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	1.007224	.2389596	4.22	0.000	.5388716	1.475576
_hatsq	.0143296	.3599623	0.04	0.968	6911835	.7198428
_cons	0026141	.1078196	-0.02	0.981	2139365	.2087084

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_7x	1.01	1.00	0.9937	0.0063
leftist	1.03	1.01	0.9740	0.0260
s1x	1.02	1.01	0.9806	0.0194
s2x	1.05	1.02	0.9537	0.0463
s7x	1.05	1.03	0.9486	0.0514

	Eigenval	Cond Index
1 2 3 4 5	4.2864 0.6860 0.4815 0.3259 0.1774 0.0428	1.0000 2.4997 2.9835 3.6264 4.9150 10.0098

Condition Number 10.0098

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9256

Iteration 0: log likelihood = -279.51577
Iteration 1: log likelihood = -267.37835
Iteration 2: log likelihood = -266.82701
Iteration 3: log likelihood = -266.82623
Iteration 4: log likelihood = -266.82623

Logistic regression Number of obs = 724 LR chi2(5) = 25.38 Prob > chi2 = 0.0001 Log likelihood = -266.82623 Pseudo R2 = 0.0454

f10_7x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
f11_7x leftist	9793545 .4459179	.2287156	-4.28 1.85	0.000	-1.427629 0271458	5310802 .9189816
s1x	0828876	.2280191	-0.36	0.716	5297968	.3640216
s2x	1258988	.0694697	-1.81	0.070	2620569	.0102593
s7x cons	.0006789 -1.03917	.087427	0.01 -2.35	0.994	1706749 -1.90728	.1720327

Iteration 0: log likelihood = -279.51577
Iteration 1: log likelihood = -267.48881
Iteration 2: log likelihood = -265.4534
Iteration 3: log likelihood = -265.45143

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_8x	1.02	1.01	0.9776	0.0224
leftist	1.03	1.01	0.9707	0.0293
s1x	1.03	1.01	0.9715	0.0285
s2x	1.07	1.03	0.9368	0.0632
s7x	1.05	1.03	0.9493	0.0507

	Eigenval	Cond Index
1 2 3 4 5	4.2017 0.6719 0.5250 0.3798 0.1815 0.0401	1.0000 2.5007 2.8290 3.3261 4.8110 10.2381

Condition Number 10.2381
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9060

Iteration 0: log likelihood = -293.05204
Iteration 1: log likelihood = -277.70434
Iteration 2: log likelihood = -276.89303
Iteration 3: log likelihood = -276.89044
Iteration 4: log likelihood = -276.89044

Number of obs = LR chi2(5) = Prob > chi2 = Pseudo R2 = 753 32.32 0.0000 Logistic regression Log likelihood = -276.890440.0551

f10_8x	Coef.	Std. Err.	Z	P> z	[95% Conf.	Interval]
f11_8x	8916461	.2306819	-3.87	0.000	-1.343774	4395178
leftist	5738425	.2769361	-2.07	0.038	-1.116627	0310578
s1x	.3967038	.2282025	1.74	0.082	0505649	.8439726
s2x	1773823	.0688795	-2.58	0.010	3123837	0423809
s7x	0477612	.0844243	-0.57	0.572	2132299	.1177074
_cons	7666529	.4443284	-1.73	0.084	-1.637521	.1042149

Iteration 0: log likelihood = -293.05204
Iteration 1: log likelihood = -278.69826
Iteration 2: log likelihood = -276.42016
Iteration 3: log likelihood = -276.41348
Iteration 4: log likelihood = -276.41348

Number of obs = 753 LR chi2(2) = 33.28 Prob > chi2 = 0.0000 Pseudo R2 = 0.0568 Logistic regression Log likelihood = -276.41348

f10_8x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	1.868984	.8955782	2.09	0.037	.1136825	3.624285
_hatsq	.2376046	.2383889	1.00	0.319	229629	.7048383
_cons	.7026791	.7846161	0.90	0.370	8351403	2.240498

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_9x	1.02	1.01	0.9776	0.0224
leftist	1.04	1.02	0.9641	0.0359
s1x	1.02	1.01	0.9796	0.0204
s2x	1.07	1.03	0.9357	0.0643
s7x	1.05	1.02	0.9519	0.0481

	Eigenval	Cond Index
1	3.8336	1.0000
2	0.8634	2.1072
3	0.6352	2.4567
4	0.4469	2.9289
5	0.1783	4.6363
6	0.0425	9.4933

Condition Number 9.4933

Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9065

Iteration 0: log likelihood = -474.35896
Iteration 1: log likelihood = -471.70413
Iteration 2: log likelihood = -471.70367

Logistic regression Number of obs = 693

LR chi2(5) = 5.31

Prob > chi2 = 0.3792

Log likelihood = -471.70367 Pseudo R2 = 0.0056

 f10_9x	1_	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
 f11_9x leftist s1x s2x s7x _cons		0288748 .1764816 .2385678 .0760276 0127043 6820787	.2048817 .1714505 .1558459 .0491958 .0598032 .3179047	-0.14 1.03 1.53 1.55 -0.21 -2.15	0.888 0.303 0.126 0.122 0.832 0.032	4304357 1595551 0668847 0203943 1299164 -1.305161	.372686 .5125184 .5440202 .1724495 .1045078

Iteration 0: log likelihood = -474.35896
Iteration 1: log likelihood = -471.27498
Iteration 2: log likelihood = -471.27464

Collinearity Diagnostics

Variable	VIF	SQRT VIF	Tolerance	R- Squared
f11_10x	1.01	1.00	0.9932	0.0068
leftist	1.03	1.01	0.9730	0.0270
s1x	1.03	1.01	0.9728	0.0272
s2x	1.06	1.03	0.9474	0.0526
s7x	1.05	1.03	0.9510	0.0490

	Eigenval	Cond Index
1 2 3 4 5	3.8981 0.7869 0.6621 0.4290 0.1803 0.0436	1.0000 2.2257 2.4264 3.0143 4.6492 9.4548

Condition Number 9.4548
Eigenvalues & Cond Index computed from scaled raw sscp (w/ intercept)
Det(correlation matrix) 0.9193

Iteration 0: log likelihood = -433.47263 Iteration 1: log likelihood = -406.72292 Iteration 2: log likelihood = -406.22705 Iteration 3: log likelihood = -406.22683

Number of obs = 736 LR chi2(5) = 54.49 Prob > chi2 = 0.0000 Pseudo R2 = 0.0629 Logistic regression Log likelihood = -406.22683

f10_10x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
f11_10x	-1.097461	.1955387	-5.61	0.000	-1.48071	7142124
leftist	3170437	.1899047	-1.67	0.095	6892501	.0551628
s1x	.4193061	.174868	2.40	0.016	.0765711	.762041
s2x	.2167636	.0544796	3.98	0.000	.1099856	.3235416
s7x	.1310754	.0663373	1.98	0.048	.0010566	.2610942
_cons	0715567	.3347001	-0.21	0.831	7275568	.5844433

Iteration 0: log likelihood = -433.47263 Iteration 1: log likelihood = -405.34079 Iteration 2: log likelihood = -404.81169 Iteration 3: log likelihood = -404.81065 Iteration 4: log likelihood = -404.81065

Number of obs = LR chi2(2) = Prob > chi2 = Pseudo R2 = 736 57.32 0.0000 0.0661 Logistic regression

Log likelihood = -404.81065

f10_10x	Coef.	Std. Err.	z	P> z	[95% Conf.	Interval]
_hat	1.468805	.3189911	4.60	0.000	.8435939	2.094016
_hatsq	2974565	.1764526	-1.69	0.092	6432972	.0483841
_cons	0676197	.1632644	-0.41	0.679	387612	.2523726