

Anesi, Vincent; Seidmann, Daniel

Working Paper

Optimal delegation with a finite number of states

CeDEX Discussion Paper Series, No. 2011-04

Provided in Cooperation with:

The University of Nottingham, Centre for Decision Research and Experimental Economics (CeDEX)

Suggested Citation: Anesi, Vincent; Seidmann, Daniel (2011) : Optimal delegation with a finite number of states, CeDEX Discussion Paper Series, No. 2011-04, The University of Nottingham, Centre for Decision Research and Experimental Economics (CeDEX), Nottingham

This Version is available at:

<https://hdl.handle.net/10419/49693>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.

Online Appendix to Accompany *Optimal Delegation with a Finite Number of States*

Vincent Anesi
University of Nottingham

Daniel Seidmann
University of Nottingham

4th April 2011

In this online appendix, we provide some details of proofs which are not included in the main text of the paper.

Proof of Observation 2

Let $b \in \left(\frac{1}{2(T-1)}, \frac{1}{(T-1)}\right)$ and $\Delta \in \mathcal{D}_T^*(b)$. From Theorem 1, this implies that $|\Delta| = T$. To compute the moments of the decision taken by the agent when she is offered Δ , we must distinguish between two different cases:

- *Case 1: T is odd.* By Theorem 1(ii),

$$d_t(\Delta, b) = \begin{cases} \ell^e(b, T, T-1) + \frac{t}{T-1} & \text{if } t \text{ is even,} \\ 2b - \ell^e(b, T, T-1) + \frac{t-1}{T-1} & \text{if } t \text{ is odd,} \end{cases}$$

so that the expected value of the agent's decision is

$$\mathbb{E}^E(b) \equiv \frac{1}{T} \sum_{t=0}^{T-1} d_t(\Delta, b) = \frac{1}{T} \left[(T-1)b + \ell^e(b, T, T-1) + \frac{1}{T-1} \sum_{t=0}^{T-1} t \right] = \frac{(1+2b)(T-1)^2}{2T^2}.$$

By definition, the variance of the decision is given by

$$\mathbb{V}^E(b) \equiv \frac{1}{T} \sum_{t=0}^{T-1} [d_t(\Delta, b) - \mathbb{E}^E(b)]^2,$$

so that

$$\begin{aligned} T \frac{d\mathbb{V}^E(b)}{db} &= 2 \sum_{t=0}^{T-1} [d_t(\Delta, b) - \mathbb{E}^E(b)] \cdot \frac{d}{db} [d_t(\Delta, b) - \mathbb{E}^E(b)] \\ &= 2 \sum_{t=0}^{T-1} [d_t(\Delta, b) - \mathbb{E}^E(b)] \cdot \frac{d}{db} [d_t(\Delta, b) - \mathbb{E}^E(b)], \end{aligned}$$

where

$$\frac{d}{db} [d_t(\Delta, b) - \mathbb{E}^E(b)] = \begin{cases} \frac{T-1}{T^2} & \text{if } t \text{ is even,} \\ \frac{3T-1}{T^2} & \text{if } t \text{ is odd.} \end{cases}$$

Tedious calculations then reveal that

$$\begin{aligned} T \frac{d\mathbb{V}^E(b)}{db} &= \frac{1}{T^3(T-1)} \{T(2T^3 - 4T^2 + T - 1) + 2b(T^3 + T - 1)(T-1) + 1\} \\ &\geq \frac{2T-1}{T} > 0, \end{aligned}$$

where the first inequality comes from $b \geq \frac{1}{2(T-1)}$.

- *Case 2: T is even.* By Theorem 1(ii),

$$d_t(\Delta, b) = \begin{cases} b - \frac{T+1}{2T(T-1)} + \frac{t}{T-1} & \text{if } t \text{ is odd} \\ b - \frac{T+3}{2T(T-1)} + \frac{t}{T-1} & \text{if } t \text{ is even.} \end{cases}$$

As a consequence, the expected value of the agent's decision must be of the form

$$\mathbb{E}^O(b) \equiv \frac{1}{T} \sum_{t=0}^{T-1} d_t(\Delta, b) = b + \text{constant}.$$

This in turn implies that $[d_t(\Delta, b) - \mathbb{E}^O(b)]^2$ must be independent of b for each $t \in \mathbf{T}$, thus proving the variance of the decision does not depend on b .

Detailed proof of Lemma 2

As Δ is top-loaded, the agent takes decision $\delta_{t+\tau}$ in state $t+\tau$, for every $\tau < K$, and takes δ_{t+K} in states $K \leq t+\tau \leq s-1$.

For each $\tau \leq K$, let $\kappa_{t+\tau} \equiv \delta_{t+\tau} - \frac{t+\tau}{T-1}$. By optimality, $(\kappa_{t+\tau})_{\tau=0 \dots K}$ must solve

$$\min_{\{\kappa_{t+\tau}\}_{\tau=t, \dots, K}} \left\{ \sum_{\tau=0}^{K-1} \kappa_{t+\tau}^2 + \sum_{\tau=K}^{s-1} \left(\kappa_{t+K} - \frac{\tau-K}{T-1} \right)^2 \right\}$$

subject to

$$\kappa_{t+\tau} + \kappa_{t+\tau+1} = 2b - \frac{1}{T-1}, \quad \forall \tau = 0, \dots, K-1; \tag{1}$$

where the equality in (1) must hold at Δ because it satisfies the chain property. It is easy to see that any solution to this problem is also a solution to

$$\min_{\{\kappa_{t+\tau}\}_{\tau=t, \dots, K}} \left\{ \sum_{\tau=0}^{K-1} \kappa_{t+\tau}^2 + (s-K) \left(\kappa_{t+K} - \frac{s-K-1}{T-1} \right) \kappa_{t+K} \right\}, \tag{2}$$

subject to (1). From the incentive constraints (1), we obtain by recursion that

$$\kappa_{t+\tau} = \begin{cases} \kappa_t & \text{if } \tau \text{ is even} \\ 2b - \frac{1}{T-1} - \kappa_t & \text{if } \tau \text{ is odd} \end{cases}, \quad \forall \tau = 0, \dots, K.$$

Substituting into (2), simple convex optimization reveals that, at an optimum:

$$\kappa_t = \begin{cases} \ell^e(b, s, K) & \text{if } K \text{ is even,} \\ \ell^o(b, s, K) & \text{if } K \text{ is odd,} \end{cases}$$

where $\ell^e(b, s, K)$ and $\ell^o(b, s, K)$ are defined before Lemma 2 in Section 2.3.

We end the proof by showing that the principal can reduce his expected loss whenever $b \notin [b^{\min}(K, s), b^{\max}(K, s)]$ — a contradiction to Δ being optimal. More precisely, for every $m \in \mathbb{N}$, let $D^*(m) \equiv \{\delta_t^*(m), \dots, \delta_{t+m-1}^*(m)\}$, where

$$\delta_{t+\tau}^*(m) = \begin{cases} \ell(b, s, m-1) + \frac{t+\tau}{T-1} & \text{if } \tau \text{ is even,} \\ 2b - \ell(b, s, m-1) + \frac{t+\tau-1}{T-1} & \text{if } \tau \text{ is odd.} \end{cases}$$

and ℓ is defined in the text before Lemma 2. We will show that if $b \notin [b^{\min}(K, s), b^{\max}(K, s)]$ then there is a $K' \neq K$ such that the principal can reduce his loss by offering $D^*(K'+1)$ to the agent.

Suppose that K is even. The change in the principal's loss following a deviation to $D^*(K+2)$ when $K < s-1$ can be decomposed as follows:

(i) In each state $t+\tau$, with τ even and no more than K , the change in the principal's loss is:

$$\ell^o(b, s, K+1)^2 - \ell^e(b, s, K)^2 = \varphi(b, s, K) [\varphi(b, s, K) + 2\ell^e(b, s, K)] ,$$

where

$$\varphi(b, s, K) \equiv \ell^o(b, s, K+1) - \ell^e(b, s, K) = \frac{s-K-1}{s} \left(2b - \frac{s-K}{T-1} \right) .$$

(ii) In each state $t+\tau$, with τ odd and no more than $K-1$, the change in the principal's loss is:

$$\begin{aligned} & \left[2b - \frac{1}{T-1} - \ell^o(b, s, K+1) \right]^2 - \left[2b - \frac{1}{T-1} - \ell^e(b, s, K) \right]^2 \\ &= \varphi(b, s, K) \left[\varphi(b, s, K) - 2 \left(2b - \frac{1}{T-1} - \ell^e(b, s, K) \right) \right] . \end{aligned}$$

(iii) In each state $t+K+i$ for $i = 1, \dots, s-K-1$, the change in the principal's loss is:

$$\begin{aligned} & \left[2b - \ell^o(b, s, K+1) - \frac{i}{T-1} \right]^2 - \left[\ell^e(b, s, K) - \frac{i}{T-1} \right]^2 \\ &= \xi(b, s, K) \left\{ \xi(b, s, K) + 2 \left[\ell^e(b, s, K) - \frac{i}{T-1} \right] \right\} , \end{aligned}$$

where

$$\xi(b, s, K) \equiv 2b - \ell^o(b, s, K+1) - \ell^e(b, s, K) = \frac{1}{s} \left(2b + \frac{K}{T-1} \right) .$$

Note that

$$\begin{aligned} \sum_{i=1}^{s-K-1} \left\{ \xi(b, s, K) + 2 \left[\ell^e(b, s, K) - \frac{i}{T-1} \right] \right\} &= (s-K-1) \left[\xi(b, s, K) + 2\ell^e(b, s, K) - \frac{s-K}{T-1} \right] \\ &= (K+1) \frac{s-K-1}{s} \left(2b - \frac{s-K}{T-1} \right) \\ &= (K+1)\varphi(b, s, K) . \end{aligned}$$

Thus, summing the changes in the principal's loss over all states, we obtain

$$\begin{aligned} (K+1)\varphi(b, s, K) \left[\varphi(b, s, K) + 2\ell^e(b, s, K) - \frac{K}{K+1} \left(2b - \frac{1}{T-1} \right) + \xi(b, s, K) \right] \\ = (K+1)\varphi(b, s, K) \left[\frac{1}{K+1} \left(2b + \frac{K}{T-1} \right) \right] = \frac{2(s-K-1)}{s} \left(2b + \frac{K}{T-1} \right) [b - b^{\min}(K, s)] . \end{aligned}$$

This proves that the deviation to $D^*(K+2)$ is unprofitable only if $b \geq b^{\min}(K, s)$. The argument above also implies that the principal can profitably deviate from $D^*(K+2)$ to $D^*(K+1)$ unless $b \leq b^{\max}(K+1, s) = b^{\min}(K, s)$.

The change in the principal's expected loss if he deviates to $D^*(K)$ (assuming $K > 0$) can be decomposed as follows:

(i) In each state $t + \tau$, with τ even and strictly less than $K-1$, the change in the principal's loss is:

$$\ell^o(b, s, K-1)^2 - \ell^e(b, s, K)^2 = \phi(b, s, K) [\phi(b, s, K) + 2\ell^e(b, s, K)] ,$$

where

$$\phi(b, s, K) \equiv \ell^o(b, s, K-1) - \ell^e(b, s, K) = \frac{s-K}{s} \left(2b - \frac{s-K+1}{T-1} \right) .$$

(ii) In each state $t + \tau$, with τ odd and lower or equal to $K-1$, the change in the principal's loss is:

$$\begin{aligned} &\left[2b - \frac{1}{T-1} - \ell^o(b, s, K-1) \right]^2 - \left[2b - \frac{1}{T-1} - \ell^e(b, s, K) \right]^2 \\ &= \phi(b, s, K) \left[\phi(b, s, K) - 2 \left(2b - \frac{1}{T-1} - \ell^e(b, s, K) \right) \right] . \end{aligned}$$

(iii) In each state $t + K+i$ for $i = 0, \dots, s-K-1$, the change in the principal's loss is:

$$\begin{aligned} &\left[2b - \ell^o(b, s, K-1) - \frac{i+2}{T-1} \right]^2 - \left[\ell^e(b, s, K) - \frac{i}{T-1} \right]^2 \\ &= \psi(b, s, K) \left\{ \psi(b, s, K) + 2 \left[\ell^e(b, s, K) - \frac{i}{T-1} \right] \right\} , \end{aligned}$$

where

$$\psi(b, s, K) \equiv 2 \left(b - \frac{1}{T-1} \right) - \ell^o(b, s, K-1) - \ell^e(b, s, K) = -\frac{K}{s(T-1)} .$$

Note that

$$\begin{aligned} \sum_{i=0}^{s-K-1} \left\{ \psi(b, s, K) + 2 \left[\ell^e(b, s, K) - \frac{i}{T-1} \right] \right\} &= (s-K) \left[\psi(b, s, K) + 2\ell^e(b, s, K) - \frac{s-K-1}{T-1} \right] \\ &= K \frac{s-K}{s} \left(2b - \frac{s-K+1}{T-1} \right) \\ &= K\phi(b, s, K) . \end{aligned}$$

Thus, summing the principal's loss over all states, we obtain

$$\begin{aligned} K\phi(b, s, K) \left[\phi(b, s, K) + 2\ell^e(b, s, K) - \left(2b - \frac{1}{T-1} \right) + \psi(b, s, K) \right] \\ = K\phi(b, s, K) \left(-\frac{1}{T-1} \right) = -\frac{2K}{T-1} \frac{s-K}{s} [b - b^{\max}(K, s)] . \end{aligned}$$

This proves that the deviation to $D^*(K)$ is unprofitable only if $b \leq b^{\max}(K, s)$. The argument above also implies that the principal can profitably deviate from $D^*(K)$ to $D^*(K+1)$ unless $b \geq b^{\min}(K-1, s) = b^{\max}(K, s)$.

We have therefore proved that the principal can reduce his expected loss by choosing $D^*(K+2)$ instead of Δ when $b < b^{\min}(K, s)$, and by choosing $D^*(K)$ instead of Δ when $b > b^{\max}(K, s)$.¹ As $\Delta \in \mathcal{D}_{s,t}^*(b)$, this implies that $b \in [b^{\min}(K, s), b^{\max}(K, s)]$.

Computational details for the proof of Lemma 3

The detailed proof for $\Upsilon(b) \geq 0$ is as follows. We distinguish between four cases:

- **Case 1:** $\min\{K, K'\} > 0$.

In this case, we have both

$$b \in \left[\frac{\tau-K}{2(T-1)}, \frac{\tau-K}{2(T-1)} \right] \text{ and } b \in \left[\frac{s-\tau+1-K'}{2(T-1)}, \frac{s-\tau+2-K'}{2(T-1)} \right] .$$

As $\tau-K$ and $s-\tau+1-K'$ are integers, this in turn implies that

$$\tau-K = s-\tau+1-K' . \tag{3}$$

Now, let

$$\begin{aligned} \Upsilon(b) &\equiv 2 \left(b + \frac{t+\tau-1}{T-1} \right) - \delta_{t+\tau-1} - \delta_{t+\tau} \\ &\geq 2 \left(b + \frac{t+\tau-1}{T-1} \right) - \left[2b - \ell^o(b, \tau, K) + \ell^e(b, s-\tau+1, K') + \frac{2t+\tau+K-1}{T-1} \right] \end{aligned}$$

¹We have ignored the case in which $K = s-1$ and $b < b^{\min}(K, s)$ because we then have $b < 1/2(T-1)$.

First, note that

$$\frac{d}{db} [2b - \ell^o(b, \tau, K)] = \frac{d}{db} \left[\frac{K+1}{\tau} b + \frac{\tau-1}{2\tau(T-1)} + \frac{(\tau-K)^2}{2\tau(T-1)} \right] = \frac{K+1}{\tau} \leq 1$$

and

$$\frac{d}{db} [\ell^e(b, s-\tau+1, K')] = \frac{d}{db} \left[\frac{K'}{s-\tau+1} b \right] = \frac{K'}{s-\tau+1} \leq 1.$$

As a consequence, $\Upsilon'(b) \geq 0$ and, from (3):

$$\Upsilon(b) \geq \Upsilon \left(\frac{\tau-K}{2(T-1)} \right) = \Upsilon \left(\frac{s-\tau+1-K'}{2(T-1)} \right).$$

At $b = \frac{\tau-K}{2(T-1)}$, we have²

$$2 \left(b + \frac{t+\tau-1}{T-1} \right) - \frac{2t+\tau+K-1}{T-1} = \underbrace{\frac{2(\tau-K)}{2(T-1)}}_{\hookrightarrow \Upsilon_1} + \underbrace{\frac{\tau-K-1}{T-1}}_{\hookrightarrow \Upsilon_2},$$

$$- [2b - \ell^o(b, \tau, K)] = - \underbrace{\frac{K+1}{\tau}}_{\hookrightarrow \Upsilon_3} \underbrace{\frac{\tau-K}{2(T-1)}}_{\hookrightarrow \Upsilon_3} - \underbrace{\frac{\tau-1}{2\tau(T-1)}}_{\hookrightarrow \Upsilon_3} - \underbrace{\frac{(\tau-K)^2}{2\tau(T-1)}}_{\hookrightarrow \Upsilon_1}$$

and

$$\begin{aligned} -\ell^e(b, s-\tau+1, K') &= -\underbrace{\frac{K'}{s-\tau+1}}_{\equiv \Upsilon_4} \underbrace{\frac{\tau-K}{2(T-1)}}_{\hookrightarrow \Upsilon_2} + \underbrace{\frac{1}{2(T-1)}}_{\hookrightarrow \Upsilon_2} - \underbrace{\frac{(s-\tau+1-K')^2}{2(s-\tau+1)(T-1)}}_{\hookrightarrow \Upsilon_1} \\ &= -\underbrace{\frac{K'}{s-\tau+1}}_{\equiv \Upsilon_4} \underbrace{\frac{\tau-K}{2(T-1)}}_{\hookrightarrow \Upsilon_2} + \underbrace{\frac{1}{2(T-1)}}_{\hookrightarrow \Upsilon_2} - \underbrace{\frac{(\tau-K)^2}{2(s-\tau+1)(T-1)}}_{\hookrightarrow \Upsilon_1}, \end{aligned}$$

where the second equality follows from (3). Thus,

$$\begin{aligned} \Upsilon_1 &\equiv \frac{2(\tau-K)}{2(T-1)} - \frac{(\tau-K)^2}{2\tau(T-1)} - \frac{(\tau-K)^2}{2(s-\tau+1)(T-1)} \\ &= \frac{\tau-K}{2(T-1)} \left(2 - \frac{\tau-K}{\tau} - \frac{\tau-K}{s-\tau+1} \right), \\ \Upsilon_2 &\equiv \frac{\tau-K-1}{T-1} + \frac{1}{2(T-1)}, \\ \Upsilon_3 &\equiv -\frac{K+1}{\tau} \frac{\tau-K}{2(T-1)} - \frac{\tau-1}{2\tau(T-1)} \\ &= -\frac{1}{2\tau(T-1)} [(K+1)(\tau-K) + \tau-1], \\ \Upsilon_4 &\equiv -\frac{K'}{s-\tau+1} \frac{\tau-K}{2(T-1)}. \end{aligned}$$

²We use “ $\hookrightarrow \Upsilon_i$ ” to mean “is part of Υ_i ”.

Hence,

$$\begin{aligned}
\Upsilon_1 + \Upsilon_4 &= \frac{\tau - K}{2(T-1)} \left(2 - \frac{\tau - K}{\tau} - \frac{\tau - K + K'}{s - \tau + 1} \right) \\
&= \frac{\tau - K}{2(T-1)} \left(2 - \frac{\tau - K}{\tau} - \frac{s - \tau + 1}{s - \tau + 1} \right) \\
&= \frac{\tau - K}{2(T-1)} \left(1 - \frac{\tau - K}{\tau} \right) \\
&= \frac{K(\tau - K)}{2\tau(T-1)} \equiv \Upsilon_5.
\end{aligned}$$

where the second inequality follows from (3). Moreover,

$$\begin{aligned}
\Upsilon_5 + \Upsilon_3 &= \frac{1}{2\tau(T-1)} [K(\tau - K) - (K+1)(\tau - K) - \tau + 1] \\
&= \frac{K+1}{2\tau(T-1)} - \frac{1}{T-1} \equiv \Upsilon_6,
\end{aligned}$$

and

$$\begin{aligned}
\Upsilon_6 + \Upsilon_2 &= \frac{\tau - K - 1}{T-1} + \frac{K+1}{2\tau(T-1)} - \frac{1}{2(T-1)} \\
&= \frac{\tau - K - 1}{T-1} \left(1 - \frac{1}{2\tau} \right) \geq 0
\end{aligned}$$

since $K \leq \tau - 1$.

• **Case 2:** $0 = K < K' \leq s - \tau$.

In this case, $\delta_{t+\tau-1} = \frac{2t+\tau-1}{2(T-1)}$, and $b \geq \frac{s-\tau+1-K'}{2(T-1)}$. If $s' = s - \tau + 1$ then

$$\begin{aligned}
\Upsilon(b) &\geq 2 \left(b + \frac{t+\tau-1}{T-1} \right) - \left[\frac{2t+\tau-1}{2(T-1)} + \ell^e(b, s', K') + \frac{t+\tau}{T-1} \right] \\
&= 2b - \ell^e(b, s', K') + \frac{\tau-3}{2(T-1)} \\
&= \frac{2s' - K'}{s'} b - \frac{(s' - K')^2}{2s'(T-1)} + \frac{\tau-2}{2(T-1)} \\
&\geq \frac{s' - K' + \tau - 2}{2(T-1)} = \frac{s - K' - 1}{2(T-1)} \geq 0
\end{aligned}$$

since $K' \leq s - \tau \leq s - 1$.

• **Case 3:** $0 = K' < K \leq \tau - 1$.

In this case, $\delta_{t+\tau} = \frac{2t+s+\tau}{2(T-1)}$, and $b \geq \max \left\{ \frac{\tau-K}{2(T-1)}, \frac{s-\tau+1}{2(T-1)} \right\}$; so

$$\begin{aligned}
\Upsilon(b) &\geq 2 \left(b + \frac{t+\tau-1}{T-1} \right) - \left[2b - \ell^o(b, \tau, K) + \frac{t+K}{T-1} + \frac{2t+s+\tau}{2(T-1)} \right] \\
&\geq b + \frac{t+\tau-1}{T-1} - \left[2b - \ell^o(b, \tau, K) + \frac{t+K}{T-1} \right] - \frac{1}{2(T-1)} \\
&= b - \left[\frac{K+1}{\tau} b - \frac{\tau-1}{2\tau(T-1)} - \frac{(\tau-K)^2}{2\tau(T-1)} \right] - \frac{1}{2(T-1)} + \underbrace{\frac{t+\tau-1}{T-1} - \frac{t+K}{T-1}}_{\geq 0} \\
&\geq \frac{\tau-K-1}{\tau} \frac{\tau-K}{2(T-1)} - \frac{1}{2\tau(T-1)} + \frac{(\tau-K)^2}{2\tau(T-1)} \\
&= \frac{\tau-K-1}{2\tau(T-1)} [2(\tau-K)+1] \geq 0 .
\end{aligned}$$

• **Case 4:** $K = K' = 0$.

In this case, $\delta_{t+\tau-1} = \frac{2t+\tau-1}{2(T-1)}$, $\delta_{t+\tau} = \frac{2t+s+\tau}{2(T-1)}$, and $b \geq \max \left\{ \frac{\tau}{2(T-1)}, \frac{s-\tau+1}{2(T-1)} \right\}$; so

$$\begin{aligned}
\Upsilon(b) &\geq 2 \left(b + \frac{t+\tau-1}{T-1} \right) - \left[\frac{2t+\tau-1}{2(T-1)} + \frac{2t+s+\tau}{2(T-1)} \right] \\
&\geq \frac{2(\tau-1)}{T-1} - \frac{2(\tau-1)}{2(T-1)} = \frac{\tau-1}{T-1} \geq 0 .
\end{aligned}$$

Expertise

Observation 3. If $b \in \left(\frac{1}{2(T-1)}, \frac{1}{T-1} \right)$ then the expert outperforms an amateur who cannot distinguish between states $T-2$ and $T-1$, and takes the same decisions as the expert in all other states.

Proof: Recall that the principal prefers to appoint this amateur and offer her δ_E if and only if³

$$\left[\frac{2T-K}{T} b - \frac{(T-K)^2 + 3T}{2T(T-1)} \right]^2 < \left[\frac{K}{T} b + \frac{(T-K)^2 - T}{2T(T-1)} \right]^2 \quad (4)$$

We need to treat cases in which T is odd and even separately, starting with the former: The left-hand side of (4) is negative because $T > 1$ implies that

$$b < \frac{1}{T-1} < \frac{3T+1}{2(T-1)(T+1)} .$$

Consequently, the principal prefers not to appoint this amateur and offer her δ_E if $b < \frac{1}{T-1}$.

³See the proof of Proposition 3(ii) in the main text.

As $\delta_E > \delta_{K-2}$, the principal can only satisfy the amateur's incentive constraints by replacing δ_{K-1} and δ_{K-2} with a single decision δ if $\delta \geq \delta_E$. At best, the principal can induce her to take decision $\frac{2K-3}{2(T-1)}$ in E , yielding a loss of $\frac{1}{2(T-1)^2}$ in that event. If $b < \frac{1}{T-1}$ then $K = T - 1$, and the principal would lose $\frac{2(T^2+1)}{T^2} \left[b - \frac{1}{2(T-1)} \right]^2$ in E , which exceeds $\frac{1}{2(T-1)^2}$ if and only if

$$4(T^2 + 1)(T - 1)^2 b^2 - 4T(T^2 + 1)(T - 1)b + 1 > 0 :$$

that is, for

$$\frac{T^2 + 1 + T\sqrt{T^2 + 1}}{2(T^2 + 1)(T - 1)} < b < \frac{1}{T - 1} .$$

Now $\delta_E > \frac{2T-5}{2(T-1)}$ if and only if $b > \frac{2T+1}{2(T^2-1)}$, where the latter term is less than $\frac{1}{T-1}$, in which case the principal cannot improve on the amateur's loss by raising the decision above δ_E . Comparing terms for $b \in \left(\frac{1}{2(T-1)}, \frac{1}{T-1} \right)$: an amateur who is offered a single decision outperforms the expert if and only if

$$\frac{T^2 + 1 + T\sqrt{T^2 + 1}}{2(T^2 + 1)(T - 1)} < b < \frac{2T + 1}{2(T^2 - 1)} .$$

It is easy to confirm that the requisite lower bound exceeds the requisite upper bound on b ; so this amateur cannot outperform the expert if $b < \frac{1}{T-1}$.

Now suppose that T is even. It is easy to confirm that $\delta_{K-2} < \frac{2T-5}{2(T-1)}$; so replacing δ_{T-3} and δ_{T-2} with $\frac{2T-5}{2(T-1)}$ does not violate the amateur's incentive constraints. Substituting $K = T - 1$: the expert outperforms an amateur who takes $\frac{2T-5}{2(T-1)}$ in E (and therefore any such amateur) if and only if $b < \frac{1}{T-1}$; so the expert again outperforms an amateur who takes the same decisions in states outside E if $b \in \left(\frac{1}{2(T-1)}, \frac{1}{T-1} \right)$.

Other amateurs for $T = 4$

We include the ODS and losses for the cases omitted from Appendix C.2 for the four-state case:

If $E = \{2, 3\}$ then

Δ^{23}	λ^{23}	Λ^{23}
$b < \frac{1}{6}$	$0, \frac{1}{3}, \frac{5}{6}$	$\frac{1}{72}$
$\frac{1}{6} < b < \frac{1}{3}$	$b - \frac{1}{6}, b + \frac{1}{6}, \frac{5}{6}$	$\frac{1}{2}b^2 - \frac{1}{6}b + \frac{1}{36}$
$\frac{1}{3} < b < \frac{1}{2}$	$\frac{1}{2}b, \frac{3}{2}b, \frac{1}{2}b + \frac{2}{3}$	$\frac{3}{4}b^2 - \frac{1}{3}b + \frac{1}{18}$
$\frac{1}{2} < b < \frac{2}{3}$	$\frac{3}{2}b - \frac{1}{2}, \frac{1}{2}b + \frac{1}{2}$	$\frac{3}{4}b^2 - \frac{1}{2}b + \frac{5}{36}$
$b > \frac{2}{3}$	$\frac{1}{2}$	$\frac{5}{36}$
		$b^2 + \frac{5}{36}$

If $E = \{0, 1, 2\}$ then

$$\begin{array}{cccc}
 b & \Delta^{012} & \lambda^{012} & \Lambda^{012} \\
 b < \frac{1}{3} & \frac{1}{3}, 1 & \frac{1}{18} & b^2 + \frac{1}{18} \\
 \frac{1}{3} < b < \frac{2}{3} & \frac{1}{2}b + \frac{1}{6}, \frac{3}{2}b + \frac{1}{2} & \frac{3}{4}b^2 - \frac{1}{2}b + \frac{5}{36} & \frac{1}{4}b^2 + \frac{5}{36} \\
 b > \frac{2}{3} & \frac{1}{2} & \frac{5}{36} & b^2 + \frac{5}{36}
 \end{array}$$

The same details apply when $E = \{0, 2\}$.

If $E = \{1, 2, 3\}$ then

$$\begin{array}{cccc}
 b & \Delta^{123} & \lambda^{123} & \Lambda^{123} \\
 \frac{1}{6} < b < \frac{1}{3} & & \frac{1}{18} & b^2 + \frac{1}{18} \\
 \frac{1}{3} < b < \frac{2}{3} & \frac{3}{2}b - \frac{1}{2}, \frac{1}{2}b + \frac{1}{2} & \frac{3}{4}b^2 - \frac{1}{2}b + \frac{5}{36} & \frac{1}{4}b^2 + \frac{5}{36} \\
 b > \frac{2}{3} & \frac{1}{2} & \frac{5}{36} & b^2 + \frac{5}{36}
 \end{array}$$

The same details apply when $E = \{1, 3\}$.

If $E = \{0, 3\}$ then

$$\begin{array}{cccc}
 b & \Delta^{03} & \lambda^{03} & \Lambda^{03} \\
 b < \frac{1}{6} & b + \frac{1}{4}, b + \frac{5}{12}, b + \frac{7}{12} & b^2 - \frac{1}{6}b + \frac{19}{144} & \frac{19}{144} \\
 \frac{1}{6} < b < \frac{2}{9} & & \frac{3}{4}b^2 - \frac{1}{6}b + \frac{5}{36} & \frac{1}{4}b^2 + \frac{5}{36} \\
 b > \frac{2}{9} & \frac{1}{2} & \frac{5}{36} & b^2 + \frac{5}{36}
 \end{array}$$

If $E = \{0, 1, 3\}$ then

$$\begin{array}{cccc}
 b & \Delta^{013} & \lambda^{013} & \Lambda^{013} \\
 b < \frac{2}{9} & & \frac{3}{4}b^2 - \frac{1}{6}b + \frac{5}{36} & \frac{1}{4}b^2 + \frac{5}{36} \\
 b > \frac{2}{9} & \frac{1}{2} & \frac{5}{36} & b^2 + \frac{5}{36}
 \end{array}$$

If $E = \{0, 2, 3\}$ then

$$\begin{array}{cccc}
 b & \Delta^{023} & \lambda^{023} & \Lambda^{023} \\
 b < \frac{2}{9} & \frac{3}{2}b + \frac{1}{6}, \frac{1}{2}b + \frac{1}{2} & \frac{3}{4}b^2 - \frac{1}{6}b + \frac{5}{36} & \frac{1}{4}b^2 + \frac{5}{36} \\
 b > \frac{2}{9} & \frac{1}{2} & \frac{5}{36} & b^2 + \frac{5}{36}
 \end{array}$$

If $E = \{0, 1\}, \{2, 3\}$ then

$$\begin{array}{cccc}
 b & \Delta^{01,23} & \lambda^{01,23} & \Lambda^{01,23} \\
 b < \frac{1}{3} & \frac{1}{6}, \frac{5}{6} & \frac{1}{36} & b^2 + \frac{1}{36} \\
 \frac{1}{3} < b < \frac{2}{3} & b - \frac{1}{6}, b + \frac{1}{2} & b^2 - \frac{2}{3}b + \frac{5}{36} & \frac{5}{36} \\
 b > \frac{2}{3} & \frac{1}{2} & \frac{5}{36} & b^2 + \frac{5}{36}
 \end{array}$$

If $E = \{0, 2\}, \{1, 3\}$ then

$$\begin{array}{cccc}
 b & \Delta^{02,13} & \lambda^{02,13} & \Lambda^{02,13} \\
 b < \frac{1}{6} & \frac{1}{3}, \frac{2}{3} & \frac{1}{9} & b^2 + \frac{1}{9} \\
 \frac{1}{6} < b < \frac{1}{3} & b - \frac{1}{6}, b + \frac{1}{2} & b^2 - \frac{1}{3}b + \frac{5}{36} & \frac{5}{36} \\
 b > \frac{1}{3} & \frac{1}{2} & \frac{5}{36} & b^2 + \frac{5}{36}
 \end{array}$$

If $E = \{0, 3\}, \{1, 2\}$ or $E = \{0, 1, 2, 3\}$ then

$$\begin{array}{cccc}
 b & \Delta^E & \lambda^E & \Lambda^E \\
 b > 0 & \frac{1}{2} & \frac{5}{36} & b^2 + \frac{5}{36}
 \end{array}$$

Other amateurs for $T = 5$

We include the ODS and losses for the cases omitted from Appendix C.3 for the five-state case:

If $E = \{0, 1\}, \{2, 3, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{01,234} & \lambda^{01,234} & \Lambda^{01,234} \\
 b < \frac{5}{16} & \frac{1}{8}, \frac{3}{4} & \frac{1}{32} & b^2 + \frac{1}{32} \\
 \frac{5}{16} < b < \frac{5}{8} & \frac{6}{5}b - \frac{1}{4}, \frac{4}{5}b + \frac{1}{2} & \frac{24}{25}b^2 - \frac{3}{25}b + \frac{1}{8} & \frac{1}{25}b^2 + \frac{1}{8} \\
 b > \frac{5}{8} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 1\}, \{3, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{01,34} & \lambda^{01,34} & \Lambda^{01,34} \\
 b < \frac{3}{16} & \frac{1}{8}, \frac{1}{2}, \frac{7}{8} & \frac{1}{80} & b^2 + \frac{1}{80} \\
 \frac{3}{16} < b < \frac{3}{8} & \frac{2}{5}b + \frac{1}{20}, \frac{8}{5}b + \frac{1}{5}, \frac{2}{5}b + \frac{4}{5} & \frac{16}{25}b^2 - \frac{6}{25}b + \frac{7}{200} & \frac{9}{25}b^2 + \frac{7}{200} \\
 \frac{3}{8} < b < \frac{5}{8} & \frac{6}{5}b - \frac{1}{4}, \frac{4}{5}b + \frac{1}{2} & \frac{24}{25}b^2 - \frac{3}{5}b + \frac{1}{8} & \frac{1}{25}b^2 + \frac{1}{8} \\
 b > \frac{5}{8} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 1, 2, 3\}$ or $E = \{0, 3\}, \{1, 2\}$ then

$$\begin{array}{cccc}
 b & \Delta^E & \lambda^E & \Lambda^E \\
 b < \frac{5}{16} & \frac{3}{8}, 1 & \frac{1}{16} & b^2 + \frac{1}{16} \\
 \frac{5}{16} < b < \frac{5}{8} & \frac{2}{5}b + \frac{1}{4}, \frac{8}{5}b + \frac{1}{2} & \frac{16}{25}b^2 - \frac{2}{5}b + \frac{1}{8} & \frac{9}{25}b^2 + \frac{1}{8} \\
 b > \frac{5}{8} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{1, 2\}, \{0, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{12,04} & \lambda^{12,04} & \Lambda^{12,04} \\
 b < \frac{1}{16} & \frac{3}{8}, \frac{1}{2}, \frac{3}{4} & \frac{17}{160} & b^2 + \frac{17}{160} \\
 \frac{1}{16} < b < \frac{\sqrt{10}-1}{16} & b + \frac{5}{16}, b + \frac{7}{16}, \frac{3}{4} & \frac{4}{5}b^2 - \frac{1}{10}b + \frac{7}{64} & \frac{1}{5}b^2 + \frac{7}{64} \\
 \frac{\sqrt{10}-1}{16} < b < \frac{1}{4} & \frac{2}{5}b + \frac{2}{5}, \frac{8}{5}b + \frac{3}{5} & \frac{16}{25}b^2 - \frac{3}{25}b + \frac{23}{200} & \frac{9}{25}b^2 + \frac{23}{200} \\
 b > \frac{1}{4} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{1, 2\}, \{3, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{12,34} & \lambda^{12,34} & \Lambda^{12,34} \\
 b < \frac{3}{16} & 0, \frac{3}{8}, \frac{7}{8} & \frac{1}{80} & b^2 + \frac{1}{80} \\
 \frac{3}{16} < b < \frac{9}{32} & \frac{4}{3}b + -\frac{1}{4}, \frac{2}{3}b + \frac{1}{4}, \frac{7}{8} & \frac{8}{15}b^2 - \frac{1}{5}b + \frac{1}{32} & \frac{7}{15}b^2 + \frac{1}{32} \\
 \frac{\sqrt{10}-1}{16} < b < \frac{1}{4} & \frac{4}{5}b - \frac{1}{10}, \frac{6}{5}b + \frac{1}{10}, \frac{4}{5}b + \frac{13}{20} & \frac{24}{25}b^2 - \frac{11}{25}b + \frac{13}{200} & \frac{1}{25}b^2 + \frac{13}{200} \\
 b > \frac{1}{4} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{1, 2\}, \{0, 3, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{12,034} & \lambda^{12,034} & \Lambda^{12,034} \\
 b < \frac{5}{48} & \frac{3}{8}, \frac{7}{12} & \frac{11}{96} & b^2 + \frac{11}{96} \\
 \frac{5}{48} < b < \frac{5}{24} & \frac{6}{5}b + \frac{1}{4}, \frac{4}{5}b + \frac{1}{2} & \frac{24}{25}b^2 - \frac{1}{5}b + \frac{1}{8} & \frac{1}{25}b^2 + \frac{1}{8} \\
 b > \frac{5}{24} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 4\}, \{2, 3\}$ then

$$\begin{array}{cccc}
 b & \Delta^{04,23} & \lambda^{04,23} & \Lambda^{04,23} \\
 b < \frac{1}{16} & \frac{1}{4}, \frac{1}{2}, \frac{5}{8} & \frac{17}{160} & b^2 + \frac{17}{160} \\
 \\
 \frac{1}{16} < b < \frac{5(\sqrt{2}-1)}{16} & \frac{1}{4}, b + \frac{7}{16}, b + \frac{9}{16} & \frac{4}{5}b^2 - \frac{1}{10}b + \frac{7}{64} & \frac{1}{5}b^2 + \frac{7}{64} \\
 \\
 \frac{5(\sqrt{2}-1)}{16} < b < \frac{5}{16} & \left\{ \frac{8}{5}b, \frac{2}{5}b + \frac{1}{2} \right\} & \frac{16}{25}b^2 - \frac{1}{5}b + \frac{1}{8} & \frac{9}{25}b^2 + \frac{1}{8} \\
 \\
 b > \frac{5}{16} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 1, 4\}, \{2, 3\}$ then

$$\begin{array}{cccc}
 b & \Delta^{014,23} & \lambda^{014,23} & \Lambda^{014,23} \\
 b < \frac{5}{48} & \frac{5}{12}, \frac{5}{8} & \frac{11}{96} & b^2 + \frac{11}{96} \\
 \\
 \frac{5}{48} < b < \frac{5}{24} & \frac{4}{5}b + \frac{1}{3}, \frac{6}{5}b + \frac{1}{2} & \frac{24}{25}b^2 - \frac{1}{5}b + \frac{1}{8} & \frac{1}{25}b^2 + \frac{1}{8} \\
 \\
 b > \frac{5}{24} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 1, 2\}, \{3, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{012,34} & \lambda^{012,34} & \Lambda^{012,34} \\
 b < \frac{5}{16} & \frac{1}{4}, \frac{7}{8} & \frac{11}{32} & b^2 + \frac{1}{32} \\
 \\
 \frac{5}{16} < b < \frac{5}{8} & \frac{4}{5}b, \frac{6}{5}b + \frac{1}{2} & \frac{24}{25}b^2 - \frac{3}{5}b + \frac{1}{8} & \frac{1}{25}b^2 + \frac{1}{8} \\
 \\
 b > \frac{5}{8} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 2\}, \{1, 3\}$ then

$$\begin{array}{cccc}
 b & \Delta^{02,13} & \lambda^{02,13} & \Lambda^{02,13} \\
 b < \frac{1}{8} & \frac{1}{4}, \frac{1}{2}, 1 & \frac{1}{20} & b^2 + \frac{1}{20} \\
 \\
 \frac{1}{8} < b < \frac{5(\sqrt{2}-1)}{8} & b + \frac{1}{8}, b + \frac{3}{8}, 1 & \frac{4}{5}b^2 - \frac{1}{5}b + \frac{1}{16} & \frac{1}{5}b^2 + \frac{1}{16} \\
 \\
 \frac{5(\sqrt{2}-1)}{8} < b < \frac{5}{8} & \frac{2}{5}b + \frac{1}{4}, \frac{8}{5}b + \frac{1}{2} & \frac{16}{25}b^2 - \frac{2}{5}b + \frac{1}{8} & \frac{9}{25}b^2 + \frac{1}{8} \\
 \\
 b > \frac{5}{8} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 3\}, \{1, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{03,14} & \lambda^{03,14} & \Lambda^{03,14} \\
 b < \frac{1}{16} & \frac{3}{8}, \frac{1}{2}, \frac{5}{8} & \frac{9}{80} & b^2 + \frac{9}{80} \\
 \\
 \frac{1}{16} < b < \frac{1}{4} & \frac{1}{4}, \frac{2}{3}b + \frac{7}{12}, \frac{4}{3}b + \frac{2}{3} & \frac{8}{15}b^2 - \frac{1}{15}b + \frac{1}{12} & \frac{7}{15}b^2 + \frac{1}{12} \\
 \\
 \frac{1}{4} < b < \frac{5}{8} & \frac{6}{5}b, \frac{4}{5}b + \frac{1}{2} & \frac{24}{25}b^2 - \frac{2}{5}b + \frac{1}{8} & \frac{1}{25}b^2 + \frac{1}{8} \\
 \\
 b > \frac{5}{8} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 3\}, \{2, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{03,24} & \lambda^{03,24} & \Lambda^{03,24} \\
 b < \frac{1}{16} & \frac{1}{4}, \frac{3}{8}, \frac{3}{4} & \frac{13}{160} & b^2 + \frac{13}{160} \\
 \\
 \frac{1}{16} < b < \frac{1}{8} & \frac{4}{3}b + \frac{1}{6}, \frac{2}{3}b + \frac{1}{3}, \frac{3}{4} & \frac{8}{15}b^2 - \frac{b}{15} + \frac{1}{12} & \frac{7}{15}b^2 + \frac{1}{12} \\
 \\
 \frac{1}{8} < b < \frac{1}{6} & \frac{1}{3}, \frac{3}{4} & \frac{1}{12} & b^2 + \frac{1}{12} \\
 \\
 \frac{1}{6} < b < \frac{3}{8} & \frac{4}{5}b + \frac{1}{5}, \frac{6}{5}b + \frac{11}{20} & \frac{24}{25}b^2 - \frac{8}{25}b + \frac{11}{100} & \frac{1}{25}b^2 + \frac{11}{100} \\
 \\
 b > \frac{3}{8} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{1, 3\}, \{2, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{13,24} & \lambda^{13,24} & \Lambda^{13,24} \\
 b < \frac{1}{8} & 0, \frac{1}{2}, \frac{3}{4} & \frac{1}{20} & b^2 + \frac{1}{20} \\
 \\
 \frac{1}{8} < b < \frac{1}{4} & 0, b + \frac{3}{8}, b + \frac{5}{8} & \frac{4}{5}b^2 - \frac{b}{5} + \frac{1}{16} & \frac{1}{5}b^2 + \frac{1}{16} \\
 \\
 \frac{1}{4} < b < \frac{5}{16} & 0, \frac{5}{8} & \frac{1}{16} & b^2 + \frac{1}{16} \\
 \\
 \frac{5}{16} < b < \frac{5}{8} & \frac{8}{5}b - \frac{1}{2}, \frac{2}{5}b + \frac{1}{2} & \frac{16}{25}b^2 - \frac{2}{5}b + \frac{1}{8} & \frac{9}{25}b^2 + \frac{1}{8} \\
 \\
 b > \frac{5}{8} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 2, 3\}, \{1, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{023,14} & \lambda^{023,14} & \Lambda^{023,14} \\
 b < \frac{5}{48} & \frac{5}{12}, \frac{5}{8} & \frac{11}{96} & b^2 + \frac{11}{96} \\
 \\
 \frac{5}{48} < b < \frac{5}{24} & \frac{4}{5}b + \frac{1}{3}, \frac{6}{5}b + \frac{1}{2} & \frac{24}{25}b^2 - \frac{1}{5}b + \frac{1}{8} & \frac{1}{25}b^2 + \frac{1}{8} \\
 \\
 b > \frac{5}{24} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 1, 3\}, \{2, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{013,24} & \lambda^{013,24} & \Lambda^{013,24} \\
 b < \frac{5}{24} & \frac{1}{3}, \frac{3}{4} & \frac{1}{12} & b^2 + \frac{1}{12} \\
 \frac{5}{24} < b < \frac{5}{12} & \frac{4}{5}b + \frac{1}{6}, \frac{6}{5}b + \frac{1}{2} & \frac{24}{25}b^2 - \frac{2}{5}b + \frac{1}{8} & \frac{1}{25}b^2 + \frac{1}{8} \\
 b > \frac{5}{12} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 1, 3\}$ then

$$\begin{array}{cccc}
 b & \Delta^{013} & \lambda^{013} & \Lambda^{013} \\
 b < \frac{1}{12} & \frac{1}{3}, \frac{1}{2}, 1 & \frac{7}{120} & b^2 + \frac{7}{120} \\
 \frac{1}{12} < b < \frac{1}{6} & \frac{1}{2}b + \frac{7}{24}, \frac{3}{2}b + \frac{3}{8}, 1 & \frac{3}{5}b^2 - \frac{1}{10}b + \frac{1}{16} & \frac{2}{5}b^2 + \frac{1}{16} \\
 \frac{1}{6} < b < \frac{3}{16} & \frac{3}{8}, 1 & \frac{1}{16} & b^2 + \frac{1}{16} \\
 \frac{3}{16} < b < \frac{1}{2} & \frac{2}{5}b + \frac{11}{30}, \frac{8}{5}b + \frac{3}{10}, \frac{2}{5}b + \frac{7}{10} & \frac{16}{25}b^2 - \frac{4}{25}b + \frac{17}{200} & \frac{9}{25}b^2 + \frac{17}{200} \\
 b > \frac{1}{2} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 1, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{014} & \lambda^{014} & \Lambda^{014} \\
 b < \frac{7+2\sqrt{10}}{48} & \frac{2}{5}b + \frac{2}{5}, \frac{8}{5}b + \frac{3}{5} & \frac{16}{25}b^2 - \frac{3}{25}b + \frac{23}{200} & \frac{9}{25}b^2 + \frac{23}{200} \\
 \frac{7+2\sqrt{10}}{48} < b < \frac{3}{8} & \frac{b}{2} + \frac{19}{48}, \frac{3}{2}b + \frac{7}{16}, \frac{3}{4} & \frac{3}{5}b^2 - \frac{1}{20}b + \frac{7}{64} & \frac{2}{5}b^2 + \frac{7}{64} \\
 \frac{3}{8} < b < \frac{5}{8} & \frac{2}{5}b + \frac{2}{5}, \frac{8}{5}b + \frac{3}{5} & \frac{16}{25}b^2 - \frac{3}{25}b + \frac{23}{200} & \frac{9}{25}b^2 + \frac{23}{200} \\
 b > \frac{5}{8} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{1, 2, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{124} & \lambda^{124} & \Lambda^{124} \\
 b < \frac{1}{12} & 0, \frac{7}{12}, \frac{3}{4} & \frac{7}{120} & b^2 + \frac{7}{120} \\
 \frac{1}{12} < b < \frac{1}{6} & 0, \frac{1}{2}b + \frac{13}{24}, \frac{3}{2}b + \frac{5}{8} & \frac{3}{5}b^2 - \frac{1}{10}b + \frac{1}{16} & \frac{2}{5}b^2 + \frac{1}{16} \\
 \frac{1}{6} < b < \frac{5}{16} & 0, \frac{5}{8} & \frac{1}{16} & b^2 + \frac{1}{16} \\
 \frac{5}{16} < b < \frac{5}{8} & \frac{8}{5}b - \frac{1}{2}, \frac{2}{5}b + \frac{1}{2} & \frac{16}{25}b^2 - \frac{2}{5}b + \frac{1}{8} & \frac{9}{25}b^2 + \frac{1}{8} \\
 b > \frac{5}{8} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{2, 3, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{234} & \lambda^{234} & \Lambda^{234} \\
 b < \frac{1}{8} & 0, \frac{1}{4}, \frac{3}{4} & \frac{1}{40} & b^2 + \frac{1}{40} \\
 \\
 \frac{1}{8} < b < \frac{3}{8} & b - \frac{1}{8}, b + \frac{1}{8}, \frac{3}{4} & \frac{2}{5}b^2 - \frac{1}{10}b + \frac{1}{32} & \frac{2}{5}b^2 + \frac{1}{32} \\
 \\
 \frac{3}{8} < b < \frac{1}{2} & \frac{2}{5}b + \frac{1}{10}, \frac{8}{5}b - \frac{1}{10}, \frac{2}{5}b + \frac{3}{5} & \frac{16}{25}b^2 - \frac{7}{25}b + \frac{13}{200} & b^2 + \frac{13}{200} \\
 \\
 \frac{1}{2} < b < \frac{5}{8} & \frac{8}{5}b - \frac{1}{2}, \frac{2}{5}b + \frac{1}{2} & \frac{16}{25}b^2 - \frac{2}{5}b + \frac{1}{8} & \frac{9}{25}b^2 + \frac{1}{8} \\
 \\
 b > \frac{5}{8} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{1, 2, 3, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{1234} & \lambda^{1234} & \Lambda^{1234} \\
 b < \frac{1}{16} & 0, \frac{5}{8} & \frac{1}{16} & b^2 + \frac{1}{16} \\
 \\
 \frac{1}{16} < b < \frac{5}{8} & \frac{8}{5}b - \frac{1}{2}, \frac{2}{5}b + \frac{1}{2} & \frac{16}{25}b^2 - \frac{2}{5}b + \frac{1}{8} & \frac{9}{25}b^2 + \frac{1}{8} \\
 \\
 b > \frac{5}{8} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 2, 3, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{0234} & \lambda^{0234} & \Lambda^{0234} \\
 b < \frac{5}{32} & \frac{1}{4}, \frac{9}{16} & \frac{7}{64} & b^2 + \frac{7}{64} \\
 \\
 \frac{5}{32} < b < \frac{5}{16} & \frac{8}{5}b, \frac{2}{5}b + \frac{1}{2} & \frac{16}{25}b^2 - \frac{1}{5}b + \frac{1}{8} & \frac{9}{25}b^2 + \frac{1}{8} \\
 \\
 b > \frac{5}{16} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 1, 2, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{0124} & \lambda^{0124} & \Lambda^{0124} \\
 b < \frac{5}{32} & \frac{7}{16}, \frac{3}{4} & \frac{7}{64} & b^2 + \frac{7}{64} \\
 \\
 \frac{5}{32} < b < \frac{5}{16} & \frac{2}{5}b + \frac{3}{8}, \frac{8}{5}b + \frac{1}{2} & \frac{16}{25}b^2 - \frac{1}{5}b + \frac{1}{8} & \frac{9}{25}b^2 + \frac{1}{8} \\
 \\
 b > \frac{5}{16} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 1, 2, 3\}$ then

$$\begin{array}{cccc}
 b & \Delta^{0123} & \lambda^{0123} & \Lambda^{0123} \\
 b < \frac{5}{16} & \frac{3}{8}, 1 & \frac{1}{16} & b^2 + \frac{1}{16} \\
 \\
 \frac{5}{16} < b < \frac{5}{12} & \frac{2}{5}b + \frac{1}{4}, \frac{8}{5}b + \frac{1}{2} & \frac{24}{25}b^2 - \frac{2}{5}b + \frac{1}{8} & \frac{9}{25}b^2 + \frac{1}{8} \\
 \\
 b > \frac{5}{12} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 2\}, \{1, 3, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{02,134} & \lambda^{02,134} & \Lambda^{02,134} \\
 b < \frac{5}{24} & \frac{1}{4}, \frac{2}{3} & \frac{1}{12} & b^2 + \frac{1}{12} \\
 \frac{5}{24} < b < \frac{5}{12} & \frac{6}{5}b, \frac{4}{5}b + \frac{1}{2} & \frac{24}{25}b^2 - \frac{2}{5}b + \frac{1}{8} & \frac{1}{25}b^2 + \frac{1}{8} \\
 b > \frac{5}{12} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 2, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{024} & \lambda^{024} & \Lambda^{024} \\
 b < \frac{1}{8} & \frac{1}{4}, \frac{1}{2}, \frac{3}{4} & \frac{1}{10} & b^2 + \frac{1}{10} \\
 \frac{1}{8} < b < \frac{1}{4} & \frac{6}{5}b + \frac{1}{10}, \frac{4}{5}b + \frac{2}{5}, \frac{6}{5}b + \frac{3}{5} & \frac{24}{25}b^2 - \frac{6}{25}b + \frac{23}{200} & \frac{1}{25}b^2 + \frac{23}{200} \\
 \frac{1}{4} < b < \frac{5}{16} & \frac{8}{5}b, \frac{2}{5}b + \frac{1}{2} & \frac{16}{25}b^2 - \frac{1}{5}b + \frac{1}{8} & \frac{9}{25}b^2 + \frac{1}{8} \\
 b > \frac{5}{16} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 3, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{024} & \lambda^{024} & \Lambda^{024} \\
 b < \frac{1}{24} & \frac{1}{4}, \frac{1}{2}, \frac{7}{12} & \frac{13}{120} & b^2 + \frac{13}{120} \\
 \frac{1}{24} < b < \frac{15-10\sqrt{2}}{8} & \frac{1}{4}, \frac{3}{2}b + \frac{7}{16}, \frac{1}{2}b + \frac{9}{16} & \frac{3}{5}b^2 - \frac{1}{20}b + \frac{7}{64} & \frac{2}{5}b^2 + \frac{7}{64} \\
 \frac{15-10\sqrt{2}}{8} < b < \frac{5}{16} & \frac{8}{5}b, \frac{2}{5}b + \frac{1}{2} & \frac{16}{25}b^2 - \frac{1}{5}b + \frac{1}{8} & \frac{9}{25}b^2 + \frac{1}{8} \\
 b > \frac{5}{16} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 2\}, \{1, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{02,14} & \lambda^{02,14} & \Lambda^{02,14} \\
 b < \frac{1}{16} & \frac{1}{4}, \frac{5}{8}, \frac{3}{4} & \frac{13}{160} & b^2 + \frac{13}{160} \\
 \frac{1}{16} < b < \frac{1}{8} & \frac{1}{4}, \frac{2}{3}b + \frac{7}{12}, \frac{4}{3}b + \frac{2}{3} & \frac{8}{15}b^2 - \frac{1}{15}b + \frac{1}{12} & \frac{7}{15}b^2 + \frac{1}{12} \\
 \frac{1}{8} < b < \frac{5}{24} & \frac{1}{4}, \frac{2}{3} & \frac{1}{12} & b^2 + \frac{1}{12} \\
 \frac{5}{24} < b < \frac{5}{12} & \frac{6}{5}b, \frac{4}{5}b + \frac{1}{2} & \frac{24}{25}b^2 - \frac{2}{5}b + \frac{1}{8} & \frac{1}{25}b^2 + \frac{1}{8} \\
 b > \frac{5}{12} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 3\}, \{1, 2, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^{03,124} & \lambda^{03,124} & \Lambda^{03,124} \\
 b < \frac{5}{48} & \frac{3}{8}, \frac{7}{12} & \frac{11}{96} & b^2 + \frac{11}{96} \\
 \frac{5}{48} < b < \frac{5}{24} & \frac{6}{5}b + \frac{1}{4}, \frac{4}{5}b + \frac{1}{2} & \frac{24}{25}b^2 - \frac{1}{5}b + \frac{1}{8} & \frac{1}{25}b^2 + \frac{1}{8} \\
 b > \frac{5}{24} & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$

If $E = \{0, 2, 4\}, \{1, 3\}$ or $\{0, 1, 2, 3, 4\}$ then

$$\begin{array}{cccc}
 b & \Delta^E & \lambda^E & \Lambda^E \\
 b > 0 & \frac{1}{2} & \frac{1}{8} & b^2 + \frac{1}{8}
 \end{array}$$