

Rischatsch, Maurus

Working Paper

Simulating WTP values from random-coefficient models

Working Paper, No. 0912

Provided in Cooperation with:

Socioeconomic Institute (SOI), University of Zurich

Suggested Citation: Rischatsch, Maurus (2009) : Simulating WTP values from random-coefficient models, Working Paper, No. 0912, University of Zurich, Socioeconomic Institute, Zurich

This Version is available at:

<https://hdl.handle.net/10419/76151>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



University of Zurich

Socioeconomic Institute
Sozialökonomisches Institut

Working Paper No. 0912

**Simulating WTP Values from Random-Coefficient
Models**

Maurus Rischatsch

July 2009

Socioeconomic Institute
University of Zurich

Working Paper No. 0912

Simulating WTP Values from Random-Coefficient Models

July 2009

Author's address: Maurus Rischatsch
E-mail: maurus.rischatsch@soi.uzh.ch

Publisher

Sozialökonomisches Institut
Bibliothek (Working Paper)
Rämistrasse 71
CH-8006 Zürich
Phone: +41-44-634 21 37
Fax: +41-44-634 49 82
URL: www.soi.uzh.ch
E-mail: soilib@soi.uzh.ch

Simulating WTP Values from Random-Coefficient Models

Maurus Rischatsch*
Socioeconomic Institute, University of Zurich,
Switzerland

This version: July 28, 2009

Abstract

Discrete Choice Experiments (DCEs) designed to estimate willingness-to-pay (WTP) values are very popular in health economics. With increased computation power and advanced simulation techniques, random-coefficient models have gained an increasing importance in applied work as they allow for taste heterogeneity. This paper discusses the parametrical derivation of WTP values from estimated random-coefficient models and shows how these values can be simulated in cases where they do not have a known distribution.

JEL-Classification: C15, C25

Keywords: willingness-to-pay, discrete choice, simulation, random-coefficient models

Introduction

Discrete choice experiments (DCEs) have gained increasing importance in applied health economics. They allow to calculate willingness-to-pay (WTP) values for goods which are not (yet) available on the market or for public goods that have no market price. Recently, random-coefficient models have become popular in DCEs because they allow for taste heterogeneity among the respondents, e.g. Revelt and Train [1999], Hole [2008]. Increased computation power and advanced simulation techniques have fostered this development. Hensher and Greene [2003] summarize the state of practice of mixed logit models.

This paper provides an overview of the methods available for calculating WTP values from random-coefficient estimates. In the next section, we discuss the two most commonly used so-called

*The author gratefully acknowledge suggestions and criticism from Prof. Dr. Peter Zweifel (University of Zurich), Harry Telser (University of Zurich and Polynomics, Switzerland), and Arne R. Hole (University of Sheffield). Contact: Socioeconomic Institute, University of Zurich, Hottingerstrasse 10, CH-8032 Zurich, email: maurus.rischatsch@soi.uzh.ch, phone:+41 44 634 37 17, fax:+41 44 634 49 87

mixing distributions. The subsequent section deals with the calculation of the WTP distribution resulting from random-coefficient models. Frequently, the mixing distributions employed do not permit to derive the WTP distribution parametrically. However, simulation provides a solution in these cases, as shown in two illustrative examples.

Mixing Distributions

Estimation of random-coefficient model require the choice of a density defined over the possible coefficient values, the so-called mixing distribution. The two most commonly used are the normal (N) and the lognormal (LN) distributions (see Revelt and Train [1999], Hole [2008]). The univariate N has the form

$$f_N(\beta|\mu, \sigma) = \frac{1}{\sqrt{(2\pi)\sigma}} \exp\left(-\frac{(\beta - \mu)^2}{2\sigma^2}\right), \quad (1)$$

where μ and σ denote the mean and the standard deviation, respectively. Since, $\beta \sim N(\mu, \sigma^2)$ causes the corresponding attribute to have positive or negative marginal utility, this specification results in a conflict with maintained economic hypotheses. For instance, an attribute may constitute a normal good for some individuals and an inferior one for others. To avoid this conflict, many researchers prefer the LN alternative,

$$f_{LN}(\beta|\mu, \sigma) = \frac{1}{\beta\sqrt{(2\pi)\sigma}} \exp\left(-\frac{(\ln(\beta) - \mu)^2}{2\sigma^2}\right). \quad (2)$$

It is of advantage to keep in mind that the N and LN distributions are related in the following way. If $b \sim N(\mu, \sigma^2)$, then

$$\beta \sim \exp(b) \quad (3)$$

is LN distributed. For more details, see Poirier [1995].

Derivation of WTP Values

As long as the attributes enter the utility function in linear form, WTP for attribute k is a constant given by

$$WTP_k = -\frac{\beta_k}{\beta_p}, \quad (4)$$

where β_k is the coefficient of the attribute of interest and $\beta_p < 0$ belongs to the price attribute. With fixed-coefficient models, the β 's do not vary across individuals and the calculation of the WTP are straight forward applying Eq. (4).

In the case of random-coefficient models, Eq. (4) calls for dividing the two estimated mixing distributions by each other. In general, this division does not result in a well-specified distribution.

It has only a known form (*LN*) if both β_k and β_p , are *LN*. Evidently, this facilitates calculation of WTP values. Meijer and Rouwendal [2006] show that if $\beta_i \sim \exp(b_i)$ and $b_i \sim N(\mu_i, \sigma_i^2)$ for $i = k, p$, then

$$WTP_k = -\frac{\beta_k}{\beta_p} = -\frac{\exp(b_k)}{\exp(b_p)} = -\exp(b_k - b_p). \quad (5)$$

Hence, WTP_k is lognormally distributed because $b_k - b_p$ is normally distributed.¹ Therefore, one obtains $WTP_k \sim LN(\tilde{\mu}_k, \tilde{\sigma}_k^2)$ where $\tilde{\mu}_k = \mu_k - \mu_p$ and $\tilde{\sigma}_k^2 = \sigma_k^2 + \sigma_p^2$.² Hence, one can use the means (μ_k, μ_p) and standard deviations (σ_k, σ_p) estimated from the random-coefficient model to derive the WTP distribution.

Unfortunately, the ratio of two mixing distributions of the N type does not result in parametric distribution. Therefore, the coefficient of the price attribute, β_p , is usually treated as nonstochastic to be able to divide the numerator N mixing distribution by a scalar (see Hole [2008]). Parametric calculation of the WTP values of random-coefficient models is not possible as long as not both coefficients – β_k and β_p – are *LN*-distributed. One solution to this problem is to simulate the WTP values using the estimated mixing distributions.³ Most common software packages feature random numbers drawn from standard distributions such as N and *LN*. Thus, first one can draw random numbers from the N or *LN* mixing distribution (specified by the estimated parameters of the random-coefficient model). Using these draws the WTP values are then again given by dividing each single draw for β_k and β_p by each other according to Eq. (4).

Some Illustrative Examples

We start with an example where both the coefficient of the k 'th attribute and the price attribute are *LN*. This permits a comparison between the parametrically derived and simulated WTP values. The estimated parameters of *LN*-mixing distributions $\hat{\mu}_k$ and $\hat{\sigma}_k$ are usually the mean and the standard deviation of the underlying normal distribution. Hence, we have to calculate the mean, median and standard deviation of the WTP values themselves. According to Train [2003] and Hole [2008], the statistics of the WTP values are given by

$$\begin{aligned} WTP_{\text{mean}} &= \exp\left(\tilde{\mu}_k + \frac{\tilde{\sigma}_k^2}{2}\right) \\ WTP_{\text{median}} &= \exp(\tilde{\mu}_k) \\ WTP_{\text{sd}} &= \exp\left(\tilde{\mu}_k + \frac{\tilde{\sigma}_k^2}{2}\right) \sqrt{\exp(\tilde{\sigma}_k^2) - 1}. \end{aligned} \quad (6)$$

where $\tilde{\mu}_k$ and $\tilde{\sigma}_k$ are the mean and the standard deviation of the *LN* distributed WTP values as seen above.

¹ The so-called convolution of two independent normally distributed random variables is a normal distribution. That means that the difference of two normally distributed random variables is normally distributed.

² The coefficients are assumed to be independent of each other and therefore, the covariance is zero and drops out in the calculation.

³ Another way to obtain the WTP values in this case is to estimate individual-specific coefficients conditional on the individuals actual choice (see Train [2003] and Greene et al. [2005]).

Alternatively, one can simulate these statistics by sampling a sufficient high number of random draws from the mixing distributions of the coefficients β_k and β_p . In this example, we have

$$\beta_k \sim LN(\mu_k, \sigma_k^2), \quad \beta_p \sim LN(\mu_p, \sigma_p^2), \quad (7)$$

where μ_k, μ_p, σ_k^2 and σ_p^2 are the estimated parameters from the random-coefficient model. According to Drukker and Gates [2006], the more uniform the coverage over the domain of integration, the better the numerical approximation. Therefore, we compare random draws from the mixing distribution with so-called Halton draws (see Train [2003], Ch.9). Halton draws divide the zero to one range into segments of equal size. We use these draws to calculate the quantiles from the mixing distributions and simulate the WTP values from these draws.

The WTP values are calculated according to Eq. (4) for each single draw as the draws are independent from each other. In the case of Halton draws, they first have to be randomized as they are ordered by construction. The descriptive statistics of these individual values approximate the parametric values as the number of draws increases. Here, we set $\mu_k = -0.8$, $\mu_p = -3.5$, $\sigma_k = 1.1$ and $\sigma_p = 0.8$.⁴ Table 1 compares the parametrically and the simulated WTP values. It shows that the simulated values approximate the parametric values with 10^4 random draws and practically converge with 10^6 draws. The Halton draws perform slightly better, especially in the case of the standard deviation. The second example illustrates the simulation of WTP values if $\beta_k \sim N$ and

Statistic	Parametric	Random Draws		Halton Draws	
		10^4 Draws	10^6 Draws	10^4 Draws	10^6 Draws
WTP_k^{mean}	37.525	37.419 (-0.28%)	37.513 (-0.03%)	37.413 (-0.30%)	37.526 (0.00%)
WTP_k^{median}	14.880	14.856 (-0.16%)	14.880 (0.00%)	14.887 (0.05%)	14.881 (0.01%)
WTP_k^{sd}	86.875	84.071 (-3.23%)	86.538 (-0.39%)	84.092 (-3.20%)	86.895 (0.02%)

The difference between parametric and simulated values (in %) are given in parentheses.

Table 1: Parametric and simulated WTP_k values

$\beta_p \sim LN$, making a parametric derivation impossible. One can again draw random numbers from the specified N and LN distributions to obtain the statistics of the WTP values for attribute k . This time, $\mu_k = -1.4$ and $\sigma_k = 1.9$. The distribution of the WTP values is depicted in Figure 1, with mean -63.85 (-63.83) CHF, median -37.5 CHF, and standard deviation 133.81 (133.71) CHF. The values are obtained from 10^6 Halton draws and 10^6 random draws (in parentheses). It is visible to the naked eye that the functional form of the resulting WTP_k distribution is neither N nor LN .

⁴ These values are taken from an ongoing discrete choice analysis conducted at the Socioeconomic Institute of the University of Zurich.




Figure 1: Histogram of simulated WTP values

Conclusion

Random-coefficient models used in Discrete Choice Experiments (DCEs) permit the estimation of entire distributions of willingness-to-pay (WTP) values. However, WTP values amount to a ratio of two estimated mixing distributions, which presents problems unless both are lognormally distributed. Simulation using both random and Halton draws provides a solution to this. In both examples presented, especially the Halton draws perform very well. Thus, it is possible to obtain accurate WTP values for a normally distributed attribute while the price attribute is assumed to be lognormal by simulation.

References

- D. Drukker and R. Gates. Generating halton sequences using mata. *The Stata Journal*, 6, Number 2:214–228, 2006.
- W. Greene, D. Hensher, and J. Rose. Using classical simulation-based estimators to estimate individual WTP values – a mixed logit case study of commuters. In R. Scarpa and A. Alberini, editors, *Application of Simulation Methods in Environmental and Resource Economics*, pages 17–33. Springer, P.O.Box 17, 3300 AA Dordrecht, The Netherlands, 2005.
- D. Hensher and W. Greene. The mixed logit model: The state of practice. *Transportation*, 30: 133–176, 2003.
- A. Hole. Modelling heterogeneity in patients’ preferences for the attributes of a general practitioner appointment. *Journal of Health Economics*, 27, Issue 4:1078–1094, 2008.

- E. Meijer and J. Rouwendal. Measuring welfare effects in models with random coefficients. *Journal of Applied Econometrics*, 21:227–244, 2006.
- D. J. Poirier. *Intermediate Statistics and Econometrics - A Comparative Approach*. The MIT Press, Cambridge, Massachusetts, 1995.
- D. Revelt and K. Train. Customer-specific taste parameters and mixed logit. *working paper*, 1999.
- K. Train. *Discrete Choice Methods with Simulation*. Cambridge University Press, 2003.

Working Papers of the Socioeconomic Institute at the University of Zurich

The Working Papers of the Socioeconomic Institute can be downloaded from http://www soi.uzh.ch/research/wp_en.html

- 0912 Simulating WTP Values from Random-Coefficient Models, Maurus Rischatsch, July 2009, 6 p.
- 0911 Physician dispensing and the choice between generic and brand-name drugs – Do margins affect choice?, Maurus Rischatsch, Maria Trottmann, July 2009, 15 p.
- 0910 GPs' preferences: What price fee-for-service?, Peter Zweifel, Maurus Rischatsch, Angelika Brändle, July 2009, 21 p.
- 0909 Social Mobility and Preferences for Income Redistribution: Evidence from a Discrete Choice Experiment, Ilja Neustadt, Peter Zweifel, July 2009, 31 p.
- 0908 Robust estimation of zero-inflated count models, Kevin E. Staub, Rainer Winkelmann June 2009, 22 p.
- 0907 Competitive Screening in Insurance Markets with Endogenous Wealth Heterogeneity, Nick Netzer, Florian Scheuer, April 2009, 28 p.
- 0906 New Flight Regimes and Exposure to Aircraft Noise: Identifying Housing Price Effects Using a Ratio-of-Ratios Approach, Stefan Boes, Stephan Nüesch, April 2009, 40 p.
- 0905 Patents versus Subsidies – A Laboratory Experiment, Donja Darai, Jens Großer, Nadja Trhal, March 2009, 59 p.
- 0904 Simple tests for exogeneity of a binary explanatory variable in count data regression models, Kevin E. Staub, February 2009, 30 p.
- 0903 Spurious correlation in estimation of the health production function: A note, Sule Akkoyunlu, Frank R. Lichtenberg, Boriss Siliverstovs, Peter Zweifel, February 2009, 13 p.
- 0902 Making Sense of Non-Binding Retail-Price Recommendations, Stefan Bühler, Dennis L. Gärtner, February 2009, 30 p.
- 0901 Flat-of-the-Curve Medicine – A New Perspective on the Production of Health, Johannes Schoder, Peter Zweifel, January 2009, 35 p.
- 0816 Relative status and satisfaction, Stefan Boes, Kevin E. Staub, Rainer Winkelmann, December 2008, 11 p.
- 0815 Delay and Deservingness after Winning the Lottery, Andrew J. Oswald, Rainer Winkelmann, December 2008, 29 p.
- 0814 Competitive Markets without Commitment, Nick Netzer, Florian Scheuer, November 2008, 65 p.
- 0813 Scope of Electricity Efficiency Improvement in Switzerland until 2035, Boris Krey, October 2008, 25 p.
- 0812 Efficient Electricity Portfolios for the United States and Switzerland: An Investor View, Boris Krey, Peter Zweifel, October 2008, 26 p.
- 0811 A welfare analysis of "junk" information and spam filters; Josef Falkinger, October 2008, 33 p.
- 0810 Why does the amount of income redistribution differ between United States and Europe? The Janus face of Switzerland; Sule Akkoyunlu, Ilja Neustadt, Peter Zweifel, September 2008, 32 p.
- 0809 Promoting Renewable Electricity Generation in Imperfect Markets: Price vs. Quantity Policies; Reinhard Madlener, Weiyu Gao, Ilja Neustadt, Peter Zweifel, July 2008, 34p.
- 0808 Is there a U-shaped Relation between Competition and Investment? Dario Sacco, July 2008, 26p.
- 0807 Competition and Innovation: An Experimental Investigation, May 2008, 20 p.

- 0806 All-Pay Auctions with Negative Prize Externalities: Theory and Experimental Evidence, May 2008, 31 p.
- 0805 Between Agora and Shopping Mall, Josef Falkinger, May 2008, 31 p.
- 0804 Provision of Public Goods in a Federalist Country: Tiebout Competition, Fiscal Equalization, and Incentives for Efficiency in Switzerland, Philippe Widmer, Peter Zweifel, April 2008, 22 p.
- 0803 Stochastic Expected Utility and Prospect Theory in a Horse Race: A Finite Mixture Approach, Adrian Bruhin, March 2008, 25 p.
- 0802 The effect of trade openness on optimal government size under endogenous firm entry, Sandra Hanslin, March 2008, 31 p.
- 0801 Managed Care Konzepte und Lösungsansätze – Ein internationaler Vergleich aus schweizerischer Sicht, Johannes Schoder, Peter Zweifel, February 2008, 23 p.
- 0719 Why Bayes Rules: A Note on Bayesian vs. Classical Inference in Regime Switching Models, Dennis Gärtner, December 2007, 8 p.
- 0718 Monoplistic Screening under Learning by Doing, Dennis Gärtner, December 2007, 29 p.
- 0717 An analysis of the Swiss vote on the use of genetically modified crops, Felix Schläpfer, November 2007, 23 p.
- 0716 The relation between competition and innovation – Why is it such a mess? Armin Schmutzler, November 2007, 26 p.
- 0715 Contingent Valuation: A New Perspective, Felix Schläpfer, November 2007, 32 p.
- 0714 Competition and Innovation: An Experimental Investigation, Dario Sacco, October 2007, 36p.
- 0713 Hedonic Adaptation to Living Standards and the Hidden Cost of Parental Income, Stefan Boes, Kevin Staub, Rainer Winkelmann, October 2007, 18p.
- 0712 Competitive Politics, Simplified Heuristics, and Preferences for Public Goods, Felix Schläpfer, Marcel Schmitt, Anna Roschewitz, September 2007, 40p.
- 0711 Self-Reinforcing Market Dominance, Daniel Halbheer, Ernst Fehr, Lorenz Goette, Armin Schmutzler, August 2007, 34p.
- 0710 The Role of Landscape Amenities in Regional Development: A Survey of Migration, Regional Economic and Hedonic Pricing Studies, Fabian Waltert, Felix Schläpfer, August 2007, 34p.
- 0709 Nonparametric Analysis of Treatment Effects in Ordered Response Models, Stefan Boes, July 2007, 42p.
- 0708 Rationality on the Rise: Why Relative Risk Aversion Increases with Stake Size, Helga Fehr-Duda, Adrian Bruhin, Thomas F. Epper, Renate Schubert, July 2007, 30p.
- 0707 I'm not fat, just too short for my weight – Family Child Care and Obesity in Germany, Philippe Mahler, May 2007, 27p.
- 0706 Does Globalization Create Superstars?, Hans Gersbach, Armin Schmutzler, April 2007, 23p.
- 0705 Risk and Rationality: Uncovering Heterogeneity in Probability Distortion, Adrian Bruhin, Helga Fehr-Duda, and Thomas F. Epper, July 2007, 29p.
- 0704 Count Data Models with Unobserved Heterogeneity: An Empirical Likelihood Approach, Stefan Boes, March 2007, 26p.
- 0703 Risk and Rationality: The Effect of Incidental Mood on Probability Weighting, Helga Fehr, Thomas Epper, Adrian Bruhin, Renate Schubert, February 2007, 27p.
- 0702 Happiness Functions with Preference Interdependence and Heterogeneity: The Case of Altruism within the Family, Adrian Bruhin, Rainer Winkelmann, February 2007, 20p.