

Jacobson, Tor; Lyhagen, Johan; Larsson, Rolf; Nessén, Marianne

Working Paper

Inflation, Exchange Rates and PPP in a Multivariate Panel Cointegration Model

Sveriges Riksbank Working Paper Series, No. 145

Provided in Cooperation with:

Central Bank of Sweden, Stockholm

Suggested Citation: Jacobson, Tor; Lyhagen, Johan; Larsson, Rolf; Nessén, Marianne (2002) : Inflation, Exchange Rates and PPP in a Multivariate Panel Cointegration Model, Sveriges Riksbank Working Paper Series, No. 145, Sveriges Riksbank, Stockholm

This Version is available at:

<https://hdl.handle.net/10419/82466>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



Inflation, Exchange Rates
and PPP in a Multivariate Panel
Cointegration Model

*Tor Jacobson, Johan Lyhagen,
Rolf Larsson and Marianne Nessén*

DECEMBER

2002

No.

145

WORKING PAPERS ARE OBTAINABLE FROM

Sveriges Riksbank • Information Riksbank • SE-103 37 Stockholm
Fax international: +46 8 787 05 26
Telephone international: +46 8 787 01 00
E-mail: info@riksbank.se

The Working Paper series presents reports on matters in the sphere of activities of the Riksbank that are considered to be of interest to a wider public.

The papers are to be regarded as reports on ongoing studies and the authors will be pleased to receive comments.

The views expressed in Working Papers are solely the responsibility of the authors and should not be interpreted as reflecting the views of the Executive Board of Sveriges Riksbank.

Inflation, Exchange Rates and PPP in a Multivariate Panel Cointegration Model*

Tor Jacobson, Johan Lyhagen[†], Rolf Larsson and Marianne Nessén

Sveriges Riksbank Working Paper Series
No. 145
December 2002

Abstract

New multivariate panel cointegration methods are used to analyze nominal exchange rates and prices in four major economies in Europe; France, Germany, Italy and the United Kingdom for the post-Bretton Woods period. We test for purchasing power parity between these four countries and find that the theoretical PPP relationship does not hold. However, the estimated unrestricted relationship is found to be remarkably close to the theoretical one (1,-1.5,0.9 instead of 1,-1,1). Relevant asymptotic results are stated, proved, and evaluated using Monte Carlo simulations. The asymptotic results are general and may hence be used in similar empirical contexts using the same model structure. Parametric bootstrap inference is used in order to deal with test size distortions.

Key words: Panel data, long-run purchasing power parity, multivariate cointegration analysis, bootstrap inference.

JEL Classification: F30, C15, C32.

*We are grateful for comments and suggestions from seminar participants in the 10th International Conference on Panel Data in Berlin, 2002, at Sveriges Riksbank, and in the ESF-EMM workshop, 2002. All remaining shortcomings are the authors' responsibility. The views expressed in this paper are solely the responsibility of the authors and should not be interpreted as reflecting the views of the Executive Board of Sveriges Riksbank.

[†]Corresponding author: Johan Lyhagen, Department of Information Science, Division of Statistics, Uppsala University, Box 513, 751 20 Uppsala, Sweden. *E-mail:* johan.lyhagen@dis.uu.se.

1 Introduction

Does purchasing power parity (PPP) hold in the long run? Are real exchange rates mean-reverting? Evidence of long-run PPP is often found if one applies unit-root tests to real exchange rate data spanning long periods of time (say, close to a century or more), see, e.g., Frankel 1986, Abuaf and Jorion 1990 and Lothian and Taylor 1996. However, when examining the recent post-Bretton Woods period of floating exchange rates conventional unit-root tests do not, in general, find evidence of PPP. Nor do studies using the multivariate maximum likelihood cointegration method to analyze long-run PPP using post-Bretton Woods data. Cheung and Lai (1993), Kugler and Lenz (1993), Johansen and Juselius (1992), MacDonald (1993) and Edison, Gagnon and Melick (1997) examined PPP in trivariate systems with a nominal exchange rate and two price indices, whereas Nessén (1996) estimated a larger model for three countries. The typical result in these studies is that evidence of cointegration is found, but that the cointegrating relations fail to comply with the restrictions implied by PPP.

The inadequate power associated with pure time series testing for unit roots and cointegration subsequently guided PPP-research towards panel data applications. Unit roots in real exchange rates have been examined in panels of post-Bretton Woods data by, i.a., Frankel and Rose (1996), O'Connell (1998), Oh (1996), Papell (1997) and Wu (1996), again with mixed results. Following Pedroni (1995, 1996, and 1997) a number of panel data applications test for cointegration between nominal exchange rates and prices; Chinn (1997), Obstfeld and Taylor (1996), and Taylor (1996). As in the case of multivariate time series applications the results suggest cointegration between these variables, but not according to PPP.

The purpose of this paper is to re-examine the issue of PPP. Our analysis is based on the recent approach to testing for cointegration in heterogenous panel data models suggested by Larsson, Lyhagen, and Löthgren (2001). Their approach extends the likelihood inference for cointegrated vector autoregressive models developed by Johansen (1988, 1991, 1995) into a panel data setting. This means that the model benefits from the generality and flexibility of maximum likelihood cointegration analysis, as well as the advantage of a vastly enlarged information set offered by a panel data approach. However, the model

in Larsson et al. (2001) is not immediately applicable for testing hypotheses about PPP; for that purpose it is too restrictive. The Larsson et al. (2001) model assumes complete independence between the panels as reflected by block diagonal long-run, short-run, and covariance matrices. Groen and Kleibergen (1999) relax the assumption of a block diagonal covariance matrix. In a subsequent paper, Larsson and Lyhagen (1999), all block diagonal restrictions are relaxed except for the matrix containing the cointegrating vectors. However, the interdependent nature of the foreign exchange markets suggest that a block diagonal cointegration matrix is inappropriate, i.e., the PPP hypothesis implies that long-run relations between prices and exchange rates in different countries are indeed related. Lyhagen (2000) shows that discarding this dependence in a standard panel unit root test in the context of PPP gives rise to invalid inference, i.e., the size of the test tends to unity as the number of countries increases. This is due to the presence of a commonly shared common trend that is not taken into account of when calculating the critical values. The Larsson and Lyhagen (1999) model needs to be adjusted in order to reflect the PPP-dependence and, as a consequence, new results for the limit distributions of the test statistics have to be derived.

The empirical analysis in this paper is carried out with one important issue in mind, namely the problem of test size distortion, i.e., the erroneous rejection of a true null hypothesis due to inappropriate critical values. There is reason to believe that the usefulness of multivariate maximum likelihood cointegration analysis can be severely hampered by the curse of dimensionality arising from a large number of parameters in relation to a small number of observations. One undesirable effect is that asymptotic distributions provide poor approximations in small-sample applications and yield inference plagued by size distortions. This has been empirically verified in Jacobson, Vredin and Warne (1998). Gredenhoff and Jacobson (2001) have confirmed the presence and examined the nature of size distortion for likelihood ratio tests of linear restrictions on cointegrating vectors. In this paper, asymptotic tests are augmented with parametric bootstrap analogues, whereby we reduce, if not eliminate, the size distortions due to the small-sample effect.

We examine monthly data for the post-Bretton Woods years 1974-1999 for France, Germany, Italy and the United Kingdom, and the results suggest the following. We do find evidence of cointegration between nominal exchange rates

and prices; in fact the number of cointegrating vectors is precisely what PPP predicts, namely one. Moreover, we cannot reject the hypothesis that the panel individual cointegrating vectors are identical. But the final test for PPP fails in that the coefficients in the cointegrating vectors are not compatible with the theoretical PPP-relationship. However, although we reject PPP, it is interesting to note that the estimated unrestricted relationship is found to be remarkably close to the theoretical one, with coefficient estimates (1, -1.5, 0.9) compared with (1, -1, 1). This can be interpreted as support for the view that purchasing power parity is, after all, a reasonable approximation.

We discuss these results in the concluding Section 6. Prior to that, Section 2 explains how a multivariate cointegration panel data model can be formulated for investigating the existence of PPP. Section 3 presents asymptotic results for the hypothesis tests in the statistical model, whereas proofs of the theorems are spelled out in the Appendix. Section 4 contains the empirical analysis. In Section 5 we undertake Monte Carlo simulations in order to disclose the small-sample properties of the proposed asymptotic tests.

2 PPP and linear restrictions on prices and exchange rates

We examine long-run PPP between four large European economies in a multivariate panel setting. The purpose of this section is to show how such a system can be set up and to identify the restrictions implied by long-run PPP.

Denote the natural logarithm of the nominal British pound exchange rate of country i (that is, the number of currency i per unit British pound) by e_t^i . Further, let p_t^i be the natural logarithm of the price level in country i . Further, let p_t^* denote the price level in our numeraire country, the United Kingdom. Define

$$X_{it} = \begin{bmatrix} e_t^i \\ p_t^i \end{bmatrix}$$

and then

$$X_t = \begin{bmatrix} e_t^1 \\ p_t^1 \\ \vdots \\ e_t^N \\ p_t^N \\ p_t^* \end{bmatrix}$$

where N is the number of countries except the base country, in our case three.

Now, if long-run bilateral PPP holds then the real exchange rates between all pairs of countries are stationary, or integrated of order 0, $I(0)$. This may be expressed as

$$q_t^i \equiv e_t^i - p_t^i + p_t^* \sim I(0) \quad i = 1, \dots, N$$

where q_t^i is the real exchange rate between country i and the United Kingdom. These N equations can be summarized as:

$$\begin{bmatrix} q_t^1 \\ q_t^2 \\ \vdots \\ q_t^N \end{bmatrix} \equiv \begin{bmatrix} 1 & -1 & 0 & 0 & \dots & 0 & 0 & 1 \\ 0 & 0 & 1 & -1 & \dots & 0 & 0 & 1 \\ \vdots & \vdots & & & \ddots & & & \vdots \\ 0 & 0 & 0 & 0 & \dots & 1 & -1 & 1 \end{bmatrix} \begin{bmatrix} e_t^1 \\ p_t^1 \\ \vdots \\ e_t^N \\ p_t^N \\ p_t^* \end{bmatrix} \sim I(0) \quad (1)$$

It is easily recognized that the choice of base country is arbitrary. Pre-multiplying the relationship with the matrix

$$\begin{bmatrix} 1 & 0 & \dots & -1 & \dots & 0 \\ 0 & 1 & & -1 & \dots & 0 \\ \vdots & & \ddots & \vdots & & \vdots \\ 0 & 0 & \dots & -1 & \dots & 0 \\ \vdots & & & \vdots & \ddots & \vdots \\ 0 & 0 & \dots & -1 & \dots & 1 \end{bmatrix}$$

where the column of -1 is in the position of the new base country, gives the desired result. Note that the eigenvalues are $N - 1$ ones and the last is minus one so the new relationships span the same space as the original one.

The equations in (1) can be evaluated in a vector error correction model on the form

$$\Delta X_t = \alpha \beta' X_{t-1} + \sum_{j=1}^{m-1} \Gamma_j \Delta X_{t-j} + \mu + \varepsilon_t, \quad (2)$$

where $\alpha'_{\perp} \mu \neq 0$, with α_{\perp} such that $\alpha'_{\perp} \alpha = 0$ and (α, α_{\perp}) has full rank. (This means that μ is not restricted to the cointegration space.) Moreover, α and β are $N_p \times Nr$, where $N_p \equiv Np + 1$ and β is given by

$$\beta = \begin{bmatrix} \beta_1 & 0 & \dots & 0 \\ 0 & \ddots & \ddots & \vdots \\ \vdots & \ddots & & 0 \\ 0 & \dots & 0 & \beta_N \\ \beta_{N+1,1} & \dots & & \beta_{N+1,N} \end{bmatrix}, \quad (3)$$

where for $i = 1, \dots, N$, the β_i are $p \times r$ and the $\beta_{N+1,i}$ are $1 \times r$. No restrictions are imposed on the α , Γ_j ($N_p \times N_p$) and Ω ($N_p \times N_p$) matrices, the latter being the covariance matrix of ε_t ($N_p \times 1$). Assume that observations are taken at $t = 1, \dots, T$. Note that this model is similar to the one in Larsson and Lyhagen (1999) with the addition of the last row in the β matrix, and the estimation procedures follow those outlined there.

If PPP holds, we have $p = 2$, $r = 1$ and $[\beta'_i, \beta'_{N+1,i}] = [1, -1, 1]$. This is a restriction in model (2) that we will test in three steps. First, we will estimate r , using the sequential testing procedure due to Johansen (1995), i.e., first test if $r = 0$ against $r = p$, then if the null hypothesis is rejected test if $r = 1$, and so on, until the null hypothesis cannot be rejected. This null hypothesis then gives us the estimated r . If the estimated r turns out to be 1, we will go on and test if all $[\beta'_i, \beta'_{N+1,i}]'$ span the same (cointegration) space. Finally, if the hypothesis of a common cointegration space is not rejected, we will test that all $[\beta'_i, \beta'_{N+1,i}] = c_i [1, -1, 1]$, where the c_i are constants.

The limit distributions of these tests are considered in the next section. The asymptotic results are general, and can be used in other contexts with the same model structure.

3 Asymptotic results

The hypotheses to be discussed in this section are

$$\mathcal{H}_4: \text{rank}(\Pi) \leq Np + 1,$$

$\mathcal{H}_3: \Pi = \alpha\beta'$ where α and β are $(Np + 1) \times Nr$ as above, but with no restrictions on β ,

$$\mathcal{H}_2: \text{as } \mathcal{H}_3 \text{ but where } \beta \text{ is as in (3),}$$

$$\mathcal{H}_1: \text{as } \mathcal{H}_2 \text{ but where all } (\beta'_i, \beta'_{N+1,i})' \text{ span the same space,}$$

$\mathcal{H}_0: \text{as } \mathcal{H}_1 \text{ but where all } (\beta'_i, \beta'_{N+1,i})' = H_i\psi_i$, where the H_i are known $(p + 1) \times s$ matrices and the ψ_i are $s \times r$, unknown and span the same space. Obviously, $\mathcal{H}_0 \subset \mathcal{H}_1 \subset \mathcal{H}_2 \subset \mathcal{H}_3 \subset \mathcal{H}_4$. For $i < j$, we will denote the maximum likelihood ratio between \mathcal{H}_i and \mathcal{H}_j by Q_{ij} . The theorems will give the asymptotic distributions of, in turn, $-2 \log Q_{24}$, $-2 \log Q_{12}$ and $-2 \log Q_{01}$.

We will need the following assumption, which is typical for this kind of theory. (The matrix β_\perp is defined in a similar fashion as α_\perp above.) This assumption guarantees that X_t is an $I(1)$ process (c.f. Johansen, 1995, p.49).

Assumption A The roots of the characteristic equation corresponding to (2) have modulus > 1 or are equal to 1, and $\alpha'_\perp \Gamma \beta_\perp$ has full rank, where $\Gamma = I_{N_p} - \sum_{i=1}^{m-1} \Gamma_i$.

We now turn to the asymptotics of the test for cointegrating rank, which is used for the sequential rank estimation procedure. This is the test of \mathcal{H}_2 against \mathcal{H}_4 . The main idea is to write $Q_{24} = Q_{23}Q_{34}$, implying

$$-2 \log Q_{24} = -2 \log Q_{23} - 2 \log Q_{34}.$$

The result is that, as $T \rightarrow \infty$, $-2 \log Q_{23}$ converges weakly to the χ^2 variate V , while $-2 \log Q_{34}$ tends to U which has a Dickey-Fuller type distribution as given in the formulation of the theorem. Furthermore, $-2 \log Q_{23}$ and $-2 \log Q_{34}$ are asymptotically independent. Observe that if $r = 0$, the χ^2 variate disappears, and we have the usual Johansen trace test. Moreover, observe the short-hand notation of integrals, i.e. $\int FF' = \int_0^1 F(t) F(t)' dt$, etcetera.

Theorem 1 Under \mathcal{H}_2 , assumption A and if $\alpha'_\perp \mu \neq 0$ and $r > 0$, we have that as $T \rightarrow \infty$, the maximum likelihood ratio test of cointegrating rank r , Q_{24} , satisfies

$$-2 \log Q_{24} \xrightarrow{w} U + V,$$

where, defining $B(t)$ to be an $\{N(p-r)+1\}$ -dimensional standard Wiener process (with mean zero and identity covariance matrix),

$$U = \text{tr} \left\{ \int dB F' \left(\int FF' \right)^{-1} \int F dB' \right\},$$

and where V is χ^2 with $N(N-1)(p-r)r$ degrees of freedom, independent of U . The process F is $\{N(p-r)+1\}$ -dimensional with components

$$F_i(u) \equiv \begin{cases} B_i(u) - \int_0^1 B_i(t) dt, & i = 1, \dots, N(p-r), \\ u - \frac{1}{2}, & i = N(p-r) + 1, \end{cases}$$

where the $B_i(t)$ are components of $B(t)$.

Proof. See the appendix. ■

The next theorem gives the asymptotic distribution of Q_{12} .

Theorem 2 Under \mathcal{H}_1 , assumption A and if $\alpha'_\perp \mu \neq 0$ and $r > 0$, we have that as $T \rightarrow \infty$, the maximum likelihood ratio test of common cointegrating space, Q_{12} , fulfills that $-2 \log Q_{12}$ is asymptotically χ^2 with $(N-1)(p+1-r)r$ degrees of freedom.

Proof. See the appendix. ■

In particular, in the PPP case, $-2 \log Q_{12}$ is asymptotically χ^2 with $2(N-1)$ degrees of freedom.

Our final object is to test if, given cointegrating rank $r = 1$ and $p = 2$, the cointegrating relation is $(\beta'_i, \beta'_{N+1,i}) = c_i(1, -1, 1)$ for all i and constants c_i . This is a special case of \mathcal{H}_0 with $r = s = 1$, all $H_i = (1, -1, 1)'$ and all $\psi_i = c_i$.

Theorem 3 *Under \mathcal{H}_0 , assumption A and if $\alpha'_\perp \mu \neq 0$ and $r > 0$, we have that as $T \rightarrow \infty$, the maximum likelihood ratio test of the restriction $(\beta'_i, \beta'_{N+1,i})' = H_i \psi_i$ for all i , where the H_i are known $(p+1) \times s$ matrices and the ψ_i are $s \times r$ and unknown, against the hypothesis of common cointegrating space, Q_{01} , fulfills that $-2 \log Q_{01}$ is asymptotically χ^2 with $(p+1-s)r$ degrees of freedom.*

Proof. See the appendix. ■

Note that in the PPP case, $-2 \log Q_{01}$ is asymptotically $\chi^2(2)$.

4 The empirical analysis

Our database contains monthly observations of consumer prices and nominal exchange rates (versus the British pound) for Germany, France, and Italy for the years 1974 - 2000, i.e., $N = 3$ and $T = 314$. The Appendix contains a fuller description of the data and sources, as well as Figures 1-3, that show the consumer price series, the exchange rates, and the real exchange rates for these countries.

In the subsequent sections we use the framework outlined in previous sections in the following way: We begin by testing for the number of cointegrating relations in the 3 panels in a model that satisfies standard specification tests. We then carry on by testing hypotheses about the cointegration vectors; first by testing if the panel-specific cointegrating vectors span the same space, and if so, if the theoretical PPP-relationship holds for this space.

4.1 Specification and mis-specification analysis

The number of lags is specified using the information criterion proposed by Schwarz (1978), where an upper limit of five lags is pre-specified. The results suggest that $k = 2$ is appropriate. Moreover, multivariate residual-based mis-specification tests with respect to serial correlation and non-Normality are found

$r =$	0	1	2
Test stat.	217	69.5	0.467
Crit. value	135	70.8	7.31

Table 1: Test statistics for cointegratin rank and bootstrapped critical values using 1,000 replicates for 5 % nominal test size.

	Germany	France	Italy
β_{ix}	1.00	1.00	1.00
β_{ip}	-5.12	9.87	-2.25
β_{ib}	0.671	-8.78	0.528

Table 2: Normalized unrestricted estimates of the cointegrating vectors.

to be insignificant at the 1%-level. The first-order Lagrange multiplier and the Box Ljung tests yield p-values of 0.181 and 0.027, and the Normality test a p-value of 0.05. Since these specification-tests are asymptotic and presumably affected by size-distortions in small-sample applications (c.f., Jacobson, Jansson, Vredin, and Warne (2001)), inference at the 1%-level rather than the usual 5%-level can be justified. Also, even if ARCH type errors are present in the data, asymptotic inference in cointegration models is robust, see Dennis, Hansen and Rahbek (2002). Given a lag-length of 2, the likelihood ratio tests for the three null hypotheses $r = 0, 1, 2$ are calculated against the alternative hypothesis of full rank. Complementary to the use of asymptotic distributions, we apply the method discussed above, i.e., a parametric bootstrap, as it was used in Gredenhoff and Jacobson (2001). By generating the bootstrap samples using the estimated empirical model (with the null hypothesis imposed) the resulting inference is robust with respect to parameter uncertainty. A nominal size of 5% is used and the number of bootstrap replicates is 1,000. The test statistics and corresponding critical values are given in Table (1). We find that the null of $r = 0$ is rejected, while the null of $r = 1$ is not, hence, we conclude that there is one cointegrating relationship in each panel. The normalized cointegrating vectors are displayed in Table (2).

4.2 Testing linear restrictions

Having found support for the necessary condition for PPP, we now turn to the sufficient conditions. The multivariate setup used in this paper actually enables us to test for PPP in different ways. First, we test whether all three

bilateral PPP relations span the same space, i.e., the three countries share the same economic laws but not necessarily the one outlined above. The test statistic is 17.4 with a bootstrapped critical value of 21.6 at a 5% nominal test level, and hence, we do not reject the null of a common cointegrating space. The normalized (with respect to β_{ix}) common cointegrating vector is $[1.00, -1.52, 0.885]'$ and has the correct signs and is thus remarkably close to the relationship implied by PPP. To test if PPP holds a likelihood ratio test with the cointegrating vector $[1, -1, 1]'$ as the null hypothesis is tested against common cointegrating space. The test statistic is found to be 60.8 with a bootstrapped critical value of 12.0, and thus we reject the null.

In summary, we have found support for our hypothesis that the variables in X_t can be characterized by an error correction model like equation (2). This implies that they are driven by a limited number of common stochastic trends and therefore are tied together in the long run. All three panels are characterized by one long-run, cointegrating, relation. However, although these long-run relations span the same cointegrating space and the estimated relationship is close to the theoretical one, a formal test rejects the hypothesis that they coincide.

5 Small-sample properties

Although we have used bootstrap based inference in the empirical section above, it is important to examine how the asymptotic distributions function in small samples. To analyze this a Monte Carlo simulation is performed. The data generating process (DGP) is the empirical model estimated in the previous section. We are interested in five different null hypotheses. The first three consider the rank: $r = 0, 1$ or 2 , and the remaining two are tests on the cointegrating space: test of common space and test that the cointegrating vector is the theoretical PPP relationship, $[1, -1, 1]'$. The alternative for the first three models is the usual full rank model and for the last two an unrestricted cointegrating model with rank one. For the very last model the alternative of a common cointegrating space is also considered. The largest eigenvalues of the DGP's are displayed in Table (3). (See further the discussion below.)

The Monte Carlo setup is as follows. First we generate data according to the model under the null, then we estimate the models under the null and the alternative and calculate the likelihood ratio statistic. We then compare with the

$r = 0$	1	2
1.00	1.00	1.00
1.00	1.00	0.991
1.00	1.00	0.974
1.00	1.00	0.974
1.00	0.991	0.896
1.00	0.966	0.890
1.00	0.966	0.890
0.827	0.403	0.455
0.398	0.403	0.407
0.301	0.242	0.302
0.288	0.242	0.302
0.288	0.281	0.262
0.203	0.281	0.218
0.156	0.141	0.218

Table 3: Absolute values of the eigenvalues of the companion matrix for $r = 0, 1, 2$.

Null\T	100	200	314	400	800	1600
$r = 0$	0.625	0.271	0.159	0.134	0.078	0.082
$r = 1$	0.578	0.534	0.454	0.423	0.311	0.213
$r = 2$	0.494	0.487	0.256	0.142	0.074	0.086
Common $r = 1$	0.692	0.460	0.278	0.177	0.067	0.031
PPP $r = 1$ vs unrestricted	0.648	0.363	0.237	0.179	0.101	0.072
PPP $r = 1$ vs common	0.926	0.705	0.432	0.198	0.127	0.074

Table 4: Monte Carlo estimated test sizes for PPP related panel tests.

asymptotic critical value and note if the test rejects or does not reject the null. This is repeated 1,000 times and the proportion of rejections is the estimated size, which should be compared with a nominal size of 5%. The size adjusted power, i.e., the power when the simulated small sample critical values are used, is also of interest. For the null models with $r = 0, 1$ or 2 , the DGP's have $r = 1, 2$ and full rank respectively. Regarding the cointegrating space tests, the DGP is the $r = 1$ model. We have also evaluated the power for a test of restrictions on the common cointegrating space. That is, the null hypothesis is given by the theoretical PPP-relationship, but the pseudo-data is generated from a model with the empirical estimates of the common cointegrating space imposed. The Monte Carlo simulations have been done for sample sizes $T = 100, 200, 400, 800$ and 1600 , and the number of replicates is $1,000$. The results are displayed in Table (4) and Table (5).

The results demonstrate the well-known problem in cointegration analysis

Null\T	100	200	314	400	800	1600
$r = 0$	0.688	0.999	1.000	1.000	1.000	1.000
$r = 1$	0.111	0.547	0.953	0.999	1.000	1.000
$r = 2$	0.018	0.022	0.168	0.404	0.921	0.988
Common $r = 1$	0.050	0.241	0.700	0.936	1.000	1.000
PPP $r = 1$ vs unrestricted	0.101	0.485	0.951	0.994	1.000	1.000
PPP $r = 1$ vs common	0.083	0.662	0.981	1.000	1.000	1.000

Table 5: Monte carlo estimated size adjusted power for PPP related panel tests.

that for larger systems, involving many parameters, the small sample critical values converge very slowly to the asymptotic ones (see e.g. Gredenhoff and Jacobson (2001)). In a panel setting similar to the one in the present paper, Larsson and Lyhagen (1999) obtain size problems for the test of cointegration rank, but not for tests of restrictions on the cointegrating vector. Here, however, in the rank-one model some eigenvalues of the companion matrix are very close to one in absolute value (see table (3)), indicating “closeness” to $I(2)$. This will make size problems even more severe, even for the restriction tests. This result clearly shows the need for some size-adjusting measure, such as a bootstrap test. The power properties are quite satisfactory for the larger sample sizes, $T = 400, 800, 1,600$. Hence, there is reason to assume that the empirical tests (based on $T = 314$) undertaken above do have reasonable power against the alternatives.

6 Conclusions

Using a multivariate cointegration panel data model this paper re-examines the evidence for PPP in post-Bretton Woods data for France, Germany, Italy and the United Kingdom. We find that each panel is characterized by exactly one cointegrating relation between nominal exchange rates and consumer prices, sometimes labelled as weak PPP, or the necessary condition for PPP to hold. Moreover, the panel-specific cointegrating vectors are found to span the same cointegrating space. We interpret this as support for PPP to the extent that the estimated long-run relations between exchange rates and consumer prices in our panels are, if not identical, at least closely related. But, testing for strong PPP, or the sufficient condition that the cointegrating space contains the vector of PPP-coefficients $(1, -1, 1)$, leads to rejection. It is, however, interesting to

note that the over all panels estimated cointegrating vector is very close to the theoretical one; $(1, -1.5, 0.9)$, suggesting that PPP may, after all, be a reasonably accurate approximation of how nominal exchange rates and price levels evolve over time. This in turn suggests that it may not be important that economic models for long-term analysis allow for shocks to the real exchange rates with permanent effects.

These results have been estimated in a maximum likelihood cointegration panel data model with a specific structure that allows for the long-run dynamics implied by PPP. Specifically, the cointegrating matrix, β , is block diagonal with non-zero elements corresponding to each included country's nominal exchange rate and consumer prices. The numeraire country's consumer prices enter β through an extra row of non-zero elements, one for each panel. This particular structure requires new asymptotic results for the tests for cointegrating rank, a common cointegrating space over the panels, and restrictions on cointegrating vectors. Such limit distributions are derived in Section 3 and constitute the paper's main contribution. The results are extensions of the results of Johansen (1995) to the type of restrictions on β considered in this paper. In particular, we may note the asymptotic distribution of the test for cointegrating rank (Theorem 1), which is a sum of two independent variates, one being χ^2 and the other being Dickey-Fuller distributed. This result arises because we are testing reduced rank within the restricted β setting. As expected, the two other tests (Theorems 2 and 3) are asymptotic χ^2 . These results follow as special cases of a theorem in Johansen (1991) on smooth hypotheses on β .

By means of Monte Carlo simulation we find that the asymptotic approximations are inadequate for smaller sample sizes, i.e., estimated test sizes are far from the nominal one and convergence occurs for samples of sizes we seldom have access to. The remedy for this size-distortion problem is a bootstrap test. By generating bootstrap samples using the estimated model as a DGP, we may estimate small-sample distributions. Now, whereas the bootstrap test can be expected to be approximately correct in size, it should be noted that its power will not be higher, nor lower, than the power of a size-adjusted asymptotic test. This has been theoretically predicted for the general case by Davidson and McKinnon (1996) and verified for the likelihood ratio test of linear restrictions on cointegrating vectors by Gredenhoff and Jacobson (1998) using Monte Carlo simulation. For this particular application we believe that the tests do have

reasonable power judging by the results on size-adjusted power in the Monte Carlo experiments.




Figure 1: Monthly CPI for the United Kingdom, Germany, France and Italy

A Appendix

A.1 Description of data

The database is comprised of three nominal exchange rates and four consumer price indices. The frequency is monthly and the series run from 1974 to 1999, 1995 = 100. See Figures 1 -3. The exchange rates are given as the price of British pounds in German marks, French francs and Italian lire respectively. The consumer price indices are taken from row 63 in the IFS-tapes.

A.2 Omitted proofs

This section contains omitted proofs of Theorems 1-3. However, we start out by proving a theorem about the distribution of the estimated cointegrating space. This theorem and its proof is useful when proving Theorems 1-3. The proofs follow closely the proof of Theorem C.1 in Johansen (1991), which gives the corresponding result for any smooth hypothesis on β .



Figure 2: Monthly exchange rates against the British pound for Germany, France and Italy



Figure 3: Monthly real exchange rate for Germany, France and Italy using the United Kingdom as the base country.

At first, define the $\{N(p+1)\} \times (Np+1)$ matrix

$$R \equiv \begin{pmatrix} (I_p, 0) & 0 & \cdots & 0 \\ 0 & \ddots & \ddots & \vdots \\ \vdots & \ddots & & 0 \\ 0 & \cdots & 0 & (I_p, 0) \\ (0, 1) & \cdots & & (0, 1) \end{pmatrix}'.$$

Then,

$$\beta = \begin{pmatrix} \beta_1 & 0 & \cdots & 0 \\ 0 & \ddots & \ddots & \vdots \\ \vdots & \ddots & & 0 \\ 0 & \cdots & 0 & \beta_N \\ \beta_{N+1,1} & \cdots & & \beta_{N+1,N} \end{pmatrix} = R' \varphi,$$

where

$$\varphi \equiv \text{diag}(\varphi_1, \dots, \varphi_N),$$

with

$$\varphi_i \equiv \begin{pmatrix} \beta_i \\ \beta_{N+1,i} \end{pmatrix},$$

which are $(p+1) \times r$, for $i = 1, \dots, N$. Thus, we may re-write (2) as

$$\Delta X_t = \alpha \varphi' R X_{t-1} + \sum_{i=1}^{m-1} \Gamma_i \Delta X_{t-i} + \mu + \varepsilon_t.$$

In the limit results needed in the sequel, this formulation enables us to use RX_{t-1} in place of X_{t-1} . Now, define $C \equiv \beta_{\perp} (\alpha'_{\perp} \Gamma \beta_{\perp})^{-1} \alpha'_{\perp}$, where $\Gamma \equiv I_p - \sum_{i=1}^{m-1} \Gamma_i$. Granger's representation theorem (theorem 4.2 of Johansen (1995)) reads

Lemma 4 *If assumption A holds, we have the representation*

$$X_t = C \left(\mu t + \sum_{j=1}^t \varepsilon_j \right) + Y_t,$$

where Y_t is an $I(0)$ process.

Because of the lemma, the dominating deterministic trend of RX_t is $\tau \equiv RC\mu$, where $\Gamma \equiv I_{Np} - \sum_{i=1}^{m-1} \Gamma_i$. Hence, τ is $N(p+1) \times 1$, and we may write $\tau = (\tau'_1, \dots, \tau'_N)'$, where for $i = 1, \dots, N$, τ_i is $(p+1) \times 1$. Then, for each i , choose γ_i orthogonal to φ_i and τ_i . Then, γ_i is $p \times (p-r)$ and $\gamma \equiv \text{diag}(\gamma_1, \dots, \gamma_N)$

is orthogonal to φ and τ . Moreover, let $\{W(t)\}$ be a p -dimensional Wiener process with expectation 0 and covariance matrix Ω . The modified version of lemma A.2 of Johansen (1991) reads

Lemma 5 *As $T \rightarrow \infty$, we have for $u \in [0, 1]$ that*

$$\begin{aligned} T^{-1/2}\bar{\gamma}'RX_{[Tu]} &\xrightarrow{w} \bar{\gamma}'RCW(u), \\ T^{-1}\bar{\tau}'RX_{[Tu]} &\xrightarrow{w} u. \end{aligned}$$

Now, put

$$\begin{aligned} \tilde{G}_1(t) &\equiv \bar{\gamma}'RC \left\{ W(t) - \int_0^1 W(u) du \right\}, \\ \tilde{G}_2(t) &\equiv t - \frac{1}{2}, \end{aligned}$$

$\tilde{G}(t) \equiv \left\{ \tilde{G}_1(t)', \tilde{G}_2(t) \right\}'$, and $V(t) \equiv \alpha'\Omega^{-1}W(t)$. Observe that the \tilde{G} process is defined in a slightly different way than the G process in Johansen (1991), where there is no R matrix, and a bit different $\bar{\gamma}$ matrix. With this modification, the same limit results hold here, and we do not re-iterate them. Furthermore, define the matrix

$$S \equiv \left(H_1^{(r)} \otimes \tilde{H}_1, \dots, H_N^{(r)} \otimes \tilde{H}_N \right)$$

with, for $i = 1, \dots, N$ and n arbitrary,

$$H_i^{(n)} \equiv (0, \dots, 0, I_n, 0, \dots, 0)',$$

which is a $Nn \times n$ matrix with I_n as the i th block, and the $\tilde{N} \times (p+1-r)$ matrix, where $\tilde{N} \equiv N(p-r)+1$,

$$\tilde{H}_i \equiv \begin{pmatrix} H_i^{(p-r)} & 0 \\ 0 & 1 \end{pmatrix}.$$

This means that S is $Nr\tilde{N} \times \kappa$, where $\kappa \equiv N(p+1-r)r$. We may now formulate our theorem. (From now on, we use short-hand notation for our integrals, i.e. $\int \tilde{G}\tilde{G}'$ instead of $\int_0^1 \tilde{G}(t)\tilde{G}(t)' dt$.)

Theorem 6 *As $T \rightarrow \infty$, the ML estimate of φ , $\hat{\varphi}$, satisfies*

$$\left(T\gamma, T^{3/2}\tau \right)' \text{vec}(\hat{\varphi} - \varphi) \xrightarrow{w} S \left\{ S' \left(\alpha'\Omega^{-1}\alpha \otimes \int \tilde{G}\tilde{G}' \right) S \right\}^{-1} S' \text{vec} \left\{ \int \tilde{G}(dV)' \right\}.$$

Proof: As a preparation, write $\varphi = \text{diag}(\varphi_1, \dots, \varphi_N)$, where $\varphi_i = \left(\varphi_i^{(1)'}, \varphi_i^{(2)'}\right)'$, where $\varphi_i^{(1)}$ is $r \times r$, for $i = 1, \dots, N$. Then, it follows that $\alpha\varphi' = \alpha^*\varphi^{*'}'$, where $\alpha^* \equiv \alpha \text{diag}(\varphi_1^{(1)'}, \dots, \varphi_N^{(1)'})$ and $\varphi^* \equiv \text{diag}(\varphi_1^*, \dots, \varphi_N^*)$ with $\varphi_i^* \equiv (I_r, \vartheta_i^*)'$, $\vartheta_i \equiv \varphi_i^{(2)} \left\{ \varphi_i^{(1)} \right\}^{-1}$ for $i = 1, \dots, N$. (The ϑ_i are $(p+1-r) \times r$.) Hence, regarding $\varphi^* = \varphi^*(\vartheta)$ as a matrix-valued function of the elements of the vector $\vartheta \equiv \text{vec}(\vartheta_1, \vartheta_2, \dots, \vartheta_N)$, the derivatives are, denoting the elements of ϑ_i by ϑ_i^{jk} , where $j = 1, \dots, p$, $k = 1, \dots, r$, and similarly for φ ,

$$\frac{\partial \varphi_{ii}^{*jk}}{\partial \vartheta_i^{lm}} = 1$$

if $\{(j, k) = (l, m)\}$, and 0 otherwise. (The derivatives of non diagonal block elements of φ^* w.r.t. any elements of ϑ are all zero.) Hence, the derivative in the direction \tilde{u} , where $\tilde{u} \equiv (u_1, \dots, u_\kappa)'$ is a vector of the same structure as ϑ , i.e. $\kappa \times 1$ where $\kappa = N(p+1-r)r$, is the block diagonal $N(p+1-r) \times Nr$ matrix $D\varphi(\tilde{u})$ with elements

$$\sum_{s=1}^{\kappa} u_s \frac{\partial \varphi_{ii}^{*jk}}{\partial \vartheta_s} = u_{s^*},$$

where s^* is the s corresponding to element (j, k) of the matrix ϑ_{ii} . In other words, $D\varphi(\tilde{u})$ has the same structure as φ^* , except that the I_r matrices are replaced by 0.

Next, choose $\tilde{u}_1, \dots, \tilde{u}_\kappa$ orthogonal in \mathcal{R}^κ , such that $\tau' D\varphi(\tilde{u}_i) = 0$ for $i = 1, \dots, \kappa_1$ and $\tau' D\varphi(\tilde{u}_i) \neq 0$ for $i = \kappa_1 + 1, \dots, \kappa$. Furthermore, define the matrix $D\tilde{\varphi}$ with i th column given by

$$\begin{aligned} D\tilde{\varphi}_i &= \text{vec} \left\{ (\gamma, 0)' D\varphi(\tilde{u}_i) \right\}, \quad i = 1, \dots, \kappa_1, \\ D\tilde{\varphi}_i &= \text{vec} \left\{ (0, \tau)' D\varphi(\tilde{u}_i) \right\}, \quad i = \kappa_1 + 1, \dots, \kappa. \end{aligned}$$

Here, $(\gamma, 0)$ and $(0, \tau)$ are $Np \times \tilde{N}$, and so, $(\gamma, 0)' D\varphi(\tilde{u}_i)$ and $(0, \tau)' D\varphi(\tilde{u}_i)$ are $\tilde{N} \times Nr$ and $D\tilde{\varphi}$ is $Nr\tilde{N} \times \kappa$. To understand the structure of $D\tilde{\varphi}$, write

$$\begin{aligned} \text{vec} \left\{ (\gamma, 0)' D\varphi(\tilde{u}_i) I_{Nr} \right\} &= \left\{ I_{Nr} \otimes (\gamma, 0)' \right\} \text{vec} \left\{ D\varphi(\tilde{u}_i) \right\}, \\ \text{vec} \left\{ (0, \tau)' D\varphi(\tilde{u}_i) I_{Nr} \right\} &= \left\{ I_{Nr} \otimes (0, \tau)' \right\} \text{vec} \left\{ D\varphi(\tilde{u}_i) \right\}, \end{aligned}$$

so that

$$D\tilde{\varphi} = \left[\left\{ I_{Nr} \otimes (\gamma, 0)' \right\} L_1, \left\{ I_{Nr} \otimes (0, \tau)' \right\} L_2 \right], \quad (4)$$

where

$$\begin{aligned} L_1 &\equiv [\text{vec}\{D\varphi(\tilde{u}_1)\}, \dots, \text{vec}\{D\varphi(\tilde{u}_{\kappa_1})\}], \\ L_2 &\equiv [\text{vec}\{D\varphi(\tilde{u}_{\kappa_1+1})\}, \dots, \text{vec}\{D\varphi(\tilde{u}_\kappa)\}]. \end{aligned}$$

Next, for $i = 1, \dots, N$ define $H_i^{(r)}$ as above, which is orthogonal to the $Nr \times (N-1)r$ matrix

$$H_{i\perp}^{(r)} = \begin{pmatrix} I_{r(i-1)} & 0_{r(i-1) \times r(N-1-i)} \\ \mathbf{0}_{r \times r(i-1)} & \mathbf{0}_{r \times r(N-1-i)} \\ \mathbf{0}_{r(N-1-i) \times r(i-1)} & I_{r(N-1-i)} \end{pmatrix},$$

for $i = 1, \dots, N$. Furthermore, let

$$\tilde{H}_i \equiv \begin{pmatrix} H_i^{(p-r)} \\ \mathbf{0} \end{pmatrix},$$

which is $\tilde{N} \times (p-r)$, and

$$S_\perp \equiv \left(H_{1\perp}^{(r)} \otimes \tilde{H}_1, \dots, H_{N\perp}^{(r)} \otimes \tilde{H}_N \right),$$

which is $Nr\tilde{N} \times N(N-1)(p-r)r$ and orthogonal to S defined above. Now, we find via (4) that

$$\begin{aligned} & S'_\perp \{I_{Nr} \otimes (\gamma, 0)'\} L_1 \\ &= \begin{pmatrix} H_{1\perp}^{(r)'} \otimes \tilde{H}'_1(\gamma, 0)' \\ \vdots \\ H_{N\perp}^{(r)'} \otimes \tilde{H}'_N(\gamma, 0)' \end{pmatrix} [\text{vec}\{D\varphi(\tilde{u}_1)\}, \dots, \text{vec}\{D\varphi(\tilde{u}_{\kappa_1})\}], \\ &= \begin{pmatrix} \text{vec}\left(\tilde{H}'_1(\gamma, 0)' D\varphi(\tilde{u}_1) H_{1\perp}^{(r)}\right) & \cdots & \text{vec}\left(\tilde{H}'_1(\gamma, 0)' D\varphi(\tilde{u}_{\kappa_1}) H_{1\perp}^{(r)}\right) \\ \vdots & & \vdots \\ \text{vec}\left(\tilde{H}'_N(\gamma, 0)' D\varphi(\tilde{u}_1) H_{N\perp}^{(r)}\right) & \cdots & \text{vec}\left(\tilde{H}'_N(\gamma, 0)' D\varphi(\tilde{u}_{\kappa_1}) H_{N\perp}^{(r)}\right) \end{pmatrix} = 0, \end{aligned}$$

where the third equality follows since for all i and j , $\tilde{H}'_i(\gamma, 0)' D\varphi(\tilde{u}_j) H_{i\perp}^{(r)}$ picks out only non-diagonal blocks of $(\gamma, 0)' D\varphi(\tilde{u}_j)$, which are 0. Similarly, $S'_\perp \{I_{Nr} \otimes (0, \tau)'\} L_2 = 0$. Now, let S be as above. Then, the identity

$$I_{Nr\tilde{N}} = S\bar{S}' + \bar{S}_\perp S'_\perp$$

and (4) imply

$$D\tilde{\varphi} = \left(S\bar{S}' + \bar{S}_\perp S'_\perp \right) [\{I_{Nr} \otimes (\gamma, 0)'\} L_1, \{I_{Nr} \otimes (0, \tau)'\} L_2] = SM,$$

where

$$M \equiv \overline{S}' [\{I_{Nr} \otimes (\gamma, 0)'\} L_1, \{I_{Nr} \otimes (0, \tau)'\} L_2],$$

which is a $\kappa \times \kappa$ matrix. Now, if M is non-singular, eq. (C.7) of Johansen (1991) yields (with the Kronecker product twisted around, due to different notational conventions),

$$\begin{aligned} & (T\gamma, T^{3/2}\tau)' \text{vec}(\widehat{\varphi} - \varphi) \\ & \xrightarrow{w} D\widehat{\varphi} \left\{ D\widehat{\varphi}' \left(\alpha' \Omega^{-1} \alpha \otimes \int \widetilde{G}\widetilde{G}' \right) D\widehat{\varphi} \right\}^{-1} D\widehat{\varphi}' \text{vec} \left\{ \int \widetilde{G} (dV)' \right\} \\ & = SM \left\{ M'S' \left(\alpha' \Omega^{-1} \alpha \otimes \int \widetilde{G}\widetilde{G}' \right) SM \right\}^{-1} M'S' \text{vec} \left\{ \int \widetilde{G} (dV)' \right\} \\ & = S \left\{ S' \left(\alpha' \Omega^{-1} \alpha \otimes \int \widetilde{G}\widetilde{G}' \right) S \right\}^{-1} S' \text{vec} \left\{ \int \widetilde{G} (dV)' \right\}, \end{aligned}$$

as was to be shown. The non-singularity of M follows since

$$\begin{aligned} & S' \{I_{Nr} \otimes (\gamma, 0)'\} L_1 \\ & = \begin{pmatrix} H_1^{(r)'} \otimes \widetilde{H}_1'(\gamma, 0)' \\ \vdots \\ H_N^{(r)'} \otimes \widetilde{H}_N'(\gamma, 0)' \end{pmatrix} [\text{vec} \{D\varphi(\tilde{u}_1)\}, \dots, \text{vec} \{D\varphi(\tilde{u}_{\kappa_1})\}], \\ & = \begin{pmatrix} \text{vec} \left(\widetilde{H}_1'(\gamma, 0)' D\varphi(\tilde{u}_1) H_1^{(r)} \right) & \cdots & \text{vec} \left(\widetilde{H}_1'(\gamma, 0)' D\varphi(\tilde{u}_{\kappa_1}) H_1^{(r)} \right) \\ \vdots & & \vdots \\ \text{vec} \left(\widetilde{H}_N'(\gamma, 0)' D\varphi(\tilde{u}_1) H_N^{(r)} \right) & \cdots & \text{vec} \left(\widetilde{H}_N'(\gamma, 0)' D\varphi(\tilde{u}_{\kappa_1}) H_N^{(r)} \right) \end{pmatrix} \end{aligned}$$

which is a block diagonal matrix with Nr diagonal blocks of dimension $(p+1-r) \times (p+1-r)$. For example, the first block is given by

$$\begin{aligned} & \left(\text{vec} \left(\widetilde{H}_1'(\gamma, 0)' D\varphi(\tilde{u}_1) H_1^{(r)} \right), \dots, \text{vec} \left(\widetilde{H}_1'(\gamma, 0)' D\varphi(\tilde{u}_{p+1-r}) H_1^{(r)} \right) \right) \\ & = (\gamma'_1, 0) (0, I_{p+1-r})'. \end{aligned}$$

Indeed, this is the form of the r uppermost blocks, then comes the block $(\gamma'_2, 0) (0, I_{p+1-r})'$, etcetera. Similarly, $S' \{I_{Nr} \otimes (0, \tau)'\} L_2$ is block diagonal with Nr diagonal blocks of dimension $(p+1-r) \times (p+1-r)$, given by $(0, \tau_1) (0, I_{p+1-r})'$, etcetera. Hence,

$$M(I_{\kappa_1}, I_{\kappa-\kappa_1})' = [S' \{I_{Nr} \otimes (\gamma, 0)'\} L_1, S' \{I_{Nr} \otimes (0, \tau)'\} L_2] (I_{\kappa_1}, I_{\kappa-\kappa_1})'$$

is block diagonal with Nr diagonal blocks of dimension $(p+1-r) \times (p+1-r)$, given by $(\gamma_1, \tau_1) (0, I_{p+1-r})'$, etcetera. Since these blocks are non-singular, it follows that $M(I_{\kappa_1}, I_{\kappa-\kappa_1})'$, and hence M , is non-singular.

A.2.1 Proof of theorem 1

Consider the three hypotheses $\mathcal{H}_4 : \text{rank}(\Pi) \leq Np$, $\mathcal{H}_3 : \Pi = \alpha\beta'$ where α, β are $Np \times Nr$, of full rank and \mathcal{H}_2 : as \mathcal{H}_3 but where β is block-diagonal with $p \times r$ -dimensional blocks. Denoting the maximum likelihood ratio between \mathcal{H}_i and \mathcal{H}_j ($\mathcal{H}_i \subset \mathcal{H}_j$) by Q_{ij} , we then have $Q_{24} = Q_{23}Q_{34}$, i.e.

$$-2 \log Q_{24} = -2 \log Q_{23} - 2 \log Q_{34}.$$

Johansen (1995) has showed that the asymptotic distribution of $-2 \log Q_{34}$ equals the distribution of U as defined in the theorem. (The fact that β has the specific form under our hypothesis under test, \mathcal{H}_2 , does not affect this result.) Now, to prove our theorem, our plan is

- 1) To show the convergence of $-2 \log Q_{23}$ to the χ^2 distribution.
- 2) To show the asymptotic independence between $-2 \log Q_{23}$ and $-2 \log Q_{34}$.

1) It follows from theorem C.1 of Johansen (1991) that $-2 \log Q_{23}$ is asymptotically $\chi^2(k-s)$, where k is the number of free parameters under the alternative hypothesis \mathcal{H}_3 , and where s is the number of free parameters under the null hypothesis \mathcal{H}_2 . In other words, $k-s$ is the difference between the numbers of free parameters of $\alpha\beta'$ under \mathcal{H}_3 and \mathcal{H}_2 , respectively. Now, under \mathcal{H}_2 ,

$$\begin{aligned} \beta &= \begin{pmatrix} \beta_1 & 0 & \cdots & 0 \\ 0 & \ddots & \ddots & \vdots \\ \vdots & \ddots & & 0 \\ 0 & \cdots & 0 & \beta_N \\ \beta_{N+1,1} & \cdots & & \beta_{N+1,N} \end{pmatrix} = \begin{pmatrix} \begin{pmatrix} \beta_1^{(1)} \\ \beta_1^{(2)} \end{pmatrix} & 0 & \cdots & 0 \\ 0 & \ddots & \ddots & \vdots \\ \vdots & \ddots & & 0 \\ 0 & \cdots & 0 & \begin{pmatrix} \beta_N^{(1)} \\ \beta_N^{(2)} \end{pmatrix} \\ \beta_{N+1,1} & \cdots & & \beta_{N+1,N} \end{pmatrix} \\ &= \tilde{\beta} \text{diag}(\beta_1^{(1)}, \dots, \beta_N^{(1)}), \end{aligned}$$

where

$$\tilde{\beta} \equiv \begin{pmatrix} \tilde{\beta}_1 & 0 & \cdots & 0 \\ 0 & \ddots & \ddots & \vdots \\ \vdots & \ddots & & 0 \\ 0 & \cdots & 0 & \tilde{\beta}_N \\ \tilde{\beta}_{N+1,1} & \cdots & & \tilde{\beta}_{N+1,N} \end{pmatrix} = \begin{pmatrix} \begin{pmatrix} I_r \\ \vartheta_1 \end{pmatrix} & 0 & \cdots & 0 \\ 0 & \ddots & \ddots & \vdots \\ \vdots & \ddots & & 0 \\ 0 & \cdots & 0 & \begin{pmatrix} I_r \\ \vartheta_N \end{pmatrix} \\ \vartheta_{N+1,1} & \cdots & & \vartheta_{N+1,N} \end{pmatrix}, \quad (5)$$

with $\vartheta_i \equiv \beta_i^{(2)} \left\{ \beta_i^{(1)} \right\}^{-1}$ and $\vartheta_{N+1,i} \equiv \beta_{N+1,i}^{(2)} \left\{ \beta_{N+1,i}^{(1)} \right\}^{-1}$ for $i = 1, \dots, N$. (The $\beta_i^{(1)}$ are $r \times r$ and the $\beta_i^{(2)}$ are $(p-r) \times r$.) Then, $\alpha\beta' = \tilde{\alpha}\tilde{\beta}'$, where $\tilde{\alpha} \equiv \alpha \text{diag} \left(\beta_1^{(1)'}, \dots, \beta_N^{(1)'} \right)$. Here, for each i , the numbers of free parameters of $\tilde{\beta}_i$ and $\tilde{\beta}_{N+1,i}$ are $(p-r)r$ and r , respectively. Consequently, under \mathcal{H}_2 , the number of free parameters of $\alpha\beta'$ is $N^2pr + N(p-r)r + Nr$. Under \mathcal{H}_3 , the corresponding trick yields $N^2pr + N^2(p-r)r + Nr$ free parameters. Hence,

$$\begin{aligned} k - s &= \{N^2pr + N^2(p-r)r + Nr\} - \{N^2pr + N(p-r)r + Nr\} \\ &= N(N-1)(p-r)r, \end{aligned}$$

as was to be shown.

2) Introduce the extra hypothesis $\mathcal{H}_0 : \Pi = \alpha\beta'$ where β is fixed. It follows as above that

$$-2 \log Q_{23} = -2 \log Q_{03} - (-2 \log Q_{02}).$$

Here, following Johansen (1991), p. 1576, we find as in the preceding proof that

$$\begin{aligned} & -2 \log Q_{02} \\ & \xrightarrow{w} \text{vec} \left\{ \int \tilde{G}(dV)' \right\}' D\tilde{\beta} \left\{ D\tilde{\beta}' \left(\alpha' \Omega^{-1} \alpha \otimes \int \tilde{G}\tilde{G}' \right) D\tilde{\beta} \right\}^{-1} D\tilde{\beta}' \text{vec} \left\{ \int \tilde{G}(dV)' \right\} \\ & = \text{vec} \left\{ \int \tilde{G}(dV)' \right\}' SM \left\{ M'S' \left(\alpha' \Omega^{-1} \alpha \otimes \int \tilde{G}\tilde{G}' \right) SM \right\}^{-1} M'S' \text{vec} \left\{ \int \tilde{G}(dV)' \right\} \\ & = \text{vec} \left\{ \int \tilde{G}(dV)' \right\}' S \left\{ S' \left(\alpha' \Omega^{-1} \alpha \otimes \int \tilde{G}\tilde{G}' \right) S \right\}^{-1} S' \text{vec} \left\{ \int \tilde{G}(dV)' \right\}. \end{aligned}$$

As for $-2 \log Q_{03}$, we simply replace $D\tilde{\beta}$ by an identity matrix, to obtain

$$\begin{aligned} & -2 \log Q_{03} \\ & \xrightarrow{w} \text{vec} \left\{ \int \tilde{G} (dV)' \right\}' \left(\alpha' \Omega^{-1} \alpha \otimes \int \tilde{G} \tilde{G}' \right)^{-1} \text{vec} \left\{ \int \tilde{G} (dV)' \right\} \\ & = \text{vec} \left\{ \int \tilde{G} (dV)' \right\}' \left(\alpha' \Omega^{-1} \alpha \otimes \int \tilde{G} \tilde{G}' \right)^{-1} \text{vec} \left\{ \int \tilde{G} (dV)' \right\}. \end{aligned}$$

Consequently,

$$-2 \log Q_{23} \xrightarrow{w} \text{vec} \left\{ \int \tilde{G} (dV)' \right\}' P \text{vec} \left\{ \int \tilde{G} (dV)' \right\}, \quad (6)$$

where

$$P \equiv J^{-1} - S (S' J S)^{-1} S'$$

with

$$J \equiv \alpha' \Omega^{-1} \alpha \otimes \int \tilde{G} \tilde{G}'.$$

Then, it follows that

$$P = J^{-1} S_{\perp} (S'_{\perp} J^{-1} S_{\perp})^{-1} S'_{\perp} J^{-1}. \quad (7)$$

Now, conditional on \tilde{G} , $\text{vec} \left(\int \tilde{G} dV' \right)$ is normal with expectation 0 and covariance matrix J , and so, $S'_{\perp} J^{-1} \text{vec} \left(\int \tilde{G} dV' \right)$ is normal with expectation 0 and covariance matrix $S'_{\perp} J^{-1} S_{\perp}$. Hence, by (7), the r.h.s. of (6) is $\chi^2(1)$, conditional on \tilde{G} . Moreover, since this distribution is independent of \tilde{G} , this property holds also unconditionally. Consequently, the quantity on right-hand side of (6) is independent of \tilde{G} , a fact that will be useful below. Furthermore, from Johansen (1995), p. 158-160, we deduce the representation

$$\begin{aligned} & -2 \log Q_{34} \\ & \xrightarrow{w} \text{tr} \left\{ \left(\int G G' \right)^{-1} \int G dW' \alpha_{\perp} (\alpha'_{\perp} \Omega \alpha_{\perp})^{-1} \alpha'_{\perp} \left(\int G dW' \right)' \right\} \\ & = \text{vec} \left(\int G dW' \alpha_{\perp} \right)' \left(\alpha'_{\perp} \Omega \alpha_{\perp} \otimes \int G G' \right)^{-1} \text{vec} \left(\int G dW' \alpha_{\perp} \right) \quad (8) \end{aligned}$$

where W is as above. The processes G and \tilde{G} are defined in slightly different ways, but the stochastic parts of them are the same. In fact, defining

$$Z(t) \equiv \left(W(t)' - \int_0^1 W(u)' du, \quad t - \frac{1}{2} \right)',$$

we have $\tilde{G}(t) = \tilde{A}Z(t)$, where $\tilde{A} \equiv \text{diag}(\bar{\gamma}'RC, 1)$. Similarly, $G(t) = AZ(t)$, where A is as \tilde{A} , but with no R and a slightly different $\bar{\gamma}$. Now, we need to show that the right hand side terms of (6) and (8), M_1 and M_2 say, are independent. To this end, let us condition on Z . Then, $\int \tilde{G}(dV)' = \tilde{A} \int Z dW' \Omega^{-1} \alpha$ and $\int G dW' \alpha_{\perp} = A \int Z dW' \alpha_{\perp}$ are both normals, each with expectation zero, and the covariance between them is

$$\tilde{A} \mathbb{E} \left\{ \int Z dW' \Omega^{-1} \alpha \left(\int Z dW' \alpha_{\perp} \right)' \right\} A' = 0,$$

showing that $\int \tilde{G}(dV)'$ and $\int G dW' \alpha_{\perp}$ are conditionally independent given Z . Hence, M_1 and M_2 must also be conditionally independent given Z . Furthermore, as we saw above, M_1 is independent of G , hence also of Z . Thus we get, denoting the densities for M_1 and M_2 by f_1 and f_2 , their simultaneous density by $f_{1,2}$, the density of Z by f_Z and the corresponding conditional densities by $f_{1|Z}$ etcetera,

$$f_{1,2} = \int f_{1,2|Z} f_Z = \int f_{1|Z} f_{2|Z} f_Z = f_1 \int f_{2|Z} f_Z = f_1 f_2,$$

where the integrals are over the support of the Z density. This shows the independence between M_1 and M_2 , and we are done.

A.2.2 Proof of theorem 2

Again, the theorem is a special case of theorem C.1 of Johansen (1991). Hence, the asymptotic distribution is χ^2 , and the number of degrees of freedom is the difference between the number of free parameters of $\alpha\beta'$ under \mathcal{H}_2 and \mathcal{H}_1 , respectively. As we saw in the previous proof, the former number is $N^2 pr + N(p+1-r)r$. Similar arguments lead to the corresponding number $N^2 pr + (p+1-r)r$ under \mathcal{H}_1 . Consequently, the number of degrees of freedom for the test is the difference, $(N-1)(p+1-r)r$, as was to be shown.

A.2.3 Proof of theorem 3

As above, the asymptotic distribution is χ^2 . We need to find the number of degrees of freedom. Now, under \mathcal{H}_0 , we may without loss of generality assume that all ψ_i are equal. Consequently, with $\psi \equiv (\psi'_0, \psi'_1)'$ where ψ_0 is $r \times r$, we

may write

$$\begin{aligned}
\beta &= \left(\left(\begin{pmatrix} I_p & 0 \\ 0 & 0 \\ \vdots & \vdots \\ 0 & 0 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} \beta_1 \\ \beta_{N+1,1} \end{pmatrix}, \dots, \begin{pmatrix} 0 & 0 \\ \vdots & \vdots \\ 0 & 0 \\ I_p & 0 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} \beta_N \\ \beta_{N+1,N} \end{pmatrix} \right) \\
&= \left(\left(\begin{pmatrix} I_p & 0 \\ 0 & 0 \\ \vdots & \vdots \\ 0 & 0 \\ 0 & 1 \end{pmatrix} H_1, \dots, \begin{pmatrix} 0 & 0 \\ \vdots & \vdots \\ 0 & 0 \\ I_p & 0 \\ 0 & 1 \end{pmatrix} H_N \right) \left\{ I_N \otimes \begin{pmatrix} I_r \\ \psi_1 \psi_0^{-1} \end{pmatrix} \right\} (I_N \otimes \psi_0) \\
&\equiv \beta^* (I_N \otimes \psi_0),
\end{aligned}$$

implying $\alpha\beta' = \alpha^*\beta^{*t}$, where $\alpha^* \equiv \alpha(I_N \otimes \psi_0')$. Here, β^* has $(s-r)r$ free parameters, and so, the number of free parameters of $\alpha\beta'$ is $N^2pr + (s-r)r$. Hence, in the manner as in the previous proofs, the number of degrees of freedom for the test of \mathcal{H}_0 against \mathcal{H}_1 is

$$N^2pr + (p+1-r)r + r - \{N^2pr + (s-r)r\} = (p+1-s)r.$$

References

- [1] Abuaf, N. and P. Jorion, "Purchasing Power Parity in the Long Run", *Journal of Finance* 45, (1990).
- [2] Cheung, Y. and K. Lai, "Long-Run Purchasing Power Parity During the Recent Float", *Journal of International Economics* 34, (1993).
- [3] Chinn, M., "Sectoral Productivity, Government Spending and Real Exchange Rates: Empirical Evidence for OECD Countries", NBER working paper no. 6017, (1997).
- [4] Davidson, R. and J.G. McKinnon, "The Power of Bootstrap Tests", Discussion Paper no. 937, Queen's Institute for Economic Research, (1996).
- [5] Dennis, J.G., E. Hansen and A. Rahbek, "ARCH Innovations and their Impact on Cointegration Rank Testing", unpublished manuscript, University of Copenhagen, (2002).
- [6] Edison, H., "PPP in the Long Run: A Test of the Dollar/Pound Exchange Rate (1890 - 1978)", *Journal of Money, Credit and Banking* 19, (1987).
- [7] Frankel, J., "International Capital Mobility and Crowding-Out in the US Economy: Imperfect Integration of Financial Markets or of Goods Markets?" in R. Hafer, (ed.), *How Open is the US Economy?* (Lexington Books, 1986).
- [8] Gredenhoff, M. and T. Jacobson, "Bootstrap Testing and Approximate Finite Sample Distributions for Tests of Linear Restrictions on Cointegrating Vectors", Sveriges Riksbank Working Paper Series no. 67, (April 1998).
- [9] Gredenhoff, M. and T. Jacobson, "Bootstrap Testing Linear Restrictions on Cointegrating Vectors", *Journal of Business and Economic Statistics*, 19, (2001).
- [10] Groen, J. and F. Kleibergen, "Likelihood-based cointegration analysis in panels of vector error correction models", Tinbergen Institute, Discussion paper TI99-055/4, (1999).
- [11] Jacobson, T., A. Warne and A. Vredin, "Are Real Wages and Unemployment Related?", *Economica* 65, (1998).

- [12] Jacobson, T., P. Jansson, A. Warne and A. Vredin, "Monetary Policy Analysis and Inflation Targeting in a Small Open Economy: a VAR Approach", *Journal of Applied Econometrics* 16, (2001).
- [13] Johansen, S., "Statistical Analysis of Cointegration Vectors." *Journal of Economic Dynamics and Control* 12, (1988).
- [14] Johansen, S., "Estimation and Hypothesis Testing of Cointegration Vectors in Gaussian Vector Autoregressive Models." *Econometrica* 59, (1991).
- [15] Johansen, S., *Likelihood-Based Inference in Cointegrated Vector Autoregressive Models*, (Oxford University Press, 1995).
- [16] Johansen, S. and K. Juselius, "Testing Structural Hypotheses in a Multivariate Cointegration Analysis of the PPP and the UIP for UK." *Journal of Econometrics* 53, (1992).
- [17] Kugler, P. and C. Lenz, "Multivariate Cointegration Analysis and the Long-Run Validity of PPP", *Review of Economics and Statistics* 75, (1993).
- [18] Larsson, R. and J. Lyhagen, "*Likelihood-Based Inference in Multivariate Panel Cointegration Models*", Working Paper Series in Economics and Finance, No: 331, Stockholm School of Economics, (1999).
- [19] Larsson, R., Lyhagen, J. and M. Löthgren, "Likelihood-based Cointegration Tests in Heterogenous Panels", *Econometrics Journal* 4, (2001).
- [20] Lothian, J. and M. Taylor, "Real Exchange Rate Behavior: The Recent Float from the Perspective of the Past Two Centuries" *Journal of Political Economy* 104, (June 1996).
- [21] Lyhagen, J., "*Why not use Standard Panel Unit Root Tests for Testing PPP*", Working Paper Series in Economics and Finance, No: 413, Stockholm School of Economics, (2000).
- [22] MacDonald, R., "Long-Run Purchasing Power Parity: Is It For Real?", *Review of Economics and Statistics* 75, (1993).
- [23] Nessén, M., "Common Trends in Prices and Exchange Rates. Tests of Long-Run Purchasing Power Parity", *Empirical Economics* 21, (1996).

- [24] Obstfeld, M. and A. Taylor, "International Capital Market Integration over the Long Run: The Great Depression as a Watershed", University of California at Berkeley, mimeo, (1996).
- [25] O'Connell, P., "The Overvaluation of Purchasing Power Parity", *Journal of International Economics* 44, (1998).
- [26] Oh, K.Y., "Purchasing Power Parity and Unit Root Tests Using Panel Data", *Journal of International Money and Finance* 15, (1996).
- [27] Papell, D.H., "Searching for Stationarity: Purchasing Power Parity Under the Current Float", *Journal of International Economics*, 43, (1997).
- [28] Taylor, A., "International Capital Mobility in History: Purchasing Power Parity in the Long Run", NBER working paper no. 5742, (1996).
- [29] Wu, Y., "Are Real Exchange Rates Stationary? Evidence from a Panel Data Test", *Journal of Money, Credit, and Banking*, 28, (1996).

Authors' affiliations

TOR JACOBSON, Research Department, Sveriges Riksbank, 103 37 Stockholm, Sweden. *E-mail:* tor.jacobson@riksbank.se

ROLF LARSSON, Department of Information Science, Division of Statistics, Uppsala University, Box 513, 751 20 Uppsala, Sweden. *E-mail:* rolf.larsson@dis.uu.se.

JOHAN LYHAGEN, Department of Information Science, Division of Statistics, Uppsala University, Box 513, 751 20 Uppsala, Sweden. *E-mail:* johan.lyhagen@dis.uu.se.

MARIANNE NESSEN, Monetary Policy Department, Sveriges Riksbank, 103 37 Stockholm, Sweden. *E-mail:* marianne.nessen@riksbank.se.

Earlier Working Papers:

Forecasting Swedish Inflation with a Markov Switching VAR by <i>Mårten Blix</i>	1999:76
A VAR Model for Monetary Policy Analysis in a Small Open Economy by <i>Tor Jacobsson, Per Jansson, Anders Vredin</i> and <i>Anders Warne</i>	1999:77
Why Central Banks Announce their Objectives: Monetary Policy with Discretionary Signalling by <i>Stefan Palmqvist</i>	1999:78
Agency Costs, Credit Constraints and Corporate Investment by <i>Sten Hansen</i>	1999:79
A Parametric Approach for Estimating Core Inflation and Interpreting the Inflation Process by <i>Mikael Apel</i> and <i>Per Jansson</i>	1999:80
Exchange Rate Exposure, Foreign Involvement and Currency Hedging of firms – some Swedish evidence by <i>Stefan Nydahl</i>	1999:81
Are There Price Bubbles in the Swedish Equity Market by <i>Stefan Nydahl</i> and <i>Peter Sellin</i>	1999:82
Monetary policy with uncertain parameters by <i>Ulf Söderström</i>	1999:83
Should central banks be more aggressive? by <i>Ulf Söderström</i>	1999:84
Predicting monetary policy using federal funds futures prices by <i>Ulf Söderström</i>	1999:85
The Informational Advantage of Foreign Investors: An Empirical Study of the Swedish Bond Market by <i>Patrik Säfvenblad</i>	1999:86
Retail price levels and concentration of wholesalers, retailers and hypermarkets by <i>Marcus Asplund</i> and <i>Richard Friberg</i>	1999:87
GARCH, Implied Volatilities and Implied Distributions: An Evaluation for Forecasting Purposes by <i>Javiera Aguilar</i>	1999:88
External Economies at the Firm Level: Evidence from Swedish Manufacturing by <i>Tomas Lindström</i>	1999:89
Sources of Real Exchange Rate Fluctuations in the Nordic Countries by <i>Annika Alexius</i>	1999:90
Price Stability as a Target for Monetary Policy: Defining and Maintaining Price Stability by <i>Lars E.O. Svensson</i>	1999:91
Eurosystem Monetary Targeting: Lessons from U.S. Data by <i>Glenn D. Rudebusch</i> and <i>Lars E.O. Svensson</i>	1999:92
The Quest for Prosperity Without Inflation by <i>Athanasios Orphanides</i>	1999:93
Uncertainty about the Length of the Monetary Policy Transmission Lag: Implications for Monetary Policy by <i>Yuong Ha</i>	1999:94
Investment in Swedish Manufacturing: Analysis and Forecasts by <i>Bengt Assarsson, Claes Berg</i> and <i>Per Jansson</i>	1999:95
Swedish Export Price Determination: Pricing to Market Shares? by <i>Malin Adolfson</i>	1999:96
Bayesian Prediction with a Cointegrated Vector Autoregression by <i>Mattias Villani</i>	1999:97
Targeting inflation over the short, medium and long term by <i>Marianne Nessén</i>	1999:98
Medium-Term Forecasts of Potential GDP and Inflation Using Age Structure Information by <i>Thomas Lindh</i>	1999:99
Inflations Forecast Targeting: the Swedish Experience by <i>Claes Berg</i>	2000:100
Wage Effects of Mobility, Unemployment Benefits and Benefit Financing by <i>Hans Lindblad</i>	2000:101
A Bivariate Distribution for Inflation and Output Forecasts by <i>Mårten Blix</i> and <i>Peter Sellin</i>	2000:102
Optimal Horizons for Inflation Targeting by <i>Nicoletta Batini</i> and <i>Edward Nelson</i>	2000:103
Empirical Estimation and the Quarterly Projection Model: An Example Focusing on the External Sector by <i>Robert Amano, Don Coletti</i> and <i>Stephen Murchison</i>	2000:104
Conduction Monetary Policy with a Collegial Bord: The New Swedish Legislation One Year On by <i>Claes Berg</i> and <i>HansLindberg</i>	2000:105
Price-level targeting versus inflation targeting in a forward-looking model by <i>David Vestin</i>	2000:106
Unemployment and Inflation Regimes by <i>Anders Vredin</i> and <i>Anders Warne</i>	2000:107
An Expectations-Augmented Phillips Curve in an Open Economy by <i>Kerstin Hallsten</i>	2000:108
An alternative interpretation of the recent U.S. inflation performance by <i>Mikael Apel</i> and <i>Per Jansson</i>	2000:109

Core inflation and monetary policy by <i>Marianne Nessén</i> and <i>Ulf Söderström</i>	2000:110
Estimating the Implied Distribution of the Future Short-Term Interest Rate Using the Longstaff-Schwartz Model by <i>Peter Hördahl</i>	2000:111
Financial Variables and the Conduct of Monetary Policy by <i>Charles Goodhart</i> and <i>Boris Hofmann</i>	2000:112
Testing for the Lucas Critique: A Quantitative Investigation by <i>Jesper Lindé</i>	2000:113
Monetary Policy Analysis in Backward-Looking Models by <i>Jesper Lindé</i>	2000:114
UIP for short investments in long-term bonds by <i>Annika Alexius</i>	2000:115
Qualitative Survey Responses and Production over the Business Cycle by <i>Tomas Lindström</i>	2000:116
Supply stocks and real exchange rates by <i>Annika Alexius</i>	2000:117
Casualty and Regime Inference in a Markov Switching VAR by <i>Anders Warne</i>	2000:118
Average Inflation Targeting by <i>Marianne Nessén</i> and <i>David Vestin</i>	2000:119
Forecast-based monetary policy in Sweden 1992-1998: A view from within by <i>Per Jansson</i> and <i>Anders Vredin</i>	2000:120
What have we learned from empirical tests of the monetary transmission effect? by <i>Stefan Norrbin</i>	2000:121
Simple monetary policy rules and exchange rate uncertainty by <i>Kai Leitemo</i> and <i>Ulf Söderström</i>	2001:122
Targeting inflation with a prominent role for money by <i>Ulf Söderström</i>	2001:123
Is the Short-run Phillips Curve Nonlinear? Empirical Evidence for Australia, Sweden and the United States by <i>Ann-Charlotte Eliasson</i>	2001:124
An Alternative Explanation of the Price Puzzle by <i>Paolo Giordani</i>	2001:125
Interoperability and Network Externalities in Electronic Payments by <i>Gabriela Guibourg</i>	2001:126
Monetary Policy with Incomplete Exchange Rate Pass-Through by <i>Malin Adolfson</i>	2001:127
Micro Foundations of Macroeconomic Price Adjustment: Survey Evidence from Swedish Firms by <i>Mikael Apel</i> , <i>Richard Friberg</i> and <i>Kerstin Hallsten</i>	2001:128
Estimating New-Keynesian Phillips Curves on Data with Measurement Errors: A Full Information Maximum Likelihood Approach by <i>Jesper Lindé</i>	2001:129
The Empirical Relevance of Simple Forward- and Backward-looking Models: A View from a Dynamic General Equilibrium Model by <i>Jesper Lindé</i>	2001:130
Diversification and Delegation in Firms by <i>Vittoria Cerasi</i> and <i>Sonja Daltung</i>	2001:131
Monetary Policy Signaling and Movements in the Swedish Term Structure of Interest Rates by <i>Malin Andersson</i> , <i>Hans Dillén</i> and <i>Peter Sellin</i>	2001:132
Evaluation of exchange rate forecasts for the krona's nominal effective exchange rate by <i>Henrik Degré</i> , <i>Jan Hansen</i> and <i>Peter Sellin</i>	2001:133
Identifying the Effects of Monetary Policy Shocks in an Open Economy by <i>Tor Jacobsson</i> , <i>Per Jansson</i> , <i>Anders Vredin</i> and <i>Anders Warne</i>	2002:134
Implications of Exchange Rate Objectives under Incomplete Exchange Rate Pass-Through by <i>Malin Adolfson</i>	2002:135
Incomplete Exchange Pass-Through and Simple Monetary Policy Rules by <i>Malin Adolfson</i>	2002:136
Financial Instability and Monetary Policy: The Swedish Evidence by <i>U. Michael Bergman</i> and <i>Jan Hansen</i>	2002:137
Finding Good Predictors for Inflation: A Bayesian Model Averaging Approach by <i>Tor Jacobson</i> and <i>Sune Karlsson</i>	2002:138
How Important Is Precommitment for Monetary Policy? by <i>Richard Dennis</i> and <i>Ulf Söderström</i>	2002:139
Can a Calibrated New-Keynesian Model of Monetary Policy Fit the Facts? by <i>Ulf Söderström</i> , <i>Paul Söderlind</i> and <i>Anders Vredin</i>	2002:140
Inflation Targeting and the Dynamics of the Transmission Mechanism by <i>Hans Dillén</i>	2002:141
Capital Charges under Basel II: Corporate Credit Risk Modelling and the Macro Economy by <i>Kenneth Carling</i> , <i>Tor Jacobson</i> , <i>Jesper Lindé</i> and <i>Kasper Roszbach</i>	2002:142
Capital Adjustment Patterns in Swedish Manufacturing Firms: What Model Do They Suggest? by <i>Mikael Carlsson</i> and <i>Stefan Laséen</i>	2002:143
Bank Lending, Geographical Distance, and Credit risk: An Empirical Assessment of the Church Tower Principle by <i>Kenneth Carling</i> and <i>Sofia Lundberg</i>	2002:144



SVERIGES RIKSBANK • VISITING ADDRESS: BRUNKEBERGS TORG 11 • MAIL ADDRESS: SE-103 37 STOCKHOLM
WEBSITE: WWW.RIKSBANK.SE • E-MAIL: REGISTRATORN@RIKSBANK.SE • TELEPHONE: +46 8 787 00 00 • FAX: +46 8 21 05 31