

Natividad-Carlos, Fidelina B.

Working Paper

An exercise on discrete-time intertemporal optimization

UPSE Discussion Paper, No. 2013-06

Provided in Cooperation with:

University of the Philippines School of Economics (UPSE)

Suggested Citation: Natividad-Carlos, Fidelina B. (2013) : An exercise on discrete-time intertemporal optimization, UPSE Discussion Paper, No. 2013-06, University of the Philippines, School of Economics (UPSE), Quezon City

This Version is available at:

<https://hdl.handle.net/10419/93563>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



UP School of Economics
Discussion Papers

Discussion Paper No. 2013-06

July 2013

An Exercise on Discrete-Time Intertemporal Optimization

by

Fidelina B. Natividad-Carlos

School of Economics, University of the Philippines

UPSE Discussion Papers are preliminary versions circulated privately to elicit critical comments. They are protected by Republic Act No. 8293 and are not for quotation or reprinting without prior approval.

An Exercise on Discrete-Time Intertemporal Optimization

Fidelina B. Natividad-Carlos*

Abstract

This paper, using the different alternative methods of dynamic optimization (the *Lagrange/Kuhn-Tucker (LKT)* method, the *substitution* method, the *Hamiltonian* method, and the *dynamic programming* approach) derives the conditions that must be satisfied by the solution to the so-called Ramsey problem, hopefully in a way that can be understood by undergraduate economics students. This is done by assuming that time is discrete and that, for simplicity but without loss of generality, there are only three periods.

JEL: C61, D91, E21

Keywords: Ramsey problem, dynamic optimization, Lagrange method, Substitution method, Hamiltonian method, dynamic programming

* School of Economics, University of the Philippines, Diliman, Quezon City 1101. The author is grateful to the PCED for financial support.

1. Introduction

The deterministic infinite horizon *Ramsey* model is one of the two workhorses in graduate macroeconomics.¹ In this model, the problem of the benevolent social planner who is endowed with perfect foresight, “how much should a nation save?” (Ramsey, 1928), is an intertemporal/dynamic optimization problem. Specifically, the problem is to choose the path of capital accumulation and therefore the consumption path/plan, or vice-versa, in order to maximize the lifetime utility of an infinitely-lived representative individual/family/dynasty subject to some constraints and boundary conditions.

A crucial part of characterizing/deriving the solution to the intertemporal problem turns out to be either the so-called *capital-Euler equation* or the so-called *consumption-Euler equation*. The *capital-Euler equation*, along with two boundary conditions, yields the optimal path of capital accumulation which, given the resource constraint, yields the optimal consumption path. Equivalently, the so-called *consumption-Euler equation* and the resource constraint, along with two boundary conditions, yield the optimal path of capital accumulation and consumption, the so-called *saddle path*.

Different alternative methods can be used to derive/characterize the solution to the Ramsey problem. These alternative methods shall be the focus of this paper.

¹ The other work-horse is the overlapping generations (OLG) model.

Although the original Ramsey (1928) problem is in continuous-time, here we use the discrete-time formulation of the problem². Also, for easier tractability but without loss of generality, we assume that there only three periods. The results, derived using the different alternative methods, should give an idea on how to generalize the model to the case where the number of periods of time is large but finite and then to the case where the number of periods of time is infinite. In addition, the discrete-time results should provide intuition for their continuous-time analogues. This approach, which does not require mathematical sophistication, should enable us to characterize the solution to the problem.

Thus, the objective of this paper is to derive/characterize, using the different alternative methods, the solution to the Ramsey problem hopefully in a way that can be understood by undergraduate economics students.

Section 2 simply presents a deterministic discrete-time infinite-horizon *Ramsey* problem and specifies the assumptions behind the model/problem. Section 3 assumes that there are only three periods and derives the conditions that must be satisfied by the solution to the optimization problem using four alternative methods/approaches: the *Lagrange/Kuhn-Tucker (LKT)* method, the *substitution* method, the *Hamiltonian* method, and the *dynamic programming* approach. Section 4, using a concrete example, presents the solution to the problem not only for the three-period case but also for the finitely large horizon case as well as for the infinite horizon case. Finally, Section 5 gives some concluding remarks.

2. The *Ramsey* Problem

² However, it should be noted if the problem is in discrete-time rather than in continuous-time, we have to have to decide which ‘price’ to use – whether this period’s ‘price’ or the next period’s ‘price’ – to value the capital stock carried over to the next period.

The deterministic discrete-time infinite-horizon *Ramsey* problem is

$$\left. \begin{aligned}
 U_0 = \max_{\{c_t\}_0^\infty} & \left\{ U = \sum_{t=0}^{\infty} \beta^t u(c_t) \right\}, & 0 < \beta \equiv 1/(1 + \rho) < 1 \\
 \text{s.t. } & k_{t+1} - k_t = \frac{f(k_t) - c_t - (n + \delta)k_t}{1 + n}, & n > 0, 0 < \delta < 1 & \quad t = 0, 1, \dots \\
 & k_0 > 0 \text{ given} \\
 & \text{TVC}
 \end{aligned} \right\}, \quad (1)$$

where U_0 is the maximized lifetime utility; U is lifetime utility, ρ is the positive subjective time discount rate or pure rate of time preference which measures impatience to consume and thus $\beta (\equiv 1/(1 + \rho))$ is the subjective time-preference or discount factor; c_t is per capita consumption during period t ; $u(c_t)$ is the period- t utility (felicity) function which is assumed to exhibit $u'(c_t) > 0$ and $u''(c_t) < 0$ and satisfy the Uzawa-Inada conditions ($\lim_{c_t \rightarrow 0} u'(c_t) = \infty$ which ensures that $c_t > 0$, and $\lim_{c_t \rightarrow \infty} u'(c_t) = 0$); k_t (k_{t+1}) is the capital-labor ratio or per capita capital as of the beginning of period t ($t + 1$); per capita output during period t is given by the period- t per capita production function $f(k_t)$ which is assumed to exhibit $f'(k_t) > 0$ and $f''(k_t) < 0$ and satisfy the Uzawa-Inada conditions ($f(0) = 0$ which since output cannot be produced without capital, $\lim_{k_t \rightarrow 0} f'(k_t) = \infty$ which ensures that $f(k_t) - \delta k_t \geq 0$ and $\lim_{k_t \rightarrow \infty} f'(k_t) = 0$), δ is the rate of physical capital depreciation, t and $t + 1$ are the successive discrete periods of time, and the time horizon begins at $t = 0$.³

³ In the literature, a problem such as this one is called the Ramsey model. For the original problem, see Ramsey (1928); for a Ramsey-like objective function, see Barro and Sala-i-Martin (2006, pp.214-215) for the Ramsey-like objective function. For the discrete-time formulation of the one-sector neoclassical growth model, see Takayama (1973), Obstfeld and Rogoff (1996); for the continuous-time formulation, see Takayama (1973), Blanchard and Fischer (1989), Barro and Sala-i-Martin (2004). Also see Cass (1965) and Koopmans (1965).

The first equation in (1) is the objective functional which is additively separable because it is a sum of functions. Each $u(c_t)$ in the sum is weighted by β^t which declines as t increases, indicating declining weights for future utilities. The second contains the sequence of resource constraints, one constraint for each period t . The second and the third, $k_0 > 0$ and the *TVC* (transversality condition), are the boundary conditions.

Note that the assumptions about $u(c_t)$ and $f(k_t)$ have led to a simpler problem (1) because they imply that the resource constraints always bind, $c_t > 0$, and $k_t > 0$; therefore, the non-negativity constraints on c_t and k_t can be ignored. In addition, they ensure that the first-order conditions (*FOCs*) for optimization which are necessary are also sufficient.

Although the *Ramsey* model is an infinite horizon model, the usual strategy is to consider a finite horizon ($t = 0, 1, 2, \dots, T$ where T is the final period). The *TVC* (a terminal condition in this case) may either be imposed as in (1) but here it is replaced by the non-negativity constraint $K_T \geq 0$ which will make the derivation of the *TVC* as part of the *K-T FOCs* and thereby provide intuition for the imposed/asserted *TVC* in the infinite horizon case.

3. Alternative Methods of Intertemporal Optimization

In this section, we derive the necessary *FOCs*, the conditions that must be satisfied by the solution to the optimization problem, using four alternative methods/approaches: the *Lagrangian* method, the *substitution* method, the *Hamiltonian* method, and the *dynamic programming* approach.

For easier tractability but without loss of generality, we assume here that there only three periods. In this case, the problem, (1), becomes

$$\begin{aligned}
U_0 \equiv \max_{c_0, c_1, c_2} & \left\{ U = \sum_{t=0}^2 \beta^t u(c_t) = u(c_0) + \beta u(c_1) + \beta^2 u(c_2) \right\} \\
s.t. & \left. \begin{aligned}
k_{t+1} - k_t &= \frac{f(k_t) - c_t - (n + \delta)k_t}{1 + n}, \quad (t = 0, 1, 2) \\
k_3 &\geq 0 \\
k_0 &> 0 \text{ given}
\end{aligned} \right\}. \tag{2}
\end{aligned}$$

As shown in the next section, each of the four alternative methods of dynamic optimization yields results that boil down to

$$\frac{u'(c_t)}{u'(c_{t+1})} = \beta(1 + f'(k_{t+1}) - \delta), \quad t = 0, 1 \tag{3.1}$$

$$k_{t+1} - k_t = \frac{f(k_t) - c_t - (n + \delta)k_t}{1 + n}, \quad t = 0, 1, 2 \tag{3.2}$$

$$TVC, \tag{3.3.1}$$

$$k_0 > 0 \text{ given}, \tag{3.3.2}$$

i.e., a system of two non-linear first-order difference equations ((3.1) and (3.2)) and two boundary conditions ((3.3.1) and (3.3.2)), which are the conditions that must be satisfied by the solution to the problem, (2). Whether the horizon is finite or infinite, these conditions (with the time span and the *TVC* modified accordingly) apply.

We have presented these conditions at the outset not only to minimize repetitions but also to provide some intuition on the results.

(3.2), which we now refer to as ‘the’ resource constraint, is also called the *capital accumulation* equation. It says that per capita net investment ($k_{t+1} - k_t$) equals per capita net output ($f(k_t) - \delta k_t$) minus per capita consumption c_t .

(3.1) is a difference equation showing the relationship between $u'(c_t)$ and $u'(c_{t+1})$ and, thus, between c_t and c_{t+1} . In macroeconomics, it is known as the *consumption-Euler* equation.

It may be rewritten as

$$-u'(c_t) + \beta u'(c_{t+1})(1 + f'(k_{t+1}) - \delta) = 0,$$

which states that, at the optimum, the net change in utility arising any consumption reallocation is zero. Note that one unit less of per capita consumption in period t means having one unit more of per capita capital in period $t + 1$ and thus $(1 + f'(k_{t+1}) - \delta)$ units more of per capita output to consume in period $t + 1$. The effect on maximized utility of reducing per capita consumption in period t by one unit is $-u'(c_t)$. The effect on maximized utility of increasing per capita consumption in period $t + 1$ by $(1 + f'(k_{t+1}) - \delta)$ units is $u'(c_{t+1})(1 + f'(k_{t+1}) - \delta)$; but since this gain is occurs in $t + 1$, it must be discounted, yielding $\beta u'(c_{t+1})(1 + f'(k_{t+1}) - \delta)$. At the optimum, the sum of the two effects must be zero, i.e., the net discounted gain from any consumption reallocation is zero. Equivalently,

$$u'(c_t) = \beta u'(c_{t+1})(1 + f'(k_{t+1}) - \delta), \quad t = 0,1 \quad (3.1')$$

i.e., the cost in utility for foregoing one more unit of per capita consumption in period t and thus saving one more unit of per capita capital for period $t + 1$ ($u'(c_t)$) is equal to the discounted gain in utility from the increase in units of per capita consumption in period $t + 1$ due to the increase in output in period $t + 1$ made possible by one more unit of per capita capital in period $t + 1$ ($\beta u'(c_{t+1})(1 + f'(k_{t+1}) - \delta)$).

(3.1) may also be rewritten as

$$\frac{u'(c_t)}{\beta u'(c_{t+1})} = 1 + f'(k_{t+1}) - \delta, \quad t = 0,1 \quad (3.1'')$$

i.e., the marginal rate of substitution (*MRS*) between per capita consumption in periods t and $t + 1$ ($u'(c_t)/\beta u'(c_{t+1})$) is equal to the marginal rate of transformation (*MRT*), from production,

between per capita consumption in periods t and $t + 1$ ($1 + f'(k_{t+1}) - \delta$).⁴

In macroeconomics, (3.1) [or (3.1') or (3.1'')] is known as the *consumption-Euler* equation, also called the *Keynes-Ramsey* rule (Blanchard and Fischer (1989)).

3.1 Lagrange (or Lagrange-Kuhn-Tucker) Method

In the *Lagrangian* method, the objective function and the constraints are combined into a single function called the *Lagrangian*.⁵ Letting $\mu_{t+1} > 0$ as the Lagrange multiplier for the period-

t resource constraint and ν as the *Lagrange* multiplier for the non-negativity constraint on the terminal stock of per capita capital, the *Lagrangian* of the full problem over all three periods (2) is

$$L = \sum_{t=0}^2 \left\{ \beta^t u(c_t) + \mu_{t+1} \left[\frac{f(k_t) - c_t - (n + \delta)k_t}{1 + n} + (k_{t+1} - k_t) \right] \right\} + \nu k_3, \quad (4)$$

where $k_0 > 0$ is given. The yet undetermined variable μ_{t+1} is interpreted as the marginal value as of time 0, or the shadow price in present value terms, of k_{t+1} at time $t + 1$.⁶

The first-order conditions for optimality are:

⁴ (3.1'') can also be rewritten as $\frac{u'(c_{t+1})}{\beta u'(c_t)} = 1 + f'(k_t) - \delta, \quad t = 1, 2$

⁵ Obstfeld and Rogoff (1996) use the Lagrangian method.

⁶ It should be noted if the problem is in discrete-time rather than in continuous-time, we have to have to decide which 'price' to use – whether this period's 'price' or the next period's 'price' – to value the capital stock carried over to the next period. Takayama (1973) uses this period's price. Here, following Dixit (1980), we use the next period's price.

$$\left. \begin{aligned}
\partial L / \partial c_t = 0 & \Rightarrow \beta^t u'(c_t) = \mu_{t+1}, & t = 0, 1, 2 \\
\partial L / \partial k_t = 0 & \Rightarrow \mu_t = \mu_{t+1}(1 + f'(k_t) - \delta), & t = 1, 2 \\
\partial L / \partial \mu_{t+1} = 0 & \Rightarrow k_{t+1} - k_t = \frac{f(k_t) - c_t - (n + \delta)k_t}{1 + n}, & t = 0, 1, 2 \\
\partial L / \partial k_3 = 0 & \Rightarrow \mu_3 = \upsilon \\
\upsilon \geq 0, \partial L / \partial \upsilon = k_3 \geq 0, \upsilon(\partial L / \partial \upsilon) = \upsilon k_3 = 0 & \Rightarrow \mu_3 k_3 = k_3 = 0
\end{aligned} \right\} (5)$$

The *FOCs* with respect to c_t say that the discounted marginal utility of per capita consumption in period t ($\beta^t u'(c_t)$) is equal to the shadow price in present value terms of k_{t+1} at t (μ_{t+1}).

The *FOCs* with respect to μ_{t+1} simply recovers the sequence of resource constraint (the second equation in (2)). Note that the resource constraint always bind and its multiplier μ_{t+1} is positive.

In the *Lagrangian* method, the *TVC* can be derived as part of the first-order conditions.

The first-order Kuhn-Tucker condition associated with the constraint $k_3 \geq 0$ is

$\upsilon(\partial L / \partial \upsilon) = \upsilon k_3 = 0$, with $\upsilon \geq 0$ and $\partial L / \partial \upsilon = k_3 \geq 0$. Substituting out for υ , which is equal to μ_3 , this condition can be written as

$$\mu_3 k_3 = 0.$$

This boundary condition, called the transversality condition, says that if the stock of per capita capital left is positive ($k_3 > 0$), then its shadow price must be zero ($\mu_3 = 0$) or, if the stock of per capita capital at the terminal time has a positive unit value ($\mu_3 > 0$), then no per capita capital must be left ($k_3 = 0$). But $\mu_3 > 0$, since $\mu_3 = u'(c_2)$ and $u'(c_t) > 0$. Thus, the condition $\mu_3 k_3 = 0$ is reduced to the terminal condition

$$k_3 = 0 .$$

The remaining *FOC* for the problem relates to k . But there is a problem of $k_t (t = 1,2)$ [or $k_{t+1} (t = 0,1)$] appearing in two terms of the sum (RHS of (4)). Unlike the c 's which have the same time subscript t and the μ 's which have the same time subscript $t + 1$, k appears in the Lagrangian (4) as k_t and k_{t+1} . This is so because k is a dynamic variable. To avoid confusion, we therefore write the problem in expanded form:

$$L = u(c_0) + \beta u(c_1) + \beta^2 u(c_2) + \mu_1 \left[\frac{f(k_0) - c_0 - (n + \delta)k_0}{1 + n} - (k_1 - k_0) \right] + \mu_2 \left[\frac{f(k_1) - c_1 - (n + \delta)k_1}{1 + n} - (k_2 - k_1) \right] + \mu_3 \left[\frac{f(k_2) - c_2 - (n + \delta)k_2}{1 + n} - (k_3 - k_2) \right] + \nu k_3. \quad (4')$$

The partial derivatives of the Lagrangian with respect to k_1 and k_2 are

$$\begin{aligned} \partial L / \partial k_1 = 0 & \quad \Rightarrow \quad \mu_1 = \mu_2 (1 + f'(k_1) - \delta), \\ \partial L / \partial k_2 = 0 & \quad \Rightarrow \quad \mu_2 = \mu_3 (1 + f'(k_2) - \delta), \end{aligned}$$

which can be written in a compact form as

$$\partial L / \partial k_t = 0 \quad \Rightarrow \quad \mu_t = \mu_{t+1} (1 + f'(k_t) - \delta), \quad t = 1,2$$

or

$$\partial L / \partial k_{t+1} = 0 \quad \Rightarrow \quad \mu_{t+1} = \mu_{t+2} (1 + f'(k_{t+1}) - \delta), \quad t = 0,1$$

which is the second equation in (5). The *FOCs* with respect to $k_t (t = 1,2)$ [or $k_{t+1} (t = 0,1)$] captures how μ changes from one period to another. The shadow price of $k_{t+1} (t = 0,1)$, μ_t , depends on μ_{t+1} .

Notice that in the *Lagrangian* set-up, $c_0 [c_1]$ is chosen directly and $k_1 [k_2]$ indirectly, since $k_1 [k_2]$ adjusts indirectly as a result of the choice of $c_0 [c_1]$. Specifically, at the beginning of period 0 [1], $k_0 [k_1]$ is already given and choosing $c_0 [c_1]$ to maximize the *Lagrangian* and therefore U indirectly leads to the choice of $k_1 [k_2]$; in period 2, the final period, k_2 is already given and the choice of c_2 becomes trivial because of the terminal condition $k_3 = 0$. But the *Lagrangian* is also maximized with respect to $k_{t+1} (t = 0,1)$ in order to yield an additional first-order condition, a condition that is needed since μ_{t+1} needs to be determined as well.

The *FOCs* with respect to c , k , and μ determine the optimal sequence for all three variables - (c_0, c_1, c_2) , $(k_1, k_2; k_0 \text{ given and } k_3 = 0)$, and (μ_1, μ_2, μ_3) . But the usual practice is to combine the *FOCs* with respect to c and the *FOCs* with respect to c_t as follows,

$$\frac{u'(c_{t-1})}{\beta u'(c_t)} = \frac{\mu_t}{\mu_{t+1}} = 1 + f'(k_t) - \delta, \quad t = 1, 2$$

or

$$\frac{u'(c_t)}{\beta u'(c_{t+1})} = \frac{\mu_{t+1}}{\mu_{t+2}} = 1 + f'(k_{t+1}) - \delta, \quad t = 0, 1$$

so as to get the consumption-*Euler* equation ((3.1) or (3.1') or (3.1'')).

Thus, the solution to (2) - $k_{t+1} (t = 0,1)$ and $c_t (t = 0,1,2)$ - must satisfy the consumption-*Euler* equation (3.1 or 3.1' or 3.1''), the period resource constraints (3.2), the initial condition (3.3.1), and the terminal condition (3.3.2)).

3.2 Substitution Method

In the *substitution* method, the problem, (2), is converted into an unconstrained

maximization problem in the choice variables k_{t+1} ($t = 0,1$).⁷ Each of the period- t resource constraint which is binding (and therefore hold as an equality) is used to solve for the choice variable c_t as a function of k_t and k_{t+1} : $c_t = f(k_t) - (n + \delta)k_t - (1 + n)(k_{t+1} - k_t)$, $t = 0,1,2$, and this function is used to substitute for c_t in the objective function in (2). Next, in this case where the horizon is finite, the terminal condition ($c_3 = 0$) is imposed. The resulting function is then maximized with respect to k_t ($t = 1,2$),

$$\max_{k_1, k_2} \left\{ U \equiv \sum_{t=0}^2 \underbrace{u(f(k_t) - (n + \delta)k_t - (1 + n)(k_{t+1} - k_t))}_{c_t} \right\}, \quad (6)$$

where $k_0 > 0$ is taken as given and $k_3 = 0$ is imposed.

However, as in the *Lagrangian* method, there is a problem of k_{t+1} ($t = 0,1$) appearing in two terms of the sum (see (6) below). Specifically, k_1 appears in the c_0 and c_1 terms and k_2 appears in the c_1 and c_2 terms. This is so because we are dealing with a dynamic problem. So we write the problem in expanded form:

$$U_0 = \max_{k_1, k_2} \left\{ \underbrace{u(f(k_0) - (n + \delta)k_0 - (1 + n)(k_1 - k_0))}_{c_0} + \beta \underbrace{u(f(k_1) - (n + \delta)k_1 - (1 + n)(k_2 - k_1))}_{c_1} \right. \\ \left. + \beta^2 \underbrace{u(f(k_2) - (n + \delta)k_2 - (1 + n)(k_3 - k_2))}_{c_2} \right\} \\ \text{s.t. } k_0 > 0 \text{ given} \\ k_3 = 0 \quad (6')$$

The first-order conditions (FOCs) on k_t ($t = 1,2$) are

⁷ Obstfeld and Rogoff (1996) use the so-called substitution method.

$$\begin{aligned}
\partial U_0 / \partial k_1 &= u' \underbrace{(f(k_0) - (n + \delta)k_0 - (1 + n)(k_1 - k_0))}_{c_0} (-1) \\
&\quad + \beta u' \underbrace{(f(k_1) - (n + \delta)k_1 - (1 + n)(k_2 - k_1))}_{c_1} (1 + f'(k_1) - \delta) = 0, \\
\partial U_0 / \partial k_2 &= \beta u' \underbrace{(f(k_1) - (n + \delta)k_1 - (1 + n)(k_2 - k_1))}_{c_1} (-1) \\
&\quad + \beta^2 u' \underbrace{(f(k_2) - (n + \delta)k_2 - (1 + n)(k_3 - k_2))}_{c_2} (1 + f'(k_2) - \delta) = 0,
\end{aligned}$$

which can now be written in a compact form as

$$\begin{aligned}
\partial U_0 / \partial k_t &= \beta^{t-1} u' \underbrace{(f(k_{t-1}) - (n + \delta)k_{t-1} - (1 + n)(k_t - k_{t-1}))}_{c_{t-1}} (-1) \\
&\quad + \beta^t u' \underbrace{(f(k_t) - (n + \delta)k_t - (1 + n)(k_{t+1} - k_t))}_{c_t} (1 + f'(k_t) - \delta) = 0, \quad t = 1, 2
\end{aligned} \tag{7.1}$$

yielding the Euler equation

$$\frac{u' \underbrace{(f(k_{t-1}) - (n + \delta)k_{t-1} - (1 + n)(k_t - k_{t-1}))}_{c_{t-1}}}{u' \underbrace{(f(k_t) - (n + \delta)k_t - (1 + n)(k_{t+1} - k_t))}_{c_t}} = \beta (1 + f'(k_t) - \delta), \quad t = 1, 2 \tag{7.2}$$

where $k_0 > 0$ is given and $k_3 = 0$, which is a second-order difference equation in k . Clearly, the *FOCs* on $k_t (t = 1, 2)$ can be rewritten to yield the consumption-*Euler* equation ((3.1) or (3.1') or (3.1'')).

As in the *Lagrangian* method, the ‘solution’ to (2) - $k_{t+1} (t = 0, 1)$ and $c_t (t = 0, 1, 2)$ - must satisfy the consumption-*Euler* equation, the period resource constraints, the initial condition, and the terminal condition.

In the *substitution* method, the unconstrained problem of choosing $k_{t+1} (t = 0, 1)$, with $k_0 > 0$ given and $k_3 = 0$ imposed, to maximize U can be thought of as one where

c_t ($t = 0,1,2$) is optimally chosen. This is so because at the beginning of period 0 [1], k_0 [k_1] is already given and therefore choosing k_1 [k_2] to maximize U implicitly pins down the optimal c_0 [c_1]; at the beginning of period 2, the final period, k_2 is also already given and it is the terminal condition $k_3 = 0$ which implicitly pins down c_2 .

3.3 *Hamiltonian Method*

Here, we use the *Lagrangian* to derive the so-called ‘*Hamiltonian recipe*’ for dynamic optimization.⁸ The *Hamiltonian recipe* is a shortcut but leads to identical results.

Having derived the *TVC* using the *LKT* method, we now simply assert/impose it in order to simplify the problem. The *Lagrangian* for the problem, (4), is rewritten below:

$$L = \sum_{t=0}^2 \left\{ \beta^t u(c_t) + \mu_{t+1} \left[\frac{f(k_t) - c_t - (n + \delta)k_t}{1 + n} \right] - \mu_{t+1}(k_{t+1} - k_t) \right\} + \nu k_3. \quad (8)$$

In the *Lagrangian* method discussed earlier, we have seen that the *FOCs* with respect to c_t ($t = 0,1,2$) and the *FOCs* with respect to μ_{t+1} ($t = 0,1,2$), which recover the period resource constraints, can easily be derived even without expanding the *Lagrangian* because the c 's have the same time subscript t and the μ 's have the same time subscript $t + 1$.⁹ But this is not so in the case of k which appears as k_t and k_{t+1} . Equivalently, k_t ($t = 1,2$) appears in two terms of the sum in (8). For instance, k_1 appears as $\mu_2 k_1$ in the term $t = 1$ and as $-\mu_1 k_1$ in the term $t = 0$; thus, getting $\partial L / \partial k_1$ is not that straightforward unless the *Lagrangian* is written in expanded form.

⁸ For details, see Arrow and Kurz (1969), Dixit (1980), Takayama (1973), Dorfman (1969), Intrilligator (1971), Kamien and Schwartz (1981), Chiang (1992), and Pontryagin et al (1962). Blanchard and Fischer (1989) and Barro and Sala-i-Martin (2004) use the Hamiltonian most of the time.

⁹ Again, Takayama (1973) uses this period's price; here, following Dixit (1980), we use the next period's price.

To make $k_t (t = 1,2)$ appear only in one term of the sum, we rewrite the term

$-\sum_{t=0}^2 \mu_t (k_{t+1} - k_t)$ in (8) as follows:

$$\begin{aligned} -\sum_{t=0}^2 \mu_{t+1} (k_{t+1} - k_t) &= \sum_{t=0}^2 \mu_{t+1} (k_t - k_{t+1}) \\ &= \mu_1 (k_0 - k_1) + \mu_2 (k_1 - k_2) + \mu_3 (k_2 - k_3) \\ &= (\mu_2 - \mu_1)k_1 + (\mu_3 - \mu_2)k_2 - (\mu_3 k_3 - \mu_1 k_0), \end{aligned}$$

or, in a compact form,

$$-\sum_{t=0}^2 \mu_{t+1} (k_{t+1} - k_t) = -(\mu_3 k_3 - \mu_1 k_0) + \sum_{t=1}^2 (\mu_{t+1} - \mu_t) k_t, \quad (8.1)$$

Where k_0 and k_3 are *not* choice variables. Using (8.1), the *Lagrangian* can be rewritten as

$$L = \sum_{t=0}^2 \left\{ \beta^t u(c_t) + \mu_{t+1} \left[\frac{f(k_t) - c_t - (n + \delta)k_t}{1 + n} \right] \right\} + \sum_{t=1}^2 \{ (\mu_{t+1} - \mu_t) k_t \} - (\mu_3 k_3 - \mu_1 k_0) + \nu k_3, \quad (8')$$

or

$$\begin{aligned} L = \sum_{t=1}^2 \left\{ \beta^t u(c_t) + \mu_{t+1} \left[\frac{f(k_t) - c_t - (n + \delta)k_t}{1 + n} \right] + (\mu_{t+1} - \mu_t) k_t \right\}, \\ + u(c_0) + \mu_1 \left[\frac{f(k_0) - c_0 - (n + \delta)k_0}{1 + n} \right] - (\mu_3 k_3 - \mu_1 k_0) + \nu k_3 \end{aligned} \quad (8'')$$

and we can now easily get the *FOCs* with respect to $k_t (t = 1,2)$. In (8''), it is now μ which has different time subscripts t and $t + 1$ but this does not pose a problem provided that the resource constraint is satisfied. Note that the *FOCs* with respect to $\mu_{t+1} (t = 0,1,2)$ merely recover the period- t resource constraints. The problem of choosing $c_t (t = 0,1,2)$ and $k_t (t = 1,2)$ is now a single-period optimization problem.

Defining a function, called the *Hamiltonian*, as

$$H(k_t, c_t, \mu_{t+1}) \equiv \beta^t u(c_t) + \mu_{t+1} \left[\frac{f(k_t) - c_t - (n + \delta)k_t}{1 + n} \right]. \quad (9)$$

The choice of c_t affects k_{t+1} via the period t resource constraint, and this effect of c_t on k_{t+1}

equals its effect on $\left(\frac{f(k_t) - c_t - (n + \delta)k_t}{1 + n}\right)$. Multiplying this effect by μ_{t+1} or the shadow price

of k_{t+1} at t yields the resulting change in the objective function. The product

$\mu_{t+1} \left(\frac{f(k_t) - c_t - (n + \delta)k_t}{1 + n}\right)$ which captures such resulting change is then added to the term

$\beta^t u(c_t)$, yielding the *Hamiltonian* (9).

Rewrite the *Lagrangian* emphasizing the *Hamiltonian* as follows:

$$\begin{aligned} L &= \sum_{t=0}^2 \{H(k_t, c_t, \mu_{t+1}) - \mu_{t+1}(k_{t+1} - k_t)\} + \nu k_3 \\ &= \sum_{t=0}^2 H(k_t, c_t, \mu_{t+1}) + \sum_{t=1}^2 (\mu_{t+1} - \mu_t)k_t - (\mu_3 k_3 - \mu_1 k_0) + \nu k_3 \\ &= \sum_{t=1}^2 \{H(k_t, c_t, \mu_{t+1}) + (\mu_{t+1} - \mu_t)k_t\} + u(c_0) + \mu_1 \left[\frac{f(k_0) - c_0 - (n + \delta)k_0}{1 + n} \right] \\ &\quad - (\mu_3 k_3 - \mu_1 k_0) + \nu k_3 \end{aligned}, \quad (10)$$

where, again, $H(k_t, c_t, \mu_{t+1}) \equiv \beta^t u(c_t) + \mu_{t+1} \left[\frac{f(k_t) - c_t - (n + \delta)k_t}{1 + n} \right]$ and k_0 is historically given

and *not* a choice variables since k_0 and $k_3 = 0$.

The first-order conditions are

$$\left. \begin{aligned} \partial L / \partial c_t &= \partial H / \partial c_t = 0, & t = 0, 1, 2 \\ \partial L / \partial k_t &= \partial H / \partial k_t + (\mu_{t+1} - \mu_t) = 0, & t = 1, 2 \\ \partial L / \partial \mu_{t+1} &= \partial H / \partial \mu_{t+1} - (k_{t+1} - k_t) = 0, & t = 0, 1, 2 \\ \partial L / \partial k_3 &= -\mu_3 + \nu = 0 \\ \nu &\geq 0, \partial L / \partial \nu = k_3 \geq 0, \nu(\partial L / \partial \nu) = 0 \\ k_0 &> 0 \text{ is given} \end{aligned} \right\} \quad (11)$$

which can be rewritten as

$$\left. \begin{aligned} \partial H / \partial c_t &= 0, & t &= 0,1,2 \\ \mu_{t+1} - \mu_t &= -\partial H / \partial k_t, & t &= 1,2 \\ k_{t+1} - k_t &= \partial H / \partial \mu_{t+1}, & t &= 0,1 \end{aligned} \right\} \quad (11')$$

where $k_0 > 0$ given and $\mu_3 k_3 = 0$. The *FOCs* for the maximization of the objective function s.t. to the period resource constraints and the boundary conditions (see (2)), are: for each period $t (= 0,1,2)$, c_t maximizes the *Hamiltonian* $H(c_t, k_t, \mu_{t+1})$ and the changes in k_t and μ_t obey the difference equations in (11') and must satisfy the initial condition $k_0 > 0$ given and the terminal condition $k_3 = 0$. This is Pontryagin et al's *maximum principle* (see Pontryagin et al (1962), Arrow and Kurz (1969), and Dixit (1980)).

Using the *Hamiltonian* recipe and the *Hamiltonian*, the first-order conditions, (11'), can be rewritten as

$$\left. \begin{aligned} \partial H / \partial c_t &= 0: & \beta' u(c_t) &= \mu_{t+1}, & t &= 0,1,2 \\ \mu_{t+1} - \mu_t &= -\partial H / \partial k_t: & \mu_{t+1} - \mu_t &= -\mu_{t+1}(f'(k_t) - \delta), & t &= 1,2 \\ k_{t+1} - k_t &= \partial H / \partial \mu_{t+1}: & k_{t+1} - k_t &= \frac{F(k_t) - c_t - (n + \delta)k_t}{1 + n}, & t &= 0,1,2 \\ \mu_3 k_3 &= 0 \\ k_0 &> 0 \text{ given} \end{aligned} \right\}, \quad (12)$$

which are of course the same as those using the *Lagrangian* method. [Note that the second equation in (12) $\mu_{t+1} - \mu_t = -\mu_{t+1}(f'(k_t) - \delta)$, can be rewritten as the second equation in (5),

$$\mu_t = \mu_{t+1}(1 + f'(k_t) - \delta).]$$

The *FOCs* with respect to k_t ($t = 1,2$) indicate that the change in the value of a unit of per capita capital or “capital gains” ($\mu_{t+1} - \mu_t$) plus the value of the net return on a unit of per capita capital or “dividends” ($\mu_{t+1}(f'(k_t) - \delta)$) must be zero. It can be interpreted as follows. A marginal unit of k_t yields the marginal return $(f'(k_t) - \delta)$ valued at μ_{t+1} . Thus, $\mu_{t+1}(f'(k_t) - \delta)$ can be thought of as a dividend in present value terms. $(\mu_{t+1} - \mu_t)$ is like a capital gain in present value terms. When k_t is optimal, the overall return $((\mu_{t+1} - \mu_t) + \mu_{t+1}(f'(k_t) - \delta))$ should be zero. In other words, the shadow prices take values that do not allow for an excess return from holding the stock; this is an intertemporal no-arbitrage condition.¹⁰

Again, the *FOCs* with respect to c_t and the *FOCs* with respect to k_{t+1} can be combined

$$\begin{aligned}\mu_{t+1} - \mu_t &= -\mu_{t+1}(f'(k_t) - \delta) \\ \beta^{t+1}u'(c_{t+1}) - \beta^t u'(c_t) &= -\beta^{t+1}u'(c_{t+1})(f'(c_t) - \delta)\end{aligned}$$

to yield the consumption-*Euler* equation ((3.1) or (3.1') or (3.1'')).

Thus, as in the *Lagrangian* method and the *substitution* method, the ‘solution’ to (2) – k_t ($t = 1,2$) and c_t ($t = 0,1,2$) – must satisfy the consumption-*Euler* equation, the period resource constraints, the initial condition, and the terminal condition.

3.4 *Dynamic Programming*

In the *Hamiltonian* method, the full problem over all periods is reduced to a single-period

¹⁰ See Dixit (1980), Kamien and Schwartz (1981), and Dorfman (1969).

(static) optimization problem. In contrast, in the *dynamic programming* approach, the full T -period intertemporal problem is broken into T separate static (two-period, but effectively single-period) optimization problems. This method of optimization over time as a sequence/succession of static optimization problems is known as *Bellman's Dynamic Programming*.¹¹

Choose any t and consider the decision about c_t at time t . Any particular choice of c_t will lead to next period's per capita capital stock k_{t+1} (see the period t budget constraint and note that k_t is the per capita capital stock as of the beginning of period t and therefore is taken as given during period t). Thereafter, it remains to solve the sub-problem starting at $t + 1$, and achieve the maximum value $W_{t+1}(k_{t+1})$. Then the total value starting with k_t at t can be broken down into two terms: $u(c_t)$ that accrues at once, and $\beta W_{t+1}(k_{t+1})$ that accrues thereafter. The choice of c_t should maximize the sum of these two terms, i.e., $u(c_t) + \beta W_{t+1}(k_{t+1})$ for this one t .

This is *Bellman's principle of optimality*: “An optimal policy has the property that whatever the initial state and initial decision are, the remaining decisions must constitute an optimal policy with regard to the state resulting from the first decision.” (Bellman (1957, p. 83)).

In other words, “an individual who plans to optimize starting tomorrow can do no better today than to optimize taking the future optimal plans as given” (Obstfeld and Rogoff (1996)).

With finite (infinite) horizon, this involves choosing a finite (an infinite) sequence of per capita consumption or per capita capital accumulation, one for each period t . But the problem of solving for a finite (an infinite) sequence can be replaced by the problem of solving for a single unknown function W , a value function.

¹¹ For details, see Arrow and Kurz (1969), Dixit (1980), Sargent (1987), and Bellman (1957).

3.4.1 Dynamic Programming by Backward Recursion

Here, the full 3-period intertemporal problem can be broken into 3 separate static (single-period) problems. The sequence of problems can be solved either forward or backward. With finite horizon, it is easier to solve the problem backward, as illustrated below:

$$\begin{aligned}
 W(k_0) &\equiv \max_{\substack{c_0, c_1, c_2 \\ k_0 \text{ given}, k_3=0}} \{u(c_0) + \beta u(c_1) + \beta^2 u(c_2)\} \\
 &\equiv \max_{\substack{c_0 \\ k_0 \text{ given}}} \left\{ u(c_0) + \beta \underbrace{\max_{\substack{c_1 \\ k_1 \text{ given}}} \left\{ u(c_1) + \beta \underbrace{\max_{\substack{c_2 \\ k_2 \text{ given}, k_3=0}} \left\{ u(c_2) + \beta \overbrace{W(k_3)}^{=0} \right\}} \right\}}_{W(k_2)} \right\}}_{W(k_1)} \right\} \quad (13)
 \end{aligned}$$

where each maximization problem is subject to the relevant period constraint.

Period- T (Last Period) Problem: Period- 2 Problem. The period-2 problem is

$$\begin{aligned}
 W(k_2) &\equiv \max_{\substack{c_2 \\ \text{s.t.} \\ k_3 - k_2 = \frac{f(k_2) - c_2 - (n+\delta)k_2}{1+n} \\ k_2 \text{ given}, k_3=0}} \{u(c_2) + \beta W(k_3)\} \equiv \max_{\substack{c_2 \\ \text{s.t.} \\ k_3 - k_2 = \frac{f(k_2) - c_2 - (n+\delta)k_2}{1+n} \\ k_2 \text{ given}, k_3=0}} u(c_2) , \quad (14.1)
 \end{aligned}$$

since $k_3 = 0$. The RHS of (14.1) is a straightforward static optimization problem, yielding the optimal choice¹²

$$c_2^* = f(k_2) - c_2 + (1 - \delta)k_2 , \quad (14.2)$$

and the maximum value function

$$W(k_2) \equiv u(c_2^*) = u[f(k_2) + (1 - \delta)k_2] \quad (14.3)$$

which can be used in the $T-1$ problem. Note from (14.3) that

$$\partial W(k_2) / \partial k_2 = u'(c_2^*) (1 + f'(k_2) - \delta) . \quad (14.4)$$

¹² The period- 2 resource constraint, noting that $k_3 = 0$ and k_2 is given as of the beginning of period 2, yields the value of c_2^* (14.2).

Period- T-1 Problem: Period-1 problem. The period-1 problem is given by the RHS of the equation below:

$$W(k_1) \equiv \max_{\substack{c_1 \\ s.t. k_2 - k_1 = \frac{f(k_1) - c_1 - (n+\delta)k_1}{1+n} \\ k_1 \text{ given}}} \{u(c_1) + \beta W(k_2)\}. \quad (15.1)$$

(15.1) yields

$$\frac{\partial W(k_1)}{\partial c_1} = u'(c_1) + \beta \frac{\partial W(k_2)}{\partial k_2} \underbrace{\frac{\partial k_2}{\partial c_1}}_{=-1} = 0 \Rightarrow u'(c_1) = \beta \frac{\partial W(k_2)}{\partial k_2} \quad (15.2)$$

Noting from (14.4) that $\partial W(k_2) / \partial k_2 = u'(c_2^*)(1 + f'(k_2) - \delta)$, (15.2) becomes

$$u'(c_1) = \beta \underbrace{\frac{\partial W(k_2)}{\partial k_2}}_{=u'(c_2^*)(1+f'(k_2)-\delta)} \Rightarrow u'(c_1) = \beta u'(c_2)(1 + f'(k_2) - \delta), \quad (15.3)$$

and gives the value function

$$W_1(k_1) \equiv u(c_1^*) + \beta W(k_2^*), \quad (15.4)$$

where

$$\begin{aligned} \frac{\partial W(k_1)}{\partial k_1} &= u'(c_1^*) \left[(1 + f'(k_1) - \delta) - \frac{\partial k_2^*}{\partial k_1} \right] + \beta \frac{\partial W(k_2^*)}{\partial k_2} \frac{\partial k_2^*}{\partial k_1} \\ &= u'(c_1^*)(1 + f'(k_1) - \delta) + \underbrace{\left[\beta \frac{\partial W(k_2^*)}{\partial k_2} - u'(c_1^*) \right]}_{=0} \frac{\partial k_2^*}{\partial k_1} \\ &= u'(c_1^*)(1 + f'(k_1) - \delta) \end{aligned} \quad (15.5)$$

$$\begin{aligned}
\frac{\partial W(k_1)}{\partial c_1} &= u'(c_1^*) \frac{\partial c_1^*}{\partial k_1} + \beta \frac{\partial W(k_2^*)}{\partial k_2} \underbrace{\left[(1 + f'(k_1) - \delta) - \frac{\partial c_1}{\partial k_1} \right]}_{\frac{\partial k_2}{\partial k_1}} \\
&= \beta \frac{\partial W(k_2^*)}{\partial k_2} (1 + f'(k_1) - \delta) + \underbrace{\left[u'(c_1^*) - \beta \frac{\partial W(k_2^*)}{\partial k_2} \right]}_{=0} \frac{\partial c_1}{\partial k_1} \\
&= \beta \frac{\partial W(k_2^*)}{\partial k_2} (1 + f'(k_1) - \delta)
\end{aligned} \tag{15.6}$$

Period-0 Problem.

$$\begin{aligned}
W(k_0) \equiv & \max_{c_0} \{u(c_0) + \beta W(k_1)\} \\
\text{s.t. } & k_1 - k_0 = \frac{f(k_0) - c_0 - (n + \delta)k_0}{1+n} \\
& k_0 \text{ given}
\end{aligned} \tag{16.1}$$

(16.1) yields

$$\frac{\partial W(k_0)}{\partial c_0} = u'(c_0) + \beta \frac{\partial W(k_1)}{\partial k_1} \underbrace{\frac{\partial k_1}{\partial c_0}}_{=-1} = 0 \Rightarrow u'(c_0) = \beta \frac{\partial W(k_1)}{\partial k_1} \tag{16.2}$$

Noting from (15.5) that $\frac{\partial W(k_1)}{\partial k_1} = u'(c_1^*)(1 + f'(k_1) - \delta)$, (16.2) becomes

$$u'(c_0) = \beta \underbrace{\frac{\partial W(k_1)}{\partial k_1}}_{=u'(c_1^*)(1+f'(k_1)-\delta)} \Rightarrow u'(c_0) = \beta [u'(c_1^*)(1 + f'(k_1) - \delta)] \tag{16.3}$$

and gives the value function

$$W(k_0) \equiv u(c_0^*) + \beta W(k_1^*) \tag{16.4}$$

where $W(k_0)$ is the value of lifetime utility when the starting level of per capita capital is k_0 .

Finally, notice that (15.3) and (16.3) can be written in compact form as the consumption-*Euler* equation.

3.4.2 Dynamic Programming: Recipe

Step 1. Write the problem in terms of the Bellman equation. The optimization problem, (2), be written as

$$\begin{aligned}
 W(k_t) &\equiv \max_{c_t} \{u(c_t) + \beta W(k_{t+1})\} \\
 \text{s.t. } k_{t+1} - k_t &= \frac{f(k_t) - c_t - (n + \delta)k_t}{1 + n} \\
 k_t &\text{ given} \\
 k_0 &> 0 \text{ given} \\
 k_{T+1} &= 0
 \end{aligned} \tag{17}$$

where $W(k)$ is a value function (a current-value return function). Specifically, $W(k_t)$ is the value of today's per capita capital stock k_t and $\beta W(k_{t+1})$ is the value of tomorrow's per capita capital stock k_{t+1} . The first equation in (17) is known as the Bellman equation. Note that $W(k_{t+1})$ is an unknown function.

Step 2. Derive the first-order conditions on c_t . Using the Bellman equation (first equation in (17)) at time t and the resource constraint (second equation in (17)) to substitute for k_{t+1} , and differentiating with respect to c_t and setting the result equal to zero,

$$\frac{\partial W(k_t)}{\partial c_t} = u'(c_t) + \beta \frac{\partial W(k_{t+1})}{\partial k_{t+1}} \underbrace{\frac{\partial k_{t+1}}{\partial c_t}}_{=-1} = 0$$

yields the first-order condition on c_t :

$$u'(c_t) = \beta \frac{\partial W(k_{t+1})}{\partial k_{t+1}}. \tag{18.1}$$

Foregoing a unit of per capita consumption in period t or carrying over a unit of per capita capital to the next period has cost and benefit. At an optimum, the marginal cost $u'(c_t)$ must equal the marginal benefit $\beta(\partial W(k_{t+1})/\partial k_{t+1})$. Note however that $\partial W(k_{t+1})/\partial k_{t+1}$ is unknown since $W(k_{t+1})$ is an unknown function.

Step 3. Derive the envelope relation between $\partial W(k_t)/\partial k_t$ and $\partial W(k_{t+1})/\partial k_{t+1}$. Using again the Bellman equation (first equation in (17)) at time t and the resource constraint (second equation in (17)) to substitute for k_{t+1} , and differentiating with respect to k_t and applying the envelope theorem on the result,

$$\begin{aligned}
\frac{\partial W(k_t)}{\partial k_t} &= u'(c_t) \frac{\partial c_t}{\partial k_t} + \beta \frac{\partial W(k_{t+1})}{\partial k_{t+1}} \underbrace{\left[(1 + f'(k_t) - \delta) - \frac{\partial c_t}{\partial k_t} \right]}_{\frac{\partial k_{t+1}}{\partial k_t}} \\
&= \beta \frac{\partial W(k_{t+1})}{\partial k_{t+1}} (1 + f'(k_t) - \delta) + \underbrace{\left[u'(c_t) - \beta \frac{\partial W(k_{t+1})}{\partial k_{t+1}} \right]}_{=0} \frac{\partial c_t}{\partial k_t} \\
&= \beta \frac{\partial W(k_{t+1})}{\partial k_{t+1}} (1 + f'(k_t) - \delta)
\end{aligned} \tag{18.2}$$

yields

$$\frac{\partial W(k_t)}{\partial k_t} = \beta \frac{\partial W(k_{t+1})}{\partial k_{t+1}} (1 + f'(k_t) - \delta) . \tag{18.3}$$

(18.3) is the envelope relation between $\partial W(k_t)/\partial k_t$ and the yet unknown $\partial W(k_{t+1})/\partial k_{t+1}$.

Step 3. Derive the consumption-Euler equation using the FOCs and the envelope relation. Using the FOC on c_t (18.1) lagged one period, the envelope result (18.3), and the FOC on c_t (18.1) again,

$$\begin{aligned}
u'(c_{t-1}) &= \beta \left[\frac{\partial W(k_t)}{\partial k_t} \right] \\
&= \beta \left[\left(\beta \frac{\partial W(k_{t+1})}{\partial k_{t+1}} \right) (1 + f'(k_t) - \delta) \right] \quad (t=1,2) \quad (18.4) \\
&= \beta [u'(c_t)(1 + f'(k_t) - \delta)]
\end{aligned}$$

yields for $t=1, 2$,

$$u'(c_{t-1}) = \beta u'(c_t)(1 + f'(k_t) - \delta) \quad \text{or} \quad \frac{u'(c_{t-1})}{\beta u'(c_t)} = 1 + f'(k_t) - \delta \quad \text{or} \quad \frac{u'(c_t)}{u'(c_{t+1})} = \beta(1 + f'(k_{t+1}) - \delta),$$

which is exactly the consumption-*Euler* equation derived earlier. This equation, as in the other three methods presented earlier, is part of the conditions that must be satisfied by the solution.

Finally, recall that the *FOC* on c_t is $\mu_{t+1} = \beta^t u'(c_t)$ using either the *Lagrangian* method or the *Hamiltonian* method and $u'(c_t) = \beta(\partial W(k_{t+1})/\partial k_{t+1})$ using the *dynamic programming* approach. Also, note that

$$W(k_t) = \frac{V(k_t)}{\beta^t} \Leftrightarrow V(k_t) = \beta^t W(k_t) \Rightarrow V(k_{t+1}) = \beta^{t+1} W(k_{t+1}), \quad (19.1)$$

where $W(\cdot)$ is current-value value function while $V(\cdot)$ is a present-value value function. Also,

define: $\lambda_{t+1} \equiv \frac{\mu_{t+1}}{\beta^{t+1}}$ where μ_{t+1} is the shadow price of k_{t+1} in present value terms while λ_{t+1} is

the shadow price of k_{t+1} in current value terms or in terms of current utility (Arrow and Kurz (1969)). Thus,

$$\frac{\partial V(k_{t+1})}{\partial k_{t+1}} = \mu_{t+1} \equiv \beta^{t+1} \lambda_{t+1} \quad \text{and} \quad \frac{\partial W(k_{t+1})}{\partial k_{t+1}} = \lambda_{t+1} \equiv \frac{\mu_{t+1}}{\beta^{t+1}}. \quad (19.2)$$

4. An Example with Closed-Form Solution

This section presents the solution to a simplified intertemporal problem. Here we want the optimization problem to have a closed-form solution, so we consider a special case, following Brock and Mirman (1972), where the following are assumed: a *Cobb-Douglas* production ($f(k_t) = Ak_t^\alpha$, $A > 0, 0 < \alpha < 1$), a logarithmic utility function ($u(c_t) = \ln c_t$), no population growth ($n = 0$), and full physical capital depreciation ($\delta = 1$).

Based on the *FOCs* derived above, the solution in this special case must satisfy a system of first-order non-linear difference equations,

$$\frac{c_{t+1}}{c_t} = \beta\alpha Ak_{t+1}^{\alpha-1}, \text{ or } c_{t+1} - c_t = [\beta\alpha A k_{t+1}^{\alpha-1} - 1]c_t, \quad t = 0,1,\dots \quad (20.1)$$

$$k_{t+1} = f(k_t) - c_t, \quad t = 0,1,2,\dots \quad (20.2)$$

or, equivalently, by substituting of (8.2) into (8.1), a second-order non-linear difference equation

$$\frac{\overbrace{k_{t+1}^\alpha - k_{t+2}^\alpha}^{c_{t+1}}}{\underbrace{k_t^\alpha - k_{t+1}^\alpha}_{c_t}} = \beta\alpha AK_{t+1}^{\alpha-1}, \quad t = 0,1,\dots \quad (21)$$

with two boundary conditions ($k_0 > 0$ given as the initial condition and with infinite horizon (finite horizon) $\lim_{t \rightarrow \infty} \mu_{t+1} k_{t+1} = 0$ ($k_{T+1} = 0$) as the *TVC* (terminal condition)).

In this special case, using iterative procedure, it can be shown that the optimal per capita consumption sequence/path and capital sequence/path are¹³:

- (i) when there are only two periods,

¹³ Another procedure is the guess-and-verify method or the method of undetermined coefficients which will work only in two classes of specifications of preferences and constraints: (i) linear constraints and quadratic preferences or (ii) Cobb-Douglas constraints and logarithmic preferences (Sargent, (1987, p. 22)).

$$\left. \begin{aligned} c_0 &= \frac{1}{1+\alpha\beta} Ak_0^\alpha, & c_1 &= Ak_1^\alpha \\ k_1 &= \frac{\alpha\beta}{1+\alpha\beta} Ak_0^\alpha \\ k_0 &> 0 \text{ given and } k_2 &= 0 \end{aligned} \right\} \quad (22.1)$$

(ii) when there are three periods,

$$\left. \begin{aligned} c_0 &= \frac{1}{1+\alpha\beta+(\alpha\beta)^2} Ak_0^\alpha, & c_1 &= \frac{1}{1+\alpha\beta} Ak_1^\alpha, & c_2 &= Ak_2^\alpha, \\ k_1 &= \frac{\alpha\beta+(\alpha\beta)^2}{1+\alpha\beta+(\alpha\beta)^2} Ak_0^\alpha, & k_2 &= \frac{\alpha\beta}{1+\alpha} Ak_1^\alpha \\ k_0 &> 0 \text{ given and } k_3 &= 0 \end{aligned} \right\} \quad (22.2)$$

(iii) when the horizon is finite, in general,

$$\left. \begin{aligned} c_t &= (1-\alpha\beta) \frac{1}{1-(\alpha\beta)^{T-t+1}} Ak_t^\alpha \\ k_{t+1} &= \alpha\beta \frac{1-(\alpha\beta)^{T-t}}{1-(\alpha\beta)^{T-t+1}} Ak_t^\alpha \\ k_0 &> 0 \text{ given and } k_{T+1} &= 0 \end{aligned} \right\} \quad (22.3)$$

(iv) when the horizon is infinite,

$$\left. \begin{aligned} c_t &= (1-\alpha\beta) Ak_t^\alpha \\ k_{t+1} &= \alpha\beta Ak_t^\alpha \\ k_0 &> 0 \text{ given and } \lim_{t \rightarrow \infty} \mu_{t+1} k_{t+1} &= 0. \end{aligned} \right\} \quad (22.4)$$

If there are only two periods ($t = 0, 1$) – the present (or today) and the future (or tomorrow), there is only a single consumption-*Euler* equation applicable between period 0 and period 1 and two resource constraints for periods 0 and 1. As $k_0 > 0$ is given and $k_2 = 0$ must be satisfied, these three equations will, in principle, determine the three unknowns: c_0, c_1, k_1 .

The optimal consumption choice (c_0, c_1) may be illustrated graphically. Specifically, it is given by the point of tangency between the intertemporal production possibility frontier (derived from the period resource constraints) and the highest possible intertemporal indifference curve.

In this version of the deterministic infinite-horizon *Ramsey* problem, we can use the dynamic equations ((20.1) and (20.2)) to draw phase diagram and the solution we are looking for is actually given by the saddle path and the steady-state is given by the saddlepoint.

Alternatively, we can use (21) to get the optimal path of capital accumulation, which given the resource constraint, will yield the optimal consumption path. Specifically: $c_t = (1 - \alpha\beta)Ak_t^\alpha$ (first equation in (22.4)) defines the *saddle path* (the relation between c_t and k_t along the optimal trajectory), the optimal value of c_0 (equal to $(1 - \alpha\beta)Ak_0^\alpha$) that places the system on the saddle path, and the consumption function (c_t as a $(1 - \alpha\beta)$ proportion of Ak_t^α ; $k_{t+1} = \alpha\beta Ak_t^\alpha$ (second equation in (22.4)) where $k_0 > 0$ given and $\lim_{t \rightarrow \infty} \mu_{t+1} k_{t+1} = 0$) defines the optimal path of capital accumulation or the optimal capital sequence.¹⁴

Thus, in this version of the Ramsey model, the answer to the question “how much should a nation save?” (Ramsey, 1928) is $k_{t+1} = \alpha\beta Ak_t^\alpha$ (or, much should a nation consume per capita is given by the optimally derived per capita consumption function, $c_t = (1 - \alpha\beta)Ak_t^\alpha$).

¹⁴ Barro and Sala-i-Martin (2004, pp. 604-617) provides a Hamiltonian recipe for dynamic optimization in continuous time, both finite and infinite horizons. Blanchard and Fischer (1989) discusses the assumptions and workings of the Ramsey model (pp. 38-47), ruling out of explosive paths in the Ramsey model (p. 75), and the local behavior of capital around the steady state in the Ramsey model (pp. 75-76). Obstfeld and Rogoff (1996) also discuss the methods of intertemporal optimization – the method of Lagrange multipliers (pp. 715-718) and dynamic programming (pp. 718-721).

5. Concluding Remarks

This paper, using four alternative methods/approaches - the *Lagrangian* method, the *substitution* method, the *Hamiltonian* method, and the *dynamic programming* approach – has derived the conditions that must be satisfied by the solution to an intertemporal problem, specifically the deterministic discrete-time *Ramsey* problem. A crucial part of characterizing/deriving the solution is either the so-called capital-*Euler* equation or the so-called consumption-*Euler* equation. For easier tractability but without loss of generality, results were derived assuming that there only three periods. However, as shown, the results generalize to the case where the number of periods of time is large but finite and to the case where the number of periods of time is infinite.

Note that in the *Ramsey* model, the social planner is endowed with rational expectations (perfect foresight in this case because the model is deterministic (not stochastic), so that $E[c_{t+1}] = c_{t+1}$). With rational expectations (*RE*), the subjective expectation is the same as the mathematical expectation and the implication is that the expected value of future variable (here, $E[c_{t+1}]$, also c_{t+1} because of perfect foresight) depends on all the parameters of the model (here, A and α in the production function and the subjective time-discount factor β). This is why, in implementing/testing the model, “the hallmark of rational expectations is cross-restriction across equations”.

References

- Arrow, Kenneth J. and Kurz, Mordecai. (1969). *Public Investment, the Rate of Return, and Optimal Fiscal Policy*. Johns Hopkins Press.
- Azariadis, Costas. (1991). *Intertemporal Macroeconomics*.
- Barro, Robert J. and Sala-i-Martin, Xavier (2004). *Economic Growth*, 2nd edition. MIT Press.
- Bellman, Richard. (1957). *Dynamic Programming*. Princeton University Press.
- Blanchard, Olivier Jean and Fischer, Stanley (1989). *Lectures on Macroeconomics*. MIT Press.
- Brock, William A., and Leonard Mirman. (1972). "Optimal economic growth and uncertainty: the discounted case". *Journal of Economic Theory* 4(3):479- 513.
- Cass, David. (1965). "Optimum Growth in an Aggregative Model of Capital Accumulation." *Review of Economic Studies* 32: 233-240.
- Chiang, Alpha C. (1992). *Elements of Dynamic Optimization*. McGraw-Hill.
- Dixit, Avinash K. (1980). *Optimization in Economic Theory*, 2nd edition. Oxford University Press.
- Dorfman, Robert (1969). "An Economic Interpretation of Optimal Control Theory". *American Economic Review* 59(5): 817-831.
- Intrilligator, Michael D. (1971). *Mathematical Optimization and Economic Theory*. Prentice-Hall.
- Kamien, Morton I. and Schwartz, Nancy L. (1981), *Dynamic Optimization: The Calculus of Variations and Optimal Control in Economics and Management*, 2nd edition. Advanced Textbooks in Economics 31 (eds. C.J. Bliss and M.D. Intrilligator). North Holland.
- Koopmans, Tjalling C. (1965). "On the Concept of Optimal Economics Growth." In *The Economic Approach to Development Planning*. Elsevier.
- Obstfeld, Maurice and Rogoff, Kenneth (1996). *Foundations of International Macroeconomics*. MIT Press.
- Pontyagin, L.S., Boltyanskii, V.G., Amkrelidze, R.V., and Mishchenko, E.F. (1962). *The Mathematical Theory of Optimal Processes*, (tr. by K. N. Trirogoff, ed. L.S. Neustadt). John Wiley: New York.
- Romer, David. (2006). *Advanced Macroeconomics*. McGraw-Hill.
- Sargent, Thomas (1987). *Dynamic Macroeconomic Theory*. Harvard University Press.
- Takayama, Akira (1973). *Mathematical Economics*, 2nd edition. Cambridge University Press.