

Juvina, Ion; Erev, Ido; Ert, Eyal; Roth, Alvin E.

Article

Correction: Erev, I. et al. a choice prediction competition for market entry games : an introduction

Games

Provided in Cooperation with:

MDPI – Multidisciplinary Digital Publishing Institute, Basel

Suggested Citation: Juvina, Ion; Erev, Ido; Ert, Eyal; Roth, Alvin E. (2010) : Correction: Erev, I. et al. a choice prediction competition for market entry games : an introduction, Games, ISSN 2073-4336, MDPI, Basel, Vol. 1, Iss. 3, pp. 221-225, <https://doi.org/10.3390/g1030221>

This Version is available at:

<http://hdl.handle.net/10419/98523>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



<http://creativecommons.org/licenses/by/3.0/>

Correction

Erev, I. *et al.* A Choice Prediction Competition for Market Entry Games: An Introduction. *Games* 2010, 1, 117-136

Ido Erev ^{1,*}, Eyal Ert ² and Alvin E. Roth ^{3,4}

¹ Max Wertheimer Minerva Center for Cognitive Studies, Faculty of Industrial Engineering and Management, Technion, Haifa 32000, Israel

² Computer Laboratory for Experimental Research, Harvard Business School, Boston, MA, 02163, USA; E-Mail: eert@hbs.edu

³ Department of Economics, 308 Littauer, Harvard University, Cambridge, MA 02138, USA; E-Mail: aroth@hbs.edu

⁴ Harvard Business School, 441 Baker Library, Boston, MA 02163, USA

* Author to whom correspondence should be addressed; E-Mail: erev@tx.technion.ac.il.

Received: 13 July 2010 / Accepted: 14 July 2010 / Published: 21 July 2010

Ion Juvina found an error in our manuscript published in *Games* [1]. The error led to overestimation (by about 3%) of the alternation rate presented in Table 2 (in page 120). The correction does not change the main conclusions, but it slightly changes five exhibits. The corrected exhibits are presented below, and in the competition website (<http://sites.google.com/site/gpredcomp>).

Table 2. The 40 market entry games that were studied in the estimation experiment.

At each trial, each of 4 players has to decide (individually) between “entering a risky market”, or “staying out” (a safer prospect). The payoffs depended on a realization of a binary gamble (the realization at trial t is denoted G_t , and yields “H with probability P_H ; and L otherwise”), the number of entrants (E), and two additional parameters (k and S). The exact payoff for player i at trial t is:

$$V_i(t) = \begin{cases} 10 - k(E) + G_t & \text{if } i \text{ enters} \\ \text{round}(G_t/S) \text{ with } p = .5; -\text{round}(G_t/S) \text{ otherwise} & \text{if } i \text{ does not enter} \end{cases}$$

The left hand-columns present the exact value of the different parameters in the 40 games, the right hand columns present the equilibrium predictions, and the main experimental results in the first and second block (B1 and B2).

Table 2. Cont.

The games						Entry at eq.		Experimental results					
#	K	ph	H	L	S	Entry at eq.		Entry rates		Efficiency		Alternations	
						pure	symmetric	B1	B2	B1	B2	B1	B2
1	2	0.04	70	-3	5	1.00	1.00	0.71	0.80	2.77	2.66	0.16	0.16
2	2	0.23	30	-9	4	1.00	1.00	0.55	0.62	2.64	2.75	0.25	0.23
3	2	0.67	1	-2	3	1.00	1.00	0.88	0.94	2.39	2.24	0.10	0.04
4	2	0.73	30	-80	4	1.00	1.00	0.71	0.64	2.58	2.57	0.28	0.27
5	2	0.80	20	-80	5	1.00	1.00	0.66	0.67	2.50	2.67	0.29	0.27
6	2	0.83	4	-20	3	1.00	1.00	0.73	0.82	2.45	2.50	0.24	0.18
7	2	0.94	6	-90	5	1.00	1.00	0.86	0.87	2.34	2.38	0.13	0.11
8	2	0.95	1	-20	5	1.00	1.00	0.86	0.91	2.48	2.31	0.12	0.08
9	2	0.96	4	-90	3	1.00	1.00	0.87	0.90	2.36	2.34	0.14	0.08
10	3	0.10	70	-8	4	0.75	0.77	0.42	0.48	1.22	1.11	0.29	0.25
11	3	0.90	9	-80	4	0.75	0.77	0.80	0.73	-0.33	0.29	0.18	0.25
12	3	0.91	7	-70	6	0.75	0.77	0.76	0.83	0.10	-0.41	0.19	0.12
13	4	0.06	60	-4	2	0.50	0.50	0.42	0.41	0.52	0.84	0.22	0.15
14	4	0.20	40	-10	4	0.50	0.50	0.48	0.46	-0.34	0.04	0.31	0.31
15	4	0.31	20	-9	4	0.50	0.50	0.49	0.44	-0.07	0.30	0.34	0.38
16	4	0.60	4	-6	2	0.50	0.50	0.56	0.58	-0.27	-0.26	0.22	0.26
17	4	0.60	40	-60	3	0.50	0.50	0.58	0.55	-0.96	-0.20	0.28	0.25
18	4	0.73	3	-8	2	0.50	0.50	0.57	0.55	-0.29	0.09	0.24	0.20
19	4	0.80	20	-80	2	0.50	0.50	0.64	0.63	-1.30	-1.21	0.28	0.27
20	4	0.90	1	-9	6	0.50	0.50	0.53	0.48	0.12	0.63	0.21	0.16
21	4	0.96	3	-70	3	0.50	0.50	0.65	0.62	-0.84	-0.38	0.23	0.18
22	5	0.02	80	-2	3	0.25	0.33	0.36	0.31	0.24	0.64	0.17	0.17
23	5	0.07	90	-7	3	0.25	0.33	0.39	0.24	-0.81	0.34	0.19	0.13
24	5	0.53	80	-90	5	0.25	0.33	0.65	0.58	-3.41	-2.44	0.27	0.36
25	5	0.80	1	-4	2	0.25	0.33	0.45	0.42	-0.31	0.11	0.20	0.18
26	5	0.88	4	-30	3	0.25	0.33	0.52	0.49	-0.95	-0.57	0.22	0.21
27	5	0.93	5	-70	4	0.25	0.33	0.57	0.57	-1.63	-1.43	0.27	0.20
28	6	0.10	90	-10	5	0.25	0.22	0.26	0.27	-0.13	0.07	0.22	0.19
29	6	0.19	30	-7	3	0.25	0.22	0.39	0.32	-1.35	-0.45	0.27	0.26
30	6	0.29	50	-20	3	0.25	0.22	0.47	0.48	-2.74	-2.43	0.38	0.36
31	6	0.46	7	-6	6	0.25	0.22	0.38	0.34	-0.90	-0.38	0.23	0.24
32	6	0.57	6	-8	4	0.25	0.22	0.44	0.39	-1.56	-0.59	0.26	0.27
33	6	0.82	20	-90	3	0.25	0.22	0.63	0.55	-5.33	-3.14	0.26	0.21
34	6	0.88	8	-60	4	0.25	0.22	0.57	0.50	-3.30	-1.96	0.16	0.19
35	7	0.06	90	-6	4	0.25	0.14	0.31	0.35	-1.40	-1.43	0.29	0.21
36	7	0.21	30	-8	3	0.25	0.14	0.39	0.31	-2.20	-1.04	0.30	0.23
37	7	0.50	80	-80	5	0.25	0.14	0.51	0.55	-4.18	-4.78	0.34	0.32
38	7	0.69	9	-20	5	0.25	0.14	0.46	0.34	-2.62	-0.88	0.25	0.23

Table 2. Cont.

The games						Experimental results							
						Entry at eq.		Entry rates		Efficiency		Alternations	
#	K	ph	H	L	S	pure	symmetric	B1	B2	B1	B2	B1	B2
39	7	0.81	7	-30	2	0.25	0.14	0.41	0.34	-2.25	-0.93	0.22	0.21
40	7	0.91	1	-10	2	0.25	0.14	0.34	0.27	-0.71	-0.30	0.19	0.17
Means						0.51	0.51	0.56	0.54	-0.39	0.04	0.23	0.21
Estimated error variance								.0016	.0015	.1370	.1188	.0012	.0015

Figure 1. Proportion of alternation as a function of Ph. Each data point summarizes the results of one game. The outlier (alternation rate of 0.07 when Ph = 0.67) is Problem 3: The problem with the lowest payoff variance, and the only problem in which entry cannot lead to losses.




Table 3. Summary of correlation analyses that examine the possibility of consistent individual differences. The summary scores are based on 180 correlation analyses (180 pairs of games) for each of the four variables.

Variable	Mean correlation	Proportion of positive correlations
Entry rate	0.249	0.844
Maximization	0.058	0.611
Alternation	0.415	0.983
Recency	0.281	0.888

Table 4. The baseline models, the estimated parameters, and the implied normalized MSD scores by statistic and block.

Model	Fitted parameters	Normalized Mean Squared Deviation Scores by statistic and block						Mean
		Entry rates		Efficiency		Alteration		
	Block:	1	2	1	2	1	2	
Pure		26.52	21.56	39.41	28.01	49.50	35.26	33.38
Symmetric		29.57	25.11	21.13	13.24	30.59	25.95	24.26
RL	$\lambda = 4, w = 0.01$	8.57	16.37	5.19	8.84	19.14	12.22	11.72
NRL	$\lambda = 12, w = 0.025$	6.36	14.03	3.59	7.35	4.58	1.53	6.24
SFP	$\lambda = 1.5, w = 0.1$	5.91	5.36	9.37	14.99	6.53	3.79	7.66
NFP	$\lambda = 4, w = 0.15$	4.75	4.16	3.60	6.13	2.70	3.80	4.19
EWA	$\lambda = 0.7, \phi = 0.8, \delta = 0.5, \rho = 0.4$	10.06	8.91	4.69	9.22	4.38	2.49	6.62
SAW	$\epsilon_i \sim U[0,0.02], w_i \sim U[0,1], \rho_i \sim U[0,0.02],$ and $\mu_i = \{1, 2, \text{ or } 3\}$.	3.93	2.49	1.87	2.04	4.18	5.37	3.31
I-SAW	$\epsilon_i \sim U[0,0.24], w_i \sim U[0,0.8], \rho_i \sim U[0,0.2], \pi_i \sim U[0,0.6],$ and $\mu_i = \{1, 2, \text{ or } 3\}$.	1.56	1.19	1.37	1.47	1.43	1.30	1.38

Table 5. The predictions of the best baseline models (I-SAW): The lowest row presents the correlation with the experimental results by statistic.

#	The games					Entry rates		Efficiency		Alternations	
	K	Ph	h	l	Sf	B1	B2	B1	B2	B1	B2
1	2	0.04	70	-3	5	0.78	0.81	2.60	2.56	0.17	0.13
2	2	0.23	30	-9	4	0.58	0.62	2.39	2.62	0.24	0.22
3	2	0.67	1	-2	3	0.90	0.91	2.33	2.32	0.10	0.08
4	2	0.73	30	-80	4	0.64	0.64	2.47	2.59	0.26	0.25
5	2	0.80	20	-80	5	0.67	0.67	2.47	2.61	0.24	0.23
6	2	0.83	4	-20	3	0.77	0.78	2.49	2.57	0.20	0.18
7	2	0.94	6	-90	5	0.82	0.82	2.39	2.49	0.15	0.14
8	2	0.95	1	-20	5	0.84	0.85	2.42	2.47	0.13	0.11
9	2	0.96	4	-90	3	0.84	0.86	2.35	2.43	0.13	0.11
10	3	0.10	70	-8	4	0.42	0.45	0.97	1.23	0.23	0.21
11	3	0.90	9	-80	4	0.74	0.75	-0.06	0.11	0.19	0.18
12	3	0.91	7	-70	6	0.76	0.76	-0.15	0.05	0.18	0.17
13	4	0.06	60	-4	2	0.41	0.43	0.22	0.34	0.24	0.22
14	4	0.20	40	-10	4	0.43	0.44	-0.04	0.25	0.27	0.25
15	4	0.31	20	-9	4	0.48	0.49	-0.22	0.01	0.29	0.28
16	4	0.60	4	-6	2	0.52	0.52	-0.20	-0.05	0.30	0.28
17	4	0.60	40	-60	3	0.55	0.55	-0.78	-0.47	0.29	0.28
18	4	0.73	3	-8	2	0.53	0.52	-0.20	-0.08	0.29	0.27
19	4	0.80	20	-80	2	0.65	0.64	-1.65	-1.23	0.24	0.24

Table 5. Cont.

The games						Entry rates		Efficiency		Alternations	
#	K	Ph	h	l	Sf	B1	B2	B1	B2	B1	B2
20	4	0.90	1	-9	6	0.52	0.52	0.07	0.06	0.25	0.23
21	4	0.96	3	-70	3	0.61	0.59	-0.80	-0.51	0.21	0.19
22	5	0.02	80	-2	3	0.35	0.35	-0.08	0.06	0.23	0.20
23	5	0.07	90	-7	3	0.31	0.32	-0.42	-0.05	0.21	0.19
24	5	0.53	80	-90	5	0.52	0.52	-2.03	-1.59	0.29	0.28
25	5	0.80	1	-4	2	0.40	0.40	-0.24	-0.10	0.25	0.23
26	5	0.88	4	-30	3	0.47	0.46	-0.89	-0.73	0.25	0.22
27	5	0.93	5	-70	4	0.51	0.50	-1.43	-1.08	0.24	0.21
28	6	0.10	90	-10	5	0.31	0.31	-1.08	-0.63	0.22	0.20
29	6	0.19	30	-7	3	0.36	0.36	-1.28	-0.90	0.26	0.24
30	6	0.29	50	-20	3	0.42	0.42	-2.05	-1.62	0.29	0.27
31	6	0.46	7	-6	6	0.35	0.35	-0.86	-0.67	0.27	0.24
32	6	0.57	6	-8	4	0.36	0.35	-0.94	-0.70	0.27	0.25
33	6	0.82	20	-90	3	0.60	0.57	-4.69	-3.73	0.25	0.24
34	6	0.88	8	-60	4	0.47	0.46	-2.20	-1.83	0.25	0.22
35	7	0.06	90	-6	4	0.26	0.26	-1.19	-0.68	0.20	0.18
36	7	0.21	30	-8	3	0.34	0.33	-1.77	-1.32	0.26	0.24
37	7	0.50	80	-80	5	0.49	0.48	-4.31	-3.61	0.29	0.28
38	7	0.69	9	-20	5	0.37	0.36	-1.84	-1.52	0.26	0.24
39	7	0.81	7	-30	2	0.37	0.36	-1.81	-1.50	0.26	0.23
40	7	0.91	1	-10	2	0.29	0.28	-0.76	-0.58	0.22	0.19
Means						0.525	0.526	-0.270	-0.011	0.234	0.215
Correlation with the experimental results						0.973	0.979	0.982	0.970	0.750	0.834

References and Notes

1. Erev, I.; Ert, E.; Roth, A.E. A choice prediction competition for market entry games: An introduction. *Games* **2010**, *1*, 117–136.

© 2010 by the authors; licensee MDPI, Basel, Switzerland. This article is an Open Access article distributed under the terms and conditions of the Creative Commons Attribution license (<http://creativecommons.org/licenses/by/3.0/>).