


Does Benford's law hold in economic research and forecasting?

Stefan Günnel

Karl-Heinz Tödter



Discussion Paper
Series 1: Economic Studies
No 32/2007

Editorial Board:

Heinz Herrmann
Thilo Liebig
Karl-Heinz Tödter

Deutsche Bundesbank, Wilhelm-Epstein-Strasse 14, 60431 Frankfurt am Main,
Postfach 10 06 02, 60006 Frankfurt am Main

Tel +49 69 9566-1

Telex within Germany 41227, telex from abroad 414431

Please address all orders in writing to: Deutsche Bundesbank,
Press and Public Relations Division, at the above address or via fax +49 69 9566-3077

Internet <http://www.bundesbank.de>

Reproduction permitted only if source is stated.

ISBN 978-3-86558-359-8 (Printversion)

ISBN 978-3-86558-360-4 (Internetversion)

Abstract:

First and higher order digits in data sets of natural and socio-economic processes often follow a distribution called Benford's law. This phenomenon has been used in many business and scientific applications, especially in fraud detection for financial data. In this paper, we analyse whether Benford's law holds in economic research and forecasting. First, we examine the distribution of leading digits of regression coefficients and standard errors in research papers, published in *Empirica* and *Applied Economics Letters*. Second, we analyse forecasts of GDP growth and CPI inflation in Germany, published in *Consensus Forecasts*. There are two main findings: The relative frequencies of the first and second digits in economic research are broadly consistent with Benford's law. In sharp contrast, the second digits of *Consensus Forecasts* exhibit a massive excess of zeros and fives, raising doubts on their information content.

Keywords: Benford's Law, fraud detection, regression coefficients and standard errors, growth and inflation forecasts

JEL-Classification: C8, C52, C12

Non technical summary

Independent reviews of the outcome of empirical research are a cornerstone of science. In contrast to natural sciences, there is no distinct tradition of replicating empirical results in social sciences. Thus, indirect methods of fraud detection become indispensable. This paper demonstrates how Benford's law can be used for this purpose.

Intuitively, one tends to think that the first digits of numbers are uniformly distributed, i.e. numbers are equally likely to start with 1, 2, or 9. Simon Newcomb (1881) and again Frank Benford (1938) discovered that in a surprisingly broad range of data sets, from newspaper articles to the length of rivers, the lower digits appeared more often than higher digits. Both derived a formula, today known as Benford's law, which assigns a probability of 30.1 percent to the first digit 1 and a probability of just 4.6 percent to the first digit 9.

Already in 1972, Hal Varian proposed to use Benford's law as a diagnostic tool to screen large data sets of irregularities that deserve closer inspection. More recently, Benford's law has been applied quite successfully to detect fraud and manipulation in business and administration data like balance sheets and tax declarations.

This paper investigates empirically whether Benford's law can serve as a tool for detecting irregularities in empirical economic research and forecasting. After a brief introduction to Benford's law, some aspects of fraud detection are discussed. Then, Benford's law is applied to test econometric research published in *Empirica* and *Applied Economics Letters*. A data set with about 30,000 observations of first and second digits of regression coefficients and standard errors is investigated for deviations from Benford's law. Moreover, ca. 18,000 Consensus Forecasts of German GDP growth and CPI inflation are investigated. There are two main findings: The relative frequencies of the first and second digits in economic research are broadly consistent with Benford's law. In sharp contrast, the second digits of Consensus Forecasts exhibit a massive excess of zeros and fives, raising doubts on their information content.

Nicht technische Zusammenfassung

Die unabhängige Prüfung der Ergebnisse empirischer Forschung ist ein Eckpfeiler wissenschaftlicher Arbeit. Im Unterschied zu den Naturwissenschaften gibt es in den Sozialwissenschaften keine ausgeprägte Tradition der Replikation von empirischen Ergebnissen. Deshalb sind indirekte Methoden zur Aufdeckung von Manipulation und Fälschung unabdingbar. Das Benford – Gesetz bietet dazu eine Grundlage

Intuitiv neigt man dazu zu denken, dass die Erstziffern von Zahlen gleichmäßig verteilt sind, dass die Erstziffern 1, 2 oder 9 also mit gleicher Wahrscheinlichkeit auftreten. Simon Newcomb (1881) und dann wieder Frank Benford (1938) entdeckten, dass in einem überraschend großen Spektrum von Datensätzen, von Zeitungsartikeln bis hin zur Länge von Flüssen, die kleineren Ziffern deutlich öfter auftraten als die größeren Ziffern. Beide entwickelten eine Formel, heute als Benford – Gesetz bekannt, wonach die Wahrscheinlichkeit für die Erstziffer 1 30,1 Prozent beträgt und die Wahrscheinlichkeit für die Erstziffer 9 nur 4,6 Prozent.

Bereits 1972 schlug Hal Varian vor, das Benford – Gesetz als ein Diagnoseinstrument zu verwenden, um große Datensätze auf Irregularitäten zu durchleuchten, die einer näheren Überprüfung bedürfen. In letzter Zeit wurde das Benford – Gesetz erfolgreich eingesetzt, um Fälschungen und Manipulationen in Wirtschafts- und Verwaltungsdaten wie Bilanzen und Steuererklärungen aufzudecken.

Dieses Papier untersucht empirisch, ob das Benford – Gesetz auch als Instrument zur Aufdeckung von Irregularitäten in der ökonomischen Forschung und Prognose dienen kann. Nach einer kurzen Einführung in das Benford – Gesetz werden einige Aspekte der Fälschkontrolle diskutiert. Anschließend wird das Benford – Gesetz angewandt, um ökonometrische Forschungsergebnisse, die in *Empirica* and *Applied Economics Letters* publiziert wurden, zu testen. Ein Datensatz mit etwa 30.000 Beobachtungen von Erst- und Zweitziiffern von Regressionskoeffizienten und Standardfehlern wird auf Abweichungen vom Benford – Gesetz überprüft. Außerdem werden ca. 18.000 Beobachtungen von Prognosen der realen Wachstumsrate und der Inflationsrate für Deutschland aus *Consensus Forecasts* getestet. Die beiden wichtigsten Ergebnisse sind: Die relative Häufigkeit von Erst- und Zweitziiffern in ökonomischen Forschungspapieren ist insgesamt konsistent mit dem Benford – Gesetz. Im Gegensatz dazu weisen die Zweitziiffern der *Consensus Forecasts* einen massiven Überschuss an Nullen und Fünfen auf, was Zweifel am Informationsgehalt dieser Prognosen aufwirft.

Contents

I	Introduction	1
II	What is Benford's law?	2
III	Detecting fraud with Benford's law	4
	1 <i>Brief review of applications in business and economics</i>	4
	2 <i>Requirements to data sets for testing Benford's law</i>	6
	3 <i>Testing Benford's law</i>	6
IV	Benford's law in published econometric research	8
	1 <i>Results for first digits of regression coefficients in Empirica</i>	9
	2 <i>Results for second digits of regression coefficients in Empirica</i>	11
	3 <i>Results for standard errors in Empirica</i>	12
	4 <i>Results for coefficients and standard errors in Applied Economics Letters</i>	14
	5 <i>Problems with testing single articles</i>	15
V	Benford's law in published economic forecasts	16
VI	Conclusions	23
	References	25
	Appendix: Critical manipulation ratios	28

Lists of Tables and Figures

Table 1	Benford distribution	3
Table 2	Test statistics for the first digits of regression coefficients	9
Table 3	Test statistics for the second digits of regression coefficients	11
Table 4	Test statistics for the first digits of standard errors	13
Table 5	Test statistics for the second digits of standard errors	13
Table 6	Test statistics for regression coefficients and standard errors	14
Table 7	Rounded Benford distribution	19
Table 8	Test statistics for the second digits of consensus forecast data	19
Table A1	Critical contamination ratios for first digits	29
Figure 1	Relative frequencies of the first digit of regression coefficients	10
Figure 2	Relative frequencies of the second digits of regression coefficients	11
Figure 3	Relative frequencies of the first digits of standard errors	13
Figure 4	Relative frequencies of the second digits of standard errors	14
Figure 5	Relative frequencies of the first and second digits of standard errors	15
Figure 6	Relative frequencies of the second digits of Consensus Forecasts data	19
Figure 7	Relative frequencies of the second digits of Consensus Forecasts data for various institutes	21
Figure 8	Mixed rounded Benford distribution vs. second digits of Consensus Forecasts	23
Figure A1	Probabilities of type II error of Mean test	29

Does Benford's Law Hold in Economic Research and Forecasting?*

I Introduction

Independent reviews of the outcome of empirical research are a cornerstone of science (Hamermesh 2007). In contrast to natural sciences, there is no distinct tradition of replication in social sciences. In economics, most academic journals do not request from their authors the filing of data and programs. Even if that is the case, attempts to replicate the studies mostly fail. McCullough et al. (2006) analysed more than 150 articles from the *Journal of Money, Credit, and Banking*, but were able to reproduce the results in less than 10 percent of the cases. But „research that cannot be replicated is not science, and cannot be trusted either as part of the profession's accumulated body of knowledge or as a basis for policy.“ (McCullough and Vinod, 2003, p. 888) Thus, if the outcome of empirical research in economics can be replicated by independent experts only in rare cases, indirect methods of fraud detection become indispensable.

Already in 1972, U.S. economist Hal Varian proposed Benford's law as a diagnostic tool to screen large data sets of irregularities that deserve closer inspection. In many data sets, from newspaper articles to the length of rivers, Benford's law has been found to hold surprisingly well. More recently, Benford's law has been applied quite successfully to detect fraud and manipulation in business and administration data like balance sheets and tax declarations. Moreover, experimental research has shown that people are not particularly good at replicating known pattern of data. For instance, they tend to over-report modes and to avoid long runs (Camerer, 2003, p. 134). Benford's law, though widely applicable, is not yet widely known. Since it is unlikely that manipulated numbers would preserve it, Benford's law is a potentially useful diagnostic. Diekmann (2007) investigated sociological empirical research, testing regression coefficients and other statistics for deviations from Benford's law.

* Corresponding author. The paper was written while the first author was a visiting researcher at the Research Centre of the Deutsche Bundesbank. The views expressed in this paper are those of the authors and do not necessarily reflect those of the Deutsche Bundesbank.

To our knowledge, tests of Benford's law have not yet been applied to published empirical research and forecasts in economics.

This paper investigates empirically whether Benford's law can serve as a tool for detecting irregularities that may deserve closer scrutiny. Section II provides a brief introduction to Benford's law. Section III reviews some aspects of fraud detection with Benford's law. Section IV applies Benford's law to test econometric research published in *Empirica* and *Applied Economics Letters*. Section V examines GDP growth and CPI inflation forecasts for Germany published in *Consensus Forecasts*. Section VI concludes.

II What is Benford's law?

Intuitively, one may think that the first digits of numbers are uniformly distributed, i.e. numbers are equally likely to start with 1, 2 or 9. The American astronomer Simon Newcomb (1881) observed that the first pages of logarithmic tables (containing numbers beginning with 1, 2, 3) were more worn out than the last pages (numbers starting with 7, 8, 9). He concluded that lower digits seem to appear more often than higher digits. Zero as a first digit is ignored. Newcomb derived a formula for the relative frequencies of the first (d_1) and second (d_2) significant digits (Hill, 1995):

$$p(d_1) = \log_{10} \left(1 + \frac{1}{d_1} \right) \quad d_1 = 1, 2, \dots, 9 \quad (1)$$

$$p(d_2) = \sum_{k=1}^9 \log_{10} \left(1 + \frac{1}{10k + d_2} \right) \quad d_2 = 0, 1, 2, \dots, 9 \quad (2)$$

However, Newcomb's findings were forgotten until the American General Electric physicist Frank Benford (1938) rediscovered the first digit phenomenon. Benford analysed 20 data sets including population statistics, figures published in newspapers, American League baseball statistics, atomic weights of chemical elements etc. with more than 20,000 first digits in total.

Hill (1995) derived the joint distribution of the first and higher-order significant digits:

$$p(D_1 = d_1, \dots, D_k = d_k) = \log_{10} \left(1 + \left(\sum_{i=1}^k d_i 10^{k-i} \right)^{-1} \right) \quad (3)$$

$$\forall k \in \mathbb{Z}, \quad d_1 \in \{1, 2, \dots, 9\} \text{ and } d_j \in \{0, 1, 2, \dots, 9\}, j = 2, \dots, k$$

Applying this formula to a combination of digits, e.g. 25, yields $p(D_1 = 2, D_2 = 5) = \log_{10} \left(1 + (25)^{-1} \right) \cong 0.017$. Table 1 displays the joint probabilities for combinations of the first two digits. The marginal probabilities of the first and the second digits are shown in the final column and row, respectively.

Table 1: Benford distribution

d1 \ d2	0	1	2	3	4	5	6	7	8	9	p(d1)
1	0.041	0.038	0.035	0.032	0.030	0.028	0.026	0.025	0.023	0.022	0.301
2	0.021	0.020	0.019	0.018	0.018	0.017	0.016	0.016	0.015	0.015	0.176
3	0.014	0.014	0.013	0.013	0.013	0.012	0.012	0.012	0.011	0.011	0.125
4	0.011	0.010	0.010	0.010	0.010	0.010	0.009	0.009	0.009	0.009	0.097
5	0.009	0.008	0.008	0.008	0.008	0.008	0.008	0.008	0.007	0.007	0.079
6	0.007	0.007	0.007	0.007	0.007	0.007	0.007	0.006	0.006	0.006	0.067
7	0.006	0.006	0.006	0.006	0.006	0.006	0.006	0.006	0.006	0.005	0.058
8	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.051
9	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.004	0.004	0.004	0.046
p(d2)	0.120	0.114	0.109	0.104	0.100	0.097	0.093	0.090	0.088	0.085	1.000

Pinkham (1961) and Hill (1995) proved that Benford’s law is base invariant (i.e. the distribution remains unchanged irrespective whether the numbers are expressed in base 2, 4, 8 etc.) and scale invariant (e.g. if Benford’s law holds for distances expressed in kilometres, it also holds if the data are transformed into miles). However, as will be discussed later, Benford’s law is not invariant to rounding. Mathematical explanations for the appearance of Benford’s law can be found in Hill (1995, 1998) who proved a “random samples from random distributions theorem.” It states, under fairly general conditions, that if distributions are selected randomly and random samples are taken from each distribution, then the frequency of digits will converge to Benford’s law.

III Detecting fraud with Benford's law

1 Brief review of applications in business and economics

In the last two decades, in particular, Benford's law was increasingly applied to real and scientific data as a method to identify fraud or manipulation. Recently, Diekmann (2007) investigated the first and second digits of published statistical results in the field of sociology. He analysed estimates (means, standard deviations, correlations and (un)standardised regression coefficients) in two samples (approximately 2,600 observations) drawn from four volumes of the *American Journal of Sociology*. He discovered that only the digits of the unstandardised regression coefficients follow Benford's law. Diekmann compares his findings with fabricated regression coefficients made up in an experiment by students. Surprisingly, the produced data exhibit a pattern similar to the Benford distribution in the first digit, but deviate significantly for higher-order digits. Previous results for survey data, e.g. the German Socio-Economic Panel, can be found in Schräpler and Wagner (2005) and Schäfer et al. (2005).

Nigrini's (1996a, 1996b, 1999) publications were quite influential for introducing Benford's law in finance and accountancy. He analysed tax declarations of American taxpayers and figured out that people tend to understate their true taxable income. Due to U.S. law, where taxes are set after tax tables, even minor understatements can result in significant tax reductions. These findings inspired tax authorities in e.g. the U.S., Switzerland, the Netherlands and Germany, to check tax declarations for inconsistencies by applying Benford's law. Recently, Quick and Wolz (2003) examined balance sheet and income statement data of German companies for the years 1994-1998. Their results show that the first and second digits in most of the cases (on a year by year analysis as well as for the whole period) closely follow the Benford distribution.

Earlier, Carslaw (1988) investigated the second digits of profits of New Zealand firms and found that managers tend to round up the firm's profits due to psychological reasons. A profit of € 3.00 million appears to be much higher than a profit of € 2.99 million. Thus, there is an excess of zeros but a lack of nines in the second digits compared to the Benford distribution. Similar results were found by Thomas (1989), who conducted a study for U.S. firms, distinguishing between profits and losses. While the results for U.S. firms' profits are in line with Carslaw, he finds the reverse phenomenon for losses, i.e. managers tend to optically "shrink" losses by rounding appropriately (less zeros, more nines). Additional studies on this issue have been conducted by Niskanen and Keloharju (2000) for Finnish companies and Van Caneghem (2002) for U.K. companies.

Benford's law has also been applied to check predictions of mathematical models for plausibility provided that the real data follow Benford's law. Ley (1996) has shown that a series of one-day returns (using data for more than half of the 20th century) on the Dow Jones Industrial Average Index and the Standard & Poor's Index is in line with the Benford's distribution. A similar result is obtained by Tödter (2007) for the first digits of closing prices of German stocks. Moreover, he shows that the predictions for share prices by the Black and Scholes model are consistent with the Benford distribution for the first digit. In addition, Benford's law can be applied to test for psychological barriers in stock markets (see De Ceuster et al., 1998 among others) and ebay auctions (Giles, 2007).

Again it was Mark Nigrini (1996a) who discovered that 3,141 county populations in the 1990 U.S. Census follow Benford's law. This evidence may be used by demographers to assess the plausibility of predictions by population growth models. However, this check is limited since it can not be distinguished between a population of 35,000 and 3.5bn in a statistical test on the Benford distribution. Also in the design of computers and algorithms Benford's law is used. Schatte (1988) showed that the expected storage space for computers with binary-base is at its minimum for base 8.

Provided the population of specific data is distributed according to Benford's law it is widely accepted in empirical literature that manipulated data do no longer adhere to the specific distribution. However, in general one can not conclude *a priori* that a certain data set contains faked numbers if it deviates from Benford's law. Hence, in a first step, it needs to be established that the Benford distribution applies to the population of a data set before an *appropriate* sample is checked for deviations.

2 *Requirements to data sets for testing Benford's law*

Benford (1938, p. 552) stated that "the method of study consists of selecting any tabulation of data that is not too restricted in numerical range, or conditioned in some way too sharply." More precisely, in the literature a number of "rules" are formulated (see Durtschi et al., 2004 and Mochty, 2002 among others) on which data are expected to follow Benford's law.

The data set should either be complete or a random sample drawn from it to avoid biases. Moreover, data should be expressed in the same dimensions such as dollar or miles. Mochty (2002) advises not to use statistical estimates (means, variances) since they themselves follow certain distributions (Normal-, Chi²- etc.). However, that does not preclude the leading digits to obey Benford's law. Some of these statistics are checked in this study with surprising results. It is unanimously agreed in the literature that data shall not be restricted to certain minimum or maximum values (e.g. the body height of persons). Problems may also arise where data are restricted by psychological barriers (e.g. prices in supermarkets often have nine as a last digit – € 1.99). In addition, numbers shall not be artificial or made up by humans (e.g. telephone numbers, postal codes). Last but not least, rounded numbers do on average no longer follow Benford's law even if the original data do.

3 *Testing Benford's law*

Several statistical tests can be applied to inspect whether the distribution of the first and higher order digits conforms to Benford's law, such as the Chi² test, the Mean

test or the Kuiper test. If h_d (p_d) denotes the observed relative frequencies (probabilities) of digit d in a data set with N observations, the Chi^2 – statistics for first and second (and higher order) digits are defined as

$$T_1 = N \sum_{d_1=1}^9 \frac{(h_{d_1} - p_{d_1})^2}{p_{d_1}}, \quad T_2 = N \sum_{d_2=0}^9 \frac{(h_{d_2} - p_{d_2})^2}{p_{d_2}} \quad (4)$$

Under the null hypothesis of the Benford law, the statistics are Chi^2 – distributed with 8 (9) degrees of freedom.¹ As a quadratic measure, the statistic is sensitive to the pattern of deviations from Benford's law. Moreover, with a fixed significance level α and increasing sample size (N), the test will eventually reject the null, as the probability of a type II error (β) approaches zero.

Under Benford's law the mean of the first digit is 3.940 (with variance 6.057) and the mean of the second digit is 4.687 (with variance 8.254). To test whether the mean of the observed digits, calculated as $\bar{d}_1 = \sum_{d_1=1}^9 (d_1 + 0.5) h_{d_1}$ and $\bar{d}_2 = \sum_{d_2=0}^9 (d_2 + 0.5) h_{d_2}$, respectively, deviates from these values, the approximately standard normal statistics

$$T_{\bar{d}_1} = \sqrt{N} \frac{\bar{d}_1 - 3.940}{\sqrt{6.057}}, \quad T_{\bar{d}_2} = \sqrt{N} \frac{\bar{d}_2 - 4.687}{\sqrt{8.254}} \quad (5)$$

can be used. The Mean tests are less sensitive to deviations in single digits and less responsive to the sample size.²

¹ For specific digits, e.g. whether there is an excess of fives, the standard normal statistic $T_d = \sqrt{N} (h_d - p_d) / \sqrt{p_d(1-p_d)}$ can be used to check whether the observed frequency significantly deviates from its theoretical value.

² A closely related statistic is Nigrini's (1996a,b) distortion factor.

The Kuiper (1959) test is a modification of the Kolmogorov – Smirnov test (Giles, 2007). Let H_d (P_d) denote the cumulated empirical relative frequencies (cumulated probabilities), then the Kuiper – statistic is

$$T_K = (D_N^+ + D_N^-) [\sqrt{N} + 0.155 + 0.24 / \sqrt{N}] \quad (6)$$

where $D_N^+ = \sup[H_d - P_d]$ and $D_N^- = \sup[P_d - H_d]$.³

IV Benford's law in published econometric research

Intuitively, if a researcher intends to manipulate regression results to confirm or to refute a specific economic hypothesis, he is most likely to forge the leading digits, i.e. the first and second digit, of estimated coefficients and/or standard errors. Hence, the analysis focuses on the first and second digits only.⁴ To test the Benford hypothesis, we investigate volumes 30, 31, 32, and 33 of *Empirica* (years 2003 to 2006) with more than 14,000 first and second digits of coefficients and standard errors. In order to check the robustness of the results, volume 13 of *Applied Economics Letters* (year 2006) with more than 15,000 observations is analysed, too.⁵

We collected regression coefficients and standard deviations from a broad range of regression types, e.g. OLS, (inter-) quantile regressions, GMM, IV estimations, (censored) Tobit regressions, random and fixed effects estimations, SURE, VAR-models. Thereby, only regression results from empirical data are considered but no data obtained by simulation procedures.

³ Recently, Tam Cho and Gaines (2007) proposed the Euclidean distance as a measure to characterize the deviation from the Benford distribution. This measure is independent of the sample size, however, it is lacking a statistical foundation.

⁴ The results for third digits have been evaluated as well (overall showing a very good agreement with Benford's law) but are not reported due to space limitations. An analysis of higher-order digits (which are more likely to be uniformly distributed) is impeded by insufficient digits in most published papers.

⁵ The data set will be provided by the authors upon request.

Not in all cases a standard error (S.E.) was published along with the coefficient. If possible, the S.E. was calculated from the published t-value, taking into account that this might cause rounding problems. To illustrate this point, imagine that the original value of the coefficient is 1.394 with a t-value of 3.475. Calculating the S.E. gives 0.40115108. Suppose, the published data in an article are 1.39 and 3.48 for the coefficient and the t-value, respectively. The calculated S.E. equals 0.39942529. Obviously, this will cause misleading results for testing the digits frequencies. Keeping that in mind, we will comment on the importance of this phenomenon later.

For convenience, only regression results presented in tables of the respective journals and articles are included in the study, which is by far the majority of all available data. Moreover, in the subsequent analysis, it is not distinguished between positive and negative regression coefficients since there is no justification for doing so.

1 Results for first digits of regression coefficients in *Empirica*

We start by presenting the results for *Empirica*. The test statistics for the first digits of the regression coefficients are displayed in Table 2. Looking first at the test statistics for the total sample, none of the tests yields a significant value even on a 10% significance level. Thus, the Benford distribution cannot be rejected.

Table 2: Test statistics for the first digits of regression coefficients

<i>Empirica</i>	2003	2004	2005	2006	2003-06
Number of observations N	931	643	1,352	1,680	4,606
N per article	78	58	135	129	100
Chi ² test	32.60 ***	11.63	27.41 ***	19.08 **	11.35
<i>Probability</i>	0.00	0.17	0.00	0.01	0.18
Kuiper test	1.83 **	1.04	1.91 **	1.65 *	0.95
Mean test (absolute value)	1.69 *	0.50	2.94 ***	3.05 ***	1.19


*, **, *** denote a significant test value on the 10%-, 5%- and 1%-level

The critical test values for the respective significance levels are as follows:

Chi² test (8 df): 13.36, 15.51, 20.09; Kuiper test: 1.62, 1.75, 2.00; Mean test: 1.64, 1.96, 2.58.

They apply throughout the paper for any first digit analysis.

Figure 1: Relative frequencies of the first digits of regression coefficients



However, results are more diverse if the individual years are examined. The respective relative frequencies are displayed in Figure 1. Even though the year 2004 has the smallest number of observations (N=643) it has the best statistical fit (no significance on a 10% level) to Benford's law. In contrast, the observations in *Empirica* 2006 show significant test statistics on a 10% (Kuiper test), 5% (Chi² test) and 1%-level (Mean test). Although graphically the fit of the 2006 data appears to be slightly better than the 2004 one does, the number of observations is much higher (N=1680) which boosts the test statistics towards the rejection region. Furthermore, it is worth noting that on average in 2006 there are approximately twice as much coefficients per article (~129) as in 2004 (~59). Hence, the dependency on single articles is higher. Regarding the years 2003 and 2005, the test statistics for the Chi² test are significant on a 1% level and on a 5% level for the Kuiper test and suggest to reject the null of a Benford distribution. Graphically, in 2003 the digits 1, 5 and 8 are under represented whereas 3 and 6 appear too often. The dubious test statistics for 2005 can be attributed to the high relative frequency of digit two. It should be pointed out that the tendency of the Kuiper test to reject the null less frequently than the Chi² test does has been verified in many of our samples. In contrast, the Mean test does not show such a clear tendency. For 2003 it rejects the null on a 10% level, for 2005 on a 1% level.

In summary, although three out of four sub-samples seem to reject (at least partly) Benford's law for the first significant digit of regression coefficients, this effect averages out in the total sample.

2 Results for second digits of regression coefficients in Empirica

The test statistics of the second digits of regression coefficients are displayed in Table 3, the graphical output in Figure 2. It can be seen that the number of observations slightly drops compared to the first digit, because some published coefficients only have one significant digit. On average, the test statistics are more in line with Benford's law than for the first digit. Only in the total sample the null is marginally rejected at a 5% significance-level with the Chi² test. All other tests are insignificant on a 10% level, strongly suggesting that Benford's law applies.

Table 3: Test statistics for the second digits of regression coefficients

Empirica	2003	2004	2005	2006	2003-06
Number of observations N	831	550	1,067	1,529	3,977
N per article	69	50	107	118	86
Chi ² test	12.15	11.47	14.36	6.68	17.99 **
<i>Probability</i>	<i>0.20</i>	<i>0.24</i>	<i>0.11</i>	<i>0.67</i>	<i>0.04</i>
Kuiper test	1.11	0.90	1.09	0.92	1.29
Mean test (absolute value)	1.04	0.30	0.65	0.28	0.75


*, **, *** denote a significant test value on the 10%-, 5%- and 1%-level

The critical test values for the respective significance levels are as follows:

Chi² test (9 df): 14.68, 16.92, 21.67; Kuiper test: 1.62, 1.75, 2.00; Mean test: 1.64, 1.96, 2.58.

They apply throughout the paper for any second digit analysis.

Figure 2: Relative frequencies of the second digits of regression coefficients



At first glance, the figures for the years 2003, 2004 and 2005 do not appear to fit very well to the Benford distribution. But these discrepancies in the relative frequencies do not result in critical test statistics. However, as these deviations are still partly present in the total sample and given the higher number of observations the Chi² statistic falls into the rejection area.

In contrast to Diekmann (2007), if one suspects manipulation in the regression coefficients, our results indicate that first digits should be looked at. Intuitively, one would expect faked lower-order digits such that the regression outcomes support/refute a specific hypothesis. Hence, our conclusions seem to be more plausible than Diekmann's suggestion to look at second-order digits. The difference may be explained by the fact that in his experiment *all* regression coefficients are made up by the test persons. In reality, one would expect the author to adjust only a few important coefficients after running the regressions.

3 *Results for standard errors in Empirica*


The same analysis is conducted for the standard errors. The results for the first digit are displayed in Table 4 and Figure 3. The most interesting result is obtained for the year 2005 where all three test statistics reject the null on a 1% significance level. We divided the sample 2005 into two sub-samples which separates standard errors with t-values above 1.96 and below 1.96, respectively. It turns out that the dubious result is mainly caused by standard errors from the first sub-sample. In that region ($t > 1.96$, standard 5% significance level) the null hypothesis of a coefficient being zero is rejected. Therefore, one might tentatively argue that some statistics could have been amended in order to get significant regression coefficients. Another explanation might be that using the published (and rounded) data for calculations could yield to misleading results (see example in the beginning of this paragraph). In 2005, only 38% of the 632 analysed standard errors were published, the remainder had to be calculated. For the whole sample (incl. 2005) more than half of the S.E.s were available without calculation. All other test statistics – with exception of the χ^2 test value for 2003 – indicate accordance of the first digits of standard errors with Benford's law.

Table 4: Test statistics for the first digits of standard errors

Empirica	2003	2004	2005	2006	2003-06
Number of observations N	797	285	632	1,323	3,037
N per article	66	26	63	102	66
Chi ² test	19.22 **	9.99	29.33 ***	10.02	6.70
<i>Probability</i>	0.01	0.27	0.00	0.26	0.57
Kuiper test	1.45	0.76	2.46 ***	1.21	1.04
Mean test (absolute value)	0.33	0.13	2.71 ***	0.47	1.14

*, **, *** denote a significant test value on the 10%-, 5%- and 1%-level

Figure 3: Relative frequencies of the first digits of standard errors




The results for the second digit of standard errors show a high consistency with Benford's law. Only for 2003 the Mean test and for 2004 the Chi² test reject the null of a Benford distribution at a 5% significance level (see Table 5). It is worth noting, that the second digits of the year 2005 do not exhibit any irregularities. Consequently, our arguments for possible manipulations above may be substantiated.

Table 5: Test statistics for the second digits of standard errors

Empirica	2003	2004	2005	2006	2003-06
Number of observations N	663	261	552	1,297	2,773
N per article	55	24	55	100	60
Chi ² test	12.42	19.02 **	12.51	8.09	6.05
<i>Probability</i>	0.19	0.03	0.19	0.52	0.73
Kuiper test	1.46	1.38	1.45	0.97	0.98
Mean test (absolute value)	2.18 **	1.38	1.15	1.32	0.07

*, **, *** denote a significant test value on the 10%-, 5%- and 1%-level

Figure 4: Relative frequencies of the second digits of standard errors



4 Results for coefficients and standard errors in *Applied Economics Letters*


The above findings shall be checked by analysing all articles published in *Applied Economics Letters* 2006. It can be seen from the test statistics displayed in Table 6 that regression coefficients (no graphics shown) exhibit a distribution approximately equal to Benford's law. In contrast, the test statistics (except the Mean test) for the first and second digits of standard errors are highly significant. This is also graphically illustrated (Figure 5). Regarding the first digit, there is an excess of ones whereas a lack of nines for the second digit mainly causes the dubious statistics. Dividing the sample into two sub-samples of S.E. classified by the implied t-values (below or above $t=1.96$), the results are ambiguous: The dubious test statistics for the first digit seem to be caused by the sub-sample with $t < 1.96$, whereas the reverse is true for the second digit. However, the problems might again be caused by rounding effects since approximately 63% of the first digits had to be calculated.

Table 6: Test statistics for regression coefficients and standard errors

Applied Economics Letters 2006	Regr. coefficients		Standard errors	
	1st digit	2nd digit	1st digit	2nd digit
Number of observations N	5,171	4,650	2,921	2,619
N per article	73	65	41	37
Chi ² test	7.23	14.27	48.01 ***	25.64 ***
Probability	0.51	0.11	0.00	0.00
Kuiper test	0.81	1.17	3.25 ***	1.66 *
Mean test (absolute value)	0.31	1.77 *	1.25	0.89

*, **, *** denote a significant test value on the 10%-, 5%- and 1%-level

Figure 5: Relative frequencies of the first and second digits of standard errors



Again it can be shown that by only looking at digits that are not rounded the results deteriorate dramatically. Regarding the regression coefficients, the Chi² test and the Mean test reject the null of a Benford distribution at a minimum 5% significance level (the Kuiper test shows significant results only for the second digit). Interestingly, although the results for the standard errors get worse too, the Mean test still shows no significance on a 10% level.⁶

Overall, the results suggest that in economic research Benford's law applies to regression coefficients and standard errors. Given the large sample sizes, the probabilities for a type II error, i.e. falsely accepting the null hypothesis of Benford's law, are very small. Nonetheless, in some cases there are doubts about the reliability of first digits but non for higher order digits. While the results for the regression coefficients are robust, the analysis (and consequently the interpretation) of the standard errors was restrained by limited data availability.

5 Problems with testing single articles

This study does not aim at identifying specific articles which might include irregularities in the regression results. Nevertheless, one can ask whether the tests would be able to detect manipulation if it were present, given the small sample size of first or second digits in a typical article. As shown in Table 2 (6), in *Empirica*

⁶ For both journals also the possible sequences of the first and second digits (e.g. 14, 73, 86) have been analysed. The results, which are not reported here, show no clear pattern, neither regarding the tendencies of tests (which rejects more often) nor the effects of sample size.

(*Applied Economics Letters*) there were on average 100 (73) first digits per article. In general, a manipulation on digit d_1 changes the ratio of that digit from p_{d_1} to $h_{d_1} = p_{d_1} + \delta_{d_1}$, where the contamination ratios δ_{d_1} are restricted such that the relative frequency of a certain digit remains between zero and one and $\sum_{d_1=1}^9 \delta_{d_1} = 0$ holds. Whether a certain manipulation moves the test statistics into the critical region or not depends on the significance level (α), the sample size (N) and also on the pattern of deviations from Benford's law. For example, manipulation may change all digits (e.g. decreasing the relative frequency of leading digit 1 by some amount and increasing the frequencies of all other digits proportionally). Or only two digits may be affected (e.g. increasing the frequency of leading digit 5 at the expense of digit 1).

In the Appendix, critical contamination ratios are calculated for various sample sizes and significance levels for both types of contamination. For the first pattern of manipulation mentioned above, the Mean test performs best in the sense that it yields the smallest critical contamination ratio (9%, compared to 16% for the other two tests, at $N = 100$ and $\alpha = 10\%$). For the second pattern the Chi^2 test yields the smallest critical ratios (9%, compared 10% for the Mean test and 16% for the Kuiper test). Thus, detecting fraud at conventional significance levels of 5 or 10 percent in a typical article with 100 regression coefficients requires fairly heavy manipulation. At the same time a probability of a type II error (β) of around 37 percent for the Mean test is implied at the critical contamination ratios. Leamer (1978, p. 98) criticized the mechanical rule to "set $\alpha = 0.05$ " regardless of the sample size in classical hypothesis testing. As a remedy, the significance level could be increased markedly in small samples, yielding a more balanced assignment of both types of error.

V Benford's law in published economic forecasts

Monetary policy decisions by central banks on setting interest rates and by national governments on fiscal policies are informed by forecasts of macroeconomic variables. The growth rate of the real gross domestic product (GDP) and the inflation rate of the consumer price index (CPI) are undoubtedly at the centre of interest.

Such forecasts stem from both, private and publicly funded institutions (e.g. investment banks and research institutes; in the following referred to as *institutes* or *panellists*). The *Consensus Forecasts* survey published by the London-based company *Consensus Economics* belongs to one of the broadest survey data sets available for macroeconomic research. The journal does not only report the mean forecasts of several macroeconomic variables for meanwhile more than 70 countries but also the data from each professional forecaster. The participating panellists are asked to provide their economic forecasts for the current and the subsequent calendar year on a monthly basis. Typically, forecasts are made by institutions located in the respective country of interest.

The *Consensus Forecasts* survey data are widely used and analysed in the literature. Batchelor (2001) finds that the *consensus* forecasts provided by *Consensus Economics* are more accurate and more informative than the forecasts of the International Monetary Fund and the World Bank for several macroeconomic variables of the G7 countries. Hendry and Clements (2004) outline theoretical reasons why generally *consensus* forecasts outperform single forecasts and support their analysis by Monte Carlo simulations. Isiklar and Lahiri (2007) use monthly GDP data from *Consensus Economics* for 18 developed countries and find that the predictive power of forecasts is low when the forecast horizon exceeds 18 months. However, only few studies make use of the disaggregated data of individual forecasters published in *Consensus Forecasts*. Harvey et al. (2001) analyse forecasts from several panellists for the United Kingdom GDP growth rate, unemployment rate and the growth rate of retail prices to assess forecast efficiency. Gallo et al. (2002) analyse data for the United States, the United Kingdom and Japan and find that forecasters have an imitation or herding behaviour and the tendency to converge to the mean forecast. This yields severe consequences, e.g. the standard deviation of the mean forecast can not be used as a valid measure of uncertainty. Doovern and Weisser (2007) analyse the forecasting accuracy of single panellists for four macroeconomic variables for the G7 countries. However, none of above mentioned studies takes the approach chosen in this paper.

In this study, we make use of the disaggregated data and investigate forecasts for the German real GDP growth rate and the inflation rate (measured as the change of the consumer price index, CPI). The data analysed run from October 1989 to July 2004. Specifically, we investigate if Benford's law applies to the second digits of the single forecasts. In this context, the second digit is defined as the first digit after decimal point. Obviously, it is not plausible to check the first digit (before decimal point) for accordance with the Benford distribution since they are mostly in the range from zero to four for the GDP growth rate and inflation.

During the sample period some changes in the forecast variables published for Germany have occurred: Until December 1992, panellists had to report the gross national product for West-Germany. From January 1993 onwards this was replaced by the gross domestic product: At first only West-Germany, but finally for the unified Germany (since May 1997). The shift in the CPI from West-Germany to the unified Germany took place in October 1996. In addition, the structure of panellists is not the same for the sample period: The number of participation institutes (around 25) varied across time and some institutes merged with others, were acquired or even went bankrupt. However, we neglect these effects in our analysis. Forecast values equal to 0.0 are included as well.

A specific feature of the data is that all published forecasts are restricted to one digit after the decimal point. This suggests that each participating panellist is forced to round its (possibly more precise) predictions before submitting it to the journal. Hence, it is necessary to adjust Benford's law to take account for such rounding effects. The new distributions for the first and second digit are listed in Table 7. Suppose, one rounds to only one leading digit, then for example "3" as a first digit appears for all (not rounded) values between 2.5 and <3.5 (rounded: 3.00) with probability 0.146. Accordingly, if the second digits are rounded, for example "4" appears for all values between 1.35 and <1.45 (rounded: 1.4) with probability 0.102. The final column shows that rounding also distorts the mean of the distribution of first digits (from 3.940 to 4.193) and of second digits (from 4.687 to 4.761). The third row applies for the case that the second digits are boldly rounded to half-percentage

points such that only zeros and fives are reported as second digits. The final row is a mixture of both, as will be explained below.

Table 7: Rounded Benford distribution

d	0	1	2	3	4	5	6	7	8	9	Mean
p(d1_rd)	n.a.	0.198	0.222	0.146	0.109	0.087	0.073	0.062	0.054	0.048	4.193
p(d2_rd)	0.103	0.117	0.111	0.107	0.102	0.098	0.095	0.092	0.089	0.086	4.761
p(d2_bold_rd)	0.506	*	*	*	*	0.494	*	*	*	*	
p(d2_mix)	0.222	0.082	0.078	0.075	0.072	0.216	0.067	0.065	0.063	0.061	4.231

Source: own calculation


We start by presenting the results of four time series for the whole observation period and all panellists: The real GDP growth rate and the inflation rate for the current and the subsequent year. The test statistics are displayed in Table 8, the graphical illustration is given in Figure 6.

Table 8: Test statistics for the second digits of consensus forecast data

Variable	GDP		CPI		Total Sample
	Current	Subseq.	Current	Subseq.	
Forecast period (Year)					
Number of observations N	4,652	4,445	4,697	4,498	18,292
Chi ² test	1,934 ***	2,434 ***	1,345 ***	1,632 ***	7,048 ***
Probability	0.00	0.00	0.00	0.00	0.00
Kuiper test	12.67 ***	13.21 ***	14.02 ***	10.58 ***	25.22 ***
Mean test (absolute value)	7.95 ***	10.63 ***	2.17 **	7.72 ***	11.97 ***

*, **, *** denote a significant test value on the 10%-, 5%- and 1%-level

Figure 6: Relative frequencies of the second digits of Consensus Forecasts data




There are more than 4,400 observations for each time series and 55 panellists in total. The exact number of observations varies across the series' since not every

panellist reports figures for all asked variables at each record date. As it can easily be seen, all test statistics (except one) are highly significant. Thus, the null of a (rounded) Benford distribution for the second digits has to be rejected. The graphics show that this is due to an excess of zeros and fives in the forecasts. This effect is similarly strong for all four time series and consequently for the pooled sample. In other words, in approximately 23% of all data, the forecasts look like .0 and in 21% like .5 (with any first digit).

A priori, the added value of asking many professional forecasters instead of one for their opinions is assumed to be higher forecast accuracy. Therefore, one would expect at least a difference in the forecasts of the individual institutes for the second digit (the first digit should in most cases be the same across institutes for one prediction period). Figure 7 shows the distribution for the second digits of the pooled sample (i.e. all four time series) for each of the nine most mentioned institutes (*A, B, ..., I*). The selection does not account for mergers and acquisitions of institutes. The sample size for each institute lies in the range of (roughly speaking) 600 and 700 observations which can be seen as sufficiently large (the sample size for the individual time series is too low to be analysed by institute). At first glance, institutes C, D and G graphically have quite a broad distribution. Nonetheless, even for these institutes zero and five are the most frequent digits (as it is the case for all others) and the accordance with the rounded Benford distribution is low. The worst outcome can be attributed to institute B, where in 70% of all data the second digit equals zero or five, and in another 18% equals eight, in sharp contrast to the rounded Benford distribution.

Figure 7: Relative frequencies of the second digits of *Consensus Forecasts* data for various institutes



Given that this phenomenon (excess of zeros and fives) is present in all analysed samples above one might ask for the reasons. At first, one can think of model uncertainty: Suppose, an institute uses a model for prediction and the computation yields an inflation rate of, say 1.7361%. However, the forecaster knows that there is some uncertainty resulting from variables not incorporated in the model. To account for it, a rounding to .0 or .5 is done by a qualitative assessment of such factors. The mathematical consequences of such a clustering on zero and five are the following: Suppose, the population of forecasts obeys to Benford's law. If the rounding is such that all values which lie in the range of .75 and <.25 are rounded to .0 and all other values are rounded to .5, than it can easily be checked by Monte Carlo simulations

that the mean of the rounded data is biased (compared with the true mean). Secondly, strategic interaction might be a reason: Institutes are risk averse and fear a possible loss of their reputation if (wrong) forecasts are out of line from other forecasts. This risk can be reduced by choosing forecasts close to the ones of other leading institutes. Thirdly, the institutes use only basic analytical tools for their forecasts and their final reported forecast is more or less an educated guess. Irrespective of the possible explanations, it is no longer straightforward why on the one hand so many (financial) resources are devoted by dozens of institutes to forecasts and on the other hand why the public pays so much attention to the (mean) forecasts. As a consequence it is desirable to extend the existing forecasting methods.⁷

The foregoing results suggest that excess of zeros and fives in the distribution of second digits may be viewed as a mixture of proportion λ of forecasts with “*bold-rounded*” second digits and the proportion $1-\lambda$ of forecasts reported with two significant digits. Thus, the observed relative frequencies of second digits would have the mixed distribution


$$p(d_{2_mix}) = \lambda p(d_{2_bold_rd}) + (1-\lambda) p(d_{2_rd}) \quad (7)$$

with $0 \leq \lambda \leq 1$. Using the observed relative frequencies of second digits shown in Figure 6, λ can be estimated by minimizing the sum of squared differences between $h(d_i)$ and $p(d_i)$ for $i = 0 \dots 9$. The estimated value is $\hat{\lambda} = 0.296$. Thus, 30 percent of the observed forecasts seem to result from “*bold-rounding*” in the second digits, with little information content. Figure 8 shows the mixed rounded Benford distribution together with the distribution of the observed second digits of the total sample of *Consensus Forecasts*. The graphical fit is surprisingly good, in particular for the

⁷ One promising approach has been proposed by Berlemann and Nelson (2005). They introduce a small-scale experimental stock market which yields the (mean) forecast of inflation rate as well as a likelihood measure for different inflation scenarios. The main idea is to use the market as the best instrument to uncover and aggregate private information. Although further research has to be done to check the robustness of results for larger markets, the approach may also be applied to other macroeconomic variables.

frequencies of zeros and fives, though there is an excess of digit eight and some deficit of ones.

Figure 8: Mixed rounded Benford distribution vs. second digits of *Consensus Forecasts*



VI Conclusions

Increasing differentiation and growing social and economic relevance of research raises the temptation to make up research results (Reulecke, 2006). This process is fuelled by increasing publication pressure in academics. The traditional control mechanisms in the publication process, such as anonymous refereeing, are easily overstrained in dealing with empirical research papers using large data sets and complex econometric tools, calling for additional tools to check reliability.

This paper investigated the applicability of Benford's law in economic research and forecasting. We analysed the first and second digits of regression coefficients and standard errors in four volumes of *Empirica* and one volume of *Applied Economics Letters*, with almost 30,000 observations. In addition, we applied a rounded Benford distribution to the second digit of the GDP growth and CPI inflation rate forecasts for Germany drawn from 16 volumes of *Consensus Forecasts* with about 18,000 observations.

The main findings can be summarized as follows: Overall, published regression coefficients broadly conform to Benford's law. However, there are some irregularities with the first digit but none with higher-ordered digits. The results for standard errors do in general support Benford's law as well but are not that robust due to limitations of the available data. Thus, our results suggest that Benford's law can serve as a tool to assess the reliability of econometric research outcomes. Moreover, we found that checks for data manipulation should focus on the first digit. However, detecting deviations from Benford's law in single articles requires relatively high contamination ratios at conventional significance levels. The risk of overlooking doubtful papers can be reduced by increasing the significance level of the tests. In addition, it seems desirable that journal editors request from authors to report at least three significant digits of regression results and to provide both, standard errors and t-values.

In sharp contrast to regression coefficients, the second digits of economic growth and inflation forecasts widely diverge from the rounded Benford distribution. The data exhibit a large excess of zeros and fives as the first digit after decimal point. Although the results vary slightly between different forecasters, they are very robust. An estimated share of 30 percent of the forecasts appears to be rounded to half percentage points, resulting in severe information losses and, as a consequence, a distortion of the mean forecasts of the real growth rates and inflation rates. Statistical tests for deviations from the rounded Benford distribution can be used to identify forecasters that make heavy use of "*bold rounding*".

Benford's law is a simple, objective and effective tool for detecting anomalies in large data sets that deserve closer inspection. Here, we looked at the output of economic research and forecasting. Temptations for deception-prone activities may also be present in research input such as survey data (Judge and Schechter, 2006). Banking supervision is also a potentially rewarding field of application.

References

- Batchelor R (2001) How useful are the forecasts of intergovernmental agencies? The IMF and OECD versus the consensus. *Applied Econometrics* 33:225-235
- Benford F (1938) The law of anomalous numbers. *Proceedings of the American Philosophical Society* 78:551-572
- Berlemann M, Nelson F (2005) Forecasting inflation via experimental stock markets: Some results from pilot markets. Ifo Working Paper No. 10
- Camerer CF (2003) *Behavioural Game Theory: Experiments in Strategic Interaction*, New York, NY: Russell Sage Foundation and Princeton University Press
- Carlsaw C (1988) Anomalies in income numbers: Evidence of goal oriented behaviour. *The Accounting Review* 63:321-327
- De Ceuster MJK, Dhaene G, Schatteman T (1998) On the hypothesis of psychological barriers in stock markets and Benford's Law. *Journal of Empirical Finance* 5:263-267
- Diekmann A (2007) Not the first digit! Using Benford's law to detect fraudulent scientific data. *Journal of Applied Statistics* 34:321-329
- Dovern J, Weisser J (2007) Survey expectations in G7 countries: Professional forecasts of macroeconomic variables from the consensus data set. Mimeo. The Kiel Institute for the World Economy
- Durtschi C, Hillison W, Pacini C (2004) The effective use of Benford's law to assist in detecting fraud in accounting data. *Journal of Forensic Accounting* 5:17-34
- Gallo GM, Granger CWJ, Jeon Y (2002) Copycats and common swings: The impact of the use of forecasts in information sets. *IMF Staff Papers* 49:4-21
- Giles DE (2007) Benford's law and naturally occurring prices in certain ebaY auctions. *Applied Economics Letters* 14:157-161
- Hamermesh, DS (2007) Viewpoint: Replication in economics, *Canadian Journal of Economics*, 40(3): 715-733.
- Harvey DI, Leybourne SJ, Newbold P (2001) Analysis of a panel of UK macroeconomic forecasts. *The Econometrics Journal* 4:37-55
- Hendry DF, Clements MP (2004) Pooling of forecasts. *The Econometrics Journal* 7:1-31

- Hill TP (1995) A statistical derivation of the significant-digit law. *Statistical Science* 10:354-363
- Hill TP (1998) The first digit phenomenon. *American Scientist* 86:358-363
- Isiklar G, Lahiri K (2007) How far ahead can we forecast? Evidence from cross-country surveys. *International Journal of Forecasting* 23:167-187
- Judge G, Schechter L (2006) Detecting Problems in Survey Data Using Benford's Law, Working Paper.
- Kuiper, N.H. (1959) Alternative Proof of a Theorem of Birnbaum and Pyke, *Annals of Mathematical Statistics*, 30: 251-2.
- Leamer, E. (1978) *Specification Searches. Ad Hoc Inference with Nonexperimental Data*, New York: John Wiley & Sons, Inc.
- Ley E (1996) On the peculiar distribution of the U.S. stock indexes' digits. *The American Statistician* 50:311-313
- McCullough BD, Vinod HD (2003) Verifying the solution from a nonlinear solver: A case study. *American Economic Review* 93:873-892
- McCullough BD, McGeary KA, Harrison TD (2006) Lessons from the JMCB Archive. *Journal of Money, Credit, and Banking* 38(4):1093-1107
- Mochty L (2002) Die Aufdeckung von Manipulationen im Rechnungswesen – Was leistet das Benford's Law? *Die Wirtschaftsprüfung* 14:725-736
- Newcomb S (1881) Note on the frequency of use of the different digits in natural numbers. *American Journal of Mathematics* 4:39-40
- Nigrini MJ (1996a) A taxpayer compliance application of Benford's law. *The Journal of the American Taxpayer Association* 18:72-91
- Nigrini MJ (1996b) Using Digital Frequencies to Detect Fraud. *The White Paper* (April/May) 3-6
- Nigrini MJ (1999) Adding Value with Digital Analysis. *The Internal Auditor* 56:21-23
- Niskanen J, Keloharju M (2000) Earnings cosmetics in a tax-driven accounting environment: Evidence from Finnish public firms. *The European Accounting Review* 9:443-452
- Pinkham RS (1961) On the distribution of first significant digits. *Annals of Mathematical Statistics* 32:1223-1230

- Quick R, Wolz M (2003) Benford's law in deutschen Rechnungslegungsdaten. Betriebswirtschaftliche Forschung und Praxis 208-224
- Reulecke A-K (2006) Fälschungen – Zu Autorschaft und Beweis in Wissenschaften und Künsten. Eine Einleitung. In Reulecke A-K, Fälschungen, p. 7-43, Frankfurt am Main: Suhrkamp Verlag
- Schatte P (1988) On mantissa distributions in computing and Benford's law. Journal of Information Processing and Cybernetics 24:443-455
- Schäfer C, Schräpler JP, Müller KR, Wagner GG (2005) Automatic identification of faked and fraudulent interviews in the German SOEP. Schmollers Jahrbuch – Journal of Applied Social Science Studies 125:119-129
- Schräpler JP, Wagner GG (2005) Characteristics and impact of faked interviews in surveys. Allgemeines Statistisches Archiv 89:7-20
- Tam Cho WK, Gaines BJ (2007) Braking the (Benford) Law: Statistical Fraud Detection in Campaign Finance. The American Statistician 61(3):218-223
- Thomas JK (1989) Unusual patterns in reported earnings. The Accounting Review 64:773-787
- Tödter K-H (2007) Das Benford-Gesetz und die Anfangsziffern von Aktienkursen. Wirtschaftswissenschaftliches Studium 36(2): 93-97
- Van Caneghem T (2002) Earnings management induced by cognitive reference points. The British Accounting Review 34:167-178
- Varian H (1972) Benford's Law. The American Statistician 23:65-66

Appendix: Critical manipulation ratios

In this appendix we analyse how sensitive the test statistics used in section IV respond to deviations from Benford's law in two specific cases. The first case (A1) assumes that in a data set obeying Benford' law the first digit is changed such that its relative frequency decreases by the amount δ , while the other digits increase proportionally. In the second case (A2) the first digit is decreased, while the fifth digit is increased by the same amount.

$$\begin{aligned} h_1 &= p_1 - \delta, & 0 \leq \delta \leq p_1 \\ h_z &= p_z + \delta/8, & z = 2, \dots, 9 \end{aligned} \quad (A1)$$

$$\begin{aligned} h_1 &= p_1 - \delta, & 0 \leq \delta \leq p_1 \\ h_5 &= p_5 + \delta \end{aligned} \quad (A2)$$

The Chi² test (T_1), the Mean test ($T_{\bar{d}_i}$), and the Kuiper test (T_K), respond as follows to both types of manipulation:

$$\begin{aligned} T_1 &= \begin{cases} \delta^2 5.044 N & \text{for case A1} \\ \delta^2 15.951 N & \text{for case A2} \end{cases} \\ T_{\bar{d}_i} &= \begin{cases} \delta 1.828 \sqrt{N} & \text{for case A1} \\ \delta 1.625 \sqrt{N} & \text{for case A2} \end{cases} \\ T_K &= \delta [\sqrt{N} + 0.155 + 0.25/\sqrt{N}]; \end{aligned} \quad (A3)$$

The second type of contamination is much easier to detect with the Chi² statistic, but somewhat more difficult to discover with the Mean test. The Kuiper test is invariant to both types of contamination.

From (A3) we calculate critical contamination ratios which would be required for detecting the manipulations, i.e. which would push the value of the test statistic into the critical region of a test with critical value $T^{\text{crit}}(\alpha)$. Table A1 provides critical contamination ratios for various sample sizes (N) and significance levels (α).


Table A1: Critical contamination ratios for first digits

		Chi ² Test		Mean Test		Kuiper Test	
		5%	10%	5%	10%	5%	10%
N= 50	A1	24.8	23.0	15.2	12.7	24.1	22.3
	A2	13.9	12.9	17.1	14.3	24.1	22.3
N=100	A1	17.5	16.3	10.7	9.0	17.2	15.9
	A2	9.9	9.2	12.1	10.1	17.2	15.9
N=200	A1	12.4	11.5	7.6	6.3	12.2	11.3
	A2	7.0	6.4	8.5	7.1	12.2	11.3

Bold figures indicate tests with lowest critical contamination ratio

The Table shows that the Mean test performs best for manipulation pattern A1, in the sense of requiring the lowest critical contamination ratio to be detected. Pattern A2 is most easily detected by the Chi² test. Thus, without information on the pattern of deviations from Benford's law, it is difficult to choose the most appropriate test. Moreover, at conventional significance levels, relatively high contamination ratios are required in a typical article with around N=100 coefficients until a significant deviation from Benford's law is signalled by the tests.

For the Mean test, Figure A1 shows the probabilities of a type II error (β) as a function of the contamination ratio (δ) for $\alpha = 5\%$, $N = 100$ and both manipulation patterns. At the critical contamination ratios of 10.7 (12.1)% for pattern A1 (A2) the probability of a type II error (β) is 38 (37)%. Thus, a sizeable share of manipulations would remain undetected at conventional significance levels.



The following Discussion Papers have been published since 2006:

Series 1: Economic Studies

1	2006	The dynamic relationship between the Euro overnight rate, the ECB's policy rate and the term spread	Dieter Nautz Christian J. Offermanns
2	2006	Sticky prices in the euro area: a summary of new micro evidence	Álvarez, Dhyne, Hoerberichts Kwapil, Le Bihan, Lünnemann Martins, Sabbatini, Stahl Vermeulen, Vilmunen
3	2006	Going multinational: What are the effects on home market performance?	Robert Jäckle
4	2006	Exports versus FDI in German manufacturing: firm performance and participation in international markets	Jens Matthias Arnold Katrin Hussinger
5	2006	A disaggregated framework for the analysis of structural developments in public finances	Kremer, Braz, Brosens Langenus, Momigliano Spolander
6	2006	Bond pricing when the short term interest rate follows a threshold process	Wolfgang Lemke Theofanis Archontakis
7	2006	Has the impact of key determinants of German exports changed? Results from estimations of Germany's intra euro-area and extra euro-area exports	Kerstin Stahn
8	2006	The coordination channel of foreign exchange intervention: a nonlinear microstructural analysis	Stefan Reitz Mark P. Taylor
9	2006	Capital, labour and productivity: What role do they play in the potential GDP weakness of France, Germany and Italy?	Antonio Bassanetti Jörg Döpke, Roberto Torrini Roberta Zizza

10	2006	Real-time macroeconomic data and ex ante predictability of stock returns	J. Döpke, D. Hartmann C. Pierdzioch
11	2006	The role of real wage rigidity and labor market frictions for unemployment and inflation dynamics	Kai Christoffel Tobias Linzert
12	2006	Forecasting the price of crude oil via convenience yield predictions	Thomas A. Knetsch
13	2006	Foreign direct investment in the enlarged EU: do taxes matter and to what extent?	Guntram B. Wolff
14	2006	Inflation and relative price variability in the euro area: evidence from a panel threshold model	Dieter Nautz Juliane Scharff
15	2006	Internalization and internationalization under competing real options	Jan Hendrik Fisch
16	2006	Consumer price adjustment under the microscope: Germany in a period of low inflation	Johannes Hoffmann Jeong-Ryeol Kurz-Kim
17	2006	Identifying the role of labor markets for monetary policy in an estimated DSGE model	Kai Christoffel Keith Küster Tobias Linzert
18	2006	Do monetary indicators (still) predict euro area inflation?	Boris Hofmann
19	2006	Fool the markets? Creative accounting, fiscal transparency and sovereign risk premia	Kerstin Bernoth Guntram B. Wolff
20	2006	How would formula apportionment in the EU affect the distribution and the size of the corporate tax base? An analysis based on German multinationals	Clemens Fuest Thomas Hemmelgarn Fred Ramb

21	2006	Monetary and fiscal policy interactions in a New Keynesian model with capital accumulation and non-Ricardian consumers	Campbell Leith Leopold von Thadden
22	2006	Real-time forecasting and political stock market anomalies: evidence for the U.S.	Martin Bohl, Jörg Döpke Christian Pierdzioch
23	2006	A reappraisal of the evidence on PPP: a systematic investigation into MA roots in panel unit root tests and their implications	Christoph Fischer Daniel Porath
24	2006	Margins of multinational labor substitution	Sascha O. Becker Marc-Andreas Müндler
25	2006	Forecasting with panel data	Badi H. Baltagi
26	2006	Do actions speak louder than words? Household expectations of inflation based on micro consumption data	Atsushi Inoue Lutz Kilian Fatma Burcu Kiraz
27	2006	Learning, structural instability and present value calculations	H. Pesaran, D. Pettenuzzo A. Timmermann
28	2006	Empirical Bayesian density forecasting in Iowa and shrinkage for the Monte Carlo era	Kurt F. Lewis Charles H. Whiteman
29	2006	The within-distribution business cycle dynamics of German firms	Jörg Döpke Sebastian Weber
30	2006	Dependence on external finance: an inherent industry characteristic?	George M. von Furstenberg Ulf von Kalckreuth
31	2006	Comovements and heterogeneity in the euro area analyzed in a non-stationary dynamic factor model	Sandra Eickmeier

32	2006	Forecasting using a large number of predictors: is Bayesian regression a valid alternative to principal components?	Christine De Mol Domenico Giannone Lucrezia Reichlin
33	2006	Real-time forecasting of GDP based on a large factor model with monthly and quarterly data	Christian Schumacher Jörg Breitung
34	2006	Macroeconomic fluctuations and bank lending: evidence for Germany and the euro area	S. Eickmeier B. Hofmann, A. Worms
35	2006	Fiscal institutions, fiscal policy and sovereign risk premia	Mark Hallerberg Guntram B. Wolff
36	2006	Political risk and export promotion: evidence from Germany	C. Moser T. Nestmann, M. Wedow
37	2006	Has the export pricing behaviour of German enterprises changed? Empirical evidence from German sectoral export prices	Kerstin Stahn
38	2006	How to treat benchmark revisions? The case of German production and orders statistics	Thomas A. Knetsch Hans-Eggert Reimers
39	2006	How strong is the impact of exports and other demand components on German import demand? Evidence from euro-area and non-euro-area imports	Claudia Stirböck
40	2006	Does trade openness increase firm-level volatility?	C. M. Buch, J. Döpke H. Strotmann
41	2006	The macroeconomic effects of exogenous fiscal policy shocks in Germany: a disaggregated SVAR analysis	Kirsten H. Heppke-Falk Jörn Tenhofen Guntram B. Wolff

42	2006	How good are dynamic factor models at forecasting output and inflation? A meta-analytic approach	Sandra Eickmeier Christina Ziegler
43	2006	Regionalwährungen in Deutschland – Lokale Konkurrenz für den Euro?	Gerhard Rösl
44	2006	Precautionary saving and income uncertainty in Germany – new evidence from microdata	Nikolaus Bartsch
45	2006	The role of technology in M&As: a firm-level comparison of cross-border and domestic deals	Rainer Frey Katrin Hussinger
46	2006	Price adjustment in German manufacturing: evidence from two merged surveys	Harald Stahl
47	2006	A new mixed multiplicative-additive model for seasonal adjustment	Stephanus Arz
48	2006	Industries and the bank lending effects of bank credit demand and monetary policy in Germany	Ivo J.M. Arnold Clemens J.M. Kool Katharina Raabe
01	2007	The effect of FDI on job separation	Sascha O. Becker Marc-Andreas Müндler
02	2007	Threshold dynamics of short-term interest rates: empirical evidence and implications for the term structure	Theofanis Archontakis Wolfgang Lemke
03	2007	Price setting in the euro area: some stylised facts from individual producer price data	Dias, Dossche, Gautier Hernando, Sabbatini Stahl, Vermeulen
04	2007	Unemployment and employment protection in a unionized economy with search frictions	Nikolai Stähler

05	2007	End-user order flow and exchange rate dynamics	S. Reitz, M. A. Schmidt M. P. Taylor
06	2007	Money-based interest rate rules: lessons from German data	C. Gerberding F. Seitz, A. Worms
07	2007	Moral hazard and bail-out in fiscal federations: evidence for the German Länder	Kirsten H. Heppke-Falk Guntram B. Wolff
08	2007	An assessment of the trends in international price competitiveness among EMU countries	Christoph Fischer
09	2007	Reconsidering the role of monetary indicators for euro area inflation from a Bayesian perspective using group inclusion probabilities	Michael Scharnagl Christian Schumacher
10	2007	A note on the coefficient of determination in regression models with infinite-variance variables	Jeong-Ryeol Kurz-Kim Mico Loretan
11	2007	Exchange rate dynamics in a target zone - a heterogeneous expectations approach	Christian Bauer Paul De Grauwe, Stefan Reitz
12	2007	Money and housing - evidence for the euro area and the US	Claus Greiber Ralph Setzer
13	2007	An affine macro-finance term structure model for the euro area	Wolfgang Lemke
14	2007	Does anticipation of government spending matter? Evidence from an expectation augmented VAR	Jörn Tenhofen Guntram B. Wolff
15	2007	On-the-job search and the cyclical dynamics of the labor market	Michael Krause Thomas Lubik
16	2007	Heterogeneous expectations, learning and European inflation dynamics	Anke Weber

17	2007	Does intra-firm bargaining matter for business cycle dynamics?	Michael Krause Thomas Lubik
18	2007	Uncertainty about perceived inflation target and monetary policy	Kosuke Aoki Takeshi Kimura
19	2007	The rationality and reliability of expectations reported by British households: micro evidence from the British household panel survey	James Mitchell Martin Weale
20	2007	Money in monetary policy design under uncertainty: the Two-Pillar Phillips Curve versus ECB-style cross-checking	Günter W. Beck Volker Wieland
21	2007	Corporate marginal tax rate, tax loss carryforwards and investment functions – empirical analysis using a large German panel data set	Fred Ramb
22	2007	Volatile multinationals? Evidence from the labor demand of German firms	Claudia M. Buch Alexander Lipponer
23	2007	International investment positions and exchange rate dynamics: a dynamic panel analysis	Michael Binder Christian J. Offermanns
24	2007	Testing for contemporary fiscal policy discretion with real time data	Ulf von Kalckreuth Guntram B. Wolff
25	2007	Quantifying risk and uncertainty in macroeconomic forecasts	Malte Knüppel Karl-Heinz Tödter
26	2007	Taxing deficits to restrain government spending and foster capital accumulation	Nikolai Stähler
27	2007	Spill-over effects of monetary policy – a progress report on interest rate convergence in Europe	Michael Flad

28	2007	The timing and magnitude of exchange rate overshooting	Hoffmann Sondergaard, Westelius
29	2007	The timeless perspective vs. discretion: theory and monetary policy implications for an open economy	Alfred V. Guender
30	2007	International cooperation on innovation: empirical evidence for German and Portuguese firms	Pedro Faria Tobias Schmidt
31	2007	Simple interest rate rules with a role for money	M. Scharnagl C. Gerberding, F. Seitz
32	2007	Does Benford's law hold in economic research and forecasting?	Stefan Günnel Karl-Heinz Tödter

Series 2: Banking and Financial Studies

01	2006	Forecasting stock market volatility with macroeconomic variables in real time	J. Döpke, D. Hartmann C. Pierdzioch
02	2006	Finance and growth in a bank-based economy: is it quantity or quality that matters?	Michael Koetter Michael Wedow
03	2006	Measuring business sector concentration by an infection model	Klaus Düllmann
04	2006	Heterogeneity in lending and sectoral growth: evidence from German bank-level data	Claudia M. Buch Andrea Schertler Natalja von Westernhagen
05	2006	Does diversification improve the performance of German banks? Evidence from individual bank loan portfolios	Evelyn Hayden Daniel Porath Natalja von Westernhagen
06	2006	Banks' regulatory buffers, liquidity networks and monetary policy transmission	Christian Merkl Stéphanie Stolz
07	2006	Empirical risk analysis of pension insurance – the case of Germany	W. Gerke, F. Mager T. Reinschmidt C. Schmieder
08	2006	The stability of efficiency rankings when risk-preferences and objectives are different	Michael Koetter
09	2006	Sector concentration in loan portfolios and economic capital	Klaus Düllmann Nancy Masschelein
10	2006	The cost efficiency of German banks: a comparison of SFA and DEA	E. Fiorentino A. Karmann, M. Koetter
11	2006	Limits to international banking consolidation	F. Fecht, H. P. Grüner

12	2006	Money market derivatives and the allocation of liquidity risk in the banking sector	Falko Fecht Hendrik Hakenes
01	2007	Granularity adjustment for Basel II	Michael B. Gordy Eva Lütkebohmert
02	2007	Efficient, profitable and safe banking: an oxymoron? Evidence from a panel VAR approach	Michael Koetter Daniel Porath
03	2007	Slippery slopes of stress: ordered failure events in German banking	Thomas Kick Michael Koetter
04	2007	Open-end real estate funds in Germany – genesis and crisis	C. E. Bannier F. Fecht, M. Tyrell
05	2007	Diversification and the banks' risk-return-characteristics – evidence from loan portfolios of German banks	A. Behr, A. Kamp C. Memmel, A. Pfingsten
06	2007	How do banks adjust their capital ratios? Evidence from Germany	Christoph Memmel Peter Raupach
07	2007	Modelling dynamic portfolio risk using risk drivers of elliptical processes	Rafael Schmidt Christian Schmieder
08	2007	Time-varying contributions by the corporate bond and CDS markets to credit risk price discovery	Niko Dötz
09	2007	Banking consolidation and small business finance – empirical evidence for Germany	K. Marsch, C. Schmieder K. Forster-van Aerssen
10	2007	The quality of banking and regional growth	Hasan, Koetter, Wedow
11	2007	Welfare effects of financial integration	Fecht, Grüner, Hartmann

12	2007	The marketability of bank assets and managerial rents: implications for financial stability	Falko Fecht Wolf Wagner
13	2007	Asset correlations and credit portfolio risk – an empirical analysis	K. Düllmann, M. Scheicher C. Schmieder
14	2007	Relationship lending – empirical evidence for Germany	C. Memmel C. Schmieder, I. Stein
15	2007	Creditor concentration: an empirical investigation	S. Ongena, G. Tümer-Alkan N. von Westernhagen

Visiting researcher at the Deutsche Bundesbank

The Deutsche Bundesbank in Frankfurt is looking for a visiting researcher. Among others under certain conditions visiting researchers have access to a wide range of data in the Bundesbank. They include micro data on firms and banks not available in the public. Visitors should prepare a research project during their stay at the Bundesbank. Candidates must hold a Ph D and be engaged in the field of either macroeconomics and monetary economics, financial markets or international economics. Proposed research projects should be from these fields. The visiting term will be from 3 to 6 months. Salary is commensurate with experience.

Applicants are requested to send a CV, copies of recent papers, letters of reference and a proposal for a research project to:

Deutsche Bundesbank
Personalabteilung
Wilhelm-Epstein-Str. 14

60431 Frankfurt
GERMANY

