

Tangian, Andranik

**Working Paper**

## Statistical test for the mathematical theory of democracy

WSI-Diskussionspapier, No. 179

**Provided in Cooperation with:**

The Institute of Economic and Social Research (WSI), Hans Böckler Foundation

*Suggested Citation:* Tangian, Andranik (2012) : Statistical test for the mathematical theory of democracy, WSI-Diskussionspapier, No. 179, Hans-Böckler-Stiftung, Wirtschafts- und Sozialwissenschaftliches Institut (WSI), Düsseldorf

This Version is available at:

<https://hdl.handle.net/10419/55861>

**Standard-Nutzungsbedingungen:**

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

**Terms of use:**

*Documents in EconStor may be saved and copied for your personal and scholarly purposes.*

*You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.*

*If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.*

**Statistical Test for the  
Mathematical Theory of Democracy**

**Andranik Tangian**

**WSI-Diskussionspapier Nr. 179**

February 2012



Prof. Dr. Dr. Andranik Melik-Tangyan (Tangian, Tanguiane)  
WSI in der Hans Böckler Stiftung  
Hans Böckler Str. 39  
40476 Düsseldorf  
Germany  
Andranik-Tangian@boeckler.de

WSI-Diskussionspapiere (Print) ISSN 1861-0625  
WSI-Diskussionspapiere (Internet) ISSN 1861-0633  
[http://www.boeckler.de/pdf/p\\_wsi\\_diskp\\_179\\_e.pdf](http://www.boeckler.de/pdf/p_wsi_diskp_179_e.pdf)

# Statistical Test for the Mathematical Theory of Democracy

Andranik Tangian

Diskussionspapier Nr. 179

February 2012

Prof. Dr. Dr. Andranik Melik-Tangyan (Tangian, Tanguiane)  
WSI in der Hans Böckler Stiftung  
Hans-Böckler-Straße 39  
D-40476 Düsseldorf  
Tel: +49 211 7778-0  
Fax: +49 211 7778-190  
[Andranik-Tangian@Boeckler.De](mailto:Andranik-Tangian@Boeckler.De)

WSI-Diskussionspapiere (Print) ISSN 1861-0625  
WSI-Diskussionspapiere (Internet) ISSN 1861-0633  
[http://www.boeckler.de/pdf/p\\_wsi-diskp-179\\_e.pdf](http://www.boeckler.de/pdf/p_wsi-diskp-179_e.pdf)

Wirtschafts- und Sozialwissenschaftliches Institut  
in der Hans-Böckler-Stiftung, Düsseldorf



## Abstract

The problem formulation is as follows. Given  $m$  policy issues like ‘Introduce nation-wide minimal wage’ (Yes/No), ‘Privatize railways’ (Yes/No), etc., and positions of  $n$  parties on these issues as well as that of majority of the population revealed, say, by public polls. The questions to answer is: if one of parties (a coalition of a few parties) represents the majority opinions on  $m - i$  out of  $m$  issues, with  $i$  being relatively small, should it be regarded as a manifestation of the party (coalition) representative capacity or just as a possible coincidence?

We test the null-hypothesis that the given observation can result from a coincidence by chance. For this purpose, consider a Bernoulli  $(m \times n)$ -matrix whose elements are independent Bernoulli random variables taking equiprobable values 0 and 1 corresponding to random (mis)representation of  $m$  majority opinions by  $n$  parties. The  $m$  rows are associated with  $m$  issues, and  $n$  columns represent the match of positions of  $n$  parties to the prevailing public opinion. For a coalition, it is assumed that its positions are determined by a majority of coalition members (parties), that is, by the vectorial sum of associated columns. For instance, a three-party coalition is 100%-representative if the sum of the three associated columns is the  $m$ -vector with all elements  $\geq 3/2$  (majority of three votes).

To test the null-hypothesis for a single party, we find the probability of occurrence of a column with  $i$  or fewer zeros. If this probability is low, e.g.  $\leq 0.05$ , a coincidence by chance looks hardly probable, and the actual observation is interpreted as a demonstration of the party’s representativeness (with the statistical significance 5%). To test the null-hypothesis for a coalition of  $k$  parties, we find the probability of occurrence of  $k$  columns whose sum is the  $m$ -vector with  $i$  or fewer elements being  $< k/2$ . Again, if this probability is small then a coincidence is regarded unlikely and the coalition is considered representative, otherwise the question about its representativeness remains open.

The paper provides solutions for coalitions with up to three parties. It is done by meta-modeling with geometric, algebraic, and properly probabilistic meta-models. Each meta-model builds a series of models with computational formulas for particular sizes of the Bernoulli matrix. These formulas are too complex to be derived ‘manually’ and have no visible regularity, so the meta-modeling approach is essential. The probabilities, which cannot be found due to computer limitations, are estimated from the known ones by five interpolation techniques.

Finally, the statistical significance of representativeness of five major German parties and their coalitions is estimated.

**Keywords:** Mathematical theory of democracy, statistical test, parties, coalitions, representativeness, Bernoulli matrices, sums of random vectors.

**JEL classification:** C12—Hypothesis Testing: General, C44—Statistical Decision Theory, C63—Computational Techniques; Simulation Modeling, D71—Social Choice; Clubs; Committees; Associations, D72—Political Processes: Rent-Seeking, Lobbying, Elections, Legislatures, and Voting Behavior.

## Acknowledgement

The author thanks Prof. Mario Stanke for the hint to apply the Inclusion-Exclusion principle, and Prof. Serge Jolkov for a stimulating exchange of opinions.



## Contents

<b>1</b>	<b>Introduction</b>	<b>7</b>
1.1	Representativeness as a statistical phenomenon . . . . .	7
1.2	Problem formulation . . . . .	8
1.3	Structure of the paper . . . . .	9
<b>2</b>	<b>Geometric method</b>	<b>11</b>
2.1	Pairs of $m$ -columns and Sierpinski triangles . . . . .	11
2.2	Recursive equations for Bernoulli two-column matrices . . . . .	14
2.3	Multigraph-based recursive equations . . . . .	14
2.4	Perfect and imperfect column pairs in the general case . . . . .	20
2.5	Column triplets and Sierpinski pyramids . . . . .	31
2.6	Perfect and imperfect column triplets in the general case . . . . .	31
2.7	Summary . . . . .	35
<b>3</b>	<b>Algebraic method</b>	<b>43</b>
3.1	Multinomial sums and exponential polynomials . . . . .	43
3.2	Perfect column pairs in matrices with up to 3 rows . . . . .	49
3.3	Perfect column pairs in the general case . . . . .	50
3.4	Imperfect column pairs in the general case . . . . .	53
3.5	Perfect column triplets in matrices with up to 3 rows . . . . .	56
3.6	Perfect and imperfect column triplets in the general case . . . . .	57
3.7	$i$ -imperfect outcomes with $i$ close to $m$ . . . . .	63
3.8	Summary . . . . .	64
<b>4</b>	<b>Probabilistic method</b>	<b>65</b>
4.1	Inclusion-Exclusion principle . . . . .	65
4.2	First two sums in the Inclusion-Exclusion formula . . . . .	65
4.3	The $S$ -th sum in the Inclusion-Exclusion formula . . . . .	68
4.4	Exact computations . . . . .	71
4.5	Approximations with the first sums . . . . .	73
4.6	Summary . . . . .	74
<b>5</b>	<b>Interpolation methods</b>	<b>75</b>
5.1	Missing probabilities . . . . .	75
5.2	Interpolation of perfect outcomes on column height $m$ . . . . .	75
5.3	Interpolation of probabilities on degree of imperfectness $i$ . . . . .	84



5.4	Interpolation of probabilities on the matrix width $n$ . . . . .	88
5.5	Interpolation with the Inclusion-Exclusion formula . . . . .	88
5.6	Bringing interpolated probabilities together . . . . .	88
5.7	Summary . . . . .	89
<b>6</b>	<b>Example: Evaluation of German parties and coalitions</b>	<b>92</b>
<b>7</b>	<b>Conclusions: What can be improved</b>	<b>98</b>
<b>8</b>	<b>Annex: Probability tables</b>	<b>99</b>
<b>9</b>	<b>References</b>	<b>198</b>

# 1 Introduction

## 1.1 Representativeness as a statistical phenomenon

The mathematical theory of democracy, among other things, provides methods to evaluate single representatives (candidates for president, political parties) and representative bodies (parliament, cabinet of ministers) regarding their capacity to express opinions of the population (Tangian 2008a, 2012). The evaluation is based on comparing the position of representatives on selected policy issues with the public opinion revealed in public polls, referenda, or plebiscites. However, any conclusion based on a data sample has a limited reliability. Therefore, the statistical significance of evaluation has to be estimated.

To illustrate what we are going to study, suppose that five political parties define their position on six issues like ‘Introduce nation-wide minimal wage’, ‘Privatize railways’, etc., and, according to public polls, one party perfectly represents the public opinion, matching the majority opinion on all the issues. Regarding this outcome, a conclusion about the party’s high representativeness is made. Nevertheless, the following questions emerge:

1. Does the outcome observed really indicate at the party’s representative capacity, or it may be just a coincidence by chance? In other words, can a similar performance be expected on other policy issues, not yet considered or arising in future?
2. Are six policy issues sufficient to make any conclusion about the party’s representative capacity? Or their number should be increased, say, to 10?
3. What can be said if the match of party positions to the public opinion is imperfect, for instance, is restricted to five out of six issues? Does the conclusion about the party’s representativeness remain valid?

The same questions can be asked about party coalitions, whose positions on each issue are determined by a majority vote within the coalition.

The usual approach to this type of problems is developing a statistical test. Assuming that the parties meet the public opinion randomly, the probability of the actual outcome is found. If it is small then a coincidence by chance looks improbable and the actual observation is interpreted as a manifestation of the party’s representative capacity. If the probability is not small then the outcome looks possible and no conclusion on the party capacity is made.

The match of party positions to public opinion can be represented by a table, in our example of six issues versus five parties, with 1s standing for match and 0s for no match. If the match is assumed random, the table elements turn into independent Bernoulli random variables, taking values 0 and 1 with equal probabilities  $1/2$ .

If an alone-standing party is considered then the table consists of a single column. The match on six out of six issues has the probability  $(1/2)^6 = 1/64 < 0.02$ . It is sufficiently small, so a coincidence is unlikely. Hence, the party is regarded representative.

For five parties, the situation is different. The probability that one party out of five expresses the majority opinion on all the six issues is  $1 - [1 - (1/2)^6]^5 \approx 0.08$ . It is not small enough to say that the actual outcome is little probable, so the party’s representative capacity is in question. However, if the perfect match is observed for seven out of seven issues then the probability  $1 - [1 - (1/2)^7]^5 < 0.04$  is sufficiently small, arguing for the party’s representativeness.

Making conclusions about coalitions is similar, but random coincidences are more frequent than for single parties. In our example of five parties, the occurrence of a three-party coalition which

represents the public opinion on six out of six issues has the probability of about 0.10. Hence, the perfect coalition performance observed is not much promising for the future. The common probability threshold 0.05 (= 5%-significance level) can be surpassed with as many as eight hits out of eight. If the match is imperfect then the sample of issues should be extended further. For three-party coalitions, a single mismatch on  $i = 1$  issue must be outbalanced by at least  $m - i = 10$  hits, otherwise the 5%-significance is not attained.

Computing the probabilities required to statistically ‘prove’ the representative capacity of coalitions is not easy, and just this task is the subject of this paper.

## 1.2 Problem formulation

**Perfect column pairs and column triplets** A *Bernoulli* ( $m \times n$ )-matrix  $B = \{b_{ij}\}$  is a matrix whose elements  $b_{ij}$  are independent Bernoulli random variables, taking values 0 and 1 with equal probabilities  $1/2$ . A  $k$ -tuple of its columns is called *perfect* if

$$\text{Its sum along rows is a column } m\text{-vector with all } m \text{ elements being } \geq k/2 . \quad (1)$$

Label every  $k$ -tuple of columns of Bernoulli matrix with the set of corresponding column numbers  $J = [j_1, \dots, j_k]$ . Order these labels  $J$  and use them as scalar indices of column  $k$ -tuples.

By  $A_J$  denote the event that the  $J$ -th  $k$ -tuple is perfect. We are interested in the probability of union of these events, meaning that there occurs at least one perfect  $k$ -tuple of columns:

$$P\left(\bigcup A_J\right) = ? \quad (2)$$

A table with random 0–1 codes of match of party positions to public opinion is nothing else but a Bernoulli matrix. Here,  $m$  rows are associated with  $m$  issues, and  $n$  columns are associated with  $n$  parties. If the majority opinion on the  $i$ -th issue is represented by the  $j$ -th party then the matrix element  $b_{ij} = 1$ , otherwise  $b_{ij} = 0$ .

A perfect  $k$ -tuple of columns corresponds to a coalition of  $k$  parties whose internal majority ( $\geq k/2$  parties) shares the prevailing public opinion on every issue. The probability (2) characterizes the occurrence of such coalitions by chance and is needed to statistically test the representative capacity of coalitions with 100%-representativeness observed. That is, it is addressed to answer Questions 1–2.

**$i$ -imperfect column pairs and column triplets** To study Question 3 about imperfect match of party positions to public opinion, weaken the condition (1). If it is violated in  $i$  or fewer rows, the  $k$ -tuple of columns is called  *$i$ -imperfect*, that is,

$$\text{Its sum along rows is a column } m\text{-vector with at least } m - i \text{ elements being } \geq k/2 .$$

Obviously, perfect  $k$ -tuples of columns are 0-imperfect. A  $i$ -imperfect  $k$ -tuple of columns corresponds to a coalition which represents the majority opinion incompletely, failing to do it on  $i$  or fewer issues. The events  $A_J$  and the probability (2) are respectively redefined for  $i$ -imperfect  $k$ -tuples of columns.

**Existing literature** Besides the mathematical theory of democracy, the problem of estimating the probabilities mentioned arises in genetics, logistics, and some other applications like traffic control or finances (Coffman and Luecker 1991, Garey, Graham and Johnson 1976, Tangian

2007, 2008b). Random matrices are considered in numerous publications; for a survey see Eaton (2007), Edelman and Rao (2005), Kendrick (1981), and Mehta (2004). In particular, there are papers focused on sums of random vectors and their approximations; see Acosta (1992), Barbe and Broniatowsky (2005), Bolthausen (1987), Coffman and Lueker (1991), and Stanke (2003).

These publications study trends in large random matrices or in large sums of random vectors rather than propose solutions for small and medium-sized practical applications where asymptotic properties are not salient. The given paper attempts to fill in this gap by developing approaches to the problem for column pairs and column triplets in small and medium-sized Bernoulli matrices, that is, for coalitions with two or three parties if the total number of parties and the number of reference policy issues are rather limited.

**Meta-modeling approach** For Bernoulli matrices, three ways to find the probability (2) are developed. One method is geometric, another algebraic, and the third properly probabilistic. In theory, each of these methods solves the problem, but in practice every method has its computational limits. The geometric solution is computationally appropriate for Bernoulli matrices with a few columns, the algebraic — for Bernoulli matrices with a few rows, and the probabilistic — for Bernoulli matrices with twice more rows than columns. Therefore, the united computational solution is combined from the three methods. There are still non-computable probabilities, and their approximations are estimated from the known probabilities by five interpolation techniques.

The general approach is based on meta-modelling. Each meta-model builds a series of models with computational formulas for particular sizes of the Bernoulli matrix. These formulas are too complex to be derived ‘manually’ and have no visible regularity, so the meta-modeling approach is essential.

The complexity and lack of regularities may evoke suspects in the model errors. The doubts are resolved by equal output from different methods. As we shall see, the probabilities computed by alternative methods, say, geometric and algebraic, coincide with the precision better than  $\epsilon = 2^{-25}$ .

### 1.3 Structure of the paper

Chapter 2, ‘Geometric method’, is primarily targeted at Bernoulli matrices with up to eight columns. The (im)perfect outcomes are represented by multi-dimensional constructs based on the Sierpinski triangle (2012). Its repetitive structure enables to obtain systems of recursive equations for counting elements of these constructs and thereby to compute the probability (2). Depending on the width of Bernoulli matrix, the recursive systems are of variable dimension. Thus, perfect outcomes of Bernoulli matrices with 8 columns are counted with a system of almost 3,000 recursive equations, and it is shown that this system cannot be made simpler. For counting imperfect outcomes, the number of equations in certain cases attains 1.5 million.<sup>1</sup>

Chapter 3, ‘Algebraic method’, is aimed at Bernoulli matrices with up to seven rows. The corresponding meta-model constructs disjoint events with (im)perfect column pairs and triplets, and then the outcomes are counted as sums of multinomial coefficients expressed by exponential polynomials. In our application, some polynomials with a few dozens of terms require constructing millions of events.

---

<sup>1</sup>It is still much better than running through all the outcomes. For instance, the ‘small’ example at the end of the paper with five parties and 32 issues is modeled by a Bernoulli matrix with  $5 \times 32 = 160$  elements. The total number of outcomes  $2^{160}$  has the order of the number of atoms on the Earth. Our model can deal with matrices of size  $60 \times 60$  and even larger.

In Chapter 4, ‘Probabilistic method’, the probabilities of *perfect* outcomes are found with the Inclusion-Exclusion formula (Feller 1968, p. 99, Helms 1997, p. 42, 55–57, Inclusion-Exclusion Principle 2012). The meta-model constructs its successive sums, but the complexity of the task rapidly increases, so that complete models are implemented for Bernoulli matrices with up to six columns. Alternatively, the first six sums of the Inclusion-Exclusion formula provide accurate approximations for Bernoulli matrices whose rows are at least twice more numerous than columns.

Chapter 5, ‘Interpolation methods’ deals with the probabilities which cannot be calculated in reasonable time by any of the three methods. Five approaches are developed, basing on interpolation between the probabilities already found. The probabilities which cannot be approximated by the Inclusion-Exclusion formula are ‘restored’ by cubic splines, that is, piecewise-polynomial functions of third degree (Stoer and Bulirsch 2002, pp. 93–106; Stoer and Bulirsch 2007, pp. 112–148); see also Spline (mathematics) (2012) and Spline Interpolation (2012). Two methods use binomial and beta distribution functions to interpolate on the degree of imperfectness  $i$ . The interpolation on the horizontal size  $n$  of Bernoulli matrix is made with exponential functions. Finally, probabilities of imperfect outcomes are derived from that of perfect outcomes obtained with the Inclusion-Exclusion formula.

Chapter 6, ‘Example: Evaluation of German parties and coalitions’, applies the probabilities found to test statistical hypotheses about the representative capacity of German parties and their coalitions at the time of German Bundestag elections 2009.

Chapter 7, ‘Conclusions: What can be improved’, discusses possible continuations of the study.

Annex ‘Probability tables’, contains tables with probabilities of perfect and imperfect column pairs and triplets in Bernoulli matrices with up to 48 rows and 16 columns. The computer program accompanying this study is written in the MATLAB 2011b computer environment. It outputs the L<sup>A</sup>T<sub>E</sub>X template of the given paper, that is, a document with the title page and all figures and tables, including their captions and labels. The final paper is made by inserting the author’s text into this template. The computer project’s volume is about 200 pages of code and by this reason it is not included in this paper but is available on request.

As for the computer performance, the time required by the meta-model to derive particular formulas rises up to several days, and the total time to derive all computational formulas for this paper is about one month, constraining further advancements. The computations with the pre-computed formulas, although still not feasible ‘manually’, take a few seconds. Throughout the paper, the computation time is given for the MATLAB 2011b implementation running a PC with Intel(R) Core(TM)i7-2700K CPU 3.50GHz, 16GB RAM, under the WINDOWS 7 Professional Version 2009 Service Pack 1 64-bit operation system.

## 2 Geometric method

### 2.1 Pairs of $m$ -columns and Sierpinski triangles

To study outcomes of Bernoulli  $(m \times n)$ -matrices construct tables  $T_m$  with all types of binary  $m$ -columns indexed in the ascending lexicographic order (as if reading the columns from bottom as binary numbers); see Tables 1–4. Since each column element takes values 0 or 1, the total number of  $m$ -column types is  $2^m$ . Note that columns are indexed starting from 1 rather than from 0. It is done to meet the standard indexing in multinomial coefficients considered in the next chapter.

Table 1: Types of 1-columns

Column index	
1	2
0	1

Table 2: Types of 2-columns

Column index			
1	2	3	4
0	1	0	1
0	0	1	1

Table 3: Types of 3-columns

Column index							
1	2	3	4	5	6	7	8
0	1	0	1	0	1	0	1
0	0	1	1	0	0	1	1
0	0	0	0	1	1	1	1

Table 4: Types of 4-columns

Column index															
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1
0	0	1	1	0	0	1	1	0	0	1	1	0	0	1	1
0	0	0	0	1	1	1	1	0	0	0	0	1	1	1	1
0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1

**Proposition 1 (Recursive construction of tables  $T_m$ )** *Tables  $T_m$  of types of binary  $m$ -columns can be constructed recursively:*

$$\begin{aligned}
 T_1 &= (0 \ 1) \\
 T_2 &= \begin{pmatrix} T_1 & T_1 \\ 0 \ 0 & 1 \ 1 \end{pmatrix} \\
 \dots & \\
 T_{m+1} &= \begin{pmatrix} T_m & T_m \\ \underbrace{0 \dots 0}_{2^m} & \underbrace{1 \dots 1}_{2^m} \end{pmatrix}.
 \end{aligned}$$

Let us show that index pairs of perfect column pairs constitute the *Sierpinski triangle* (2012) described by W.Sierpinski in 1915, and index pairs of imperfect column pairs constitute the gen-






Figure 1: Perfect pairs of 4-columns (Sierpinski triangle)

eralized Sierpinski triangle defined below. Recall that the Sierpinski triangle can be constructed in several ways, in particular, recursively. The construction is initialized with the top-right element in Figure 1. At each step, the current configuration is triplicated by adding its two instances to the existing one. One instance is added at the left-hand side, and one instance is added below. The bottom-left area is left empty.

Generalize the notion of Sierpinski triangle to *Sierpinski triangle of type  $i$* . Define the Sierpinski triangle of type 0 to be the empty set. For  $i > 0$  the construction is initialized with the top-right element in Figures 2 and 3. At each step the current configuration is triplicated by adding two instances of the current configuration to the existing one. One instance is added on the left-hand side and one instance below. Besides, the bottom-left area is filled with the Sierpinski triangle of type  $i - 1$ . As one can see, the original Sierpinski triangle is of type 1.

**Proposition 2 (Imperfect column pairs as generalized Sierpinski triangles)** *The index pairs of  $i$ -imperfect column pairs constitute the Sierpinski triangle of type  $i + 1$ .*

PROOF. The square of index pairs of  $m$ -columns consists of four sub-squares whose coordinate axes are half-axes of the large square. Denote by 0 the half-axis with indices  $\leq 2^{m-1}$  of  $m$ -columns ending with 0, and by 1 the half-axis with indices  $> 2^{m-1}$  of  $m$ -columns ending with 1. The (01), (10), and (11) sub-squares correspond to pairs of  $m$ -columns with no simultaneous 0s at the bottom. Therefore, these column pairs are  $i$ -imperfect if and only if their upper  $(m - 1)$ -segments make  $i$ -imperfect pairs, i.e. these three sub-squares have the same structure of  $i$ -imperfect outcomes. The (00) sub-square corresponds to pairs of  $m$ -columns with 0s at the bottom. Consequently, these column pairs are  $i$ -imperfect if and only if their upper  $(m - 1)$ -segments constitute  $(i - 1)$ -imperfect pairs. This is exactly the way the Sierpinski triangle of type  $i + 1$  is constructed. ■




Figure 2: 1-imperfect pairs of 5-columns (Sierpinski triangle of type 2)




Figure 3: 2-imperfect pairs of 5-columns (Sierpinski triangle of type 3)

### 2.2 Recursive equations for Bernoulli two-column matrices

It is easy to show that perfect/imperfect outcomes of two-column Bernoulli matrices are binomially distributed. However, the binomial approach cannot be extended to more complex cases, and we immediately start to introduce the general method.

By definition of generalized Sierpinski triangle and Proposition 2, the transition from  $m$ -columns to  $(m + 1)$ -columns results in triplicating the number  $x_m^{i+1}$  of  $i$ -imperfect outcomes (labeled by the type  $i + 1$  of the corresponding Sierpinski triangle) and adding the amount  $x_m^i$  of  $(i - 1)$ -imperfect outcomes:

$$\begin{aligned}
 x_{m+1}^1 &= 3 x_m^1 && \text{(for Sierpinski triangle of type 1)} \\
 x_{m+1}^2 &= x_m^1 + 3 x_m^2 && \text{(for Sierpinski triangle of type 2)} \\
 x_{m+1}^3 &= x_m^2 + 3 x_m^3 && \text{(for Sierpinski triangle of type 3)} \\
 &\dots\dots\dots
 \end{aligned}
 \tag{3}$$

initialized with  $x_0^1 = \dots = x_0^{i+1} = 1$ . In vector-matrix notation we have

$$\mathbf{x}_{m+1} = \mathbf{A}\mathbf{x}_m = \mathbf{A}^{m+1}\mathbf{1} ,$$

where

$$\mathbf{x}_0 = \mathbf{1} = \begin{pmatrix} 1 \\ \vdots \\ 1 \end{pmatrix} , \quad \mathbf{x}_m = \begin{pmatrix} x_m^1 \\ \vdots \\ x_m^{i+1} \end{pmatrix} , \quad \text{and} \quad \mathbf{A} = \begin{pmatrix} 3 & 0 & 0 & \dots & 0 \\ 1 & 3 & 0 & \ddots & \vdots \\ 0 & 1 & 3 & \ddots & 0 \\ \vdots & & \ddots & \ddots & 0 \\ 0 & \dots & 0 & 1 & 3 \end{pmatrix} .$$

Since the square of outcomes of Bernoulli  $(m \times 2)$ -matrix has  $(2^m)^2 = 4^m$  elements,

$$\begin{aligned}
 \text{P(Outcome of Bernoulli } (m \times 2)\text{-matrix is a perfect column pair)} &= \frac{x_m^1}{4^m} = \frac{3^m}{4^m} \\
 \dots\dots\dots \\
 \text{P(Outcome of Bernoulli } (m \times 2)\text{-matrix is a } i\text{-imperfect column pair)} &= \frac{x_m^{i+1}}{4^m} .
 \end{aligned}$$

### 2.3 Multigraph-based recursive equations

Identify outcomes of Bernoulli three-column  $(m \times 3)$ -matrix with triplets of indices of  $m$ -columns which constitute a cube with  $(2^m)^3 = 8^m$  elements. A *perfect outcome* is a triplet of indices with two indices making a perfect pair, that is, belonging to the Sierpinski triangle. Therefore, perfect outcomes build  $2^m$ -long bars over the Sierpinski triangles located in all the three cube's coordinate faces (bordered by coordinate axes) — the union of three intersecting Sierpinski cylinders; see Figure 4. For  $i$ -imperfect outcomes, the cylinder bases are obviously Sierpinski triangles of type  $i + 1$ .

We say that a cube's coordinate face is of type  $j$ , or  $j$ -face, if its outcomes of interest constitute the Sierpinski triangle of type  $j$ . The number of outcomes of interest in every cube depends on  $j$ -types of its faces (as cylinder bases) and their reciprocal position. All of these are characterized




Figure 4: Triplets of 4-columns with a perfect column pair (union of three Sierpinski cylinders)


by a *multigraph* whose vertices stand for the coordinate axes and  $j$ -multiple edges for the cube's  $j$ -faces.

Recall that a multigraph with  $n$  vertices is represented by its *adjacency* ( $n \times n$ )-*matrix*

$$\mathbf{G} = \{e_{xy}\}, \quad e_{xy} = \begin{cases} j & \text{if } j \text{ edges connect vertices } x \text{ and } y \text{ (} x \text{ and } y \text{ are } j\text{-adjacent)} \\ 0 & \text{otherwise} \end{cases} .$$

In our case

$$e_{xy} = \begin{cases} j & \text{if the } xy \text{ coordinate face of the cube is of type } j \\ 0 & \text{otherwise} \end{cases} .$$

For example, the 3-multigraph  shows three coordinate axes by three vertices, one 2-face by the double edge, one 1-face by the single edge, and one empty 0-face by the missing edge. Its adjacency matrix is

$$\mathbf{G} = \begin{pmatrix} 0 & 2 & 0 \\ 2 & 0 & 1 \\ 0 & 1 & 0 \end{pmatrix} .$$

Since the adjacency matrix is symmetric, it is completely characterized by the vector obtained from concatenating the columns of its bottom-triangular section; for our example it is  $\begin{pmatrix} 2 \\ 0 \\ 1 \end{pmatrix}$ .


For a certain permutation of the graph vertices, this vector with  $\frac{n(n-1)}{2}$  elements attains its lexicographic maximum  $g$  which is called the *graph invariant* (Kuramochi and Karypsis 2007, pp. 119–121). In our example, after having permuted vertices 1 and 2, we obtain the graph invariant

$$g = \begin{pmatrix} 2 \\ 1 \\ 0 \end{pmatrix} .^2$$

Two graphs with equal invariants are equal to within a permutation of vertices, so that the cubes with equal graph invariants have the same number of (im)perfect outcomes.

Derive recursive equations for 1-imperfect outcomes of Bernoulli  $[(m+1) \times 3]$ -matrix. In the notation of proof of Proposition 2, the cube of size  $(2^{m+1})^3$  falls into eight sub-cubes of size  $(2^m)^3$  with different 0–1 combinations of half-axes of the large cube. Depending on the 0–1 half-axis combination, every sub-cube has its own characteristic multigraph which determines its number of 1-imperfect outcomes. Therefore, we use the graph invariants to classify the cubes and to label unknowns in recursive equations as in (3).

In our geometric representation, the large cube  $(2^{m+1})^3$  of 1-imperfect outcomes has three coordinate faces with the Sierpinski triangle of type 2. The cube's characteristic multigraph

 has the adjacency matrix and the graph invariant, respectively,

$$\mathbf{G} = \begin{pmatrix} 0 & 2 & 2 \\ 2 & 0 & 2 \\ 2 & 2 & 0 \end{pmatrix} \quad \text{and} \quad g = \begin{pmatrix} 2 \\ 2 \\ 2 \end{pmatrix} .$$

Correspondingly, denote the number of 1-imperfect outcomes in the large cube by  $\overset{222}{x}_{m+1}$ .

<sup>2</sup>For  $i$ -imperfect outcomes, the elements of  $g$  adopt values  $0, \dots, i+1$ . Then  $g$  can be regarded as a  $(i+2)$ -cimal number, in our example  $(210)_3 = 2 \cdot 3^2 + 2 \cdot 3^1 + 0 \cdot 3^0 = 24$ .

Note that if a face of the large cube has type  $j$  then the parallel sub-cube's faces (01), (10) and (11) inherit the same  $j$ -type. The sub-cube's face (00) has the reduced type  $j - 1$  (but not below 0 which means the empty face). All of these mean that the characteristic multigraph of a sub-cube is obtained from the multigraph of the large cube by reducing by 1 the degree of the edges which denote the (00)-faces of the sub-cube.

To perform these reductions, define *reduction matrices*  $\mathbf{R}_c$ . These matrices are of the same size as the adjacency matrix  $\mathbf{G}$  and have 1s at the position of the edges whose degree must be reduced, and 0s otherwise. (Recall that the reduction stops as  $e_{xy} = 0$  is attained, so that  $0 - 1 = 0$ .) In our 3D case, we have  $2^3 = 8$  sub-cubes with different 0-1 half-axis combinations and 8 reduction matrices with some of them being equal:

- 1 (000)-sub-cube with all the three (00)-faces. Here, the reduction matrix, the resulting adjacency matrix of this sub-cube and the graph invariant are, respectively,

$$\mathbf{R}_{000} = \begin{pmatrix} 0 & 1 & 1 \\ 1 & 0 & 1 \\ 1 & 1 & 0 \end{pmatrix}, \quad \mathbf{G}_1 = \mathbf{G} - \mathbf{R}_{000} = \begin{pmatrix} 0 & 1 & 1 \\ 1 & 0 & 1 \\ 1 & 1 & 0 \end{pmatrix}, \quad g_1 = \begin{pmatrix} 1 \\ 1 \\ 1 \end{pmatrix}.$$

Label the unknown number of 1-imperfect outcomes in this sub-cube by its graph invariant  $g_1$ , that is, denote it by  ${}^{111}x_m$ .

- 1 (001)-sub-cube. Its only (00)-face is between the first two axes, whence,

$$\mathbf{R}_{001} = \begin{pmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix}, \quad \mathbf{G}_2 = \mathbf{G} - \mathbf{R}_{001} = \begin{pmatrix} 0 & 1 & 2 \\ 1 & 0 & 2 \\ 2 & 2 & 0 \end{pmatrix}, \quad g_2 = \begin{pmatrix} 2 \\ 2 \\ 1 \end{pmatrix}.$$

The number of 1-imperfect outcomes in this sub-cube denote by  ${}^{221}x_m$ .

- 1 (010)-sub-cube. Its only (00)-face is between the first and third axes, whence,

$$\mathbf{R}_{010} = \begin{pmatrix} 0 & 0 & 1 \\ 0 & 0 & 0 \\ 1 & 0 & 0 \end{pmatrix}, \quad \mathbf{G}_3 = \mathbf{G} - \mathbf{R}_{010} = \begin{pmatrix} 0 & 2 & 1 \\ 2 & 0 & 2 \\ 1 & 2 & 0 \end{pmatrix}, \quad g_3 = \begin{pmatrix} 2 \\ 2 \\ 1 \end{pmatrix}.$$

The number of 1-imperfect outcomes in this sub-cube denote by  ${}^{221}x_m$ .

- 1 (100)-sub-cube. Its only (00)-face is between the second and third axes, whence,

$$\mathbf{R}_{100} = \begin{pmatrix} 0 & 0 & 0 \\ 0 & 0 & 1 \\ 0 & 1 & 0 \end{pmatrix}, \quad \mathbf{G}_4 = \mathbf{G} - \mathbf{R}_{100} = \begin{pmatrix} 0 & 2 & 2 \\ 2 & 0 & 1 \\ 2 & 1 & 0 \end{pmatrix}, \quad g_4 = \begin{pmatrix} 2 \\ 2 \\ 1 \end{pmatrix}.$$

The number of 1-imperfect outcomes in this sub-cube denote by  ${}^{221}x_m$ .

- 4 sub-cubes with no (00)-face, that is, (111), (011), (101), and (110) sub-cubes. Since they have no (00)-faces, the corresponding reduction matrix is  $\mathbf{0}$ , and the resulting adjacency matrix of each sub-cube and its invariant are, respectively,

$$\mathbf{R}_{111} = \begin{pmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix}, \quad \mathbf{G}_5 = \mathbf{G} - \mathbf{R}_{111} = \begin{pmatrix} 0 & 2 & 2 \\ 2 & 0 & 2 \\ 2 & 2 & 0 \end{pmatrix}, \quad g_5 = \begin{pmatrix} 2 \\ 2 \\ 2 \end{pmatrix}.$$

The number of 1-imperfect outcomes in each sub-cube denote by  ${}^{222}x_m$ .



Since the number of 1-imperfect outcomes in the large cube is equal to the sum of that in the eight sub-cubes, we obtain the following recursive equation

$$\overset{222}{x}_{m+1} = \overset{111}{x}_m + 3 \overset{221}{x}_m + 4 \overset{222}{x}_m . \quad (4)$$

This equation has two new unknowns,  $\overset{111}{x}_m$  and  $\overset{221}{x}_m$ . Derive a recursive equation for the ‘superior’ unknown  $\overset{221}{x}_{m+1}$  by decomposing the  $(2^{m+1})^3$  cube with the graph invariant  $g_{221}$ . Apply the procedure just described to one of relevant graphs, say,  $\mathbf{G}_4 = \begin{pmatrix} 0 & 2 & 2 \\ 2 & 0 & 1 \\ 2 & 1 & 0 \end{pmatrix}$ , subtracting the reduction matrices  $\mathbf{R}_{000}, \dots, \mathbf{R}_{111}$  (with the latter zero-matrix repeated four times). Decompose the large cube into eight sub-cubes:

1 (000)-sub-cube with the characteristic graph and its invariant

$$\mathbf{R}_{000} = \begin{pmatrix} 0 & 1 & 1 \\ 1 & 0 & 1 \\ 1 & 1 & 0 \end{pmatrix}, \quad \mathbf{G}_6 = \mathbf{G}_4 - \mathbf{R}_{000} = \begin{pmatrix} 0 & 1 & 1 \\ 1 & 0 & 0 \\ 1 & 0 & 0 \end{pmatrix}, \quad g_6 = \begin{pmatrix} 1 \\ 1 \\ 0 \end{pmatrix} .$$

The number of  $i$ -imperfect outcomes in this sub-cube denote by  $\overset{110}{x}_m$ .

1 (001)-sub-cube with the reduction matrix, characteristic graph and its invariant

$$\mathbf{R}_{001} = \begin{pmatrix} 0 & 1 & 0 \\ 1 & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix}, \quad \mathbf{G}_7 = \mathbf{G}_4 - \mathbf{R}_{001} = \begin{pmatrix} 0 & 1 & 2 \\ 1 & 0 & 1 \\ 2 & 1 & 0 \end{pmatrix}, \quad g_7 = \begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix} .$$

The number of 1-imperfect outcomes in these sub-cube denote by  $\overset{211}{x}_m$ .

1 (010)-sub-cube with the reduction matrix, characteristic graph and its invariant

$$\mathbf{R}_{010} = \begin{pmatrix} 0 & 0 & 1 \\ 0 & 0 & 0 \\ 1 & 0 & 0 \end{pmatrix}, \quad \mathbf{G}_8 = \mathbf{G}_4 - \mathbf{R}_{010} = \begin{pmatrix} 0 & 2 & 1 \\ 2 & 0 & 1 \\ 1 & 1 & 0 \end{pmatrix}, \quad g_8 = \begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix} .$$

The number of 1-imperfect outcomes in these sub-cube denote by  $\overset{211}{x}_m$ .

1 (100)-sub-cube with the reduction matrix, characteristic graph and its invariant

$$\mathbf{R}_{100} = \begin{pmatrix} 0 & 0 & 0 \\ 0 & 0 & 1 \\ 0 & 1 & 0 \end{pmatrix}, \quad \mathbf{G}_9 = \mathbf{G}_4 - \mathbf{R}_{100} = \begin{pmatrix} 0 & 2 & 2 \\ 2 & 0 & 0 \\ 2 & 0 & 0 \end{pmatrix}, \quad g_9 = \begin{pmatrix} 2 \\ 2 \\ 0 \end{pmatrix} .$$

The number of 1-imperfect outcomes in these sub-cube denote by  $\overset{220}{x}_m$ .

4 sub-cubes with no (00)-face. Subtracting  $\mathbf{R}_{111} = \mathbf{0}$  from  $\mathbf{G}_4$  we obtain the same characteristic graph  $\mathbf{G}_4$  with its graph invariant  $g_4 = (2, 2, 1)'$ . The number of 1-imperfect outcomes in each of these sub-cubes is  $\overset{221}{x}_m$ .

Thereby we obtain the next recursive equation

$$x_{m+1}^{221} = x_m^{110} + 2x_m^{211} + x_m^{220} + 4x_m^{221} . \quad (5)$$

Apply this decomposition procedure to  $x_m^{111}$  from (4), and to  $x_m^{110}$ ,  $x_m^{211}$  and  $x_m^{220}$  from (5), then to the next encountering unknowns, as long as the labeling graph invariants are not zero vectors. Finally obtain the following full system of recursive equations ordered by the graph invariants, that is, with (4) and (5) at the bottom:

$$\begin{aligned} x_{m+1}^{100} &= 6x_m^{100} \\ x_{m+1}^{110} &= 2x_m^{100} + 5x_m^{110} \\ x_{m+1}^{111} &= 3x_m^{110} + 4x_m^{111} \\ x_{m+1}^{200} &= 2x_m^{100} + 6x_m^{200} \\ x_{m+1}^{210} &= x_m^{100} + x_m^{110} + x_m^{200} + 5x_m^{210} \\ x_{m+1}^{211} &= x_m^{100} + x_m^{111} + 2x_m^{210} + 4x_m^{211} \\ x_{m+1}^{220} &= x_m^{110} + 2x_m^{210} + 5x_m^{220} \\ x_{m+1}^{221} &= x_m^{110} + 2x_m^{211} + x_m^{220} + 4x_m^{221} \\ x_{m+1}^{222} &= x_m^{111} + 3x_m^{221} + 4x_m^{222} \end{aligned}$$

and initialized, as previously, with  $x_0^{100} = \dots = x_0^{222} = 1$ . In vector-matrix notation the system looks as follows

$$\mathbf{x}_{m+1} = \mathbf{A}\mathbf{x}_m = \mathbf{A}^{m+1}\mathbf{1} ,$$

where

$$\mathbf{x}_0 = \mathbf{1} = \begin{pmatrix} 1 \\ \vdots \\ 1 \end{pmatrix} , \quad \mathbf{x}_m = \begin{pmatrix} x_m^{100} \\ x_m^{110} \\ x_m^{111} \\ \vdots \\ x_m^{222} \end{pmatrix} , \quad \text{and} \quad \mathbf{A} = \begin{pmatrix} 6 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 2 & 5 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 3 & 4 & 0 & 0 & 0 & 0 & 0 & 0 \\ 2 & 0 & 0 & 6 & 0 & 0 & 0 & 0 & 0 \\ 1 & 1 & 0 & 1 & 5 & 0 & 0 & 0 & 0 \\ 1 & 0 & 1 & 0 & 2 & 4 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 2 & 0 & 5 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 2 & 1 & 4 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 3 & 4 \end{pmatrix} .$$

Besides 1-imperfect outcomes  $x_m^{222}$ , this system also enables to count perfect outcomes  $x_m^{111}$  (the invariant 111 characterizes the cube with all coordinate faces of type 1, that is, consisting of perfect outcomes). The corresponding equations 3 and 9 for counting outcomes  $x_m^{jjj}$  for different degree of imperfectness  $j - 1$  are called *key equations* of the recursive system.

Since the cube of outcomes of Bernoulli  $(m \times 3)$ -matrix has  $(2^m)^3 = 8^m$  elements,

$$P(\text{Bernoulli } (m \times 3)\text{-matrix has a perfect column pair}) = \frac{x_m^{111}}{8^m}$$

$$P(\text{Bernoulli } (m \times 3)\text{-matrix has a 1-imperfect column pair}) = \frac{x_m^{222}}{8^m} .$$

## 2.4 Perfect and imperfect column pairs in the general case

Generalize the procedure described to Bernoulli matrices with  $n > 3$  columns. The algorithm below is traced in Table 5.

1. (Preparing reduction matrices) Generate  $2^n$  reduction matrices  $\mathbf{R}_c$  for all 0–1 combinations of  $n$  half-axes. Since  $n + 1$  combinations have no two 0s, their reduction matrices are  $\mathbf{0}$ . The repeated matrix means several instances of similar sub-cubes.
2. (Initializing the list of records which back up recursive equations) The first record contains two parts
  - (a) *Root elements*, including the adjacency matrix  $\mathbf{G}$  for the cube with all faces of type  $i + 1$ , and its graph invariant  $g = (i + 1, \dots, i + 1)'$ .
  - (b) *List of sub-elements*. For every reduction matrix  $\mathbf{R}_c$  find the adjacency matrix  $\mathbf{G}_c = \mathbf{G} - \mathbf{R}_c$  (with reduction of matrix elements stopping at 0), and its graph invariant  $g_c$ . Count the number of instances  $a_{g g_1}, a_{g g_2}, \dots$ , of each graph invariant  $g_1, g_2, \dots$ , and exemplify each encountering invariant  $g_c$  with one of related matrices  $\mathbf{G}_c$ .

This record backs up the first recursive equation  $\overset{g}{x}_{m+1} = a_{g g_1} \overset{g_1}{x}_m + a_{g g_2} \overset{g_2}{x}_m + \dots$

3. (Appending new records to the list) Do the following
  - (a) In the list of sub-elements of the current record (resulting from the decomposition of a large cube into sub-cubes), consider every graph invariant  $g_c$ . If  $g_c$  is not among the existing root elements, append a new record to the list of records, containing (a) the invariant  $g_c$  with the exemplifying matrix  $\mathbf{G}_c$  as the new root elements, and (b) the list of sub-elements for the new root computed like in Item 2b.  
Every new record backs up a new recursive equation.
  - (b) After having processed the list of sub-elements of the current record, move to the next record and restart Item 3a. If there is no next record (the reduction procedure is exhausted) then stop.

This procedure is implemented in a computer program. The recursive systems derived are described in Table 6, and the probabilities computed with these recursive systems are displayed in Table 7. Some more probabilities are given in the Appendix.

Comparing the second column of Table 6 with the penultimate one, where the records are not interrupted by omission points, note that all elements of vector  $\mathbf{x}_{m+1} = \mathbf{A}\mathbf{x}_m$  become different after a few successive  $m$ -iterations. That is, the sub-cubes with different multigraphs have different number of outcomes of interest. This means that there is little chance to reduce the recursive system and/or to make its derivation simpler. For instance, classifying sub-cubes by the number of faces of different types without taking into account their reciprocal position reflected in multigraphs is not possible.

Table 6 shows a rapid growth of computational complexity as  $n$  and  $i$  increase. For instance, the recursive system for  $n = 4$  and  $i = 16$  has about 1.5 million equations with about 12 terms each. Their computer derivation takes 18 hours. The recursive system for  $n = 8$  and  $i = 0$  has over 12 thousand equations with about 100 terms each, and their computer derivation takes 10 hours.

Table 5: Iterative construction of recursion equations

Record	Root elements	Sub-elements	Recursive equation
Initialization	$g$ $\mathbf{G}$	$\mathbf{G}_1 = \mathbf{G} - \mathbf{R}_1$ $g_1$ $\mathbf{G}_2 = \mathbf{G} - \mathbf{R}_2$ $g_2$ ..... Classify by $g_c$ $\downarrow$ <i>List of sub-elements</i> $a_{g g_1}$ instances of $g_1$ ; e.g. $\mathbf{G}_1$ $a_{g g_2}$ instances of $g_2$ ; e.g. $\mathbf{G}_2$ .....	${}^g x_{m+1} = a_{g g_1} {}^{g_1} x_m + a_{g g_2} {}^{g_2} x_m + \dots$
1	$g_1$ $\mathbf{G}_1$	$\mathbf{G}_3 = \mathbf{G}_1 - \mathbf{R}_1$ $g_3$ $\mathbf{G}_4 = \mathbf{G}_1 - \mathbf{R}_2$ $g_4$ ..... Classify by $g_c$ $\downarrow$ <i>List of sub-elements</i> $a_{g_1 g_3}$ instances of $g_3$ ; e.g. $\mathbf{G}_3$ $a_{g_1 g_4}$ instances of $g_4$ ; e.g. $\mathbf{G}_4$ .....	${}^{g_1} x_{m+1} = a_{g_1 g_3} {}^{g_3} x_m + a_{g_1 g_4} {}^{g_4} x_m + \dots$
2	$g_2$ $\mathbf{G}_2$	$\mathbf{G}_5 = \mathbf{G}_2 - \mathbf{R}_1$ $g_5$ $\mathbf{G}_6 = \mathbf{G}_2 - \mathbf{R}_2$ $g_6$ ..... Classify by $g_c$ $\downarrow$ <i>List of sub-elements</i> $a_{g_2 g_5}$ instances of $g_5$ ; e.g. $\mathbf{G}_5$ $a_{g_2 g_6}$ instances of $g_6$ ; e.g. $\mathbf{G}_6$ .....	${}^{g_2} x_{m+1} = a_{g_2 g_5} {}^{g_5} x_m + a_{g_2 g_6} {}^{g_6} x_m + \dots$

Table 6: Description of recursive systems for counting perfect ( $i = 0$ ) and  $i$ -imperfect outcomes of Bernoulli ( $m \times n$ )-matrices for column pairs ( $k = 2$ )

$k$	$n$	$i$	Matrix $\mathbf{A}$ of recursive system. Frames show the square sub-matrices related to the first key equations	Size of matrix $\mathbf{A}$ and vector $\mathbf{x}_m$	Average number of $\neq 0$ elements of $\mathbf{A}$ per row, also in %	Key equations	Number of different elements in vector $\mathbf{x}_m$ after successive iterations	Computer time to derive matrix $\mathbf{A}$
2	2	48	$\left( \begin{array}{cccccccc cccc cccc cccc c}  \hline  3 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\  \hline  1 & 3 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\  \hline  0 & 1 & 3 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\  \hline  0 & 0 & 1 & 3 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\  \hline  0 & 0 & 0 & 1 & 3 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\  \hline  0 & 0 & 0 & 0 & 1 & 3 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\  \hline  0 & 0 & 0 & 0 & 0 & 1 & 3 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\  \hline  0 & 0 & 0 & 0 & 0 & 0 & 1 & 3 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\  \hline  0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 3 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\  \hline  0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 3 & 0 & 0 & 0 & 0 & 0 & \dots \\  \hline  \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots  \end{array} \right)$	49	2.0 4.04%	1	1	0.01 s
						2	2	
						3	3	
						4	4	
						5	5	
						6	6	
						7	7	
						8	8	
						9	9	
						10	10	
						11	11	
						12	12	
						13	13	
						14	14	
						15	15	
						16	16	
						17	17	
						18	18	
						19	19	
						20	20	
						21	21	
						22	22	
						23	23	
						24	24	
						25	25	
						26	26	
						27	27	
						28	28	
						29	29	
						30	29	
						31	30	
						32	31	
						33	31	
						34	32	
						35	33	
						36	33	
						37	34	
						38	34	
						39	35	
						40	36	
						41	36	
						42	37	
						43	37	
						44	38	
						45	38	
						46	39	
						47	40	
						48	40	
						49	41	
	:							





$k$	$n$	$i$	Matrix $\mathbf{A}$ of recursive system. Frames show the square sub-matrices related to the first key equations	Size of matrix $\mathbf{A}$ and vector $\mathbf{x}_m$	Average number of $\neq 0$ elements of $\mathbf{A}$ per row, also in %	Key equations	Number of different elements in vector $\mathbf{x}_m$ after successive iterations	Computer time to derive matrix $\mathbf{A}$
2	4	0	$\begin{pmatrix} 12 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 6 & 9 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 4 & 0 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 2 & 1 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 4 & 4 & 7 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 6 & 0 & 0 & 8 & 0 & 0 & 0 & 0 \\ 3 & 0 & 3 & 0 & 0 & 0 & 9 & 0 & 0 & 0 \\ 1 & 0 & 2 & 2 & 0 & 1 & 2 & 7 & 0 & 0 \\ 0 & 0 & 2 & 0 & 1 & 0 & 2 & 4 & 6 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 4 & 0 & 6 & 5 \end{pmatrix}$	10	3.1 31.00%	10	1 3 10	0.01 s
2	4	1	$\begin{pmatrix} 12 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 6 & 9 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 0 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 2 & 1 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 4 & 4 & 7 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 6 & 0 & 0 & 8 & 0 & 0 & 0 & 0 & \dots \\ 3 & 0 & 3 & 0 & 0 & 0 & 9 & 0 & 0 & 0 & \dots \\ 1 & 0 & 2 & 2 & 0 & 1 & 2 & 7 & 0 & 0 & \dots \\ 0 & 0 & 2 & 0 & 1 & 0 & 2 & 4 & 6 & 0 & \dots \\ 0 & 0 & 0 & 0 & 0 & 0 & 4 & 0 & 6 & 5 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	65	6.0 9.28%	10 65	1 4 17 41 65	0.03 s
2	4	2	$\begin{pmatrix} 12 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 6 & 9 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 0 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 2 & 1 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 4 & 4 & 7 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 6 & 0 & 0 & 8 & 0 & 0 & 0 & 0 & \dots \\ 3 & 0 & 3 & 0 & 0 & 0 & 9 & 0 & 0 & 0 & \dots \\ 1 & 0 & 2 & 2 & 0 & 1 & 2 & 7 & 0 & 0 & \dots \\ 0 & 0 & 2 & 0 & 1 & 0 & 2 & 4 & 6 & 0 & \dots \\ 0 & 0 & 0 & 0 & 0 & 0 & 4 & 0 & 6 & 5 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	275	7.7 2.79%	10 65 275	1 4 18 53 133 217 275	0.11 s
2	4	3	$\begin{pmatrix} 12 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 6 & 9 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 0 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 2 & 1 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 4 & 4 & 7 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 6 & 0 & 0 & 8 & 0 & 0 & 0 & 0 & \dots \\ 3 & 0 & 3 & 0 & 0 & 0 & 9 & 0 & 0 & 0 & \dots \\ 1 & 0 & 2 & 2 & 0 & 1 & 2 & 7 & 0 & 0 & \dots \\ 0 & 0 & 2 & 0 & 1 & 0 & 2 & 4 & 6 & 0 & \dots \\ 0 & 0 & 0 & 0 & 0 & 0 & 4 & 0 & 6 & 5 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	899	8.7 0.97%	10 65 275 899	1 4 18 54 154 332 583 784 899	0.39 s

$k$	$n$	$i$	Matrix $\mathbf{A}$ of recursive system. Frames show the square sub-matrices related to the first key equations	Size of matrix $\mathbf{A}$ and vector $\mathbf{x}_m$	Average number of $\neq 0$ elements of $\mathbf{A}$ per row, also in %	Key equations	Number of different elements in vector $\mathbf{x}_m$ after successive iterations	Computer time to derive matrix $\mathbf{A}$
2	4	4	$\begin{pmatrix} 12 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 6 & 9 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 0 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 2 & 1 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 4 & 4 & 7 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 6 & 0 & 0 & 8 & 0 & 0 & 0 & 0 & \dots \\ 3 & 0 & 3 & 0 & 0 & 0 & 9 & 0 & 0 & 0 & \dots \\ 1 & 0 & 2 & 2 & 0 & 1 & 2 & 7 & 0 & 0 & \dots \\ 0 & 0 & 2 & 0 & 1 & 0 & 2 & 4 & 6 & 0 & \dots \\ 0 & 0 & 0 & 0 & 0 & 0 & 4 & 0 & 6 & 5 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	2,450	9.4 0.39%	10 65 275 899 2,450	1 4 18 54 155 362 780 1,309 1,856 2,249 2,450	1.20 s
2	4	5	$\begin{pmatrix} 12 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 6 & 9 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 0 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 2 & 1 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 4 & 4 & 7 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 6 & 0 & 0 & 8 & 0 & 0 & 0 & 0 & \dots \\ 3 & 0 & 3 & 0 & 0 & 0 & 9 & 0 & 0 & 0 & \dots \\ 1 & 0 & 2 & 2 & 0 & 1 & 2 & 7 & 0 & 0 & \dots \\ 0 & 0 & 2 & 0 & 1 & 0 & 2 & 4 & 6 & 0 & \dots \\ 0 & 0 & 0 & 0 & 0 & 0 & 4 & 0 & 6 & 5 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	5,830	9.9 0.17%	10 65 275 899 2,450 5,830	1 4 18 54 155 363 828 1,599 2,672 3,811 4,830 :	3.43 s
2	4	6	$\begin{pmatrix} 12 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 6 & 9 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 0 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 2 & 1 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 4 & 4 & 7 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 6 & 0 & 0 & 8 & 0 & 0 & 0 & 0 & \dots \\ 3 & 0 & 3 & 0 & 0 & 0 & 9 & 0 & 0 & 0 & \dots \\ 1 & 0 & 2 & 2 & 0 & 1 & 2 & 7 & 0 & 0 & \dots \\ 0 & 0 & 2 & 0 & 1 & 0 & 2 & 4 & 6 & 0 & \dots \\ 0 & 0 & 0 & 0 & 0 & 0 & 4 & 0 & 6 & 5 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	12,495	10.3 0.08%	10 65 275 899 2,450 5,830 12,495	1 4 18 54 155 363 829 1,664 3,085 4,994 7,171 :	9.72 s
2	4	7	$\begin{pmatrix} 12 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 6 & 9 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 0 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 2 & 1 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 4 & 4 & 7 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 6 & 0 & 0 & 8 & 0 & 0 & 0 & 0 & \dots \\ 3 & 0 & 3 & 0 & 0 & 0 & 9 & 0 & 0 & 0 & \dots \\ 1 & 0 & 2 & 2 & 0 & 1 & 2 & 7 & 0 & 0 & \dots \\ 0 & 0 & 2 & 0 & 1 & 0 & 2 & 4 & 6 & 0 & \dots \\ 0 & 0 & 0 & 0 & 0 & 0 & 4 & 0 & 6 & 5 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	24,650	10.6 0.04%	10 65 275 899 2,450 5,830 12,495 24,650	1 4 18 54 155 363 829 1,665 3,180 5,561 8,807 :	28.39 s

$k$	$n$	$i$	Matrix $\mathbf{A}$ of recursive system. Frames show the square sub-matrices related to the first key equations	Size of matrix $\mathbf{A}$ and vector $\mathbf{x}_m$	Average number of $\neq 0$ elements of $\mathbf{A}$ per row, also in %	Key equations	Number of different elements in vector $\mathbf{x}_m$ after successive iterations	Computer time to derive matrix $\mathbf{A}$
2	4	8	$\begin{pmatrix} 12 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 6 & 9 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 0 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 2 & 1 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 4 & 4 & 7 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 6 & 0 & 0 & 8 & 0 & 0 & 0 & 0 & \dots \\ 3 & 0 & 3 & 0 & 0 & 0 & 9 & 0 & 0 & 0 & \dots \\ 1 & 0 & 2 & 2 & 0 & 1 & 2 & 7 & 0 & 0 & \dots \\ 0 & 0 & 2 & 0 & 1 & 0 & 2 & 4 & 6 & 0 & \dots \\ 0 & 0 & 0 & 0 & 0 & 0 & 4 & 0 & 6 & 5 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	45,474	10.8 0.02%	10 65 275 899 2,450 5,830 12,495 24,650 45,474	1 4 18 54 155 363 829 1,665 3,181 5,683 9,553 :	1 m 17 s
		10	$\begin{pmatrix} 12 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 6 & 9 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 0 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 2 & 1 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 4 & 4 & 7 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 6 & 0 & 0 & 8 & 0 & 0 & 0 & 0 & \dots \\ 3 & 0 & 3 & 0 & 0 & 0 & 9 & 0 & 0 & 0 & \dots \\ 1 & 0 & 2 & 2 & 0 & 1 & 2 & 7 & 0 & 0 & \dots \\ 0 & 0 & 2 & 0 & 1 & 0 & 2 & 4 & 6 & 0 & \dots \\ 0 & 0 & 0 & 0 & 0 & 0 & 4 & 0 & 6 & 5 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	132,275	11.0 0.01%	10 65 275 899 2,450 5,830 12,495 24,650 45,474 79,375 132,275	1 4 18 54 155 363 829 1,665 3,181 5,684 9,715 15,878 :	7 m 47 s
		12	$\begin{pmatrix} 12 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 6 & 9 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 0 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 2 & 1 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 4 & 4 & 7 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 6 & 0 & 0 & 8 & 0 & 0 & 0 & 0 & \dots \\ 3 & 0 & 3 & 0 & 0 & 0 & 9 & 0 & 0 & 0 & \dots \\ 1 & 0 & 2 & 2 & 0 & 1 & 2 & 7 & 0 & 0 & \dots \\ 0 & 0 & 2 & 0 & 1 & 0 & 2 & 4 & 6 & 0 & \dots \\ 0 & 0 & 0 & 0 & 0 & 0 & 4 & 0 & 6 & 5 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	328,250	11.2 0.00%	10 65 275 899 2,450 5,830 12,495 24,650 45,474 79,375 132,275 211,925 328,250	1 4 18 54 155 363 829 1,665 3,181 5,684 9,715 15,879 25,105 38,407 :	46 m 30 s



$k$	$n$	$i$	Matrix $\mathbf{A}$ of recursive system. Frames show the square sub-matrices related to the first key equations	Size of matrix $\mathbf{A}$ and vector $\mathbf{x}_m$	Average number of $\neq 0$ elements of $\mathbf{A}$ per row, also in %	Key equations	Number of different elements in vector $\mathbf{x}_m$ after successive iterations	Computer time to derive matrix $\mathbf{A}$
2	5	1	$\begin{pmatrix} 24 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 12 & 18 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 0 & 20 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 5 & 6 & 5 & 15 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 2 & 8 & 0 & 16 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 2 & 1 & 5 & 4 & 6 & 13 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 5 & 0 & 5 & 10 & 11 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 8 & 0 & 8 & 0 & 0 & 14 & 0 & 0 & 0 & \dots \\ 0 & 0 & 12 & 0 & 0 & 0 & 0 & 0 & 16 & 0 & 0 & \dots \\ 3 & 0 & 3 & 9 & 0 & 0 & 0 & 0 & 4 & 12 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots \end{pmatrix}$	791	15.5 1.96%	33 791	1 5 44 232 756 791	0.86 s
2	5	2	$\begin{pmatrix} 24 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 12 & 18 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 0 & 20 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 5 & 6 & 5 & 15 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 2 & 8 & 0 & 16 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 2 & 1 & 5 & 4 & 6 & 13 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 5 & 0 & 5 & 10 & 11 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 8 & 0 & 8 & 0 & 0 & 14 & 0 & 0 & 0 & \dots \\ 0 & 0 & 12 & 0 & 0 & 0 & 0 & 0 & 16 & 0 & 0 & \dots \\ 3 & 0 & 3 & 9 & 0 & 0 & 0 & 0 & 4 & 12 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots \end{pmatrix}$	10,687	20.1 0.19%	33 791 10,687	1 5 45 264 1,624 5,517 10,624 10,685 10,687	20.66 s
2	5	3	$\begin{pmatrix} 24 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 12 & 18 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 0 & 20 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 5 & 6 & 5 & 15 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 2 & 8 & 0 & 16 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 2 & 1 & 5 & 4 & 6 & 13 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 5 & 0 & 5 & 10 & 11 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 8 & 0 & 8 & 0 & 0 & 14 & 0 & 0 & 0 & \dots \\ 0 & 0 & 12 & 0 & 0 & 0 & 0 & 0 & 16 & 0 & 0 & \dots \\ 3 & 0 & 3 & 9 & 0 & 0 & 0 & 0 & 4 & 12 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots \end{pmatrix}$	90,004	22.5 0.02%	33 791 10,687 90,004	1 5 45 265 1,719 7,727 27,854 61,462 89,872 90,003 90,004	13 m 47 s
2	5	4	$\begin{pmatrix} 24 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 12 & 18 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 0 & 20 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 5 & 6 & 5 & 15 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 2 & 8 & 0 & 16 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 2 & 1 & 5 & 4 & 6 & 13 & 0 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 5 & 0 & 5 & 10 & 11 & 0 & 0 & 0 & 0 & \dots \\ 0 & 0 & 8 & 0 & 8 & 0 & 0 & 14 & 0 & 0 & 0 & \dots \\ 0 & 0 & 12 & 0 & 0 & 0 & 0 & 0 & 16 & 0 & 0 & \dots \\ 3 & 0 & 3 & 9 & 0 & 0 & 0 & 0 & 4 & 12 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots \end{pmatrix}$	533,357	23.7 0.00%	33 791 10,687 90,004 533,357	1 5 45 265 1,720 7,894 33,934 106,389 246,670 417,929 533,079 :	8 h 32 m

$k$	$n$	$i$	Matrix $\mathbf{A}$ of recursive system. Frames show the square sub-matrices related to the first key equations	Size of matrix $\mathbf{A}$ and vector $\mathbf{x}_m$	Average number of $\neq 0$ elements of $\mathbf{A}$ per row, also in %	Key equations	Number of different elements in vector $\mathbf{x}_m$ after successive iterations	Computer time to derive matrix $\mathbf{A}$
2	6	0	$\begin{pmatrix} 48 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 24 & 36 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 9 & 27 & 27 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 16 & 0 & 0 & 40 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 10 & 12 & 0 & 10 & 30 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 4 & 0 & 10 & 20 & 25 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 4 & 0 & 16 & 0 & 0 & 32 & 0 & 0 & 0 & 0 & \dots \\ 5 & 7 & 3 & 4 & 12 & 0 & 8 & 24 & 0 & 0 & 0 & \dots \\ 4 & 2 & 0 & 10 & 8 & 0 & 12 & 0 & 26 & 0 & 0 & \dots \\ 2 & 1 & 0 & 6 & 6 & 4 & 7 & 6 & 10 & 21 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	155	14.8 9.55%	155	1 5 91 153 155	0.85 s
2	6	1	$\begin{pmatrix} 48 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 24 & 36 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 9 & 27 & 27 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 16 & 0 & 0 & 40 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 10 & 12 & 0 & 10 & 30 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 4 & 0 & 10 & 20 & 25 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 4 & 0 & 16 & 0 & 0 & 32 & 0 & 0 & 0 & 0 & \dots \\ 5 & 7 & 3 & 4 & 12 & 0 & 8 & 24 & 0 & 0 & 0 & \dots \\ 4 & 2 & 0 & 10 & 8 & 0 & 12 & 0 & 26 & 0 & 0 & \dots \\ 2 & 1 & 0 & 6 & 6 & 4 & 7 & 6 & 10 & 21 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	25,505	39.1 0.15%	155 25,505	1 6 125 1,796 21,191 25,296 25,499 25,505	10 m 54 s
2	7	0	$\begin{pmatrix} 96 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 48 & 72 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 18 & 54 & 54 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 32 & 0 & 0 & 80 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 20 & 24 & 0 & 20 & 60 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 21 & 18 & 5 & 30 & 45 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 8 & 0 & 20 & 40 & 0 & 50 & 0 & 0 & 0 & 0 & \dots \\ 16 & 8 & 0 & 32 & 0 & 0 & 0 & 64 & 0 & 0 & 0 & \dots \\ 10 & 14 & 6 & 8 & 24 & 0 & 0 & 16 & 48 & 0 & 0 & \dots \\ 4 & 5 & 2 & 9 & 18 & 5 & 20 & 8 & 16 & 40 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	1,043	37.7 3.61%	1,043	1 6 276 1,012 1,043	1 m 34 s
2	8	0	$\begin{pmatrix} 192 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 96 & 144 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 36 & 108 & 108 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 12 & 54 & 108 & 81 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 64 & 0 & 0 & 0 & 160 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 40 & 48 & 0 & 0 & 40 & 120 & 0 & 0 & 0 & 0 & 0 & \dots \\ 16 & 42 & 36 & 0 & 10 & 60 & 90 & 0 & 0 & 0 & 0 & \dots \\ 16 & 16 & 0 & 0 & 40 & 80 & 0 & 100 & 0 & 0 & 0 & \dots \\ 7 & 16 & 12 & 0 & 10 & 50 & 60 & 25 & 75 & 0 & 0 & \dots \\ 32 & 16 & 0 & 0 & 64 & 0 & 0 & 0 & 0 & 128 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	12,345	98.5 0.80%	12,345	1 7 791 11,381 12,345	10 h 28 m



Table 7: Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices computed by the Geometric method (with recursive systems)

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix						
			2	3	4	5	6	7	8
2	1	0	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375
2	2	0	.56250000	.76562500	.87890625	.93847656	.96899414	.98443604	.99220276
		1	.93750000	.98437500	.99609375	.99902344	.99975586		
2	3	0	.42187500	.65820313	.80932617	.89724731	.94584274	.97187853	.98554820
		1	.84375000	.95703125	.98876953	.99713135	.99927521		
		2	.98437500	.99804688	.99975586	.99996948			
2	4	0	.31640625	.55395508	.72706604	.83994007	.90894467	.94937097	.97234511
		1	.73828125	.91528320	.97444153	.99255085	.99786454		
		2	.94921875	.99291992	.99906921	.99988079			
		3	.99609375	.99975586	.99998474	.99999905			
2	5	0	.23730469	.45706177	.63682079	.76744083	.85591626	.91303641	.94862327
		1	.63281250	.85913086	.94991684	.98295021	.99435489		
		2	.89648438	.98211670	.99709511	.99953550			
		3	.98437500	.99890137	.99992752	.99999535			
		4	.99902344	.99996948	.99999905	.99999997			
2	6	0	.17797852	.37074661	.54485947	.68415703	.78781240	.86117292	.91116768
		1	.53393555	.79124832	.91349691	.96588820	.98702473		
		2	.83056641	.96331024	.99255145	.99853246			
		3	.96240234	.99657440	.99970043	.99997344			
		4	.99536133	.99983597	.99999458	.99999983			
		5	.99975586	.99999619	.99999994				
2	7	0	.13348389	.29650545	.45663340	.59582070	.70829581	.79469930	.85858020
		1	.44494629	.71559715	.86513076	.93932233	.97377519		
		2	.75640869	.93506479	.98387891	.99617276			
		3	.92944336	.99155807	.99903189	.99989043			
		4	.98712158	.99938536	.99997105	.99999857			
		5	.99865723	.99997616	.99999961				
		6	.99993896	.99999952	1.00000000				
2	8	0	.10011292	.23439580	.37592543	.50792317	.62241199	.71685073	.79185026
		1	.36708069	.63633424	.80619312	.90205796	.95250528		
		2	.67854309	.89700443	.96945792	.99141809			
		3	.88618469	.98249370	.99745115	.99964252			
		4	.97270203	.99821919	.99988566	.99999264			
		5	.99577332	.99989480	.99999733				
		6	.99961853	.99999660	.99999997				
		7	.99998474	.99999994	1.00000000				
2	9	0	.07508469	.18355144	.30481599	.42482712	.53536575	.63227361	.71413493
		1	.30033875	.55717021	.73908883	.85402114	.92157455		
		2	.60067749	.84973699	.94788072	.98294969			
		3	.83427429	.96809000	.99425538	.99901746			
		4	.95107269	.99574344	.99964228	.99997082			
		5	.99000549	.99964780	.99998744				
		6	.99865723	.99998263	.99999976				
		7	.99989319	.99999952	1.00000000				
		8	.99999619	.99999999	1.00000000				
2	10	0	.05631351	.14263227	.24400537	.34944906	.45161901	.54594319	.62993565
		1	.24402523	.48106438	.66678645	.79628643	.88020177		
		2	.52559280	.79465447	.91820709	.96932543			
		3	.77587509	.94731776	.98853032	.99764544			
		4	.92187309	.99119191	.99905727	.99990368			
		5	.98027229	.99904287	.99995415				
		6	.99649429	.99993373	.99999870				
		7	.99958420	.99999721	.99999998				
		8	.99997044	.99999993	1.00000000				
		9	.99999905	1.00000000	1.00000000				

### 2.5 Column triplets and Sierpinski pyramids

Let us show that index triplets of perfect column triplets constitute the *Sierpinski pyramid*; see Sierpinski triangle (2012), and index triplets of imperfect column triplets constitute the generalized Sierpinski pyramid defined below. Similarly to the Sierpinski triangle, the Sierpinski pyramid can be constructed in several ways, in particular, recursively. The construction is initialized with a single element, the front vertex in the bottom plot of Figure 5. At each step, the current configuration is quadruplicated by adding its three instances along the three coordinate axes.

Generalize the notion of Sierpinski pyramid to *Sierpinski pyramid of type  $i$* . Define the Sierpinski pyramid of type 0 to be the empty set. For  $i > 0$  the construction is initialized with the front vertex in the bottom plot of Figure 6. At each step the current configuration is quadruplicated by adding its three instances along the three coordinate axes. The other four cubes adjacent to the cube with the existing configuration are filled with the Sierpinski pyramids of type  $i - 1$ . The original Sierpinski pyramid is of type 1.

**Proposition 3 (Imperfect column triplets as generalized Sierpinski pyramids)** *The index triplets of  $i$ -imperfect column triplets constitute the Sierpinski pyramid of type  $i + 1$ .*

PROOF. In the notation of Proposition 2, (011), (101), (110) and (111) sub-cubes correspond to triplets of  $m$ -columns with no two simultaneous 0s at the bottom. Hence, these column pairs are  $i$ -imperfect if and only if their upper  $(m - 1)$ -segments make  $i$ -imperfect triplets, i.e. these four sub-cubes have the same structure of  $i$ -imperfect outcomes. The other four sub-cubes correspond to triplets of  $m$ -columns with at least two simultaneous 0s at the bottom. Consequently, these column triplets are  $i$ -imperfect if and only if their upper  $(m - 1)$ -segments make  $(i - 1)$ -imperfect triplets. This is exactly the way the Sierpinski pyramid of type  $i + 1$  is constructed. ■


### 2.6 Perfect and imperfect column triplets in the general case

First consider Bernoulli matrices with three columns. By definition of generalized Sierpinski pyramid and Proposition 3, the transition from  $m$ -columns to  $(m + 1)$ -columns results in quadruplicating the number of  $i$ -imperfect outcomes  $x_m^{i+1}$  (labeled by the type  $i + 1$  of the corresponding Sierpinski pyramid) and adding the number of  $(i - 1)$ -imperfect outcomes denoted by  $x_m^i$ , also in quadruplicate:

$$\begin{aligned}
 x_{m+1}^1 &= 4 x_m^1 && \text{(for Sierpinski pyramid of type 1)} \\
 x_{m+1}^2 &= 4 x_m^1 + 4 x_m^2 && \text{(for Sierpinski pyramid of type 2)} \\
 x_{m+1}^3 &= 4 x_m^2 + 4 x_m^3 && \text{(for Sierpinski pyramid of type 3)} \\
 &\dots\dots\dots
 \end{aligned}$$

initialized with  $x_0^1 = \dots = x_0^{i+1} = 1$ . In vector-matrix notation we have

$$\mathbf{x}_{m+1} = \mathbf{A}\mathbf{x}_m = \mathbf{A}^{m+1}\mathbf{1} ,$$






Figure 6: 1-imperfect triplets of 4-columns (Sierpinski pyramid of type 2)



This procedure is implemented in a computer program. The recursive systems derived are described in Table 8, and the probabilities computed with these recursive systems are collected in Table 9. Some more probabilities are given in the Appendix.

Again, comparing the records in the penultimate column of Table 8, which are not interrupted by omission points, with the size of matrix  $\mathbf{A}$  show that all elements of vector  $\mathbf{x}_{m+1} = \mathbf{A}\mathbf{x}_m$  are different after a few successive  $m$ -iterations. That is, the sub-cubes with different multigraph invariants have different number of outcomes of interest. It disproves a possible impression that the method is overcomplicated.

As  $n$  and  $i$  increase, the computational complexity grows here even more rapidly than in case of column pairs. For instance, the recursive system for  $n = 5$  and  $i = 8$  has about 1.5 million equations with about 21 terms each, and their computer derivation takes four days. The recursive system for  $n = 7$  and  $i = 1$  has almost 200 thousand equations with about 75 terms each, and their computer derivation takes two days.

## 2.7 Summary

After the recursive system of equations has been derived, the probabilities of perfect and  $i$ -imperfect column pairs and triplets can be almost immediately computed for Bernoulli matrices with a quite large number  $m$  of rows. Therefore, applications of the Geometric method are not constrained by the height of Bernoulli matrix.

At the same time, the Geometric method is restricted to Bernoulli matrices with a rather small number  $n$  of columns. The computer performance is getting slower as new records, which back up the recursive equations, are appended to a large array (see Section 2.4). This operation requires overwriting the whole of the array, taking a noticeable time.

Besides, as the width  $n$  of Bernoulli matrix and the degree of imperfectness  $i$  increase, the representation of graph invariants as  $(i + 2)$ -cimal numbers of length  $\binom{n}{2}$  for column pairs and of length  $\binom{n}{3}$  for column triplets requires larger integers. Then the restricted accuracy of computer 64-bit arithmetics imply inaccuracies in graph invariants, resulting in errors in the system matrix  $\mathbf{A}$  and, consequently, in output probabilities. The inaccuracy is surmounted if the graph invariants are represented, instead of integers, by vectors or concatenated integers, but it considerably slows the computer performance down.

Table 8: Description of recursive systems for counting perfect ( $i = 0$ ) and  $i$ -imperfect outcomes of Bernoulli ( $m \times n$ )-matrices for column triplets ( $k = 3$ )

$k$	$n$	$i$	Matrix $\mathbf{A}$ of recursive system. Frames show the square sub-matrices related to the first key equations	Size of matrix $\mathbf{A}$ and vector $\mathbf{x}_m$	Average number of $\neq 0$ elements of $\mathbf{A}$ per row, also in %	Key equations	Number of different elements in vector $\mathbf{x}_m$ after successive iterations	Computer time to derive matrix $\mathbf{A}$
3	3	48	$\begin{pmatrix} \boxed{4} & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ \boxed{4} & \boxed{4} & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ \boxed{0} & \boxed{4} & \boxed{4} & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ \boxed{0} & \boxed{0} & \boxed{4} & \boxed{4} & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ \boxed{0} & \boxed{0} & \boxed{0} & \boxed{4} & \boxed{4} & 0 & 0 & 0 & 0 & 0 & \dots \\ \boxed{0} & \boxed{0} & \boxed{0} & \boxed{0} & \boxed{4} & \boxed{4} & 0 & 0 & 0 & 0 & \dots \\ \boxed{0} & \boxed{0} & \boxed{0} & \boxed{0} & \boxed{0} & \boxed{4} & \boxed{4} & 0 & 0 & 0 & \dots \\ \boxed{0} & \boxed{0} & \boxed{0} & \boxed{0} & \boxed{0} & \boxed{0} & \boxed{4} & \boxed{4} & 0 & 0 & \dots \\ \boxed{0} & \boxed{0} & \boxed{0} & \boxed{0} & \boxed{0} & \boxed{0} & \boxed{0} & \boxed{4} & \boxed{4} & 0 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	49	2.0 4.04%	1	1	0.01 s
						2	2	
						3	3	
						4	4	
						5	5	
						6	6	
						7	7	
						8	8	
						9	9	
						10	10	
						11	11	
						12	12	
						13	13	
						14	14	
						15	15	
						16	16	
						17	17	
						18	18	
						19	19	
						20	20	
						21	21	
						22	22	
						23	23	
						24	24	
						25	25	
						26	26	
						27	27	
						28	28	
						29	29	
						30	30	
						31	31	
						32	32	
						33	33	
						34	34	
						35	35	
						36	36	
						37	37	
						38	38	
						39	39	
						40	40	
						41	41	
						42	42	
						43	43	
						44	44	
						45	45	
						46	46	
						47	47	
						48	48	
						49	49	





$k \ n \ i$	Matrix $\mathbf{A}$ of recursive system. Frames show the square sub-matrices related to the first key equations	Size of matrix $\mathbf{A}$ and vector $\mathbf{x}_m$	Average number of $\neq 0$ elements of $\mathbf{A}$ per row, also in %	Key equations	Number of different elements in vector $\mathbf{x}_m$ after successive iterations	Computer time to derive matrix $\mathbf{A}$
3 5 0	$\begin{pmatrix} 16 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 12 & 10 & 0 & 0 & 0 & 0 & 0 & 0 \\ 8 & 0 & 12 & 0 & 0 & 0 & 0 & 0 \\ 7 & 1 & 6 & 9 & 0 & 0 & 0 & 0 \\ 4 & 0 & 8 & 4 & 8 & 0 & 0 & 0 \\ 0 & 0 & 12 & 0 & 0 & 10 & 0 & 0 \\ 6 & 0 & 6 & 0 & 0 & 0 & 10 & 0 \\ 2 & 0 & 6 & 4 & 0 & 2 & 2 & 8 \\ 0 & 0 & 6 & 0 & 3 & 0 & 3 & 6 \\ 0 & 0 & 0 & 0 & 0 & 0 & 10 & 6 \end{pmatrix}$	10	3.2 32.00%	10	1 7 10	0.03 s
3 5 1	$\begin{pmatrix} 16 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 12 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 0 & 12 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 4 & 4 & 8 & 0 & 0 & 0 & 0 & \dots \\ 7 & 1 & 6 & 9 & 0 & 0 & 0 & 0 & \dots \\ 6 & 1 & 5 & 2 & 4 & 7 & 0 & 0 & \dots \\ 5 & 0 & 5 & 0 & 5 & 5 & 6 & 0 & \dots \\ 4 & 0 & 8 & 0 & 4 & 0 & 0 & 8 & \dots \\ 6 & 0 & 6 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 2 & 6 & 0 & 2 & 0 & 0 & 0 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots \end{pmatrix}$	96	8.5 8.87%	24 96	1 8 74 92 93 93 93 93 93 93 93	0.10 s
3 5 2	$\begin{pmatrix} 16 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 12 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 0 & 12 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 4 & 4 & 8 & 0 & 0 & 0 & 0 & \dots \\ 7 & 1 & 6 & 9 & 0 & 0 & 0 & 0 & \dots \\ 6 & 1 & 5 & 2 & 4 & 7 & 0 & 0 & \dots \\ 5 & 0 & 5 & 0 & 5 & 5 & 6 & 0 & \dots \\ 4 & 0 & 8 & 0 & 4 & 0 & 0 & 8 & \dots \\ 6 & 0 & 6 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 2 & 6 & 0 & 2 & 0 & 0 & 0 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots \end{pmatrix}$	686	13.3 1.94%	33 276 686	1 8 111 561 662 666 667 667 667 667	0.95 s
3 5 3	$\begin{pmatrix} 16 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 12 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 0 & 12 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 4 & 4 & 8 & 0 & 0 & 0 & 0 & \dots \\ 7 & 1 & 6 & 9 & 0 & 0 & 0 & 0 & \dots \\ 6 & 1 & 5 & 2 & 4 & 7 & 0 & 0 & \dots \\ 5 & 0 & 5 & 0 & 5 & 5 & 6 & 0 & \dots \\ 4 & 0 & 8 & 0 & 4 & 0 & 0 & 8 & \dots \\ 6 & 0 & 6 & 0 & 0 & 0 & 0 & 0 & \dots \\ 4 & 2 & 6 & 0 & 2 & 0 & 0 & 0 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots \end{pmatrix}$	3,787	16.6 0.44%	33 448 2,045 3,787	1 8 111 1,006 3,393 3,680 3,700 3,704 3,705 3,705	4.55 s

$k \ n \ i$	Matrix $\mathbf{A}$ of recursive system. Frames show the square sub-matrices related to the first key equations	Size of matrix $\mathbf{A}$ and vector $\mathbf{x}_m$	Average number of $\neq 0$ elements of $\mathbf{A}$ per row, also in %	Key equations	Number of different elements in vector $\mathbf{x}_m$ after successive iterations	Computer time to derive matrix $\mathbf{A}$
3 5 4	$\begin{pmatrix} 16 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 12 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 0 & 12 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 4 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 7 & 1 & 6 & 0 & 9 & 0 & 0 & 0 & 0 & 0 & \dots \\ 6 & 1 & 5 & 2 & 4 & 7 & 0 & 0 & 0 & 0 & \dots \\ 5 & 0 & 5 & 0 & 5 & 5 & 6 & 0 & 0 & 0 & \dots \\ 4 & 0 & 8 & 0 & 4 & 0 & 0 & 8 & 0 & 0 & \dots \\ 6 & 0 & 6 & 0 & 0 & 0 & 0 & 0 & 10 & 0 & \dots \\ 4 & 2 & 6 & 0 & 2 & 0 & 0 & 0 & 2 & 8 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	16,859	18.5 0.11%	33 473 3,699 10,714 16,859	1	55.66 s
					8	
					111	
					1,060	
3 5 5	$\begin{pmatrix} 16 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 12 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 0 & 12 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 4 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 7 & 1 & 6 & 0 & 9 & 0 & 0 & 0 & 0 & 0 & \dots \\ 6 & 1 & 5 & 2 & 4 & 7 & 0 & 0 & 0 & 0 & \dots \\ 5 & 0 & 5 & 0 & 5 & 5 & 6 & 0 & 0 & 0 & \dots \\ 4 & 0 & 8 & 0 & 4 & 0 & 0 & 8 & 0 & 0 & \dots \\ 6 & 0 & 6 & 0 & 0 & 0 & 0 & 0 & 10 & 0 & \dots \\ 4 & 2 & 6 & 0 & 2 & 0 & 0 & 0 & 2 & 8 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	62,317	19.7 0.03%	33 473 4,536 19,796 62,317	1	7 m 9 s
					8	
					111	
					1,060	
3 5 6	$\begin{pmatrix} 16 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 12 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 0 & 12 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 4 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 7 & 1 & 6 & 0 & 9 & 0 & 0 & 0 & 0 & 0 & \dots \\ 6 & 1 & 5 & 2 & 4 & 7 & 0 & 0 & 0 & 0 & \dots \\ 5 & 0 & 5 & 0 & 5 & 5 & 6 & 0 & 0 & 0 & \dots \\ 4 & 0 & 8 & 0 & 4 & 0 & 0 & 8 & 0 & 0 & \dots \\ 6 & 0 & 6 & 0 & 0 & 0 & 0 & 0 & 10 & 0 & \dots \\ 4 & 2 & 6 & 0 & 2 & 0 & 0 & 0 & 2 & 8 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	199,078	20.4 0.01%	33 473 4,660 26,447 81,390 151,040 199,078	1	1 h 19 m
					8	
					111	
					1,060	
3 5 7	$\begin{pmatrix} 16 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 12 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 0 & 12 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 4 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 7 & 1 & 6 & 0 & 9 & 0 & 0 & 0 & 0 & 0 & \dots \\ 6 & 1 & 5 & 2 & 4 & 7 & 0 & 0 & 0 & 0 & \dots \\ 5 & 0 & 5 & 0 & 5 & 5 & 6 & 0 & 0 & 0 & \dots \\ 4 & 0 & 8 & 0 & 4 & 0 & 0 & 8 & 0 & 0 & \dots \\ 6 & 0 & 6 & 0 & 0 & 0 & 0 & 0 & 10 & 0 & \dots \\ 4 & 2 & 6 & 0 & 2 & 0 & 0 & 0 & 2 & 8 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	563,957	20.8 0.00%	33 473 4,660 28,902 114,478 274,040 449,918 563,957	1	10 h 35 m
					8	
					111	
					1,060	

$k$	$n$	$i$	Matrix $\mathbf{A}$ of recursive system. Frames show the square sub-matrices related to the first key equations	Size of matrix $\mathbf{A}$ and vector $\mathbf{x}_m$	Average number of $\neq 0$ elements of $\mathbf{A}$ per row, also in %	Key equations	Number of different elements in vector $\mathbf{x}_m$ after successive iterations	Computer time to derive matrix $\mathbf{A}$
3	5	8	$\begin{pmatrix} 16 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 12 & 10 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 0 & 12 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 4 & 4 & 8 & 0 & 0 & 0 & 0 & 0 & \dots \\ 7 & 1 & 6 & 0 & 9 & 0 & 0 & 0 & 0 & \dots \\ 6 & 1 & 5 & 2 & 4 & 7 & 0 & 0 & 0 & \dots \\ 5 & 0 & 5 & 0 & 5 & 5 & 6 & 0 & 0 & \dots \\ 4 & 0 & 8 & 0 & 4 & 0 & 0 & 8 & 0 & \dots \\ 6 & 0 & 6 & 0 & 0 & 0 & 0 & 0 & 10 & \dots \\ 4 & 2 & 6 & 0 & 2 & 0 & 0 & 0 & 2 & 8 \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots \end{pmatrix}$	1,449,518	21.1 0.00%	33	1	4 d 1 h
			473			8		
			4,660			111		
			29,148			1,060		
3	6	0	$\begin{pmatrix} 32 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 32 & 16 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 24 & 0 & 20 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 16 & 0 & 0 & 24 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 18 & 2 & 6 & 10 & 14 & 0 & 0 & 0 & 0 & 0 & \dots \\ 8 & 0 & 8 & 16 & 8 & 12 & 0 & 0 & 0 & 0 & \dots \\ 16 & 0 & 8 & 8 & 0 & 0 & 16 & 0 & 0 & 0 & \dots \\ 14 & 0 & 2 & 12 & 0 & 0 & 0 & 18 & 0 & 0 & \dots \\ 12 & 1 & 2 & 11 & 2 & 0 & 0 & 10 & 13 & 0 & \dots \\ 12 & 0 & 6 & 6 & 0 & 0 & 0 & 12 & 0 & 14 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots \end{pmatrix}$	42	7.1 17.01%	42	1	0.39 s
						14		
						42		
3	6	1	$\begin{pmatrix} 32 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 32 & 16 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 24 & 0 & 20 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 18 & 0 & 18 & 14 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 16 & 0 & 12 & 16 & 10 & 0 & 0 & 0 & 0 & 0 & \dots \\ 16 & 0 & 0 & 0 & 0 & 24 & 0 & 0 & 0 & 0 & \dots \\ 18 & 2 & 6 & 0 & 0 & 10 & 14 & 0 & 0 & 0 & \dots \\ 8 & 0 & 8 & 0 & 0 & 16 & 8 & 12 & 0 & 0 & \dots \\ 16 & 0 & 8 & 0 & 0 & 8 & 0 & 0 & 16 & 0 & \dots \\ 16 & 0 & 8 & 0 & 0 & 8 & 0 & 0 & 0 & 16 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots \end{pmatrix}$	2,650	26.8 1.01%	317	1	21.10 s
			2,650			15		
			2,639			835		
			2,639			2,512		
3	6	2	$\begin{pmatrix} 32 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 32 & 16 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 24 & 0 & 20 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 18 & 0 & 18 & 14 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 16 & 0 & 12 & 16 & 10 & 0 & 0 & 0 & 0 & 0 & \dots \\ 16 & 0 & 0 & 0 & 0 & 24 & 0 & 0 & 0 & 0 & \dots \\ 18 & 2 & 6 & 0 & 0 & 10 & 14 & 0 & 0 & 0 & \dots \\ 8 & 0 & 8 & 0 & 0 & 16 & 8 & 12 & 0 & 0 & \dots \\ 16 & 0 & 8 & 0 & 0 & 8 & 0 & 0 & 16 & 0 & \dots \\ 16 & 0 & 8 & 0 & 0 & 8 & 0 & 0 & 0 & 16 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots \end{pmatrix}$	118,728	40.6 0.03%	1,140	1	2 h 29 m
			39,644			15		
			118,728			1,169		
						46,090		

$k \ n \ i$	Matrix $\mathbf{A}$ of recursive system. Frames show the square sub-matrices related to the first key equations	Size of matrix $\mathbf{A}$ and vector $\mathbf{x}_m$	Average number of $\neq 0$ elements of $\mathbf{A}$ per row, also in %	Key equations	Number of different elements in vector $\mathbf{x}_m$ after successive iterations	Computer time to derive matrix $\mathbf{A}$
3 7 0	$\begin{pmatrix} 64 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 64 & 32 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 48 & 0 & 40 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 40 & 8 & 32 & 24 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 36 & 0 & 36 & 0 & 28 & 0 & 0 & 0 & 0 & 0 & \dots \\ 32 & 0 & 0 & 0 & 0 & 48 & 0 & 0 & 0 & 0 & \dots \\ 40 & 16 & 0 & 0 & 0 & 24 & 24 & 0 & 0 & 0 & \dots \\ 36 & 4 & 12 & 0 & 0 & 20 & 0 & 28 & 0 & 0 & \dots \\ 24 & 4 & 4 & 0 & 0 & 32 & 8 & 16 & 20 & 0 & \dots \\ 24 & 0 & 28 & 8 & 0 & 12 & 0 & 16 & 0 & 20 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	262	19.0 7.25%	262	1 28 245 261 262	47.92 s
3 7 1	$\begin{pmatrix} 64 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 64 & 32 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 48 & 0 & 40 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 40 & 8 & 32 & 24 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 36 & 0 & 36 & 0 & 28 & 0 & 0 & 0 & 0 & 0 & \dots \\ 32 & 2 & 26 & 12 & 20 & 18 & 0 & 0 & 0 & 0 & \dots \\ 32 & 0 & 24 & 0 & 32 & 0 & 20 & 0 & 0 & 0 & \dots \\ 36 & 0 & 36 & 0 & 0 & 0 & 0 & 28 & 0 & 0 & \dots \\ 28 & 0 & 30 & 0 & 21 & 0 & 0 & 7 & 21 & 0 & \dots \\ 26 & 0 & 24 & 6 & 18 & 12 & 0 & 0 & 14 & 14 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	194,236	75.3 0.04%	12, 531 194, 236	1 29 5,520 164,120 194,024 194,221 194,222 194,222 194,222 194,222 194,222	2 d 12 h
3 8 0	$\begin{pmatrix} 128 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 128 & 64 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 96 & 0 & 80 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 80 & 16 & 64 & 48 & 0 & 0 & 0 & 0 & 0 & 0 & \dots \\ 56 & 4 & 72 & 56 & 34 & 0 & 0 & 0 & 0 & 0 & \dots \\ 72 & 0 & 72 & 0 & 0 & 56 & 0 & 0 & 0 & 0 & \dots \\ 64 & 0 & 0 & 0 & 0 & 0 & 96 & 0 & 0 & 0 & \dots \\ 80 & 32 & 0 & 0 & 0 & 0 & 48 & 48 & 0 & 0 & \dots \\ 48 & 16 & 0 & 0 & 0 & 0 & 72 & 48 & 36 & 0 & \dots \\ 72 & 8 & 24 & 0 & 0 & 0 & 40 & 0 & 0 & 56 & \dots \\ \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \ddots \end{pmatrix}$	2,269	54.2 2.39%	2, 269	1 52 2,079 2,266 2,269	3 h 51 m

Table 9: Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli  $(m \times n)$ -matrices computed by the Geometric method (with recursive systems)

$k$	$m$	$i$	Width $n$ of Bernoulli $(m \times n)$ -matrix					
			3	4	5	6	7	8
3	1	0	.50000000	.68750000	.81250000	.89062500	.93750000	.96484375
3	2	0	.25000000	.44921875	.61132813	.72973633	.81225586	.86875916
		1	.75000000	.90234375	.96484375	.98803711	.99609375	
3	3	0	.12500000	.27514648	.42376709	.55218887	.65610695	.73748273
		1	.50000000	.74609375	.88024902	.94555664	.97567177	
		2	.87500000	.96948242	.99340820	.99869156		
3	4	0	.06250000	.15995789	.27330971	.38646346	.49073754	.58249769
		1	.31250000	.56596375	.74513435	.85620672	.92067240	
		2	.68750000	.89280701	.96704102	.99048918		
		3	.93750000	.99046326	.99876404			
3	5	0	.03125000	.08944607	.16627449	.25237670	.34059513	.42613960
		1	.18750000	.39891815	.58403063	.72412922	.82220783	
		2	.50000000	.76921082	.90341794	.96182809		
		3	.81250000	.95708466	.99152851			
		4	.96875000	.99701977	.99976826			
3	6	0	.01562500	.04860848	.09663510	.15557551	.22129020	.29024047
		1	.10937500	.26506132	.42682210	.57051118	.68752910	
		2	.34375000	.61914063	.79807311	.89883014		
		3	.65625000	.88675117	.96696451			
		4	.89062500	.98342246	.99792156			
		5	.98437500	.99906868	.99995655			
3	7	0	.00781250	.02586606	.05421108	.09154705	.13604801	.18578765
		1	.06250000	.16808704	.29376464	.42062332	.53730233	
		2	.22656250	.46849843	.66322249	.79787705		
		3	.50000000	.77972507	.91295352			
		4	.77343750	.94755490	.98950133			
		5	.93750000	.99376014	.99950709			
		6	.99218750	.99970896	.99999185			
3	8	0	.00390625	.01355145	.02959583	.05192179	.07996495	.11292569
		1	.03515625	.10272465	.19230925	.29245405	.39403851	
		2	.14453125	.33612457	.51938407	.66882364		
		3	.36328125	.64922988	.82507384			
		4	.63671875	.88122084	.96569079			
		5	.85546875	.97675404	.99684412			
		6	.96484375	.99769716	.99988611			
		7	.99609375	.99990905	.99999847			
3	9	0	.00195313	.00701787	.01582380	.02860887	.04534006	.06580189
		1	.01953125	.06095828	.12079652	.19337858	.27304478	
		2	.08984375	.23055155	.38529038	.52946132		
		3	.25390625	.51328401	.70970503			
		4	.50000000	.78520431	.91760455			
		5	.74609375	.93939156	.98739264			
		6	.91015625	.99004467	.99909197			
		7	.98046875	.99916326	.99997422			
		8	.99804688	.99997158	.99999971			
3	10	0	.00097656	.00360293	.00832623	.01541214	.02498582	.03706493
		1	.01074219	.03532874	.07334450	.12257006	.18014215	
		2	.05468750	.15228751	.27247535	.39726873		
		3	.17187500	.38721516	.58058229			
		4	.37695313	.66869562	.84132869			
		5	.62304688	.87631803	.96414011			
		6	.82812500	.97042244	.99562178			
		7	.94531250	.99585327	.99974783			
		8	.98925781	.99969980	.99999426			
		9	.99902344	.99999112				

### 3 Algebraic method

#### 3.1 Multinomial sums and exponential polynomials

We use the following notation for factorials, falling factorials (Graham, Knuth and Patashnik 1988, 47–48) and binomial coefficients, respectively:

$$\begin{aligned}
 n! &= 1 \cdot 2 \cdots n \\
 n^{\underline{i}} &= \begin{cases} 1 & \text{if } i = 0 \\ n & \text{if } i = 1 \\ n(n-1) \cdots (n-i+1) & \text{if } 1 < i \leq n \\ 0 & \text{if } i > n \end{cases} \\
 \binom{n}{p} &= \frac{n!}{p!(n-p)!} .
 \end{aligned} \tag{6}$$

**Proposition 4 (Multinomial coefficients; Feller 1968, p. 37)**

Let  $t_1, \dots, t_p$  be integers such that

$$t_1 + \cdots + t_p = n, \quad t_i \geq 0 .$$

The number of ways in which a population of  $n$  elements can be divided into  $p$  ordered parts (partitioned into  $p$  sub-populations) of which the first contains  $t_1$  elements, the second  $t_2$  elements, etc., is given by the multinomial coefficients

$$\frac{n!}{t_1! \cdots t_p!} \quad \text{shortly denoted} \quad \frac{n!}{t_{1:p}!} . \tag{7}$$

This definition implies the following identity

$$(x_1 + \cdots + x_p)^n = \sum_{\substack{t_1 + \cdots + t_p = n \\ t_i \geq 0}} \frac{n!}{t_1! \cdots t_p!} x_1^{t_1} \cdots x_p^{t_p} . \tag{8}$$

In the multinomial sums below, the condition that at least one of  $t_1, \dots, t_p \geq 0$  is strictly positive is denoted by  $t_1 + \cdots + t_p > 0$ .

**Proposition 5 (Sums of multinomial coefficients)**

For nonnegative integers  $i, j, k, n, p, r, s, t_i, v, w$  it holds:

$$\sum \frac{n!}{t_{1:p}!} = p^n \left( \text{short form of} \sum_{\substack{t_1 + \cdots + t_p = n \\ t_i \geq 0}} \frac{n!}{t_1! \cdots t_p!} \right) \tag{9}$$

$$\sum_{t_1, \dots, t_r=0} \frac{n!}{t_{1:p}!} = (p-r)^n, \quad r \leq p \tag{10}$$

$$\sum_{t_1 > 0} \frac{n!}{t_{1:p}!} = p^n - (p-1)^n \tag{11}$$

$$\sum_{t_1, \dots, t_r > 0} \frac{n!}{t_{1:p}!} = \sum_{i=0}^r (-1)^i \binom{r}{i} (p-i)^n, \quad r \leq p \tag{12}$$

$$\sum_{\substack{t_1, \dots, t_r > 0 \\ t_{r+1} + \dots + t_{r+s} > 0}} \frac{n!}{t_{1:p}!} = \sum_{i=0}^r (-1)^i \binom{r}{i} (p-i)^n - \underbrace{\sum_{i=0}^r (-1)^i \binom{r}{i} (p-s-i)^n}_{=0 \text{ if } s=0},$$

$$s+r \leq p, \quad (13)$$

$$\sum_{t_1=1} \frac{n!}{t_{1:p}!} = n(p-1)^{n-1} \quad (14)$$

$$\sum_{t_1 > 1} \frac{n!}{t_{1:p}!} = p^n - (p-1)^n - n(p-1)^{n-1} \quad (15)$$

$$\sum_{\text{One of } t_1, \dots, t_r > 1} \frac{n!}{t_{1:p}!} = p^n - \sum_{i=0}^r \binom{r}{i} n^i (p-r)^{n-i} \quad (16)$$

$$\sum_{\substack{t_1, \dots, t_q = 1 \\ t_{q+1}, \dots, t_{q+r} > 0 \\ t_{q+r+1} + \dots + t_{q+r+s} > 0 \\ t_{q+r+1}, \dots, t_{q+r+v} \leq 1, \quad v \leq s \\ t_{q+r+s+1}, \dots, t_{q+r+s+w} \leq 1}} \frac{n!}{t_{1:p}!} =$$

$$= \begin{cases} \sum_{j=0}^w \binom{w}{j} n^{q+j} \sum_{k=0}^r (-1)^k \binom{r}{k} (p-q-w-k)^{n-q-j} & \text{if } v=s=0 \\ \sum_{i=1}^v \binom{v}{i} \sum_{j=0}^w \binom{w}{j} n^{q+i+j} \sum_{k=0}^r (-1)^k \binom{r}{k} (p-q-v-w-k)^{n-q-i-j} & \text{if } 0 < v=s \\ \sum_{i=0}^v \binom{v}{i} \sum_{j=0}^w \binom{w}{j} n^{q+i+j} \sum_{k=0}^r (-1)^k \binom{r}{k} (p-q-v-w-k)^{n-q-i-j} \\ - \sum_{j=0}^w \binom{w}{j} n^{q+j} \sum_{k=0}^r (-1)^k \binom{r}{k} (p-q-w-s-k)^{n-q-j} & \text{if } v < s \end{cases} \quad (17)$$

### PROOF OF PROPOSITION 5

To prove (9) it suffices to substitute  $x_1 = \dots = x_p = 1$  into (8).

Prove (10):

$$\sum_{t_1, t_2, \dots, t_r=0} \frac{n!}{t_{1:p}!} = \sum \frac{n!}{t_{1:p-r}!}$$

$$\stackrel{(9)}{=} (p-r)^n.$$

Prove (11):

$$\sum_{t_1 > 0} \frac{n!}{t_{1:p}!} = \sum \frac{n!}{t_{1:p}!} - \sum_{t_1=0} \frac{n!}{t_{1:p}!}$$

$$\stackrel{(9), (10)}{=} p^n - (p-1)^n.$$

To prove (12) first note that

$$\binom{r}{i} + \binom{r}{i-1} = \frac{r!}{i!(r-i)!} + \frac{r!}{(i-1)!(r+1-i)!}$$

$$\begin{aligned}
&= \frac{r!}{i!(r+1-i)!} [(r+1-i) + i] \\
&= \frac{(r+1)!}{i!(r+1-i)!} \\
&= \binom{r+1}{i}
\end{aligned} \tag{18}$$

Now prove (12) by induction on  $r$ . For  $p = 1$  we have if from (11). Assume that it holds for  $r$  and prove it for  $r + 1$ :

$$\begin{aligned}
\sum_{t_1, \dots, t_{r+1} > 0} \frac{n!}{t_{1:p}!} &= \sum_{t_1, \dots, t_r > 0} \frac{n!}{t_{1:p}!} - \sum_{\substack{t_1, \dots, t_r > 0 \\ t_{r+1} = 0}} \frac{n!}{t_{1:p}!} \\
&= \sum_{t_1, \dots, t_r > 0} \frac{n!}{t_{1:p}!} - \sum_{t_1, \dots, t_r > 0} \frac{n!}{t_{1:p-1}!} \quad \text{By assumption of induction} \\
&= \sum_{i=0}^r (-1)^i \binom{r}{i} (p-i)^n - \sum_{i=0}^r (-1)^i \binom{r}{i} (p-1-i)^n \quad \begin{array}{l} \text{Replace } i \text{ in} \\ \text{the 2nd sum} \\ \text{by } j-1 \end{array} \\
&= \sum_{i=0}^r (-1)^i \binom{r}{i} (p-i)^n + \sum_{j=1}^{r+1} \underbrace{-(-1)^{j-1}}_{(-1)^j} \binom{r}{j-1} (p-j)^n \\
&= p^n + \sum_{i=1}^r (-1)^i \left[ \binom{r}{i} + \binom{r}{i-1} \right] (p-i)^n + (-1)^{r+1} [p - (r+1)]^n \\
&\quad \quad \quad = \binom{r+1}{i} \text{ by (18)} \\
&= \sum_{i=0}^{r+1} (-1)^i \binom{r+1}{i} (p-i)^n
\end{aligned}$$

Prove (13):

$$\begin{aligned}
\sum_{\substack{t_1, \dots, t_r > 0 \\ t_{r+1} + \dots + t_{r+s} > 0}} \frac{n!}{t_{1:p}!} &= \sum_{t_1, \dots, t_r > 0} \frac{n!}{t_{1:p}!} - \underbrace{\sum_{\substack{t_1, \dots, t_r > 0 \\ t_{r+1}, \dots, t_{r+s} = 0}} \frac{n!}{t_{1:p}!}}_{=0 \text{ if } s=0} \\
&= \sum_{t_1, \dots, t_r > 0} \frac{n!}{t_{1:p}!} - \underbrace{\sum_{t_1, \dots, t_r > 0} \frac{n!}{t_{1:p-s}!}}_{=0 \text{ if } s=0} \\
&\stackrel{(12)}{=} \sum_{i=0}^r (-1)^i \binom{r}{i} (p-i)^n - \underbrace{\sum_{i=0}^r (-1)^i \binom{r}{i} (p-s-i)^n}_{=0 \text{ if } s=0} .
\end{aligned}$$

Prove (14):

$$\sum_{t_1=1} \frac{n!}{t_{1:p}!} = \sum_{t_2 + \dots + t_p = n-1} \frac{n!}{t_{2:p}!}$$



$$\begin{aligned}
&= n \sum_{t_2+\dots+t_p=n-1} \frac{(n-1)!}{t_{2:p}!} \\
&\stackrel{(9)}{=} n(p-1)^{n-1}
\end{aligned}$$

Prove (15):

$$\begin{aligned}
\sum_{t_1>1} \frac{n!}{t_{1:p}!} &= \sum \frac{n!}{t_{1:p}!} - \sum_{t_1=0} \frac{n!}{t_{1:p}!} - \sum_{t_1=1} \frac{n!}{t_{1:p}!} \\
&\stackrel{(9),(10),(14)}{=} p^n - (p-1)^n - n(p-1)^{n-1}
\end{aligned}$$

Prove (16). Taking into account that the number of subpopulations  $i$  with  $t_i \geq 1$  cannot surpass  $n$ , obtain

$$\begin{aligned}
\sum_{\text{One of } t_1, \dots, t_r \geq 2} \frac{n!}{t_{1:p}!} &= \sum \frac{n!}{t_{1:p}!} - \sum_{t_1, \dots, t_r = 0, 1} \frac{n!}{t_{1:p}!} \\
&= p^n - \sum_{i=0}^{\min(n,r)} \binom{r}{i} \sum_{\substack{t_1, \dots, t_i = 1 \\ t_{i+1}, \dots, t_r = 0}} \frac{n!}{t_{1:p}!} \\
&= p^n - \sum_{i=0}^{\min(n,r)} \binom{r}{i} n(n-1) \cdots (n-i+1)(p-r)^{n-i} \\
&= p^n - \sum_{i=0}^r \binom{r}{i} n^{\underline{i}} (p-r)^{n-i} .
\end{aligned}$$

Prove (17). Obviously,

$$\sum_{\substack{t_1, \dots, t_q = 1 \\ t_{q+1}, \dots, t_{q+r} > 0 \\ t_{q+r+1} + \dots + t_{q+r+s} > 0 \\ t_{q+r+1}, \dots, t_{q+r+v} \leq 1 \\ t_{q+r+s+1}, \dots, t_{q+r+s+w} \leq 1}} \frac{n!}{t_{1:p}!} = n^{\underline{q}} \sum_{\substack{t_{q+1}, \dots, t_{q+r} > 0 \\ t_{q+r+1} + \dots + t_{q+r+s} > 0 \\ t_{q+r+1}, \dots, t_{q+r+v} \leq 1 \\ t_{q+r+s+1}, \dots, t_{q+r+s+w} \leq 1}} \frac{(n-q)!}{t_{1:p}!} \quad (19)$$

Continue to compute (19) for three cases of parameters  $s$  and  $v$ .

- Case  $v = s = 0$  :

$$\begin{aligned}
&= n^{\underline{q}} \sum_{\substack{t_1, \dots, t_r > 0 \\ t_{r+1}, \dots, t_{r+w} \leq 1}} \frac{(n-q)!}{t_{1:p-q}!} \\
&= n^{\underline{q}} \sum_{j=0}^w \binom{w}{j} \sum_{\substack{t_1, \dots, t_r > 0 \\ t_{r+1}, \dots, t_{r+j} = 1 \\ t_{r+j}, \dots, t_{r+w} = 0}} \frac{(n-q)!}{t_{1:p-q}!} \\
&= \sum_{j=0}^w \binom{w}{j} n^{\underline{q+j}} \sum_{t_1, \dots, t_r > 0} \frac{(n-q-j)!}{t_{1:p-q-w}!} \\
&\stackrel{(12)}{=} \sum_{j=0}^w \binom{w}{j} n^{\underline{q+j}} \sum_{k=0}^r (-1)^k \binom{r}{k} (p-q-w-k)^{n-q-j} . \quad (20)
\end{aligned}$$

- Case  $v = s > 0$  :

$$\begin{aligned}
&= n^{\underline{q}} \sum_{i=1}^v \binom{v}{i} \sum_{\substack{t_1, \dots, t_r > 0 \\ t_{r+1}, \dots, t_{r+i} = 1 \\ t_{r+i+1}, \dots, t_{r+v} = 0 \\ t_{r+s+1}, \dots, t_{r+s+w} \leq 1}} \frac{(n-q)!}{t_{1:p-q}!} \\
&= \sum_{i=1}^v \binom{v}{i} n^{\underline{q+i}} \sum_{\substack{t_1, \dots, t_r > 0 \\ t_{r+1}, \dots, t_{r+w} = 0, 1}} \frac{(n-q-i)!}{t_{1:p-q-v}!} \\
&= \sum_{i=1}^v \binom{v}{i} n^{\underline{q+i}} \sum_{j=0}^w \binom{w}{j} \sum_{\substack{t_1, \dots, t_r > 0 \\ t_{r+1}, \dots, t_{r+j} = 1 \\ t_{r+j}, \dots, t_{r+w} = 0}} \frac{(n-q-i)!}{t_{1:p-q-v}!} \\
&= \sum_{i=1}^v \binom{v}{i} \sum_{j=0}^w \binom{w}{j} n^{\underline{q+i+j}} \sum_{t_1, \dots, t_r > 0} \frac{(n-q-i-j)!}{t_{1:p-q-v-w}!} \\
&\stackrel{(12)}{=} \sum_{i=1}^v \binom{v}{i} \sum_{j=0}^w \binom{w}{j} n^{\underline{q+i+j}} \sum_{k=0}^r (-1)^k \binom{r}{k} (p-q-v-w-k)^{n-q-i-j} . \quad (21)
\end{aligned}$$

- Case  $v < s$  :

$$= n^{\underline{q}} \left[ \sum_{i=1}^v \binom{v}{i} \sum_{\substack{t_1, \dots, t_r > 0 \\ t_{r+1}, \dots, t_{r+i} = 1 \\ t_{r+i+1}, \dots, t_{r+v} = 0 \\ t_{r+s+1}, \dots, t_{r+s+w} \leq 1}} \frac{(n-q)!}{t_{1:p-q}!} + \sum_{\substack{t_1, \dots, t_r > 0 \\ t_{r+1}, \dots, t_{r+v} = 0 \\ t_{r+v+1} + \dots + t_{r+s} > 0 \\ t_{r+s+1}, \dots, t_{r+s+w} \leq 1}} \frac{(n-q)!}{t_{1:p-q}!} \right] \quad (22)$$

Since the first sum in (22) is equal to (21), it remains to compute the second sum:

$$\begin{aligned}
n^{\underline{q}} \sum_{\substack{t_1, \dots, t_r > 0 \\ t_{r+1}, \dots, t_v = 0 \\ t_{r+v+1} + \dots + t_{r+s} > 0 \\ t_{r+s+1}, \dots, t_{r+s+w} \leq 1}} \frac{(n-q)!}{t_{1:p-q}!} &= n^{\underline{q}} \sum_{j=0}^w \binom{w}{j} \sum_{\substack{t_1, \dots, t_r > 0 \\ t_{r+1} + \dots + t_{r+s-v} > 0 \\ t_{r+s+1}, \dots, t_{r+s+j} = 1 \\ t_{r+s+j+1}, \dots, t_{r+s+w} = 0}} \frac{(n-q)!}{t_{1:p-q-v}!} \\
&= \sum_{j=0}^w \binom{w}{j} n^{\underline{q+j}} \sum_{\substack{t_1, \dots, t_r > 0 \\ t_{r+1} + \dots + t_{r+s-v} > 0}} \frac{(n-q-j)!}{t_{1:p-q-v-w}!} \\
&\stackrel{(13)}{=} \sum_{j=0}^w \binom{w}{j} n^{\underline{q+j}} \\
&\quad \times \left[ \sum_{k=0}^r (-1)^k \binom{r}{k} (p-q-v-w-k)^{n-q-j} \right. \\
&\quad \left. - \sum_{k=0}^r (-1)^k \binom{r}{k} (p-q-w-s-k)^{n-q-j} \right] . \quad (23)
\end{aligned}$$

Assembling (22) from (21) and (23), note that the first inner sum in (23) can be integrated into (21) by starting the summation on  $i$  with the index  $i = 0$ . Thereby for the case  $v < s$  we obtain

$$\begin{aligned}
&= \sum_{i=0}^v \binom{v}{i} \sum_{j=0}^w \binom{w}{j} n^{\underline{q+i+j}} \sum_{k=0}^r (-1)^k \binom{r}{k} (p-q-v-w-k)^{n-q-i-j} \\
&\quad - \sum_{j=0}^w \binom{w}{j} n^{\underline{q+j}} \sum_{k=0}^r (-1)^k \binom{r}{k} (p-q-w-s-k)^{n-q-j} .
\end{aligned} \tag{24}$$

Thus, (19) is computed with (20), (21) and (24), depending on parameters  $s$  and  $v$ :

$$\begin{aligned}
&\sum_{\substack{t_1, \dots, t_q = 1 \\ t_{q+1}, \dots, t_{q+r} > 0 \\ t_{q+r+1} + \dots + t_{q+r+s} > 0 \\ t_{q+r+1}, \dots, t_{q+r+v} \leq 1 \\ t_{q+r+s+1}, \dots, t_{q+r+s+w} \leq 1}} \frac{n!}{t_{1:p}!} = \\
&= \begin{cases} \sum_{j=0}^w \binom{w}{j} n^{\underline{q+j}} \sum_{k=0}^r (-1)^k \binom{r}{k} (p-q-w-k)^{n-q-j} & \text{if } v = s = 0 \\ \sum_{i=1}^v \binom{v}{i} \sum_{j=0}^w \binom{w}{j} n^{\underline{q+i+j}} \sum_{k=0}^r (-1)^k \binom{r}{k} (p-q-v-w-k)^{n-q-i-j} & \text{if } 0 < v = s \\ \sum_{i=0}^v \binom{v}{i} \sum_{j=0}^w \binom{w}{j} n^{\underline{q+i+j}} \sum_{k=0}^r (-1)^k \binom{r}{k} (p-q-v-w-k)^{n-q-i-j} \\ \quad - \sum_{j=0}^w \binom{w}{j} n^{\underline{q+j}} \sum_{k=0}^r (-1)^k \binom{r}{k} (p-q-w-s-k)^{n-q-j} & \text{if } v < s \end{cases}
\end{aligned}$$

as required ■

Although the exponential polynomials in (12), (13) and (17) are defined for any combinations of their parameters, the corresponding multinomial sums make no sense for  $n < r$  and  $n < q + r$ . It turns however out that these polynomials are equal to zero for the ‘prohibited’ parameter values. This experimentally established property is practical for computer implementation, since it enables to apply the same polynomial regardless of the parameter value. We formulate this conjecture as proposition with no formal proof.

**Proposition 6 (Self-constraining in multinomial formulas)** *Exponential polynomials in (12), (13) and (17) are equal to zero if  $n < r$  or  $n < q + r$ .*

### 3.2 Perfect column pairs in matrices with up to 3 rows

We continue to index types of  $m$ -columns as in tables  $T_m$  in Section 2.1. Till Section 3.4, ‘Imperfect column pairs in the general case’, the ‘perfect outcomes’ refer to column *pairs*.

Consider a Bernoulli  $(m \times n)$ -matrix. Then the number of its outcomes with  $t_i$  columns of the  $i$ th type is expressed by the multinomial coefficient (7)

$$\text{Number of outcomes with } t_i \text{ columns of the } i\text{th type} = \frac{n!}{t_{1:p}!} .$$

**Perfect outcomes of 1-row Bernoulli matrix** A perfect outcome requires a column of type 2 from Table 1:

$$\text{Number of perfect outcomes} = \sum_{t_2 > 0} \frac{n!}{t_1! t_2!} \stackrel{(11)}{=} 2^n - 1 .$$

**Perfect outcomes of 2-row Bernoulli matrix** The outcomes with a column of type 4 from Table 2 are perfect. Besides, the outcomes with no column of type 4 but with columns of types 3 and 2 are perfect as well. All other outcomes, that is, with no columns of types 4 and 3 are not perfect. Hence,

$$\begin{aligned} \text{Number of perfect outcomes} &= \sum_{t_4 > 0} \frac{n!}{t_{1:4}!} + \sum_{\substack{t_4 = 0 \\ t_3 > 0 \\ t_2 > 0}} \frac{n!}{t_{1:4}!} \\ &\stackrel{(11)}{=} 4^n - 3^n + \sum_{t_2 t_3 > 0} \frac{n!}{t_{1:3}!} \\ &\stackrel{(12)}{=} 4^n - 3^n + 3^n - 2 \cdot 2^n + 1 \\ &= 4^n - 2 \cdot 2^n + 1 . \end{aligned}$$

In a perfect column pair, the column with the superior index is called *pivot*, and the column with the inferior index is called *match*. For example, in the perfect pair (4, 5) of 3-columns from Table 3, column 5 is pivot and column 4 is match.

A column is called *self-sufficient* if it makes a perfect column pair with any other column.


The next proposition follows from the way the column types are indexed.

#### Proposition 7 (Properties of perfect column pairs)

1. The  $2^m$ -th  $m$ -column is self-sufficient.
2. In a perfect pair of  $m$ -columns, the pivot is from the second half of table  $T_m$ .
3. In a perfect pair of  $m$ -columns, at least one column is from an even quarter of table  $T_m$  (2nd quarter or 4th quarter), at least one column is from an even eighth of  $T_m$ , ..., and one column has an even index.
4. If a perfect pair of  $m$ -columns has no self-sufficient column ( $2^m$ -th column), the two columns are different.

**Perfect outcomes of 3-row Bernoulli matrix** Note that a pivot can have several matching columns indexed  $i_1, \dots, i_p$ . The existence of at least one match is therefore conditioned by the inequality  $t_{i_1} + \dots + t_{i_p} > 0$ .

Construct disjoint events of perfect outcomes, starting from the maximal pivot as shown by the scheme below (for the indices of column types see Table 3):



To run all the branches, start from the left branch and go down. As the bottom is attained go back till the first branching to the right, and go this branch down as well. Then again go back till the first branching to the right, and so on.

Here, the first event is  $t_8 > 0$ . By Item 1 of Proposition 7, all outcomes with a column of type 8 are perfect. After excluding this event, column 7 is regarded as the maximal pivot ( $t_8 = 0, t_7 > 0$ ) with the match  $t_2 + t_4 + t_6 > 0$ . If the match is excluded ( $t_2, t_4, t_6 = 0$ ) no other pivot with match exist (indeed, by Item 2 of Proposition 7 only column 5 could be pivot, but it would require column 4 as match, which is already excluded). Going the right-hand branch is under the condition  $t_8, t_7 = 0$ . Then column 6 is regarded as the maximal pivot ( $t_8, t_7 = 0, t_6 > 0$ ) with the match  $t_3 + t_4 > 0$ . If  $t_3, t_4 = 0$  no other pivot with match exist, and so on.

This partitioning into disjoint events of perfect outcomes enables to count the latter

$$\begin{aligned}
& \text{Number of perfect outcomes} = \\
& = \sum_{t_8 > 0} \frac{n!}{t_{1:8}!} + \sum_{\substack{t_8 = 0 \\ t_7 > 0 \\ t_2 + t_4 + t_6 > 0}} \frac{n!}{t_{1:8}!} + \sum_{\substack{t_8, t_7 = 0 \\ t_6 > 0 \\ t_3 + t_4 > 0}} \frac{n!}{t_{1:8}!} + \sum_{\substack{t_8, t_7, t_6 = 0 \\ t_5 > 0 \\ t_4 > 0}} \frac{n!}{t_{1:8}!} \\
& \stackrel{(11)}{=} 8^n - 7^n + \sum_{\substack{t_7 > 0 \\ t_2 + t_4 + t_6 > 0}} \frac{n!}{t_{1:7}!} + \sum_{\substack{t_6 > 0 \\ t_3 + t_4 > 0}} \frac{n!}{t_{1:6}!} + \sum_{\substack{t_5 > 0 \\ t_4 > 0}} \frac{n!}{t_{1:5}!} \\
& \stackrel{(13)}{=} 8^n - 7^n + 7^n - 6^n - 4^n + 3^n + 6^n - 5^n - 4^n + 3^n + 5^n - 2 \cdot 4^n + 3^n \\
& = 8^n - 4 \cdot 4^n + 3 \cdot 3^n .
\end{aligned}$$

### 3.3 Perfect column pairs in the general case

The disjoint events with perfect outcomes can be constructed by a branching algorithm which we exemplify with four-row Bernoulli matrices ( $m = 4$ ).

Table 10: Lookup table ( $k = 2$ ,  $m = 4$ ,  $i = 0$ ). Columns in frames are self-sufficient

Pivot	Match
16	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15
15	2 4 6 8 10 12 14
14	3 4 7 8 11 12
13	4 8 12
12	5 6 7 8
11	6 8
10	7 8
9	8

First of all make the *Lookup table* with pivots and matching columns, and the list *Self-sufficient columns*; see Table 10 where the only self-sufficient column is framed. Initialize the algorithm with the following three elements.

- List *Available columns* with column indices for selecting pivot and match. It is initialized with all but  $s$  column indices of self-sufficient columns. In our example of 4-columns, we have a single self-sufficient column 16, so that  $s = 1$  and

$$\text{Available columns} = [1, \dots, 15] .$$

- *Polynomial* to count (im)perfect outcomes. It is initialized for the event containing at least one self-sufficient column, that is, expressing the multinomial sum  $\sum_{t_1+\dots+t_s>0} \frac{n!}{t_{1:2^m}!}$ . In our example,

$$\text{Polynomial} = \sum_{t_{16}>0} \frac{n!}{t_{1:16}!} \stackrel{(11)}{=} 16^n - 15^n .$$

- List *Obligatory columns* for the column indices which can be required to be retained. It is initialized with the empty list

$$\text{Obligatory columns} = [ ] .$$

The further operation is performed by a self-calling module (the nested calls are shown in **boldface**). Since *Polynomial* is initialized for the event with self-sufficient columns, other events have no self-sufficient columns, and by Item 4 of Proposition 7 *have multiple instances of neither pivots, nor match*.

### Self-calling module for enumerating disjoint events with perfect column pairs

- (*Input*). Lists *Available columns* and *Obligatory columns*.
- (*Finding pivot and match to define a new disjoint event*). Find the maximal possible pivot and its match from *Available columns* using the *Lookup table*. If they are not found then exit the module (return).

If they are found, define a new disjoint event for the given available and obligatory columns, pivot, and match. If one of matching columns belongs to *Obligatory columns* then match is guaranteed and the event is defined with the pivotal condition  $t_{pivot} > 0$  only. Otherwise, if

no matching column belongs to *Obligatory columns*, consider also the match-guaranteeing condition  $\sum_{\text{match}} t_{\text{match}} > 0$ . Compute the exponential polynomial for this event using (13) and add it to *Polynomial*.

In our example, the first encountering event results in the exponential polynomial

$$\sum_{\substack{t_{16} = 0 \\ t_{15} > 0 \\ t_2 + t_4 + t_6 + t_8 + t_{10} + t_{12} + t_{14} > 0}} \frac{n!}{t_{1:16}!} \stackrel{(13)}{=} 15^n - 14^n - 8^n + 7^n.$$

- (*Branch 1: Pivot but no match*). If no matching column belongs to *Obligatory columns* then exclude all the matching columns from *Available columns*, add the pivot to *Obligatory columns*, and start a **new instance of the module**. Otherwise, if any of matching columns belongs to *Obligatory columns*, do nothing and just go to the next branch.
- (*Branch 2: No pivot*). If the pivot does not belong to *Obligatory columns* then delete the pivot from *Available columns* and start a **new instance of the module**. Otherwise, if the pivot belongs to *Obligatory columns*, exit the module (return).

Applying this algorithm to our example of Bernoulli  $(4 \times n)$ -matrices, we obtain:

$$\begin{aligned} \text{Number of perfect outcomes} &= \\ &= \sum_{t_{16} > 0} \frac{n!}{t_{1:16}!} + \sum_{\substack{t_{16} = 0 \\ t_{15} > 0 \\ t_2 + t_4 + t_6 + t_8 + t_{10} + t_{12} + t_{14} > 0}} \frac{n!}{t_{1:16}!} + \sum_{\substack{t_{16}, t_{15} = 0 \\ t_{14} > 0 \\ t_3 + t_4 + t_7 + t_8 + t_{11} + t_{12} > 0}} \frac{n!}{t_{1:16}!} \\ &+ \sum_{\substack{t_{16}, t_{15}, t_{14} = 0 \\ t_{13} > 0 \\ t_4 + t_8 + t_{12} > 0}} \frac{n!}{t_{1:16}!} + \underbrace{\sum_{\substack{t_{16}, t_{15}, t_{14} = 0 \\ t_{13} > 0 \\ t_4, t_8, t_{12} = 0 \\ t_{11} > 0 \\ t_6 > 0}} \frac{n!}{t_{1:16}!}}_{\text{Event with obligatory column 13}} + \underbrace{\sum_{\substack{t_{16}, t_{15}, t_{14} = 0 \\ t_{13} > 0 \\ t_4, t_8, t_{12} = 0 \\ t_{11} > 0 \\ t_6 = 0 \\ t_{10} > 0 \\ t_7 > 0}} \frac{n!}{t_{1:16}!}}_{\text{Event with obligatory columns 13 and 11}} \\ &+ \underbrace{\sum_{\substack{t_{16}, t_{15}, t_{14} = 0 \\ t_{13} > 0 \\ t_4, t_8, t_{12} = 0 \\ t_{11} = 0 \\ t_{10} > 0 \\ t_7 > 0}} \frac{n!}{t_{1:16}!}}_{\text{Event with obligatory column 13}} + \sum_{\substack{t_{16}, \dots, t_{13} = 0 \\ t_{12} > 0 \\ t_5 + \dots + t_8 > 0}} \frac{n!}{t_{1:16}!} + \sum_{\substack{t_{16}, \dots, t_{12} = 0 \\ t_{11} > 0 \\ t_6 + t_8 > 0}} \frac{n!}{t_{1:16}!} \\ &\underbrace{\sum_{\substack{t_{16}, \dots, t_{12} = 0 \\ t_{11} > 0 \\ t_6, t_8 = 0 \\ t_{10} > 0 \\ t_7 > 0}} \frac{n!}{t_{1:16}!}}_{\text{Event with obligatory column 11}} + \sum_{\substack{t_{16}, \dots, t_{11} = 0 \\ t_{10} > 0 \\ t_7 + t_8 > 0}} \frac{n!}{t_{1:16}!} + \sum_{\substack{t_{16}, \dots, t_{10} = 0 \\ t_9 > 0 \\ t_8 > 0}} \frac{n!}{t_{1:16}!} \end{aligned}$$

$$\begin{aligned}
 & \stackrel{(11),(13)}{=} 16^n - 15^n + 15^n - 14^n - 8^n + 7^n + 14^n - 13^n - 8^n + 7^n \\
 & + 13^n - 12^n - 10^n + 9^n + 10^n - 3 \cdot 9^n + 3 \cdot 8^n - 7^n \\
 & + 9^n - 4 \cdot 8^n + 6 \cdot 7^n - 4 \cdot 6^n + 5^n + 9^n - 3 \cdot 8^n + 3 \cdot 7^n - 6^n \\
 & + 12^n - 11^n - 8^n + 7^n + 11^n - 10^n - 9^n + 8^n \\
 & + 9^n - 3 \cdot 8^n + 3 \cdot 7^n - 6^n + 10^n - 9^n - 8^n + 7^n + 9^n - 2 \cdot 8^n + 7^n \\
 & = 16^n - 12 \cdot 8^n + 16 \cdot 7^n - 6 \cdot 6^n + 5^n .
 \end{aligned}$$

### 3.4 Imperfect column pairs in the general case

For counting imperfect outcomes, the algorithm from the previous paragraph remains intact, but its initialization requires two modifications. The *Lookup table* is extended to *i*-imperfect matching of columns, and self-sufficient columns are extended to *i*-self-sufficient columns which make *i*-imperfect column pairs with any other column; see Table 11.

Table 11: Lookup table ( $k = 2, m = 4, i = 1$ ). Columns in frames are self-sufficient

Pivot	Match
<span style="border: 1px solid black; padding: 2px;">16</span>	1 2 3 4 5 6 7 <span style="border: 1px solid black; padding: 2px;">8</span> 9 10 11 <span style="border: 1px solid black; padding: 2px;">12</span> 13 <span style="border: 1px solid black; padding: 2px;">14</span> <span style="border: 1px solid black; padding: 2px;">15</span>
<span style="border: 1px solid black; padding: 2px;">15</span>	1 2 3 4 5 6 7 <span style="border: 1px solid black; padding: 2px;">8</span> 9 10 11 <span style="border: 1px solid black; padding: 2px;">12</span> 13 <span style="border: 1px solid black; padding: 2px;">14</span>
<span style="border: 1px solid black; padding: 2px;">14</span>	1 2 3 4 5 6 7 <span style="border: 1px solid black; padding: 2px;">8</span> 9 10 11 <span style="border: 1px solid black; padding: 2px;">12</span> 13
13	2 3 4 6 7 <span style="border: 1px solid black; padding: 2px;">8</span> 10 11 <span style="border: 1px solid black; padding: 2px;">12</span>
<span style="border: 1px solid black; padding: 2px;">12</span>	1 2 3 4 5 6 7 <span style="border: 1px solid black; padding: 2px;">8</span> 9 10 11
11	2 4 5 6 7 <span style="border: 1px solid black; padding: 2px;">8</span> 10
10	3 4 5 6 7 <span style="border: 1px solid black; padding: 2px;">8</span>
9	4 6 7 <span style="border: 1px solid black; padding: 2px;">8</span>
<span style="border: 1px solid black; padding: 2px;">8</span>	1 2 3 4 5 6 7
7	2 4 6
6	3 4
5	4

Item 4 of Proposition 7 remains valid, that is, *if a *i*-imperfect column pair includes no *i*-self-sufficient column then both columns are different*. Indeed, if a column is not *i*-self-sufficient than it has more than *i* zero elements, and two such columns have more than *i* rows with simultaneous zeros, implying no *i*-imperfect pair.

Therefore, after having considered the event with self-sufficient columns at the initialization step of the algorithm, the remaining events with *i*-imperfect outcomes have *multiple instances of neither pivots, nor match*. Thus, the algorithm can run with no further changes.

The exponential polynomials obtained are shown in Table 12, and the probabilities computed are given in Table 13. As one can see, the probabilities computed by the Geometric and Algebraic methods (from the common domains of Tables 7 and 13 are identical).



Table 12: Description of exponential polynomials for counting perfect ( $i = 0$ ) and  $i$ -imperfect outcomes of Bernoulli ( $m \times n$ )-matrices for column pairs ( $k = 2$ )

$k$	$m$	$i$	Exponential polynomial (to compute probabilities multiply by $2^{-mn}$ )	Number of terms in the exponential polynomial	Number of disjoint events constructed	Computer time
2	1	0	$2^n - 1$	2	1	0.00 s
2	2	0	$4^n - 2 \cdot 2^n + 1$	3	2	0.00 s
	1		$4^n - 1$	2	1	0.00 s
2	3	0	$8^n - 4 \cdot 4^n + 3 \cdot 3^n$	3	4	0.00 s
	1		$8^n - 3 \cdot 2^n + 2$	3	3	0.00 s
	2		$8^n - 1$	2	1	0.00 s
2	4	0	$16^n - 12 \cdot 8^n + 16 \cdot 7^n - 6 \cdot 6^n + 5^n$	5	12	0.01 s
	1		$16^n - 5^n - 6 \cdot 4^n + 6 \cdot 3^n$	4	8	0.01 s
	2		$16^n - 4 \cdot 2^n + 3$	3	4	0.00 s
	3		$16^n - 1$	2	1	0.00 s
2	5	0	$32^n - 81 \cdot 16^n + 185 \cdot 15^n - 150 \cdot 14^n + 50 \cdot 13^n - 5 \cdot 12^n$	6	81	0.11 s
	1		$32^n - 5 \cdot 10^n - 10 \cdot 9^n + 20 \cdot 8^n - 10 \cdot 7^n + 4 \cdot 6^n$	6	40	0.05 s
	2		$32^n - 6^n - 10 \cdot 4^n + 10 \cdot 3^n$	4	13	0.02 s
	3		$32^n - 5 \cdot 2^n + 4$	3	5	0.01 s
	4		$32^n - 1$	2	1	0.00 s
2	6	0	$64^n - 2646 \cdot 32^n + 11276 \cdot 31^n - 21120 \cdot 30^n + 23360 \cdot 29^n - 17340 \cdot 28^n + 9210 \cdot 27^n - 3555 \cdot 26^n + 975 \cdot 25^n - 180 \cdot 24^n + 20 \cdot 23^n - 22^n$	12	2,646	4.46 s
	1		$64^n - 22^n - 35 \cdot 20^n - 70 \cdot 19^n + 210 \cdot 18^n - 45 \cdot 17^n - 90 \cdot 16^n - 15 \cdot 15^n + 60 \cdot 14^n - 15 \cdot 13^n$	10	635	0.96 s
	2		$64^n - 6 \cdot 12^n - 20 \cdot 10^n + 60 \cdot 9^n - 65 \cdot 8^n + 30 \cdot 7^n$	6	97	0.14 s
	3		$64^n - 7^n - 15 \cdot 4^n + 15 \cdot 3^n$	4	19	0.02 s
	4		$64^n - 6 \cdot 2^n + 5$	3	6	0.01 s
	5		$64^n - 1$	2	1	0.00 s
2	7	0	$128^n - 1422564 \cdot 64^n + 10552451 \cdot 63^n - 35759745 \cdot 62^n + 73300045 \cdot 61^n - 101419640 \cdot 60^n + 100106307 \cdot 59^n - 72673160 \cdot 58^n + 39473100 \cdot 57^n - 16196040 \cdot 56^n + 5049870 \cdot 55^n - 1202509 \cdot 54^n + 219492 \cdot 53^n - 30520 \cdot 52^n + 3115 \cdot 51^n - 210 \cdot 50^n + 7 \cdot 49^n$	17	1,422,564	54 m 44 s
	1		$128^n - 7 \cdot 44^n - 175 \cdot 42^n - 490 \cdot 41^n - 525 \cdot 40^n + 4235 \cdot 39^n + 5285 \cdot 38^n - 39025 \cdot 37^n + 78300 \cdot 36^n - 94815 \cdot 35^n + 78729 \cdot 34^n - 44821 \cdot 33^n + 16254 \cdot 32^n - 3199 \cdot 31^n + 315 \cdot 30^n - 83 \cdot 29^n + 21 \cdot 28^n$	17	164,289	5 m 28 s
	2		$128^n - 29^n - 56 \cdot 24^n + 35 \cdot 23^n - 210 \cdot 22^n + 630 \cdot 21^n - 665 \cdot 20^n + 546 \cdot 19^n - 455 \cdot 18^n + 280 \cdot 17^n - 245 \cdot 16^n + 175 \cdot 15^n - 35 \cdot 14^n$	13	2,971	4.94 s
	3		$128^n - 7 \cdot 14^n - 35 \cdot 11^n + 105 \cdot 10^n - 84 \cdot 9^n - 15 \cdot 8^n + 35 \cdot 7^n$	7	200	0.29 s
	4		$128^n - 8^n - 21 \cdot 4^n + 21 \cdot 3^n$	4	26	0.04 s
	5		$128^n - 7 \cdot 2^n + 6$	3	7	0.02 s
	6		$128^n - 1$	2	1	0.01 s



### 3.5 Perfect column triplets in matrices with up to 3 rows

In the following sections ‘perfect outcomes’ refer to column *triplets*.

**Perfect outcomes of 1-row Bernoulli matrix** A perfect outcome requires at least two columns of type 2 from Table 1:

$$\text{Number of perfect outcomes} = \sum_{t_2 > 1} \frac{n!}{t_1! t_2!} \stackrel{(15)}{=} 2^n - 1 - n .$$

**Perfect outcomes of 2-row Bernoulli matrix** An outcome with multiple columns of type 4 from Table 2 is perfect, as well as an outcome with one column of type 4 and columns of types 3 and 2. An outcome with no columns of types 4 is not perfect. Hence,

$$\begin{aligned} \text{Number of perfect outcomes} &= \sum_{t_4 > 1} \frac{n!}{t_{1:4}!} + \sum_{\substack{t_4 = 1 \\ t_3 > 0 \\ t_2 > 0}} \frac{n!}{t_{1:4}!} \\ &\stackrel{(15)}{=} 4^n - 3^n - n3^{n-1} + n \sum_{t_2 t_3 > 0} \frac{(n-1)!}{t_{1:3}!} \\ &\stackrel{(12)}{=} 4^n - 3^n - n3^{n-1} + n(3^{n-1} - 2 \cdot 2^{n-1} + 1) \\ &= 4^n - 3^n - n2^n + n . \end{aligned}$$

In a (im)perfect column triplet, the columns with the superior, intermediate, and inferior index are called, respectively, *pivot*, *sub-pivot*, and *match*. For example, in the perfect triplet (6, 7, 8) of 3-columns from Table 3, column 8 is pivot, column 7 is sub-pivot, and column 6 is match.


An  $m$ -column is called *i-self-sufficient* if its two instances make a perfect triplet with any other  $m$ -column. For instance, the column of type 4 from Table 3 is 1-self-sufficient.

The next proposition follows from the way the column types are indexed.

#### Proposition 8 (Properties of perfect column triplets)

1. The  $2^m$ -th  $m$ -column makes a perfect triplet with any perfect pair of  $m$ -columns.
2. In a perfect triplet of  $m$ -columns, the pivot is from the fourth quarter of table  $T_m$ , and the sub-pivot is from the second half of  $T_m$ .
3. In a perfect triplet of  $m$ -columns, at least two columns are from even quarters of table  $T_m$  (2nd and 4th), at least two columns are from even eights of  $T_m$  (2nd, 4th, 6th, and 8th), ..., and at least two columns have even indices.
4. A perfect triplet of  $m$ -columns can have multiple instances of self-sufficient columns only.
5. Three  $m$ -columns make a perfect triplet if and only if any two of them make a perfect pair.

**Perfect outcomes of 3-row Bernoulli matrix** Construct disjoint sets of perfect outcomes, starting from the maximal pivot 8 as shown by the scheme below:



Here, the first event is  $t_8 > 1$ . By Item 1 of Proposition 8, all outcomes with multiple column 8 are perfect. After excluding this event, consider outcomes with its single instance  $t_8 = 1$  as pivot. By Item 5 of Proposition 8, the sub-pivot and match must make a perfect pair. Therefore, this branch of the scheme is exactly as the branch  $t_8 = 0$  in (25). The right-hand branch with no column 8 contains no self-sufficient column and consists of a single event with three different column types 7, 6, and 5. Hence,

$$\begin{aligned}
 & \text{Number of perfect outcomes} = \\
 & = \sum_{t_8 \geq 2} \frac{n!}{t_{1:8}!} + \sum_{\substack{t_8 = 1 \\ t_7 > 0 \\ t_2 + t_4 + t_6 > 0}} \frac{n!}{t_{1:8}!} + \sum_{\substack{t_8 = 1 \\ t_7 = 0 \\ t_6 > 0 \\ t_3 + t_4 > 0}} \frac{n!}{t_{1:8}!} + \sum_{\substack{t_8 = 1 \\ t_7, t_6 = 0 \\ t_4 t_5 > 0}} \frac{n!}{t_{1:8}!} + \sum_{\substack{t_8 = 0 \\ t_7 t_6 t_4 > 0}} \frac{n!}{t_{1:8}!} \\
 & \stackrel{(17)}{=} 8^n - 7^n - n7^{n-1} + n(7^{n-1} - 6^{n-1} - 4^{n-1} + 3^{n-1}) \\
 & \quad + n(6^{n-1} - 5^{n-1} - 4^{n-1} + 3^{n-1}) + n(5^{n-1} - 2 \cdot 4^{n-1} + 3^{n-1}) \\
 & \quad + 7^n - 3 \cdot 6^n + 3 \cdot 5^n - 4^n \\
 & = 8^n - 3 \cdot 6^n + 3 \cdot 5^n - 4^n - 4n4^{n-1} + 3n3^{n-1} .
 \end{aligned}$$

### 3.6 Perfect and imperfect column triplets in the general case

Constructing disjoint events for perfect and imperfect column triplets resembles that for column pairs. An important distinction is the existence of *jointly  $i$ -self-sufficient column pairs*. It means that two different columns make a  $i$ -imperfect column triplet with any other column. For instance, 3-columns 8 and 7 are not only self-sufficient but also jointly 1-self-sufficient.

As a consequence, the self-calling module of the branching algorithm has two blocks. One block deals with events with jointly self-sufficient column pairs. These are cases like for column pairs with dichotomous branching. After these events are exhausted, the second block deals with properly trinomial cases with pivots, sub-pivots, and match, resulting in quarichotomous branching. We exemplify all of these with counting 1-imperfect outcomes of tree-row Bernoulli matrices.

First of all compile the list of ( $i$ -)Self-sufficient columns, Lookup table for single match with sub-pivots making jointly self-sufficient pairs with a given pivot, and Lookup table for double

Table 14: Lookup table for single match ( $k = 3$ ,  $m = 3$ ,  $i = 1$ ). Columns in frames are self-sufficient

Pivot	Sub-pivots making with pivot jointly 1-self-sufficient pairs		
8	4	6	7

Table 15: Lookup table for double match ( $k = 3$ ,  $m = 3$ ,  $i = 1$ ). Columns in frames are self-sufficient. Pivots and subpivots underlined are jointly self-sufficient

Pivot	Sub-pivot	Match
8	7	1 2 3 <span style="border: 1px solid black; padding: 0 2px;">4</span> 5 <span style="border: 1px solid black; padding: 0 2px;">6</span>
8	6	1 2 3 <span style="border: 1px solid black; padding: 0 2px;">4</span> 5
8	5	2 3 <span style="border: 1px solid black; padding: 0 2px;">4</span>
8	4	1 2 3
8	3	2
7	6	2 3 <span style="border: 1px solid black; padding: 0 2px;">4</span>
7	5	3 <span style="border: 1px solid black; padding: 0 2px;">4</span>
7	4	2
6	5	2 <span style="border: 1px solid black; padding: 0 2px;">4</span>
6	4	3
4	3	2

*match* with matching columns to a given pair (pivot, sub-pivot); see Tables 14 and 15. Next, initialize the algorithm with the following three elements.

- List *Available columns* for the column indices for selection of pivot, sub-pivot, and match. For column triplets, it is initialized with *all(!)* column indices. In our example with 3-columns

$$\text{Available columns} = [1, \dots, 8] .$$

- *Polynomial* to count  $i$ -imperfect outcomes. It is initialized with the exponential polynomial for the event containing multiple instances of one of  $S$  self-sufficient columns. The latter have  $i$  or fewer zeros out of  $m$  elements, implying  $S = \sum_{j=0}^i \binom{m}{j}$ . By virtue of (16) the initialization looks as follows

$$\text{Polynomial} = \sum_{\text{One of } t_1, \dots, t_S > 1} \frac{n!}{t_{1:2^m}!} = 2^{mn} - \sum_{s=0}^S \binom{S}{s} n^s (2^m - S)^{n-s} ,$$

which for our example with  $m = 3$ ,  $i = 0$ , implying  $S = 1$ , gives

$$\sum_{t_{8>1}} \frac{n!}{t_{1:8}!} \stackrel{(11)}{=} 8^n - 7^n - n7^{n-1} .$$

- List *Obligatory columns* for the column indices which can be required to be retained. It is initialized with the empty list

$$\text{Obligatory columns} = [ ] .$$

The further operation is performed by a self-calling module (the nested calls are shown in **boldface**). Since *Polynomial* is initialized for the event with multiple self-sufficient columns, other encountering disjoint events have *single instances of self-sufficient pivots, sub-pivots, and matching columns*.

### Self-calling module for enumerating disjoint events with perfect column triplets

- (Input). Input the lists *Available columns* and *Obligatory columns*.
- (Preparing alternative blocks with alternative definitions of the next event)
  - Find maximal pivot, maximal sub-pivot, and match from *Available columns*. If no triplet is found then there is no jointly self-sufficient column pair either, meaning that the branch is exhausted. Exit the module (return).  
In our example, the maximal pivot is column 8, maximal sub-pivot is column 7, and columns 1, . . . , 6 constitute the match.
  - Find maximal S-pivot and its S-sub-pivots from *Available columns*, which make jointly *i*-self-sufficient pairs.  
In our example, the maximal S-pivot is column 8, and columns 4, 6, 7 make jointly with S-pivot *i*-self-sufficient pairs.
- (1st Block—Jointly *i*-self-sufficient pivot and sub-pivots: If the S-pivot exists and its index is not inferior than that of the pivot found, then define the event with the S-pivot and S-sub-pivots regardless of match)

Define the new event with inequality/equality constraints, taking into account the membership of the S-pivot and S-sub-pivots in the lists *Self-sufficient columns* and *Obligatory columns*, as well as the number of other obligatory and available columns, including self-sufficient among them. All the columns from *Self-sufficient columns* must be additionally constrained to at most one instance (since the event with their multiple instances is considered while initializing *Polynomial*). If S-pivot belongs to *Obligatory columns*, no constraint to guarantee its inclusion is needed. Similarly, if one of S-sub-pivots belongs to *Obligatory columns*, no constraint to guarantee the inclusion of any S-sub-pivot is needed either. Using (17), express the multinomial sum corresponding to the new event by an exponential polynomial and add it to *Polynomial*.

In our example, the first encountering event results in the exponential polynomial

$$\sum_{\substack{t_8 = 1 \\ t_4 + t_6 + t_7 > 0 \\ t_4, t_6, t_7 \leq 1}} \frac{n!}{t_{1:8}} \stackrel{(17)}{=} 3n^2 + 3n^3 + n^4 - 3 .$$

- (Branch 1: S-pivot but no S-sub-pivots). If no S-sub-pivot belongs to *Obligatory columns* then exclude all S-sub-pivots from *Available columns*, add the S-pivot to *Obligatory columns*, and start a **new instance of the module**. Otherwise, if any of S-sub-pivots belongs to *Obligatory columns*, do nothing and just go to the next branch.
- (Branch 2: No S-pivot). If the S-pivot does not belong to *Obligatory columns* then delete the S-pivot from *Available columns* and start a **new instance of the module**. Otherwise, if the S-pivot belongs to *Obligatory columns*, exit the module (return).

- (2nd Block—Properly trinomial case: If there is no *S*-pivot, or its index is inferior than that of the pivot found, then define the event with the pivot, sub-pivot, and match)

Define the new event by inequality/equality constraints, taking into account the membership of the pivot, sub-pivot and matching columns in the lists *Self-sufficient columns* and *Obligatory columns*, as well as the number of other obligatory and available columns, including self-sufficient among them (to exclude multiple occurrence). All the columns from *Self-sufficient columns* must be additionally constrained to at most one instance (since the event with their multiple instances is considered while initializing *Polynomial*). If the pivot belongs to *Obligatory columns*, no constraint to guarantee its inclusion is needed. The same relates to the sub-pivot. If any of the matching columns belongs to *Obligatory columns*, no constraint to guarantee the inclusion of any matching column is needed either. Using (17), express the multinomial sum corresponding to the new event by an exponential polynomial and add it to *Polynomial*.

- (Branch 3: *Pivot but no sub-pivot*). If the sub-pivot is not obligatory then exclude it from the list *Available columns*, add the pivot to *Obligatory columns*, and start a **new instance of the module**. Otherwise, if the sub-pivot is obligatory, do nothing and just go to the next branch.
- (Branch 4: *Pivot and sub-pivot but no match*). If no matching column is obligatory then exclude all the matching columns from *Available columns*, add the pivot and sub-pivot to *Obligatory columns*, and start a **new instance of the module**. Otherwise, if any of the matching columns is obligatory, do nothing and just go to the next branch.
- (Branch 5: *No pivot but sub-pivot*). If the pivot is not obligatory then exclude it from *Available columns*, add the sub-pivot to *Obligatory columns*, and start a **new instance of the module**. Otherwise, if the pivot is obligatory, do nothing and just go to the next branch.
- (Branch 6: *Neither pivot nor sub-pivot*). If both pivot and sub-pivot are not obligatory then exclude them from *Available columns*, and start a **new instance of the module**. Otherwise, if either pivot or the sub-pivot is obligatory, exit the module (return).

Applying this algorithm to our example of Bernoulli  $(3 \times n)$ -matrices, we obtain:

$$\text{Number of 1-imperfect outcomes} = 8^n - 4^n - 6n3^{n-1} + 2n - 3n(n-1)2^{n-2} .$$

The exponential polynomials to count (im)perfect outcomes of Bernoulli matrices with up to seven rows and the output probabilities are shown in Tables 16 and 17. As one can see, the probabilities computed by the Geometric and Algebraic methods (from the common domains of Tables 9 and 17 are identical.

Table 16: Description of exponential polynomials for counting perfect ( $i = 0$ ) and  $i$ -imperfect outcomes of Bernoulli ( $m \times n$ )-matrices for column triplets ( $k = 3$ )

$k$	$m$	$i$	Exponential polynomial (to compute probabilities multiply by $2^{-mn}$ )	Number of terms in the exponential polynomial	Number of disjoint events constructed	Computer time
3	1	0	$2^n - 1 - n$	3	1	0.00 s
3	2	0	$4^n - 3^n - 2n2^{n-1} + n$	4	2	0.00 s
		1	$4^n - 1 - 3n - n^2$	4	2	0.00 s
3	3	0	$8^n - 3 \cdot 6^n + 3 \cdot 5^n - 4^n - 4n4^{n-1} + 3n3^{n-1}$	6	5	0.01 s
		1	$8^n - 4^n - 6n3^{n-1} + 2n - 3n^22^{n-2}$	5	10	0.02 s
		2	$8^n - 1 - 7n - 6n^2 - n^3$	5	6	0.01 s
3	4	0	$16^n - 10 \cdot 12^n + 15 \cdot 11^n - 6 \cdot 10^n - 12n8^{n-1} + 16n7^{n-1} - 6n6^{n-1} + n5^{n-1}$	8	18	0.03 s
		1	$16^n - 3 \cdot 9^n - 4 \cdot 8^n + 15 \cdot 7^n - 12 \cdot 6^n + 3 \cdot 5^n - 36n6^{n-1} + 43n5^{n-1} - 18n4^{n-1} + 6n3^{n-1} - 6n^24^{n-2}$	11	60	0.11 s
		2	$16^n - 5^n - 12n4^{n-1} - 6n3^{n-1} + 4n2^{n-1} + 3n - 24n^23^{n-2} - 3n^2 - 4n^32^{n-3}$	9	68	0.14 s
		3	$16^n - 1 - 15n - 25n^2 - 10n^3 - n^4$	6	20	0.07 s
3	5	0	$32^n - 26^n - 50 \cdot 24^n + 120 \cdot 23^n - 100 \cdot 22^n + 35 \cdot 21^n - 5 \cdot 20^n - 81n16^{n-1} + 185n15^{n-1} - 150n14^{n-1} + 50n13^{n-1} - 5n12^{n-1}$	12	128	0.29 s
		1	$32^n - 30 \cdot 18^n - 10 \cdot 17^n + 134 \cdot 16^n - 120 \cdot 15^n + 15 \cdot 14^n + 10 \cdot 13^n - 40n13^{n-1} - 140n12^{n-1} + 350n11^{n-1} - 210n10^{n-1} + 20n9^{n-1} + 20n8^{n-1} - 10n7^{n-1} + 4n6^{n-1} - 10n^28^{n-2}$	16	664	1.43 s
		2	$32^n - 10 \cdot 12^n - 12 \cdot 11^n + 70 \cdot 10^n - 70 \cdot 9^n + 15 \cdot 8^n + 10 \cdot 7^n - 4 \cdot 6^n - 6n12^{n-1} + 21n11^{n-1} - 24n10^{n-1} - 114n9^{n-1} + 36n8^{n-1} + 237n7^{n-1} - 286n6^{n-1} + 150n5^{n-1} - 40n4^{n-1} + 10n3^{n-1} - 4n^211^{n-2} + 9n^210^{n-2} - 9n^29^{n-2} + 13n^28^{n-2} - 15n^27^{n-2} - 189n^26^{n-2} + 210n^25^{n-2} + \dots$	34	967	2.13 s
		3	$32^n - 6^n - 20n5^{n-1} - 20n4^{n-1} + 10n2^{n-1} + 4n - 3n^26^{n-2} + 9n^25^{n-2} - 99n^24^{n-2} - 57n^23^{n-2} + 20n^22^{n-2} - 20n^2 - 3n^36^{n-3} + 6n^35^{n-3} - 3n^34^{n-3} - 80n^33^{n-3} - n^46^{n-4} + 5n^45^{n-4} - n^44^{n-4} - 3n^43^{n-4} - 5n^42^{n-4} + n^55^{n-5} - n^54^{n-5}$	23	476	1.24 s
		4	$32^n - 1 - 31n - 90n^2 - 65n^3 - 15n^4 - n^5$	7	71	0.35 s
3	6	0	$64^n - 6 \cdot 52^n - 15 \cdot 51^n - 60 \cdot 50^n + 360 \cdot 49^n - 1006 \cdot 48^n + 1920 \cdot 47^n - 2175 \cdot 46^n + 1380 \cdot 45^n - 480 \cdot 44^n + 90 \cdot 43^n - 9 \cdot 42^n - 2646n32^{n-1} + 11276n31^{n-1} - 21120n30^{n-1} + 23360n29^{n-1} - 17340n28^{n-1} + 9210n27^{n-1} - 3555n26^{n-1} + 975n25^{n-1} - 180n24^{n-1} + 20n23^{n-1} - n22^{n-1}$	23	3,755	12.85 s
		1	$64^n - 42^n - 960 \cdot 37^n + 3555 \cdot 36^n - 6180 \cdot 35^n + 6570 \cdot 34^n - 3900 \cdot 33^n + 730 \cdot 32^n + 75 \cdot 31^n + 330 \cdot 30^n - 280 \cdot 29^n + 60 \cdot 28^n - n42^{n-1} + 2n41^{n-1} - 2n40^{n-1} + 3n39^{n-1} - 2n38^{n-1} + 2n36^{n-1} - 8n35^{n-1} + 10n34^{n-1} - 11n33^{n-1} + 18n32^{n-1} - 17n31^{n-1} + 7n30^{n-1} - n29^{n-1} + \dots$	51	42,660	2 m 33 s
		2	$64^n - 15 \cdot 27^n - 30 \cdot 26^n - 45 \cdot 25^n - 610 \cdot 24^n + 2310 \cdot 23^n - 1923 \cdot 22^n - 315 \cdot 21^n + 495 \cdot 20^n + 525 \cdot 19^n - 510 \cdot 18^n + 132 \cdot 17^n - 15 \cdot 16^n - 15n31^{n-1} + 55n30^{n-1} - 88n29^{n-1} + 67n28^{n-1} + 25n27^{n-1} - 216n26^{n-1} + 515n25^{n-1} - 789n24^{n-1} + 906n23^{n-1} - 712n22^{n-1} + 256n21^{n-1} - 586n20^{n-1} + \dots$	111	42,940	1 m 57 s
		3	$64^n - 10 \cdot 16^n - 15 \cdot 15^n - 180 \cdot 14^n + 960 \cdot 13^n - 1653 \cdot 12^n + 1350 \cdot 11^n - 525 \cdot 10^n + 60 \cdot 9^n + 15 \cdot 8^n - 3 \cdot 7^n - 22n18^{n-1} + 68n17^{n-1} - 102n16^{n-1} + 147n15^{n-1} - 180n14^{n-1} + 175n13^{n-1} - 1317n12^{n-1} + 1553n11^{n-1} + 1304n10^{n-1} - 3299n9^{n-1} + 1688n8^{n-1} + 453n7^{n-1} - 810n6^{n-1} + 360n5^{n-1} + \dots$	107	23,068	56.65 s



$k$	$m$	$i$	Exponential polynomial (to compute probabilities multiply by $2^{-mn}$ )	Number of terms in the exponential polynomial	Number of disjoint events constructed	Computer time
3	6	4	$64^n - 7^n - 30n6^{n-1} - 45n5^{n-1} - 20n4^{n-1} + 15n3^{n-1} +$ $18n2^{n-1} + 5n - 31n^27^{n-2} + 87n^26^{n-2} - 315n^25^{n-2} -$ $347n^24^{n-2} - 39n^23^{n-2} + 60n^22^{n-2} - 85n^2 - 117n^37^{n-3} +$ $242n^36^{n-3} - 131n^35^{n-3} - 531n^34^{n-3} - 368n^33^{n-3} +$ $65n^32^{n-3} + 15n^3 - 201n^47^{n-4} + 482n^46^{n-4} - 275n^45^{n-4} +$ $\dots$	59	3,880	11.70 s
		5	$64^n - 1 - 63n - 301n^2 - 350n^3 - 140n^4 - 21n^5 - n^6 - 5n^{19} +$ $8n^{20} - 4n^{21} - 12n^{22} - 12n^{23} - 36n^{24} + 37n^{25} + 64n^{26} +$ $100n^{27} + 4n^{28} + 56n^{29} + 152n^{30} + 156n^{31} + 695n^{32} + 123n^{33} +$ $98n^{34} - 95n^{35} + \dots$	35	273	1.78 s
3	7	0	$128^n - 7 \cdot 105^n - 56 \cdot 104^n - 210 \cdot 103^n - 1715 \cdot 102^n + 7420 \cdot$ $101^n - 8400 \cdot 100^n + 5060 \cdot 99^n - 9730 \cdot 98^n + 19005 \cdot 97^n -$ $46851 \cdot 96^n + 139244 \cdot 95^n - 274715 \cdot 94^n + 347480 \cdot 93^n -$ $302645 \cdot 92^n + 191730 \cdot 91^n - 90636 \cdot 90^n + 31850 \cdot 89^n - 8085 \cdot$ $88^n + 1400 \cdot 87^n - 147 \cdot 86^n + 7 \cdot 85^n - 1422564n64^{n-1} +$ $10552451n63^{n-1} - 35759745n62^{n-1} + \dots$	38	1,612,114	2 h 59 m
		1	$128^n - 28 \cdot 84^n - 35 \cdot 81^n - 840 \cdot 80^n - 31752 \cdot 79^n + 121800 \cdot$ $78^n - 70560 \cdot 77^n - 184590 \cdot 76^n - 13720 \cdot 75^n + 819924 \cdot$ $74^n - 971145 \cdot 73^n + 343210 \cdot 72^n - 781980 \cdot 71^n + 2428839 \cdot$ $70^n - 3159156 \cdot 69^n + 2243850 \cdot 68^n - 950145 \cdot 67^n + 216545 \cdot$ $66^n + 11655 \cdot 65^n - 32933 \cdot 64^n + 13230 \cdot 63^n - 1680 \cdot 62^n -$ $1015 \cdot 61^n + 630 \cdot 60^n - 105 \cdot 59^n + \dots$	122	123,475,963	16 d 10 h
		2	$128^n - 64^n - 70 \cdot 57^n - 18410 \cdot 56^n + 97860 \cdot 55^n - 240240 \cdot$ $54^n + 334320 \cdot 53^n - 271950 \cdot 52^n + 175980 \cdot 51^n - 213780 \cdot$ $50^n + 235830 \cdot 49^n - 46620 \cdot 48^n - 164990 \cdot 47^n + 133350 \cdot$ $46^n + 35735 \cdot 45^n - 112392 \cdot 44^n + 85470 \cdot 43^n - 44450 \cdot$ $42^n + 21945 \cdot 41^n - 11900 \cdot 40^n + 6517 \cdot 39^n - 3080 \cdot 38^n +$ $1050 \cdot 37^n - 175 \cdot 36^n - 257n73^{n-1} + \dots$	324	101,382,529	10 d 23 h
		3	$128^n - 135 \cdot 36^n - 1155 \cdot 34^n - 8232 \cdot 33^n + 12425 \cdot 32^n +$ $58940 \cdot 31^n - 113190 \cdot 30^n - 43290 \cdot 29^n + 267414 \cdot 28^n -$ $275415 \cdot 27^n + 112350 \cdot 26^n + 20580 \cdot 25^n - 56322 \cdot 24^n +$ $35518 \cdot 23^n - 10875 \cdot 22^n + 1470 \cdot 21^n - 105 \cdot 20^n + 21 \cdot 19^n -$ $1023n49^{n-1} + 6612n48^{n-1} - 19690n47^{n-1} + 35964n46^{n-1} -$ $45338n45^{n-1} + 41824n44^{n-1} - 28607n43^{n-1} + \dots$	446	7,796,210	8 h 16 m
		4	$128^n - 35 \cdot 20^n - 651 \cdot 18^n + 1540 \cdot 17^n + 3885 \cdot 16^n - 17790 \cdot$ $15^n + 26096 \cdot 14^n - 18018 \cdot 13^n + 3990 \cdot 12^n + 2555 \cdot 11^n -$ $2100 \cdot 10^n + 588 \cdot 9^n - 61 \cdot 8^n - 197n24^{n-1} + 788n23^{n-1} -$ $1378n22^{n-1} + 1395n21^{n-1} - 886n20^{n-1} + 531n19^{n-1} -$ $337n18^{n-1} - 554n17^{n-1} - 677n16^{n-1} - 6115n15^{n-1} +$ $12861n14^{n-1} + 31608n13^{n-1} + \dots$	372	965,160	47 m 25 s
		5	$128^n - 8^n - 42n7^{n-1} - 84n6^{n-1} - 70n5^{n-1} + 42n3^{n-1} +$ $28n2^{n-1} + 6n - 196n^28^{n-2} + 523n^27^{n-2} - 927n^26^{n-2} -$ $1232n^25^{n-2} - 802n^24^{n-2} + 219n^23^{n-2} + 56n^22^{n-2} -$ $294n^2 - 1622n^38^{n-3} + 3255n^37^{n-3} - 1619n^36^{n-3} -$ $2174n^35^{n-3} - 3936n^34^{n-3} - 583n^33^{n-3} + 239n^32^{n-3} +$ $210n^3 - 6251n^48^{n-4} + \dots$	190	40,584	2 m 17 s
		6	$128^n - 1 - 127n - 966n^2 - 1701n^3 - 1050n^4 - 266n^5 - 28n^6 -$ $n^7 - 4n^{12} - 16n^{13} + 12n^{14} - 1824n^{15} + 6964n^{16} + 41632n^{17} -$ $2299352n^{18} + 4801438n^{19} + 47450244n^{20} + 131904732n^{21} +$ $546358380n^{22} - 5445507580n^{23} - 39308717764n^{24} -$ $4147411291n^{25} + 200995172416n^{26} + 112007060452n^{27} + \dots$	113	1,149	9.41 s

Table 17: Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli  $(m \times n)$ -matrices computed by the Algebraic method (with exponential polynomials)

$k$	$m$	$i$	Width $n$ of Bernoulli $(m \times n)$ -matrix							
			3	4	5	6	7	8	9	10
3	1	0	.50000000	.68750000	.81250000	.89062500	.93750000	.96484375	.98046875	.98925781
3	2	0	.25000000	.44921875	.61132813	.72973633	.81225586	.86875916	.90737152	.93393040
		1	.75000000	.90234375	.96484375	.98803711	.99609375	.99876404	.99961853	.99988461
3	3	0	.12500000	.27514648	.42376709	.55218887	.65610695	.73748273	.80019028	.84815205
		1	.50000000	.74609375	.88024902	.94555664	.97567177	.98919678	.99520132	.99785921
		2	.87500000	.96948242	.99340820	.99869156	.99975586	.99995655	.99999255	.99999876
3	4	0	.06250000	.15995789	.27330971	.38646346	.49073754	.58249769	.66097559	.72683604
		1	.31250000	.56596375	.74513435	.85620672	.92062546	.95666145	.97643659	.98719067
		2	.68750000	.89280701	.96704102	.99048918	.99735689	.99928118	.99980669	.99994823
		3	.93750000	.99046326	.99876404	.99985689	.99998474	.99999847	.99999985	.99999999
3	5	0	.03125000	.08944607	.16627449	.25237670	.34059513	.42613960	.50611353	.57896691
		1	.18750000	.39891815	.58403063	.72412922	.82214329	.88755600	.92991492	.95679268
		2	.50000000	.76921082	.90341794	.96181602	.98540344	.99452482	.99796478	.99924523
		3	.81250000	.95708466	.99152851	.99847241	.99973840	.99995606	.99999253	.99999867
		4	.96875000	.99701977	.99976826	.99998435	.99999905	.99999995	1.00000000	1.00000000
3	6	0	.01562500	.04860848	.09663510	.15557551	.22129020	.29024047	.35964297	.42742799
		1	.10937500	.26506132	.42682210	.57051109	.68746276	.77756953	.84445699	.89279104
		2	.34375000	.61914063	.79807311	.89882601	.95117467	.97704082	.98940236	.99517487
		3	.65625000	.88675117	.96696451	.99105526	.99768827	.99941821	.99985497	.99996358
		4	.89062500	.98342246	.99792156	.99976830	.99997558	.99999736	.99999967	.99999995
		5	.98437500	.99906868	.99995655	.99999829	.99999994	1.00000000	1.00000000	1.00000000
3	7	0	.00781250	.02586606	.05421108	.09154705	.13604801	.18578767	.23895803	.29396719
		1	.06250000	.16808704	.29376464	.42062329	.53723984	.63820408	.72205837	.78960331
		2	.22656250	.46849843	.66322248	.79787613	.88326472	.93448100	.96403628	.98061241
		3	.50000000	.77972507	.91295352	.96788341	.98868921	.99614568	.99871750	.99958047
		4	.77343750	.94755490	.98950133	.99808440	.99967079	.99994523	.99999089	.99999841
		5	.93750000	.99376014	.99950709	.99996632	.99999782	.99999984	.99999998	1.00000000
		6	.99218750	.99970896	.99999185	.99999981	1.00000000	1.00000000	1.00000000	1.00000000

### 3.7 $i$ -imperfect outcomes with $i$ close to $m$

Since any pair or triplet of columns of Bernoulli  $(m \times n)$ -matrix is  $m$ -imperfect

$$\text{Number of } m\text{-imperfect outcomes} = 2^{mn} .$$

**Column pairs** A  $(m - 1)$ -imperfect outcome requires at least one occurrence of 1 among all  $mn$  elements of the matrix. Hence,

$$\text{Number of } (m - 1)\text{-imperfect outcomes} = 2^{mn} - 1 .$$

To guarantee a  $(m - 2)$ -imperfect outcome, there should be two rows with 1s. Excluding the event with a single row with 1s and the event with no 1s, obtain

$$\begin{aligned} \text{Number of } (m - 2)\text{-imperfect outcomes} &= \\ &= 2^{mn} - \binom{m}{m-1} \underbrace{(2^n - 1)}_{\text{One row has 1s}} \cdot \underbrace{1}_{\text{All other rows } \equiv 0} - 1 \\ &= 2^{mn} - m2^n + m - 1 . \end{aligned}$$

To have a  $(m - 3)$ -imperfect outcome, there should be a column with two 1s and, additionally, a row with at least one 1.

$$\begin{aligned}
 \text{Number of } (m - 3)\text{-imperfect outcomes} &= \\
 &= 2^{mn} - \underbrace{(m + 1)^n}_{\text{Every } m\text{-column has at most one 1}} - \binom{m}{2} \underbrace{(4^n - 3^n)}_{\text{Two rows have column with two 1s}} \cdot \underbrace{1}_{\text{All other rows } \equiv 0} \\
 &= 2^{mn} - (m + 1)^n - \frac{m(m - 1)}{2}(4^n - 3^n) .
 \end{aligned}$$

**Column triplets** A  $(m - 1)$ -imperfect outcome requires at least one out of  $m$  rows of the matrix with two 1s. Hence,

$$\text{Number of } (m - 1)\text{-imperfect outcomes} = 2^{mn} - \underbrace{(1 + n)^m}_{\text{Every row has no or single 1}} .$$

### 3.8 Summary

After the exponential polynomials have been derived, the probabilities of perfect and  $i$ -imperfect column pairs and triplets can be almost immediately computed for Bernoulli matrices with a quite large number  $n$  of columns. Therefore, the application of the method is not restricted by the width of Bernoulli matrix.

At the same time, the Algebraic method is restricted to Bernoulli matrices with a rather small number  $m$  of rows. The number of disjoint events and the length of lists like *Available columns* transmitted from one event to another grows exponentially as  $m$  increases, slowing the computer performance down. The computer limits are clearly seen for column triplets. As follows from Table 17, the final exponential polynomial for counting outcomes of 7-column Bernoulli matrices with 1-imperfect column triplets requires constructing over 123 million events/polynomials, which takes 16 days.

Besides, the accuracy of large binomial coefficients and falling factorials in the encountering exponential polynomials is restricted by the computer 64-bit arithmetics. The inaccuracies are accumulated and can result in erroneous output probabilities.

## 4 Probabilistic method

### 4.1 Inclusion-Exclusion principle

This chapter deals exclusively with *perfect* column pairs and triplets.

Label column  $k$ -tuples in a Bernoulli  $(m \times n)$ -matrix with  $k$ -tuples of corresponding column numbers  $J = \{j_1, \dots, j_k\}$  (not the column type indices!). Enumerate these  $k$ -tuples and identify  $J$ 's with their numbers  $1, 2, \dots$ . Denote by  $A_J$  the event that the  $J$ th  $k$ -tuple is perfect. The probability of occurrence of a perfect  $k$ -tuple is expressed by the Inclusion–Exclusion Principle (Feller 1968, p. 99, and Held 1997, p. 42, 55–57); see also Inclusion-Exclusion Principle (2012):

$$\begin{aligned} \mathbb{P}\left(\bigcup_J A_J\right) &= \sum_J \mathbb{P}(A_J) - \sum_{J_1 < J_2} \mathbb{P}(A_{J_1} \cap A_{J_2}) + \sum_{J_1 < J_2 < J_3} \mathbb{P}(A_{J_1} \cap A_{J_2} \cap A_{J_3}) - \dots \\ &= \sum_S (-1)^{S-1} \sum_{J_1 < J_2 < \dots < J_S} \mathbb{P}(A_{J_1} \cap A_{J_2} \cap \dots \cap A_{J_S}) \end{aligned} \quad (26)$$

$$= \sum_S (-1)^{S-1} \frac{1}{S!} \sum_{J_1 \neq J_2 \neq \dots \neq J_S} \mathbb{P}(A_{J_1} \cap A_{J_2} \cap \dots \cap A_{J_S}) , \quad (27)$$

where  $J_1 \neq J_2 \neq \dots \neq J_S$  means the pairwise difference. In (27), unlike (26), each non-ordered combination of  $S$  events  $A_J$  is included with its all  $S!$  permutations.

### 4.2 First two sums in the Inclusion-Exclusion formula

**First sum for column pairs** Consider a column pair in Bernoulli  $(m \times n)$ -matrix and denote its sum along rows by  $m$ -vector  $\mathbf{u} = \{u_i\}$ . By independence, the four equiprobable outcomes of every element  $u_i$  of this random vector are

$$0 + 0 = 0 \quad 0 + 1 = 1 \quad 1 + 0 = 1 \quad 1 + 1 = 2 ,$$

implying

$$\mathbb{P}(u_i \geq 1) = 3/4 \quad \text{for every } i = 1, \dots, m , \quad (28)$$

whence  $\mathbb{P}(\mathbf{u} \geq 1) = \left(\frac{3}{4}\right)^m$ . Taking into account the number of ways two columns can be chosen from  $n$ , obtain

$$\sum_J \mathbb{P}(A_J) = \frac{n!}{2!(n-2)!} \left(\frac{3}{4}\right)^m .$$

**Second sum for column pairs** Let two pairs of  $m$ -columns be numbered 1 and 2. Find the probability that both pairs are perfect, that is,  $\mathbb{P}(\mathbf{u}, \mathbf{v} \geq 1)$ , where  $\mathbf{u} = \{u_i\}$  is the sum of two vectors from pair 1, and  $\mathbf{v} = \{v_i\}$  is the sum of two vectors from pair 2. For this purpose, define the *intersection profile* of column pairs 1 and 2 to be the sequence  $\{x_1, x_2, x_{12}\}$ , where

$x_1$  is the number of columns belonging to pair 1 but not to pair 2,

$x_2$  is the number of columns belonging to pair 2 but not to pair 1, and

$x_{12}$  is the number of columns belonging simultaneously to pairs 1 and 2.

For two *different* column pairs, there can be two intersection profiles:

1. Two disjoint column pairs:  $\{x_1, x_2, x_{12}\} = \{2, 2, 0\}$  . By independence,

$$\begin{aligned} \mathbf{P}(u_i, v_i \geq 1) &= \frac{3}{4} \cdot \frac{3}{4} = \frac{9}{16} \quad \text{for every } i = 1, \dots, m, \\ \mathbf{P}(\mathbf{u}, \mathbf{v} \geq 1) &= \left(\frac{9}{16}\right)^m. \end{aligned}$$

Taking into account the number of ways the given intersection profile can be chosen from  $n$  elements and the fact that two permuted column pairs  $(J_1, J_2)$  and  $(J_2, J_1)$  have the same intersection profile, obtain

$$\sum_{J_1, J_2 : \text{disjoint}} \mathbf{P}(A_{J_1} \cap A_{J_2}) = \frac{n!}{2! 2! 0! (n-4)!} \cdot \left(\frac{9}{16}\right)^m.$$

2. Two column pairs with one common column:  $\{x_1, x_2, x_{12}\} = \{1, 1, 1\}$  . We have

$$\begin{aligned} \mathbf{P}(u_i, v_i \geq 1) &= \underbrace{\frac{1}{2}}_{\substack{\text{Probability} \\ \text{that the} \\ \text{common} \\ \text{element} \\ = 1}} + \underbrace{\frac{1}{2}}_{\substack{\text{Probability} \\ \text{that the} \\ \text{common} \\ \text{element} \\ = 0}} \cdot \underbrace{\frac{1}{2}}_{\substack{\text{Probability} \\ \text{that another} \\ \text{element} \\ \text{of pair 1} \\ = 1}} \cdot \underbrace{\frac{1}{2}}_{\substack{\text{Probability} \\ \text{that another} \\ \text{element} \\ \text{of pair 2} \\ = 1}} \\ &= \frac{5}{8} \quad \text{for every } i = 1, \dots, m, \\ \mathbf{P}(\mathbf{u}, \mathbf{v} \geq 1) &= \left(\frac{5}{8}\right)^m. \end{aligned}$$

Taking into account the number of ways the given intersection profile can be chosen from  $n$  elements, obtain

$$\sum_{J_1, J_2 : \text{have one common column}} \mathbf{P}(A_{J_1} \cap A_{J_2}) = \frac{n!}{1! 1! 1! (n-3)!} \left(\frac{5}{8}\right)^m.$$

Thus, we have the second sum for (27)

$$\sum_{J_1 \neq J_2} \mathbf{P}(A_{J_1} \cap A_{J_2}) = \frac{n!}{2! 2! (n-4)!} \left(\frac{9}{16}\right)^m + \frac{n!}{(n-3)!} \left(\frac{5}{8}\right)^m,$$

where the terms with factorials of negative integers (if  $n < 4$ ) should be omitted.

**First sum for column triplets** Consider a column triplet in Bernoulli  $(m \times n)$ -matrix and denote its sum along rows by  $m$ -vector  $\mathbf{u} = \{u_i\}$ . By independence of elements, the eight equiprobable outcomes for every element  $u_i$  are

$$\begin{array}{cccc} 0 + 0 + 0 = 0 & 0 + 0 + 1 = 1 & 0 + 1 + 0 = 1 & 1 + 0 + 0 = 1 \\ 0 + 1 + 1 = 2 & 1 + 0 + 1 = 2 & 1 + 1 + 0 = 2 & 1 + 1 + 1 = 3, \end{array}$$

implying  $\mathbf{P}(u_i \geq 3/2) = 1/2$ , whence  $\mathbf{P}(\mathbf{u} \geq 3/2) = \left(\frac{1}{2}\right)^m$ . Taking into account the number of ways three columns can be chosen from  $n$ , obtain

$$\sum_J \mathbf{P}(A_J) = \frac{n!}{3! (n-3)!} \left(\frac{1}{2}\right)^m.$$

**Second sum for column triplets** Let two *different* triplets of  $m$ -columns be numbered 1 and 2. Find the probability that both triplets are perfect, that is,  $P(\mathbf{u}, \mathbf{v} \geq 3/2)$ , where  $\mathbf{u} = \{u_i\}$  is the sum of three vectors from pair 1, and  $\mathbf{v} = \{v_i\}$  is the sum of three vectors from pair 2. As previously, consider possible intersection profiles.

1. Two disjoint column triplets:  $\{x_1, x_2, x_{12}\} = \{3, 3, 0\}$ . By independence,

$$\begin{aligned} P(u_i, v_i \geq 3/2) &= \frac{1}{2} \cdot \frac{1}{2} \\ &= \frac{1}{4} \quad \text{for every } i = 1, \dots, m, \\ P(\mathbf{u}, \mathbf{v} \geq 3/2) &= \left(\frac{1}{4}\right)^m. \end{aligned}$$

Taking into account the number of ways the given intersection profile can be chosen from  $n$  elements, obtain

$$\sum_{J_1, J_2 : \text{disjoint}} P(A_{J_1} \cap A_{J_2}) = \frac{n!}{3!3!0!(n-6)!} \cdot \left(\frac{1}{4}\right)^m.$$

2. Two column triplets with one common column:  $\{x_1, x_2, x_{12}\} = \{2, 2, 1\}$ . We have

$$\begin{aligned} P(u_i, v_i \geq 3/2) &= \underbrace{\frac{1}{2}}_{\substack{\text{Probability} \\ \text{that the} \\ \text{common} \\ \text{element} \\ = 1}} \cdot \underbrace{\frac{3}{4}}_{\substack{\text{Probability} \\ \text{that at least} \\ \text{one of two} \\ \text{other} \\ \text{elements} \\ \text{of triplet 1} \\ = 1}} \cdot \underbrace{\frac{3}{4}}_{\substack{\text{Probability} \\ \text{that at least} \\ \text{one of two} \\ \text{other} \\ \text{elements} \\ \text{of triplet 2} \\ = 1}} + \underbrace{\frac{1}{2}}_{\substack{\text{Probability} \\ \text{that the} \\ \text{common} \\ \text{element} \\ = 0}} \cdot \underbrace{\frac{1}{4}}_{\substack{\text{Probability} \\ \text{that both} \\ \text{other} \\ \text{elements} \\ \text{of triplet 1} \\ = 1}} \cdot \underbrace{\frac{1}{4}}_{\substack{\text{Probability} \\ \text{that both} \\ \text{other} \\ \text{elements} \\ \text{of triplet 2} \\ = 1}} \\ &= \frac{5}{16} \quad \text{for every } i = 1, \dots, m, \\ P(\mathbf{u}, \mathbf{v} \geq 3/2) &= \left(\frac{5}{16}\right)^m. \end{aligned}$$

Taking into account the number of ways the given intersection profile can be chosen from  $n$  elements, obtain

$$\sum_{J_1, J_2 : \text{have one common column}} P(A_{J_1} \cap A_{J_2}) = \frac{n!}{2!2!1!(n-5)!} \left(\frac{5}{16}\right)^m.$$

3. Two column triplets with two common columns:  $\{x_1, x_2, x_{12}\} = \{1, 1, 2\}$ . We have

$$\begin{aligned} P(u_i, v_i \geq 3/2) &= \underbrace{\frac{1}{4}}_{\substack{\text{Probability} \\ \text{that both} \\ \text{common} \\ \text{elements} \\ = 1}} + \underbrace{\frac{1}{2}}_{\substack{\text{Probability} \\ \text{that one of two} \\ \text{common} \\ \text{elements} \\ = 1}} \cdot \underbrace{\frac{1}{2}}_{\substack{\text{Probability} \\ \text{that the third} \\ \text{element} \\ \text{of triplet } i \\ = 1}} \cdot \underbrace{\frac{1}{2}}_{\substack{\text{Probability} \\ \text{that the third} \\ \text{element} \\ \text{of triplet } j \\ = 1}} \\ &= \frac{3}{8} \quad \text{for every } i = 1, \dots, m, \\ P(\mathbf{u}, \mathbf{v} \geq 3/2) &= \left(\frac{3}{8}\right)^m. \end{aligned}$$

Taking into account the number of ways the given intersection profile can be chosen from  $n$  elements, obtain

$$\sum_{J_1, J_2 : \text{have two common columns}} \mathbb{P}(A_{J_1} \cap A_{J_2}) = \frac{n!}{1! 1! 2! (n-4)!} \left(\frac{3}{8}\right)^m.$$

Thus, we have the second sum for (27)

$$\sum_{J_1 \neq J_2} \mathbb{P}(A_{J_1} \cap A_{J_2}) = \frac{n!}{3! 3! 0! (n-6)!} \left(\frac{1}{4}\right)^m + \frac{n!}{2! 2! 1! (n-5)!} \left(\frac{5}{16}\right)^m + \frac{n!}{1! 1! 2! (n-4)!} \left(\frac{3}{8}\right)^m,$$

where the terms with factorials of negative integers (if  $n < 6$ ) should be omitted.

### 4.3 The $S$ -th sum in the Inclusion-Exclusion formula

**Intersection subsets** In the previous section we considered intersection profiles  $\{x_1, x_2, x_{12}\}$  of two sets  $J_1, J_2$ . The intersection subsets, even if empty, are indexed with 1, 2, and 12, indicating the belonging of their elements to a particular set or sets. Similarly, intersection profiles of three sets  $J_1, J_2, J_3$  are denoted by  $\{x_1, x_2, x_{12}, x_3, x_{13}, x_{23}, x_{123}\}$ . Let us recursively construct the index sequences  $T = [1], [2], [12], \dots$  of intersection subsets of  $S$  sets:

$\emptyset$  is used to initialize the index sequence (needed for the recursion construction only).

1 is joined to the empty sequence, resulting in the sequence  $T = [1]$ .

2 is joined to each of preceding sequences, including the empty one, resulting in two sequences  $[2]$  and  $[12]$ .

...

$t$  is joined to each of preceding sequences as shown below

	Index sequences $T$
	[ ]
{ [ ] }, 1	→ [1]
{ [ ], [1] }, 2	→ [2], [12]
{ [ ], [1], [2], [12] }, 3	→ [3], [13], [23], [123]
.....	

The sequences on the right-hand side of the schema are labels of all  $2^S$  possible intersection subsets of  $S$  sets, including the empty label for the empty intersection. Omit the empty sequence, and enumerate the labels in the order they are constructed. Now they can be used as index sequences  $\{T : T = [t_1 t_2 \dots]\}$ , or simply as indices  $T = 1, \dots, 2^S - 1$  of intersection subsets.

**Intersection profiles** Consider  $S$  sets numbered  $1, \dots, S$ . Their *intersection profile* is a  $(2^S - 1)$ -sequence of non-negative integers  $\{x_T\}$ , where each  $x_T$  is the number of elements in the intersection subset  $I_T$  with  $T = [t_1 t_2 \dots]$ ; see Figure 7.

The intersection profiles of different column  $k$ -tuples are subordinated to certain restrictions. For instance, the intersection profile of two column pairs

$$\{x_1, x_2, x_{12}\} = \{0, 0, 2\}$$




Figure 7: Intersection profile of three  $k$ -tuples, allocation, and its probability

is impossible, because it implies equal pairs. The intersection profile of three column triplets

$$\{x_1, x_2, x_{12}, x_3, \dots\} = \{3, 3, 0, 3, \dots\}$$

must have  $x_{13}, x_{23}, x_{123} = 0$ , otherwise some triplets have more than three elements. The restrictions on column  $k$ -tuples of Bernoulli  $(m \times n)$ -matrix are as follows:

$$x_T \geq 0 \quad \text{for all } T \tag{29}$$

$$\sum_T x_T \leq n \quad (\text{total number of columns in all } k\text{-tuples} \leq n) \tag{30}$$

$$\sum_{T:t \in T} x_T = k \quad \text{for every } t \quad (\text{the } t\text{-th } k\text{-tuple has exactly } k \text{ elements}) \tag{31}$$

$$\sum_{T:t_1, t_2 \in T} x_T \leq k - 1 \quad \text{for all } t_1 \neq t_2 \quad (k\text{-tuples } t_1 \text{ and } t_2 \text{ are different}) . \tag{32}$$

**Perfect allocations** Let  $S$  different column  $k$ -tuples of Bernoulli  $(1 \times n)$ -matrix have intersection profile  $\{x_T\}$ . Every outcome of the Bernoulli matrix results in an *allocation* defined to be the  $(2^S - 1)$ -sequence  $\{y_T\}$ , where each  $y_T$  is the number of 1s occurred in the  $T$ -th intersection subset; see Figure 7. An allocation is said to be *perfect* if 1s predominate in every  $k$ -tuple considered (meaning that all the  $k$ -tuples are perfect):

$$0 \leq y_T \leq x_T \quad \text{for all } T \quad (\text{no more 1s than elements in } x_T) \tag{33}$$

$$\sum_{T:t \in T} y_T \geq k/2, \quad \text{for all } t = 1, \dots, S \quad (1\text{s predominate in every } k\text{-tuple}). \tag{34}$$

The probability of any perfect allocation in intersection profile  $\{x_T\}$  is obviously

$$\sum_{\substack{\text{Allocations} \\ \{y_T\} \text{ in } \{x_T\} \\ \text{satisfying (33)-(34)}}} \prod_T \binom{x_T}{y_T} \frac{1}{2^{x_T}} = \frac{1}{2^{N_{\{x_T\}}}} \sum_{\substack{\text{Allocations} \\ \{y_T\} \text{ in } \{x_T\} \\ \text{satisfying (33)-(34)}}} \prod_T \binom{x_T}{y_T}, \tag{35}$$

where

$$N_{\{x_T\}} = \sum_T x_T \quad (\text{total number of columns in the given } k\text{-tuples}) .$$



**The  $S$ -th sum of the Inclusion-Exclusion formula** By independence of rows of Bernoulli  $(m \times n)$ -matrix, the probability that its every row has a perfect allocation is the  $m$ th power of (35). Hence, for ordered  $k$ -tuples we obtain

$$\sum_{J_1 < J_2 < \dots < J_S} \mathbb{P}(A_{J_1} \cap \dots \cap A_{J_S}) = \sum_{J_1 < J_2 < \dots < J_S} \left[ \sum_{\substack{\text{Allocations } \{y_T\} \\ \text{in intersection} \\ \text{profile } \{x_T\} \text{ of} \\ k\text{-tuples } J_1, \dots, J_S \\ \text{satisfying (33)–(34)}}} \frac{1}{2^{N_{\{x_T\}}}} \prod_T \binom{x_T}{y_T} \right]^m. \quad (36)$$

For non-ordered  $k$ -tuples proceed as in Section 4.2. Taking into account (35) and the number of ways a given intersection profile  $\{x_T\}$  can be chosen from  $n$  elements, obtain

$$\begin{aligned} & \sum_{J_1 \neq J_2 \neq \dots \neq J_S} \mathbb{P}(A_{J_1} \cap \dots \cap A_{J_S}) = \\ & = \sum_{\substack{\text{Intersection} \\ \text{profiles} \\ \{x_T\} \text{ of } S \\ k\text{-tuples} \\ \text{satisfying} \\ (29)–(32)}} \frac{n!}{\underbrace{x_1! \dots x_{2S-1}!}_{\substack{\text{Intersection profile} \\ \{x_t\} \text{ of } S \\ k\text{-tuples}}} \underbrace{(n - N_{\{x_T\}})!}_{\substack{\text{Number of} \\ \text{columns} \\ \text{outside the } S \\ k\text{-tuples}}} 2^{mN_{\{x_T\}}}} \left[ \sum_{\substack{\text{Allocations } \{y_T\} \\ \text{in intersection} \\ \text{profile } \{x_T\} \text{ of} \\ k\text{-tuples } J_1, \dots, J_S \\ \text{satisfying (33)–(34)}}} \prod_T \binom{x_T}{y_T} \right]^m. \quad (37) \end{aligned}$$

Shortly denote the total number  $N_{\{x_T\}}$  of columns in intersection profile  $\{x_T\}$  by  $N$ . Then  $N \leq \min(n, kS)$  and  $S \leq \binom{N}{k}$  — otherwise some  $k$ -tuples would coincide. Besides,

$$\frac{n!}{\underbrace{x_1! \dots x_{2S-1}!}_{\substack{\text{Intersection profile} \\ \{x_t\} \text{ of } S \\ k\text{-tuples}}} \underbrace{(n - N)!}_{\substack{\text{Number of} \\ \text{columns} \\ \text{outside the } S \\ k\text{-tuples}}}} \stackrel{\text{Multiply and} \\ \text{divide by } N!}{=} \binom{n}{N} \frac{N!}{x_{1:2S-1}!}.$$

Substitute all of these in (37), regroup summation with respect to  $N$ , and obtain

$$\begin{aligned} & \sum_{J_1 \neq J_2 \neq \dots \neq J_S} \mathbb{P}(A_{J_1} \cap \dots \cap A_{J_S}) = \\ & = \sum_{N: \binom{N}{k} \geq S}^{N \leq \min(n, kS)} \binom{n}{N} \frac{1}{2^{mN}} \sum_{\substack{\text{Intersection} \\ \text{profiles } \{x_T\} \text{ of } S \\ k\text{-tuples with} \\ \text{totally } N \text{ columns} \\ \text{satisfying (29)–(32)}}} \frac{N!}{x_{1:T}!} \left[ \sum_{\substack{\text{Allocations } \{y_T\} \\ \text{in } \{x_T\} \\ \text{satisfying (33)–(34)}}} \prod_t \binom{x_t}{y_t} \right]^m. \quad (38) \end{aligned}$$

Table 18: Computational complexity of finding exact probabilities of perfect column pairs ( $k = 2$ ) in Bernoulli  $(m \times n)$ -matrices by the Inclusion-Exclusion formula

Width $n$ of matrix $B$	Number $S$ of sums in the Inclusion-Exclusion formula (number of column pairs)	Total number of combinations of column pairs	Total number of perfect allocations	Computation time
2	1	1	2	0.00 s
3	3	7	25	0.00 s
4	6	63	378	0.03 s
5	10	1,023	10,013	0.62 s
6	15	32,767	490,712	32.06 s

Table 19: Computational complexity of finding exact probabilities of perfect column triplets ( $k = 3$ ) in Bernoulli  $(m \times n)$ -matrices by the Inclusion-Exclusion formula

Width $n$ of matrix $B$	Number $S$ of sums in the Inclusion-Exclusion formula (number of column triplets)	Total number of combinations of column triplets	Total number of perfect allocations	Computation time
3	1	1	2	0.00 s
4	4	15	63	0.01 s
5	10	1,023	6,848	0.62 s
6	20	1,048,575	8,290,887	20 m 22 s

#### 4.4 Exact computations

Compute probabilities by the Inclusion-Exclusion formula with sums (36):

- Enumerate all  $k$ -tuples of  $n$  elements. Their number  $\binom{n}{k}$  is shown in the second column of Tables 18 and 19.
- For every  $S = 1, \dots, \binom{n}{k}$  enumerate all combinations of  $S$  different  $k$ -tuples.
  - For each  $k$ -tuple find the intersection profile  $\{x_T\}$ . The total number of these combinations/intersection profiles  $\sum_{S=1}^{\binom{n}{k}} \binom{\binom{n}{k}}{S} = 2^{\binom{n}{k}} - 1$  is shown in the third column of Tables 18 and 19.
    - \* For each intersection profile  $\{x_T\}$  find all perfect allocations  $\{y_T\}$  satisfying (33)–(34). The total number of perfect allocations processed is shown in the penultimate column of Tables 18 and 19.
  - Compute the  $S$ th sum of the Inclusion-Exclusion formula by (36).
- Add all the  $S$  sums computed.

The exact probabilities  $\mathbb{P}(\cup A_i)$  for Bernoulli matrices of width  $n \leq 6$  computed this way are shown in Tables 20 and 21. The probabilities of perfect column pairs in Table 20 are identical to the ones computed with Geometric and Algebraic methods; see Tables 7 and 13. The same holds for perfect column triplets; cf. Table 21 with Tables 9 and 17.

Table 20: Probabilities of perfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices computed by the Inclusion-Exclusion formula

$k$	$m$	Width $n$ of Bernoulli ( $m \times n$ )-matrix				
		2	3	4	5	6
2	1	.75000000	.87500000	.93750000	.96875000	.98437500
2	2	.56250000	.76562500	.87890625	.93847656	.96899414
2	3	.42187500	.65820313	.80932617	.89724731	.94584274
2	4	.31640625	.55395508	.72706604	.83994007	.90894467
2	5	.23730469	.45706177	.63682079	.76744083	.85591626
2	6	.17797852	.37074661	.54485947	.68415703	.78781240
2	7	.13348389	.29650545	.45663340	.59582070	.70829581
2	8	.10011292	.23439580	.37592543	.50792317	.62241199
2	9	.07508469	.18355144	.30481599	.42482712	.53536575
2	10	.05631351	.14263227	.24400537	.34944906	.45161901
2	11	.04223514	.11014066	.19323001	.28332781	.37442440
2	12	.03167635	.08461506	.15164311	.22689331	.30573822
2	13	.02375726	.06473252	.11811019	.17979540	.24638047
2	14	.01781795	.04935154	.09141364	.14120784	.19630835
2	15	.01336346	.03751882	.07037994	.11006967	.15490608
2	16	.01002260	.02845674	.05394884	.08525589	.12123568
2	17	.00751695	.02154203	.04120302	.06568579	.09422735
2	18	.00563771	.01628167	.03137294	.05038297	.07280873
2	19	.00422828	.01228971	.02382769	.03850151	.05598300
2	20	.00317121	.00926644	.01805900	.02933051	.04286870

Table 21: Probabilities of perfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices computed by the Inclusion-Exclusion formula

$k$	$m$	Width $n$ of Bernoulli ( $m \times n$ )-matrix			
		3	4	5	6
3	1	.50000000	.68750000	.81250000	.89062500
3	2	.25000000	.44921875	.61132813	.72973633
3	3	.12500000	.27514648	.42376709	.55218887
3	4	.06250000	.15995789	.27330971	.38646346
3	5	.03125000	.08944607	.16627449	.25237670
3	6	.01562500	.04860848	.09663510	.15557551
3	7	.00781250	.02586606	.05421108	.09154705
3	8	.00390625	.01355145	.02959583	.05192179
3	9	.00195313	.00701787	.01582380	.02860887
3	10	.00097656	.00360293	.00832623	.01541214
3	11	.00048828	.00183772	.00432787	.00815887
3	12	.00024414	.00093276	.00222866	.00426117
3	13	.00012207	.00047169	.00113951	.00220247
3	14	.00006104	.00023787	.00057947	.00112935
3	15	.00003052	.00011970	.00029347	.00057557
3	16	.00001526	.00006014	.00014816	.00029198
3	17	.00000763	.00003018	.00007462	.00014759
3	18	.00000381	.00001513	.00003752	.00007441
3	19	.00000191	.00000758	.00001884	.00003744
3	20	.00000095	.00000380	.00000945	.00001881

## 4.5 Approximations with the first sums

As  $n$  increases, computations with the Inclusion-Exclusion formula rapidly become excessive. For instance, the probabilities of perfect column triplets in Bernoulli matrices of width  $n = 7$  are computed with the Geometric method in 48 sec (see the row 3 7 0 in Table 8), whereas the Probabilistic method fails to do it in a day. An alternative to excessive computations with the Inclusion-Exclusion formula is using its first  $S$  sums (38) as approximations.

By general reasons, if the number  $m$  of rows in Bernoulli  $(m \times n)$ -matrix is large then the occurrence of numerous perfect column  $k$ -tuples is less probable than the occurrence of fewer ones. It implies that for a fixed number of columns  $n$  and a sufficiently large  $m$  the  $S$ -th sums (38) decrease after a certain sum number  $S$ . Besides, the larger  $m$  the less probable perfect  $k$ -tuples of  $m$ -columns, meaning that  $S$ -sums vanish as  $m$  increases.

Since the sums in the Inclusion-Exclusion formula decrease and have alternating signs, the probability  $P(\cup A_i)$  can be approximated with the first  $S$  sums. Under these prerequisites, the true value of probabilities  $P(\cup A_i)$  is always located between two successive approximations obtained with  $S - 1$  and  $S$  sums. The  $(m, n)$ -domain of  $(m \times n)$ -sizes of Bernoulli matrices, where the Inclusion-Exclusion formula with  $S$  sums provides accurate approximations, can be found as follows:

- Approximate probabilities of perfect column pairs (triplets) in Bernoulli  $(m \times n)$ -matrices by the first  $S$  sums (38) with factorials. For the resulting probability approximations  $p_{mn} \approx \Sigma_{mn}^1 + \dots + \Sigma_{mn}^S$  find the  $(m, n)$ -domain where the sums decrease, that is, where  $|\Sigma_{mn}^{S-1}| > |\Sigma_{mn}^S|$ .
- Further restrict the  $(m, n)$ -domain to sufficiently small  $S$ -th sums, say,  $|\Sigma_{mn}^S| < 0.025p_{mn}$ . Then the approximations  $p_{mn}$  are 2.5%-accurate. Here, relative accuracy looks more adequate than absolute because the probabilities exponentially decrease in  $m$ , and one interpolation method in the next chapter relies on their products.

Note that sums (38) are computed for parameters  $N \leq kS$  regardless of width  $n$  of Bernoulli matrix. However, the number of encountering intersection profiles and allocations can be large even for the first sums. The computational complexity of the method for column pairs and triplets is summarized in Tables 22 and 23.

Let us compare the complexity of exact and approximate formulas. Consider computing *exact* probabilities of perfect column triplets in Bernoulli matrix with six columns; see Table 19. There are 20 combinations of triplets and, correspondingly,  $S = 20$  sums in the exact Inclusion-Exclusion formula with the number of perfect allocations 8.3 Million. The processing time is 20 min. Now look at computing *approximate* probabilities with  $S = 6$  sums but for Bernoulli matrices with an unconstrained number of columns; see Table 23. The intersection profiles of six column triplets can contain up to 18 columns (instead of six in the previous case), so that the number of perfect allocations is over 76 million. The processing time is over two hours.

Table 22: Computational complexity of approximating probabilities of perfect column pairs in Bernoulli  $(m \times n)$ -matrices by the Inclusion-Exclusion formula with up to 6 sums ( $k = 2$ ,  $s \leq 6$ )

The $s$ th sum ( $s$ column pairs considered jointly)	Number of intersection profiles	Number of perfect allocations	Computation time
1	1	2	0.06 s
2	2	9	0.06 s
3	9	75	0.06 s
4	70	953	0.08 s
5	794	16,647	0.48 s
6	12,055	376,544	10.37 s

Table 23: Computational complexity of approximating probabilities of perfect column triplets in Bernoulli  $(m \times n)$ -matrices by the Inclusion-Exclusion formula with up to 6 sums ( $k = 3$ ,  $s \leq 6$ )

The $s$ th sum ( $s$ column triplets considered jointly)	Number of intersection profiles	Number of perfect allocations	Computation time
1	1	2	0.06 s
2	3	14	0.06 s
3	29	267	0.07 s
4	666	10,613	0.58 s
5	28,344	726,728	45.82 s
6	1,935,054	76,316,184	2 h 2 m

## 4.6 Summary

The exact version of the Inclusion-Exclusion formula is computationally restricted to finding probabilities of perfect column pairs and triplets in Bernoulli matrices with up to six columns (at our computer facility). This method is less efficient than the Geometric one, which enables to advance up to matrices with eight columns and, what is even more important, is appropriate for managing  $i$ -imperfect column pairs and triplets.

The approximate version of the Probabilistic method offers however some advantages. Unlike Geometric and Algebraic methods, it is not restricted to Bernoulli matrices with a few columns or a few rows but is appropriate for quite large matrices.

## 5 Interpolation methods

### 5.1 Missing probabilities

All the three methods considered so far have computational constraints. Referring to output probability tables for *perfect* column pairs and triplets like Table 21, the Geometric method provides a few first columns and the Algebraic method provides a few first rows, making a kind of the table frame. The approximate version of Probabilistic method contributes to the table bottom-triangular domain for  $(m, n)$ -sizes of Bernoulli matrices having the row-to-column ratio about  $m : n > 2$ .

As for *imperfect* column pairs and triplets, the Algebraic and Geometric methods can handle only low degrees of imperfectness, with a minor exception for matrices with 3–4 columns feasible by the Geometric method. The Probabilistic method is not appropriate for that at all.

The missing probabilities exhibit certain regularities. By general reasons, the unknown probabilities exponentially vanish as the vertical size  $m$  of Bernoulli matrix increases, and their distance to probability 1 vanishes exponentially as the horizontal size  $n$  of the matrix increases. These regularities enable to restore the missing probabilities by interpolation between the known values.

### 5.2 Interpolation of perfect outcomes on column height $m$

Table 24 shows probabilities of perfect column pairs in Bernoulli  $(m \times n)$ -matrices. The exact probabilities computed by the Geometric method occupy the first eight columns, and the ones computed by the Algebraic method constitute the upper seven rows. They are shown in roman font style. The 2.5%-accurate approximations obtained by the Inclusion-Exclusion formula are in the bottom triangular section of the table. They are shown in *italics*.

The **boldfaced** table elements in the upper-triangular section are interpolated column-by-column between exact values in the upper seven rows and approximations below. The interpolation is done with the cubic spline techniques implemented in the MATLAB program `interp1`, that is, with piecewise-polynomial functions of third degree (Stoer and Bulirsch 2002, pp. 93–106; Stoer and Bulirsch 2007, pp. 112–148); see also Spline (mathematics) (2012) and Spline Interpolation (2012). Since the decrease along columns is exponential, the interpolation is performed for the logarithm of the column elements.

The relief of the table is visualized in Figure 8, where the interpolated values are shown by **thick** segments. The ‘vertical’ curves show that the table elements vanish along columns. The ‘horizontal’ curves, corresponding to rows, approach probability 1 as the column number  $n$  increases.

Table 24: Sheet A. Probabilities of perfect column pairs ( $k = 2$ ,  $i = 0$ ) in Bernoulli ( $m \times n$ )-matrices. The exact probabilities are shown by the roman font style (columns 2–8 and rows 1–7). The accurately approximated probabilities computed by the Inclusion–Exclusion formula with  $S = 6$  sums are in *italics* (below the table diagonal). Inaccurate approximations, which differ by more than 2.5% from the ones computed with  $S = 5$  sums, are replaced by interpolated values **boldfaced**. The interpolation is performed column-by-column with the cubic spline method

$k$	$m$	Width $n$ of Bernoulli ( $m \times n$ )-matrix							
		2	3	4	5	6	7	8	9
2	1	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804688
2	2	.56250000	.76562500	.87890625	.93847656	.96899414	.98443604	.99220276	.99609756
2	3	.42187500	.65820313	.80932617	.89724731	.94584274	.97187853	.98554820	.99262745
2	4	.31640625	.55395508	.72706604	.83994007	.90894467	.94937097	.97234511	.98510658
2	5	.23730469	.45706177	.63682079	.76744083	.85591626	.91303641	.94862327	.97018599
2	6	.17797852	.37074661	.54485947	.68415703	.78781240	.86117292	.91116768	.94423140
2	7	.13348389	.29650545	.45663340	.59582070	.70829581	.79469930	.85858020	.90438661
2	8	.10011292	.23439580	.37592543	.50792317	.62241199	.71685073	.79185026	<b>.84669472</b>
2	9	.07508469	.18355144	.30481599	.42482712	.53536575	.63227361	.71413493	<b>.77447120</b>
2	10	.05631351	.14263227	.24400537	.34944906	.45161901	.54594319	.62993565	<b>.69314321</b>
2	11	.04223514	.11014066	.19323001	.28332781	.37442440	.46227659	.54408316	<b>.60787398</b>
2	12	.03167635	.08461506	.15164311	.22689331	.30573822	.38461535	.46088803	<b>.52313119</b>
2	13	.02375726	.06473252	.11811019	.17979540	.24638047	.31507086	.38363189	<b>.44243322</b>
2	14	.01781795	.04935154	.09141364	.14120784	.19630835	.25462875	.31440448	<b>.36826335</b>
2	15	.01336346	.03751882	.07037994	.11006967	.15490608	.20338866	.25419391	<b>.30211795</b>
2	16	.01002260	.02845674	.05394884	.08525589	.12123568	.16083996	.20311397	<b>.24464447</b>
2	17	.00751695	.02154203	.04120302	.06568579	.09422735	.12611192	.16067127	<b>.19582526</b>
2	18	.00563771	.01628167	.03137294	.05038297	.07280873	.09817027	.12601086	<i>.15517082</i>
2	19	.00422828	.01228971	.02382769	.03850151	.05598300	.07595496	.09811105	<i>.12186509</i>
2	20	.00317121	.00926644	.01805900	.02933051	.04286870	.05846631	.07592094	<i>.09491296</i>
2	21	.00237841	.00698061	.01366293	.02228604	.03271354	.04481128	.05844711	<i>.07343745</i>
2	22	.00178381	.00525472	.01032191	.01689680	.02489223	.03422200	.04480064	<i>.05651919</i>
2	23	.00133786	.00395310	.00778841	.01278765	.01889538	.02605651	.03421619	<i>.04330848</i>
2	24	.00100339	.00297237	.00587081	.00966324	.01431449	.01978954	.02605339	<i>.03306568</i>
2	25	.00075254	.00223399	.00442162	.00729305	.01082604	.01499839	.01978789	<i>.02516966</i>
2	26	.00056441	.00167845	.00332783	.00549846	.00817631	.01134735	.01499753	<i>.01911146</i>
2	27	.00042331	.00126068	.00250315	.00414185	.00616794	.00857258	.01134691	<i>.01448139</i>
2	28	.00031748	.00094666	.00188192	.00311768	.00464839	.00646848	.00857237	<i>.01095413</i>
2	29	.00023811	.00071072	.00141430	.00234535	.00350037	.00487588	.00646837	<i>.00827415</i>
2	30	.00017858	.00053349	.00106251	.00176345	.00263411	.00367231	.00487583	<i>.00624240</i>
2	31	.00013394	.00040040	.00079800	.00132537	.00198112	.00276389	.00367229	<i>.00470489</i>
2	32	.00010045	.00030048	.00059920	.00099577	.00148931	.00207897	.00276388	<i>.00354315</i>
2	33	.00007534	.00022547	.00044984	.00074792	.00111916	.00156302	.00207897	<i>.00266644</i>
2	34	.00005650	.00016917	.00033765	.00056162	.00084073	.00117464	.00156302	<i>.00200552</i>
2	35	.00004238	.00012692	.00025341	.00042164	.00063140	.00088247	.00117464	<i>.00150770</i>
2	36	.00003178	.00009522	.00019017	.00031650	.00047408	.00066278	.00088247	<i>.00113301</i>
2	37	.00002384	.00007143	.00014269	.00023754	.00035589	.00049767	.00066278	<i>.00085115</i>
2	38	.00001788	.00005358	.00010706	.00017826	.00026713	.00037362	.00049767	<i>.00063924</i>
2	39	.00001341	.00004019	.00008032	.00013376	.00020048	.00028044	.00037362	<i>.00047997</i>
2	40	.00001006	.00003015	.00006026	.00010036	.00015044	.00021047	.00028044	<i>.00036032</i>
2	41	.00000754	.00002261	.00004520	.00007530	.00011288	.00015794	.00021047	<i>.00027046</i>
2	42	.00000566	.00001696	.00003391	.00005649	.00008469	.00011851	.00015794	<i>.00020298</i>
2	43	.00000424	.00001272	.00002544	.00004238	.00006354	.00008892	.00011851	<i>.00015232</i>
2	44	.00000318	.00000954	.00001908	.00003179	.00004767	.00006671	.00008892	<i>.00011429</i>
2	45	.00000239	.00000716	.00001431	.00002385	.00003576	.00005005	.00006671	<i>.00008575</i>
2	46	.00000179	.00000537	.00001073	.00001789	.00002682	.00003754	.00005005	<i>.00006433</i>
2	47	.00000134	.00000403	.00000805	.00001342	.00002012	.00002816	.00003754	<i>.00004826</i>
2	48	.00000101	.00000302	.00000604	.00001006	.00001509	.00002113	.00002816	<i>.00003620</i>

Table 24: Sheet B. Probabilities of perfect column pairs ( $k = 2$ ,  $i = 0$ ) in Bernoulli ( $m \times n$ )-matrices. The exact probabilities are shown by the roman font style (columns 2–8 and rows 1–7). The accurately approximated probabilities computed by the Inclusion–Exclusion formula with  $S = 6$  sums are in *italics* (below the table diagonal). Inaccurate approximations, which differ by more than 2.5% from the ones computed with  $S = 5$  sums, are replaced by interpolated values **boldfaced**. The interpolation is performed column-by-column with the cubic spline method

$k$	$m$	Width $n$ of Bernoulli ( $m \times n$ )-matrix						
		10	11	12	13	14	15	16
2	1	.99902344	.99951172	.99975586	.99987793	.99993896	.99996948	.99998474
2	2	.99804783	.99902368	.99951178	.99975587	.99987793	.99993897	.99996948
2	3	.99625873	.99810874	.99904664	.99952042	.99975912	.99987915	.99993942
2	4	.99207073	.99581803	.99781157	.99886225	.99941173	.99969725	.99984481
2	5	.98296031	.99038813	.99463956	.99704029	.99838020	.99912043	.99952571
2	6	.96556449	.97904511	.98741265	.99252615	.99560849	.99744394	.99852504
2	7	.93641152	.95832546	.97304482	.98277197	.98910788	.99318181	.99577088
2	8	<b>.88873706</b>	<b>.91915685</b>	<b>.94079515</b>	<b>.95590980</b>	<b>.96637153</b>	<b>.97354040</b>	<b>.97785729</b>
2	9	<b>.82453450</b>	<b>.86235253</b>	<b>.89050256</b>	<b>.91103270</b>	<b>.92595058</b>	<b>.93669881</b>	<b>.94271203</b>
2	10	<b>.74871056</b>	<b>.79226495</b>	<b>.82596775</b>	<b>.85145839</b>	<b>.87074071</b>	<b>.88520237</b>	<b>.89281043</b>
2	11	<b>.66623780</b>	<b>.71353982</b>	<b>.75143037</b>	<b>.78102481</b>	<b>.80419506</b>	<b>.82216240</b>	<b>.83119938</b>
2	12	<b>.58169502</b>	<b>.63066675</b>	<b>.67115382</b>	<b>.70371641</b>	<b>.72999453</b>	<b>.75096713</b>	<b>.76121274</b>
2	13	<b>.49894512</b>	<b>.54763018</b>	<b>.58907825</b>	<b>.62333497</b>	<b>.65174485</b>	<b>.67500713</b>	<b>.68620026</b>
2	14	<b>.42096129</b>	<b>.46768380</b>	<b>.50857082</b>	<b>.54324506</b>	<b>.57272949</b>	<b>.59744199</b>	<b>.60929669</b>
2	15	<b>.34978734</b>	<b>.39324804</b>	<b>.43228218</b>	<b>.46620839</b>	<b>.49573499</b>	<b>.52102542</b>	<b>.53324772</b>
2	16	<b>.28660194</b>	<b>.32591313</b>	<b>.36210175</b>	<b>.39430647</b>	<b>.42295273</b>	<b>.44799555</b>	<b>.46029955</b>
2	17	<b>.23185043</b>	<b>.26652012</b>	<b>.29919286</b>	<b>.32894005</b>	<b>.35595121</b>	<b>.38002830</b>	<b>.39215031</b>
2	18	<b>.18540907</b>	<b>.21528946</b>	<b>.24408386</b>	<b>.27088699</b>	<b>.29570565</b>	<b>.31824492</b>	<b>.32995460</b>
2	19	<b>.14675367</b>	<b>.17196970</b>	<b>.19679048</b>	<b>.22039799</b>	<b>.24266852</b>	<b>.26326076</b>	<b>.27436867</b>
2	20	<i>.11511248</i>	<b>.13598446</b>	<b>.15694815</b>	<b>.17731059</b>	<b>.19686389</b>	<b>.21526120</b>	<b>.22562265</b>
2	21	<i>.08958964</i>	<i>.10656303</i>	<b>.12393824</b>	<b>.14116558</b>	<b>.15799075</b>	<b>.17409095</b>	<b>.18360641</b>
2	22	<i>.06926272</i>	<i>.08284786</i>	<i>.09699770</i>	<b>.11131395</b>	<b>.12552329</b>	<b>.13934559</b>	<b>.14795821</b>
2	23	<i>.05326387</i>	<i>.06398035</i>	<i>.07531109</i>	<b>.08700746</b>	<b>.09880030</b>	<b>.11045688</b>	<b>.11814776</b>
2	24	<i>.04078400</i>	<i>.04915022</i>	<i>.05808432</i>	<i>.06746975</i>	<b>.07709879</b>	<b>.08676620</b>	<b>.09354837</b>
2	25	<i>.03111770</i>	<i>.03759827</i>	<i>.04456681</i>	<i>.05196082</i>	<i>.05969066</i>	<b>.06758379</b>	<b>.07349544</b>
2	26	<i>.02367314</i>	<i>.02866270</i>	<i>.03405490</i>	<i>.03981561</i>	<i>.04589725</i>	<i>.05223295</i>	<b>.05733069</b>
2	27	<i>.01796612</i>	<i>.02178932</i>	<i>.02593646</i>	<i>.03038859</i>	<i>.03512006</i>	<i>.04009562</i>	<b>.04443300</b>
2	28	<i>.01360766</i>	<i>.01652588</i>	<i>.01970033</i>	<i>.02312036</i>	<i>.02677192</i>	<i>.03063619</i>	<b>.03423772</b>
2	29	<i>.01028944</i>	<i>.01250996</i>	<i>.01493076</i>	<i>.01754573</i>	<i>.02034711</i>	<i>.02332471</i>	<b>.02624666</b>
2	30	<i>.00776966</i>	<i>.00945501</i>	<i>.01129552</i>	<i>.01328767</i>	<i>.01542710</i>	<i>.01770822</i>	<b>.02003098</b>
2	31	<i>.00586024</i>	<i>.00713676</i>	<i>.00853269</i>	<i>.01004598</i>	<i>.01167414</i>	<i>.01341409</i>	<b>.01522925</b>
2	32	<i>.00441588</i>	<i>.00538110</i>	<i>.00643774</i>	<i>.00758461</i>	<i>.00882028</i>	<i>.01014302</i>	<b>.01154230</b>
2	33	<i>.00332488</i>	<i>.00405369</i>	<i>.00485223</i>	<i>.00571979</i>	<i>.00665553</i>	<i>.00765848</i>	<b>.00872634</b>
2	34	<i>.00250179</i>	<i>.00305146</i>	<i>.00365415</i>	<i>.00430942</i>	<i>.00501679</i>	<i>.00577571</i>	<i>.00658549</i>
2	35	<i>.00188143</i>	<i>.00229560</i>	<i>.00274998</i>	<i>.00324430</i>	<i>.00377828</i>	<i>.00435160</i>	<i>.00496388</i>
2	36	<i>.00141426</i>	<i>.00172609</i>	<i>.00206834</i>	<i>.00244087</i>	<i>.00284351</i>	<i>.00327605</i>	<i>.00373829</i>
2	37	<i>.00106269</i>	<i>.00129731</i>	<i>.00155492</i>	<i>.00183543</i>	<i>.00213874</i>	<i>.00246473</i>	<i>.00281328</i>
2	38	<i>.00079826</i>	<i>.00097470</i>	<i>.00116848</i>	<i>.00137956</i>	<i>.00160787</i>	<i>.00185335</i>	<i>.00211592</i>
2	39	<i>.00059948</i>	<i>.00073210</i>	<i>.00087780</i>	<i>.00103654</i>	<i>.00120829</i>	<i>.00139301</i>	<i>.00159065</i>
2	40	<i>.00045010</i>	<i>.00054974</i>	<i>.00065924</i>	<i>.00077857</i>	<i>.00090771</i>	<i>.00104662</i>	<i>.00119530</i>
2	41	<i>.00033788</i>	<i>.00041273</i>	<i>.00049499</i>	<i>.00058466</i>	<i>.00068171</i>	<i>.00078613</i>	<i>.00089791</i>
2	42	<i>.00025360</i>	<i>.00030981</i>	<i>.00037159</i>	<i>.00043895</i>	<i>.00051186</i>	<i>.00059033</i>	<i>.00067434</i>
2	43	<i>.00019032</i>	<i>.00023252</i>	<i>.00027892</i>	<i>.00032950</i>	<i>.00038426</i>	<i>.00044320</i>	<i>.00050631</i>
2	44	<i>.00014281</i>	<i>.00017449</i>	<i>.00020932</i>	<i>.00024730</i>	<i>.00028842</i>	<i>.00033269</i>	<i>.00038009</i>
2	45	<i>.00010716</i>	<i>.00013093</i>	<i>.00015708</i>	<i>.00018559</i>	<i>.00021646</i>	<i>.00024969</i>	<i>.00028528</i>
2	46	<i>.00008040</i>	<i>.00009824</i>	<i>.00011786</i>	<i>.00013926</i>	<i>.00016243</i>	<i>.00018738</i>	<i>.00021410</i>
2	47	<i>.00006032</i>	<i>.00007371</i>	<i>.00008843</i>	<i>.00010449</i>	<i>.00012188</i>	<i>.00014060</i>	<i>.00016066</i>
2	48	<i>.00004525</i>	<i>.00005530</i>	<i>.00006634</i>	<i>.00007839</i>	<i>.00009144</i>	<i>.00010550</i>	<i>.00012055</i>






Figure 8: 3D relief of the probability Table 24 (for  $k = 2$ ,  $i = 0$ ) with the interpolated segments shown by **thick** curves

Figure 9 visualizes log-scaled columns and rows of the table. Each column plot has a round head and (almost) line tails, illustrating the exponential decrease. Every exactly computed plot of rows  $m = 1, \dots, 7$  has decreasing convexity, tending to linearity (in log-scale), corresponding to exponential approach to probability 1. The plots of rows with number  $m > 7$  have interpolated tails. They are convex as long as the interpolated elements (in corresponding columns) are few. As the number of interpolated elements in columns increases, the row plots have ‘implausible’ inflection points, violating the exponential approach to 1. It is caused by flattened interpolated heads of the column plots, which should have been more round (concave). These ‘implausible’ plots indicate at the necessity to improve the interpolation technique to obtain more accurate approximations, which, however, is beyond the scope of the given study.

The next Table 25 shows the probabilities of perfect column *triplets* in Bernoulli matrices. Its layout is the same as that of Table 24. The accompanying Figures 10 and 11 are similar to Figures 8 and 9. However, since the interpolated elements are fewer, the ‘implausible’ inflection of row curves is not seen at all.





Figure 9: Plots of the logarithmically scaled first columns and first rows of Table 24 of probabilities of perfect column pairs ( $k = 2, i = 0$ ) with the interpolated segments shown by **thick** curves

Table 25: Sheet A. Probabilities of perfect column triplets ( $k = 3$ ,  $i = 0$ ) in Bernoulli ( $m \times n$ )-matrices. The exact probabilities are shown by the roman font style (columns 3–8 and rows 1–7). The accurately approximated probabilities computed by the Inclusion–Exclusion formula with  $S = 6$  sums are in *italics* (below the table diagonal). Inaccurate approximations, which differ by more than 2.5% from the ones computed with  $S = 5$  sums, are replaced by interpolated values **boldfaced**. The interpolation is performed column-by-column with the cubic spline method

$k$	$m$	Width $n$ of Bernoulli ( $m \times n$ )-matrix							
		3	4	5	6	7	8	9	10
3	1	.50000000	.68750000	.81250000	.89062500	.93750000	.96484375	.98046875	.98925781
3	2	.25000000	.44921875	.61132813	.72973633	.81225586	.86875916	.90737152	.93393040
3	3	.12500000	.27514648	.42376709	.55218887	.65610695	.73748273	.80019028	.84815205
3	4	.06250000	.15995789	.27330971	.38646346	.49073754	.58249769	.66097559	.72683604
3	5	.03125000	.08944607	.16627449	.25237670	.34059513	.42613960	.50611353	.57896691
3	6	.01562500	.04860848	.09663510	.15557551	.22129020	.29024047	.35964297	.42742799
3	7	.00781250	.02586606	.05421108	.09154705	.13604801	.18578765	.23895803	.29396719
3	8	.00390625	.01355145	.02959583	.05192179	.07996495	.11292569	<b>.15030873</b>	<b>.19070050</b>
3	9	.00195313	.00701787	.01582380	.02860887	.04534006	.06580189	<b>.09022072</b>	<b>.11761338</b>
3	10	.00097656	.00360293	.00832623	.01541214	.02498582	.03706493	<b>.05201094</b>	<b>.06939694</b>
3	11	.00048828	.00183772	.00432787	.00815887	.01346445	.02032335	<b>.02898384</b>	<b>.03942116</b>
3	12	.00024414	.00093276	.00222866	.00426117	.00713022	.01090990	<b>.01571437</b>	<b>.02169455</b>
3	13	.00012207	.00047169	.00113951	.00220247	.00372507	.00576038	<b>.00834304</b>	<b>.01163941</b>
3	14	.00006104	.00023787	.00057947	.00112935	.00192587	.00300258	<b>.00436561</b>	<b>.00612629</b>
3	15	.00003052	.00011970	.00029347	.00057557	.00098771	.00154961	<i>.00226603</i>	<b>.00318329</b>
3	16	.00001526	.00006014	.00014816	.00029198	.00050346	.00079367	<i>.00117084</i>	<i>.00164321</i>
3	17	.00000763	.00003018	.00007462	.00014759	.00025542	.00040413	<i>.00059908</i>	<i>.00084551</i>
3	18	.00000381	.00001513	.00003752	.00007441	.00012912	.00020486	<i>.00030465</i>	<i>.00043141</i>
3	19	.00000191	.00000758	.00001884	.00003744	.00006510	.00010350	<i>.00015426</i>	<i>.00021894</i>
3	20	.00000095	.00000380	.00000945	.00001881	.00003275	.00005216	<i>.00007786</i>	<i>.00011069</i>
3	21	.00000048	.00000190	.00000473	.00000944	.00001645	.00002623	<i>.00003921</i>	<i>.00005581</i>
3	22	.00000024	.00000095	.00000237	.00000473	.00000826	.00001317	<i>.00001971</i>	<i>.00002808</i>
3	23	.00000012	.00000048	.00000119	.00000237	.00000414	.00000661	<i>.00000989</i>	<i>.00001411</i>
3	24	.00000006	.00000024	.00000059	.00000119	.00000207	.00000331	<i>.00000496</i>	<i>.00000708</i>
3	25	.00000003	.00000012	.00000030	.00000059	.00000104	.00000166	<i>.00000249</i>	<i>.00000355</i>
3	26	.00000001	.00000006	.00000015	.00000030	.00000052	.00000083	<i>.00000125</i>	<i>.00000178</i>
3	27	.00000001	.00000003	.00000007	.00000015	.00000026	.00000042	<i>.00000062</i>	<i>.00000089</i>
3	28	.00000000	.00000001	.00000004	.00000007	.00000013	.00000021	<i>.00000031</i>	<i>.00000045</i>
3	29	.00000000	.00000001	.00000002	.00000004	.00000007	.00000010	<i>.00000016</i>	<i>.00000022</i>
3	30	.00000000	.00000000	.00000001	.00000002	.00000003	.00000005	<i>.00000008</i>	<i>.00000011</i>
3	31	.00000000	.00000000	.00000000	.00000001	.00000002	.00000003	<i>.00000004</i>	<i>.00000006</i>
3	32	.00000000	.00000000	.00000000	.00000000	.00000001	.00000001	<i>.00000002</i>	<i>.00000003</i>
3	33	.00000000	.00000000	.00000000	.00000000	.00000000	.00000001	<i>.00000001</i>	<i>.00000001</i>
3	34	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000001</i>
3	35	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>
3	36	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>
3	37	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>
3	38	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>
3	39	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>
3	40	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>
3	41	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>
3	42	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>
3	43	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>
3	44	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>
3	45	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>
3	46	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>
3	47	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>
3	48	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>






Figure 10: 3D relief of the probability Table 25 (for  $k = 3$ ,  $i = 0$ ) with the interpolated segments shown by **thick** curves





Figure 11: Plots of the logarithmically scaled first columns and first rows of Table 25 of probabilities of perfect column triplets ( $k = 3, i = 0$ ) with the interpolated segments shown by **thick** curves

### 5.3 Interpolation of probabilities on degree of imperfectness $i$

Restrict attention to probabilities of imperfect column *pairs*. The consideration of imperfect column triplets is identical.

We dispose the probabilities of outcomes of Bernoulli  $(m \times n)$ -matrices with the following degrees of imperfectness  $i$ :

- $i = -1$  (impossible outcome): probability 0.
- $i = 0$  (perfect outcomes): exact, accurately approximated, and interpolated probabilities collected in Table 24.
- $i = 1, 2, \dots$  (imperfect outcomes): exact probabilities for certain  $(m, n)$ -combinations computed by Geometric and/or Algebraic method; see Table 7 and 13. For Bernoulli matrices with 2–3 columns, the Geometric method gives exact probabilities for the degrees of imperfectness up to  $i = 48$ , and for four-column matrices — up to  $i = 16$ .
- $i = m-2, m-1$  ('very imperfect' outcomes): exact probabilities computed by the Algebraic method; see Section 3.7.
- $i = m$  (certain outcome): probability 1.

The upper plot of Figure 12 exhibits probability curves as functions of  $i$ . Already for small vertical size  $m$  of Bernoulli matrix, these S-shaped curves resemble cumulative binomial and  $\beta$ -distribution functions. To emphasize the similarity, the horizontal axis of the plot is complemented with point  $i = -1$  where the probabilities are zeros.

The reference to the binomial distribution and  $\beta$ -distributions is not accidental. As follows from (28),  $i$ -imperfect outcomes of a two-column Bernoulli matrix have the binomial probability. According to Abramovitz and Stegun (1972, 26.5.7 and 26.5.24), the latter is expressed by the incomplete  $\beta$ -function, so that

$$\begin{aligned} P(i\text{-imperfect outcome of Bernoulli } (m \times 2)\text{-matrix}) &= \sum_{j=0}^i \binom{m}{j} \left(\frac{1}{4}\right)^j \left(\frac{3}{4}\right)^{m-j} & (39) \\ &= I_{\frac{3}{4}}(m-i, i+1) , & (40) \end{aligned}$$

where the incomplete  $\beta$ -function

$$I_x(a, b) = \frac{\Gamma(a+b)}{\Gamma(a)\Gamma(b)} \int_0^x t^{a-1}(1-t)^{b-1} dt, \quad a > 0, \quad b > 0, \quad 0 \leq x \leq 1 . \quad (41)$$

Naturally, some features of binomial and  $\beta$ -distributions manifest themselves in more complex cases as well.

Thus for  $i = -1, \dots, m$ , some probabilities are known, particularly, for the first and last  $i$ 's. It enables interpolating between the known probabilities by fitting binomial and  $\beta$ -curves. For binomial fit, use function (39) with two unknown parameters  $M$  and  $p$  (instead of  $m$  and  $\frac{1}{4}$ ) in the form of incomplete  $\beta$ -function (40)

$$y_{\text{Bnml}}(i) = \begin{cases} \sum_{j=0}^i \binom{M}{j} (1-p)^j p^{M-j} = I_p(M-i, i+1) & \text{if } i = 0, \dots, M \\ 1 & \text{if } i > M \end{cases} . \quad (42)$$

For  $\beta$ -fit, use function (41) with two unknown parameters  $a$  and  $b$

$$y_{\beta}(i) = I_{\frac{i+1}{m+1}}(a, b), \quad i = -1, \dots, m . \quad (43)$$

There is a minor difference in using these two functions. In (43), the properly fitting domain  $i = -1, \dots, m$  is fixed, whereas  $M$  in (42) is one of unknown parameters. Besides, in (43) parameters  $a$  and  $b$  are independent, whereas in (42) they are bound by the constant sum  $a + b = (M - i) + (i + 1) = M + 1$ .

The interpolation by fitting binomial and  $\beta$ -curves is implemented with the MATLAB program `lsqcurvefit` from the *Optimization toolbox*, which fits non-linear functions in the ‘least-squares sense’. The fitting results are exemplified in the middle and bottom plots of Figure 12. In fact, all points here are known (taken from the upper plot), but the first and last points are used for fitting, and others serve to control the interpolation accuracy. The fitted segments are shown by thin curves, interpolated segments by **thick** ones, and the known probabilities from the upper plot are shown by stars \*. Tables 26 and 27 display fit and interpolation errors for the case depicted in Figure 12 (in the left-hand halves of the tables) and for the case of more numerous fitting points (for  $i \leq 5$  instead of  $i \leq 3$ ). Correspondingly, the fit accuracy is worse, and the interpolation accuracy is better.

Figure 13 and Table 28 show how the interpolation performed along the imperfectness  $i$ -dimension of the probabilities looks from the viewpoint of the  $n$ -dimension — along the variable width of Bernoulli matrix. As seen in Figure 13, where the corresponding curves are marked with ‘Bnml’ and  $\beta$  labels, the accuracy improves as the width  $n$  of Bernoulli matrix increases.






Figure 12: Interpolation of probabilities of  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli  $(m \times 3)$ -matrices. The domain of  $i$ -imperfectness is conditionally extended to  $-1$ , where the probability is equal to 0. The exact probabilities in the middle and bottom charts are shown by stars (\*). Every interpolating curve is fitted to the first 5 points (probabilities of  $i$ -imperfect column pairs for  $i = -1, \dots, 3$ ) and a few last  $i$ 's. The interpolated curves for  $i > 3$  are shown by **thick** segments. The interpolation errors are shown by dotted lines

Table 26: Errors of binomial interpolation of probabilities of  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times 3$ )-matrices. The errors of fit to exact probabilities are shown in roman font style. The interpolation errors are in **bold**

$i$	Fit up to 11 points ( $i \leq 3$ and a few last $i$ 's)				Fit up to 13 points ( $i \leq 5$ and a few last $i$ 's)			
	$m = 1$	$m = 6$	$m = 11$	$m = 16$	$m = 1$	$m = 6$	$m = 11$	$m = 16$
-1	0.0008	0.0663	0.0189	0.0042	0.0008	0.0663	0.0193	0.0051
0	-0.0000	-0.0153	0.0205	0.0106	-0.0000	-0.0153	0.0217	0.0148
1	0.0000	-0.0108	-0.0120	0.0028	0.0000	-0.0108	-0.0112	0.0098
2		0.0324	-0.0075	-0.0083		0.0324	-0.0091	-0.0076
3		0.0034	0.0166	0.0046		0.0034	0.0144	-0.0077
4		0.0002	<b>0.0133</b>	<b>0.0235</b>		0.0002	0.0125	0.0066
5		0.0000	<b>0.0022</b>	<b>0.0207</b>		0.0000	0.0022	0.0112
6		0.0000	<b>0.0002</b>	<b>0.0078</b>		0.0000	<b>0.0002</b>	<b>0.0058</b>
7			<b>0.0000</b>	<b>0.0013</b>			<b>0.0000</b>	<b>0.0013</b>
8			0.0000	<b>0.0002</b>			0.0000	<b>0.0002</b>
9			0.0000	<b>0.0000</b>			0.0000	<b>0.0000</b>
10			0.0000	<b>0.0000</b>			0.0000	<b>0.0000</b>
11			0.0000	0.0000			0.0000	0.0000
12				0.0000				0.0000
13				0.0000				0.0000
14				0.0000				0.0000
15				0.0000				0.0000
16				0.0000				0.0000
Total square error:	0.0000	0.0058	0.0013	0.0002	0.0000	0.0058	0.0014	0.0006
Fit/Interpolation			<b>0.0002</b>	<b>0.0010</b>			<b>0.0000</b>	<b>0.0000</b>
Maximal error:	0.0008	0.0663	0.0205	0.0106	0.0008	0.0663	0.0217	0.0148
Fit/Interpolation			<b>0.0133</b>	<b>0.0235</b>			<b>0.0002</b>	<b>0.0058</b>

Table 27: Errors of beta interpolation of probabilities of  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times 3$ )-matrices. The errors of fit to exact probabilities are shown in roman font style. The interpolation errors are in **bold**

$i$	Fit up to 11 points ( $i \leq 3$ and a few last $i$ 's)				Fit up to 13 points ( $i \leq 5$ and a few last $i$ 's)			
	$m = 1$	$m = 6$	$m = 11$	$m = 16$	$m = 1$	$m = 6$	$m = 11$	$m = 16$
-1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0	-0.0000	0.0005	-0.0107	-0.0103	-0.0000	0.0005	-0.0110	-0.0118
1	0.0000	-0.0015	0.0087	-0.0013	0.0000	-0.0015	0.0086	-0.0046
2		0.0027	-0.0013	0.0062		0.0027	-0.0010	0.0069
3		0.0023	-0.0066	-0.0045		0.0023	-0.0063	0.0008
4		0.0002	<b>-0.0022</b>	<b>-0.0110</b>		0.0002	-0.0021	-0.0051
5		0.0000	<b>0.0001</b>	<b>-0.0069</b>		0.0000	0.0001	-0.0034
6		0.0000	<b>0.0001</b>	<b>-0.0019</b>		0.0000	<b>0.0001</b>	<b>-0.0006</b>
7			<b>0.0000</b>	<b>-0.0001</b>			<b>0.0000</b>	<b>0.0002</b>
8			0.0000	<b>0.0001</b>			0.0000	<b>0.0001</b>
9			0.0000	<b>0.0000</b>			0.0000	<b>0.0000</b>
10			0.0000	<b>0.0000</b>			0.0000	<b>0.0000</b>
11			0.0000	0.0000			0.0000	0.0000
12				0.0000				0.0000
13				0.0000				0.0000
14				0.0000				0.0000
15				0.0000				0.0000
16				0.0000				0.0000
Total square error:	0.0000	0.0000	0.0002	0.0002	0.0000	0.0000	0.0002	0.0002
Fit/Interpolation			<b>0.0000</b>	<b>0.0002</b>			<b>0.0000</b>	<b>0.0000</b>
Maximal error:	0.0000	0.0027	0.0107	0.0103	0.0000	0.0027	0.0110	0.0118
Fit/Interpolation			<b>0.0022</b>	<b>0.0110</b>			<b>0.0001</b>	<b>0.0006</b>

#### 5.4 Interpolation of probabilities on the matrix width $n$

For Bernoulli matrices with 2–3 columns exact probabilities are known for the degrees of imperfection up to  $i = 48$ , and for four-column matrices — up to  $i = 16$ ; see Table 7. Taking into account that the probabilities grow along the rows of the table and their distance to probability 1 decreases quasi-exponentially, interpolate the missing probabilities by fitting exponential curves to the first known points and the infinite probability 1.

For this purpose, consider fitting functions with unknown parameters  $a$  and  $b$

$$y_{\text{Exp}}(n) = 1 - a2^{-bn}, \quad n = 2, 3, \dots$$

This type of interpolation is also implemented with the MATLAB program `lsqcurvefit` from the *Optimization toolbox* applied along the  $n$ -dimension of the probability array.

The probabilities interpolated are shown in Figure 13 and Table 28. As seen in Figure 13, where the corresponding curves are marked with ‘Expn’ label, the accuracy improves as the width  $n$  of Bernoulli matrix increases.

#### 5.5 Interpolation with the Inclusion-Exclusion formula

As mentioned in Section 5.3,  $i$ -imperfect outcomes of a two-column Bernoulli matrix are binomially distributed, and Bernoulli  $(m \times n)$ -matrices with  $n > 2$  columns to a certain extent inherit this property. Indeed, the quasi-linear curve tails in the log-scaled upper plot of Figure 9 imply that ‘tails’ of every  $n$ -th column of Table 24 can be represented by a product of almost equal factors  $p_1 \cdots p_m$ . The factors  $p_j$  are ratios of subsequent elements of the  $n$ th column of Table 24 and can be interpreted as probabilities of ‘independent’ contribution of the  $j$ th row to the perfect outcome. By the Central Limit Theorem (2012), an average ‘independently’ contributing row is characterized by the mean

$$p = \frac{p_1 + \cdots + p_m}{m}$$

and a  $i$ -imperfect outcome with  $i$  ‘not contributing’ rows occurs with the approximating binomial probability

$$P\{i\text{-imperfect outcome of Bernoulli } (m \times n)\text{-matrix}\} \approx \binom{m}{i} p^{m-i} (1-p)^i.$$

The probabilities interpolated this way from the ones obtained by the Inclusion-Exclusion formula are illustrated in Figure 13 and Table 28, where they are marked by the ‘In-Ex’ label.

#### 5.6 Bringing interpolated probabilities together

The results of the four interpolations, labeled ‘Bnml’, ‘ $\beta$ ’, ‘Expn’, and ‘In-Ex’ are exemplified in Figure 13. The three plots show interpolated probabilities of  $i$ -imperfect outcomes of a eight-row Bernoulli matrix of variable width  $n$  for  $i = 2, 3, 4$ . These and some other interpolated probabilities are collected in Table 28, where exact probabilities are given with eight decimals, and interpolated probabilities with two decimals.

Following the ‘error correction’ practice by taking the mean of observed values, the missing probabilities are estimated as the mean of the four interpolation results. These final estimates constitute tables of Appendix 2.

The case of column *triplets* is identical to the case of column pairs. The final estimates of probabilities of occurrence of perfect and imperfect column triplets in Bernoulli matrices are obtained in the same way and presented in Appendix 2.

## 5.7 Summary

Thus, for Bernoulli matrices with a few columns, exact probabilities are computed. For wider matrices, approximate probabilities are interpolated.

It should be noted that the interpolation methods considered are partially heuristic and do not guarantee reliable estimates of unknown probabilities. The situation is getting more critical if the probabilities interpolated are relatively numerous, if they are ‘distant’ from the known ones, and/or when the known probabilities are rather few. Therefore, the estimates obtained should be regarded rather as a conditional reference.




Figure 13: Plots of interpolated probabilities of  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The interpolation is made by exponential, binomial, and beta curve fit and with the Inclusion-Exclusion formula and denoted respectively as Expn, Bnml,  $\beta$ , and In-Ex. The exact probabilities, if known, are shown by **thick** segments.



## 6 Example: Evaluation of German parties and coalitions

Let us come back to the questions posed in Introduction. Apply the results obtained to evaluate the representative capacity of five eligible German parties (CDU/CSU—conservative union, SPD—social democrats, FDP—neo-liberals, Greens—ecologists, and Left-Party—left social democrats) and their possible coalitions at the time of Bundestag elections 2009.

Table 29 visualized by Figure 14 shows positions of the five parties on 32 topical policy issues as well as outcomes of polls of public opinion on these issues; see Tangian (2012) for references to data sources. We are going to estimate the statistical significance of representative capacity of the parties and their coalitions understood as capability to express the majority opinion.

To explain the figure, consider the top question: ‘2. Introduce nation-wide minimal wage’. Each party is depicted by a rectangle, whose length is proportional to the number of the party seats in the Bundestag. The ‘No/Yes’ party opinion on the question is reflected by the location of the rectangle to the left side or to the right side from the central vertical axis, respectively. A Bundestag majority is attained if the cumulative length of party rectangles surpasses the 50%-threshold (marked with dotted lines). The outcomes of the related public surveys are shown by the blue bars with the length normalized to 100% (abstaining respondents are ignored). Their bias from the center indicates at the prevailing public opinion.

For every question, a given party represents either a majority, or a minority of the population (identified with the fraction in the opinion polls). For instance, the CDU/CSU (black rectangle) with the ‘No’ answer to the top question ‘2. Introduce nation-wide minimal wage’ represents the opinion of 43% of the population against 52%; see Table 29 for exact figures. After normalization, we obtain that its *representativeness* for question 2 is

$$r_{\text{CDU/CSU},2} = \frac{43}{43 + 52} \cdot 100\% \approx 45\% .$$

Similarly, with the ‘No’ answer to the next question ‘17. Relax protection against dismissals’, the CDU/CSU expresses the opinion of 82% of the population against 17%. After normalization we obtain its representativeness for question 17

$$r_{\text{CDU/CSU},17} = \frac{82}{82 + 17} \cdot 100\% \approx 83\% ,$$

and so on.

The frequency of representing a majority ( $\geq 50\%$ ) is defined to be the *universality* of the party. As one can see, the CDU/CSU represents a majority on 15 questions from 32, that is, with the frequency

$$U_{\text{CDU/CSU}} = \frac{15}{32} \cdot 100\% \approx 47\% \quad (\text{Degree of imperfectness } 32 - 17 = 15) .$$

A higher universality means that a majority is represented more frequently. For instance *die Linke* represents a majority on 22 of 32 questions, resulting in

$$U_{\text{Left-Party}} = \frac{22}{32} \cdot 100\% \approx 69\% \quad (\text{Degree of imperfectness } 32 - 22 = 10) .$$

The universality indices and the degree of imperfectness of the parties are shown in the upper section of Table 30.

As for coalitions, it is assumed that the position of a three- or two-party coalition on a given issue is defined by two parties sharing the same opinion. In case of a tie opinion in a two-party coalition, the prevailing public opinion is assumed decisive, as if influencing the internal

The Wahl-O-Mat question number and the question shortly formulated (*adjustments based on party public statements, parliamentary voting, etc.)	Party positions and votes received, in %					Survey results, in %	
	CDU/CSU 33.8%	SPD 23.0%	FDP 14.6%	Left-Party 11.9%	Greens 10.7%	Protago- nists	Antago- nists
<b>Labour market</b>							
2. Introduce nation-wide minimal wage	No	Yes	No	Yes	Yes	52	43
17. Relax protection against dismissals	No	No	Yes	No	No	17	82
<b>Economy and taxes</b>							
24. Exclusive governmental ownership of railways	No	Yes	No	Yes	Yes	70	28
10. Equity holding by government in private banks has to be temporary	Yes	Yes	Yes	No	Yes	28	67
5. No state control over top-management salaries*	Yes	Yes	Yes	No	No	30	67
13. Decrease corporate taxes	Yes	No	Yes	No	No	23	59
28. Reintroduce a wealth tax*	No	Yes	No	Yes	Yes	35	65
<b>Environment</b>							
1. Prolong the operation time of nuclear power plants	Yes	No	Yes	No	No	39	55
19. Introduce a general speed limit on Autobahnen (German motorways)	No	Yes	No	Yes	Yes	34	41
9. Unexceptionally ban experiments on animals	No	No	No	Yes	Yes	19	80
26. Authorize production of genetically modified food*	Yes	Yes	Yes	No	No	33	67
<b>Social policy</b>							
36. Increase significantly unemployment benefits (Hartz IV)*	No	No	No	Yes	Yes	48	36
32. If wages decrease, pensions can be reduced*	No	No	Yes	No	Yes	28	68
31. No Praxisgebuehr (quarterly fee for medical visits)	No	No	Yes	Yes	Yes	71	26
15. Compensation to parents who use no public daycares	Yes	No	No	No	No	65	33
<b>Education</b>							
29. Leave the education policy under the authority of the states	Yes	No	Yes	No	No	9	81
34. Leave 3 types of schools with different access to further education	Yes	No	Yes	No	No	63	31


Table 29: Data for the model



The Wahl-O-Mat question number and the question shortly formulated (*adjustments based on party public statements, parliamentary voting, etc.)	Party positions and votes received, in %					Survey results, in %	
	CDU/CSU 33.8%	SPD 23.0%	FDP 14.6%	Left-Party 11.9%	Greens 10.7%	Protago- nists	Antago- nists
16. Guarantee an apprenticeship training position for every adolescent*	No	Yes	No	Yes	Yes	81	19
7. The first university degree should be free of tuition fees*	No	Yes	No	Yes	Yes	53	47
<b>Gender</b>							
12. There should be a quota for women in leading positions	No	Yes	No	Yes	Yes	34	64
27. Full adoption rights for homosexual couples	No	Yes	Yes	Yes	Yes	51	49
<b>Domestic policy</b>							
6. Prohibit secret online surveillance of private computers	No	No	Yes	Yes	Yes	39	57
25. Retain the compulsory military service	Yes	No	No	No	No	41	53
37. Allow domestic use of German military forces against terrorism	Yes	No	No	No	No	69	28
14. Introduce referenda at the federal level	No	Yes	Yes	Yes	Yes	68	26
23. German politics should follow Christian values*	Yes	No	No	No	No	73	20
38. The German democracy is the best form of government	Yes	Yes	Yes	Yes	Yes	77	11
35. Municipal voting rights for foreign permanent residents	No	Yes	Yes	Yes	Yes	44	42
<b>Foreign policy</b>							
3. Immediate withdrawal of German troops from Afghanistan	No	No	No	Yes	No	57	37
<b>European policy</b>							
4. Germany should leave the European Union	No	No	No	No	No	12	86
18. Turkey should be a full member of the European Union	No	Yes	No	Yes	Yes	37	58
21. Reintriduce the D-Mark	No	No	No	No	No	34	65

Table 29: Sheet B. Data for the model

Public opinion and its representation by party seats in the Bundestag 2009  
 CDU/CSU [black], SPD [red], FDP [yellow], Left-Party [dark red], Greens [green], Public opinion (polls) [blue]



\* Adjustments based on party public statements, parliamentary voting, etc.

Figure 14: Public opinion and party positions on 32 issues

Table 30: Universality indices of parties and coalitions and statistical significance of their representative capacity. Interpolated significance values are **boldfaced**

Single party or coalition	Universality in %	Ranks	Degree of <i>i</i> -imperfectness	Significance
CDU/CSU	46.9	13	17	.9976
SPD	56.3	10	14	.8299
FDP	43.8	14	18	.9998
Left-Party	68.8	7	10	.1191
Greens	59.4	9	13	.6482
CDU/CSU/SPD	81.3	4	6	<b>.7293</b>
CDU/CSU/FDP	62.5	8	12	<b>.9970</b>
CDU/CSU/Left-Party	100.0	1	0	.0010
CDU/CSU/Greens	93.8	2	2	.0587
SPD/FDP	75.0	6	8	<b>.9228</b>
SPD/Left-Party	75.0	6	8	<b>.9228</b>
SPD/Greens	68.8	7	10	<b>.9816</b>
FDP/Left-Party	87.5	3	4	.4072
FDP/Greens	78.1	5	7	<b>.8534</b>
Left-Party/Greens	68.8	7	10	<b>.9816</b>
CDU/CSU/SPD/FDP	50.0	12	16	<b>.8505</b>
CDU/CSU/SPD/Left-Party	56.3	10	14	<b>.6298</b>
CDU/CSU/SPD/Greens	56.3	10	14	<b>.6298</b>
CDU/CSU/FDP/Left-Party	50.0	12	16	<b>.8505</b>
CDU/CSU/FDP/Greens	46.9	13	17	<b>.9139</b>
CDU/CSU/Left-Party/Greens	62.5	8	12	<b>.3327</b>
SPD/FDP/Left-Party	56.3	10	14	<b>.6298</b>
SPD/FDP/Greens	53.1	11	15	<b>.7561</b>
SPD/Left-Party/Greens	62.5	8	12	<b>.3327</b>
FDP/Left-Party/Greens	59.4	9	13	<b>.4820</b>

coalition debate. After the positions of coalitions have been determined, their universality and imperfectness indices are defined in the same way as for single parties. These indices for possible two-party coalitions are collected in the middle section of Table 30, and for possible three-party coalitions — in its bottom section (since the CDU/CSU is a party union, the CDU/CSU/SPD is not a three-party but two-party coalition, which applies to other coalitions with CDU/CSU as well).

The statistical significance of the representative capacity of single parties and properly coalitions is shown in the last column of Table 30 (extracted from Tables 31–33). Here, the representative capacity of no party and of no three-party coalition is even 10%-statistically significant, to say nothing of the usual demand for 5%-significance. As for two-party coalitions, the only 5%-significant representative capacity is inherent in the ‘impossible’ coalition of the CDU/CSU with its extreme political opponent, the Left-Party. Its 100-% universality results from our assumption that in case of tie vote a two-party coalition is influenced by the public opinion. The CDU/CSU and the Left-Party have four unanimous positions, which coincide with the prevailing public opinion, and opposite opinions on the other 28 issues, which, according to our definition, turns into the opinion of majority of the population. Thereby the coalition ‘perfectly represents’ the majority opinions, which should be regarded rather critically.

Thus, the representative capacity of German parties and their ‘possible’ coalitions is not statistically significant. Moreover, a relatively high degree of imperfectness of match of their positions to the opinion of the majority of population leaves little hope that new surveys with additional policy issues can change this conclusion.

An indirect confirmation of the low representativeness of German parties and their coalitions is the visible discrepancy between the German electorate and the elected government. In particular, it manifests itself in the unprecedented violent response of population to some rather usual events like starting the construction of a new main railway station in Stuttgart (Protest gegen Stuttgart 21, 2010), or transporting atomic waste (Castor-Transport geht auf schwierigste Etappe 2010). It looks that German voters are not very consistent with their own political profiles, being driven by politicians' personalities rather than by their political positions, or follow traditional images of the parties, even if they are partially outdated.

## 7 Conclusions: What can be improved

There is a number of improvements which could be made.

The implementation of the Geometric approach enables parallel processing, in particular while finding the graph invariants, so that the computational limits of the method can be somewhat advanced. The graph invariants for larger matrices and higher degrees of imperfectness will be no longer representable by ordinary integers (see the footnote in Section 2.3), and a longer internal computer representation of integers will be required.

Within the Algebraic approach, a meta-model can be developed to count the  $i$ -imperfect outcomes of Bernoulli  $(m \times n)$ -matrices for  $i$  close to the height  $m$  of the matrix; see Section 3.7. These probabilities will increase in the accuracy of interpolation techniques described in Section 5.3.

Improving the Probabilistic method is imagined due to using more sums in the Inclusion-Exclusion formula; see Section 4.1. Finding isomorphic allocations and thereby drastically reducing their number is another important option; see Section 4.3.

The Interpolations methods can be improved by increasing in the number of reference points due to improvements of Geometric, Algebraic, and Probabilistic methods. Besides, the application of cubic splines in Section 5.2 should be done under ‘concavity control’ to avoid ‘implausible’ inflection of certain probability curves. Besides, the non-linear curve fitting in Section 5.3 is actually made with the local optimization techniques, whereas the global optimization would be much better.

Finally, for enlarging the domain of applications, it would be important to extend the consideration to larger column  $k$ -tuples in Bernoulli matrices, at least up to  $k = 5$ .

## 8 Annex: Probability tables

This Annex contains tables with probabilities of occurrence of perfect and  $i$ -imperfect single columns (containing all 1s or  $i$  or fewer 0, respectively), column pairs and column triplets ( $k = 1, 2, 3$ ) in Bernoulli matrices with up to  $m = 48$  rows and up to  $n = 18, 10$ , or 20 columns, depending on  $k$ . The paging of these large tables is column-wise: it follows the first nine columns downward, and after having attained the bottom of the table, the next nine columns are followed downward.

Since probabilities increase along the rows of the tables, the rows starting with probability 1 are of little interest. To save space, these rows are omitted. Therefore, if a row for a certain combination of  $m$  and  $i$  is missing it consists of 1s.

Finally, the probabilities in the tables have different degree of accuracy. The exact probabilities are in roman font style and are 8-decimals long. The probabilities approximated with the first six sums of the Inclusion-Exclusion formula are *italicized* and are also 8-decimals long. The interpolated probabilities are given with 4 decimals and are **boldfaced**.

Table 31: Sheet A. Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect single columns ( $k = 1$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			1	2	3	4	5	6	7	8	9
1	1	0	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804688
1	2	0	.25000000	.43750000	.57812500	.68359375	.76269531	.82202148	.86651611	.89988708	.92491531
		1	.75000000	.93750000	.98437500	.99609375	.99902344	.99975586	.99993896	.99998474	.99999619
1	3	0	.12500000	.23437500	.33007813	.41381836	.48709106	.55120468	.60730410	.65639108	.69934220
		1	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804688
		2	.87500000	.98437500	.99804688	.99975586	.99996948	.99999619	.99999952	.99999994	.99999999
1	4	0	.06250000	.12109375	.17602539	.22752380	.27580357	.32106584	.36349923	.40328053	.44057549
		1	.31250000	.52734375	.67504883	.77659607	.84640980	.89440674	.92740463	.95009068	.96568735
		2	.68750000	.90234375	.96948242	.99046326	.99701977	.99906868	.99970896	.99990905	.99997158
		3	.93750000	.99609375	.99975586	.99998474	.99999905	.99999994	1.00000000	1.00000000	1.00000000
1	5	0	.03125000	.06152344	.09085083	.11926174	.14678481	.17344779	.19927754	.22430012	.24854074
		1	.18750000	.33984375	.46362305	.56419373	.64590740	.71229976	.76624356	.81007289	.84568422
		2	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804688
		3	.81250000	.96484375	.99340820	.99876404	.99976826	.99995655	.99999185	.99999847	.99999971
		4	.96875000	.99902344	.99996948	.99999905	.99999997	1.00000000	1.00000000	1.00000000	1.00000000
1	6	0	.01562500	.03100586	.04614639	.06105036	.07572144	.09016330	.10437949	.11837356	.13214898
		1	.10937500	.20678711	.29354477	.37081331	.43963060	.50092101	.55550777	.60412411	.64742303
		2	.34375000	.56933594	.71737671	.81452847	.87828431	.92012408	.94758142	.96560031	.97742520
		3	.65625000	.88183594	.95938110	.98603725	.99520031	.99835011	.99943285	.99980504	.99993298
		4	.89062500	.98803711	.99869156	.99985689	.99998435	.99999829	.99999981	.99999998	1.00000000
		5	.98437500	.99975586	.99999619	.99999994	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	7	0	.00781250	.01556396	.02325487	.03088569	.03845690	.04596895	.05342232	.06081746	.06815482
		1	.06250000	.12109375	.17602539	.22752380	.27580357	.32106584	.36349923	.40328053	.44057549
		2	.22656250	.40179443	.53732538	.64215010	.72322547	.78593220	.83443193	.87194345	.90095626
		3	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804688
		4	.77343750	.94866943	.98837042	.99736517	.99940305	.99986475	.99996936	.99999306	.99999843
		5	.93750000	.99609375	.99975586	.99998474	.99999905	.99999994	1.00000000	1.00000000	1.00000000
		6	.99218750	.99993896	.99999952	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	8	0	.00390625	.00779724	.01167303	.01553369	.01937926	.02320981	.02702539	.03082608	.03461191
		1	.03515625	.06907654	.10180432	.13338151	.16384856	.19324451	.22160701	.24897239	.27537570
		2	.14453125	.26817322	.37394506	.46442956	.54183623	.60805521	.66470348	.71316430	.75462103
		3	.36328125	.59458923	.74186736	.83564211	.89535025	.93336754	.95757386	.97298648	.98279999
		4	.63671875	.86802673	.95205659	.98258306	.99367275	.99770143	.99916497	.99969665	.99988980
		5	.85546875	.97911072	.99698085	.99956364	.99993693	.99999088	.99999868	.99999981	.99999997
		6	.96484375	.99876404	.99995655	.99999847	.99999995	1.00000000	1.00000000	1.00000000	1.00000000
		7	.99609375	.99998474	.99999994	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	9	0	.00195313	.00390244	.00584794	.00778964	.00972755	.01166168	.01359203	.01551860	.01744142
		1	.01953125	.03868103	.05745679	.07586584	.09391533	.11161230	.12896362	.14597605	.16265621
		2	.08984375	.17161560	.24604076	.31377929	.37543193	.43154547	.48261755	.52910113	.57140845
		3	.25390625	.44334412	.58468252	.69013423	.76881108	.82751139	.87130733	.90398320	.92836247
		4	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804688
		5	.74609375	.93553162	.98363107	.99584383	.99894472	.99973206	.99993197	.99998273	.99999561
		6	.91015625	.99192810	.99927479	.99993484	.99999415	.99999947	.99999995	1.00000000	1.00000000
		7	.98046875	.99961853	.99999255	.99999985	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		8	.99804688	.99999619	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	10	0	.00097656	.00195217	.00292683	.00390053	.00487329	.00584509	.00681594	.00778585	.00875481
		1	.01074219	.02136898	.03188162	.04228133	.05256932	.06274680	.07281495	.08277494	.09262795
		2	.05468750	.10638428	.15525389	.20145094	.24512159	.28640400	.32542879	.36231940	.39719256
		3	.17187500	.31420898	.43207932	.52969068	.61052510	.67746610	.73290161	.77880915	.81682632
		4	.37695313	.61181259	.75814105	.84931054	.90611340	.94150425	.96355440	.97729269	.98585228
		5	.62304687	.85790634	.94643735	.97980939	.99238909	.99713104	.99891854	.99959234	.99984633
		6	.82812500	.97045898	.99492264	.99912733	.99985001	.99997422	.99999557	.99999924	.99999987
		7	.94531250	.99700928	.99983644	.99999106	.99999951	.99999997	1.00000000	1.00000000	1.00000000
		8	.98925781	.99988461	.99999876	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		9	.99902344	.99999905	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	11	0	.00048828	.00097632	.00146413	.00195169	.00243902	.00292611	.00341297	.00389958	.00438596

Table 31: Sheet B. Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect single columns ( $k = 1$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			1	2	3	4	5	6	7	8	9
1	11	1	.00585938	.01168442	.01747533	.02323231	.02895556	.03464527	.04030165	.04592488	.05151516
		2	.03271484	.06435943	.09496876	.12457672	.15321605	.18091846	.20771458	.23363408	.25870562
		3	.11328125	.21372986	.30279952	.38177926	.45181208	.51391149	.56897621	.61780312	.66109886
		4	.27441406	.47352505	.61799718	.72282412	.79888508	.85407384	.89411803	.92317353	.94425580
		5	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804687
		6	.72558594	.92469692	.97933578	.99432945	.99844392	.99957299	.99988282	.99996784	.99999118
		7	.88671875	.98716736	.99854630	.99983532	.99998135	.99999789	.99999976	.99999997	1.00000000
		8	.96728516	.99892974	.99996499	.99999885	.99999996	1.00000000	1.00000000	1.00000000	1.00000000
		9	.99414063	.99996567	.99999980	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		10	.99951172	.99999976	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	12	0	.00024414	.00048822	.00073224	.00097620	.00122011	.00146395	.00170773	.00195146	.00219512
		1	.00317383	.00633758	.00949130	.01263500	.01576873	.01889251	.02200638	.02511036	.02820449
		2	.01928711	.03820223	.05675253	.07494504	.09278668	.11028420	.12744425	.14427333	.16077782
		3	.07299805	.14066738	.20339698	.26154745	.31545304	.36542363	.41174647	.45468783	.49449455
		4	.19384766	.35011840	.47609642	.57765390	.65952471	.72552504	.77873137	.82162378	.85620159
		5	.38720703	.62448478	.76988691	.85898832	.91358903	.94704797	.96755137	.98011571	.98781504
		6	.61279297	.85007071	.94194633	.97752121	.99129605	.99662977	.99869502	.99949470	.99980435
		7	.80615234	.96242309	.99271580	.99858798	.99972628	.99994694	.99998971	.99999801	.99999961
		8	.92700195	.99467129	.99961101	.99997160	.99999793	.99999985	.99999999	1.00000000	1.00000000
		9	.98071289	.99962801	.99999283	.99999986	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		10	.99682617	.99998993	.99999997	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
11	.99975586	.99999994	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
1	13	0	.00012207	.00024413	.00036617	.00048819	.00061020	.00073220	.00085418	.00097615	.00109810
		1	.00170898	.00341505	.00511820	.00681843	.00851577	.01021020	.01190173	.01359038	.01527613
		2	.01123047	.02233481	.03331445	.04417078	.05490519	.06551905	.07601371	.08639051	.09665077
		3	.04614258	.09015602	.13213857	.17218393	.21038150	.24681653	.28157036	.31472055	.34634111
		4	.13342285	.24904405	.34923873	.43606515	.51130695	.57650977	.63301304	.68197749	.72440896
		5	.29052734	.49664855	.64288591	.74663732	.82024610	.87246953	.90952062	.93580735	.95445707
		6	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804688
		7	.70947266	.91559386	.97547771	.99287560	.99793017	.99939866	.99982529	.99994924	.99998525
		8	.86657715	.98219834	.99762485	.99968310	.99995772	.99999436	.99999925	.99999990	.99999999
		9	.95385742	.99787086	.99990176	.99999547	.99999979	.99999999	1.00000000	1.00000000	1.00000000
		10	.98876953	.99987388	.99999858	.99999998	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		11	.99829102	.99999708	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
12	.99987793	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
1	14	0	.00006104	.00012207	.00018309	.00024412	.00030514	.00036616	.00042717	.00048818	.00054918
		1	.00091553	.00183022	.00274407	.00365708	.00456926	.00548061	.00639112	.00730079	.00820964
		2	.00646973	.01289760	.01928388	.02562884	.03193276	.03819589	.04441850	.05060085	.05674320
		3	.02868652	.05655013	.08361443	.10990234	.13543615	.16023748	.18432735	.20772616	.23045374
		4	.08978271	.17150449	.24588907	.31359520	.37522248	.43131670	.48237463	.52884845	.57114971
		5	.21197510	.37901675	.51064974	.61437981	.69612169	.76053632	.81129666	.85129707	.88281839
		6	.39526367	.63429397	.77884428	.86625910	.91912202	.95109015	.97042244	.98211337	.98918331
		7	.60473633	.84376663	.93824662	.97559113	.99035206	.99618652	.99849267	.99940421	.99976450
		8	.78802490	.95506656	.99047523	.99798099	.99957202	.99990928	.99998077	.99999592	.99999914
		9	.91021729	.99193906	.99927627	.99993502	.99999417	.99999948	.99999995	1.00000000	1.00000000
		10	.97131348	.99917708	.99997639	.99999932	.99999998	1.00000000	1.00000000	1.00000000	1.00000000
		11	.99353027	.99995814	.99999973	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		12	.99908447	.99999916	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
13	.99993896	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
1	15	0	.00003052	.00006103	.00009155	.00012206	.00015258	.00018309	.00021360	.00024411	.00027462
		1	.00048828	.00097632	.00146413	.00195169	.00243902	.00292611	.00341297	.00389958	.00438596
		2	.00369263	.00737162	.01103702	.01468890	.01832728	.02195223	.02556380	.02916203	.03274697
		3	.01757813	.03484726	.05181284	.06848019	.08485456	.10094110	.11674487	.13227084	.14752389
		4	.05923462	.11496050	.16738548	.21670508	.26310326	.30675305	.34781727	.38644907	.42279252
		5	.15087891	.27899337	.38777806	.48014944	.55858392	.62518430	.68173608	.72975539	.77052960
6	.30361938	.51505404	.66229303	.76482741	.83623037	.88595400	.92058058	.94469386	.96148587		



Table 31: Sheet C. Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect single columns ( $k = 1$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix										
			1	2	3	4	5	6	7	8	9		
1	15	7	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804688		
		8	.69638062	.90781527	.97201093	.99150198	.99741984	.99921661	.99976215	.99992778	.99997807		
		9	.84912109	.97723556	.99656533	.99948178	.99992181	.99998820	.99999822	.99999973	.99999996		
		10	.94076538	.99649126	.99979216	.99998769	.99999927	.99999996	1.00000000	1.00000000	1.00000000		
		11	.98242188	.99969101	.99999457	.99999990	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		12	.99630737	.99998636	.99999995	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		13	.99951172	.99999976	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		1	16	0	.00001526	.00003052	.00004578	.00006103	.00007629	.00009155	.00010681	.00012206	.00013732
				1	.00025940	.00051873	.00077800	.00103719	.00129632	.00155539	.00181438	.00207331	.00233217
				2	.00209045	.00417654	.00625826	.00833563	.01040866	.01247736	.01454173	.01660178	.01865753
				3	.01063538	.02115764	.03156800	.04186764	.05205773	.06213946	.07211396	.08198237	.09174584
				4	.03840637	.07533769	.11085062	.14499962	.17783708	.20941338	.23977694	.26897435	.29705040
				5	.10505676	.19907660	.28321902	.35852171	.42591334	.48622503	.54020056	.58850560	.63173587
6	.22724915			.40285612	.53855655	.64341918	.72445187	.78706995	.83545812	.87285012	.90174482		
7	.40180969			.64216836	.78594858	.87195651	.92340563	.95418199	.97259211	.98360487	.99019259		
8	.59819031			.83854897	.93512741	.97393357	.98952625	.99579155	.99830900	.99932054	.99972699		
9	.77275085			.94835783	.98826436	.99733309	.99939395	.99986227	.99996870	.99999289	.99999838		
10	.89494324			.98896308	.99884050	.99987819	.99998720	.99999866	.99999986	.99999999	1.00000000		
11	.96159363			.99852495	.99994335	.99999782	.99999992	1.00000000	1.00000000	1.00000000	1.00000000		
12	.98936462			.99988689	.99999880	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
13	.99790955			.99999563	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
14	.99974060	.99999993	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000				
1	17	0	.00000763	.00001526	.00002289	.00003052	.00003815	.00004578	.00005340	.00006103	.00006866		
		1	.00013733	.00027464	.00041193	.00054920	.00068646	.00082369	.00096091	.00109810	.00123528		
		2	.00117493	.00234847	.00352064	.00469143	.00586085	.00702889	.00819555	.00936085	.01052478		
		3	.00636292	.01268534	.01896754	.02520977	.03141228	.03757532	.04369914	.04978401	.05583015		
		4	.02452087	.04844047	.07177355	.09453447	.11673728	.13839565	.15952294	.18013217	.20023605		
		5	.07173157	.13831772	.20012754	.25750364	.31076407	.36020404	.40609761	.44869916	.48824483		
		6	.16615295	.30469910	.42022540	.51655666	.59688220	.66386142	.71971183	.76628254	.80511539		
		7	.31452942	.53013008	.67791799	.77922226	.84866335	.89626318	.92889146	.95125719	.96658824		
		8	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804687		
		9	.68547058	.90107124	.96888400	.99021310	.99692173	.99903179	.99969547	.99990422	.99996987		
		10	.83384705	.97239320	.99541305	.99923786	.99987337	.99997896	.99999650	.99999942	.99999990		
		11	.92826843	.99485458	.99963091	.99997352	.99999810	.99999986	.99999999	1.00000000	1.00000000		
		12	.97547913	.99939873	.99998526	.99999964	.99999999	1.00000000	1.00000000	1.00000000	1.00000000		
		13	.99363708	.99995951	.99999974	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		14	.9982507	.99999862	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		15	.99986267	.99999998	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
1	18	0	.00000381	.00000763	.00001144	.00001526	.00001907	.00002289	.00002670	.00003052	.00003433		
		1	.00007248	.00014495	.00021742	.00028989	.00036234	.00043480	.00050724	.00057969	.00065212		
		2	.00065613	.00131183	.00196709	.00262193	.00327634	.00393032	.00458386	.00523699	.00588968		
		3	.00376892	.00752364	.01126420	.01499067	.01870309	.02240152	.02608601	.02975662	.03341339		
		4	.01544189	.03064534	.04561401	.06035154	.07486149	.08914738	.10321267	.11706077	.13069502		
		5	.04812622	.09393631	.13754173	.17904859	.21855788	.25616573	.29196366	.32603878	.35847398		
		6	.11894226	.22373726	.31606771	.39741616	.46908884	.53223662	.58787345	.63689271	.68008152		
		7	.24034119	.42291849	.56161494	.66697693	.74701609	.80781854	.85400766	.88909563	.91575052		
		8	.40726471	.64866488	.79175127	.87656363	.92683491	.95663247	.97429453	.98476346	.99096877		
		9	.59273529	.83413546	.93244922	.97248895	.98879572	.99543689	.99814161	.99924314	.99969176		
		10	.75965881	.94223611	.98611696	.99666333	.99919806	.99980726	.99995368	.99998887	.99999732		
		11	.88105774	.98585274	.99831729	.99979985	.99997619	.99999717	.99999966	.99999996	1.00000000		
		12	.95187378	.99768387	.99988853	.99999464	.99999974	.99999999	1.00000000	1.00000000	1.00000000		
		13	.98455811	.99976155	.99999632	.99999994	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		14	.99623108	.99998580	.99999995	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		15	.99934387	.99999957	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		16	.99992752	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
1	19	0	.00000191	.00000381	.00000572	.00000763	.00000954	.00001144	.00001335	.00001526	.00001717		

Table 31: Sheet D. Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect single columns ( $k = 1$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			1	2	3	4	5	6	7	8	9
1	19	1	.00003815	.00007629	.00011444	.00015258	.00019072	.00022886	.00026700	.00030514	.00034327
		2	.00036430	.00072847	.00109251	.00145642	.00182019	.00218383	.00254734	.00291072	.00327396
		3	.00221252	.00442015	.00662290	.00882077	.01101378	.01320193	.01538525	.01756373	.01973740
		4	.00960541	.01911855	.02854032	.03787158	.04711322	.05626609	.06533103	.07430891	.08320055
		5	.03178406	.06255789	.09235360	.12120229	.14913405	.17617802	.20236242	.22771458	.25226095
		6	.08353424	.16009051	.23025171	.29455205	.35348111	.40748758	.45698265	.50234319	.54391458
		7	.17964172	.32701230	.44790897	.54708755	.62844953	.69519549	.74995110	.79487032	.83172017
		8	.32380295	.54275755	.69081400	.79092934	.85862704	.90440402	.93535828	.95628946	.97044306
		9	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804688
		10	.67619705	.89515165	.96604980	.98900682	.99644038	.99884738	.99962678	.99987915	.99996087
		11	.82035828	.96772885	.99420276	.99895857	.99981292	.99996639	.99999396	.99999892	.99999981
		12	.91646576	.99302203	.99941710	.99995131	.99999593	.99999966	.99999997	1.00000000	1.00000000
		13	.96821594	.99898977	.99996789	.99999898	.99999997	1.00000000	1.00000000	1.00000000	1.00000000
		14	.99039459	.99990774	.99999911	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		15	.99778748	.99999510	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		16	.99963570	.99999987	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	20	0	.00000095	.00000191	.00000286	.00000381	.00000477	.00000572	.00000668	.00000763	.00000858
		1	.00002003	.00004005	.00006008	.00008011	.00010013	.00012016	.00014018	.00016021	.00018023
		2	.00020123	.00040241	.00060355	.00080466	.00100572	.00120674	.00140773	.00160867	.00180957
		3	.00128841	.00257517	.00386026	.00514370	.00642549	.00770563	.00898411	.01026095	.01153614
		4	.00590897	.01178302	.01762236	.02342719	.02919773	.03493417	.04063671	.04630555	.05194090
		5	.02069473	.04096119	.06080825	.08024457	.09927866	.11791885	.13617328	.15404994	.17155665
		6	.05765915	.11199372	.16319541	.21144485	.25691227	.29975807	.34013343	.37818077	.41403434
		7	.13158798	.24586057	.34509625	.43127372	.50611126	.57110108	.62753903	.67655041	.71911249
		8	.25172234	.44008054	.58102477	.68649020	.76540762	.82445976	.86864716	.90171160	.92645299
		9	.41190147	.65414012	.79660032	.88038095	.92965221	.95862857	.97566952	.98569128	.99158506
		10	.58809853	.83033718	.93011563	.97121453	.98814322	.99511618	.99798835	.99917140	.99965870
		11	.74827766	.93663587	.98404983	.99598499	.99898933	.99974559	.99993596	.99998388	.99999594
		12	.86841202	.98268460	.99772150	.99970018	.99996055	.99999481	.99999932	.99999991	.99999999
		13	.94234085	.99667542	.99980831	.99998895	.99999936	.99999996	1.00000000	1.00000000	1.00000000
		14	.97930527	.99957173	.99999114	.99999982	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		15	.99409103	.99996508	.99999979	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		16	.99871159	.99999834	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
17	.99979877	.99999996	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
1	21	0	.00000048	.00000095	.00000143	.00000191	.00000238	.00000286	.00000334	.00000381	.00000429
		1	.00001049	.00002098	.00003147	.00004196	.00005245	.00006294	.00007343	.00008392	.00009441
		2	.00011063	.00022124	.00033184	.00044243	.00055301	.00066357	.00077413	.00088467	.00099520
		3	.00074482	.00148908	.00223280	.00297595	.00371855	.00446060	.00520210	.00594305	.00668344
		4	.00359869	.00718443	.01075726	.01431724	.01786441	.02139881	.02492049	.02842950	.03192588
		5	.01330185	.02660370	.03990555	.05320740	.06650925	.07981110	.09311295	.10641480	.11971665
		6	.03917694	.07835388	.11753082	.15668776	.19584470	.23499164	.27413858	.31328552	.35243246
		7	.09462357	.18924714	.28387071	.37849428	.47311785	.56774142	.66236499	.75698856	.85161213
		8	.19165516	.38331032	.57496548	.76662064	.95827580	.11498196	.13373712	.15249228	.17124744
		9	.33181190	.66362380	.99543570	.11824760	.13700276	.15575792	.17451308	.19326824	.21202340
		10	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804688
		11	.66818810	.88990086	.96346779	.98787818	.99597784	.99866540	.99955716	.99985306	.99995124
		12	.80834484	.96326830	.99296018	.99865078	.99974142	.99995044	.99999050	.99999818	.99999965
		13	.90537643	.99104638	.99915278	.99991983	.99999241	.99999928	.99999993	.99999999	1.00000000
		14	.96082306	.99846517	.99993987	.99999764	.99999991	1.00000000	1.00000000	1.00000000	1.00000000
		15	.98669815	.99982306	.99999765	.99999997	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		16	.99640131	.99998705	.99999995	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		17	.99925518	.99999945	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
18	.99988937	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
1	22	0	.00000024	.00000048	.00000072	.00000095	.00000119	.00000143	.00000167	.00000191	.00000215
		1	.00000548	.00001097	.00001645	.00002193	.00002742	.00003290	.00003838	.00004387	.00004935
		2	.00006056	.00012111	.00018166	.00024221	.00030275	.00036329	.00042383	.00048436	.00054489



Table 31: Sheet F. Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect single columns ( $k = 1$ ) in Bernoulli  $(m \times n)$ -matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli $(m \times n)$ -matrix								
			1	2	3	4	5	6	7	8	9
1	24	19	.99922806	.99999940	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		20	.99986142	.99999998	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	25	0	.00000003	.00000006	.00000009	.00000012	.00000015	.00000018	.00000021	.00000024	.00000027
		1	.00000077	.00000155	.00000232	.00000310	.00000387	.00000465	.00000542	.00000620	.00000697
		2	.00000972	.00001943	.00002915	.00003886	.00004858	.00005829	.00006801	.00007772	.00008744
		3	.00007826	.00015652	.00023476	.00031301	.00039124	.00046947	.00054770	.00062592	.00070413
		4	.00045526	.00091031	.00136516	.00181980	.00227423	.00272845	.00318247	.00363628	.00408989
		5	.00203866	.00407316	.00610351	.00812973	.01015181	.01216977	.01418362	.01619336	.01819901
		6	.00731665	.01457976	.02178974	.02894696	.03605181	.04310468	.05010595	.05705599	.06395518
		7	.02164263	.04281685	.06353280	.08380041	.10362938	.12302919	.14200914	.16057832	.17874560
		8	.05387607	.10484951	.15307671	.19870561	.24187620	.28272093	.32136511	.35792729	.39251965
		9	.11476147	.21635275	.30628526	.38589698	.45637235	.51875986	.57398769	.62287749	.66615662
		10	.21217811	.37933667	.51102784	.61477703	.69651291	.76090623	.81163670	.85160327	.88308980
		11	.34501898	.57099987	.71901306	.81595889	.87945656	.92104634	.94828685	.96612887	.97781505
		12	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804688
		13	.65498102	.88096190	.95892960	.98582993	.99511106	.99831322	.99941803	.99979921	.99993072
		14	.78782189	.95498045	.99044784	.99797324	.99956997	.99990876	.99998064	.99999589	.99999913
		15	.88523853	.98682980	.99848857	.99982655	.99998009	.99999772	.99999974	.99999997	1.00000000
		16	.94612393	.99709737	.99984362	.99999157	.99999955	.99999998	1.00000000	1.00000000	1.00000000
		17	.97835737	.99953160	.99998986	.99999978	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		18	.99268335	.99994647	.99999961	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		19	.99796134	.99999584	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		20	.99954474	.99999979	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
21	.99992174	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
1	26	0	.00000001	.00000003	.00000004	.00000006	.00000007	.00000009	.00000010	.00000012	.00000013
		1	.00000040	.00000080	.00000121	.00000161	.00000201	.00000241	.00000282	.00000322	.00000362
		2	.00000525	.00001049	.00001574	.00002098	.00002623	.00003147	.00003672	.00004196	.00004721
		3	.00004399	.00008797	.00013196	.00017594	.00021992	.00026390	.00030788	.00035185	.00039582
		4	.00026676	.00053345	.00080007	.00106662	.00133309	.00159950	.00186583	.00213209	.00239829
		5	.00124696	.00249236	.00373621	.00497851	.00621927	.00745847	.00869613	.00993224	.01116682
		6	.00467765	.00933334	.01396742	.01857974	.02317048	.02773975	.03228765	.03681427	.04131972
		7	.01447964	.02874961	.04281297	.05667269	.07033173	.08379298	.09705933	.11013358	.12301853
		8	.03775935	.07409293	.10905458	.14269610	.17506733	.20621625	.23618901	.26503002	.29278200
		9	.08431877	.16152789	.23222683	.29696452	.35624361	.41052436	.46022822	.50574111	.54741641
		10	.16346979	.30021721	.41461056	.51030405	.59035454	.65731920	.71333716	.76019787	.79939828
		11	.27859855	.47957994	.62456822	.72916296	.80461777	.85905097	.89831917	.92664730	.94708326
		12	.42250949	.66650471	.80740964	.88878089	.93577202	.96290895	.97858027	.98763031	.99285662
		13	.57749051	.82148573	.92457603	.96813266	.98653574	.99431122	.99759644	.99898447	.99957093
		14	.72140145	.92238285	.97837597	.99397558	.99832160	.99953240	.99986973	.99996371	.99998989
		15	.83653021	.97327763	.99563170	.99928591	.99988327	.99998092	.99999688	.99999949	.99999992
		16	.91568123	.99289034	.99940052	.99994945	.99999574	.99999964	.99999997	1.00000000	1.00000000
		17	.96224065	.99857423	.99994616	.99999797	.99999992	1.00000000	1.00000000	1.00000000	1.00000000
		18	.98552036	.99979034	.99999696	.99999996	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		19	.99532235	.99997812	.99999990	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		20	.99875304	.99999845	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
21	.99973324	.99999993	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
1	27	0	.00000001	.00000001	.00000002	.00000003	.00000004	.00000004	.00000005	.00000006	.00000007
		1	.00000021	.00000042	.00000063	.00000083	.00000104	.00000125	.00000146	.00000167	.00000188
		2	.00000282	.00000565	.00000847	.00001130	.00001412	.00001694	.00001977	.00002259	.00002541
		3	.00002462	.00004923	.00007385	.00009846	.00012308	.00014769	.00017230	.00019692	.00022153
		4	.00015537	.00031072	.00046605	.00062135	.00077663	.00093188	.00108711	.00124232	.00139750
		5	.00075686	.00151315	.00226886	.00302400	.00377857	.00453257	.00528600	.00603886	.00679115
		6	.00296231	.00591584	.00886062	.01179668	.01472404	.01764273	.02055277	.02345419	.02634702
		7	.00957865	.01906554	.02846156	.03776759	.04698447	.05611307	.06515422	.07410878	.08297756
		8	.02611949	.05155676	.07632961	.10045542	.12395107	.14683302	.16911731	.19081954	.21195493
		9	.06103906	.11835235	.17216730	.22269743	.27014325	.31469302	.35652351	.39580071	.43268047

Table 31: Sheet G. Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect single columns ( $k = 1$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			1	2	3	4	5	6	7	8	9
1	27	10	.12389428	.23243877	.32753522	.41084976	.48384210	.54779112	.60381721	.65290199	.69590545
		11	.22103417	.39321223	.52733306	.63180861	.71319149	.77658597	.82596810	.86443510	.89439957
		12	.35055402	.57821992	.72607662	.82210156	.88446457	.92496598	.95126946	.96835215	.97944643
		13	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804687
		14	.64944598	.87711188	.95692108	.98489851	.99470611	.99814421	.99934944	.99977194	.99992005
		15	.77896583	.95114390	.98920113	.99761308	.99947241	.99988338	.99997422	.99999430	.99999874
		16	.87610572	.98465021	.99809825	.99976438	.99997081	.99999638	.99999955	.99999994	.99999999
		17	.93896094	.99627423	.99977258	.99998612	.99999915	.99999995	1.00000000	1.00000000	1.00000000
		18	.97388051	.99931777	.99998218	.99999953	.99999999	1.00000000	1.00000000	1.00000000	1.00000000
		19	.99042135	.99990825	.99999912	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		20	.99703769	.99999122	.99999997	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		21	.99924314	.99999943	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		22	.99984463	.99999998	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	28	0	.00000000	.00000001	.00000001	.00000001	.00000002	.00000002	.00000003	.00000003	.00000003
		1	.00000011	.00000022	.00000032	.00000043	.00000054	.00000065	.00000076	.00000086	.00000097
		2	.00000152	.00000303	.00000455	.00000606	.00000758	.00000910	.00001061	.00001213	.00001365
		3	.00001372	.00002744	.00004116	.00005488	.00006860	.00008232	.00009604	.00010976	.00012348
		4	.00009000	.00017998	.00026996	.00035993	.00044990	.00053985	.00062980	.00071974	.00080967
		5	.00045612	.00091203	.00136773	.00182322	.00227851	.00273358	.00318845	.00364312	.00409757
		6	.00185958	.00371571	.00556838	.00741761	.00926340	.01110576	.01294469	.01478020	.01661230
		7	.00627048	.01250163	.01869372	.02484697	.03096165	.03703798	.04307621	.04907658	.05503932
		8	.01784907	.03537955	.05259713	.06950739	.08611581	.10242779	.11844862	.13418349	.14963751
		9	.04357928	.08525940	.12512313	.16324963	.19971461	.23459047	.26794646	.29984883	.33036091
		10	.09246667	.17638326	.25254036	.32165546	.38437972	.44130408	.49296483	.53984869	.58239735
		11	.17246423	.31518454	.43329071	.53102779	.61190872	.67884058	.73422909	.78006506	.81799597
		12	.28579409	.48990992	.63569066	.73980811	.81416942	.86727870	.90520966	.93230018	.95164839
		13	.42527701	.66969348	.81016525	.89089761	.93729635	.96396277	.97928857	.98809667	.99315888
		14	.57472299	.81913947	.92308417	.96728947	.98608896	.99408396	.99748404	.99893002	.99954496
		15	.71420591	.91832174	.97665683	.99332866	.99809337	.99945510	.99984427	.99995549	.99998728
		16	.82753577	.97025609	.99487024	.99911530	.99984742	.99997369	.99999546	.99999922	.99999987
		17	.90753333	.99144991	.99920940	.99992690	.99999324	.99999937	.99999994	.99999999	1.00000000
		18	.95642072	.99810085	.99991724	.99999639	.99999984	.99999999	1.00000000	1.00000000	1.00000000
		19	.98215093	.99968141	.99999431	.99999990	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		20	.99372952	.99996068	.99999975	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		21	.99814042	.99999654	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		22	.99954388	.99999979	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		23	.99991000	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	29	0	.00000000	.00000000	.00000001	.00000001	.00000001	.00000001	.00000001	.00000001	.00000002
		1	.00000006	.00000011	.00000017	.00000022	.00000028	.00000034	.00000039	.00000045	.00000050
		2	.00000081	.00000162	.00000244	.00000325	.00000406	.00000487	.00000568	.00000650	.00000731
		3	.00000762	.00001524	.00002285	.00003047	.00003809	.00004571	.00005333	.00006094	.00006856
		4	.00005186	.00010371	.00015557	.00020742	.00025926	.00031111	.00036295	.00041479	.00046662
		5	.00027306	.00054604	.00081895	.00109178	.00136454	.00163722	.00190983	.00218236	.00245482
		6	.00115785	.00231436	.00346953	.00462336	.00577586	.00692702	.00807685	.00922535	.01037252
		7	.00406503	.00811353	.01214558	.01616124	.02016057	.02414365	.02811053	.03206129	.03599599
		8	.01205977	.02397411	.03574476	.04737346	.05886191	.07021183	.08142486	.09250267	.10344688
		9	.03071417	.06048499	.08934141	.11731154	.14442258	.17070094	.19617217	.22086108	.24479169
		10	.06802297	.13141882	.19050230	.24556674	.29688553	.34471347	.38928801	.43083045	.46954706
		11	.13246545	.24738380	.34707944	.43356886	.50860141	.57369475	.63016546	.67915576	.72165654
		12	.22912916	.40575815	.54191628	.64687662	.72778748	.79015931	.83823993	.87530388	.90387540
		13	.35553555	.58466558	.73233173	.82749732	.88882815	.92835370	.95382650	.97024282	.98082256
		14	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804688
		15	.64446445	.87359447	.95505834	.98402164	.99431913	.99798025	.99928191	.99974469	.99990923
		16	.77087084	.94749983	.98797068	.99724373	.99936846	.99985530	.99996684	.99999240	.99999826
		17	.86753455	.98245291	.99767562	.99969210	.99995921	.99999460	.99999928	.99999991	.99999999
		18	.93197703	.99537288	.99968525	.99997859	.99999854	.99999990	.99999999	1.00000000	1.00000000













Table 31: Sheet M. Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect single columns ( $k = 1$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix										
			1	2	3	4	5	6	7	8	9		
1	39	22	.83160818	.97164420	.99522511	.99919595	.99986460	.99997720	.99999616	.99999935	.99999989		
		23	.90020457	.99004087	.99900612	.99990082	.99999010	.99999901	.99999990	.99999999	1.00000000		
		24	.94593549	.99707703	.99984197	.99999146	.99999954	.99999998	1.00000000	1.00000000	1.00000000		
		25	.97337404	.99929106	.99998112	.99999950	.99999999	1.00000000	1.00000000	1.00000000	1.00000000		
		26	.98814865	.99985955	.99999834	.99999998	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		27	.99526235	.99997755	.99999989	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		28	.99831108	.99999715	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		29	.99946749	.99999972	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		30	.99985296	.99999998	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		1	40	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
				1	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
2	.00000000			.00000000	.00000000	.00000000	.00000000	.00000000	.00000001	.00000001	.00000001		
3	.00000001			.00000002	.00000003	.00000004	.00000005	.00000006	.00000007	.00000008	.00000009		
4	.00000009			.00000019	.00000028	.00000037	.00000046	.00000056	.00000065	.00000074	.00000084		
5	.00000069			.00000138	.00000207	.00000277	.00000346	.00000415	.00000484	.00000553	.00000622		
6	.00000418			.00000836	.00001255	.00001673	.00002091	.00002509	.00002928	.00003346	.00003764		
7	.00002114			.00004228	.00006341	.00008455	.00010569	.00012682	.00014796	.00016910	.00019023		
8	.00009108			.00018216	.00027322	.00036428	.00045533	.00054637	.00063741	.00072843	.00081945		
9	.00033977			.00067943	.00101898	.00135840	.00169772	.00203691	.00237600	.00271496	.00305381		
10	.00111072			.00222020	.00332845	.00443547	.00554126	.00664582	.00774916	.00885127	.00995215		
11	.00321329			.00641625	.00960892	.01279133	.01596352	.01912551	.02227734	.02541905	.02855066		
12	.00829450			.01652020	.02467768	.03276749	.04079020	.04874637	.05663655	.06446128	.07222110		
13	.01923865			.03810718	.05661271	.07476221	.09256254	.11002041	.12714242	.14393503	.16040457		
14	.04034523			.07906273	.11621816	.15187454	.18609236	.21892966	.25044212	.28068321	.30970422		
15	.07692997			.14794172	.21349054	.27399669	.32984811	.38140287	.42899153	.47291920	.51346751		
16	.13409363			.25020615	.35074873	.43780918	.51319539	.57847278	.63499690	.68394149	.72632292		
17	.21479525			.38345351	.51588477	.61987042	.70152045	.76563244	.81597348	.85550150	.88653909		
18	.31791400			.53475869	.68266542	.78355052	.85236284	.89929876	.93131310	.95314962	.96804401		
19	.43731466			.68338520	.82184549	.89975507	.94359365	.96826097	.98214091	.98995095	.99434555		
20	.56268534			.80875589	.91636615	.96342569	.98400552	.99300538	.99694115	.99866232	.99941501		
21	.68208600	.89893069	.96786865	.98978499	.99675251	.99896758	.99967178	.99989565	.99996683				
22	.78520475	.95386300	.99008999	.99787138	.99954278	.99990179	.99997891	.99999547	.99999903				
23	.86590637	.98201890	.99758885	.99967668	.99995664	.99999419	.99999922	.99999990	.99999999				
24	.92307003	.99408178	.99954471	.99996497	.99999731	.99999979	.99999998	1.00000000	1.00000000				
25	.95965477	.99837226	.99993433	.99999735	.99999989	1.00000000	1.00000000	1.00000000	1.00000000				
26	.98076135	.99962987	.99999288	.99999986	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000				
27	.99170550	.99993120	.99999943	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000				
28	.99678671	.99998967	.99999997	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000				
29	.99888928	.99999877	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000				
30	.99966023	.99999988	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000				
31	.99990892	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000				
1	41	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000			
		1	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000		
		2	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000		
		3	.00000001	.00000001	.00000002	.00000002	.00000003	.00000003	.00000004	.00000004	.00000005		
		4	.00000005	.00000010	.00000015	.00000021	.00000026	.00000031	.00000036	.00000041	.00000046		
		5	.00000039	.00000078	.00000118	.00000157	.00000196	.00000235	.00000274	.00000314	.00000353		
		6	.00000244	.00000487	.00000731	.00000975	.00001218	.00001462	.00001706	.00001949	.00002193		
		7	.00001266	.00002532	.00003798	.00005064	.00006330	.00007596	.00008862	.00010128	.00011394		
		8	.00005611	.00011222	.00016832	.00022442	.00028052	.00033662	.00039271	.00044880	.00050488		
		9	.00021543	.00043081	.00064615	.00086144	.00107668	.00129188	.00150703	.00172213	.00193719		
		10	.00072525	.00144997	.00217416	.00289783	.00362097	.00434359	.00506569	.00578726	.00650831		
		11	.00216200	.00431933	.00647199	.00862000	.01076337	.01290210	.01503621	.01716571	.01929060		
		12	.00575389	.01147468	.01716255	.02281770	.02844030	.03403055	.03958864	.04511475	.05060906		
		13	.01376658	.02734364	.04073379	.05393960	.06696361	.07980833	.09247622	.10496972	.11729122		
		14	.02979194	.05869633	.08673959	.11394740	.14034463	.16595543	.19080324	.21491079	.23830012		

Table 31: Sheet N. Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect single columns ( $k = 1$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix										
			1	2	3	4	5	6	7	8	9		
1	41	15	.05863760	.11383684	.16579932	.21471485	.26076209	.30410923	.34491459	.38332723	.41948745		
		16	.10551180	.19989086	.28431181	.35982536	.42737134	.48779042	.54183457	.59017643	.63341765		
		17	.17444444	.31845802	.43734923	.53550053	.61652988	.68342411	.73864901	.78424024	.82187833		
		18	.26635463	.46176447	.60512599	.71030251	.78746478	.84407452	.88560599	.91607537	.93842908		
		19	.37761433	.61263608	.75891024	.84994919	.90661053	.94187573	.96382429	.97748475	.98598683		
		20	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804687		
		21	.62238567	.85740742	.94615500	.97966736	.99232210	.99710072	.99890519	.99958658	.99984389		
		22	.73364537	.92905521	.98110353	.99496684	.99865939	.99964292	.99990489	.99997467	.99999325		
		23	.82555556	.96956914	.99469151	.99907396	.99983846	.99997182	.99999508	.99999914	.99999985		
		24	.89448820	.98886726	.99882536	.99987606	.99998692	.99999862	.99999985	.99999998	1.00000000		
		25	.94136240	.99656163	.99979838	.99998818	.99999931	.99999996	1.00000000	1.00000000	1.00000000		
		26	.97020806	.99911244	.99997356	.99999921	.99999998	1.00000000	1.00000000	1.00000000	1.00000000		
		27	.98623342	.99981048	.99999739	.99999996	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		28	.99424611	.99996689	.99999981	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		29	.99783800	.99999533	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		30	.99927475	.99999947	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		31	.99978457	.99999995	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		32	.99994389	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		1	42	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
				1	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
				2	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
				3	.00000000	.00000001	.00000001	.00000001	.00000001	.00000002	.00000002	.00000002	.00000003
				4	.00000003	.00000006	.00000008	.00000011	.00000014	.00000017	.00000020	.00000023	.00000025
				5	.00000022	.00000044	.00000067	.00000089	.00000111	.00000133	.00000155	.00000177	.00000200
				6	.00000141	.00000283	.00000424	.00000566	.00000707	.00000849	.00000990	.00001132	.00001273
				7	.00000755	.00001510	.00002265	.00003019	.00003774	.00004529	.00005284	.00006039	.00006794
				8	.00003439	.00006877	.00010315	.00013754	.00017192	.00020630	.00024067	.00027505	.00030943
				9	.00013577	.00027152	.00040725	.00054297	.00067866	.00081434	.00095000	.00108564	.00122126
				10	.00047034	.00094045	.00141035	.00188002	.00234947	.00281871	.00328772	.00375651	.00422508
				11	.00144362	.00288516	.00432462	.00576200	.00719731	.00863054	.01006171	.01149081	.01291784
				12	.00395795	.00790023	.01182691	.01573805	.01963371	.02351395	.02737883	.03122841	.03506276
				13	.00976024	.01942521	.02899585	.03847308	.04785781	.05715095	.06635337	.07546599	.08448966
14	.02177926			.04308419	.06392510	.08431212	.10425513	.12376379	.14284757	.16151571	.17977728		
15	.04421477			.08647460	.12686592	.16547135	.20236984	.23763688	.27134459	.30356192	.33435478		
16	.08207470			.15741315	.22656821	.29004739	.34831654	.40180327	.45090008	.49596729	.53733563		
17	.13997812			.26036236	.36389545	.45293617	.52951313	.59537100	.65201021	.70072116	.74261365		
18	.22039953			.39222311	.52617686	.63060726	.71202124	.77549163	.82497317	.86354900	.89362274		
19	.32198448			.54029495	.68831284	.78867127	.85671584	.90285112	.93413155	.95534017	.96971994		
20	.43880716			.68506260	.82325939	.90081443	.94433777	.96876276	.98246988	.99016222	.99447911		
21	.56119284			.80744827	.91550692	.96292383	.98373071	.99286092	.99686732	.99862536	.99939680		
22	.67801552			.89632600	.96661858	.98925170	.99653921	.99888568	.99964121	.99988447	.99996280		
23	.77960047			.95142405	.98929388	.99764038	.99947994	.99988538	.99997474	.99999443	.99999877		
24	.86002188			.98040613	.99725729	.99961608	.99994626	.99999248	.99999895	.99999985	.99999998		
25	.91792530			.99326374	.99944712	.99995462	.99999628	.99999969	.99999997	1.00000000	1.00000000		
26	.95578523			.99804505	.99991356	.99999618	.99999983	.99999999	1.00000000	1.00000000	1.00000000		
27	.97822074			.99952566	.99998967	.99999978	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
28	.99023976			.99990474	.99999907	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
29	.99604205			.99998433	.99999994	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
30	.99855638			.99999792	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
31	.99952966			.99999978	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
32	.99986423	.99999998	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000				
1	43	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000			
		1	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000			
		2	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000			
		3	.00000000	.00000000	.00000000	.00000001	.00000001	.00000001	.00000001	.00000001			
		4	.00000002	.00000003	.00000005	.00000006	.00000008	.00000009	.00000011	.00000012			

Table 31: Sheet O. Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect single columns ( $k = 1$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			1	2	3	4	5	6	7	8	9
1	43	5	.00000012	.00000025	.00000037	.00000050	.00000062	.00000075	.00000087	.00000100	.00000112
		6	.00000082	.00000164	.00000245	.00000327	.00000409	.00000491	.00000573	.00000654	.00000736
		7	.00000448	.00000896	.00001344	.00001793	.00002241	.00002689	.00003137	.00003585	.00004033
		8	.00002097	.00004193	.00006290	.00008387	.00010483	.00012580	.00014676	.00016772	.00018869
		9	.00008508	.00017015	.00025521	.00034027	.00042532	.00051036	.00059539	.00068042	.00076544
		10	.00030305	.00060601	.00090888	.00121166	.00151435	.00181694	.00211945	.00242186	.00272418
		11	.00095698	.00191305	.00286819	.00382243	.00477575	.00572816	.00667966	.00763025	.00857993
		12	.00270079	.00539428	.00808050	.01075946	.01343119	.01609570	.01875301	.02140315	.02404613
		13	.00685909	.01367114	.02043646	.02715538	.03382821	.04045527	.04703687	.05357334	.06006497
		14	.01576975	.03129081	.04656711	.06160251	.07640080	.09096573	.10530097	.11941015	.13329683
		15	.03299702	.06490523	.09576057	.12559777	.15445044	.18235105	.20933103	.23542075	.26064958
		16	.06314474	.12230222	.17772421	.22964660	.27829036	.32386253	.36655705	.40655564	.44402853
		17	.11102641	.20972596	.29746725	.37546694	.44480660	.50644773	.56124507	.60995845	.65326336
		18	.18018883	.32790964	.44901281	.54829455	.62968682	.69641312	.75111608	.79596218	.83272752
		19	.27119201	.46883891	.61288555	.71786789	.79437987	.85014240	.89078258	.92040147	.94198796
		20	.38039582	.61609066	.76212817	.85261362	.90867878	.94341699	.96494093	.97827725	.98540500
		21	.50000000	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804688
		22	.61960418	.85529902	.94495635	.97906163	.99203513	.99697020	.99884748	.99956158	.99983323
		23	.72880799	.92645490	.98005516	.99459112	.99853315	.99960220	.99989212	.99997074	.99999207
		24	.81981117	.96753199	.99414963	.99894583	.99981005	.99996577	.99999383	.99999889	.99999980
		25	.88897359	.98767314	.99863139	.99984805	.99998313	.99999813	.99999979	.99999998	1.00000000
		26	.93685526	.99601274	.99974823	.99998410	.99999900	.99999994	1.00000000	1.00000000	1.00000000
		27	.96700298	.99891120	.99996407	.99999881	.99999996	1.00000000	1.00000000	1.00000000	1.00000000
		28	.98423025	.99975132	.99999608	.99999994	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		29	.99314091	.99995295	.99999968	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		30	.99729921	.99999271	.99999998	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		31	.99904302	.99999908	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		32	.99969695	.99999991	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		33	.99991492	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	44	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
		1	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
		2	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
		3	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000001	.00000001	.00000001
		4	.00000001	.00000002	.00000003	.00000003	.00000004	.00000005	.00000006	.00000007	.00000008
		5	.00000007	.00000014	.00000021	.00000028	.00000035	.00000042	.00000049	.00000056	.00000063
		6	.00000047	.00000094	.00000141	.00000189	.00000236	.00000283	.00000330	.00000377	.00000424
		7	.00000265	.00000530	.00000795	.00001060	.00001325	.00001590	.00001855	.00002120	.00002385
		8	.00001272	.00002545	.00003817	.00005090	.00006362	.00007634	.00008907	.00010179	.00011451
		9	.00005302	.00010604	.00015906	.00021207	.00026508	.00031809	.00037110	.00042410	.00047710
		10	.00019407	.00038809	.00058208	.00077604	.00096995	.00116383	.00135767	.00155147	.00174523
		11	.00063002	.00125964	.00188886	.00251769	.00314612	.00377415	.00440179	.00502904	.00565588
		12	.00182888	.00365442	.00547662	.00729549	.00911103	.01092325	.01273216	.01453775	.01634005
		13	.00477994	.00953703	.01427138	.01898311	.02367231	.02833910	.03298358	.03760586	.04220604
		14	.01131442	.02250083	.03356066	.04449536	.05530634	.06599501	.07656273	.08701089	.09734083
		15	.02438338	.04817222	.07138100	.09402387	.11611463	.13766675	.15869335	.17920725	.19922096
		16	.04807088	.09383095	.13739129	.17885764	.21833068	.25590621	.29167545	.32572523	.35813821
		17	.08708557	.16658725	.23916548	.30542319	.36591081	.42113083	.47154198	.51756305	.55957635
		18	.14560762	.27001366	.37630523	.46711994	.54471134	.61100483	.66764549	.71603884	.75738575
		19	.22569042	.40044467	.53575856	.64053340	.72166157	.78447989	.83312071	.87078377	.89994663
		20	.32579391	.54544615	.69353703	.79338080	.86069608	.90608045	.93667887	.95730851	.97121714
		21	.44019791	.68662162	.82457013	.90179399	.94502407	.96922436	.98277173	.99035558	.99460103
		22	.55980209	.80622580	.91470100	.96245156	.98347125	.99272408	.99679716	.99859011	.99937937
		23	.67420609	.89385833	.96541969	.98873395	.99632959	.99880420	.99961042	.99987308	.99995865
		24	.77430958	.94906384	.98850420	.99740551	.99941445	.99986785	.99997017	.99999327	.99999848
		25	.85439238	.97879842	.99691289	.99955049	.99993455	.99999047	.99999861	.99999980	.99999997
		26	.91291443	.99241610	.99933955	.99994248	.99999499	.99999956	.99999996	1.00000000	1.00000000

Table 31: Sheet P. Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect single columns ( $k = 1$ ) in Bernoulli  $(m \times n)$ -matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli $(m \times n)$ -matrix										
			1	2	3	4	5	6	7	8	9		
1	44	27	.95192912	.99768919	.99988892	.99999466	.99999974	.99999999	1.00000000	1.00000000	1.00000000		
		28	.97561662	.99940545	.99998550	.99999965	.99999999	1.00000000	1.00000000	1.00000000	1.00000000		
		29	.98868558	.99987198	.99999855	.99999998	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		30	.99522006	.99997715	.99999989	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		31	.99817112	.99999666	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		32	.99936998	.99999960	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		33	.99980593	.99999996	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		34	.99994698	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		1	45	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
				1	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
2	.00000000			.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000		
3	.00000000			.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000		
4	.00000000			.00000001	.00000001	.00000002	.00000002	.00000003	.00000003	.00000004	.00000004		
5	.00000004			.00000008	.00000012	.00000016	.00000020	.00000024	.00000028	.00000032	.00000035		
6	.00000027			.00000054	.00000081	.00000108	.00000135	.00000163	.00000190	.00000217	.00000244		
7	.00000156			.00000312	.00000468	.00000624	.00000780	.00000936	.00001092	.00001249	.00001405		
8	.00000769			.00001537	.00002306	.00003075	.00003843	.00004612	.00005381	.00006149	.00006918		
9	.00003287			.00006575	.00009862	.00013149	.00016436	.00019722	.00023009	.00026296	.00029582		
10	.00012354			.00024707	.00037059	.00049408	.00061757	.00074103	.00086449	.00098792	.00111135		
11	.00041204			.00082391	.00123561	.00164715	.00205851	.00246970	.00288073	.00329158	.00370226		
12	.00122945			.00245739	.00368382	.00490874	.00613215	.00735406	.00857447	.00979338	.01101079		
13	.00330441			.00659790	.00988051	.01315228	.01641323	.01966340	.02290284	.02613157	.02934963		
14	.00804718			.01602960	.02394779	.03180226	.03959352	.04732208	.05498845	.06259313	.07013661		
15	.01784890			.03537922	.05259664	.06950675	.08611503	.10242688	.11844757	.13418231	.14963621		
16	.03622713			.07114186	.10479172	.13722255	.16847850	.19860214	.22763448	.25561507	.28258200		
17	.06757823			.13058963	.18934284	.24412562	.29520627	.34283498	.38724502	.42865392	.46726447		
18	.11634660			.21915666	.31000513	.39028368	.46122210	.52390707	.57929887	.62824601	.67149832		
19	.18564902			.33683248	.45994888	.56020884	.64185563	.70834478	.76249029	.80658373	.84249127		
20	.27574216			.47545059	.62009098	.72484791	.80071895	.85566914	.89546724	.92429133	.94516740		
21	.38299591			.61930596	.76511022	.85507204	.91057886	.94482679	.96595790	.97899589	.98704038		
22	.50000000			.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804687		
23	.61700409			.85331413	.94381991	.97848326	.99175917	.99684380	.99879119	.99953703	.99982268		
24	.72425784			.92396626	.97903429	.99421887	.99840590	.99956044	.99987879	.99996658	.99999078		
25	.81435098			.96553444	.99360150	.99881213	.99977947	.99995906	.99999240	.99999859	.99999974		
26	.88365340			.98646347	.99842507	.99981676	.99997868	.99999752	.99999971	.99999997	1.00000000		
27	.93242177			.99543318	.99969138	.99997914	.99999859	.99999990	.99999999	1.00000000	1.00000000		
28	.96377287			.99868760	.99995246	.99999828	.99999994	1.00000000	1.00000000	1.00000000	1.00000000		
29	.98215110			.99968142	.99999431	.99999990	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
30	.99195282			.99993524	.99999948	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
31	.99669559			.99998908	.99999996	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
32	.99877055			.99999849	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
33	.99958796			.99999983	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
34	.99987646	.99999998	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000				
1	46	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000		
		1	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000		
		2	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000		
		3	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000		
		4	.00000000	.00000001	.00000001	.00000001	.00000001	.00000002	.00000002	.00000002	.00000002		
		5	.00000002	.00000004	.00000007	.00000009	.00000011	.00000013	.00000015	.00000018	.00000020		
		6	.00000016	.00000031	.00000047	.00000062	.00000078	.00000093	.00000109	.00000124	.00000140		
		7	.00000092	.00000183	.00000275	.00000366	.00000458	.00000549	.00000641	.00000733	.00000824		
		8	.00000462	.00000925	.00001387	.00001850	.00002312	.00002774	.00003237	.00003699	.00004161		
		9	.00002028	.00004056	.00006084	.00008112	.00010140	.00012167	.00014195	.00016223	.00018251		
		10	.00007821	.00015641	.00023461	.00031280	.00039098	.00046916	.00054733	.00062550	.00070366		
		11	.00026779	.00053551	.00080316	.00107074	.00133825	.00160568	.00187304	.00214033	.00240755		
		12	.00082075	.00164082	.00246022	.00327894	.00409700	.00491438	.00573109	.00654713	.00736251		







Table 31: Sheet S. Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect single columns ( $k = 1$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			10	11	12	13	14	15	16	17	18
1	1	0	.99902344	.99951172	.99975586	.99987793	.99993896	.99996948	.99998474	.99999237	.99999619
1	2	0	.94368649	.95776486	.96832365	.97624274	.98218205	.98663654	.98997740	.99248305	.99436229
		1	.99999905	.99999976	.99999994	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	3	0	.73692442	.76980887	.79858276	.82375992	.84578993	.86506619	.88193291	.89669130	.90960489
		1	.99902344	.99951172	.99975586	.99987793	.99993896	.99996948	.99998474	.99999237	.99999619
		2	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	4	0	.47553952	.50831830	.53904841	.56785788	.59486677	.62018759	.64392587	.66618050	.68704422
		1	.97641005	.98378191	.98885006	.99233442	.99472991	.99637681	.99750906	.99828748	.99882264
		2	.99999112	.99999722	.99999913	.99999973	.99999992	.99999997	.99999999	1.00000000	1.00000000
		3	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	5	0	.27202384	.29477310	.31681144	.33816108	.35884355	.37887969	.39828970	.41709314	.43530898
		1	.87461843	.89812748	.91722857	.93274822	.94535793	.95560331	.96392769	.97069125	.97618664
		2	.99902344	.99951172	.99975586	.99987793	.99993896	.99996948	.99998474	.99999237	.99999619
		3	.99999995	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		4	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	6	0	.14570915	.15905744	.17219717	.18513159	.19786391	.21039729	.22273483	.23487960	.24683460
		1	.68598614	.72033141	.75092016	.77816327	.80242666	.82403624	.84328228	.86042328	.87568948
		2	.98518529	.99027785	.99361984	.99581302	.99725229	.99819682	.99881666	.99922343	.99949038
		3	.99997696	.99999208	.99999728	.99999906	.99999968	.99999989	.99999996	.99999999	1.00000000
		4	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		5	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	7	0	.07543486	.08265803	.08982476	.09693551	.10399070	.11099077	.11793616	.12482728	.13166457
		1	.47553952	.50831830	.53904841	.56785788	.59486677	.62018759	.64392587	.66618050	.68704422
		2	.92339586	.94075148	.95417498	.96455721	.97258722	.97879792	.98360152	.98731680	.99019034
		3	.99902344	.99951172	.99975586	.99987793	.99993896	.99996948	.99998474	.99999237	.99999619
		4	.99999964	.99999992	.99999998	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		5	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		6	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	8	0	.03838296	.04213927	.04588092	.04960795	.05332042	.05701838	.06070190	.06437104	.06802584
		1	.30085078	.32543024	.34914558	.37202719	.39410435	.41540537	.43595753	.45578715	.47491963
		2	.79008596	.82042510	.84637928	.86858228	.88757624	.90382499	.91772528	.92961655	.93978916
		3	.98904843	.99302693	.99556012	.99717304	.99820002	.99885392	.99927027	.99953537	.99970416
		4	.99995997	.99998546	.99999472	.99999808	.99999930	.99999975	.99999991	.99999997	.99999999
		5	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		6	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		7	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	9	0	.01936048	.02127579	.02318736	.02509520	.02699931	.02889970	.03079638	.03268936	.03457864
		1	.17901058	.19504553	.21076729	.22618200	.24129563	.25611407	.27064310	.28488835	.29885537
		2	.60991472	.64496145	.67685944	.70589160	.73231540	.75636519	.77825426	.79817673	.81630929
		3	.94655168	.96012255	.97024768	.97780198	.98343820	.98764334	.99078077	.99312159	.99486806
		4	.99902344	.99951172	.99975586	.99987793	.99993896	.99996948	.99998474	.99999237	.99999619
		5	.99999889	.99999972	.99999993	.99999998	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		6	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		7	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		8	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	10	0	.00972282	.01068989	.01165601	.01262119	.01358543	.01454872	.01551108	.01647249	.01743297
		1	.10237511	.11201756	.12155644	.13099284	.14032788	.14956264	.15869820	.16773562	.17667596
		2	.43015859	.46132179	.49078076	.51862868	.54495368	.56983902	.59336345	.61560139	.63662319
		3	.84830930	.87438114	.89597188	.91385171	.92865845	.94092028	.95107461	.95948366	.96644740
		4	.99118531	.99450803	.99657825	.99786809	.99867172	.99917242	.99948438	.99967874	.99979984
		5	.99994207	.99997816	.99999177	.99999690	.99999883	.99999956	.99999983	.99999994	.99999998
		6	.99999998	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		7	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		8	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		9	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	11	0	.00487210	.00535800	.00584366	.00632909	.00681428	.00729924	.00778395	.00826844	.00875268

Table 31: Sheet T. Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect single columns ( $k = 1$ ) in Bernoulli  $(m \times n)$ -matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli $(m \times n)$ -matrix								
			10	11	12	13	14	15	16	17	18
1	11	1	.05707269	.06259766	.06809025	.07355066	.07897907	.08437568	.08974066	.09507422	.10037651
		2	.28295695	.30641490	.32910543	.35105364	.37228382	.39281945	.41268327	.43189725	.45048264
		3	.69949001	.73353215	.76371797	.79048429	.81421849	.83526405	.85392555	.87047304	.88514602
		4	.95955279	.97065207	.97870556	.98454905	.98878901	.99186546	.99409769	.99571737	.99689258
		5	.99902344	.99951172	.99975586	.99987793	.99993896	.99996948	.99998474	.99999237	.99999619
		6	.99999758	.99999934	.99999982	.99999995	.99999999	1.00000000	1.00000000	1.00000000	1.00000000
		7	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		8	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		9	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		10	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	12	0	.00243873	.00268227	.00292576	.00316918	.00341255	.00365586	.00389911	.00414229	.00438542
		1	.03128880	.03436333	.03742809	.04048313	.04352847	.04656415	.04959019	.05260663	.05561349
		2	.17696399	.19283797	.20840580	.22367336	.23864646	.25333077	.26773186	.28185519	.29570613
		3	.53139546	.56560268	.59731283	.62670821	.65395778	.67921819	.70263463	.72434172	.74446424
		4	.88407657	.90654806	.92466350	.93926730	.95104019	.96053094	.96818192	.97434978	.97932202
		5	.99253314	.99542436	.99719608	.99828178	.99894709	.99935478	.99960461	.99975771	.99985153
		6	.99992424	.99997067	.99998864	.99999560	.99999830	.99999934	.99999974	.99999990	.99999996
		7	.99999993	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		8	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		9	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		10	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		11	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	13	0	.00122003	.00134195	.00146386	.00158575	.00170763	.00182949	.00195134	.00207317	.00219499
		1	.01695901	.01863901	.02031614	.02199041	.02366181	.02533036	.02699605	.02865890	.03031891
		2	.10679581	.11682691	.12674536	.13655242	.14624934	.15583736	.16531770	.17469157	.18396017
		3	.37650262	.40527240	.43271466	.45889067	.48385885	.50767493	.53039208	.55206100	.57273006
		4	.76117910	.79304327	.82065603	.84458461	.86532057	.88328989	.89886168	.91235585	.92404958
		5	.96768854	.97707590	.98373598	.98846112	.99181348	.99419189	.99587930	.99707648	.99792584
		6	.99902344	.99951172	.99975586	.99987793	.99993896	.99996948	.99998474	.99999237	.99999619
		7	.99999572	.99999876	.99999964	.99999989	.99999997	.99999999	1.00000000	1.00000000	1.00000000
		8	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		9	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		10	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		11	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		12	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	14	0	.00061018	.00067118	.00073218	.00079317	.00085415	.00091514	.00097612	.00103709	.00109806
		1	.00911765	.01002483	.01093118	.01183670	.01274139	.01364525	.01454828	.01545049	.01635187
		2	.06284582	.06890895	.07493285	.08091778	.08686399	.09277173	.09864125	.10447280	.11026661
		3	.25252935	.27397168	.29479891	.31502868	.33467813	.35376390	.37230216	.39030863	.40779856
		4	.60965305	.64469946	.67659931	.70563510	.73206398	.75612000	.77801621	.79794652	.81608743
		5	.90765797	.92723218	.94265715	.95481240	.96439105	.97193926	.97788744	.98257475	.98626847
		6	.99345875	.99604427	.99760783	.99855337	.99912517	.99947096	.99968007	.99980653	.99988300
		7	.99990692	.99996321	.99998546	.99999425	.99999773	.99999910	.99999965	.99999986	.99999994
		8	.99999982	.99999996	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		9	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		10	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		11	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		12	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		13	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1	15	0	.00030513	.00033564	.00036615	.00039666	.00042716	.00045767	.00048817	.00051867	.00054917
		1	.00487210	.00535800	.00584366	.00632909	.00681428	.00729924	.00778395	.00826844	.00875268
		2	.03631868	.03987719	.04342257	.04695485	.05047409	.05398034	.05747363	.06095403	.06442158
		3	.16250882	.17723035	.19169309	.20590161	.21986038	.23357377	.24704610	.26028162	.27328448
		4	.45698319	.48914858	.51940867	.54787632	.57465769	.59985268	.62355525	.64585382	.66683153
		5	.80515185	.83455032	.85951319	.88070968	.89870808	.91399089	.92696785	.93798686	.94734334
		6	.97317951	.98132273	.98699351	.99094253	.99369256	.99560762	.99694123	.99786993	.99851666



Table 31: Sheet V. Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect single columns ( $k = 1$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix									
			10	11	12	13	14	15	16	17	18	
1	19	1	.00038140	.00041954	.00045767	.00049580	.00053393	.00057205	.00061018	.00064830	.00068642	
		2	.00363707	.00400005	.00436289	.00472561	.00508819	.00545064	.00581296	.00617514	.00653720	
		3	.02190625	.02407031	.02622958	.02838407	.03053379	.03267876	.03481898	.03695447	.03908523	
		4	.09200678	.10072843	.10936630	.11792120	.12639393	.13478527	.14309601	.15132692	.15947877	
		5	.27602713	.29903792	.32131734	.34288863	.36377430	.38399613	.40357523	.42253203	.44088631	
		6	.58201333	.61692953	.64892903	.67825547	.70513216	.72976372	.75233770	.77302598	.79198609	
		7	.86195025	.88674974	.90709421	.92378397	.93747555	.94870755	.95792181	.96548081	.97168190	
		8	.98001368	.98648531	.99086141	.99382051	.99582145	.99717448	.99808939	.99870805	.99912639	
		9	.99902344	.99951172	.99975586	.99987793	.99993896	.99996948	.99998474	.99999237	.99999619	
		10	.99998733	.99999590	.99999867	.99999957	.99999986	.99999995	.99999999	1.00000000	1.00000000	
		11	.99999996	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
		12	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
		13	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
		14	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
		15	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
		16	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
1	20	0	.00000954	.00001049	.00001144	.00001240	.00001335	.00001431	.00001526	.00001621	.00001717	
		1	.00020025	.00022028	.00024030	.00026032	.00028034	.00030037	.00032039	.00034041	.00036043	
		2	.00201043	.00221125	.00241203	.00261277	.00281347	.00301413	.00321475	.00341533	.00361587	
		3	.01280970	.01408161	.01535188	.01662051	.01788751	.01915288	.02041662	.02167872	.02293921	
		4	.05754295	.06311190	.06864794	.07415126	.07962207	.08506056	.09046690	.09584130	.10118394	
		5	.18870107	.20549068	.22193284	.23803473	.25380340	.26924574	.28436850	.29917831	.31368162	
		6	.44782062	.47965881	.50966124	.53793376	.56457611	.58968228	.61334085	.63563529	.65664425	
		7	.75607391	.78817165	.81604572	.84025189	.86127282	.87952765	.89538037	.90914705	.92110221	
		8	.94496641	.95881960	.96918562	.97694229	.98274643	.98708954	.99033939	.99277118	.99459084	
		9	.99505119	.99708961	.99828840	.99899341	.99940803	.99965186	.99979526	.99987959	.99992919	
		10	.99985942	.99994209	.99997615	.99999018	.99999595	.99999833	.99999931	.99999972	.99999988	
		11	.99999898	.99999974	.99999994	.99999998	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
		12	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
		13	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
		14	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
		15	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
		16	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
17	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000			
1	21	0	.00000477	.00000525	.00000572	.00000620	.00000668	.00000715	.00000763	.00000811	.00000858	
		1	.00010490	.00011539	.00012588	.00013637	.00014686	.00015734	.00016783	.00017832	.00018881	
		2	.00110571	.00121622	.00132671	.00143719	.00154765	.00165811	.00176855	.00187898	.00198940	
		3	.00742328	.00816257	.00890131	.00963950	.01037714	.01111423	.01185077	.01258677	.01332221	
		4	.03540968	.03888094	.04233971	.04578604	.04921996	.05264152	.05605077	.05944775	.06283251	
		5	.12533219	.13696689	.14844683	.15977406	.17095062	.18197851	.19285971	.20359617	.21418981	
		6	.32944536	.35571564	.38095673	.40520895	.42851104	.45090023	.47241228	.49308156	.51294107	
		7	.62992320	.66494118	.69664564	.72535012	.75133847	.77486771	.79617053	.81545760	.83291966	
		8	.88088493	.90371395	.92216767	.93708463	.94914269	.95888976	.96676875	.97313769	.97828599	
		9	.98225862	.98814542	.99207891	.99470722	.99646343	.99763691	.99842101	.99894494	.99929502	
		10	.99902344	.99951172	.99975586	.99987793	.99993896	.99996948	.99998474	.99999237	.99999619	
		11	.99998382	.99999463	.99999822	.99999941	.99999980	.99999993	.99999998	.99999999	1.00000000	
		12	.99999993	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
		13	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
		14	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
		15	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
		16	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
		17	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	
18	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000			
1	22	0	.00000238	.00000262	.00000286	.00000310	.00000334	.00000358	.00000381	.00000405	.00000429	
		1	.00005483	.00006032	.00006580	.00007128	.00007677	.00008225	.00008773	.00009322	.00009870	
		2	.00060542	.00066594	.00072646	.00078697	.00084748	.00090799	.00096849	.00102899	.00108949	





















Table 31: Sheet Z6. Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect single columns ( $k = 1$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix										
			10	11	12	13	14	15	16	17	18		
1	41	15	.45352731	.48557116	.51573603	.54413211	.57086311	.59602667	.61971470	.64201372	.66300517		
		16	.67209642	.70669411	.73764134	.76532328	.79008444	.81223301	.83204464	.84976591	.86561738		
		17	.85295066	.87860260	.89977970	.91726258	.93169566	.94361097	.95344773	.96156851	.96827267		
		18	.95482878	.96686034	.97568724	.98216306	.98691401	.99039952	.99295666	.99483268	.99620902		
		19	.99127841	.99457180	.99662157	.99789731	.99869132	.99918549	.99949306	.99968449	.99980363		
		20	.99902344	.99951172	.99975586	.99987793	.99993896	.99996948	.99998474	.99999237	.99999619		
		21	.99994105	.99997774	.99999159	.99999683	.99999880	.99999955	.99999983	.99999994	.99999998		
		22	.99999820	.99999952	.99999987	.99999997	.99999999	1.00000000	1.00000000	1.00000000	1.00000000		
		23	.99999997	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		24	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		25	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		26	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		27	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		28	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		29	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		30	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		31	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		32	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
		1	42	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
				1	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
				2	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
				3	.00000003	.00000003	.00000003	.00000004	.00000004	.00000004	.00000005	.00000005	.00000005
				4	.00000028	.00000031	.00000034	.00000037	.00000040	.00000042	.00000045	.00000048	.00000051
				5	.00000222	.00000244	.00000266	.00000288	.00000310	.00000333	.00000355	.00000377	.00000399
				6	.00001414	.00001556	.00001697	.00001839	.00001980	.00002122	.00002263	.00002405	.00002546
				7	.00007548	.00008303	.00009058	.00009813	.00010568	.00011322	.00012077	.00012832	.00013587
				8	.00034380	.00037818	.00041255	.00044692	.00048129	.00051566	.00055003	.00058439	.00061876
				9	.00135687	.00149245	.00162802	.00176357	.00189910	.00203461	.00217010	.00230558	.00244103
				10	.00469343	.00516156	.00562947	.00609716	.00656463	.00703187	.00749890	.00796571	.00843230
				11	.01434282	.01576574	.01718660	.01860541	.02002218	.02143690	.02284957	.02426021	.02566881
				12	.03888193	.04268599	.04647499	.05024899	.05400806	.05775225	.06148161	.06519622	.06889613
				13	.09342525	.10227364	.11103566	.11971216	.12830398	.13681194	.14523686	.15357955	.16184081
14	.19764113			.21511591	.23221011	.24893200	.26528971	.28129116	.29694410	.31225614	.32723469		
15	.36378613			.39191618	.41880247	.44449999	.46906129	.49253663	.51497401	.53641932	.55691644		
16	.57530867			.61016508	.64216067	.67153022	.69848928	.72323568	.74595103	.76680203	.78594168		
17	.77864211			.80962737	.83627537	.85919324	.87890310	.89585402	.91043218	.92296971	.93375227		
18	.91706824			.93534636	.94959599	.96070501	.96936561	.97611741	.98138112	.98548472	.98868388		
19	.97946965			.98608010	.99056209	.99360095	.99566135	.99705833	.99800550	.99864770	.99908312		
20	.99690172			.99826127	.99902423	.99945241	.99969269	.99982754	.99990322	.99994569	.99996952		
21	.99973531			.99988385	.99994903	.99997764	.99999019	.99999569	.99999811	.99999917	.99999964		
22	.99998802			.99999614	.99999876	.99999960	.99999987	.99999996	.99999999	1.00000000	1.00000000		
23	.99999973			.99999994	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
24	1.00000000			1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
25	1.00000000			1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
26	1.00000000			1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
27	1.00000000			1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
28	1.00000000			1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
29	1.00000000			1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
30	1.00000000			1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
31	1.00000000			1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000		
32	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000				
1	43	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000			
		1	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000			
		2	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000			
		3	.00000002	.00000002	.00000002	.00000002	.00000002	.00000002	.00000002	.00000003			
		4	.00000016	.00000017	.00000019	.00000020	.00000022	.00000023	.00000025	.00000026			



Table 31: Sheet Z8. Probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect single columns ( $k = 1$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k m i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
	10	11	12	13	14	15	16	17	18
1 44 27	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
28	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
29	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
30	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
31	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
32	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
33	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
34	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1 45 0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
1	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
2	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
3	.00000000	.00000000	.00000001	.00000001	.00000001	.00000001	.00000001	.00000001	.00000001
4	.00000005	.00000005	.00000006	.00000006	.00000007	.00000007	.00000007	.00000008	.00000008
5	.00000039	.00000043	.00000047	.00000051	.00000055	.00000059	.00000063	.00000067	.00000071
6	.00000271	.00000298	.00000325	.00000352	.00000379	.00000406	.00000433	.00000461	.00000488
7	.00001561	.00001717	.00001873	.00002029	.00002185	.00002341	.00002497	.00002653	.00002809
8	.00007687	.00008455	.00009224	.00009993	.00010761	.00011530	.00012299	.00013067	.00013836
9	.00032868	.00036155	.00039441	.00042727	.00046013	.00049299	.00052584	.00055870	.00059155
10	.00123475	.00135814	.00148152	.00160488	.00172823	.00185156	.00197487	.00209817	.00222146
11	.00411278	.00452313	.00493330	.00534331	.00575315	.00616282	.00657232	.00698166	.00739082
12	.01222670	.01344112	.01465405	.01586548	.01707543	.01828388	.01949085	.02069634	.02190035
13	.03255706	.03575389	.03894015	.04211589	.04528113	.04843592	.05158028	.05471425	.05783786
14	.07761939	.08504195	.09240479	.09970837	.10695318	.11413969	.12126836	.12833968	.13535408
15	.16481427	.17972142	.19436249	.20874223	.22286532	.23673632	.25035973	.26373999	.27688142
16	.30857199	.33362044	.35776146	.38102792	.40345150	.42506274	.44589107	.46596485	.48531141
17	.50326579	.53683421	.56813413	.59731886	.62453134	.64990484	.67356365	.69562364	.71619286
18	.70971837	.74349165	.77333553	.79970717	.82301056	.84360267	.86179897	.87787819	.89208665
19	.87173261	.89554533	.91493723	.93072905	.94358914	.95406176	.96259015	.96953525	.97519100
20	.96028706	.97123759	.97916860	.98491270	.98907290	.99208596	.99426820	.99584870	.99699339
21	.99200386	.99506635	.99695592	.99812179	.99884114	.99928498	.99955883	.99972779	.99983205
22	.99902344	.99951172	.99975586	.99987793	.99993896	.99996948	.99998474	.99999237	.99999619
23	.99993209	.99997399	.99999004	.99999618	.99999854	.99999944	.99999979	.99999992	.99999997
24	.99999746	.99999930	.99999981	.99999995	.99999999	1.00000000	1.00000000	1.00000000	1.00000000
25	.99999995	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
26	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
27	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
28	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
29	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
30	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
31	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
32	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
33	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
34	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
1 46 0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
1	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
2	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
3	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
4	.00000003	.00000003	.00000003	.00000003	.00000004	.00000004	.00000004	.00000004	.00000005
5	.00000022	.00000024	.00000026	.00000029	.00000031	.00000033	.00000035	.00000037	.00000040
6	.00000155	.00000171	.00000186	.00000202	.00000217	.00000233	.00000248	.00000264	.00000279
7	.00000916	.00001007	.00001099	.00001190	.00001282	.00001374	.00001465	.00001557	.00001648
8	.00004624	.00005086	.00005548	.00006011	.00006473	.00006936	.00007398	.00007860	.00008323
9	.00020278	.00022306	.00024334	.00026361	.00028389	.00030416	.00032443	.00034471	.00036498
10	.00078181	.00085996	.00093810	.00101623	.00109436	.00117249	.00125060	.00132871	.00140682
11	.00267470	.00294178	.00320878	.00347571	.00374258	.00400937	.00427609	.00454273	.00480931
12	.00817721	.00899124	.00980461	.01061731	.01142934	.01224071	.01305140	.01386144	.01467081







Table 32: Sheet A. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			2	3	4	5	6	7	8	9	10
2	1	0	.75000000	.87500000	.93750000	.96875000	.98437500	.99218750	.99609375	.99804688	.99902344
2	2	0	.56250000	.76562500	.87890625	.93847656	.96899414	.98443604	.99220276	.99609756	.99804783
		1	.93750000	.98437500	.99609375	.99902344	.99975586	.99993896	.99998474	.99999619	.99999905
2	3	0	.42187500	.65820313	.80932617	.89724731	.94584274	.97187853	.98554820	.99262745	.99625873
		1	.84375000	.95703125	.98876953	.99713135	.99927521	.99981785	.99995434	.99998857	.99999714
		2	.98437500	.99804688	.99975586	.99996948	.99999619	.99999952	.99999994	.99999999	1.00000000
2	4	0	.31640625	.55395508	.72706604	.83994007	.90894467	.94937097	.97234511	.98510658	.99207073
		1	.73828125	.91528320	.97444153	.99255085	.99786454	.99939163	.99982666	.99995041	.99998572
		2	.94921875	.99291992	.99906921	.99988079	.99998492	.99999810	.99999976	.99999997	1.00000000
		3	.99609375	.99975586	.99998474	.99999905	.99999994	1.00000000	1.00000000	1.00000000	1.00000000
2	5	0	.23730469	.45706177	.63682079	.76744083	.85591626	.91303641	.94862327	.97018599	.98296031
		1	.63281250	.85913086	.94991684	.98295021	.99435489	.99816639	.99941260	.99981375	.99994140
		2	.89648438	.98211670	.99709511	.99953550	.99992519	.99998772	.99999794	.99999964	.99999994
		3	.98437500	.99890137	.99992752	.99999535	.99999971	.99999998	1.00000000	1.00000000	1.00000000
		4	.99902344	.99996948	.99999905	.99999997	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
2	6	0	.17797852	.37074661	.54485947	.68415703	.78781240	.86117292	.91116768	.94423140	.96556449
		1	.53393555	.79124832	.91349691	.96588820	.98702473	.99520175	.99826584	.99938509	.99978544
		2	.83056641	.96331024	.99255145	.99853246	.99971567	.99994552	.99998965	.99999804	.99999963
		3	.96240234	.99657440	.99970043	.99997344	.99999755	.99999976	.99999998	1.00000000	1.00000000
		4	.99536133	.99983597	.99999458	.99999983	.99999999	1.00000000	1.00000000	1.00000000	1.00000000
		5	.99975586	.99999619	.99999994	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
2	7	0	.13348389	.29650545	.45663340	.59582070	.70829581	.79469930	.85858020	.90438661	.93641152
		1	.44494629	.71559715	.86513076	.93932233	.97377519	.98902647	.99552985	.99821987	.99930471
		2	.75640869	.93506479	.98387891	.99617276	.99912165	.99980385	.99995717	.99999082	.99999806
		3	.92944336	.99155807	.99903189	.99989043	.99998768	.99999862	.99999985	.99999998	1.00000000
		4	.98712158	.99938536	.99997105	.99999857	.99999992	1.00000000	1.00000000	1.00000000	1.00000000
		5	.99865723	.99997616	.99999961	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		6	.99993896	.99999952	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
2	8	0	.10011292	.23439580	.37592543	.50792317	.62241199	.71685073	.79185026	<b>.8422</b>	<b>.8830</b>
		1	.36708069	.63633424	.80619312	.90205796	.95250528	<b>.9146</b>	<b>.9400</b>	<b>.9575</b>	<b>.9700</b>
		2	.67854309	.89700443	.96945792	.99141809	<b>.9806</b>	<b>.9898</b>	<b>.9947</b>	<b>.9972</b>	<b>.9986</b>
		3	.88618469	.98249370	.99745115	.99964252	<b>.9979</b>	<b>.9992</b>	<b>.9997</b>	<b>.9999</b>	<b>1.0000</b>
		4	.97270203	.99821919	.99988566	.99999264	<b>.9998</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		5	.99577332	.99989480	.99999733	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		6	.99961853	.99999660	.99999997	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	9	0	.07508469	.18355144	.30481599	.42482712	.53536575	.63227361	.71413493	<b>.7713</b>	<b>.8198</b>
		1	.30033875	.55717021	.73908883	.85402114	.92157455	<b>.8839</b>	<b>.9136</b>	<b>.9344</b>	<b>.9508</b>
		2	.60067749	.84973699	.94788072	.98294969	<b>.9679</b>	<b>.9816</b>	<b>.9895</b>	<b>.9937</b>	<b>.9963</b>
		3	.83427429	.96809000	.99425538	.99901746	<b>.9954</b>	<b>.9980</b>	<b>.9991</b>	<b>.9996</b>	<b>.9998</b>
		4	.95107269	.99574344	.99964228	.99997082	<b>.9995</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		5	.99000549	.99964780	.99998744	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		6	.99865723	.99998263	.99999976	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		7	.99989319	.99999952	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	10	0	.05631351	.14263227	.24400537	.34944906	.45161901	.54594319	.62993565	<b>.6922</b>	<b>.7459</b>
		1	.24402523	.48106438	.66678645	.79628643	.88020177	<b>.8458</b>	<b>.8804</b>	<b>.9048</b>	<b>.9244</b>
		2	.52559280	.79465447	.91820709	.96932543	<b>.9504</b>	<b>.9692</b>	<b>.9808</b>	<b>.9873</b>	<b>.9918</b>
		3	.77587509	.94731776	.98853032	.99764544	<b>.9912</b>	<b>.9957</b>	<b>.9979</b>	<b>.9989</b>	<b>.9994</b>
		4	.92187309	.99119191	.99905727	.99990368	<b>.9988</b>	<b>.9996</b>	<b>.9998</b>	<b>.9999</b>	<b>1.0000</b>
		5	.98027229	.99904287	.99995415	<b>.9996</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		6	.99649429	.99993373	.99999870	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		7	.99958420	.99999721	.99999998	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	11	0	.04223514	.11014066	.19323001	.28332781	.37442440	.46227659	.54408316	<b>.6104</b>	<b>.6668</b>
		1	.19709730	.41013887	.59236999	.73087584	.82867681	<b>.8034</b>	<b>.8424</b>	<b>.8705</b>	<b>.8937</b>
		2	.45520091	.73367123	.88013667	.94920239	<b>.9282</b>	<b>.9521</b>	<b>.9681</b>	<b>.9777</b>	<b>.9844</b>
		3	.71330452	.91956059	.97922915	.99496368	<b>.9845</b>	<b>.9916</b>	<b>.9954</b>	<b>.9973</b>	<b>.9984</b>
		4	.88537359	.98369060	.99782664	.99972614	<b>.9975</b>	<b>.9989</b>	<b>.9995</b>	<b>.9998</b>	<b>.9999</b>

Table 32: Sheet B. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli  $(m \times n)$ -matrices. The rows with all 1's are omitted

$k m i$	Width $n$ of Bernoulli $(m \times n)$ -matrix								
	2	3	4	5	6	7	8	9	10
2 11 5	.96567249	.99777547	.99986067	<b>.9991</b>	<b>.9997</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
	.99243879	.99979758	.99999453	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
	.99881172	.99998802	.99999987	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
	.99987388	.99999956	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2 12 0	.03167635	.08461506	.15164311	.22689331	.30573822	.38461535	.46088803	<b>.5303</b>	<b>.5872</b>
	.15838176	.34572525	.51867774	.66041064	.76833804	<b>.7337</b>	<b>.8009</b>	<b>.8326</b>	<b>.8591</b>
	.39067501	.66895089	.83406358	.92157039	<b>.9010</b>	<b>.9136</b>	<b>.9513</b>	<b>.9643</b>	<b>.9739</b>
	.64877862	.88469569	.96529537	.99021164	<b>.9748</b>	<b>.9790</b>	<b>.9913</b>	<b>.9945</b>	<b>.9965</b>
	.84235632	.97235313	.99550483	.99931305	<b>.9950</b>	<b>.9961</b>	<b>.9988</b>	<b>.9994</b>	<b>.9997</b>
	.94559777	.99541883	.99963330	<b>.9980</b>	<b>.9992</b>	<b>.9995</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>
	.98574722	.99947645	.99998105	<b>.9997</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
	.99721849	.99995926	.99999938	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
.99960834	.99999790	.99999999	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	
2 13 0	.02375726	.06473252	.11811019	.17979540	.24638047	.31507086	.38363189	<b>.4547</b>	<b>.5104</b>
	.12670541	.28848225	.44806359	.58771947	.70134658	<b>.6870</b>	<b>.7320</b>	<b>.7912</b>	<b>.8206</b>
	.33260170	.60266324	.78101552	.88593953	<b>.8693</b>	<b>.8854</b>	<b>.9134</b>	<b>.9471</b>	<b>.9598</b>
	.58425272	.84309825	.94580481	.98246903	<b>.9619</b>	<b>.9684</b>	<b>.9788</b>	<b>.9900</b>	<b>.9933</b>
	.79396190	.95638749	.99150451	.99845071	<b>.9911</b>	<b>.9934</b>	<b>.9960</b>	<b>.9986</b>	<b>.9992</b>
	.91978741	.99143470	.99914191	<b>.9963</b>	<b>.9984</b>	<b>.9990</b>	<b>.9995</b>	<b>.9998</b>	<b>.9999</b>
	.97570986	.99880980	.99994361	<b>.9994</b>	<b>.9998</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
	.99435067	.99988365	.99999759	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
	.99901088	.99999213	.99999999	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
.99987388	.99999964	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	
2 14 0	.01781795	.04935154	.09141364	.14120784	.19630835	.25462875	.31440448	<b>.3858</b>	<b>.4387</b>
	.10096837	.23854184	.38228244	.51548985	.63034052	<b>.6343</b>	<b>.6827</b>	<b>.7197</b>	<b>.7525</b>
	.28112762	.53679664	.72250648	.84244044	<b>.8331</b>	<b>.8458</b>	<b>.8824</b>	<b>.9056</b>	<b>.9241</b>
	.52133996	.79558056	.92009791	.97073790	<b>.9450</b>	<b>.9494</b>	<b>.9663</b>	<b>.9752</b>	<b>.9816</b>
	.74153460	.93519342	.98512281	.99681035	<b>.9853</b>	<b>.9867</b>	<b>.9924</b>	<b>.9948</b>	<b>.9964</b>
	.88833103	.98520537	.99817996	<b>.9934</b>	<b>.9968</b>	<b>.9973</b>	<b>.9987</b>	<b>.9992</b>	<b>.9995</b>
	.96172924	.99756069	.99985197	<b>.9987</b>	<b>.9995</b>	<b>.9996</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>
	.98969047	.99970996	.99999196	<b>.9998</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
	.99784582	.99997535	.99999971	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
.99965813	.99999853	.99999999	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	
2 15 0	.01336346	.03751882	.07037994	.11006967	.15490608	.20338866	.25419391	<b>.3243</b>	<b>.3734</b>
	.08018077	.19565561	.32247826	.44601569	.55806471	<b>.5871</b>	<b>.6299</b>	<b>.6669</b>	<b>.7042</b>
	.23608781	.47303494	.66034385	.79182228	<b>.7888</b>	<b>.8070</b>	<b>.8427</b>	<b>.8699</b>	<b>.8962</b>
	.46128688	.74328722	.88787747	.95405793	<b>.9239</b>	<b>.9288</b>	<b>.9467</b>	<b>.9590</b>	<b>.9708</b>
	.68648594	.90843468	.97559418	.99393186	<b>.9770</b>	<b>.9784</b>	<b>.9851</b>	<b>.9892</b>	<b>.9933</b>
	.85163192	.97608310	.99644869	<b>.9893</b>	<b>.9943</b>	<b>.9948</b>	<b>.9966</b>	<b>.9976</b>	<b>.9987</b>
	.94337969	.99540980	.99965017	<b>.9975</b>	<b>.9989</b>	<b>.9990</b>	<b>.9994</b>	<b>.9996</b>	<b>.9998</b>
	.98270016	.99935205	.99997651	<b>.9995</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>
	.99580699	.99993300	.99999893	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
	.99920505	.99999498	.99999997	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
.99988466	.99999973	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	
2 16 0	.01002260	.02845674	.05394884	.08525589	.12123568	.16083996	.20311397	<b>.2708</b>	<b>.3156</b>
	.06347644	.15932512	.26924328	.38105706	.48705389	<b>.5448</b>	<b>.5848</b>	<b>.6205</b>	<b>.6534</b>
	.19711105	.41269557	.59642944	.73535872	<b>.7375</b>	<b>.7694</b>	<b>.8071</b>	<b>.8370</b>	<b>.8619</b>
	.40498711	.68756956	.84925644	.93163407	<b>.8992</b>	<b>.9079</b>	<b>.9288</b>	<b>.9439</b>	<b>.9553</b>
	.63018618	.87607759	.96216309	.98922590	<b>.9662</b>	<b>.9696</b>	<b>.9783</b>	<b>.9839</b>	<b>.9879</b>
	.81034543	.96344949	.99355060	<b>.9837</b>	<b>.9906</b>	<b>.9919</b>	<b>.9947</b>	<b>.9963</b>	<b>.9973</b>
	.92044275	.99196010	.99924411	<b>.9957</b>	<b>.9979</b>	<b>.9983</b>	<b>.9990</b>	<b>.9993</b>	<b>.9995</b>
	.97287004	.99867797	.99993855	<b>.9991</b>	<b>.9996</b>	<b>.9997</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
	.99253028	.99983767	.99999652	<b>.9998</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
	.99835553	.99998521	.99999986	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
.99971476	.99999901	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	
2 17 0	.00751695	.02154203	.04120302	.06568579	.09422735	.12611192	.16067127	<b>.2250</b>	<b>.2655</b>

Table 32: Sheet C. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			2	3	4	5	6	7	8	9	10
2	17	1	.05011298	.12890875	.22271673	.32180143	.41941312	<b>.5016</b>	<b>.5400</b>	<b>.5738</b>	<b>.6053</b>
		2	.16370240	.35671752	.53258496	.67469038	<b>.6813</b>	<b>.7241</b>	<b>.7658</b>	<b>.7982</b>	<b>.8256</b>
		3	.35301810	.62985979	.80475201	.90295230	<b>.8699</b>	<b>.8780</b>	<b>.9047</b>	<b>.9229</b>	<b>.9372</b>
		4	.57388641	.83839408	.94416586	.98199952	<b>.9519</b>	<b>.9545</b>	<b>.9672</b>	<b>.9750</b>	<b>.9807</b>
		5	.76530561	.94677625	.98899648	<b>.9762</b>	<b>.9850</b>	<b>.9859</b>	<b>.9907</b>	<b>.9933</b>	<b>.9950</b>
		6	.89291842	.98675321	.99848825	<b>.9929</b>	<b>.9962</b>	<b>.9965</b>	<b>.9979</b>	<b>.9985</b>	<b>.9989</b>
		7	.95976322	.99750121	.99985380	<b>.9983</b>	<b>.9992</b>	<b>.9993</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>
		8	.98761522	.99964247	.99999000	<b>.9996</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		9	.99689922	.99996131	.99999952	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	.99937495	.99999686	.99999998	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		11	.99990011	.99999981	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	18	0	.00563771	.01628167	.03137294	.05038297	.07280873	.09817027	.12601086	<i>.15517082</i>	<b>.2227</b>
		1	.03946397	.10370308	.18269712	.26890065	.35670600	<b>.4637</b>	<b>.4976</b>	<b>.5332</b>	<b>.5594</b>
		2	.13530504	.30568542	.47042021	.61163945	<b>.6219</b>	<b>.6802</b>	<b>.7214</b>	<b>.7622</b>	<b>.7865</b>
		3	.30568917	.57155983	.75523207	.86786199	<b>.8368</b>	<b>.8467</b>	<b>.8756</b>	<b>.9031</b>	<b>.9157</b>
		4	.51866933	.79593319	.92110831	.97150602	<b>.9340</b>	<b>.9371</b>	<b>.9522</b>	<b>.9663</b>	<b>.9711</b>
		5	.71745081	.92567865	.98222784	<b>.9668</b>	<b>.9773</b>	<b>.9781</b>	<b>.9845</b>	<b>.9903</b>	<b>.9916</b>
		6	.86101522	.97929654	.99717387	<b>.9892</b>	<b>.9935</b>	<b>.9937</b>	<b>.9958</b>	<b>.9977</b>	<b>.9979</b>
		7	.94305202	.99557616	.99967961	<b>.9970</b>	<b>.9985</b>	<b>.9985</b>	<b>.9991</b>	<b>.9996</b>	<b>.9996</b>
		8	.98065222	.99927354	.99997393	<b>.9993</b>	<b>.9997</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>
		9	.99457822	.99990839	.99999847	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	.99875602	.99999117	.99999994	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		11	.99976882	.99999936	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	19	0	.00422828	.01228971	.02382769	.03850151	.05598300	.07595496	.09811105	<i>.12186509</i>	<b>.1869</b>
		1	.03100741	.08300097	.14875028	.22255438	.29993705	<b>.3992</b>	<b>.4611</b>	<b>.4904</b>	<b>.5216</b>
		2	.11134477	.25987603	.41125018	.54802977	<b>.5613</b>	<b>.6419</b>	<b>.6801</b>	<b>.7164</b>	<b>.7534</b>
		3	.26309314	.51395369	.70182751	.82661116	<b>.8010</b>	<b>.8187</b>	<b>.8475</b>	<b>.8732</b>	<b>.8984</b>
		4	.46542429	.74946881	.89272737	.95701382	<b>.9130</b>	<b>.9216</b>	<b>.9372</b>	<b>.9508</b>	<b>.9640</b>
		5	.66775544	.89995507	.97265391	<b>.9554</b>	<b>.9674</b>	<b>.9710</b>	<b>.9780</b>	<b>.9839</b>	<b>.9894</b>
		6	.82512412	.96909837	.99502163	<b>.9841</b>	<b>.9897</b>	<b>.9911</b>	<b>.9936</b>	<b>.9956</b>	<b>.9975</b>
		7	.92254282	.99259975	.99934654	<b>.9952</b>	<b>.9973</b>	<b>.9978</b>	<b>.9985</b>	<b>.9990</b>	<b>.9995</b>
		8	.97125217	.99862259	.99993768	<b>.9988</b>	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>
		9	.99109672	.99980060	.99999566	<b>.9997</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	.99771157	.99997760	.99999978	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		11	.99951562	.99999806	.99999999	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		12	.99991652	.99999987	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	20	0	.00317121	.00926644	.01805900	.02933051	.04286870	.05846631	.07592094	<i>.09491296</i>	<i>.11511248</i>
		1	.02431262	.06612983	.12030271	.18261372	.24960193	<b>.1978</b>	<b>.4305</b>	<b>.4561</b>	<b>.4785</b>
		2	.09126043	.21931566	.35605866	.48553710	<b>.5000</b>	<b>.4448</b>	<b>.6426</b>	<b>.6778</b>	<b>.7050</b>
		3	.22515605	.45814698	.64582676	.77983140	<b>.7619</b>	<b>.6844</b>	<b>.8206</b>	<b>.8476</b>	<b>.8657</b>
		4	.41484150	.69993307	.85902787	.93788494	<b>.8876</b>	<b>.8465</b>	<b>.9221</b>	<b>.9372</b>	<b>.9462</b>
		5	.61717265	.86960862	.95969939	<b>.9415</b>	<b>.9541</b>	<b>.9362</b>	<b>.9709</b>	<b>.9779</b>	<b>.9815</b>
		6	.78578195	.95570672	.99168127	<b>.9777</b>	<b>.9840</b>	<b>.9778</b>	<b>.9909</b>	<b>.9935</b>	<b>.9946</b>
		7	.89818814	.98822004	.99874921	<b>.9926</b>	<b>.9953</b>	<b>.9937</b>	<b>.9977</b>	<b>.9984</b>	<b>.9987</b>
		8	.95907483	.99754075	.99986191	<b>.9979</b>	<b>.9989</b>	<b>.9985</b>	<b>.9995</b>	<b>.9997</b>	<b>.9997</b>
		9	.98613558	.99959635	.99998874	<b>.9995</b>	<b>.9998</b>	<b>.9997</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>
		10	.99605786	.99994794	.99999932	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		11	.99906461	.99999474	.99999997	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		12	.99981630	.99999959	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	21	0	.00237841	.00698061	.01366293	.02228604	.03271354	.04481128	.05844711	<i>.07343745</i>	<i>.08958964</i>
		1	.01902727	.05247438	.09671566	.14868563	.20577705	<b>.1640</b>	<b>.1955</b>	<b>.3903</b>	<b>.4432</b>
		2	.07452348	.18383964	.30549989	.42558314	<b>.4410</b>	<b>.3925</b>	<b>.4440</b>	<b>.6376</b>	<b>.6623</b>
		3	.19168214	.40503290	.58856844	.72847851	<b>.7210</b>	<b>.6346</b>	<b>.6850</b>	<b>.8180</b>	<b>.8357</b>
		4	.36742014	.64834470	.82029064	.91365079	<b>.8587</b>	<b>.8110</b>	<b>.8461</b>	<b>.9202</b>	<b>.9291</b>
		5	.56658987	.83484944	.94285699	<b>.9245</b>	<b>.9376</b>	<b>.9155</b>	<b>.9352</b>	<b>.9696</b>	<b>.9733</b>
		6	.74362962	.93874747	.98674023	<b>.9697</b>	<b>.9762</b>	<b>.9680</b>	<b>.9771</b>	<b>.9903</b>	<b>.9915</b>

Table 32: Sheet D. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix										
			2	3	4	5	6	7	8	9	10		
2	21	7	.87008659	.98205186	.99773743	<b>.9891</b>	<b>.9923</b>	<b>.9899</b>	<b>.9933</b>	<b>.9974</b>	<b>.9977</b>		
		8	.94385316	.99583495	.99971383	<b>.9966</b>	<b>.9979</b>	<b>.9974</b>	<b>.9984</b>	<b>.9994</b>	<b>.9995</b>		
		9	.97937040	.99923291	.99997300	<b>.9991</b>	<b>.9995</b>	<b>.9994</b>	<b>.9997</b>	<b>.9999</b>	<b>.9999</b>		
		10	.99357729	.99988781	.99999809	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
		11	.99831292	.99998699	.99999990	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
		12	.99962837	.99999881	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
		13	.99993194	.99999991	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
		2	22	0	.00178381	.00525472	.01032191	.01689680	.02489223	.03422200	.04480064	<i>.05651919</i>	<i>.06926272</i>
				1	.01486506	.04148788	.07733988	.12022600	.16822398	<b>.1349</b>	<b>.1637</b>	<b>.1874</b>	<b>.2126</b>
				2	.06064943	.15314818	.25992757	.36927638	<b>.3840</b>	<b>.3425</b>	<b>.3954</b>	<b>.4333</b>	<b>.4718</b>
				3	.16239248	.35528119	.53134500	.67374180	<b>.6753</b>	<b>.5822</b>	<b>.6400</b>	<b>.6759</b>	<b>.7099</b>
				4	.32348564	.59574035	.77705266	.88407352	<b>.8265</b>	<b>.7700</b>	<b>.8146</b>	<b>.8387</b>	<b>.8603</b>
				5	.51679743	.79607942	.92173784	<b>.9045</b>	<b>.9175</b>	<b>.8890</b>	<b>.9169</b>	<b>.9302</b>	<b>.9415</b>
6	.69936968			.91795717	.97974193	<b>.9600</b>	<b>.9658</b>	<b>.9539</b>	<b>.9683</b>	<b>.9744</b>	<b>.9792</b>		
7	.83847235			.97369833	.99610944	<b>.9845</b>	<b>.9878</b>	<b>.9837</b>	<b>.9899</b>	<b>.9921</b>	<b>.9937</b>		
8	.92541152			.99326797	.99944140	<b>.9948</b>	<b>.9963</b>	<b>.9952</b>	<b>.9973</b>	<b>.9980</b>	<b>.9984</b>		
9	.97049109			.99862106	.99993964	<b>.9985</b>	<b>.9991</b>	<b>.9988</b>	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>		
10	.99002557			.99977365	.99999507	<b>.9996</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>		
11	.99712901			.99997024	.99999970	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
12	.99929951			.99999687	.99999999	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
13	.99985605	.99999974	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>				
2	23	0	.00133786	.00395310	.00778841	.01278765	.01889538	.02605651	.03421619	<i>.04330848</i>	<i>.05326387</i>		
		1	.01159474	.03269531	.06155282	.09661535	.13649104	<b>.1111</b>	<b>.1329</b>	<b>.1573</b>	<b>.1801</b>		
		2	.04920334	.12685498	.21944045	.31739516	<b>.3312</b>	<b>.2992</b>	<b>.3414</b>	<b>.3870</b>	<b>.4260</b>		
		3	.13695672	.30934523	.47532590	.61693797	<b>.6224</b>	<b>.5344</b>	<b>.5835</b>	<b>.6337</b>	<b>.6726</b>		
		4	.28321235	.54311487	.73006417	.84918376	<b>.7930</b>	<b>.7318</b>	<b>.7711</b>	<b>.8100</b>	<b>.8374</b>		
		5	.46846949	.75386253	.89611322	<b>.8815</b>	<b>.8952</b>	<b>.8637</b>	<b>.8891</b>	<b>.9137</b>	<b>.9296</b>		
		6	.65372662	.89320724	.97021284	<b>.9486</b>	<b>.9534</b>	<b>.9398</b>	<b>.9537</b>	<b>.9667</b>	<b>.9743</b>		
		7	.80369669	.96277628	.99360890	<b>.9789</b>	<b>.9820</b>	<b>.9773</b>	<b>.9836</b>	<b>.9892</b>	<b>.9922</b>		
		8	.90367673	.98956295	.99896668	<b>.9923</b>	<b>.9941</b>	<b>.9928</b>	<b>.9951</b>	<b>.9971</b>	<b>.9980</b>		
		9	.95922119	.99764050	.99987326	<b>.9976</b>	<b>.9984</b>	<b>.9981</b>	<b>.9988</b>	<b>.9994</b>	<b>.9996</b>		
		10	.98514195	.99956913	.99998815	<b>.9993</b>	<b>.9996</b>	<b>.9996</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>		
		11	.99535315	.99993641	.99999915	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
		12	.99875689	.99999242	.99999995	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
		13	.99971691	.99999927	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
14	.99994549	.99999994	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>				
2	24	0	.00100339	.00297237	.00587081	.00966324	.01431449	.01978954	.02605339	<i>.03306568</i>	<i>.04078400</i>		
		1	.00903052	.02569134	.04878155	.07721580	.11000152	<b>.0717</b>	<b>.0862</b>	<b>.1010</b>	<b>.1124</b>		
		2	.03980119	.10452716	.18393534	.27040394	<b>.2803</b>	<b>.2096</b>	<b>.2411</b>	<b>.2716</b>	<b>.2921</b>		
		3	.11501837	.26748185	.42150438	.55940530	<b>.5615</b>	<b>.3920</b>	<b>.4311</b>	<b>.4660</b>	<b>.4862</b>		
		4	.24664844	.49137408	.68022989	.80928981	<b>.7555</b>	<b>.5465</b>	<b>.5782</b>	<b>.6045</b>	<b>.6171</b>		
		5	.42215520	.70888533	.86594232	<b>.8549</b>	<b>.8680</b>	<b>.6485</b>	<b>.6690</b>	<b>.6852</b>	<b>.6918</b>		
		6	.60741234	.86451727	.95769586	<b>.9350</b>	<b>.9367</b>	<b>.7116</b>	<b>.7230</b>	<b>.7318</b>	<b>.7349</b>		
		7	.76620417	.94894307	.98992704	<b>.9719</b>	<b>.9732</b>	<b>.7534</b>	<b>.7590</b>	<b>.7632</b>	<b>.7647</b>		
		8	.87868172	.98441260	.99817918	<b>.9891</b>	<b>.9902</b>	<b>.7892</b>	<b>.7918</b>	<b>.7938</b>	<b>.7947</b>		
		9	.94533508	.99613681	.99974848	<b>.9963</b>	<b>.9970</b>	<b>.8286</b>	<b>.8299</b>	<b>.8311</b>	<b>.8319</b>		
		10	.97866176	.99922111	.99997330	<b>.9989</b>	<b>.9992</b>	<b>.8728</b>	<b>.8737</b>	<b>.8745</b>	<b>.8754</b>		
		11	.99280035	.99987210	.99999781	<b>.9997</b>	<b>.9998</b>	<b>.9167</b>	<b>.9174</b>	<b>.9180</b>	<b>.9187</b>		
		12	.99790595	.99998290	.99999986	<b>.9999</b>	<b>1.0000</b>	<b>.9532</b>	<b>.9536</b>	<b>.9541</b>	<b>.9545</b>		
		13	.99947691	.99999814	.99999999	<b>1.0000</b>	<b>1.0000</b>	<b>.9781</b>	<b>.9783</b>	<b>.9785</b>	<b>.9788</b>		
14	.99988835	.99999984	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>.9917</b>	<b>.9918</b>	<b>.9919</b>	<b>.9920</b>				
2	25	0	.00075254	.00223399	.00442162	.00729305	.01082604	.01499839	.01978789	<i>.02516966</i>	<i>.03111770</i>		
		1	.00702374	.02013514	.03851473	.06141055	.08812384	<b>.0589</b>	<b>.0717</b>	<b>.0832</b>	<b>.0927</b>		
		2	.03210852	.08571631	.15316025	.22849168	<b>.2377</b>	<b>.1819</b>	<b>.2126</b>	<b>.2374</b>	<b>.2560</b>		
		3	.09621407	.22977903	.37066794	.50241049	<b>.5072</b>	<b>.3574</b>	<b>.3991</b>	<b>.4296</b>	<b>.4501</b>		
		4	.21374092	.44130152	.62854276	.76495851	<b>.7173</b>	<b>.5169</b>	<b>.5535</b>	<b>.5775</b>	<b>.5912</b>		

Table 32: Sheet E. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix										
			2	3	4	5	6	7	8	9	10		
2	25	5	.37827851	.66191252	.83138328	<b>.8250</b>	<b>.8382</b>	<b>.6269</b>	<b>.6519</b>	<b>.6669</b>	<b>.6745</b>		
		6	.56109805	.83205680	.94178653	<b>.9190</b>	<b>.9171</b>	<b>.6956</b>	<b>.7103</b>	<b>.7186</b>	<b>.7224</b>		
		7	.72650621	.93192207	.98471122	<b>.9635</b>	<b>.9620</b>	<b>.7387</b>	<b>.7463</b>	<b>.7504</b>	<b>.7522</b>		
		8	.85056233	.97749271	.99693008	<b>.9849</b>	<b>.9847</b>	<b>.7716</b>	<b>.7751</b>	<b>.7770</b>	<b>.7779</b>		
		9	.92867174	.99392080	.99952575	<b>.9945</b>	<b>.9947</b>	<b>.8057</b>	<b>.8072</b>	<b>.8082</b>	<b>.8089</b>		
		10	.97033009	.99865567	.99994331	<b>.9983</b>	<b>.9984</b>	<b>.8456</b>	<b>.8464</b>	<b>.8471</b>	<b>.8478</b>		
		11	.98926570	.99975622	.99999473	<b>.9995</b>	<b>.9996</b>	<b>.8893</b>	<b>.8898</b>	<b>.8904</b>	<b>.8910</b>		
		12	.99662955	.99996373	.99999962	<b>.9999</b>	<b>.9999</b>	<b>.9303</b>	<b>.9307</b>	<b>.9312</b>	<b>.9316</b>		
		13	.99908417	.99999558	.99999998	<b>1.0000</b>	<b>1.0000</b>	<b>.9625</b>	<b>.9627</b>	<b>.9630</b>	<b>.9633</b>		
		14	.99978549	.99999956	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>.9831</b>	<b>.9833</b>	<b>.9834</b>	<b>.9835</b>		
		2	26	0	.00056441	.00167845	.00332783	.00549846	.00817631	.01134735	.01499753	<i>.01911146</i>	<i>.02367314</i>
				1	.00545594	.01574357	.03030678	.04862875	.07022297	<b>.0481</b>	<b>.0576</b>	<b>.0689</b>	<b>.0782</b>
				2	.02583733	.06998126	.12676323	.19162236	<b>.1984</b>	<b>.1570</b>	<b>.1805</b>	<b>.2081</b>	<b>.2286</b>
				3	.08018769	.19618713	.32339001	.44707628	<b>.4491</b>	<b>.3241</b>	<b>.3584</b>	<b>.3965</b>	<b>.4222</b>
4	.18435921			.39353904	.57601795	.71697185	<b>.6792</b>	<b>.4873</b>	<b>.5190</b>	<b>.5525</b>	<b>.5726</b>		
5	.33714411			.61374207	.79278672	<b>.7920</b>	<b>.8071</b>	<b>.6055</b>	<b>.6277</b>	<b>.6508</b>	<b>.6634</b>		
6	.51539317			.79613612	.92216808	<b>.9006</b>	<b>.8955</b>	<b>.6823</b>	<b>.6957</b>	<b>.7094</b>	<b>.7164</b>		
7	.68515417			.91152441	.97757962	<b>.9537</b>	<b>.9488</b>	<b>.7313</b>	<b>.7386</b>	<b>.7457</b>	<b>.7493</b>		
8	.81954830			.96847898	.99502840	<b>.9799</b>	<b>.9778</b>	<b>.7680</b>	<b>.7715</b>	<b>.7748</b>	<b>.7765</b>		
9	.90914439			.99077066	.99914650	<b>.9922</b>	<b>.9916</b>	<b>.8040</b>	<b>.8056</b>	<b>.8071</b>	<b>.8079</b>		
10	.95991550			.99777454	.99988591	<b>.9973</b>	<b>.9972</b>	<b>.8448</b>	<b>.8455</b>	<b>.8463</b>	<b>.8469</b>		
11	.98453180			.99955726	.99998807	<b>.9992</b>	<b>.9992</b>	<b>.8888</b>	<b>.8893</b>	<b>.8898</b>	<b>.8903</b>		
12	.99478859			.99992725	.99999902	<b>.9998</b>	<b>.9998</b>	<b>.9300</b>	<b>.9303</b>	<b>.9307</b>	<b>.9310</b>		
13	.99847051			.99999013	.99999994	<b>1.0000</b>	<b>1.0000</b>	<b>.9623</b>	<b>.9625</b>	<b>.9627</b>	<b>.9629</b>		
14	.99961016			.99999890	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>.9830</b>	<b>.9831</b>	<b>.9832</b>	<b>.9834</b>		
15	.99991406	.99999990	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>.9938</b>	<b>.9939</b>	<b>.9939</b>	<b>.9939</b>				
2	27	0	.00042331	.00126068	.00250315	.00414185	.00616794	.00857258	.01134691	<i>.01448139</i>	<i>.01796612</i>		
		1	.00423306	.01228381	.02377671	.03835900	.05569512	<b>.0188</b>	<b>.0227</b>	<b>.0561</b>	<b>.0640</b>		
		2	.02074198	.05690374	.10433391	.15958920	<b>.1399</b>	<b>.0756</b>	<b>.0888</b>	<b>.1789</b>	<b>.1979</b>		
		3	.06660010	.16655040	.28003855	.39433361	<b>.3112</b>	<b>.1890</b>	<b>.2129</b>	<b>.3593</b>	<b>.3856</b>		
		4	.15831633	.34857969	.52363347	.66626669	<b>.5143</b>	<b>.3257</b>	<b>.3506</b>	<b>.5215</b>	<b>.5439</b>		
		5	.29894789	.56516367	.75067379	<b>.7557</b>	<b>.6931</b>	<b>.4494</b>	<b>.4680</b>	<b>.6284</b>	<b>.6432</b>		
		6	.47083090	.75718784	.89864117	<b>.8794</b>	<b>.8265</b>	<b>.5542</b>	<b>.5658</b>	<b>.6929</b>	<b>.7016</b>		
		7	.64271392	.88766482	.96814180	<b>.9423</b>	<b>.9116</b>	<b>.6376</b>	<b>.6443</b>	<b>.7302</b>	<b>.7348</b>		
		8	.78594977	.95706598	.99224035	<b>.9737</b>	<b>.9598</b>	<b>.7016</b>	<b>.7050</b>	<b>.7544</b>	<b>.7564</b>		
		9	.88674536	.98643747	.99852798	<b>.9892</b>	<b>.9839</b>	<b>.7514</b>	<b>.7528</b>	<b>.7768</b>	<b>.7775</b>		
		10	.94722272	.99645252	.99978130	<b>.9960</b>	<b>.9943</b>	<b>.7949</b>	<b>.7955</b>	<b>.8051</b>	<b>.8054</b>		
		11	.97837772	.99923018	.99997443	<b>.9987</b>	<b>.9983</b>	<b>.8384</b>	<b>.8386</b>	<b>.8417</b>	<b>.8418</b>		
		12	.99222439	.99986121	.99999764	<b>.9996</b>	<b>.9995</b>	<b>.8828</b>	<b>.8828</b>	<b>.8836</b>	<b>.8837</b>		
		13	.99755003	.99997920	.99999983	<b>.9999</b>	<b>.9999</b>	<b>.9242</b>	<b>.9242</b>	<b>.9244</b>	<b>.9244</b>		
		14	.99932525	.99999741	.99999999	<b>1.0000</b>	<b>1.0000</b>	<b>.9575</b>	<b>.9575</b>	<b>.9575</b>	<b>.9575</b>		
15	.99983809	.99999973	1.00000000	<b>1.0000</b>	<b>1.0000</b>	<b>.9798</b>	<b>.9799</b>	<b>.9799</b>	<b>.9799</b>				
2	28	0	.00031748	.00094666	.00188192	.00311768	.00464839	.00646848	.00857237	<i>.01095413</i>	<i>.01360766</i>		
		1	.00328062	.00956607	.01860380	.03015452	.04398861	<b>.0148</b>	<b>.0178</b>	<b>.0210</b>	<b>.0241</b>		
		2	.01661475	.04609817	.08543697	.13206629	<b>.0861</b>	<b>.0621</b>	<b>.0733</b>	<b>.0844</b>	<b>.0954</b>		
		3	.05513557	.14063661	.24079653	.34489774	<b>.2078</b>	<b>.1637</b>	<b>.1860</b>	<b>.2066</b>	<b>.2255</b>		
		4	.13538727	.30677063	.47228184	.61386614	<b>.3600</b>	<b>.2947</b>	<b>.3199</b>	<b>.3412</b>	<b>.3594</b>		
		5	.26379000	.51692312	.70570186	<b>.7166</b>	<b>.4969</b>	<b>.4173</b>	<b>.4373</b>	<b>.4531</b>	<b>.4659</b>		
		6	.42786015	.71574162	.87114523	<b>.8552</b>	<b>.6023</b>	<b>.5240</b>	<b>.5369</b>	<b>.5468</b>	<b>.5548</b>		
		7	.59974317	.86037047	.95602313	<b>.9290</b>	<b>.6732</b>	<b>.6107</b>	<b>.6184</b>	<b>.6243</b>	<b>.6288</b>		
		8	.75014081	.94298636	.98829252	<b>.9663</b>	<b>.7201</b>	<b>.6785</b>	<b>.6826</b>	<b>.6856</b>	<b>.6879</b>		
		9	.86154647	.98065371	.99755856	<b>.9854</b>	<b>.7544</b>	<b>.7304</b>	<b>.7323</b>	<b>.7336</b>	<b>.7345</b>		
		10	.93210338	.99453646	.99959909	<b>.9943</b>	<b>.7858</b>	<b>.7731</b>	<b>.7738</b>	<b>.7743</b>	<b>.7747</b>		
		11	.97058897	.99871340	.99994790	<b>.9981</b>	<b>.8209</b>	<b>.8139</b>	<b>.8142</b>	<b>.8143</b>	<b>.8144</b>		
		12	.98876272	.99974694	.99999462	<b>.9994</b>	<b>.8611</b>	<b>.8564</b>	<b>.8565</b>	<b>.8566</b>	<b>.8566</b>		
		13	.99621862	.99995839	.99999956	<b>.9998</b>	<b>.9026</b>	<b>.8991</b>	<b>.8991</b>	<b>.8992</b>	<b>.8992</b>		

Table 32: Sheet F. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			2	3	4	5	6	7	8	9	10
2	28	14	.99888144	.99999428	.99999997	<b>1.0000</b>	<b>.9397</b>	<b>.9372</b>	<b>.9372</b>	<b>.9372</b>	<b>.9372</b>
		15	.99970988	.99999934	1.00000000	<b>1.0000</b>	<b>.9677</b>	<b>.9662</b>	<b>.9662</b>	<b>.9662</b>	<b>.9662</b>
		16	.99993424	.99999994	1.00000000	<b>1.0000</b>	<b>.9854</b>	<b>.9846</b>	<b>.9846</b>	<b>.9846</b>	<b>.9846</b>
2	29	0	.00023811	.00071072	.00141430	.00234535	.00350037	.00487588	.00646837	<i>.00827415</i>	<i>.01028944</i>
		1	.00253983	.00743675	.01452154	.02363273	.03461430	<b>.0116</b>	<b>.0140</b>	<b>.0165</b>	<b>.0190</b>
		2	.01328122	.03721695	.06963731	.10865417	<b>.0727</b>	<b>.0513</b>	<b>.0608</b>	<b>.0701</b>	<b>.0794</b>
		3	.04550536	.11816320	.20568987	.29926551	<b>.1849</b>	<b>.1435</b>	<b>.1639</b>	<b>.1830</b>	<b>.2008</b>
		4	.11532435	.26832378	.42273515	.56081081	<b>.3342</b>	<b>.2718</b>	<b>.2970</b>	<b>.3187</b>	<b>.3374</b>
		5	.23168932	.46969446	.65862260	<b>.6752</b>	<b>.4748</b>	<b>.3980</b>	<b>.4192</b>	<b>.4362</b>	<b>.4501</b>
		6	.38684261	.67239476	.83976921	<b>.8283</b>	<b>.5872</b>	<b>.5104</b>	<b>.5247</b>	<b>.5356</b>	<b>.5445</b>
		7	.55677241	.82978232	.94089112	<b>.9138</b>	<b>.6639</b>	<b>.6018</b>	<b>.6106</b>	<b>.6174</b>	<b>.6227</b>
		8	.71254140	.92602885	.98287957	<b>.9577</b>	<b>.7149</b>	<b>.6733</b>	<b>.6783</b>	<b>.6820</b>	<b>.6848</b>
		9	.83369505	.97314461	.99609394	<b>.9808</b>	<b>.7516</b>	<b>.7278</b>	<b>.7302</b>	<b>.7320</b>	<b>.7332</b>
		10	.91446415	.99184617	.99929463	<b>.9921</b>	<b>.7843</b>	<b>.7720</b>	<b>.7730</b>	<b>.7737</b>	<b>.7742</b>
		11	.96096758	.99792587	.99989868	<b>.9971</b>	<b>.8199</b>	<b>.8135</b>	<b>.8139</b>	<b>.8141</b>	<b>.8143</b>
		12	.98421929	.99955718	.99998838	<b>.9991</b>	<b>.8602</b>	<b>.8563</b>	<b>.8564</b>	<b>.8565</b>	<b>.8565</b>
		13	.99435465	.99992055	.99999893	<b>.9997</b>	<b>.9019</b>	<b>.8991</b>	<b>.8991</b>	<b>.8991</b>	<b>.8991</b>
		14	.99821574	.99998802	.99999992	<b>.9999</b>	<b>.9392</b>	<b>.9372</b>	<b>.9372</b>	<b>.9372</b>	<b>.9372</b>
		15	.99950277	.99999848	1.00000000	<b>1.0000</b>	<b>.9674</b>	<b>.9662</b>	<b>.9662</b>	<b>.9662</b>	<b>.9662</b>
16	.99987815	.99999984	1.00000000	<b>1.0000</b>	<b>.9852</b>	<b>.9846</b>	<b>.9846</b>	<b>.9846</b>	<b>.9846</b>		
2	30	0	.00017858	.00053349	.00106251	.00176345	.00263411	.00367231	.00487583	<i>.00624240</i>	<i>.00776966</i>
		1	.00196440	.00577232	.01131078	.01847132	.02714852	<b>.0090</b>	<b>.0109</b>	<b>.0129</b>	<b>.0148</b>
		2	.01059587	.02995235	.05651798	.08891716	<b>.0601</b>	<b>.0417</b>	<b>.0496</b>	<b>.0574</b>	<b>.0653</b>
		3	.03744933	.09881929	.17461845	.25772881	<b>.1605</b>	<b>.1225</b>	<b>.1410</b>	<b>.1585</b>	<b>.1750</b>
		4	.09786960	.23333141	.37562376	.50809707	<b>.3026</b>	<b>.2428</b>	<b>.2676</b>	<b>.2893</b>	<b>.3083</b>
		5	.20259807	.42406037	.61023676	<b>.6317</b>	<b>.4440</b>	<b>.3661</b>	<b>.3885</b>	<b>.4066</b>	<b>.4215</b>
		6	.34805429	.62778142	.80475086	<b>.7982</b>	<b>.5626</b>	<b>.4796</b>	<b>.4952</b>	<b>.5073</b>	<b>.5171</b>
		7	.51428996	.79614917	.92248092	<b>.8962</b>	<b>.6455</b>	<b>.5737</b>	<b>.5837</b>	<b>.5913</b>	<b>.5973</b>
		8	.67359915	.90605333	.97567636	<b>.9477</b>	<b>.7005</b>	<b>.6491</b>	<b>.6550</b>	<b>.6594</b>	<b>.6628</b>
		9	.80340664	.96364148	.99395518	<b>.9752</b>	<b>.7381</b>	<b>.7068</b>	<b>.7099</b>	<b>.7121</b>	<b>.7137</b>
		10	.89427188	.98817753	.99880512	<b>.9894</b>	<b>.7685</b>	<b>.7517</b>	<b>.7531</b>	<b>.7541</b>	<b>.7547</b>
		11	.94934172	.99676496	.99981124	<b>.9959</b>	<b>.7997</b>	<b>.7913</b>	<b>.7919</b>	<b>.7922</b>	<b>.7925</b>
		12	.97840636	.99925372	.99997606	<b>.9986</b>	<b>.8359</b>	<b>.8314</b>	<b>.8316</b>	<b>.8317</b>	<b>.8318</b>
		13	.99182081	.99985465	.99999756	<b>.9996</b>	<b>.8763</b>	<b>.8734</b>	<b>.8734</b>	<b>.8735</b>	<b>.8735</b>
		14	.99725047	.99997608	.99999980	<b>.9999</b>	<b>.9162</b>	<b>.9140</b>	<b>.9141</b>	<b>.9141</b>	<b>.9141</b>
		15	.99918101	.99999667	.99999999	<b>1.0000</b>	<b>.9500</b>	<b>.9485</b>	<b>.9485</b>	<b>.9485</b>	<b>.9485</b>
		16	.99978431	.99999961	1.00000000	<b>1.0000</b>	<b>.9742</b>	<b>.9734</b>	<b>.9734</b>	<b>.9734</b>	<b>.9734</b>
17	.99994992	.99999996	<b>1.0000</b>	<b>1.0000</b>	<b>.9888</b>	<b>.9884</b>	<b>.9884</b>	<b>.9884</b>	<b>.9884</b>		
2	31	0	.00013394	.00040040	.00079800	.00132537	.00198112	.00276389	.00367229	<i>.00470489</i>	<i>.00586024</i>
		1	.00151795	.00447401	.00879300	.01440232	.02123116	<b>.0070</b>	<b>.0085</b>	<b>.0100</b>	<b>.0116</b>
		2	.00843800	.02403600	.04569176	.07241227	<b>.0502</b>	<b>.0338</b>	<b>.0403</b>	<b>.0468</b>	<b>.0533</b>
		3	.03073596	.08228343	.14738714	.22039919	<b>.1406</b>	<b>.1041</b>	<b>.1206</b>	<b>.1363</b>	<b>.1513</b>
		4	.08276453	.20178471	.33142782	.45662690	<b>.2762</b>	<b>.2158</b>	<b>.2399</b>	<b>.2613</b>	<b>.2803</b>
		5	.17641596	.38050065	.56135031	<b>.5870</b>	<b>.4177</b>	<b>.3355</b>	<b>.3588</b>	<b>.3779</b>	<b>.3938</b>
		6	.31169024	.58254283	.76646529	<b>.7651</b>	<b>.5417</b>	<b>.4496</b>	<b>.4665</b>	<b>.4797</b>	<b>.4903</b>
		7	.47273104	.75981542	.90061748	<b>.8761</b>	<b>.6302</b>	<b>.5456</b>	<b>.5567</b>	<b>.5652</b>	<b>.5720</b>
		8	.63377185	.88300189	.96635381	<b>.9361</b>	<b>.6890</b>	<b>.6244</b>	<b>.6312</b>	<b>.6364</b>	<b>.6404</b>
		9	.77095477	.95189611	.99092924	<b>.9686</b>	<b>.7277</b>	<b>.6858</b>	<b>.6896</b>	<b>.6924</b>	<b>.6944</b>
		10	.87155557	.98330798	.99804566	<b>.9859</b>	<b>.7563</b>	<b>.7327</b>	<b>.7346</b>	<b>.7358</b>	<b>.7367</b>
		11	.93557426	.99510524	.99966197	<b>.9943</b>	<b>.7834</b>	<b>.7715</b>	<b>.7723</b>	<b>.7728</b>	<b>.7731</b>
		12	.97114020	.99878493	.99995286	<b>.9979</b>	<b>.8147</b>	<b>.8089</b>	<b>.8092</b>	<b>.8093</b>	<b>.8095</b>
		13	.98846720	.99974425	.99999468	<b>.9993</b>	<b>.8518</b>	<b>.8485</b>	<b>.8486</b>	<b>.8487</b>	<b>.8487</b>
		14	.99589305	.99995431	.99999951	<b>.9998</b>	<b>.8917</b>	<b>.8895</b>	<b>.8895</b>	<b>.8895</b>	<b>.8895</b>
		15	.99869837	.99999307	.99999996	<b>1.0000</b>	<b>.9292</b>	<b>.9276</b>	<b>.9276</b>	<b>.9276</b>	<b>.9276</b>
		16	.99963348	.99999911	1.00000000	<b>1.0000</b>	<b>.9593</b>	<b>.9582</b>	<b>.9582</b>	<b>.9582</b>	<b>.9582</b>
17	.99990851	.99999990	<b>1.0000</b>	<b>1.0000</b>	<b>.9798</b>	<b>.9792</b>	<b>.9792</b>	<b>.9792</b>	<b>.9792</b>		



Table 32: Sheet G. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			2	3	4	5	6	7	8	9	10
2	32	0	.00010045	.00030048	.00059920	.00099577	.00148931	.00207897	.00276388	<i>.00354315</i>	<i>.00441588</i>
		1	.00117194	.00346320	.00682385	.01120550	.01656075	<b>.0055</b>	<b>.0066</b>	<b>.0078</b>	<b>.0090</b>
		2	.00670799	.01923679	.03680783	.05871010	<b>.0418</b>	<b>.0272</b>	<b>.0326</b>	<b>.0379</b>	<b>.0433</b>
		3	.02516147	.06823714	.12373463	.18723878	<b>.1226</b>	<b>.0880</b>	<b>.1025</b>	<b>.1165</b>	<b>.1300</b>
		4	.06975739	.17359331	.29047952	.40717215	<b>.2505</b>	<b>.1908</b>	<b>.2139</b>	<b>.2346</b>	<b>.2534</b>
		5	.15300310	.33938802	.51273511	<b>.5416</b>	<b>.3909</b>	<b>.3063</b>	<b>.3301</b>	<b>.3500</b>	<b>.3668</b>
		6	.27787167	.53730044	.72540424	<b>.7293</b>	<b>.5196</b>	<b>.4203</b>	<b>.4386</b>	<b>.4528</b>	<b>.4644</b>
		7	.43247084	.72120395	.87523227	<b>.8534</b>	<b>.6140</b>	<b>.5178</b>	<b>.5300</b>	<b>.5393</b>	<b>.5469</b>
		8	.59351165	.85690499	.95459759	<b>.9228</b>	<b>.6771</b>	<b>.5994</b>	<b>.6071</b>	<b>.6130</b>	<b>.6177</b>
		9	.73665904	.93769504	.98677252	<b>.9608</b>	<b>.7181</b>	<b>.6645</b>	<b>.6690</b>	<b>.6724</b>	<b>.6749</b>
		10	.84640537	.97700414	.99690589	<b>.9816</b>	<b>.7462</b>	<b>.7143</b>	<b>.7166</b>	<b>.7182</b>	<b>.7194</b>
		11	.91956959	.99279864	.99941650	<b>.9922</b>	<b>.7702</b>	<b>.7535</b>	<b>.7545</b>	<b>.7552</b>	<b>.7557</b>
		12	.96224871	.99808347	.99991090	<b>.9970</b>	<b>.7968</b>	<b>.7888</b>	<b>.7892</b>	<b>.7894</b>	<b>.7896</b>
		13	.98413545	.99956582	.99998894	<b>.9990</b>	<b>.8295</b>	<b>.8255</b>	<b>.8256</b>	<b>.8257</b>	<b>.8258</b>
		14	.99403659	.99991616	.99999888	<b>.9997</b>	<b>.8673</b>	<b>.8649</b>	<b>.8650</b>	<b>.8650</b>	<b>.8650</b>
		15	.99799704	.99998619	.99999991	<b>.9999</b>	<b>.9062</b>	<b>.9045</b>	<b>.9045</b>	<b>.9045</b>	<b>.9045</b>
		16	.99939971	.99999806	.99999999	<b>1.0000</b>	<b>.9408</b>	<b>.9396</b>	<b>.9396</b>	<b>.9396</b>	<b>.9396</b>
		17	.99983976	.99999977	<b>1.0000</b>	<b>1.0000</b>	<b>.9672</b>	<b>.9664</b>	<b>.9664</b>	<b>.9664</b>	<b>.9664</b>
2	33	0	.00007534	.00022547	.00044984	.00074792	.00111916	.00156302	.00207897	<i>.00266644</i>	<i>.00332488</i>
		1	.00090407	.00267757	.00528742	.00870147	.01288814	<b>.0042</b>	<b>.0051</b>	<b>.0061</b>	<b>.0070</b>
		2	.00532398	.01535787	.02955461	.04740875	<b>.0331</b>	<b>.0220</b>	<b>.0264</b>	<b>.0308</b>	<b>.0352</b>
		3	.02054810	.05637481	.10335859	.15809314	<b>.1013</b>	<b>.0748</b>	<b>.0874</b>	<b>.0997</b>	<b>.1117</b>
		4	.05860841	.14860440	.25297349	.36035354	<b>.2164</b>	<b>.1706</b>	<b>.1924</b>	<b>.2122</b>	<b>.2303</b>
		5	.13219167	.30099007	.46509679	<b>.4963</b>	<b>.3509</b>	<b>.2848</b>	<b>.3089</b>	<b>.3293</b>	<b>.3468</b>
		6	.24665452	.49263338	.68214873	<b>.6913</b>	<b>.4826</b>	<b>.4030</b>	<b>.4224</b>	<b>.4378</b>	<b>.4503</b>
		7	.39382105	.68079568	.84637285	<b>.8283</b>	<b>.5847</b>	<b>.5052</b>	<b>.5185</b>	<b>.5288</b>	<b>.5371</b>
		8	.55325145	.82788248	.94012789	<b>.9079</b>	<b>.6563</b>	<b>.5907</b>	<b>.5994</b>	<b>.6060</b>	<b>.6114</b>
		9	.70087219	.92087273	.98121769	<b>.9519</b>	<b>.7048</b>	<b>.6591</b>	<b>.6644</b>	<b>.6683</b>	<b>.6714</b>
		10	.81896878	.96903125	.99524759	<b>.9766</b>	<b>.7386</b>	<b>.7113</b>	<b>.7142</b>	<b>.7162</b>	<b>.7178</b>
		11	.90127853	.98967615	.99902655	<b>.9896</b>	<b>.7663</b>	<b>.7521</b>	<b>.7534</b>	<b>.7543</b>	<b>.7550</b>
		12	.95157893	.99706440	.99983792	<b>.9958</b>	<b>.7950</b>	<b>.7882</b>	<b>.7888</b>	<b>.7891</b>	<b>.7894</b>
		13	.97866376	.99928682	.99997798	<b>.9985</b>	<b>.8285</b>	<b>.8253</b>	<b>.8255</b>	<b>.8256</b>	<b>.8257</b>
		14	.99156130	.99985176	.99999755	<b>.9995</b>	<b>.8668</b>	<b>.8649</b>	<b>.8649</b>	<b>.8650</b>	<b>.8650</b>
		15	.99700693	.99997361	.99999978	<b>.9999</b>	<b>.9058</b>	<b>.9045</b>	<b>.9045</b>	<b>.9045</b>	<b>.9045</b>
		16	.99904904	.99999597	.99999998	<b>1.0000</b>	<b>.9405</b>	<b>.9396</b>	<b>.9396</b>	<b>.9396</b>	<b>.9396</b>
		17	.99972974	.99999947	<b>1.0000</b>	<b>1.0000</b>	<b>.9670</b>	<b>.9664</b>	<b>.9664</b>	<b>.9664</b>	<b>.9664</b>
		18	.99993143	.99999994	<b>1.0000</b>	<b>1.0000</b>	<b>.9842</b>	<b>.9839</b>	<b>.9839</b>	<b>.9839</b>	<b>.9839</b>
2	34	0	.00005650	.00016917	.00033765	.00056162	.00084073	.00117464	.00156302	<i>.00200552</i>	<i>.00250179</i>
		1	.00069689	.00206789	.00409115	.00674535	.01000952	<b>.0033</b>	<b>.0040</b>	<b>.0047</b>	<b>.0054</b>
		2	.00421900	.01223316	.02365987	.03814215	<b>.0282</b>	<b>.0176</b>	<b>.0212</b>	<b>.0247</b>	<b>.0283</b>
		3	.01674207	.04641037	.08593655	.13272332	<b>.0906</b>	<b>.0624</b>	<b>.0733</b>	<b>.0840</b>	<b>.0945</b>
		4	.04909333	.12662036	.21898295	.31663323	<b>.2004</b>	<b>.1488</b>	<b>.1691</b>	<b>.1878</b>	<b>.2051</b>
		5	.11379586	.26547587	.41905099	<b>.4515</b>	<b>.3336</b>	<b>.2568</b>	<b>.2809</b>	<b>.3016</b>	<b>.3195</b>
		6	.21803881	.44906100	.63733772	<b>.6510</b>	<b>.4687</b>	<b>.3738</b>	<b>.3944</b>	<b>.4108</b>	<b>.4243</b>
		7	.35702942	.63910758	.81420476	<b>.8000</b>	<b>.5751</b>	<b>.4768</b>	<b>.4913</b>	<b>.5024</b>	<b>.5115</b>
		8	.51339385	.79613953	.92271877	<b>.8905</b>	<b>.6492</b>	<b>.5641</b>	<b>.5737</b>	<b>.5811</b>	<b>.5871</b>
		9	.66396701	.90132251	.97398365	<b>.9414</b>	<b>.6976</b>	<b>.6353</b>	<b>.6414</b>	<b>.6460</b>	<b>.6496</b>
		10	.78944464	.95916383	.99290385	<b>.9705</b>	<b>.7289</b>	<b>.6896</b>	<b>.6931</b>	<b>.6956</b>	<b>.6975</b>
		11	.88070109	.98555131	.99842686	<b>.9863</b>	<b>.7509</b>	<b>.7295</b>	<b>.7313</b>	<b>.7325</b>	<b>.7333</b>
		12	.93900383	.99562401	.99971545	<b>.9942</b>	<b>.7710</b>	<b>.7611</b>	<b>.7619</b>	<b>.7624</b>	<b>.7627</b>
		13	.97189256	.99886377	.99995784	<b>.9978</b>	<b>.7951</b>	<b>.7912</b>	<b>.7915</b>	<b>.7917</b>	<b>.7918</b>
		14	.98833692	.99974668	.99999487	<b>.9993</b>	<b>.8257</b>	<b>.8245</b>	<b>.8246</b>	<b>.8246</b>	<b>.8247</b>
		15	.99564552	.99995145	.99999948	<b>.9998</b>	<b>.8621</b>	<b>.8618</b>	<b>.8618</b>	<b>.8618</b>	<b>.8618</b>
		16	.99853851	.99999200	.99999996	<b>.9999</b>	<b>.9003</b>	<b>.9003</b>	<b>.9003</b>	<b>.9003</b>	<b>.9003</b>
		17	.99955957	.99999886	<b>1.0000</b>	<b>1.0000</b>	<b>.9353</b>	<b>.9353</b>	<b>.9353</b>	<b>.9353</b>	<b>.9353</b>
		18	.99988101	.99999986	<b>1.0000</b>	<b>1.0000</b>	<b>.9629</b>	<b>.9629</b>	<b>.9629</b>	<b>.9629</b>	<b>.9629</b>

Table 32: Sheet H. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			2	3	4	5	6	7	8	9	10
2	35	0	.00004238	.00012692	.00025341	.00042164	.00063140	.00088247	.00117464	<i>.00150770</i>	<i>.00188143</i>
		1	.00053679	.00159542	.00316148	.00522087	.00775970	<b>.0025</b>	<b>.0031</b>	<b>.0036</b>	<b>.0042</b>
		2	.00333847	.00972363	.01888904	.03058404	<b>.0228</b>	<b>.0141</b>	<b>.0169</b>	<b>.0198</b>	<b>.0227</b>
		3	.01361130	.03808137	.07114240	.11083462	<b>.0763</b>	<b>.0519</b>	<b>.0612</b>	<b>.0704</b>	<b>.0794</b>
		4	.04100552	.10741442	.18847895	.27631890	<b>.1756</b>	<b>.1292</b>	<b>.1478</b>	<b>.1652</b>	<b>.1814</b>
		5	.09762023	.23292605	.37510830	<b>.4080</b>	<b>.3024</b>	<b>.2306</b>	<b>.2542</b>	<b>.2749</b>	<b>.2931</b>
		6	.19197807	.40703076	.59163580	<b>.6093</b>	<b>.4383</b>	<b>.3456</b>	<b>.3672</b>	<b>.3846</b>	<b>.3990</b>
		7	.32228177	.59667074	.77900558	<b>.7692</b>	<b>.5503</b>	<b>.4492</b>	<b>.4648</b>	<b>.4770</b>	<b>.4868</b>
		8	.47430274	.76195816	.90221521	<b>.8710</b>	<b>.6308</b>	<b>.5382</b>	<b>.5487</b>	<b>.5569</b>	<b>.5635</b>
		9	.62632372	.87900457	.96478818	<b>.9296</b>	<b>.6847</b>	<b>.6126</b>	<b>.6195</b>	<b>.6247</b>	<b>.6289</b>
		10	.75807523	.94719681	.98968025	<b>.9633</b>	<b>.7195</b>	<b>.6711</b>	<b>.6752</b>	<b>.6782</b>	<b>.6806</b>
		11	.85788698	.98022533	.99753216	<b>.9824</b>	<b>.7426</b>	<b>.7144</b>	<b>.7166</b>	<b>.7181</b>	<b>.7192</b>
		12	.92442815	.99363948	.99951674	<b>.9922</b>	<b>.7613</b>	<b>.7471</b>	<b>.7480</b>	<b>.7487</b>	<b>.7492</b>
		13	.96367037	.99824031	.99992221	<b>.9969</b>	<b>.7816</b>	<b>.7755</b>	<b>.7759</b>	<b>.7762</b>	<b>.7763</b>
		14	.98422583	.99958062	.99998967	<b>.9989</b>	<b>.8077</b>	<b>.8055</b>	<b>.8056</b>	<b>.8057</b>	<b>.8058</b>
		15	.99381837	.99991379	.99999887	<b>.9996</b>	<b>.8404</b>	<b>.8397</b>	<b>.8398</b>	<b>.8398</b>	<b>.8398</b>
		16	.99781527	.99998470	.99999990	<b>.9999</b>	<b>.8774</b>	<b>.8773</b>	<b>.8773</b>	<b>.8773</b>	<b>.8773</b>
		17	.99930430	.99999765	<b>.9999</b>	<b>1.0000</b>	<b>.9143</b>	<b>.9143</b>	<b>.9143</b>	<b>.9143</b>	<b>.9143</b>
		18	.99980065	.99999969	<b>1.0000</b>	<b>1.0000</b>	<b>.9463</b>	<b>.9463</b>	<b>.9463</b>	<b>.9463</b>	<b>.9463</b>
		19	.99994868	.99999996	<b>1.0000</b>	<b>1.0000</b>	<b>.9703</b>	<b>.9703</b>	<b>.9703</b>	<b>.9703</b>	<b>.9703</b>
2	36	0	.00003178	.00009522	.00019017	.00031650	.00047408	.00066278	.00088247	<i>.00113301</i>	<i>.00141426</i>
		1	.00041319	.00122976	.00244023	.00403530	.00600578	<b>.0020</b>	<b>.0024</b>	<b>.0029</b>	<b>.0033</b>
		2	.00263805	.00771377	.01504237	.02444872	<b>.0188</b>	<b>.0113</b>	<b>.0135</b>	<b>.0159</b>	<b>.0182</b>
		3	.01104310	.03115101	.05865866	.09210119	<b>.0657</b>	<b>.0433</b>	<b>.0512</b>	<b>.0590</b>	<b>.0668</b>
		4	.03415696	.09074387	.16135087	.23957627	<b>.1569</b>	<b>.1130</b>	<b>.1299</b>	<b>.1458</b>	<b>.1609</b>
		5	.08346655	.20334486	.33366748	<b>.3662</b>	<b>.2785</b>	<b>.2100</b>	<b>.2329</b>	<b>.2532</b>	<b>.2713</b>
		6	.16838861	.36691126	.54570238	<b>.5666</b>	<b>.4149</b>	<b>.3263</b>	<b>.3487</b>	<b>.3670</b>	<b>.3822</b>
		7	.28970584	.55400980	.74115211	<b>.7359</b>	<b>.5315</b>	<b>.4341</b>	<b>.4510</b>	<b>.4641</b>	<b>.4747</b>
		8	.43629750	.72568503	.87854639	<b>.8493</b>	<b>.6172</b>	<b>.5272</b>	<b>.5387</b>	<b>.5476</b>	<b>.5548</b>
		9	.58831847	.85395046	.95336259	<b>.9162</b>	<b>.6754</b>	<b>.6050</b>	<b>.6126</b>	<b>.6185</b>	<b>.6233</b>
		10	.72513735	.93295653	.98535839	<b>.9551</b>	<b>.7136</b>	<b>.6663</b>	<b>.6710</b>	<b>.6746</b>	<b>.6774</b>
		11	.83293404	.97349377	.99623481	<b>.9777</b>	<b>.7392</b>	<b>.7117</b>	<b>.7143</b>	<b>.7162</b>	<b>.7176</b>
		12	.90779286	.99096976	.99920435	<b>.9898</b>	<b>.7595</b>	<b>.7457</b>	<b>.7470</b>	<b>.7479</b>	<b>.7485</b>
		13	.95385982	.99734563	.99986134	<b>.9957</b>	<b>.7809</b>	<b>.7749</b>	<b>.7755</b>	<b>.7758</b>	<b>.7761</b>
		14	.97908696	.99932580	.99998000	<b>.9984</b>	<b>.8074</b>	<b>.8052</b>	<b>.8055</b>	<b>.8056</b>	<b>.8057</b>
		15	.99142024	.99985182	.99999761	<b>.9995</b>	<b>.8403</b>	<b>.8396</b>	<b>.8397</b>	<b>.8398</b>	<b>.8398</b>
		16	.99681604	.99997179	.99999976	<b>.9998</b>	<b>.8774</b>	<b>.8772</b>	<b>.8773</b>	<b>.8773</b>	<b>.8773</b>
		17	.99893204	.99999534	<b>.9999</b>	<b>1.0000</b>	<b>.9143</b>	<b>.9143</b>	<b>.9143</b>	<b>.9143</b>	<b>.9143</b>
		18	.99967656	.99999933	<b>1.0000</b>	<b>1.0000</b>	<b>.9463</b>	<b>.9463</b>	<b>.9463</b>	<b>.9463</b>	<b>.9463</b>
		19	.99991167	.99999992	<b>1.0000</b>	<b>1.0000</b>	<b>.9703</b>	<b>.9703</b>	<b>.9703</b>	<b>.9703</b>	<b>.9703</b>
2	37	0	.00002384	.00007143	.00014269	.00023754	.00035589	.00049767	.00066278	<i>.00085115</i>	<i>.00106269</i>
		1	.00031784	.00094709	.00188152	.00311502	.00464151	<b>.0015</b>	<b>.0018</b>	<b>.0022</b>	<b>.0025</b>
		2	.00208184	.00610822	.01195143	.01948970	<b>.0071</b>	<b>.0089</b>	<b>.0108</b>	<b>.0126</b>	<b>.0145</b>
		3	.00894184	.02540862	.04818520	.07618587	<b>.0290</b>	<b>.0356</b>	<b>.0423</b>	<b>.0489</b>	<b>.0555</b>
		4	.02837850	.07636082	.13742647	.20644742	<b>.0810</b>	<b>.0969</b>	<b>.1120</b>	<b>.1264</b>	<b>.1402</b>
		5	.07113915	.17667326	.29501574	<b>.3265</b>	<b>.1618</b>	<b>.1861</b>	<b>.2080</b>	<b>.2277</b>	<b>.2456</b>
		6	.14715809	.32898996	.50016441	<b>.5235</b>	<b>.2712</b>	<b>.2988</b>	<b>.3217</b>	<b>.3407</b>	<b>.3568</b>
		7	.25937653	.51162487	.70110209	<b>.7001</b>	<b>.3829</b>	<b>.4064</b>	<b>.4244</b>	<b>.4385</b>	<b>.4500</b>
		8	.39964958	.68771669	.85173410	<b>.8249</b>	<b>.4838</b>	<b>.5006</b>	<b>.5131</b>	<b>.5228</b>	<b>.5306</b>
		9	.55031323	.82626385	.93946708	<b>.9009</b>	<b>.5696</b>	<b>.5809</b>	<b>.5894</b>	<b>.5959</b>	<b>.6012</b>
		10	.69093263	.91631061	.97970187	<b>.9456</b>	<b>.6389</b>	<b>.6462</b>	<b>.6516</b>	<b>.6557</b>	<b>.6590</b>
		11	.80598487	.96515436	.99440332	<b>.9720</b>	<b>.6912</b>	<b>.6956</b>	<b>.6987</b>	<b>.7011</b>	<b>.7028</b>
		12	.88907815	.98745770	.99872761	<b>.9867</b>	<b>.7296</b>	<b>.7319</b>	<b>.7335</b>	<b>.7347</b>	<b>.7355</b>
		13	.94234308	.99609325	.99976067	<b>.9942</b>	<b>.7597</b>	<b>.7608</b>	<b>.7615</b>	<b>.7620</b>	<b>.7624</b>
		14	.97278018	.99894542	.99996263	<b>.9977</b>	<b>.7881</b>	<b>.7886</b>	<b>.7889</b>	<b>.7891</b>	<b>.7892</b>
		15	.98833692	.99975295	.99999514	<b>.9992</b>	<b>.8194</b>	<b>.8196</b>	<b>.8197</b>	<b>.8198</b>	<b>.8198</b>

Table 32: Sheet I. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			2	3	4	5	6	7	8	9	10
2	37	16	.99546709	.99994971	.99999947	<b>.9997</b>	<i>.8548</i>	<i>.8549</i>	<i>.8549</i>	<i>.8549</i>	<i>.8549</i>
		17	.99840304	.99999110	<b>.9998</b>	<b>.9999</b>	<i>.8921</i>	<i>.8921</i>	<i>.8921</i>	<i>.8921</i>	<i>.8921</i>
		18	.99949043	.99999863	<b>1.0000</b>	<b>1.0000</b>	<i>.9271</i>	<i>.9271</i>	<i>.9271</i>	<i>.9271</i>	<i>.9271</i>
		19	.99985290	.99999982	<b>1.0000</b>	<b>1.0000</b>	<i>.9559</i>	<i>.9559</i>	<i>.9559</i>	<i>.9559</i>	<i>.9559</i>
2	38	0	.00001788	.00005358	.00010706	.00017826	.00026713	.00037362	.00049767	<i>.00063924</i>	<i>.00079826</i>
		1	.00024434	.00072881	.00144933	.00240187	.00358245	<b>.0012</b>	<i>.0014</i>	<i>.0017</i>	<i>.0019</i>
		2	.00164084	.00482865	.00947548	.01549698	<b>.0056</b>	<b>.0071</b>	<i>.0085</i>	<i>.0100</i>	<i>.0115</i>
		3	.00722684	.02066904	.03944472	.06275533	<b>.0237</b>	<b>.0292</b>	<i>.0348</i>	<i>.0403</i>	<i>.0459</i>
		4	.02351933	.06402059	.11649035	.17687214	<b>.0687</b>	<b>.0826</b>	<i>.0961</i>	<i>.1090</i>	<i>.1214</i>
		5	.06044899	.15280194	.25933478	<b>.2891</b>	<i>.1416</i>	<i>.1642</i>	<i>.1849</i>	<i>.2037</i>	<i>.2209</i>
		6	.12815336	.29347484	.45559405	<b>.4802</b>	<i>.2451</i>	<i>.2726</i>	<i>.2957</i>	<i>.3152</i>	<i>.3319</i>
		7	.23132192	.46997660	.65937205	<b>.6620</b>	<i>.3548</i>	<i>.3795</i>	<i>.3986</i>	<i>.4137</i>	<i>.4260</i>
		8	.36458132	.64848340	.82189560	<b>.7977</b>	<i>.4562</i>	<i>.4744</i>	<i>.4879</i>	<i>.4984</i>	<i>.5069</i>
		9	.51264732	.79611772	.92290579	<b>.8834</b>	<i>.5442</i>	<i>.5566</i>	<i>.5658</i>	<i>.5730</i>	<i>.5789</i>
		10	.65577778	.89717616	.97246460	<b>.9346</b>	<i>.6170</i>	<i>.6252</i>	<i>.6313</i>	<i>.6360</i>	<i>.6398</i>
		11	.77722181	.95501569	.99188225	<b>.9653</b>	<i>.6737</i>	<i>.6787</i>	<i>.6824</i>	<i>.6852</i>	<i>.6873</i>
		12	.86830483	.98293345	.99802007	<b>.9830</b>	<i>.7153</i>	<i>.7181</i>	<i>.7201</i>	<i>.7216</i>	<i>.7226</i>
		13	.92902685	.99438052	.99959923	<b>.9923</b>	<i>.7465</i>	<i>.7479</i>	<i>.7489</i>	<i>.7495</i>	<i>.7500</i>
		14	.96517090	.99839203	.99993245	<b>.9968</b>	<i>.7735</i>	<i>.7741</i>	<i>.7745</i>	<i>.7748</i>	<i>.7749</i>
		15	.98444773	.99959959	.99999049	<b>.9988</b>	<i>.8017</i>	<i>.8019</i>	<i>.8021</i>	<i>.8022</i>	<i>.8022</i>
		16	.99368455	.99991312	.99999888	<b>.9996</b>	<i>.8340</i>	<i>.8341</i>	<i>.8341</i>	<i>.8341</i>	<i>.8342</i>
		17	.99766906	.99998356	<b>.9998</b>	<b>.9999</b>	<i>.8698</i>	<i>.8699</i>	<i>.8699</i>	<i>.8699</i>	<i>.8699</i>
		18	.99921859	.99999728	<b>.9999</b>	<b>1.0000</b>	<i>.9061</i>	<i>.9061</i>	<i>.9061</i>	<i>.9061</i>	<i>.9061</i>
		19	.99976228	.99999961	<b>1.0000</b>	<b>1.0000</b>	<i>.9386</i>	<i>.9386</i>	<i>.9386</i>	<i>.9386</i>	<i>.9386</i>
20	.99993445	.99999995	<b>1.0000</b>	<b>1.0000</b>	<i>.9642</i>	<i>.9642</i>	<i>.9642</i>	<i>.9642</i>	<i>.9642</i>		
2	39	0	.00001341	.00004019	.00008032	.00013376	.00020048	.00028044	.00037362	<i>.00047997</i>	<i>.00059948</i>
		1	.00018772	.00056042	.00111542	.00185007	.00276176	<b>.0009</b>	<i>.0011</i>	<i>.0013</i>	<i>.0015</i>
		2	.00129171	.00381111	.00749777	.01229353	<b>.0045</b>	<b>.0056</b>	<i>.0068</i>	<i>.0079</i>	<i>.0091</i>
		3	.00583034	.01677122	.03218587	.05149100	<b>.0195</b>	<b>.0241</b>	<i>.0287</i>	<i>.0333</i>	<i>.0379</i>
		4	.01944621	.05348801	.09830022	.15071010	<b>.0587</b>	<b>.0709</b>	<i>.0827</i>	<i>.0941</i>	<i>.1052</i>
		5	.05121657	.13158380	.22671091	<b>.2545</b>	<i>.1256</i>	<i>.1464</i>	<i>.1657</i>	<i>.1834</i>	<i>.1999</i>
		6	.11122727	.26049913	.41249215	<b>.4377</b>	<i>.2258</i>	<i>.2527</i>	<i>.2758</i>	<i>.2956</i>	<i>.3127</i>
		7	.20552978	.42947486	.61651343	<b>.6224</b>	<i>.3367</i>	<i>.3623</i>	<i>.3825</i>	<i>.3985</i>	<i>.4117</i>
		8	.33126647	.60843250	.78924085	<b>.7682</b>	<i>.4416</i>	<i>.4612</i>	<i>.4758</i>	<i>.4871</i>	<i>.4963</i>
		9	.47563082	.76374808	.90354025	<b>.8641</b>	<i>.5333</i>	<i>.5468</i>	<i>.5569</i>	<i>.5647</i>	<i>.5711</i>
		10	.61999516	.87552580	.96340113	<b>.9224</b>	<i>.6092</i>	<i>.6183</i>	<i>.6251</i>	<i>.6304</i>	<i>.6347</i>
		11	.74686080	.94290599	.98849369	<b>.9577</b>	<i>.6685</i>	<i>.6743</i>	<i>.6786</i>	<i>.6818</i>	<i>.6844</i>
		12	.84553408	.97721923	.99699731	<b>.9785</b>	<i>.7122</i>	<i>.7156</i>	<i>.7180</i>	<i>.7198</i>	<i>.7211</i>
		13	.91384634	.99208894	.99934774	<b>.9900</b>	<i>.7449</i>	<i>.7466</i>	<i>.7478</i>	<i>.7487</i>	<i>.7493</i>
		14	.95613489	.99760619	.99988168	<b>.9957</b>	<i>.7727</i>	<i>.7735</i>	<i>.7740</i>	<i>.7744</i>	<i>.7747</i>
		15	.97962853	.99936799	.99998202	<b>.9983</b>	<i>.8013</i>	<i>.8017</i>	<i>.8019</i>	<i>.8020</i>	<i>.8021</i>
		16	.99137534	.99985421	.99999770	<b>.9994</b>	<i>.8338</i>	<i>.8340</i>	<i>.8340</i>	<i>.8341</i>	<i>.8341</i>
		17	.99667293	.99997059	<b>.9996</b>	<b>.9998</b>	<i>.8698</i>	<i>.8698</i>	<i>.8699</i>	<i>.8699</i>	<i>.8699</i>
		18	.99883120	.99999481	<b>.9999</b>	<b>.9999</b>	<i>.9061</i>	<i>.9061</i>	<i>.9061</i>	<i>.9061</i>	<i>.9061</i>
		19	.99962636	.99999920	<b>1.0000</b>	<b>1.0000</b>	<i>.9386</i>	<i>.9386</i>	<i>.9386</i>	<i>.9386</i>	<i>.9386</i>
20	.99989141	.99999989	<b>1.0000</b>	<b>1.0000</b>	<i>.9642</i>	<i>.9642</i>	<i>.9642</i>	<i>.9642</i>	<i>.9642</i>		
2	40	0	.00001006	.00003015	.00006026	.00010036	.00015044	.00021047	.00028044	<i>.00036032</i>	<i>.00045010</i>
		1	.00014414	.00043064	.00085773	.00142369	.00212681	<b>.0007</b>	<i>.0009</i>	<i>.0010</i>	<i>.0012</i>
		2	.00101572	.00300355	.00592213	.00973147	<b>.0035</b>	<b>.0044</b>	<i>.0054</i>	<i>.0063</i>	<i>.0072</i>
		3	.00469568	.01357634	.02618435	.04209632	<b>.0158</b>	<b>.0196</b>	<i>.0234</i>	<i>.0272</i>	<i>.0310</i>
		4	.01604224	.04454173	.08260050	.12776221	<b>.0493</b>	<b>.0598</b>	<i>.0701</i>	<i>.0801</i>	<i>.0899</i>
		5	.04327398	.11284527	.19714793	<b>.2228</b>	<i>.1087</i>	<i>.1276</i>	<i>.1453</i>	<i>.1618</i>	<i>.1773</i>
		6	.09622459	.23012837	.37127754	<b>.3966</b>	<i>.2019</i>	<i>.2280</i>	<i>.2507</i>	<i>.2705</i>	<i>.2879</i>
		7	.18195415	.39047104	.57308854	<b>.5819</b>	<i>.3094</i>	<i>.3356</i>	<i>.3567</i>	<i>.3736</i>	<i>.3876</i>
		8	.29983230	.56801242	.75406440	<b>.7362</b>	<i>.4139</i>	<i>.4348</i>	<i>.4505</i>	<i>.4626</i>	<i>.4725</i>
		9	.43953973	.72944515	.88130023	<b>.8422</b>	<i>.5070</i>	<i>.5217</i>	<i>.5326</i>	<i>.5411</i>	<i>.5481</i>

Table 32: Sheet J. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix										
			2	3	4	5	6	7	8	9	10		
2	40	10	.58390408	.85139101	.95227829	<b>.9082</b>	<b>.5860</b>	<b>.5960</b>	<b>.6035</b>	<b>.6093</b>	<b>.6141</b>		
		11	.71514439	.92868172	.98404063	<b>.9486</b>	<b>.6493</b>	<b>.6559</b>	<b>.6607</b>	<b>.6645</b>	<b>.6675</b>		
		12	.82086576	.97013500	.99555520	<b>.9731</b>	<b>.6970</b>	<b>.7009</b>	<b>.7038</b>	<b>.7059</b>	<b>.7076</b>		
		13	.89676828	.98908534	.99896652	<b>.9870</b>	<b>.7318</b>	<b>.7340</b>	<b>.7355</b>	<b>.7366</b>	<b>.7374</b>		
		14	.94556275	.99651532	.99979878	<b>.9942</b>	<b>.7595</b>	<b>.7605</b>	<b>.7612</b>	<b>.7617</b>	<b>.7621</b>		
		15	.97375512	.99902685	.99996709	<b>.9976</b>	<b>.7858</b>	<b>.7862</b>	<b>.7865</b>	<b>.7867</b>	<b>.7868</b>		
		16	.98843864	.99976197	.99999547	<b>.9991</b>	<b>.8150</b>	<b>.8152</b>	<b>.8153</b>	<b>.8154</b>	<b>.8154</b>		
		17	.99534853	.99994894	<b>.9995</b>	<b>.9997</b>	<b>.8485</b>	<b>.8485</b>	<b>.8486</b>	<b>.8486</b>	<b>.8486</b>		
		18	.99829163	.99999039	<b>.9998</b>	<b>.9999</b>	<b>.8844</b>	<b>.8844</b>	<b>.8844</b>	<b>.8844</b>	<b>.8844</b>		
		19	.99942757	.99999841	<b>.9999</b>	<b>1.0000</b>	<b>.9191</b>	<b>.9191</b>	<b>.9191</b>	<b>.9192</b>	<b>.9192</b>		
		20	.99982515	.99999977	<b>1.0000</b>	<b>1.0000</b>	<b>.9488</b>	<b>.9488</b>	<b>.9488</b>	<b>.9488</b>	<b>.9488</b>		
		2	41	0	.00000754	.00002261	.00004520	.00007530	.00011288	.00015794	.00021047	<i>.00027046</i>	<i>.00033788</i>
				1	.00011062	.00033070	.00065908	.00109464	.00163624	<b>.0006</b>	<b>.0007</b>	<b>.0008</b>	<b>.0010</b>
				2	.00079782	.00236384	.00466980	.00768829	<b>.0028</b>	<b>.0035</b>	<b>.0042</b>	<b>.0050</b>	<b>.0057</b>
				3	.00377569	.01096574	.02124271	.03430101	<b>.0128</b>	<b>.0159</b>	<b>.0190</b>	<b>.0222</b>	<b>.0253</b>
				4	.01320560	.03697710	.06913328	.10778996	<b>.0413</b>	<b>.0503</b>	<b>.0592</b>	<b>.0678</b>	<b>.0764</b>
				5	.03646605	.09639623	.17058120	<b>.1298</b>	<b>.0936</b>	<b>.1107</b>	<b>.1268</b>	<b>.1420</b>	<b>.1563</b>
				6	.08298694	.20236892	.33228198	<b>.2380</b>	<b>.1797</b>	<b>.2048</b>	<b>.2269</b>	<b>.2464</b>	<b>.2637</b>
				7	.16052176	.35325383	.52964818	<b>.3629</b>	<b>.2832</b>	<b>.3099</b>	<b>.3316</b>	<b>.3494</b>	<b>.3642</b>
8	.27036276			.52765811	.71673292	<b>.4804</b>	<b>.3868</b>	<b>.4090</b>	<b>.4258</b>	<b>.4388</b>	<b>.4494</b>		
9	.40461287			.69354228	.85619095	<b>.5750</b>	<b>.4808</b>	<b>.4967</b>	<b>.5086</b>	<b>.5177</b>	<b>.5252</b>		
10	.54781299			.82486275	.93888750	<b>.6433</b>	<b>.5621</b>	<b>.5731</b>	<b>.5813</b>	<b>.5877</b>	<b>.5930</b>		
11	.68233431			.91223523	.97831222	<b>.6896</b>	<b>.6292</b>	<b>.6365</b>	<b>.6420</b>	<b>.6462</b>	<b>.6496</b>		
12	.79443542			.96150514	.99356916	<b>.7201</b>	<b>.6809</b>	<b>.6855</b>	<b>.6888</b>	<b>.6914</b>	<b>.6933</b>		
13	.87779265			.98522422	.99840342	<b>.7412</b>	<b>.7188</b>	<b>.7214</b>	<b>.7233</b>	<b>.7246</b>	<b>.7256</b>		
14	.93336413			.99503307	.99966719	<b>.7585</b>	<b>.7473</b>	<b>.7487</b>	<b>.7496</b>	<b>.7502</b>	<b>.7507</b>		
15	.96670702			.99853604	.99994158	<b>.7770</b>	<b>.7722</b>	<b>.7728</b>	<b>.7732</b>	<b>.7735</b>	<b>.7736</b>		
16	.98476776			.99962117	.99999134	<b>.8002</b>	<b>.7984</b>	<b>.7987</b>	<b>.7988</b>	<b>.7989</b>	<b>.7990</b>		
17	.99362106			.99991383	<b>.9992</b>	<b>.8293</b>	<b>.8287</b>	<b>.8288</b>	<b>.8289</b>	<b>.8289</b>	<b>.8289</b>		
18	.99755586			.99998275	<b>.9997</b>	<b>.8631</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>		
19	.99914359			.99999696	<b>.9999</b>	<b>.8984</b>	<b>.8983</b>	<b>.8983</b>	<b>.8983</b>	<b>.8983</b>	<b>.8983</b>		
20	.99972575			.99999953	<b>1.0000</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>		
21	.99991981	.99999994	<b>1.0000</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>				
2	42	0	.00000566	.00001696	.00003391	.00005649	.00008469	.00011851	.00015794	<i>.00020298</i>	<i>.00025360</i>		
		1	.00008485	.00025380	.00050608	.00084097	.00125772	<b>.0005</b>	<b>.0006</b>	<b>.0007</b>	<b>.0008</b>		
		2	.00062602	.00185797	.00367659	.00606315	<b>.0022</b>	<b>.0028</b>	<b>.0034</b>	<b>.0040</b>	<b>.0046</b>		
		3	.00303122	.00883871	.01718912	.02786303	<b>.0104</b>	<b>.0129</b>	<b>.0155</b>	<b>.0181</b>	<b>.0207</b>		
		4	.01084812	.03060764	.05764668	.09053209	<b>.0348</b>	<b>.0424</b>	<b>.0500</b>	<b>.0575</b>	<b>.0649</b>		
		5	.03065094	.08203841	.14689208	<b>.1113</b>	<b>.0816</b>	<b>.0968</b>	<b>.1113</b>	<b>.1251</b>	<b>.1383</b>		
		6	.07135672	.17717716	.29575002	<b>.2104</b>	<b>.1626</b>	<b>.1863</b>	<b>.2075</b>	<b>.2265</b>	<b>.2436</b>		
		7	.14113806	.31804814	.48671204	<b>.3305</b>	<b>.2647</b>	<b>.2915</b>	<b>.3137</b>	<b>.3321</b>	<b>.3476</b>		
		8	.24290251	.48777850	.67766930	<b>.4492</b>	<b>.3705</b>	<b>.3938</b>	<b>.4117</b>	<b>.4257</b>	<b>.4370</b>		
		9	.37105035	.65640369	.82829631	<b>.5491</b>	<b>.4679</b>	<b>.4851</b>	<b>.4979</b>	<b>.5077</b>	<b>.5157</b>		
		10	.51201296	.79608936	.92305674	<b>.6241</b>	<b>.5524</b>	<b>.5644</b>	<b>.5733</b>	<b>.5803</b>	<b>.5860</b>		
		11	.64870398	.89350108	.97109074	<b>.6764</b>	<b>.6222</b>	<b>.6303</b>	<b>.6364</b>	<b>.6412</b>	<b>.6450</b>		
		12	.76641014	.95116548	.99089439	<b>.7118</b>	<b>.6762</b>	<b>.6815</b>	<b>.6853</b>	<b>.6883</b>	<b>.6906</b>		
		13	.85695334	.98035098	.99759178	<b>.7364</b>	<b>.7160</b>	<b>.7191</b>	<b>.7213</b>	<b>.7230</b>	<b>.7242</b>		
		14	.91947126	.99305927	.99946383	<b>.7560</b>	<b>.7458</b>	<b>.7475</b>	<b>.7486</b>	<b>.7494</b>	<b>.7500</b>		
		15	.95837130	.99784536	.99989922	<b>.7758</b>	<b>.7714</b>	<b>.7722</b>	<b>.7728</b>	<b>.7731</b>	<b>.7734</b>		
		16	.98025257	.99941144	.99998396	<b>.7997</b>	<b>.7981</b>	<b>.7984</b>	<b>.7986</b>	<b>.7988</b>	<b>.7989</b>		
		17	.99140773	.99985836	<b>.9989</b>	<b>.8291</b>	<b>.8286</b>	<b>.8287</b>	<b>.8288</b>	<b>.8289</b>	<b>.8289</b>		
		18	.99657216	.99996994	<b>.9996</b>	<b>.8630</b>	<b>.8629</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>		
		19	.99874665	.99999437	<b>.9999</b>	<b>.8983</b>	<b>.8983</b>	<b>.8983</b>	<b>.8983</b>	<b>.8983</b>	<b>.8983</b>		
		20	.99958021	.99999907	<b>1.0000</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>		
21	.99987129	.99999986	<b>1.0000</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>				
2	43	0	.00000424	.00001272	.00002544	.00004238	.00006354	.00008892	.00011851	<i>.00015232</i>	<i>.00019032</i>		

Table 32: Sheet K. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			2	3	4	5	6	7	8	9	10
2	43	1	.00006505	.00019466	.00038834	.00064561	.00096598	<b>.0004</b>	<b>.0005</b>	<b>.0006</b>	<b>.0007</b>
		2	.00049073	.00145858	.00289046	.00477361	<b>.0017</b>	<b>.0022</b>	<b>.0026</b>	<b>.0031</b>	<b>.0035</b>
		3	.00242992	.00711034	.01387556	.02256880	<b>.0084</b>	<b>.0104</b>	<b>.0125</b>	<b>.0146</b>	<b>.0168</b>
		4	.00889390	.02526557	.04790098	.07571835	<b>.0288</b>	<b>.0354</b>	<b>.0418</b>	<b>.0482</b>	<b>.0545</b>
		5	.02570023	.06957223	.12592158	<b>.0959</b>	<b>.0696</b>	<b>.0831</b>	<b>.0960</b>	<b>.1084</b>	<b>.1203</b>
		6	.06118027	.15446896	.26184291	<b>.1872</b>	<b>.1432</b>	<b>.1654</b>	<b>.1855</b>	<b>.2038</b>	<b>.2204</b>
		7	.12369272	.28501670	.44475276	<b>.3026</b>	<b>.2400</b>	<b>.2666</b>	<b>.2890</b>	<b>.3079</b>	<b>.3239</b>
		8	.21746140	.44874634	.63733477	<b>.4217</b>	<b>.3437</b>	<b>.3680</b>	<b>.3869</b>	<b>.4019</b>	<b>.4140</b>
		9	.33901339	.61841162	.79777788	<b>.5256</b>	<b>.4414</b>	<b>.4599</b>	<b>.4736</b>	<b>.4842</b>	<b>.4928</b>
		10	.47677231	.76527193	.90466142	<b>.6059</b>	<b>.5276</b>	<b>.5406</b>	<b>.5503</b>	<b>.5579</b>	<b>.5641</b>
		11	.61453123	.87246065	.96216018	<b>.6632</b>	<b>.6006</b>	<b>.6095</b>	<b>.6162</b>	<b>.6215</b>	<b>.6258</b>
		12	.73698360	.93897041	.98736759	<b>.7021</b>	<b>.6586</b>	<b>.6646</b>	<b>.6690</b>	<b>.6724</b>	<b>.6751</b>
		13	.83431754	.97430616	.99644876	<b>.7286</b>	<b>.7021</b>	<b>.7057</b>	<b>.7083</b>	<b>.7103</b>	<b>.7118</b>
		14	.90384178	.99048061	.99915744	<b>.7481</b>	<b>.7339</b>	<b>.7359</b>	<b>.7373</b>	<b>.7383</b>	<b>.7391</b>
		15	.94864629	.99689354	.99983083	<b>.7659</b>	<b>.7592</b>	<b>.7602</b>	<b>.7609</b>	<b>.7614</b>	<b>.7617</b>
		16	.97478226	.99910606	.99997118	<b>.7863</b>	<b>.7836</b>	<b>.7840</b>	<b>.7843</b>	<b>.7845</b>	<b>.7847</b>
		17	.98861894	.99977287	<b>.9985</b>	<b>.8118</b>	<b>.8109</b>	<b>.8111</b>	<b>.8112</b>	<b>.8113</b>	<b>.8113</b>
		18	.99528105	.99994899	<b>.9994</b>	<b>.8428</b>	<b>.8426</b>	<b>.8426</b>	<b>.8427</b>	<b>.8427</b>	<b>.8427</b>
		19	.99820303	.99998986	<b>.9998</b>	<b>.8772</b>	<b>.8771</b>	<b>.8772</b>	<b>.8772</b>	<b>.8772</b>	<b>.8772</b>
		20	.99937182	.99999822	<b>.9999</b>	<b>.9114</b>	<b>.9114</b>	<b>.9114</b>	<b>.9114</b>	<b>.9114</b>	<b>.9114</b>
		21	.99979852	.99999972	<b>1.0000</b>	<b>.9417</b>	<b>.9417</b>	<b>.9417</b>	<b>.9417</b>	<b>.9417</b>	<b>.9417</b>
		22	.99994076	.99999996	<b>1.0000</b>	<b>.9654</b>	<b>.9654</b>	<b>.9654</b>	<b>.9654</b>	<b>.9654</b>	<b>.9654</b>
2	44	0	.00000318	.00000954	.00001908	.00003179	.00004767	.00006671	.00008892	<i>.00011429</i>	<i>.00014281</i>
		1	.00004985	.00014923	.00029782	.00049530	.00074137	<b>.0003</b>	<b>.0004</b>	<b>.0005</b>	<b>.0006</b>
		2	.00038431	.00114373	.00226938	.00375258	<b>.0014</b>	<b>.0017</b>	<b>.0021</b>	<b>.0024</b>	<b>.0028</b>
		3	.00194512	.00570940	.01117561	.01823219	<b>.0068</b>	<b>.0084</b>	<b>.0101</b>	<b>.0118</b>	<b>.0136</b>
		4	.00727790	.02080163	.03967267	.06308020	<b>.0239</b>	<b>.0294</b>	<b>.0348</b>	<b>.0402</b>	<b>.0456</b>
		5	.02149865	.05880215	.10748296	<b>.0824</b>	<b>.0592</b>	<b>.0710</b>	<b>.0824</b>	<b>.0935</b>	<b>.1041</b>
		6	.05231026	.13412873	.23064557	<b>.1660</b>	<b>.1256</b>	<b>.1462</b>	<b>.1651</b>	<b>.1824</b>	<b>.1984</b>
		7	.10806461	.25426372	.40418414	<b>.2762</b>	<b>.2168</b>	<b>.2429</b>	<b>.2652</b>	<b>.2843</b>	<b>.3008</b>
		8	.19401923	.41089066	.59621016	<b>.3947</b>	<b>.3179</b>	<b>.3431</b>	<b>.3629</b>	<b>.3787</b>	<b>.3917</b>
		9	.30862539	.57995370	.76486980	<b>.5019</b>	<b>.4153</b>	<b>.4351</b>	<b>.4498</b>	<b>.4612</b>	<b>.4704</b>
		10	.44233258	.73265756	.88363327	<b>.5871</b>	<b>.5028</b>	<b>.5169</b>	<b>.5273</b>	<b>.5354</b>	<b>.5421</b>
		11	.58009150	.84914473	.95131568	<b>.6492</b>	<b>.5783</b>	<b>.5881</b>	<b>.5954</b>	<b>.6012</b>	<b>.6060</b>
		12	.70637051	.92479970	.98281003	<b>.6921</b>	<b>.6401</b>	<b>.6467</b>	<b>.6516</b>	<b>.6555</b>	<b>.6586</b>
		13	.80998405	.96693043	.99487422	<b>.7209</b>	<b>.6874</b>	<b>.6915</b>	<b>.6946</b>	<b>.6969</b>	<b>.6988</b>
		14	.88646072	.98717207	.99870679	<b>.7411</b>	<b>.7219</b>	<b>.7244</b>	<b>.7261</b>	<b>.7273</b>	<b>.7283</b>
		15	.93744516	.99560754	.99972325	<b>.7577</b>	<b>.7480</b>	<b>.7493</b>	<b>.7502</b>	<b>.7508</b>	<b>.7512</b>
		16	.96824827	.99867092	.99994963	<b>.7752</b>	<b>.7710</b>	<b>.7716</b>	<b>.7720</b>	<b>.7722</b>	<b>.7724</b>
		17	.98515977	.99964420	<b>.9980</b>	<b>.7970</b>	<b>.7954</b>	<b>.7957</b>	<b>.7958</b>	<b>.7959</b>	<b>.7960</b>
		18	.99361553	.99991563	<b>.9992</b>	<b>.8244</b>	<b>.8239</b>	<b>.8240</b>	<b>.8241</b>	<b>.8241</b>	<b>.8241</b>
		19	.99747254	.99998226	<b>.9997</b>	<b>.8566</b>	<b>.8565</b>	<b>.8565</b>	<b>.8566</b>	<b>.8566</b>	<b>.8566</b>
		20	.99907962	.99999669	<b>.9999</b>	<b>.8909</b>	<b>.8909</b>	<b>.8909</b>	<b>.8909</b>	<b>.8909</b>	<b>.8909</b>
		21	.99969185	.99999945	<b>1.0000</b>	<b>.9236</b>	<b>.9235</b>	<b>.9236</b>	<b>.9236</b>	<b>.9236</b>	<b>.9236</b>
22	.99990520	.99999992	<b>1.0000</b>	<b>.9512</b>	<b>.9512</b>	<b>.9512</b>	<b>.9512</b>	<b>.9512</b>	<b>.9512</b>		
2	45	0	.00000239	.00000716	.00001431	.00002385	.00003576	.00005005	.00006671	<i>.00008575</i>	<i>.00010716</i>
		1	.00003818	.00011434	.00022827	.00037975	.00056860	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>
		2	.00030070	.00089588	.00177953	.00294577	<b>.0011</b>	<b>.0014</b>	<b>.0016</b>	<b>.0019</b>	<b>.0022</b>
		3	.00155492	.00457653	.00898216	.01469276	<b>.0054</b>	<b>.0068</b>	<b>.0081</b>	<b>.0095</b>	<b>.0109</b>
		4	.00594471	.01708429	.03275696	.05235889	<b>.0197</b>	<b>.0243</b>	<b>.0289</b>	<b>.0335</b>	<b>.0380</b>
		5	.01794346	.04954073	.09137261	<b>.0702</b>	<b>.0501</b>	<b>.0604</b>	<b>.0704</b>	<b>.0802</b>	<b>.0897</b>
		6	.04460736	.11601794	.20217559	<b>.1456</b>	<b>.1098</b>	<b>.1286</b>	<b>.1461</b>	<b>.1624</b>	<b>.1775</b>
		7	.09412602	.22584021	.36535351	<b>.2494</b>	<b>.1951</b>	<b>.2204</b>	<b>.2424</b>	<b>.2615</b>	<b>.2783</b>
		8	.17253058	.37449184	.55477775	<b>.3658</b>	<b>.2931</b>	<b>.3188</b>	<b>.3395</b>	<b>.3561</b>	<b>.3699</b>
		9	.27997385	.54141112	.72987004	<b>.4753</b>	<b>.3899</b>	<b>.4109</b>	<b>.4267</b>	<b>.4389</b>	<b>.4487</b>
		10	.40890578	.69853094	.85996665	<b>.5654</b>	<b>.4781</b>	<b>.4933</b>	<b>.5045</b>	<b>.5133</b>	<b>.5204</b>

Table 32: Sheet L. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			2	3	4	5	6	7	8	9	10
2	45	11	.54565177	.82363404	.93837360	<b>.6328</b>	<b>.5556</b>	<b>.5662</b>	<b>.5742</b>	<b>.5805</b>	<b>.5857</b>
		12	.67480076	.90856460	.97703220	<b>.6802</b>	<b>.6206</b>	<b>.6279</b>	<b>.6334</b>	<b>.6377</b>	<b>.6412</b>
		13	.78408067	.95807016	.99275029	<b>.7124</b>	<b>.6717</b>	<b>.6765</b>	<b>.6800</b>	<b>.6827</b>	<b>.6849</b>
		14	.86734155	.98299918	.99805896	<b>.7342</b>	<b>.7096</b>	<b>.7125</b>	<b>.7145</b>	<b>.7160</b>	<b>.7172</b>
		15	.92469905	.99390228	.99955817	<b>.7505</b>	<b>.7374</b>	<b>.7389</b>	<b>.7400</b>	<b>.7408</b>	<b>.7413</b>
		16	.96054749	.99806343	.99991428	<b>.7661</b>	<b>.7599</b>	<b>.7606</b>	<b>.7612</b>	<b>.7615</b>	<b>.7618</b>
		17	.98093190	.99945479	<b>.9973</b>	<b>.7846</b>	<b>.7820</b>	<b>.7824</b>	<b>.7826</b>	<b>.7827</b>	<b>.7828</b>
		18	.99150159	.99986377	<b>.9989</b>	<b>.8083</b>	<b>.8073</b>	<b>.8075</b>	<b>.8076</b>	<b>.8076</b>	<b>.8077</b>
		19	.99650828	.99996976	<b>.9996</b>	<b>.8374</b>	<b>.8372</b>	<b>.8372</b>	<b>.8372</b>	<b>.8372</b>	<b>.8373</b>
		20	.99867785	.99999403	<b>.9999</b>	<b>.8704</b>	<b>.8703</b>	<b>.8703</b>	<b>.8703</b>	<b>.8704</b>	<b>.8704</b>
		21	.99953879	.99999895	<b>1.0000</b>	<b>.9040</b>	<b>.9040</b>	<b>.9040</b>	<b>.9040</b>	<b>.9040</b>	<b>.9040</b>
22	.99985186	.99999984	<b>1.0000</b>	<b>.9346</b>	<b>.9346</b>	<b>.9346</b>	<b>.9346</b>	<b>.9346</b>	<b>.9346</b>		
2	46	0	.00000179	.00000537	.00001073	.00001789	.00002682	.00003754	.00005005	<i>.00006433</i>	<i>.00008040</i>
		1	.00002923	.00008757	.00017486	.00029099	.00043581	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>
		2	.00023507	.00070102	.00139379	.00230939	<b>.0009</b>	<b>.0011</b>	<b>.0013</b>	<b>.0016</b>	<b>.0018</b>
		3	.00124136	.00366244	.00720509	.01181350	<b>.0043</b>	<b>.0054</b>	<b>.0065</b>	<b>.0077</b>	<b>.0088</b>
		4	.00484726	.01399864	.02696889	.04331100	<b>.0163</b>	<b>.0202</b>	<b>.0240</b>	<b>.0278</b>	<b>.0317</b>
		5	.01494377	.04161149	.07737926	<b>.0596</b>	<b>.0428</b>	<b>.0517</b>	<b>.0604</b>	<b>.0689</b>	<b>.0772</b>
		6	.03794138	.09998260	.17639354	<b>.1272</b>	<b>.0970</b>	<b>.1141</b>	<b>.1302</b>	<b>.1452</b>	<b>.1594</b>
		7	.08174636	.19975027	.32853809	<b>.2242</b>	<b>.1783</b>	<b>.2026</b>	<b>.2240</b>	<b>.2429</b>	<b>.2596</b>
		8	.15292944	.33977907	.51350448	<b>.3376</b>	<b>.2757</b>	<b>.3017</b>	<b>.3229</b>	<b>.3403</b>	<b>.3548</b>
		9	.25311303	.50314806	.69312893	<b>.4486</b>	<b>.3746</b>	<b>.3968</b>	<b>.4136</b>	<b>.4267</b>	<b>.4372</b>
		10	.37667280	.66320481	.83372177	<b>.5430</b>	<b>.4659</b>	<b>.4823</b>	<b>.4944</b>	<b>.5038</b>	<b>.5114</b>
		11	.51146527	.79605763	.92318119	<b>.6156</b>	<b>.5462</b>	<b>.5578</b>	<b>.5664</b>	<b>.5732</b>	<b>.5788</b>
		12	.64251351	.89021276	.96983975	<b>.6680</b>	<b>.6137</b>	<b>.6217</b>	<b>.6278</b>	<b>.6326</b>	<b>.6365</b>
		13	.75676069	.94758325	.98994200	<b>.7042</b>	<b>.6670</b>	<b>.6723</b>	<b>.6764</b>	<b>.6795</b>	<b>.6819</b>
		14	.84652633	.97782109	.99714775	<b>.7291</b>	<b>.7066</b>	<b>.7099</b>	<b>.7124</b>	<b>.7142</b>	<b>.7156</b>
		15	.91035968	.99168094	.99931080	<b>.7477</b>	<b>.7357</b>	<b>.7375</b>	<b>.7389</b>	<b>.7398</b>	<b>.7405</b>
		16	.95158538	.99723160	.99985775	<b>.7647</b>	<b>.7590</b>	<b>.7599</b>	<b>.7606</b>	<b>.7611</b>	<b>.7614</b>
		17	.97583579	.99918177	<b>.9964</b>	<b>.7839</b>	<b>.7816</b>	<b>.7820</b>	<b>.7823</b>	<b>.7825</b>	<b>.7827</b>
		18	.98885916	.99978497	<b>.9985</b>	<b>.8080</b>	<b>.8072</b>	<b>.8074</b>	<b>.8075</b>	<b>.8076</b>	<b>.8076</b>
19	.99525661	.99994970	<b>.9994</b>	<b>.8373</b>	<b>.8371</b>	<b>.8372</b>	<b>.8372</b>	<b>.8372</b>	<b>.8372</b>		
20	.99813546	.99998952	<b>.9998</b>	<b>.8704</b>	<b>.8703</b>	<b>.8703</b>	<b>.8703</b>	<b>.8703</b>	<b>.8704</b>		
21	.99932356	.99999805	<b>.9999</b>	<b>.9040</b>	<b>.9040</b>	<b>.9040</b>	<b>.9040</b>	<b>.9040</b>	<b>.9040</b>		
22	.99977359	.99999968	<b>1.0000</b>	<b>.9346</b>	<b>.9346</b>	<b>.9346</b>	<b>.9346</b>	<b>.9346</b>	<b>.9346</b>		
23	.99993013	.99999995	<b>1.0000</b>	<b>.9595</b>	<b>.9595</b>	<b>.9595</b>	<b>.9595</b>	<b>.9595</b>	<b>.9595</b>		
2	47	0	.00000134	.00000403	.00000805	.00001342	.00002012	.00002816	.00003754	<i>.00004826</i>	<i>.00006032</i>
		1	.00002237	.00006703	.00013389	.00022285	.00033384	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>
		2	.00018361	.00054801	.00109046	.00180827	<b>.0007</b>	<b>.0009</b>	<b>.0011</b>	<b>.0013</b>	<b>.0015</b>
		3	.00098979	.00292638	.00576900	.00947839	<b>.0035</b>	<b>.0044</b>	<b>.0052</b>	<b>.0061</b>	<b>.0071</b>
		4	.00394579	.01144506	.02214353	.03571203	<b>.0134</b>	<b>.0166</b>	<b>.0197</b>	<b>.0229</b>	<b>.0261</b>
		5	.01241965	.03485070	.06529145	<b>.0504</b>	<b>.0359</b>	<b>.0436</b>	<b>.0511</b>	<b>.0585</b>	<b>.0658</b>
		6	.03219198	.08585992	.15321352	<b>.1107</b>	<b>.0839</b>	<b>.0993</b>	<b>.1139</b>	<b>.1277</b>	<b>.1408</b>
		7	.07079511	.17595796	.29394494	<b>.2007</b>	<b>.1588</b>	<b>.1819</b>	<b>.2025</b>	<b>.2209</b>	<b>.2375</b>
		8	.13513367	.30693008	.47282756	<b>.3101</b>	<b>.2520</b>	<b>.2781</b>	<b>.2997</b>	<b>.3177</b>	<b>.3328</b>
		9	.22806713	.46550283	.65503547	<b>.4215</b>	<b>.3494</b>	<b>.3726</b>	<b>.3904</b>	<b>.4044</b>	<b>.4157</b>
		10	.34578286	.62700984	.80502467	<b>.5194</b>	<b>.4409</b>	<b>.4585</b>	<b>.4715</b>	<b>.4815</b>	<b>.4897</b>
		11	.47776715	.76658933	.90562558	<b>.5969</b>	<b>.5227</b>	<b>.5352</b>	<b>.5445</b>	<b>.5518</b>	<b>.5578</b>
		12	.60975145	.86973189	.96104066	<b>.6539</b>	<b>.5929</b>	<b>.6017</b>	<b>.6083</b>	<b>.6135</b>	<b>.6179</b>
		13	.72819889	.93534499	.98629893	<b>.6939</b>	<b>.6499</b>	<b>.6559</b>	<b>.6604</b>	<b>.6639</b>	<b>.6667</b>
		14	.82408492	.97149435	.99589243	<b>.7214</b>	<b>.6932</b>	<b>.6970</b>	<b>.6998</b>	<b>.7019</b>	<b>.7036</b>
		15	.89440134	.98883581	.99894837	<b>.7408</b>	<b>.7247</b>	<b>.7270</b>	<b>.7286</b>	<b>.7297</b>	<b>.7306</b>
		16	.94127896	.99611333	.99976955	<b>.7568</b>	<b>.7487</b>	<b>.7499</b>	<b>.7507</b>	<b>.7513</b>	<b>.7517</b>
		17	.96977319	.99879604	<b>.9954</b>	<b>.7735</b>	<b>.7699</b>	<b>.7705</b>	<b>.7709</b>	<b>.7711</b>	<b>.7713</b>
		18	.98560332	.99966779	<b>.9980</b>	<b>.7941</b>	<b>.7927</b>	<b>.7929</b>	<b>.7931</b>	<b>.7932</b>	<b>.7933</b>
19	.99365725	.99991826	<b>.9992</b>	<b>.8199</b>	<b>.8195</b>	<b>.8195</b>	<b>.8196</b>	<b>.8196</b>	<b>.8197</b>		







Table 32: Sheet O. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			11	12	13	14	15	16	17	18	19
2	11	5	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		6	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		7	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		8	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	12	0	<i>.6355</i>	<i>.6760</i>	<i>.7094</i>	<i>.7371</i>	<i>.7598</i>	<i>.7737</i>	<i>.7903</i>	<i>.8065</i>	<i>.9483</i>
		1	<i>.8797</i>	<i>.8959</i>	<i>.9085</i>	<i>.9182</i>	<i>.9258</i>	<i>.9299</i>	<i>.9350</i>	<i>.9399</i>	<i>.9922</i>
		2	<i>.9803</i>	<i>.9848</i>	<i>.9878</i>	<i>.9900</i>	<i>.9915</i>	<i>.9922</i>	<i>.9932</i>	<i>.9941</i>	<i>.9999</i>
		3	<i>.9977</i>	<i>.9985</i>	<i>.9989</i>	<i>.9992</i>	<i>.9994</i>	<i>.9994</i>	<i>.9995</i>	<i>.9996</i>	<b>1.0000</b>
		4	<i>.9998</i>	<i>.9999</i>	<i>.9999</i>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		5	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		6	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		7	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		8	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	13	0	<i>.5588</i>	<i>.6005</i>	<i>.6356</i>	<i>.6655</i>	<i>.6906</i>	<i>.7058</i>	<i>.7249</i>	<i>.7440</i>	<i>.9298</i>
		1	<i>.8441</i>	<i>.8629</i>	<i>.8778</i>	<i>.8897</i>	<i>.8992</i>	<i>.9045</i>	<i>.9110</i>	<i>.9175</i>	<i>.9873</i>
		2	<i>.9687</i>	<i>.9750</i>	<i>.9795</i>	<i>.9828</i>	<i>.9852</i>	<i>.9863</i>	<i>.9878</i>	<i>.9893</i>	<i>.9998</i>
		3	<i>.9954</i>	<i>.9967</i>	<i>.9976</i>	<i>.9981</i>	<i>.9985</i>	<i>.9987</i>	<i>.9989</i>	<i>.9991</i>	<b>1.0000</b>
		4	<i>.9995</i>	<i>.9997</i>	<i>.9998</i>	<i>.9999</i>	<i>.9999</i>	<i>.9999</i>	<i>.9999</i>	<i>.9999</i>	<b>1.0000</b>
		5	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		6	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		7	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		8	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		9	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	14	0	<i>.4857</i>	<i>.5273</i>	<i>.5632</i>	<i>.5943</i>	<i>.6209</i>	<i>.6372</i>	<i>.6581</i>	<i>.6797</i>	<i>.9094</i>
		1	<i>.8054</i>	<i>.8266</i>	<i>.8438</i>	<i>.8578</i>	<i>.8691</i>	<i>.8757</i>	<i>.8839</i>	<i>.8920</i>	<i>.9794</i>
		2	<i>.9536</i>	<i>.9621</i>	<i>.9683</i>	<i>.9729</i>	<i>.9764</i>	<i>.9780</i>	<i>.9803</i>	<i>.9826</i>	<i>.9995</i>
		3	<i>.9915</i>	<i>.9937</i>	<i>.9952</i>	<i>.9962</i>	<i>.9969</i>	<i>.9972</i>	<i>.9976</i>	<i>.9980</i>	<b>1.0000</b>
		4	<i>.9988</i>	<i>.9992</i>	<i>.9995</i>	<i>.9996</i>	<i>.9997</i>	<i>.9997</i>	<i>.9998</i>	<i>.9998</i>	<b>1.0000</b>
		5	<i>.9999</i>	<i>.9999</i>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		6	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		7	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		8	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		9	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	15	0	<i>.4183</i>	<i>.4587</i>	<i>.4943</i>	<i>.5257</i>	<i>.5532</i>	<i>.5700</i>	<i>.5923</i>	<i>.6156</i>	<i>.8870</i>
		1	<i>.7329</i>	<i>.7574</i>	<i>.7781</i>	<i>.8230</i>	<i>.8362</i>	<i>.8441</i>	<i>.8539</i>	<i>.8638</i>	<i>.9686</i>
		2	<i>.9131</i>	<i>.9262</i>	<i>.9362</i>	<i>.9603</i>	<i>.9650</i>	<i>.9673</i>	<i>.9705</i>	<i>.9738</i>	<i>.9990</i>
		3	<i>.9771</i>	<i>.9816</i>	<i>.9848</i>	<i>.9931</i>	<i>.9943</i>	<i>.9948</i>	<i>.9955</i>	<i>.9962</i>	<b>1.0000</b>
		4	<i>.9950</i>	<i>.9961</i>	<i>.9969</i>	<i>.9991</i>	<i>.9993</i>	<i>.9994</i>	<i>.9995</i>	<i>.9996</i>	<b>1.0000</b>
		5	<i>.9991</i>	<i>.9993</i>	<i>.9995</i>	<i>.9999</i>	<i>.9999</i>	<i>.9999</i>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		6	<i>.9999</i>	<i>.9999</i>	<i>.9999</i>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		7	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		8	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		9	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	16	0	<i>.3574</i>	<i>.3959</i>	<i>.4304</i>	<i>.4614</i>	<i>.4890</i>	<i>.5062</i>	<i>.5291</i>	<i>.5536</i>	<i>.8629</i>
		1	<i>.6861</i>	<i>.7115</i>	<i>.7333</i>	<i>.7521</i>	<i>.7683</i>	<i>.7782</i>	<i>.8192</i>	<i>.8310</i>	<i>.9543</i>
		2	<i>.8860</i>	<i>.9016</i>	<i>.9138</i>	<i>.9236</i>	<i>.9313</i>	<i>.9351</i>	<i>.9578</i>	<i>.9623</i>	<i>.9982</i>
		3	<i>.9666</i>	<i>.9727</i>	<i>.9771</i>	<i>.9805</i>	<i>.9830</i>	<i>.9842</i>	<i>.9922</i>	<i>.9934</i>	<i>.9999</i>
		4	<i>.9920</i>	<i>.9937</i>	<i>.9950</i>	<i>.9958</i>	<i>.9965</i>	<i>.9967</i>	<i>.9989</i>	<i>.9991</i>	<b>1.0000</b>
		5	<i>.9985</i>	<i>.9988</i>	<i>.9991</i>	<i>.9993</i>	<i>.9994</i>	<i>.9994</i>	<i>.9999</i>	<i>.9999</i>	<b>1.0000</b>
		6	<i>.9998</i>	<i>.9998</i>	<i>.9999</i>	<i>.9999</i>	<i>.9999</i>	<i>.9999</i>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		7	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		8	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		9	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	17	0	<i>.3039</i>	<i>.3398</i>	<i>.3726</i>	<i>.4026</i>	<i>.4296</i>	<i>.4469</i>	<i>.4700</i>	<i>.4949</i>	<i>.8369</i>
		1	<i>.6861</i>	<i>.7115</i>	<i>.7333</i>	<i>.7521</i>	<i>.7683</i>	<i>.7782</i>	<i>.8192</i>	<i>.8310</i>	<i>.9543</i>

Table 32: Sheet P. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli  $(m \times n)$ -matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli $(m \times n)$ -matrix								
			11	12	13	14	15	16	17	18	19
2	17	1	<b>.6371</b>	<b>.6574</b>	<b>.6855</b>	<b>.7053</b>	<b>.7226</b>	<b>.7337</b>	<b>.7477</b>	<b>.7624</b>	<b>.9356</b>
		2	<b>.8523</b>	<b>.8642</b>	<b>.8858</b>	<b>.8977</b>	<b>.9074</b>	<b>.9124</b>	<b>.9195</b>	<b>.9269</b>	<b>.9967</b>
		3	<b>.9511</b>	<b>.9546</b>	<b>.9656</b>	<b>.9703</b>	<b>.9739</b>	<b>.9756</b>	<b>.9782</b>	<b>.9808</b>	<b>.9999</b>
		4	<b>.9864</b>	<b>.9866</b>	<b>.9913</b>	<b>.9927</b>	<b>.9938</b>	<b>.9942</b>	<b>.9950</b>	<b>.9957</b>	<b>1.0000</b>
		5	<b>.9969</b>	<b>.9965</b>	<b>.9981</b>	<b>.9985</b>	<b>.9987</b>	<b>.9988</b>	<b>.9990</b>	<b>.9991</b>	<b>1.0000</b>
		6	<b>.9994</b>	<b>.9992</b>	<b>.9997</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>1.0000</b>
		7	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		8	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		9	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		11	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	18	0	<b>.2576</b>	<b>.2906</b>	<b>.3213</b>	<b>.3498</b>	<b>.3758</b>	<b>.3930</b>	<b>.4157</b>	<b>.4405</b>	<b>.8090</b>
		1	<b>.5867</b>	<b>.6116</b>	<b>.6343</b>	<b>.6570</b>	<b>.6771</b>	<b>.6874</b>	<b>.7024</b>	<b>.7182</b>	<b>.9129</b>
		2	<b>.8113</b>	<b>.8321</b>	<b>.8498</b>	<b>.8671</b>	<b>.8813</b>	<b>.8859</b>	<b>.8947</b>	<b>.9039</b>	<b>.9941</b>
		3	<b>.9290</b>	<b>.9395</b>	<b>.9480</b>	<b>.9566</b>	<b>.9633</b>	<b>.9644</b>	<b>.9680</b>	<b>.9717</b>	<b>.9998</b>
		4	<b>.9767</b>	<b>.9809</b>	<b>.9842</b>	<b>.9878</b>	<b>.9904</b>	<b>.9905</b>	<b>.9917</b>	<b>.9928</b>	<b>1.0000</b>
		5	<b>.9935</b>	<b>.9948</b>	<b>.9958</b>	<b>.9971</b>	<b>.9979</b>	<b>.9978</b>	<b>.9981</b>	<b>.9984</b>	<b>1.0000</b>
		6	<b>.9984</b>	<b>.9988</b>	<b>.9990</b>	<b>.9994</b>	<b>.9996</b>	<b>.9996</b>	<b>.9996</b>	<b>.9997</b>	<b>1.0000</b>
		7	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>
		8	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		9	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		11	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		12	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	19	0	<b>.2182</b>	<b>.2484</b>	<b>.2768</b>	<b>.3034</b>	<b>.3280</b>	<b>.3449</b>	<b>.3669</b>	<b>.3910</b>	<b>.7793</b>
		1	<b>.5432</b>	<b>.5668</b>	<b>.5884</b>	<b>.6081</b>	<b>.6260</b>	<b>.6390</b>	<b>.6563</b>	<b>.6750</b>	<b>.8867</b>
		2	<b>.7738</b>	<b>.7962</b>	<b>.8153</b>	<b>.8314</b>	<b>.8451</b>	<b>.8539</b>	<b>.8668</b>	<b>.8804</b>	<b>.9899</b>
		3	<b>.9088</b>	<b>.9212</b>	<b>.9310</b>	<b>.9389</b>	<b>.9453</b>	<b>.9492</b>	<b>.9557</b>	<b>.9623</b>	<b>.9996</b>
		4	<b>.9678</b>	<b>.9733</b>	<b>.9774</b>	<b>.9806</b>	<b>.9830</b>	<b>.9846</b>	<b>.9873</b>	<b>.9900</b>	<b>1.0000</b>
		5	<b>.9904</b>	<b>.9923</b>	<b>.9937</b>	<b>.9947</b>	<b>.9954</b>	<b>.9960</b>	<b>.9969</b>	<b>.9977</b>	<b>1.0000</b>
		6	<b>.9976</b>	<b>.9981</b>	<b>.9985</b>	<b>.9987</b>	<b>.9989</b>	<b>.9991</b>	<b>.9993</b>	<b>.9996</b>	<b>1.0000</b>
		7	<b>.9995</b>	<b>.9996</b>	<b>.9997</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>
		8	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		9	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		11	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		12	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	20	0	<b>.1853</b>	<b>.2126</b>	<b>.2386</b>	<b>.2632</b>	<b>.2863</b>	<b>.3026</b>	<b>.3237</b>	<b>.3469</b>	<b>.7477</b>
		1	<b>.5017</b>	<b>.5235</b>	<b>.5439</b>	<b>.5628</b>	<b>.5813</b>	<b>.5949</b>	<b>.6123</b>	<b>.6312</b>	<b>.8574</b>
		2	<b>.7322</b>	<b>.7561</b>	<b>.7767</b>	<b>.7946</b>	<b>.8116</b>	<b>.8227</b>	<b>.8375</b>	<b>.8532</b>	<b>.9834</b>
		3	<b>.8835</b>	<b>.8980</b>	<b>.9098</b>	<b>.9195</b>	<b>.9288</b>	<b>.9343</b>	<b>.9422</b>	<b>.9504</b>	<b>.9993</b>
		4	<b>.9551</b>	<b>.9621</b>	<b>.9676</b>	<b>.9719</b>	<b>.9761</b>	<b>.9786</b>	<b>.9822</b>	<b>.9857</b>	<b>1.0000</b>
		5	<b>.9852</b>	<b>.9879</b>	<b>.9900</b>	<b>.9915</b>	<b>.9931</b>	<b>.9941</b>	<b>.9954</b>	<b>.9966</b>	<b>1.0000</b>
		6	<b>.9959</b>	<b>.9967</b>	<b>.9973</b>	<b>.9978</b>	<b>.9983</b>	<b>.9986</b>	<b>.9990</b>	<b>.9993</b>	<b>1.0000</b>
		7	<b>.9990</b>	<b>.9992</b>	<b>.9994</b>	<b>.9995</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>1.0000</b>
		8	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		9	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		11	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		12	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	21	0	<i>.10656303</i>	<b>.1827</b>	<b>.2063</b>	<b>.2290</b>	<b>.2503</b>	<b>.2663</b>	<b>.2860</b>	<b>.3079</b>	<b>.7143</b>
		1	<b>.4640</b>	<b>.4838</b>	<b>.5026</b>	<b>.5209</b>	<b>.5397</b>	<b>.5530</b>	<b>.5700</b>	<b>.5872</b>	<b>.8260</b>
		2	<b>.6897</b>	<b>.7143</b>	<b>.7360</b>	<b>.7563</b>	<b>.7765</b>	<b>.7893</b>	<b>.8058</b>	<b>.8214</b>	<b>.9740</b>
		3	<b>.8555</b>	<b>.8721</b>	<b>.8858</b>	<b>.8982</b>	<b>.9107</b>	<b>.9175</b>	<b>.9269</b>	<b>.9353</b>	<b>.9986</b>
		4	<b>.9399</b>	<b>.9486</b>	<b>.9555</b>	<b>.9617</b>	<b>.9681</b>	<b>.9714</b>	<b>.9759</b>	<b>.9796</b>	<b>.9999</b>
		5	<b>.9783</b>	<b>.9821</b>	<b>.9849</b>	<b>.9875</b>	<b>.9903</b>	<b>.9916</b>	<b>.9934</b>	<b>.9946</b>	<b>1.0000</b>
		6	<b>.9933</b>	<b>.9946</b>	<b>.9956</b>	<b>.9965</b>	<b>.9975</b>	<b>.9979</b>	<b>.9985</b>	<b>.9988</b>	<b>1.0000</b>

Table 32: Sheet Q. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			11	12	13	14	15	16	17	18	19
2	21	7	<b>.9982</b>	<b>.9986</b>	<b>.9989</b>	<b>.9991</b>	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>1.0000</b>
		8	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		9	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		11	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		12	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		13	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	22	0	<i>.08284786</i>	<i>.09699770</i>	<b>.1794</b>	<b>.2001</b>	<b>.2199</b>	<b>.2351</b>	<b>.2535</b>	<b>.2740</b>	<b>.6794</b>
		1	<b>.4213</b>	<b>.4480</b>	<b>.4650</b>	<b>.4835</b>	<b>.5011</b>	<b>.5139</b>	<b>.5286</b>	<b>.5442</b>	<b>.7935</b>
		2	<b>.6471</b>	<b>.6717</b>	<b>.6941</b>	<b>.7182</b>	<b>.7396</b>	<b>.7539</b>	<b>.7695</b>	<b>.7853</b>	<b>.9612</b>
		3	<b>.8250</b>	<b>.8433</b>	<b>.8590</b>	<b>.8762</b>	<b>.8905</b>	<b>.8987</b>	<b>.9077</b>	<b>.9167</b>	<b>.9975</b>
		4	<b>.9222</b>	<b>.9325</b>	<b>.9410</b>	<b>.9508</b>	<b>.9585</b>	<b>.9626</b>	<b>.9670</b>	<b>.9711</b>	<b>.9999</b>
		5	<b>.9695</b>	<b>.9744</b>	<b>.9783</b>	<b>.9831</b>	<b>.9866</b>	<b>.9883</b>	<b>.9901</b>	<b>.9916</b>	<b>1.0000</b>
		6	<b>.9897</b>	<b>.9917</b>	<b>.9931</b>	<b>.9950</b>	<b>.9963</b>	<b>.9969</b>	<b>.9975</b>	<b>.9979</b>	<b>1.0000</b>
		7	<b>.9970</b>	<b>.9976</b>	<b>.9981</b>	<b>.9987</b>	<b>.9991</b>	<b>.9993</b>	<b>.9995</b>	<b>.9996</b>	<b>1.0000</b>
		8	<b>.9993</b>	<b>.9994</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>
		9	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		11	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		12	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		13	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	23	0	<i>.06398035</i>	<i>.07531109</i>	<b>.1573</b>	<b>.1762</b>	<b>.1943</b>	<b>.2089</b>	<b>.2259</b>	<b>.2448</b>	<b>.6431</b>
		1	<b>.1990</b>	<b>.3780</b>	<b>.4318</b>	<b>.4462</b>	<b>.4600</b>	<b>.4718</b>	<b>.4868</b>	<b>.5040</b>	<b>.7616</b>
		2	<b>.4542</b>	<b>.6306</b>	<b>.6527</b>	<b>.6728</b>	<b>.6911</b>	<b>.7064</b>	<b>.7256</b>	<b>.7466</b>	<b>.9452</b>
		3	<b>.6965</b>	<b>.8139</b>	<b>.8309</b>	<b>.8456</b>	<b>.8581</b>	<b>.8681</b>	<b>.8813</b>	<b>.8955</b>	<b>.9954</b>
		4	<b>.8514</b>	<b>.9156</b>	<b>.9253</b>	<b>.9334</b>	<b>.9402</b>	<b>.9457</b>	<b>.9531</b>	<b>.9609</b>	<b>.9998</b>
		5	<b>.9364</b>	<b>.9660</b>	<b>.9709</b>	<b>.9747</b>	<b>.9779</b>	<b>.9806</b>	<b>.9841</b>	<b>.9876</b>	<b>1.0000</b>
		6	<b>.9769</b>	<b>.9883</b>	<b>.9902</b>	<b>.9918</b>	<b>.9929</b>	<b>.9940</b>	<b>.9954</b>	<b>.9967</b>	<b>1.0000</b>
		7	<b>.9929</b>	<b>.9965</b>	<b>.9972</b>	<b>.9977</b>	<b>.9980</b>	<b>.9984</b>	<b>.9989</b>	<b>.9992</b>	<b>1.0000</b>
		8	<b>.9982</b>	<b>.9991</b>	<b>.9993</b>	<b>.9994</b>	<b>.9995</b>	<b>.9996</b>	<b>.9998</b>	<b>.9999</b>	<b>1.0000</b>
		9	<b>.9996</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		11	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		12	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		13	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		14	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
2	24	0	<i>.04915022</i>	<i>.05808432</i>	<i>.06746975</i>	<b>.1372</b>	<b>.1514</b>	<b>.1636</b>	<b>.1769</b>	<b>.1911</b>	<b>.6057</b>
		1	<b>.1258</b>	<b>.1391</b>	<b>.1521</b>	<b>.1648</b>	<b>.1789</b>	<b>.1900</b>	<b>.2039</b>	<b>.2184</b>	<b>.7211</b>
		2	<b>.3164</b>	<b>.3392</b>	<b>.3606</b>	<b>.3805</b>	<b>.4023</b>	<b>.4187</b>	<b>.4385</b>	<b>.4576</b>	<b>.9215</b>
		3	<b>.5100</b>	<b>.5309</b>	<b>.5493</b>	<b>.5654</b>	<b>.5831</b>	<b>.5951</b>	<b>.6098</b>	<b>.6233</b>	<b>.9910</b>
		4	<b>.6327</b>	<b>.6460</b>	<b>.6572</b>	<b>.6667</b>	<b>.6776</b>	<b>.6844</b>	<b>.6931</b>	<b>.7006</b>	<b>.9993</b>
		5	<b>.7008</b>	<b>.7081</b>	<b>.7142</b>	<b>.7192</b>	<b>.7252</b>	<b>.7288</b>	<b>.7332</b>	<b>.7368</b>	<b>.9999</b>
		6	<b>.7395</b>	<b>.7431</b>	<b>.7460</b>	<b>.7483</b>	<b>.7512</b>	<b>.7529</b>	<b>.7550</b>	<b>.7566</b>	<b>1.0000</b>
		7	<b>.7668</b>	<b>.7685</b>	<b>.7700</b>	<b>.7712</b>	<b>.7727</b>	<b>.7736</b>	<b>.7747</b>	<b>.7758</b>	<b>1.0000</b>
		8	<b>.7959</b>	<b>.7970</b>	<b>.7981</b>	<b>.7991</b>	<b>.8001</b>	<b>.8008</b>	<b>.8018</b>	<b>.8030</b>	<b>1.0000</b>
		9	<b>.8329</b>	<b>.8339</b>	<b>.8349</b>	<b>.8359</b>	<b>.8370</b>	<b>.8377</b>	<b>.8388</b>	<b>.8401</b>	<b>1.0000</b>
		10	<b>.8763</b>	<b>.8772</b>	<b>.8782</b>	<b>.8792</b>	<b>.8802</b>	<b>.8809</b>	<b>.8820</b>	<b>.8833</b>	<b>1.0000</b>
		11	<b>.9194</b>	<b>.9202</b>	<b>.9210</b>	<b>.9219</b>	<b>.9227</b>	<b>.9233</b>	<b>.9242</b>	<b>.9252</b>	<b>1.0000</b>
		12	<b>.9550</b>	<b>.9556</b>	<b>.9561</b>	<b>.9567</b>	<b>.9572</b>	<b>.9576</b>	<b>.9582</b>	<b>.9589</b>	<b>1.0000</b>
		13	<b>.9790</b>	<b>.9793</b>	<b>.9796</b>	<b>.9799</b>	<b>.9802</b>	<b>.9804</b>	<b>.9807</b>	<b>.9811</b>	<b>1.0000</b>
		14	<b>.9921</b>	<b>.9922</b>	<b>.9923</b>	<b>.9924</b>	<b>.9925</b>	<b>.9926</b>	<b>.9927</b>	<b>.9929</b>	<b>1.0000</b>
2	25	0	<i>.03759827</i>	<i>.04456681</i>	<i>.05196082</i>	<i>.05969066</i>	<b>.1387</b>	<b>.1504</b>	<b>.1629</b>	<b>.1761</b>	<b>.5676</b>
		1	<b>.1040</b>	<b>.1153</b>	<b>.1265</b>	<b>.1390</b>	<b>.1518</b>	<b>.1621</b>	<b>.1732</b>	<b>.1854</b>	<b>.6887</b>
		2	<b>.2784</b>	<b>.2998</b>	<b>.3200</b>	<b>.3424</b>	<b>.3643</b>	<b>.3813</b>	<b>.3982</b>	<b>.4160</b>	<b>.8979</b>
		3	<b>.4744</b>	<b>.4961</b>	<b>.5155</b>	<b>.5366</b>	<b>.5562</b>	<b>.5700</b>	<b>.5831</b>	<b>.5966</b>	<b>.9855</b>
		4	<b>.6083</b>	<b>.6229</b>	<b>.6354</b>	<b>.6494</b>	<b>.6621</b>	<b>.6702</b>	<b>.6777</b>	<b>.6855</b>	<b>.9989</b>

Table 32: Sheet R. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			11	12	13	14	15	16	17	18	19
2	25	5	<b>.6848</b>	<b>.6933</b>	<b>.7004</b>	<b>.7086</b>	<b>.7158</b>	<b>.7202</b>	<b>.7241</b>	<b>.7279</b>	<b>.9999</b>
		6	<b>.7279</b>	<b>.7322</b>	<b>.7358</b>	<b>.7400</b>	<b>.7435</b>	<b>.7455</b>	<b>.7473</b>	<b>.7490</b>	<b>1.0000</b>
		7	<b>.7547</b>	<b>.7568</b>	<b>.7584</b>	<b>.7604</b>	<b>.7620</b>	<b>.7629</b>	<b>.7638</b>	<b>.7647</b>	<b>1.0000</b>
		8	<b>.7791</b>	<b>.7802</b>	<b>.7811</b>	<b>.7822</b>	<b>.7831</b>	<b>.7837</b>	<b>.7844</b>	<b>.7853</b>	<b>1.0000</b>
		9	<b>.8097</b>	<b>.8105</b>	<b>.8113</b>	<b>.8122</b>	<b>.8130</b>	<b>.8136</b>	<b>.8144</b>	<b>.8154</b>	<b>1.0000</b>
		10	<b>.8485</b>	<b>.8493</b>	<b>.8501</b>	<b>.8510</b>	<b>.8518</b>	<b>.8525</b>	<b>.8533</b>	<b>.8545</b>	<b>1.0000</b>
		11	<b>.8917</b>	<b>.8924</b>	<b>.8932</b>	<b>.8940</b>	<b>.8948</b>	<b>.8954</b>	<b>.8962</b>	<b>.8973</b>	<b>1.0000</b>
		12	<b>.9322</b>	<b>.9327</b>	<b>.9333</b>	<b>.9339</b>	<b>.9346</b>	<b>.9350</b>	<b>.9357</b>	<b>.9365</b>	<b>1.0000</b>
		13	<b>.9636</b>	<b>.9640</b>	<b>.9643</b>	<b>.9647</b>	<b>.9651</b>	<b>.9654</b>	<b>.9658</b>	<b>.9664</b>	<b>1.0000</b>
		14	<b>.9837</b>	<b>.9839</b>	<b>.9841</b>	<b>.9843</b>	<b>.9845</b>	<b>.9846</b>	<b>.9848</b>	<b>.9851</b>	<b>1.0000</b>
2	26	0	<i>.02866270</i>	<i>.03405490</i>	<i>.03981561</i>	<i>.04589725</i>	<i>.05223295</i>	<b>.1394</b>	<b>.1512</b>	<b>.1635</b>	<b>.5292</b>
		1	<b>.0859</b>	<b>.0954</b>	<b>.1049</b>	<b>.1143</b>	<b>.1236</b>	<b>.1324</b>	<b>.1434</b>	<b>.1566</b>	<b>.6723</b>
		2	<b>.2441</b>	<b>.2637</b>	<b>.2824</b>	<b>.3003</b>	<b>.3174</b>	<b>.3335</b>	<b>.3530</b>	<b>.3752</b>	<b>.8788</b>
		3	<b>.4397</b>	<b>.4617</b>	<b>.4816</b>	<b>.4996</b>	<b>.5158</b>	<b>.5306</b>	<b>.5484</b>	<b>.5682</b>	<b>.9798</b>
		4	<b>.5843</b>	<b>.6000</b>	<b>.6135</b>	<b>.6254</b>	<b>.6357</b>	<b>.6451</b>	<b>.6568</b>	<b>.6697</b>	<b>.9985</b>
		5	<b>.6698</b>	<b>.6794</b>	<b>.6875</b>	<b>.6944</b>	<b>.7003</b>	<b>.7058</b>	<b>.7126</b>	<b>.7198</b>	<b>.9999</b>
		6	<b>.7197</b>	<b>.7249</b>	<b>.7292</b>	<b>.7327</b>	<b>.7357</b>	<b>.7385</b>	<b>.7419</b>	<b>.7454</b>	<b>1.0000</b>
		7	<b>.7508</b>	<b>.7533</b>	<b>.7553</b>	<b>.7570</b>	<b>.7584</b>	<b>.7597</b>	<b>.7613</b>	<b>.7629</b>	<b>1.0000</b>
		8	<b>.7772</b>	<b>.7784</b>	<b>.7794</b>	<b>.7803</b>	<b>.7811</b>	<b>.7818</b>	<b>.7827</b>	<b>.7837</b>	<b>1.0000</b>
		9	<b>.8085</b>	<b>.8092</b>	<b>.8099</b>	<b>.8106</b>	<b>.8113</b>	<b>.8119</b>	<b>.8126</b>	<b>.8136</b>	<b>1.0000</b>
		10	<b>.8475</b>	<b>.8481</b>	<b>.8488</b>	<b>.8494</b>	<b>.8501</b>	<b>.8507</b>	<b>.8515</b>	<b>.8525</b>	<b>1.0000</b>
		11	<b>.8908</b>	<b>.8913</b>	<b>.8919</b>	<b>.8926</b>	<b>.8932</b>	<b>.8937</b>	<b>.8944</b>	<b>.8954</b>	<b>1.0000</b>
		12	<b>.9314</b>	<b>.9319</b>	<b>.9323</b>	<b>.9328</b>	<b>.9333</b>	<b>.9337</b>	<b>.9343</b>	<b>.9350</b>	<b>1.0000</b>
		13	<b>.9632</b>	<b>.9634</b>	<b>.9637</b>	<b>.9640</b>	<b>.9644</b>	<b>.9646</b>	<b>.9650</b>	<b>.9654</b>	<b>1.0000</b>
		14	<b>.9835</b>	<b>.9836</b>	<b>.9838</b>	<b>.9839</b>	<b>.9841</b>	<b>.9842</b>	<b>.9844</b>	<b>.9846</b>	<b>1.0000</b>
		15	<b>.9940</b>	<b>.9940</b>	<b>.9941</b>	<b>.9942</b>	<b>.9942</b>	<b>.9943</b>	<b>.9943</b>	<b>.9944</b>	<b>1.0000</b>
2	27	0	<i>.02178932</i>	<i>.02593646</i>	<i>.03038859</i>	<i>.03512006</i>	<i>.04009562</i>	<b>.1303</b>	<b>.1414</b>	<b>.1530</b>	<b>.3710</b>
		1	<b>.0703</b>	<b>.0782</b>	<b>.0861</b>	<b>.0941</b>	<b>.1030</b>	<b>.1113</b>	<b>.1211</b>	<b>.1313</b>	<b>.3633</b>
		2	<b>.2114</b>	<b>.2291</b>	<b>.2462</b>	<b>.2626</b>	<b>.2810</b>	<b>.2977</b>	<b>.3166</b>	<b>.3348</b>	<b>.5815</b>
		3	<b>.4026</b>	<b>.4246</b>	<b>.4447</b>	<b>.4631</b>	<b>.4831</b>	<b>.5004</b>	<b>.5194</b>	<b>.5367</b>	<b>.7107</b>
		4	<b>.5560</b>	<b>.5729</b>	<b>.5876</b>	<b>.6005</b>	<b>.6148</b>	<b>.6265</b>	<b>.6396</b>	<b>.6509</b>	<b>.7440</b>
		5	<b>.6501</b>	<b>.6608</b>	<b>.6699</b>	<b>.6778</b>	<b>.6868</b>	<b>.6939</b>	<b>.7018</b>	<b>.7082</b>	<b>.7492</b>
		6	<b>.7051</b>	<b>.7112</b>	<b>.7163</b>	<b>.7205</b>	<b>.7255</b>	<b>.7293</b>	<b>.7332</b>	<b>.7363</b>	<b>.7516</b>
		7	<b>.7364</b>	<b>.7394</b>	<b>.7418</b>	<b>.7437</b>	<b>.7460</b>	<b>.7477</b>	<b>.7494</b>	<b>.7506</b>	<b>.7556</b>
		8	<b>.7570</b>	<b>.7582</b>	<b>.7592</b>	<b>.7599</b>	<b>.7608</b>	<b>.7614</b>	<b>.7621</b>	<b>.7625</b>	<b>.7644</b>
		9	<b>.7777</b>	<b>.7782</b>	<b>.7785</b>	<b>.7787</b>	<b>.7790</b>	<b>.7792</b>	<b>.7794</b>	<b>.7796</b>	<b>.7810</b>
		10	<b>.8054</b>	<b>.8056</b>	<b>.8057</b>	<b>.8057</b>	<b>.8058</b>	<b>.8059</b>	<b>.8060</b>	<b>.8060</b>	<b>.8078</b>
		11	<b>.8419</b>	<b>.8419</b>	<b>.8419</b>	<b>.8420</b>	<b>.8420</b>	<b>.8421</b>	<b>.8421</b>	<b>.8421</b>	<b>.8441</b>
		12	<b>.8837</b>	<b>.8837</b>	<b>.8837</b>	<b>.8838</b>	<b>.8838</b>	<b>.8838</b>	<b>.8838</b>	<b>.8839</b>	<b>.8859</b>
		13	<b>.9244</b>	<b>.9244</b>	<b>.9244</b>	<b>.9244</b>	<b>.9245</b>	<b>.9245</b>	<b>.9245</b>	<b>.9245</b>	<b>.9262</b>
		14	<b>.9575</b>	<b>.9575</b>	<b>.9576</b>	<b>.9576</b>	<b>.9576</b>	<b>.9576</b>	<b>.9576</b>	<b>.9576</b>	<b>.9587</b>
		15	<b>.9799</b>	<b>.9799</b>	<b>.9799</b>	<b>.9799</b>	<b>.9799</b>	<b>.9799</b>	<b>.9799</b>	<b>.9799</b>	<b>.9805</b>
2	28	0	<i>.01652588</i>	<i>.01970033</i>	<i>.02312036</i>	<i>.02677192</i>	<i>.03063619</i>	<b>.1227</b>	<b>.1332</b>	<b>.1441</b>	<b>.3448</b>
		1	<b>.0274</b>	<b>.0306</b>	<b>.0339</b>	<b>.0372</b>	<b>.0406</b>	<b>.0942</b>	<b>.1011</b>	<b>.1096</b>	<b>.3329</b>
		2	<b>.1061</b>	<b>.1166</b>	<b>.1269</b>	<b>.1370</b>	<b>.1468</b>	<b>.2663</b>	<b>.2800</b>	<b>.2961</b>	<b>.5496</b>
		3	<b>.2430</b>	<b>.2592</b>	<b>.2741</b>	<b>.2878</b>	<b>.3005</b>	<b>.4719</b>	<b>.4864</b>	<b>.5032</b>	<b>.6953</b>
		4	<b>.3749</b>	<b>.3884</b>	<b>.4001</b>	<b>.4103</b>	<b>.4193</b>	<b>.6094</b>	<b>.6190</b>	<b>.6304</b>	<b>.7409</b>
		5	<b>.4764</b>	<b>.4852</b>	<b>.4928</b>	<b>.4992</b>	<b>.5048</b>	<b>.6837</b>	<b>.6894</b>	<b>.6962</b>	<b>.7483</b>
		6	<b>.5612</b>	<b>.5665</b>	<b>.5710</b>	<b>.5747</b>	<b>.5779</b>	<b>.7233</b>	<b>.7263</b>	<b>.7297</b>	<b>.7505</b>
		7	<b>.6324</b>	<b>.6352</b>	<b>.6375</b>	<b>.6393</b>	<b>.6408</b>	<b>.7433</b>	<b>.7446</b>	<b>.7460</b>	<b>.7533</b>
		8	<b>.6895</b>	<b>.6908</b>	<b>.6917</b>	<b>.6925</b>	<b>.6931</b>	<b>.7556</b>	<b>.7561</b>	<b>.7566</b>	<b>.7591</b>
		9	<b>.7351</b>	<b>.7356</b>	<b>.7360</b>	<b>.7362</b>	<b>.7364</b>	<b>.7692</b>	<b>.7693</b>	<b>.7695</b>	<b>.7708</b>
		10	<b>.7749</b>	<b>.7750</b>	<b>.7751</b>	<b>.7752</b>	<b>.7753</b>	<b>.7899</b>	<b>.7899</b>	<b>.7900</b>	<b>.7914</b>
		11	<b>.8145</b>	<b>.8146</b>	<b>.8146</b>	<b>.8146</b>	<b>.8147</b>	<b>.8200</b>	<b>.8201</b>	<b>.8201</b>	<b>.8219</b>
		12	<b>.8566</b>	<b>.8566</b>	<b>.8567</b>	<b>.8567</b>	<b>.8567</b>	<b>.8583</b>	<b>.8583</b>	<b>.8584</b>	<b>.8603</b>
		13	<b>.8992</b>	<b>.8992</b>	<b>.8992</b>	<b>.8992</b>	<b>.8993</b>	<b>.8996</b>	<b>.8997</b>	<b>.8997</b>	<b>.9014</b>

Table 32: Sheet S. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			11	12	13	14	15	16	17	18	19
2	28	<b>14</b>	<b>.9372</b>	<b>.9372</b>	<b>.9372</b>	<b>.9373</b>	<b>.9373</b>	<b>.9373</b>	<b>.9374</b>	<b>.9374</b>	<b>.9387</b>
		15	<b>.9662</b>	<b>.9662</b>	<b>.9662</b>	<b>.9662</b>	<b>.9662</b>	<b>.9662</b>	<b>.9663</b>	<b>.9663</b>	<b>.9671</b>
		16	<b>.9846</b>	<b>.9846</b>	<b>.9846</b>	<b>.9846</b>	<b>.9847</b>	<b>.9847</b>	<b>.9847</b>	<b>.9847</b>	<b>.9851</b>
2	29	<b>0</b>	<i>.01250996</i>	<i>.01493076</i>	<i>.01754573</i>	<i>.02034711</i>	<i>.02332471</i>	<b>.1098</b>	<b>.1189</b>	<b>.1366</b>	<b>.3193</b>
		1	<b>.0215</b>	<b>.0241</b>	<b>.0267</b>	<b>.0294</b>	<b>.0321</b>	<b>.0347</b>	<b>.0375</b>	<b>.03917</b>	<b>.3045</b>
		2	<b>.0886</b>	<b>.0977</b>	<b>.1066</b>	<b>.1154</b>	<b>.1240</b>	<b>.1322</b>	<b>.1407</b>	<b>.2619</b>	<b>.5175</b>
		3	<b>.2175</b>	<b>.2330</b>	<b>.2475</b>	<b>.2611</b>	<b>.2737</b>	<b>.2849</b>	<b>.2964</b>	<b>.4705</b>	<b>.6770</b>
		4	<b>.3536</b>	<b>.3678</b>	<b>.3802</b>	<b>.3912</b>	<b>.4009</b>	<b>.4090</b>	<b>.4174</b>	<b>.6105</b>	<b>.7366</b>
		5	<b>.4616</b>	<b>.4713</b>	<b>.4796</b>	<b>.4867</b>	<b>.4929</b>	<b>.4980</b>	<b>.5033</b>	<b>.6845</b>	<b>.7476</b>
		6	<b>.5517</b>	<b>.5577</b>	<b>.5628</b>	<b>.5672</b>	<b>.5709</b>	<b>.5738</b>	<b>.5769</b>	<b>.7236</b>	<b>.7504</b>
		7	<b>.6269</b>	<b>.6303</b>	<b>.6331</b>	<b>.6355</b>	<b>.6374</b>	<b>.6388</b>	<b>.6403</b>	<b>.7434</b>	<b>.7532</b>
		8	<b>.6869</b>	<b>.6885</b>	<b>.6898</b>	<b>.6909</b>	<b>.6917</b>	<b>.6923</b>	<b>.6929</b>	<b>.7556</b>	<b>.7590</b>
		9	<b>.7341</b>	<b>.7348</b>	<b>.7353</b>	<b>.7356</b>	<b>.7359</b>	<b>.7362</b>	<b>.7364</b>	<b>.7692</b>	<b>.7707</b>
		10	<b>.7745</b>	<b>.7747</b>	<b>.7749</b>	<b>.7750</b>	<b>.7751</b>	<b>.7752</b>	<b>.7753</b>	<b>.7899</b>	<b>.7912</b>
		11	<b>.8144</b>	<b>.8145</b>	<b>.8145</b>	<b>.8146</b>	<b>.8146</b>	<b>.8146</b>	<b>.8147</b>	<b>.8200</b>	<b>.8216</b>
		12	<b>.8566</b>	<b>.8566</b>	<b>.8566</b>	<b>.8566</b>	<b>.8567</b>	<b>.8567</b>	<b>.8567</b>	<b>.8583</b>	<b>.8601</b>
		13	<b>.8992</b>	<b>.8992</b>	<b>.8992</b>	<b>.8992</b>	<b>.8992</b>	<b>.8992</b>	<b>.8993</b>	<b>.8996</b>	<b>.9012</b>
		14	<b>.9372</b>	<b>.9372</b>	<b>.9372</b>	<b>.9372</b>	<b>.9373</b>	<b>.9373</b>	<b>.9373</b>	<b>.9374</b>	<b>.9386</b>
		15	<b>.9662</b>	<b>.9662</b>	<b>.9662</b>	<b>.9662</b>	<b>.9662</b>	<b>.9662</b>	<b>.9662</b>	<b>.9662</b>	<b>.9670</b>
		16	<b>.9846</b>	<b>.9846</b>	<b>.9846</b>	<b>.9846</b>	<b>.9846</b>	<b>.9846</b>	<b>.9847</b>	<b>.9847</b>	<b>.9850</b>
2	30	<b>0</b>	<i>.00945501</i>	<i>.01129552</i>	<i>.01328767</i>	<i>.01542710</i>	<i>.01770822</i>	<b>.1060</b>	<b>.1148</b>	<b>.1235</b>	<b>.2947</b>
		1	<b>.0169</b>	<b>.0189</b>	<b>.0210</b>	<b>.0231</b>	<b>.0252</b>	<b>.0273</b>	<b>.0295</b>	<b>.0320</b>	<b>.2768</b>
		2	<b>.0730</b>	<b>.0807</b>	<b>.0884</b>	<b>.0959</b>	<b>.1034</b>	<b>.1105</b>	<b>.1181</b>	<b>.1264</b>	<b>.4842</b>
		3	<b>.1905</b>	<b>.2052</b>	<b>.2191</b>	<b>.2321</b>	<b>.2444</b>	<b>.2557</b>	<b>.2671</b>	<b>.2795</b>	<b>.6547</b>
		4	<b>.3250</b>	<b>.3398</b>	<b>.3528</b>	<b>.3645</b>	<b>.3749</b>	<b>.3838</b>	<b>.3928</b>	<b>.4028</b>	<b>.7302</b>
		5	<b>.4340</b>	<b>.4446</b>	<b>.4536</b>	<b>.4614</b>	<b>.4683</b>	<b>.4740</b>	<b>.4799</b>	<b>.4867</b>	<b>.7462</b>
		6	<b>.5251</b>	<b>.5318</b>	<b>.5375</b>	<b>.5424</b>	<b>.5467</b>	<b>.5501</b>	<b>.5538</b>	<b>.5578</b>	<b>.7496</b>
		7	<b>.6023</b>	<b>.6063</b>	<b>.6096</b>	<b>.6125</b>	<b>.6148</b>	<b>.6167</b>	<b>.6186</b>	<b>.6206</b>	<b>.7517</b>
		8	<b>.6654</b>	<b>.6675</b>	<b>.6692</b>	<b>.6705</b>	<b>.6716</b>	<b>.6724</b>	<b>.6733</b>	<b>.6741</b>	<b>.7555</b>
		9	<b>.7149</b>	<b>.7158</b>	<b>.7165</b>	<b>.7170</b>	<b>.7175</b>	<b>.7178</b>	<b>.7181</b>	<b>.7184</b>	<b>.7636</b>
		10	<b>.7552</b>	<b>.7555</b>	<b>.7558</b>	<b>.7560</b>	<b>.7561</b>	<b>.7562</b>	<b>.7563</b>	<b>.7564</b>	<b>.7787</b>
		11	<b>.7926</b>	<b>.7927</b>	<b>.7928</b>	<b>.7929</b>	<b>.7929</b>	<b>.7930</b>	<b>.7930</b>	<b>.7930</b>	<b>.8030</b>
		12	<b>.8319</b>	<b>.8319</b>	<b>.8319</b>	<b>.8320</b>	<b>.8320</b>	<b>.8320</b>	<b>.8320</b>	<b>.8321</b>	<b>.8365</b>
		13	<b>.8735</b>	<b>.8735</b>	<b>.8736</b>	<b>.8736</b>	<b>.8736</b>	<b>.8736</b>	<b>.8736</b>	<b>.8736</b>	<b>.8760</b>
		14	<b>.9141</b>	<b>.9141</b>	<b>.9141</b>	<b>.9141</b>	<b>.9141</b>	<b>.9141</b>	<b>.9142</b>	<b>.9142</b>	<b>.9157</b>
		15	<b>.9485</b>	<b>.9485</b>	<b>.9485</b>	<b>.9485</b>	<b>.9486</b>	<b>.9486</b>	<b>.9486</b>	<b>.9486</b>	<b>.9496</b>
		16	<b>.9734</b>	<b>.9734</b>	<b>.9734</b>	<b>.9734</b>	<b>.9734</b>	<b>.9734</b>	<b>.9734</b>	<b>.9734</b>	<b>.9740</b>
		17	<b>.9884</b>	<b>.9884</b>	<b>.9884</b>	<b>.9884</b>	<b>.9884</b>	<b>.9884</b>	<b>.9884</b>	<b>.9884</b>	<b>.9887</b>
2	31	<b>0</b>	<i>.00713676</i>	<i>.00853269</i>	<i>.01004598</i>	<i>.01167414</i>	<i>.01341409</i>	<b>.1026</b>	<b>.1113</b>	<b>.1197</b>	<b>.2712</b>
		1	<b>.0132</b>	<b>.0148</b>	<b>.0164</b>	<b>.0180</b>	<b>.0197</b>	<b>.0214</b>	<b>.0232</b>	<b>.0252</b>	<b>.2497</b>
		2	<b>.0598</b>	<b>.0663</b>	<b>.0727</b>	<b>.0792</b>	<b>.0855</b>	<b>.0917</b>	<b>.0982</b>	<b>.1054</b>	<b>.4500</b>
		3	<b>.1657</b>	<b>.1793</b>	<b>.1923</b>	<b>.2046</b>	<b>.2163</b>	<b>.2273</b>	<b>.2384</b>	<b>.2506</b>	<b>.6286</b>
		4	<b>.2972</b>	<b>.3123</b>	<b>.3259</b>	<b>.3380</b>	<b>.3490</b>	<b>.3586</b>	<b>.3682</b>	<b>.3789</b>	<b>.7209</b>
		5	<b>.4072</b>	<b>.4186</b>	<b>.4284</b>	<b>.4369</b>	<b>.4444</b>	<b>.4508</b>	<b>.4573</b>	<b>.4648</b>	<b>.7439</b>
		6	<b>.4991</b>	<b>.5065</b>	<b>.5128</b>	<b>.5183</b>	<b>.5230</b>	<b>.5271</b>	<b>.5312</b>	<b>.5360</b>	<b>.7487</b>
		7	<b>.5776</b>	<b>.5822</b>	<b>.5861</b>	<b>.5895</b>	<b>.5923</b>	<b>.5946</b>	<b>.5969</b>	<b>.5995</b>	<b>.7506</b>
		8	<b>.6436</b>	<b>.6462</b>	<b>.6482</b>	<b>.6500</b>	<b>.6514</b>	<b>.6525</b>	<b>.6536</b>	<b>.6547</b>	<b>.7532</b>
		9	<b>.6960</b>	<b>.6972</b>	<b>.6981</b>	<b>.6989</b>	<b>.6994</b>	<b>.6999</b>	<b>.7003</b>	<b>.7008</b>	<b>.7587</b>
		10	<b>.7374</b>	<b>.7378</b>	<b>.7382</b>	<b>.7385</b>	<b>.7387</b>	<b>.7389</b>	<b>.7390</b>	<b>.7391</b>	<b>.7695</b>
		11	<b>.7733</b>	<b>.7735</b>	<b>.7736</b>	<b>.7737</b>	<b>.7738</b>	<b>.7738</b>	<b>.7739</b>	<b>.7739</b>	<b>.7882</b>
		12	<b>.8095</b>	<b>.8096</b>	<b>.8096</b>	<b>.8097</b>	<b>.8097</b>	<b>.8097</b>	<b>.8097</b>	<b>.8097</b>	<b>.8161</b>
		13	<b>.8487</b>	<b>.8488</b>	<b>.8488</b>	<b>.8488</b>	<b>.8488</b>	<b>.8488</b>	<b>.8488</b>	<b>.8489</b>	<b>.8519</b>
		14	<b>.8896</b>	<b>.8896</b>	<b>.8896</b>	<b>.8896</b>	<b>.8896</b>	<b>.8896</b>	<b>.8896</b>	<b>.8896</b>	<b>.8915</b>
		15	<b>.9276</b>	<b>.9276</b>	<b>.9276</b>	<b>.9276</b>	<b>.9276</b>	<b>.9276</b>	<b>.9276</b>	<b>.9276</b>	<b>.9289</b>
		16	<b>.9582</b>	<b>.9582</b>	<b>.9582</b>	<b>.9582</b>	<b>.9583</b>	<b>.9583</b>	<b>.9583</b>	<b>.9583</b>	<b>.9591</b>
		17	<b>.9792</b>	<b>.9792</b>	<b>.9792</b>	<b>.9792</b>	<b>.9792</b>	<b>.9792</b>	<b>.9792</b>	<b>.9793</b>	<b>.9797</b>





Table 32: Sheet V. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			11	12	13	14	15	16	17	18	19
2	37	16	<b>.8550</b>	<b>.8550</b>	<b>.8550</b>	<b>.8550</b>	<b>.8550</b>	<b>.8550</b>	<b>.8550</b>	<b>.8550</b>	<b>.8550</b>
		17	<b>.8921</b>	<b>.8921</b>	<b>.8921</b>	<b>.8921</b>	<b>.8921</b>	<b>.8921</b>	<b>.8921</b>	<b>.8921</b>	<b>.8921</b>
		18	<b>.9271</b>	<b>.9271</b>	<b>.9271</b>	<b>.9271</b>	<b>.9271</b>	<b>.9271</b>	<b>.9271</b>	<b>.9271</b>	<b>.9271</b>
		19	<b>.9559</b>	<b>.9559</b>	<b>.9559</b>	<b>.9559</b>	<b>.9559</b>	<b>.9559</b>	<b>.9559</b>	<b>.9559</b>	<b>.9559</b>
2	38	0	<i>.00097470</i>	<i>.00116848</i>	<i>.00137956</i>	<i>.00160787</i>	<i>.00185335</i>	<i>.00211592</i>	<b>.0936</b>	<b>.1011</b>	<b>.1289</b>
		1	<b>.0022</b>	<b>.0025</b>	<b>.0028</b>	<b>.0030</b>	<b>.0033</b>	<b>.0036</b>	<b>.0039</b>	<b>.0043</b>	<b>.0269</b>
		2	<b>.0130</b>	<b>.0146</b>	<b>.0162</b>	<b>.0177</b>	<b>.0193</b>	<b>.0209</b>	<b>.0225</b>	<b>.0244</b>	<b>.0996</b>
		3	<b>.0514</b>	<b>.0568</b>	<b>.0622</b>	<b>.0676</b>	<b>.0729</b>	<b>.0781</b>	<b>.0833</b>	<b>.0892</b>	<b>.2189</b>
		4	<b>.1333</b>	<b>.1447</b>	<b>.1556</b>	<b>.1661</b>	<b>.1761</b>	<b>.1856</b>	<b>.1950</b>	<b>.2051</b>	<b>.3589</b>
		5	<b>.2367</b>	<b>.2511</b>	<b>.2643</b>	<b>.2764</b>	<b>.2875</b>	<b>.2976</b>	<b>.3072</b>	<b>.3178</b>	<b>.4569</b>
		6	<b>.3462</b>	<b>.3585</b>	<b>.3692</b>	<b>.3786</b>	<b>.3869</b>	<b>.3942</b>	<b>.4010</b>	<b>.4089</b>	<b>.5114</b>
		7	<b>.4361</b>	<b>.4447</b>	<b>.4520</b>	<b>.4585</b>	<b>.4641</b>	<b>.4691</b>	<b>.4738</b>	<b>.4796</b>	<b>.5445</b>
		8	<b>.5139</b>	<b>.5199</b>	<b>.5251</b>	<b>.5297</b>	<b>.5337</b>	<b>.5372</b>	<b>.5405</b>	<b>.5446</b>	<b>.5806</b>
		9	<b>.5838</b>	<b>.5879</b>	<b>.5914</b>	<b>.5944</b>	<b>.5970</b>	<b>.5992</b>	<b>.6013</b>	<b>.6038</b>	<b>.6213</b>
		10	<b>.6428</b>	<b>.6453</b>	<b>.6474</b>	<b>.6492</b>	<b>.6507</b>	<b>.6519</b>	<b>.6530</b>	<b>.6543</b>	<b>.6619</b>
		11	<b>.6890</b>	<b>.6903</b>	<b>.6914</b>	<b>.6923</b>	<b>.6930</b>	<b>.6936</b>	<b>.6941</b>	<b>.6947</b>	<b>.6976</b>
		12	<b>.7234</b>	<b>.7241</b>	<b>.7246</b>	<b>.7249</b>	<b>.7253</b>	<b>.7255</b>	<b>.7257</b>	<b>.7260</b>	<b>.7269</b>
		13	<b>.7503</b>	<b>.7506</b>	<b>.7508</b>	<b>.7509</b>	<b>.7511</b>	<b>.7512</b>	<b>.7512</b>	<b>.7513</b>	<b>.7516</b>
		14	<b>.7751</b>	<b>.7752</b>	<b>.7752</b>	<b>.7753</b>	<b>.7753</b>	<b>.7754</b>	<b>.7754</b>	<b>.7754</b>	<b>.7755</b>
		15	<b>.8023</b>	<b>.8023</b>	<b>.8023</b>	<b>.8023</b>	<b>.8024</b>	<b>.8024</b>	<b>.8024</b>	<b>.8024</b>	<b>.8024</b>
		16	<b>.8342</b>	<b>.8342</b>	<b>.8342</b>	<b>.8342</b>	<b>.8342</b>	<b>.8342</b>	<b>.8342</b>	<b>.8342</b>	<b>.8342</b>
		17	<b>.8699</b>	<b>.8699</b>	<b>.8699</b>	<b>.8699</b>	<b>.8699</b>	<b>.8699</b>	<b>.8699</b>	<b>.8699</b>	<b>.8699</b>
		18	<b>.9061</b>	<b>.9061</b>	<b>.9061</b>	<b>.9061</b>	<b>.9061</b>	<b>.9061</b>	<b>.9061</b>	<b>.9061</b>	<b>.9061</b>
		19	<b>.9386</b>	<b>.9386</b>	<b>.9386</b>	<b>.9386</b>	<b>.9386</b>	<b>.9386</b>	<b>.9386</b>	<b>.9386</b>	<b>.9386</b>
20	<b>.9642</b>	<b>.9642</b>	<b>.9642</b>	<b>.9642</b>	<b>.9642</b>	<b>.9642</b>	<b>.9642</b>	<b>.9642</b>	<b>.9642</b>		
2	39	0	<i>.00073210</i>	<i>.00087780</i>	<i>.00103654</i>	<i>.00120829</i>	<i>.00139301</i>	<i>.00159065</i>	<b>.0916</b>	<b>.0991</b>	<b>.1226</b>
		1	<b>.0017</b>	<b>.0019</b>	<b>.0022</b>	<b>.0024</b>	<b>.0026</b>	<b>.0028</b>	<b>.0031</b>	<b>.0033</b>	<b>.0216</b>
		2	<b>.0104</b>	<b>.0116</b>	<b>.0128</b>	<b>.0141</b>	<b>.0154</b>	<b>.0167</b>	<b>.0180</b>	<b>.0194</b>	<b>.0845</b>
		3	<b>.0425</b>	<b>.0471</b>	<b>.0517</b>	<b>.0562</b>	<b>.0607</b>	<b>.0651</b>	<b>.0696</b>	<b>.0745</b>	<b>.1940</b>
		4	<b>.1159</b>	<b>.1262</b>	<b>.1361</b>	<b>.1457</b>	<b>.1550</b>	<b>.1638</b>	<b>.1725</b>	<b>.1819</b>	<b>.3323</b>
		5	<b>.2151</b>	<b>.2291</b>	<b>.2421</b>	<b>.2542</b>	<b>.2654</b>	<b>.2756</b>	<b>.2853</b>	<b>.2958</b>	<b>.4400</b>
		6	<b>.3276</b>	<b>.3405</b>	<b>.3519</b>	<b>.3619</b>	<b>.3707</b>	<b>.3785</b>	<b>.3857</b>	<b>.3939</b>	<b>.5059</b>
		7	<b>.4226</b>	<b>.4318</b>	<b>.4397</b>	<b>.4465</b>	<b>.4526</b>	<b>.4578</b>	<b>.4628</b>	<b>.4688</b>	<b>.5432</b>
		8	<b>.5038</b>	<b>.5103</b>	<b>.5159</b>	<b>.5208</b>	<b>.5251</b>	<b>.5289</b>	<b>.5325</b>	<b>.5369</b>	<b>.5802</b>
		9	<b>.5765</b>	<b>.5810</b>	<b>.5849</b>	<b>.5883</b>	<b>.5913</b>	<b>.5938</b>	<b>.5962</b>	<b>.5990</b>	<b>.6212</b>
		10	<b>.6382</b>	<b>.6411</b>	<b>.6435</b>	<b>.6456</b>	<b>.6473</b>	<b>.6488</b>	<b>.6502</b>	<b>.6517</b>	<b>.6618</b>
		11	<b>.6864</b>	<b>.6880</b>	<b>.6893</b>	<b>.6904</b>	<b>.6913</b>	<b>.6921</b>	<b>.6927</b>	<b>.6935</b>	<b>.6976</b>
		12	<b>.7221</b>	<b>.7229</b>	<b>.7236</b>	<b>.7241</b>	<b>.7245</b>	<b>.7248</b>	<b>.7251</b>	<b>.7255</b>	<b>.7269</b>
		13	<b>.7498</b>	<b>.7501</b>	<b>.7504</b>	<b>.7506</b>	<b>.7508</b>	<b>.7509</b>	<b>.7510</b>	<b>.7511</b>	<b>.7516</b>
		14	<b>.7749</b>	<b>.7750</b>	<b>.7751</b>	<b>.7752</b>	<b>.7752</b>	<b>.7753</b>	<b>.7753</b>	<b>.7754</b>	<b>.7755</b>
		15	<b>.8022</b>	<b>.8022</b>	<b>.8023</b>	<b>.8023</b>	<b>.8023</b>	<b>.8023</b>	<b>.8023</b>	<b>.8024</b>	<b>.8024</b>
		16	<b>.8341</b>	<b>.8342</b>	<b>.8342</b>	<b>.8342</b>	<b>.8342</b>	<b>.8342</b>	<b>.8342</b>	<b>.8342</b>	<b>.8342</b>
		17	<b>.8699</b>	<b>.8699</b>	<b>.8699</b>	<b>.8699</b>	<b>.8699</b>	<b>.8699</b>	<b>.8699</b>	<b>.8699</b>	<b>.8699</b>
		18	<b>.9061</b>	<b>.9061</b>	<b>.9061</b>	<b>.9061</b>	<b>.9061</b>	<b>.9061</b>	<b>.9061</b>	<b>.9061</b>	<b>.9061</b>
		19	<b>.9386</b>	<b>.9386</b>	<b>.9386</b>	<b>.9386</b>	<b>.9386</b>	<b>.9386</b>	<b>.9386</b>	<b>.9386</b>	<b>.9386</b>
20	<b>.9642</b>	<b>.9642</b>	<b>.9642</b>	<b>.9642</b>	<b>.9642</b>	<b>.9642</b>	<b>.9642</b>	<b>.9642</b>	<b>.9642</b>		
2	40	0	<i>.00054974</i>	<i>.00065924</i>	<i>.00077857</i>	<i>.00090771</i>	<i>.00104662</i>	<i>.00119530</i>	<i>.00135370</i>	<b>.0971</b>	<b>.1171</b>
		1	<b>.0014</b>	<b>.0015</b>	<b>.0017</b>	<b>.0019</b>	<b>.0021</b>	<b>.0023</b>	<b>.0024</b>	<b>.0026</b>	<b>.0172</b>
		2	<b>.0082</b>	<b>.0092</b>	<b>.0102</b>	<b>.0112</b>	<b>.0122</b>	<b>.0132</b>	<b>.0143</b>	<b>.0154</b>	<b>.0709</b>
		3	<b>.0349</b>	<b>.0387</b>	<b>.0425</b>	<b>.0463</b>	<b>.0501</b>	<b>.0539</b>	<b>.0576</b>	<b>.0617</b>	<b>.1702</b>
		4	<b>.0993</b>	<b>.1085</b>	<b>.1175</b>	<b>.1262</b>	<b>.1346</b>	<b>.1427</b>	<b>.1506</b>	<b>.1591</b>	<b>.3040</b>
		5	<b>.1918</b>	<b>.2052</b>	<b>.2178</b>	<b>.2296</b>	<b>.2407</b>	<b>.2509</b>	<b>.2606</b>	<b>.2709</b>	<b>.4179</b>
		6	<b>.3031</b>	<b>.3165</b>	<b>.3284</b>	<b>.3390</b>	<b>.3484</b>	<b>.3567</b>	<b>.3644</b>	<b>.3727</b>	<b>.4931</b>
		7	<b>.3993</b>	<b>.4091</b>	<b>.4176</b>	<b>.4250</b>	<b>.4314</b>	<b>.4370</b>	<b>.4423</b>	<b>.4483</b>	<b>.5323</b>
		8	<b>.4806</b>	<b>.4875</b>	<b>.4935</b>	<b>.4987</b>	<b>.5034</b>	<b>.5074</b>	<b>.5113</b>	<b>.5158</b>	<b>.5672</b>
		9	<b>.5539</b>	<b>.5588</b>	<b>.5631</b>	<b>.5668</b>	<b>.5701</b>	<b>.5730</b>	<b>.5756</b>	<b>.5787</b>	<b>.6064</b>



Table 32: Sheet W. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			11	12	13	14	15	16	17	18	19
2	40	10	<b>.6180</b>	<b>.6213</b>	<b>.6241</b>	<b>.6265</b>	<b>.6286</b>	<b>.6303</b>	<b>.6319</b>	<b>.6337</b>	<b>.6470</b>
		11	<b>.6698</b>	<b>.6718</b>	<b>.6734</b>	<b>.6747</b>	<b>.6758</b>	<b>.6768</b>	<b>.6776</b>	<b>.6785</b>	<b>.6842</b>
		12	<b>.7088</b>	<b>.7099</b>	<b>.7107</b>	<b>.7113</b>	<b>.7119</b>	<b>.7123</b>	<b>.7127</b>	<b>.7131</b>	<b>.7153</b>
		13	<b>.7380</b>	<b>.7385</b>	<b>.7388</b>	<b>.7391</b>	<b>.7393</b>	<b>.7395</b>	<b>.7397</b>	<b>.7398</b>	<b>.7406</b>
		14	<b>.7623</b>	<b>.7625</b>	<b>.7626</b>	<b>.7628</b>	<b>.7628</b>	<b>.7629</b>	<b>.7630</b>	<b>.7630</b>	<b>.7633</b>
		15	<b>.7869</b>	<b>.7870</b>	<b>.7871</b>	<b>.7871</b>	<b>.7871</b>	<b>.7872</b>	<b>.7872</b>	<b>.7872</b>	<b>.7873</b>
		16	<b>.8154</b>	<b>.8155</b>	<b>.8155</b>	<b>.8155</b>	<b>.8155</b>	<b>.8155</b>	<b>.8155</b>	<b>.8155</b>	<b>.8155</b>
		17	<b>.8486</b>	<b>.8486</b>	<b>.8486</b>	<b>.8486</b>	<b>.8486</b>	<b>.8486</b>	<b>.8486</b>	<b>.8486</b>	<b>.8486</b>
		18	<b>.8844</b>	<b>.8844</b>	<b>.8844</b>	<b>.8844</b>	<b>.8844</b>	<b>.8844</b>	<b>.8844</b>	<b>.8844</b>	<b>.8844</b>
		19	<b>.9192</b>	<b>.9192</b>	<b>.9192</b>	<b>.9192</b>	<b>.9192</b>	<b>.9192</b>	<b>.9192</b>	<b>.9192</b>	<b>.9192</b>
		20	<b>.9488</b>	<b>.9488</b>	<b>.9488</b>	<b>.9488</b>	<b>.9488</b>	<b>.9488</b>	<b>.9488</b>	<b>.9488</b>	<b>.9488</b>
2	41	0	<i>.00041273</i>	<i>.00049499</i>	<i>.00058466</i>	<i>.00068171</i>	<i>.00078613</i>	<i>.00089791</i>	<i>.00101703</i>	<b>.0953</b>	<b>.1123</b>
		1	<b>.0011</b>	<b>.0013</b>	<b>.0014</b>	<b>.0015</b>	<b>.0017</b>	<b>.0018</b>	<b>.0020</b>	<b>.0021</b>	<b>.0136</b>
		2	<b>.0065</b>	<b>.0073</b>	<b>.0081</b>	<b>.0089</b>	<b>.0097</b>	<b>.0105</b>	<b>.0114</b>	<b>.0123</b>	<b>.0589</b>
		3	<b>.0285</b>	<b>.0317</b>	<b>.0349</b>	<b>.0380</b>	<b>.0412</b>	<b>.0443</b>	<b>.0475</b>	<b>.0509</b>	<b>.1478</b>
		4	<b>.0847</b>	<b>.0928</b>	<b>.1007</b>	<b>.1085</b>	<b>.1160</b>	<b>.1233</b>	<b>.1305</b>	<b>.1381</b>	<b>.2755</b>
		5	<b>.1699</b>	<b>.1826</b>	<b>.1947</b>	<b>.2060</b>	<b>.2167</b>	<b>.2267</b>	<b>.2363</b>	<b>.2462</b>	<b>.3937</b>
		6	<b>.2792</b>	<b>.2929</b>	<b>.3052</b>	<b>.3162</b>	<b>.3261</b>	<b>.3349</b>	<b>.3431</b>	<b>.3516</b>	<b>.4789</b>
		7	<b>.3766</b>	<b>.3871</b>	<b>.3962</b>	<b>.4041</b>	<b>.4110</b>	<b>.4170</b>	<b>.4226</b>	<b>.4287</b>	<b>.5218</b>
		8	<b>.4581</b>	<b>.4655</b>	<b>.4718</b>	<b>.4774</b>	<b>.4824</b>	<b>.4867</b>	<b>.4908</b>	<b>.4954</b>	<b>.5551</b>
		9	<b>.5315</b>	<b>.5368</b>	<b>.5414</b>	<b>.5455</b>	<b>.5491</b>	<b>.5522</b>	<b>.5551</b>	<b>.5584</b>	<b>.5922</b>
		10	<b>.5974</b>	<b>.6011</b>	<b>.6042</b>	<b>.6069</b>	<b>.6093</b>	<b>.6113</b>	<b>.6132</b>	<b>.6152</b>	<b>.6322</b>
		11	<b>.6524</b>	<b>.6547</b>	<b>.6566</b>	<b>.6582</b>	<b>.6596</b>	<b>.6607</b>	<b>.6617</b>	<b>.6628</b>	<b>.6704</b>
		12	<b>.6949</b>	<b>.6961</b>	<b>.6971</b>	<b>.6980</b>	<b>.6987</b>	<b>.6992</b>	<b>.6997</b>	<b>.7002</b>	<b>.7033</b>
		13	<b>.7264</b>	<b>.7270</b>	<b>.7275</b>	<b>.7278</b>	<b>.7282</b>	<b>.7284</b>	<b>.7286</b>	<b>.7288</b>	<b>.7299</b>
		14	<b>.7510</b>	<b>.7513</b>	<b>.7515</b>	<b>.7516</b>	<b>.7517</b>	<b>.7518</b>	<b>.7519</b>	<b>.7520</b>	<b>.7524</b>
		15	<b>.7738</b>	<b>.7739</b>	<b>.7740</b>	<b>.7740</b>	<b>.7741</b>	<b>.7741</b>	<b>.7741</b>	<b>.7741</b>	<b>.7743</b>
		16	<b>.7990</b>	<b>.7991</b>	<b>.7991</b>	<b>.7991</b>	<b>.7991</b>	<b>.7991</b>	<b>.7991</b>	<b>.7992</b>	<b>.7992</b>
		17	<b>.8290</b>	<b>.8290</b>	<b>.8290</b>	<b>.8290</b>	<b>.8290</b>	<b>.8290</b>	<b>.8290</b>	<b>.8290</b>	<b>.8290</b>
		18	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>
		19	<b>.8983</b>	<b>.8983</b>	<b>.8984</b>	<b>.8984</b>	<b>.8984</b>	<b>.8984</b>	<b>.8984</b>	<b>.8984</b>	<b>.8984</b>
		20	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>
		21	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>
2	42	0	<i>.00030981</i>	<i>.00037159</i>	<i>.00043895</i>	<i>.00051186</i>	<i>.00059033</i>	<i>.00067434</i>	<i>.00076387</i>	<b>.0935</b>	<b>.1081</b>
		1	<b>.0009</b>	<b>.0010</b>	<b>.0012</b>	<b>.0013</b>	<b>.0014</b>	<b>.0015</b>	<b>.0016</b>	<b>.0018</b>	<b>.0107</b>
		2	<b>.0052</b>	<b>.0058</b>	<b>.0065</b>	<b>.0071</b>	<b>.0078</b>	<b>.0084</b>	<b>.0091</b>	<b>.0098</b>	<b>.0485</b>
		3	<b>.0233</b>	<b>.0259</b>	<b>.0285</b>	<b>.0311</b>	<b>.0338</b>	<b>.0364</b>	<b>.0390</b>	<b>.0418</b>	<b>.1272</b>
		4	<b>.0721</b>	<b>.0792</b>	<b>.0862</b>	<b>.0930</b>	<b>.0997</b>	<b>.1062</b>	<b>.1126</b>	<b>.1193</b>	<b>.2476</b>
		5	<b>.1508</b>	<b>.1627</b>	<b>.1740</b>	<b>.1847</b>	<b>.1950</b>	<b>.2046</b>	<b>.2138</b>	<b>.2233</b>	<b>.3690</b>
		6	<b>.2590</b>	<b>.2729</b>	<b>.2854</b>	<b>.2968</b>	<b>.3071</b>	<b>.3163</b>	<b>.3249</b>	<b>.3335</b>	<b>.4661</b>
		7	<b>.3607</b>	<b>.3720</b>	<b>.3816</b>	<b>.3901</b>	<b>.3975</b>	<b>.4040</b>	<b>.4099</b>	<b>.4161</b>	<b>.5177</b>
		8	<b>.4463</b>	<b>.4542</b>	<b>.4610</b>	<b>.4669</b>	<b>.4722</b>	<b>.4767</b>	<b>.4811</b>	<b>.4857</b>	<b>.5538</b>
		9	<b>.5224</b>	<b>.5282</b>	<b>.5331</b>	<b>.5375</b>	<b>.5414</b>	<b>.5448</b>	<b>.5480</b>	<b>.5514</b>	<b>.5918</b>
		10	<b>.5908</b>	<b>.5949</b>	<b>.5984</b>	<b>.6015</b>	<b>.6041</b>	<b>.6064</b>	<b>.6085</b>	<b>.6107</b>	<b>.6321</b>
		11	<b>.6482</b>	<b>.6508</b>	<b>.6530</b>	<b>.6549</b>	<b>.6565</b>	<b>.6579</b>	<b>.6591</b>	<b>.6603</b>	<b>.6704</b>
		12	<b>.6925</b>	<b>.6940</b>	<b>.6952</b>	<b>.6962</b>	<b>.6971</b>	<b>.6978</b>	<b>.6984</b>	<b>.6990</b>	<b>.7033</b>
		13	<b>.7252</b>	<b>.7259</b>	<b>.7265</b>	<b>.7270</b>	<b>.7274</b>	<b>.7277</b>	<b>.7280</b>	<b>.7283</b>	<b>.7299</b>
		14	<b>.7504</b>	<b>.7508</b>	<b>.7511</b>	<b>.7513</b>	<b>.7514</b>	<b>.7516</b>	<b>.7517</b>	<b>.7518</b>	<b>.7524</b>
		15	<b>.7736</b>	<b>.7737</b>	<b>.7738</b>	<b>.7739</b>	<b>.7739</b>	<b>.7740</b>	<b>.7740</b>	<b>.7741</b>	<b>.7743</b>
		16	<b>.7990</b>	<b>.7990</b>	<b>.7990</b>	<b>.7991</b>	<b>.7991</b>	<b>.7991</b>	<b>.7991</b>	<b>.7991</b>	<b>.7992</b>
		17	<b>.8289</b>	<b>.8290</b>	<b>.8290</b>	<b>.8290</b>	<b>.8290</b>	<b>.8290</b>	<b>.8290</b>	<b>.8290</b>	<b>.8290</b>
		18	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>	<b>.8630</b>
		19	<b>.8983</b>	<b>.8983</b>	<b>.8983</b>	<b>.8983</b>	<b>.8984</b>	<b>.8984</b>	<b>.8984</b>	<b>.8984</b>	<b>.8984</b>
		20	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>	<b>.9310</b>
		21	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>	<b>.9578</b>
2	43	0	<i>.00023252</i>	<i>.00027892</i>	<i>.00032950</i>	<i>.00038426</i>	<i>.00044320</i>	<i>.00050631</i>	<i>.00057359</i>	<b>.0918</b>	<b>.1044</b>

Table 32: Sheet X. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column pairs ( $k = 2$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			11	12	13	14	15	16	17	18	19
2	43	1	.0008	.0009	.0010	.0011	.0012	.0013	.0014	.0015	.0084
		2	.0040	.0045	.0050	.0055	.0060	.0065	.0070	.0076	.0392
		3	.0189	.0210	.0232	.0254	.0275	.0297	.0318	.0341	.1083
		4	.0608	.0669	.0729	.0789	.0848	.0905	.0961	.1019	.2200
		5	.1318	.1427	.1532	.1632	.1728	.1819	.1907	.1996	.3412
		6	.2356	.2494	.2620	.2735	.2840	.2936	.3025	.3112	.4472
		7	.3377	.3496	.3599	.3689	.3769	.3838	.3902	.3965	.5056
		8	.4240	.4324	.4397	.4460	.4515	.4564	.4609	.4656	.5420
		9	.4999	.5060	.5113	.5160	.5202	.5238	.5272	.5307	.5782
		10	.5693	.5737	.5776	.5809	.5839	.5865	.5888	.5912	.6175
		11	.6294	.6324	.6349	.6371	.6389	.6405	.6420	.6434	.6564
		12	.6773	.6790	.6805	.6817	.6828	.6836	.6844	.6852	.6909
		13	.7130	.7139	.7147	.7153	.7158	.7162	.7166	.7170	.7193
		14	.7396	.7401	.7404	.7407	.7410	.7411	.7413	.7414	.7423
		15	.7620	.7622	.7623	.7624	.7625	.7626	.7627	.7627	.7630
		16	.7848	.7849	.7849	.7849	.7850	.7850	.7850	.7850	.7851
		17	.8114	.8114	.8114	.8114	.8114	.8115	.8115	.8115	.8115
		18	.8427	.8427	.8427	.8427	.8427	.8427	.8427	.8427	.8427
		19	.8772	.8772	.8772	.8772	.8772	.8772	.8772	.8772	.8772
		20	.9114	.9114	.9114	.9114	.9114	.9114	.9114	.9114	.9114
		21	.9417	.9417	.9417	.9417	.9417	.9417	.9417	.9417	.9417
		22	.9654	.9654	.9654	.9654	.9654	.9654	.9654	.9654	.9654
2	44	0	<i>.00017449</i>	<i>.00020932</i>	<i>.00024730</i>	<i>.00028842</i>	<i>.00033269</i>	<i>.00038009</i>	<i>.00043062</i>	.0901	.1012
		1	.0007	.0008	.0009	.0009	.0010	.0011	.0012	.0013	.0065
		2	.0032	.0036	.0040	.0044	.0048	.0052	.0056	.0060	.0315
		3	.0153	.0171	.0188	.0206	.0224	.0242	.0260	.0278	.0913
		4	.0509	.0562	.0614	.0666	.0716	.0766	.0816	.0866	.1934
		5	.1144	.1244	.1339	.1432	.1521	.1606	.1688	.1770	.3124
		6	.2131	.2266	.2391	.2506	.2612	.2709	.2801	.2889	.4259
		7	.3151	.3276	.3385	.3481	.3566	.3640	.3708	.3774	.4927
		8	.4024	.4114	.4191	.4258	.4317	.4368	.4416	.4463	.5308
		9	.4780	.4845	.4901	.4951	.4995	.5034	.5070	.5106	.5654
		10	.5477	.5525	.5567	.5604	.5636	.5664	.5691	.5716	.6033
		11	.6099	.6133	.6161	.6186	.6207	.6225	.6242	.6258	.6422
		12	.6611	.6632	.6649	.6664	.6676	.6687	.6696	.6705	.6781
		13	.7002	.7013	.7023	.7031	.7037	.7042	.7047	.7051	.7084
		14	.7290	.7296	.7300	.7304	.7307	.7309	.7311	.7313	.7326
		15	.7516	.7518	.7520	.7522	.7523	.7524	.7525	.7525	.7530
		16	.7726	.7727	.7728	.7728	.7729	.7729	.7729	.7730	.7731
		17	.7961	.7961	.7961	.7961	.7962	.7962	.7962	.7962	.7962
		18	.8242	.8242	.8242	.8242	.8242	.8242	.8242	.8242	.8242
		19	.8566	.8566	.8566	.8566	.8566	.8566	.8566	.8566	.8566
		20	.8909	.8909	.8909	.8909	.8909	.8909	.8909	.8909	.8909
		21	.9236	.9236	.9236	.9236	.9236	.9236	.9236	.9236	.9236
22	.9512	.9512	.9512	.9512	.9512	.9512	.9512	.9512	.9512		
2	45	0	<i>.00013093</i>	<i>.00015708</i>	<i>.00018559</i>	<i>.00021646</i>	<i>.00024969</i>	<i>.00028528</i>	<i>.00032323</i>	.0886	.0984
		1	.0004	.0005	.0005	.0006	.0007	.0007	.0008	.0008	.0047
		2	.0025	.0028	.0032	.0035	.0038	.0041	.0044	.0048	.0250
		3	.0123	.0137	.0152	.0166	.0181	.0195	.0210	.0225	.0759
		4	.0425	.0470	.0515	.0559	.0602	.0645	.0688	.0731	.1682
		5	.0989	.1078	.1164	.1248	.1329	.1407	.1484	.1559	.2832
		6	.1916	.2047	.2168	.2282	.2387	.2485	.2577	.2665	.4024
		7	.2929	.3058	.3172	.3274	.3364	.3443	.3516	.3584	.4783
		8	.3813	.3909	.3992	.4064	.4127	.4181	.4232	.4280	.5196
		9	.4568	.4637	.4697	.4749	.4796	.4836	.4875	.4912	.5533
		10	.5264	.5315	.5360	.5400	.5435	.5465	.5494	.5522	.5896





Table 33: Sheet A. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			3	4	5	6	7	8	9	10	11
3	1	0	.50000000	.68750000	.81250000	.89062500	.93750000	.96484375	.98046875	.98925781	.99414063
3	2	0	.25000000	.44921875	.61132813	.72973633	.81225586	.86875916	.90737152	.93393040	.95239639
		1	.75000000	.90234375	.96484375	.98803711	.99609375	.99876404	.99961853	.99988461	.99996567
3	3	0	.12500000	.27514648	.42376709	.55218887	.65610695	.73748273	.80019028	.84815205	.88471509
		1	.50000000	.74609375	.88024902	.94555664	.97567177	.98919678	.99520132	.99785921	.99903835
		2	.87500000	.96948242	.99340820	.99869156	.99975586	.99995655	.99999255	.99999876	.99999980
3	4	0	.06250000	.15995789	.27330971	.38646346	.49073754	.58249769	.66097559	.72683604	.78136257
		1	.31250000	.56596375	.74513435	.85620672	.92062546	.95666145	.97643659	.98719067	.99302234
		2	.68750000	.89280701	.96704102	.99048918	.99735689	.99928118	.99980669	.99994823	.99998613
		3	.93750000	.99046326	.99876404	.99985689	.99998474	.99999847	.99999985	.99999999	1.00000000
3	5	0	.03125000	.08944607	.16627449	.25237670	.34059513	.42613960	.50611353	.57896691	.64405187
		1	.18750000	.39891815	.58403063	.72412922	.82214329	.88755600	.92991492	.95679268	.97360034
		2	.50000000	.76921082	.90341794	.96181602	.98540344	.99452482	.99796478	.99924523	.99971947
		3	.81250000	.95708466	.99152851	.99847241	.99973840	.99995606	.99999253	.99999867	.99999975
		4	.96875000	.99701977	.99976826	.99998435	.99999905	.99999995	1.00000000	1.00000000	1.00000000
3	6	0	.01562500	.04860848	.09663510	.15557551	.22129020	.29024047	.35964297	.42742799	.49213106
		1	.10937500	.26506132	.42682210	.57051109	.68746276	.77756953	.84445699	.89279104	.92700715
		2	.34375000	.61914063	.79807311	.89882601	.95117467	.97704082	.98940236	.99517487	.99782588
		3	.65625000	.88675117	.96696451	.99105526	.99768827	.99941821	.99985497	.99996358	.99999062
		4	.89062500	.98342246	.99792156	.99976830	.99997558	.99999736	.99999967	.99999995	.99999999
		5	.98437500	.99906868	.99995655	.99999829	.99999994	1.00000000	1.00000000	1.00000000	1.00000000
3	7	0	.00781250	.02586606	.05421108	.09154705	.13604801	.18578767	.23895803	.29396719	.34947075
		1	.06250000	.16808704	.29376464	.42062329	.53723984	.63820408	.72205837	.78960331	.84273826
		2	.22656250	.46849843	.66322248	.79787613	.88326472	.93448100	.96403628	.98061241	.98970549
		3	.50000000	.77972507	.91295352	.96788341	.98868921	.99614568	.99871750	.99958047	.99986429
		4	.77343750	.94755490	.98950133	.99808440	.99967079	.99994523	.99999089	.99999841	.99999969
		5	.93750000	.99376014	.99950709	.99996632	.99999782	.99999984	.99999998	1.00000000	1.00000000
		6	.99218750	.99970896	.99999185	.99999981	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
3	8	0	.00390625	.01355145	.02959583	.05192179	.07996495	.11292569	<b>.1673</b>	<b>.2096</b>	<b>.2525</b>
		1	.03515625	.10272465	.19230925	.29245405	.39403851	<b>.5023</b>	<b>.5508</b>	<b>.5964</b>	<b>.6380</b>
		2	.14453125	.33612457	.51938407	.66882364	<b>.6798</b>	<b>.7485</b>	<b>.8000</b>	<b>.8409</b>	<b>.8728</b>
		3	.36328125	.64922988	.82507384	<b>.8307</b>	<b>.8821</b>	<b>.9098</b>	<b>.9369</b>	<b>.9551</b>	<b>.9674</b>
		4	.63671875	.88122084	.96569079	<b>.9454</b>	<b>.9644</b>	<b>.9760</b>	<b>.9848</b>	<b>.9901</b>	<b>.9934</b>
		5	.85546875	.97675404	.99684412	<b>.9851</b>	<b>.9917</b>	<b>.9952</b>	<b>.9973</b>	<b>.9984</b>	<b>.9991</b>
		6	.96484375	.99769716	.99988611	<b>.9971</b>	<b>.9986</b>	<b>.9993</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>
		7	.99609375	.99990905	.99999847	<b>.9997</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	9	0	.00195313	.00701787	.01582380	.02860887	.04534006	.06580189	<b>.1030</b>	<b>.1334</b>	<b>.1647</b>
		1	.01953125	.06095828	.12079652	.19337858	.27304478	<b>.3675</b>	<b>.4600</b>	<b>.4982</b>	<b>.5349</b>
		2	.08984375	.23055155	.38529038	.52946132	<b>.5521</b>	<b>.6538</b>	<b>.7017</b>	<b>.7497</b>	<b>.7900</b>
		3	.25390625	.51328401	.70970503	<b>.7356</b>	<b>.8127</b>	<b>.8483</b>	<b>.8822</b>	<b>.9119</b>	<b>.9332</b>
		4	.50000000	.78520431	.91760455	<b>.9055</b>	<b>.9326</b>	<b>.9506</b>	<b>.9652</b>	<b>.9762</b>	<b>.9832</b>
		5	.74609375	.93939156	.98739264	<b>.9685</b>	<b>.9803</b>	<b>.9874</b>	<b>.9920</b>	<b>.9949</b>	<b>.9967</b>
		6	.91015625	.99004467	.99909197	<b>.9916</b>	<b>.9955</b>	<b>.9975</b>	<b>.9986</b>	<b>.9992</b>	<b>.9995</b>
		7	.98046875	.99916326	.99997422	<b>.9984</b>	<b>.9993</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>1.0000</b>
		8	.99804688	.99997158	.99999971	<b>.9998</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	10	0	.00097656	.00360293	.00832623	.01541214	.02498582	.03706493	<b>.0600</b>	<b>.0810</b>	<b>.1026</b>
		1	.01074219	.03532874	.07334450	.12257006	.18014215	<b>.1574</b>	<b>.1926</b>	<b>.3734</b>	<b>.4565</b>
		2	.05468750	.15228751	.27247535	.39726873	<b>.4225</b>	<b>.4121</b>	<b>.4683</b>	<b>.6610</b>	<b>.7039</b>
		3	.17187500	.38721516	.58058229	<b>.6205</b>	<b>.7241</b>	<b>.6902</b>	<b>.7376</b>	<b>.8550</b>	<b>.8848</b>
		4	.37695313	.66869562	.84132869	<b>.8467</b>	<b>.8803</b>	<b>.8807</b>	<b>.9034</b>	<b>.9523</b>	<b>.9647</b>
		5	.62304688	.87631803	.96414011	<b>.9414</b>	<b>.9586</b>	<b>.9658</b>	<b>.9731</b>	<b>.9870</b>	<b>.9910</b>
		6	.82812500	.97042244	.99562178	<b>.9810</b>	<b>.9884</b>	<b>.9925</b>	<b>.9945</b>	<b>.9973</b>	<b>.9982</b>
		7	.94531250	.99585327	.99974783	<b>.9952</b>	<b>.9975</b>	<b>.9986</b>	<b>.9992</b>	<b>.9996</b>	<b>.9998</b>
		8	.98925781	.99969980	.99999426	<b>.9992</b>	<b>.9996</b>	<b>.9998</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>
		9	.99902344	.99999112	<b>.9998</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	11	0	.00048828	.00183772	.00432787	.00815887	.01346445	.02032335	<b>.0332</b>	<b>.0470</b>	<b>.0613</b>

Table 33: Sheet B. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			3	4	5	6	7	8	9	10	11
3	11	1	.00585938	.02008717	.04330965	.07499382	.11399238	<b>.1022</b>	<b>.1271</b>	<b>.1576</b>	<b>.2563</b>
		2	.03271484	.09746228	.18487259	.28402070	<b>.3072</b>	<b>.3033</b>	<b>.3531</b>	<b>.4113</b>	<b>.6159</b>
		3	.11328125	.28025851	.45274932	<b>.4994</b>	<b>.6198</b>	<b>.5673</b>	<b>.6224</b>	<b>.6829</b>	<b>.8211</b>
		4	.27441406	.54480577	.74032733	<b>.7627</b>	<b>.8099</b>	<b>.7933</b>	<b>.8294</b>	<b>.8679</b>	<b>.9357</b>
		5	.50000000	.78842099	.92023210	<b>.9006</b>	<b>.9213</b>	<b>.9220</b>	<b>.9379</b>	<b>.9552</b>	<b>.9799</b>
		6	.72558594	.93233270	.98537861	<b>.9629</b>	<b>.9739</b>	<b>.9774</b>	<b>.9825</b>	<b>.9883</b>	<b>.9949</b>
		7	.88671875	.98608666	.99854882	<b>.9884</b>	<b>.9931</b>	<b>.9951</b>	<b>.9964</b>	<b>.9978</b>	<b>.9990</b>
		8	.96728516	.99831191	.99993199	<b>.9972</b>	<b>.9986</b>	<b>.9992</b>	<b>.9995</b>	<b>.9997</b>	<b>.9999</b>
		9	.99414063	.99989342	<b>.9989</b>	<b>.9996</b>	<b>.9998</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	.99951172	.99999722	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	12	0	.00024414	.00093276	.00222866	.00426117	.00713022	.01090990	<b>.0172</b>	<b>.0260</b>	<b>.0352</b>
		1	.00317383	.01124445	.02499600	.04455901	.06964662	<b>.0644</b>	<b>.0819</b>	<b>.1033</b>	<b>.1259</b>
		2	.01928711	.06073989	.12105036	.19458622	<b>.2108</b>	<b>.2166</b>	<b>.2586</b>	<b>.3075</b>	<b>.3551</b>
		3	.07299805	.19564226	.33786760	<b>.3838</b>	<b>.4894</b>	<b>.4511</b>	<b>.5087</b>	<b>.5703</b>	<b>.6250</b>
		4	.19384766	.42585254	.62403203	<b>.6600</b>	<b>.7265</b>	<b>.6942</b>	<b>.7431</b>	<b>.7911</b>	<b>.8299</b>
		5	.38720703	.68246301	.85226852	<b>.8446</b>	<b>.8664</b>	<b>.8606</b>	<b>.8886</b>	<b>.9148</b>	<b>.9348</b>
		6	.61279297	.87207152	.96263449	<b>.9341</b>	<b>.9465</b>	<b>.9485</b>	<b>.9606</b>	<b>.9716</b>	<b>.9798</b>
		7	.80615234	.96453842	.99435595	<b>.9763</b>	<b>.9832</b>	<b>.9852</b>	<b>.9892</b>	<b>.9928</b>	<b>.9953</b>
		8	.92700195	.99365382	.99953750	<b>.9929</b>	<b>.9959</b>	<b>.9968</b>	<b>.9978</b>	<b>.9987</b>	<b>.9992</b>
		9	.98071289	.99932592	<b>.9966</b>	<b>.9984</b>	<b>.9992</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>
		10	.99682617	.99996250	<b>.9994</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
11	.99975586	.99999913	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	13	0	.00012207	.00047169	.00113951	.00220247	.00372507	.00576038	<b>.0082</b>	<b>.0138</b>	<b>.0196</b>
		1	.00170898	.00621440	.01415764	.02584095	.04132432	<b>.0412</b>	<b>.0518</b>	<b>.0631</b>	<b>.0760</b>
		2	.01123047	.03701507	.07688676	.12846237	<b>.1188</b>	<b>.1571</b>	<b>.1861</b>	<b>.2144</b>	<b>.2460</b>
		3	.04614258	.13235109	.24236121	<b>.2835</b>	<b>.2909</b>	<b>.3618</b>	<b>.4091</b>	<b>.4511</b>	<b>.4955</b>
		4	.13342285	.32052877	.50420745	<b>.5504</b>	<b>.5283</b>	<b>.6100</b>	<b>.6599</b>	<b>.6988</b>	<b>.7368</b>
		5	.29052734	.56839550	.76214695	<b>.7763</b>	<b>.7436</b>	<b>.8051</b>	<b>.8403</b>	<b>.8638</b>	<b>.8855</b>
		6	.50000000	.79049869	.92189710	<b>.8957</b>	<b>.8870</b>	<b>.9194</b>	<b>.9381</b>	<b>.9492</b>	<b>.9586</b>
		7	.70947266	.92620640	.98352191	<b>.9576</b>	<b>.9611</b>	<b>.9729</b>	<b>.9808</b>	<b>.9850</b>	<b>.9882</b>
		8	.86657715	.98208536	.99792065	<b>.9851</b>	<b>.9897</b>	<b>.9928</b>	<b>.9954</b>	<b>.9966</b>	<b>.9975</b>
		9	.95385742	.99718035	<b>.9919</b>	<b>.9957</b>	<b>.9976</b>	<b>.9985</b>	<b>.9991</b>	<b>.9994</b>	<b>.9996</b>
		10	.98876953	.99973523	<b>.9980</b>	<b>.9991</b>	<b>.9995</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>
		11	.99829102	.99998690	<b>.9997</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
12	.99987793	.99999973	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	14	0	.00006104	.00023787	.00057947	.00112935	.00192587	.00300258	<b>.0033</b>	<b>.0068</b>	<b>.0105</b>
		1	.00091553	.00339833	.00789559	.01468840	.02393019	<b>.0255</b>	<b>.0318</b>	<b>.0392</b>	<b>.0478</b>
		2	.00646973	.02213274	.04758492	.08213886	<b>.0807</b>	<b>.1086</b>	<b>.1279</b>	<b>.1493</b>	<b>.1741</b>
		3	.02868652	.08712874	.16785937	<b>.1994</b>	<b>.2205</b>	<b>.2739</b>	<b>.3092</b>	<b>.3471</b>	<b>.3877</b>
		4	.08978271	.23319945	.39138723	<b>.4336</b>	<b>.4389</b>	<b>.5068</b>	<b>.5498</b>	<b>.5944</b>	<b>.6366</b>
		5	.21197510	.45622635	.65654232	<b>.6797</b>	<b>.6638</b>	<b>.7220</b>	<b>.7553</b>	<b>.7902</b>	<b>.8186</b>
		6	.39526367	.69281545	.86020815	<b>.8413</b>	<b>.8314</b>	<b>.8677</b>	<b>.8863</b>	<b>.9073</b>	<b>.9217</b>
		7	.60473633	.86840856	.96126109	<b>.9279</b>	<b>.9290</b>	<b>.9474</b>	<b>.9558</b>	<b>.9661</b>	<b>.9720</b>
		8	.78802490	.95913461	.99310215	<b>.9717</b>	<b>.9751</b>	<b>.9830</b>	<b>.9862</b>	<b>.9902</b>	<b>.9921</b>
		9	.91021729	.99123143	<b>.9837</b>	<b>.9905</b>	<b>.9929</b>	<b>.9957</b>	<b>.9967</b>	<b>.9978</b>	<b>.9983</b>
		10	.97131348	.99877525	<b>.9949</b>	<b>.9974</b>	<b>.9984</b>	<b>.9991</b>	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>
		11	.99353027	.99989747	<b>.9989</b>	<b>.9995</b>	<b>.9997</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>
		12	.99908447	.99999546	<b>.9998</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
13	.99993896	.99999992	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	15	0	.00003052	.00011970	.00029347	.00057557	.00098771	.00154961	<i>.00226603</i>	<b>.0031</b>	<b>.0055</b>
		1	.00048828	.00184209	.00434735	.00821204	.01358123	<b>.0154</b>	<b>.0198</b>	<b>.0240</b>	<b>.0299</b>
		2	.00369263	.01302177	.02880576	.05109700	<b>.0524</b>	<b>.0734</b>	<b>.0885</b>	<b>.1021</b>	<b>.1219</b>
		3	.01757813	.05601775	.11272416	<b>.1294</b>	<b>.1588</b>	<b>.2018</b>	<b>.2327</b>	<b>.2598</b>	<b>.2971</b>
		4	.05923462	.16460366	.29276740	<b>.3059</b>	<b>.3475</b>	<b>.4076</b>	<b>.4527</b>	<b>.4895</b>	<b>.5363</b>
		5	.15087891	.35378410	.54467207	<b>.5356</b>	<b>.5701</b>	<b>.6282</b>	<b>.6723</b>	<b>.7041</b>	<b>.7428</b>
6	.30361938	.58683934	.77857153	<b>.7434</b>	<b>.7592</b>	<b>.8002</b>	<b>.8313</b>	<b>.8507</b>	<b>.8746</b>		

Table 33: Sheet C. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			3	4	5	6	7	8	9	10	11
3	15	7	.50000000	.79194221	.92304470	<b>.8796</b>	<b>.8840</b>	<b>.9077</b>	<b>.9254</b>	<b>.9351</b>	<b>.9473</b>
		8	.69638062	.92085441	.98182955	<b>.9495</b>	<b>.9521</b>	<b>.9644</b>	<b>.9728</b>	<b>.9768</b>	<b>.9819</b>
		9	.84912109	.97816128	<b>.9708</b>	<b>.9811</b>	<b>.9835</b>	<b>.9889</b>	<b>.9921</b>	<b>.9934</b>	<b>.9951</b>
		10	.94076538	.99582462	<b>.9894</b>	<b>.9940</b>	<b>.9954</b>	<b>.9973</b>	<b>.9982</b>	<b>.9986</b>	<b>.9990</b>
		11	.98242188	.99947840	<b>.9969</b>	<b>.9984</b>	<b>.9990</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>
		12	.99630737	.99996079	<b>.9993</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		13	.99951172	.99999843	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	16	0	.00001526	.00006014	.00014816	.00029198	.00050346	.00079367	<i>.00117084</i>	<i>.00164321</i>	<i>.00221247</i>
		1	.00025940	.00099120	.00236846	.00452888	.00758063	<b>.0101</b>	<b>.0124</b>	<b>.0151</b>	<b>.0185</b>
		2	.00209045	.00755614	.01711168	.03104809	<b>.0346</b>	<b>.0531</b>	<b>.0622</b>	<b>.0722</b>	<b>.0837</b>
		3	.01063538	.03528250	.07367744	<b>.0822</b>	<b>.1178</b>	<b>.1561</b>	<b>.1774</b>	<b>.1995</b>	<b>.2232</b>
		4	.03840637	.11310318	.21174396	<b>.2103</b>	<b>.2826</b>	<b>.3364</b>	<b>.3728</b>	<b>.4081</b>	<b>.4432</b>
		5	.10505676	.26579346	.43567944	<b>.4038</b>	<b>.5007</b>	<b>.5541</b>	<b>.5959</b>	<b>.6334</b>	<b>.6679</b>
		6	.22724915	.48082716	.68184003	<b>.6163</b>	<b>.7057</b>	<b>.7439</b>	<b>.7772</b>	<b>.8050</b>	<b>.8290</b>
		7	.40180969	.70094718	.86628061	<b>.7920</b>	<b>.8507</b>	<b>.8724</b>	<b>.8931</b>	<b>.9096</b>	<b>.9234</b>
		8	.59819031	.86523346	.96002987	<b>.9053</b>	<b>.9337</b>	<b>.9454</b>	<b>.9563</b>	<b>.9646</b>	<b>.9713</b>
		9	.77275085	.95419160	<b>.9518</b>	<b>.9634</b>	<b>.9744</b>	<b>.9805</b>	<b>.9852</b>	<b>.9887</b>	<b>.9913</b>
		10	.89494324	.98868915	<b>.9804</b>	<b>.9874</b>	<b>.9916</b>	<b>.9942</b>	<b>.9959</b>	<b>.9971</b>	<b>.9979</b>
		11	.96159363	.99805930	<b>.9932</b>	<b>.9962</b>	<b>.9977</b>	<b>.9986</b>	<b>.9991</b>	<b>.9994</b>	<b>.9996</b>
		12	.98936462	.99978169	<b>.9981</b>	<b>.9991</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>
		13	.99790955	.99998517	<b>.9996</b>	<b>.9998</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
14	.99974060	.99999946	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	17	0	.00000763	.00003018	.00007462	.00014759	.00025542	.00040413	<i>.00059908</i>	<i>.00084551</i>	<i>.00114741</i>
		1	.00013733	.00053005	.00127906	.00246959	.00417356	<b>.0071</b>	<b>.0080</b>	<b>.0092</b>	<b>.0113</b>
		2	.00117493	.00433283	.01000242	.01849070	<b>.0213</b>	<b>.0394</b>	<b>.0435</b>	<b>.0484</b>	<b>.0567</b>
		3	.00636292	.02182772	.04703001	<b>.0552</b>	<b>.0798</b>	<b>.1188</b>	<b>.1301</b>	<b>.1429</b>	<b>.1633</b>
		4	.02452087	.07588518	.14856824	<b>.1551</b>	<b>.2092</b>	<b>.2652</b>	<b>.2889</b>	<b>.3138</b>	<b>.3509</b>
		5	.07173157	.19401742	.33670156	<b>.3232</b>	<b>.4033</b>	<b>.4612</b>	<b>.4946</b>	<b>.5270</b>	<b>.5739</b>
		6	.16615295	.38172568	.57730876	<b>.5290</b>	<b>.6124</b>	<b>.6555</b>	<b>.6873</b>	<b>.7159</b>	<b>.7582</b>
		7	.31452942	.60173626	.79143888	<b>.7187</b>	<b>.7815</b>	<b>.8054</b>	<b>.8280</b>	<b>.8476</b>	<b>.8780</b>
		8	.50000000	.79300171	.92388493	<b>.8554</b>	<b>.8915</b>	<b>.9032</b>	<b>.9170</b>	<b>.9287</b>	<b>.9467</b>
		9	.68547058	.91614070	<b>.9240</b>	<b>.9354</b>	<b>.9526</b>	<b>.9590</b>	<b>.9663</b>	<b>.9722</b>	<b>.9807</b>
		10	.83384705	.97437702	<b>.9669</b>	<b>.9747</b>	<b>.9823</b>	<b>.9857</b>	<b>.9889</b>	<b>.9913</b>	<b>.9943</b>
		11	.92826843	.99430215	<b>.9868</b>	<b>.9914</b>	<b>.9944</b>	<b>.9960</b>	<b>.9971</b>	<b>.9979</b>	<b>.9987</b>
		12	.97547913	.99911709	<b>.9956</b>	<b>.9975</b>	<b>.9986</b>	<b>.9991</b>	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>
		13	.99363708	.99991002	<b>.9989</b>	<b>.9994</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>
		14	.99882507	.99999444	<b>.9998</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
15	.99986267	.99999982	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	18	0	.00000381	.00001513	.00003752	.00007441	.00012912	.00020486	<i>.00030465</i>	<i>.00043141</i>	<i>.00058782</i>
		1	.00007248	.00028196	.00068569	.00133413	.00227189	<b>.0042</b>	<b>.0047</b>	<b>.0064</b>	<b>.0067</b>
		2	.00065613	.00245919	.00576671	.01082496	<b>.0130</b>	<b>.0260</b>	<b>.0286</b>	<b>.0355</b>	<b>.0372</b>
		3	.00376892	.01329391	.02940623	<b>.0358</b>	<b>.0536</b>	<b>.0848</b>	<b>.0924</b>	<b>.1077</b>	<b>.1138</b>
		4	.01544189	.04984945	.10145007	<b>.1109</b>	<b>.1525</b>	<b>.2012</b>	<b>.2187</b>	<b>.2449</b>	<b>.2603</b>
		5	.04812622	.13798212	.25202757	<b>.2509</b>	<b>.3182</b>	<b>.3733</b>	<b>.4016</b>	<b>.4359</b>	<b>.4600</b>
		6	.11894226	.29424450	.47280322	<b>.4414</b>	<b>.5199</b>	<b>.5655</b>	<b>.5968</b>	<b>.6290</b>	<b>.6532</b>
		7	.24034119	.50122546	.70212752	<b>.6367</b>	<b>.7044</b>	<b>.7317</b>	<b>.7565</b>	<b>.7796</b>	<b>.7976</b>
		8	.40726471	.70754406	.87110448	<b>.7934</b>	<b>.8386</b>	<b>.8516</b>	<b>.8680</b>	<b>.8824</b>	<b>.8943</b>
		9	.59273529	.86245873	<b>.8856</b>	<b>.8961</b>	<b>.9215</b>	<b>.9282</b>	<b>.9380</b>	<b>.9462</b>	<b>.9530</b>
		10	.75965881	.94966914	<b>.9473</b>	<b>.9539</b>	<b>.9667</b>	<b>.9708</b>	<b>.9759</b>	<b>.9798</b>	<b>.9829</b>
		11	.88105774	.98609865	<b>.9771</b>	<b>.9822</b>	<b>.9880</b>	<b>.9903</b>	<b>.9925</b>	<b>.9940</b>	<b>.9951</b>
		12	.95187378	.99719986	<b>.9912</b>	<b>.9942</b>	<b>.9964</b>	<b>.9974</b>	<b>.9981</b>	<b>.9986</b>	<b>.9989</b>
		13	.98455811	.99960593	<b>.9972</b>	<b>.9984</b>	<b>.9991</b>	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>
		14	.99623108	.99996342	<b>.9993</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>
		15	.99934387	.99999794	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
16	.99992752	.99999994	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	19	0	.00000191	.00000758	.00001884	.00003744	.00006510	.00010350	<i>.00015426</i>	<i>.00021894</i>	<i>.00029906</i>

Table 33: Sheet D. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			3	4	5	6	7	8	9	10	11
3	19	1	.00003815	.00014932	.00036535	.00071516	.00122520	<b>.0036</b>	<b>.0038</b>	<b>.0042</b>	<b>.0046</b>
		2	.00036430	.00138341	.00328561	.00624514	<b>.0082</b>	<b>.0225</b>	<b>.0239</b>	<b>.0255</b>	<b>.0274</b>
		3	.00221252	.00798602	.01805778	<b>.0238</b>	<b>.0374</b>	<b>.0739</b>	<b>.0783</b>	<b>.0833</b>	<b>.0888</b>
		4	.00960541	.03213805	.06761938	<b>.0823</b>	<b>.1151</b>	<b>.1748</b>	<b>.1864</b>	<b>.1986</b>	<b>.2116</b>
		5	.03178406	.09585259	.18319989	<b>.2024</b>	<b>.2575</b>	<b>.3290</b>	<b>.3512</b>	<b>.3731</b>	<b>.3948</b>
		6	.08353424	.22071433	.37503531	<b>.3807</b>	<b>.4486</b>	<b>.5150</b>	<b>.5436</b>	<b>.5699</b>	<b>.5941</b>
		7	.17964172	.40555826	.60419083	<b>.5785</b>	<b>.6412</b>	<b>.6891</b>	<b>.7148</b>	<b>.7368</b>	<b>.7558</b>
		8	.32380295	.61407289	.80182857	<b>.7480</b>	<b>.7930</b>	<b>.8211</b>	<b>.8393</b>	<b>.8542</b>	<b>.8668</b>
		9	.50000000	.79381246	<b>.8368</b>	<b>.8648</b>	<b>.8924</b>	<b>.9079</b>	<b>.9195</b>	<b>.9289</b>	<b>.9366</b>
		10	.67619705	.91195431	<b>.9208</b>	<b>.9349</b>	<b>.9502</b>	<b>.9589</b>	<b>.9656</b>	<b>.9708</b>	<b>.9748</b>
		11	.82035828	.97076087	<b>.9634</b>	<b>.9719</b>	<b>.9798</b>	<b>.9844</b>	<b>.9877</b>	<b>.9901</b>	<b>.9919</b>
		12	.91646576	.99266203	<b>.9844</b>	<b>.9894</b>	<b>.9930</b>	<b>.9950</b>	<b>.9963</b>	<b>.9972</b>	<b>.9979</b>
		13	.96821594	.99865413	<b>.9942</b>	<b>.9966</b>	<b>.9979</b>	<b>.9986</b>	<b>.9991</b>	<b>.9994</b>	<b>.9995</b>
		14	.99039459	.99982711	<b>.9983</b>	<b>.9991</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>
		15	.99778748	.99998531	<b>.9996</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		16	.99963570	.99999924	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	20	0	.00000095	.00000380	.00000945	.00001881	.00003275	.00005216	<i>.00007786</i>	<i>.00011069</i>	<i>.00015146</i>
		1	.00002003	.00007877	.00019366	.00038089	.00065563	<b>.0032</b>	<b>.0033</b>	<b>.0034</b>	<b>.0035</b>
		2	.00020123	.00077223	.00185305	.00355816	<b>.0049</b>	<b>.0199</b>	<b>.0203</b>	<b>.0208</b>	<b>.0212</b>
		3	.00128841	.00473981	.01091540	<b>.0149</b>	<b>.0247</b>	<b>.0630</b>	<b>.0649</b>	<b>.0669</b>	<b>.0689</b>
		4	.00590897	.02037708	.04411094	<b>.0558</b>	<b>.0819</b>	<b>.1434</b>	<b>.1500</b>	<b>.1567</b>	<b>.1636</b>
		5	.02069473	.06519308	.12966458	<b>.1485</b>	<b>.1962</b>	<b>.2670</b>	<b>.2826</b>	<b>.2978</b>	<b>.3126</b>
		6	.05765915	.16146934	.28865227	<b>.3006</b>	<b>.3657</b>	<b>.4269</b>	<b>.4513</b>	<b>.4736</b>	<b>.4939</b>
		7	.13158798	.31925423	.50430452	<b>.4887</b>	<b>.5564</b>	<b>.5947</b>	<b>.6203</b>	<b>.6418</b>	<b>.6601</b>
		8	.25172234	.51846155	.71878919	<b>.6690</b>	<b>.7240</b>	<b>.7390</b>	<b>.7588</b>	<b>.7747</b>	<b>.7875</b>
		9	.41190147	.71302968	<b>.7750</b>	<b>.8069</b>	<b>.8443</b>	<b>.8470</b>	<b>.8607</b>	<b>.8713</b>	<b>.8798</b>
		10	.58809853	.86001228	<b>.8841</b>	<b>.8993</b>	<b>.9214</b>	<b>.9216</b>	<b>.9301</b>	<b>.9367</b>	<b>.9419</b>
		11	.74827766	.94552215	<b>.9439</b>	<b>.9525</b>	<b>.9647</b>	<b>.9658</b>	<b>.9706</b>	<b>.9742</b>	<b>.9769</b>
		12	.86841202	.98350763	<b>.9742</b>	<b>.9802</b>	<b>.9862</b>	<b>.9877</b>	<b>.9899</b>	<b>.9915</b>	<b>.9927</b>
		13	.94234085	.99622127	<b>.9893</b>	<b>.9929</b>	<b>.9954</b>	<b>.9963</b>	<b>.9972</b>	<b>.9978</b>	<b>.9982</b>
		14	.97930527	.99936595	<b>.9962</b>	<b>.9978</b>	<b>.9987</b>	<b>.9991</b>	<b>.9994</b>	<b>.9995</b>	<b>.9997</b>
		15	.99409103	.99992531	<b>.9990</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		16	.99871159	.99999417	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
17	.99979877	.99999972	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	21	0	.00000048	.00000190	.00000473	.00000944	.00001645	.00002623	<i>.00003921</i>	<i>.00005581</i>	<i>.00007646</i>
		1	.00001049	.00004142	.00010221	.00020177	.00034860	<b>.0019</b>	<b>.0019</b>	<b>.0019</b>	<b>.0020</b>
		2	.00011063	.00042816	.00103598	.00200567	<b>.0031</b>	<b>.0133</b>	<b>.0135</b>	<b>.0138</b>	<b>.0141</b>
		3	.00074482	.00278329	.00650762	<b>.0092</b>	<b>.0168</b>	<b>.0458</b>	<b>.0469</b>	<b>.0481</b>	<b>.0494</b>
		4	.00359869	.01272983	.02823079	<b>.0374</b>	<b>.0583</b>	<b>.1102</b>	<b>.1146</b>	<b>.1191</b>	<b>.1238</b>
		5	.01330185	.04350458	.08958455	<b>.1072</b>	<b>.1452</b>	<b>.2132</b>	<b>.2249</b>	<b>.2365</b>	<b>.2480</b>
		6	.03917694	.11545746	.21601872	<b>.2328</b>	<b>.2838</b>	<b>.3548</b>	<b>.3760</b>	<b>.3958</b>	<b>.4143</b>
		7	.09462357	.24493198	.40861888	<b>.4042</b>	<b>.4564</b>	<b>.5166</b>	<b>.5424</b>	<b>.5649</b>	<b>.5845</b>
		8	.19165516	.42615122	.62672510	<b>.5865</b>	<b>.6271</b>	<b>.6683</b>	<b>.6907</b>	<b>.7090</b>	<b>.7239</b>
		9	.33181190	.62449347	<b>.7026</b>	<b>.7399</b>	<b>.7653</b>	<b>.7894</b>	<b>.8058</b>	<b>.8188</b>	<b>.8291</b>
		10	.50000000	.79445316	<b>.8368</b>	<b>.8539</b>	<b>.8678</b>	<b>.8808</b>	<b>.8915</b>	<b>.8999</b>	<b>.9066</b>
		11	.66818810	.90820664	<b>.9172</b>	<b>.9252</b>	<b>.9336</b>	<b>.9411</b>	<b>.9477</b>	<b>.9527</b>	<b>.9566</b>
		12	.80834484	.96732206	<b>.9598</b>	<b>.9657</b>	<b>.9711</b>	<b>.9755</b>	<b>.9790</b>	<b>.9816</b>	<b>.9835</b>
		13	.90537643	.99094344	<b>.9819</b>	<b>.9862</b>	<b>.9894</b>	<b>.9916</b>	<b>.9931</b>	<b>.9942</b>	<b>.9950</b>
		14	.96082306	.99809732	<b>.9928</b>	<b>.9952</b>	<b>.9967</b>	<b>.9976</b>	<b>.9982</b>	<b>.9986</b>	<b>.9988</b>
		15	.98669815	.99970667	<b>.9976</b>	<b>.9986</b>	<b>.9991</b>	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>
		16	.99640131	.99996819	<b>.9994</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>
		17	.99925518	.99999771	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
18	.99988937	.99999990	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	22	0	.00000024	.00000095	.00000237	.00000473	.00000826	.00001317	<i>.00001971</i>	<i>.00002808</i>	<i>.00003850</i>
		1	.00000548	.00002171	.00005374	.00010640	.00018437	<b>.0011</b>	<b>.0011</b>	<b>.0011</b>	<b>.0012</b>
		2	.00006056	.00023597	.00057480	.00112022	<b>.0020</b>	<b>.0088</b>	<b>.0089</b>	<b>.0091</b>	<b>.0093</b>



Table 33: Sheet E. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix										
			3	4	5	6	7	8	9	10	11		
3	22	3	.00042772	.00161903	.00383313	<b>.0060</b>	<b>.0111</b>	<b>.0330</b>	<b>.0337</b>	<b>.0345</b>	<b>.0352</b>		
		4	.00217175	.00784796	.01776367	<b>.0258</b>	<b>.0410</b>	<b>.0842</b>	<b>.0870</b>	<b>.0900</b>	<b>.0930</b>		
		5	.00845027	.02853836	.06056000	<b>.0786</b>	<b>.1080</b>	<b>.1694</b>	<b>.1778</b>	<b>.1863</b>	<b>.1947</b>		
		6	.02623940	.08085445	.15752951	<b>.1814</b>	<b>.2226</b>	<b>.2921</b>	<b>.3094</b>	<b>.3260</b>	<b>.3419</b>		
		7	.06690025	.18347338	.32182707	<b>.3341</b>	<b>.3778</b>	<b>.4427</b>	<b>.4672</b>	<b>.4893</b>	<b>.5090</b>		
		8	.14313936	.34139704	.53134019	<b>.5118</b>	<b>.5461</b>	<b>.5960</b>	<b>.6204</b>	<b>.6406</b>	<b>.6576</b>		
		9	.26173353	.53325307	<b>.6226</b>	<b>.6735</b>	<b>.6933</b>	<b>.7257</b>	<b>.7451</b>	<b>.7605</b>	<b>.7729</b>		
		10	.41590595	.71768104	<b>.7784</b>	<b>.8052</b>	<b>.8135</b>	<b>.8317</b>	<b>.8448</b>	<b>.8551</b>	<b>.8633</b>		
		11	.58409405	.85783675	<b>.8817</b>	<b>.8934</b>	<b>.8971</b>	<b>.9076</b>	<b>.9160</b>	<b>.9226</b>	<b>.9278</b>		
		12	.73826647	.94170751	<b>.9402</b>	<b>.9468</b>	<b>.9500</b>	<b>.9562</b>	<b>.9612</b>	<b>.9650</b>	<b>.9678</b>		
		13	.85686064	.98094709	<b>.9712</b>	<b>.9763</b>	<b>.9792</b>	<b>.9826</b>	<b>.9851</b>	<b>.9869</b>	<b>.9883</b>		
		14	.93309975	.99514675	<b>.9873</b>	<b>.9908</b>	<b>.9927</b>	<b>.9943</b>	<b>.9954</b>	<b>.9961</b>	<b>.9966</b>		
		15	.97376060	.99906134	<b>.9951</b>	<b>.9969</b>	<b>.9978</b>	<b>.9984</b>	<b>.9988</b>	<b>.9991</b>	<b>.9992</b>		
		16	.99154973	.99986653	<b>.9985</b>	<b>.9991</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>		
		17	.99782825	.99998662	<b>.9996</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
		18	.99957228	.99999911	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
		19	.99993944	.99999996	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
		3	23	0	.00000012	.00000048	.00000119	.00000237	.00000414	.00000661	<i>.00000989</i>	<i>.00001411</i>	<i>.00001936</i>
				1	.00000286	.00001135	.00002817	.00005589	.00009707	<b>.0011</b>	<b>.0011</b>	<b>.0011</b>	<b>.0012</b>
2	.00003302			.00012937	.00031683	.00062075	<b>.0015</b>	<b>.0084</b>	<b>.0085</b>	<b>.0086</b>	<b>.0087</b>		
3	.00024414			.00093391	.00223395	<b>.0037</b>	<b>.0094</b>	<b>.0320</b>	<b>.0324</b>	<b>.0329</b>	<b>.0334</b>		
4	.00129974			.00478137	.01101033	<b>.0174</b>	<b>.0349</b>	<b>.0794</b>	<b>.0812</b>	<b>.0831</b>	<b>.0851</b>		
5	.00531101			.01843401	.04014421	<b>.0573</b>	<b>.0928</b>	<b>.1556</b>	<b>.1615</b>	<b>.1674</b>	<b>.1734</b>		
6	.01734483			.05555802	.11218082	<b>.1413</b>	<b>.1940</b>	<b>.2643</b>	<b>.2778</b>	<b>.2910</b>	<b>.3039</b>		
7	.04656982			.13443287	.24677971	<b>.2758</b>	<b>.3369</b>	<b>.4034</b>	<b>.4253</b>	<b>.4456</b>	<b>.4644</b>		
8	.10501981			.26693490	.43819724	<b>.4449</b>	<b>.5016</b>	<b>.5555</b>	<b>.5805</b>	<b>.6020</b>	<b>.6206</b>		
9	.20243645			.44414517	<b>.5391</b>	<b>.6094</b>	<b>.6523</b>	<b>.6904</b>	<b>.7124</b>	<b>.7303</b>	<b>.7449</b>		
10	.33881974			.63343803	<b>.7114</b>	<b>.7551</b>	<b>.7825</b>	<b>.8061</b>	<b>.8218</b>	<b>.8341</b>	<b>.8440</b>		
11	.50000000			.79497252	<b>.8379</b>	<b>.8590</b>	<b>.8753</b>	<b>.8895</b>	<b>.9000</b>	<b>.9082</b>	<b>.9148</b>		
12	.66118026			.90482724	<b>.9148</b>	<b>.9252</b>	<b>.9356</b>	<b>.9443</b>	<b>.9510</b>	<b>.9561</b>	<b>.9601</b>		
13	.79756355			.96405953	<b>.9568</b>	<b>.9640</b>	<b>.9706</b>	<b>.9758</b>	<b>.9795</b>	<b>.9823</b>	<b>.9844</b>		
14	.89498019			.98917661	<b>.9794</b>	<b>.9846</b>	<b>.9883</b>	<b>.9910</b>	<b>.9928</b>	<b>.9941</b>	<b>.9950</b>		
15	.95343018			.99745673	<b>.9912</b>	<b>.9942</b>	<b>.9960</b>	<b>.9971</b>	<b>.9978</b>	<b>.9983</b>	<b>.9987</b>		
16	.98265517			.99954551	<b>.9968</b>	<b>.9981</b>	<b>.9988</b>	<b>.9992</b>	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>		
17	.99468899			.99994018	<b>.9991</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>		
18	.99870026			.99999444	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
19	.99975586	.99999966	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>				
3	24	0	.00000006	.00000024	.00000059	.00000119	.00000207	.00000331	<i>.00000496</i>	<i>.00000708</i>	<i>.00000972</i>		
		1	.00000149	.00000592	.00001472	.00002927	.00005092	<b>.0006</b>	<b>.0006</b>	<b>.0007</b>	<b>.0007</b>		
		2	.00001794	.00007060	.00017363	.00034164	<b>.0015</b>	<b>.0055</b>	<b>.0055</b>	<b>.0056</b>	<b>.0057</b>		
		3	.00013858	.00053469	.00128984	<b>.0023</b>	<b>.0089</b>	<b>.0227</b>	<b>.0229</b>	<b>.0232</b>	<b>.0235</b>		
		4	.00077194	.00288231	.00673371	<b>.0118</b>	<b>.0317</b>	<b>.0603</b>	<b>.0614</b>	<b>.0626</b>	<b>.0638</b>		
		5	.00330538	.01174258	.02614587	<b>.0405</b>	<b>.0802</b>	<b>.1228</b>	<b>.1267</b>	<b>.1308</b>	<b>.1349</b>		
		6	.01132792	.03752253	.07817300	<b>.1034</b>	<b>.1624</b>	<b>.2130</b>	<b>.2231</b>	<b>.2332</b>	<b>.2431</b>		
		7	.03195733	.09651584	.18456463	<b>.2097</b>	<b>.2798</b>	<b>.3323</b>	<b>.3509</b>	<b>.3685</b>	<b>.3852</b>		
		8	.07579482	.20400939	.35186062	<b>.3538</b>	<b>.4228</b>	<b>.4712</b>	<b>.4956</b>	<b>.5172</b>	<b>.5363</b>		
		9	.15372813	.36113677	<b>.4548</b>	<b>.5062</b>	<b>.5630</b>	<b>.6023</b>	<b>.6262</b>	<b>.6462</b>	<b>.6630</b>		
		10	.27062809	.54611192	<b>.6351</b>	<b>.6597</b>	<b>.6999</b>	<b>.7277</b>	<b>.7461</b>	<b>.7607</b>	<b>.7724</b>		
		11	.41940987	.72168767	<b>.7822</b>	<b>.7844</b>	<b>.8095</b>	<b>.8273</b>	<b>.8399</b>	<b>.8498</b>	<b>.8578</b>		
		12	.58059013	.85588683	<b>.8804</b>	<b>.8749</b>	<b>.8901</b>	<b>.9014</b>	<b>.9098</b>	<b>.9164</b>	<b>.9216</b>		
		13	.72937191	.93818643	<b>.9373</b>	<b>.9346</b>	<b>.9439</b>	<b>.9510</b>	<b>.9561</b>	<b>.9601</b>	<b>.9631</b>		
		14	.84627187	.97843669	<b>.9685</b>	<b>.9698</b>	<b>.9753</b>	<b>.9793</b>	<b>.9820</b>	<b>.9841</b>	<b>.9856</b>		
		15	.92420518	.99399696	<b>.9854</b>	<b>.9879</b>	<b>.9907</b>	<b>.9926</b>	<b>.9939</b>	<b>.9948</b>	<b>.9954</b>		
		16	.96804267	.99869432	<b>.9939</b>	<b>.9958</b>	<b>.9970</b>	<b>.9978</b>	<b>.9983</b>	<b>.9986</b>	<b>.9988</b>		
		17	.98867208	.99978368	<b>.9979</b>	<b>.9987</b>	<b>.9992</b>	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>		
		18	.99669462	.99997356	<b>.9994</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>		

Table 33: Sheet F. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			3	4	5	6	7	8	9	10	11
3	24	19	.99922806	.99999771	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		20	.99986142	.99999987	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	25	0	.00000003	.00000012	.00000030	.00000059	.00000104	.00000166	<i>.00000249</i>	<i>.00000355</i>	<i>.00000487</i>
		1	.00000077	.00000308	.00000768	.00001528	.00002662	<b>.0004</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>
		2	.00000972	.00003836	.00009467	.00018692	<b>.0018</b>	<b>.0035</b>	<b>.0036</b>	<b>.0036</b>	<b>.0037</b>
		3	.00007826	.00030408	.00073860	<b>.0015</b>	<b>.0098</b>	<b>.0161</b>	<b>.0163</b>	<b>.0165</b>	<b>.0166</b>
		4	.00045526	.00172103	.00406944	<b>.0079</b>	<b>.0321</b>	<b>.0459</b>	<b>.0466</b>	<b>.0473</b>	<b>.0481</b>
		5	.00203866	.00738657	.01676107	<b>.0288</b>	<b>.0764</b>	<b>.0980</b>	<b>.1005</b>	<b>.1032</b>	<b>.1060</b>
		6	.00731665	.02494676	.05340958	<b>.0772</b>	<b>.1472</b>	<b>.1752</b>	<b>.1825</b>	<b>.1898</b>	<b>.1972</b>
		7	.02164263	.06800884	.13487405	<b>.1640</b>	<b>.2466</b>	<b>.2798</b>	<b>.2949</b>	<b>.3094</b>	<b>.3235</b>
		8	.05387607	.15263579	.27543602	<b>.2896</b>	<b>.3715</b>	<b>.4081</b>	<b>.4305</b>	<b>.4510</b>	<b>.4697</b>
		9	.11476147	.28697780	<b>.3743</b>	<b>.4307</b>	<b>.4995</b>	<b>.5347</b>	<b>.5593</b>	<b>.5805</b>	<b>.5988</b>
		10	.21217811	.46002156	<b>.5541</b>	<b>.5853</b>	<b>.6364</b>	<b>.6657</b>	<b>.6867</b>	<b>.7035</b>	<b>.7173</b>
		11	.34501898	.64121828	<b>.7168</b>	<b>.7211</b>	<b>.7542</b>	<b>.7750</b>	<b>.7899</b>	<b>.8017</b>	<b>.8112</b>
		12	.50000000	.79540225	<b>.8367</b>	<b>.8269</b>	<b>.8469</b>	<b>.8607</b>	<b>.8709</b>	<b>.8789</b>	<b>.8854</b>
		13	.65498102	.90175990	<b>.9113</b>	<b>.9021</b>	<b>.9143</b>	<b>.9232</b>	<b>.9299</b>	<b>.9351</b>	<b>.9393</b>
		14	.78782189	.96096694	<b>.9536</b>	<b>.9505</b>	<b>.9579</b>	<b>.9634</b>	<b>.9674</b>	<b>.9703</b>	<b>.9726</b>
		15	.88523853	.98738451	<b>.9770</b>	<b>.9781</b>	<b>.9823</b>	<b>.9852</b>	<b>.9872</b>	<b>.9887</b>	<b>.9897</b>
		16	.94612393	.99674317	<b>.9897</b>	<b>.9916</b>	<b>.9936</b>	<b>.9950</b>	<b>.9958</b>	<b>.9964</b>	<b>.9969</b>
		17	.97835737	.99934224	<b>.9959</b>	<b>.9972</b>	<b>.9981</b>	<b>.9986</b>	<b>.9989</b>	<b>.9991</b>	<b>.9992</b>
		18	.99268335	.99989866	<b>.9987</b>	<b>.9992</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>
		19	.99796134	.99998846	<b>.9996</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		20	.99954474	.99999907	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
21	.99992174	.99999995	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	26	0	.00000001	.00000006	.00000015	.00000030	.00000052	.00000083	<i>.00000125</i>	<i>.00000178</i>	<i>.00000244</i>
		1	.00000040	.00000160	.00000399	.00000796	.00001388	<b>.0004</b>	<b>.0004</b>	<b>.0004</b>	<b>.0004</b>
		2	.00000525	.00002077	.00005139	.00010174	<b>.0018</b>	<b>.0035</b>	<b>.0036</b>	<b>.0036</b>	<b>.0037</b>
		3	.00004399	.00017189	.00041987	<b>.0012</b>	<b>.0096</b>	<b>.0159</b>	<b>.0161</b>	<b>.0162</b>	<b>.0163</b>
		4	.00026676	.00101883	.00243334	<b>.0067</b>	<b>.0312</b>	<b>.0448</b>	<b>.0453</b>	<b>.0458</b>	<b>.0463</b>
		5	.00124696	.00459383	.01059292	<b>.0247</b>	<b>.0728</b>	<b>.0937</b>	<b>.0954</b>	<b>.0971</b>	<b>.0989</b>
		6	.00467765	.01635017	.03584165	<b>.0670</b>	<b>.1374</b>	<b>.1634</b>	<b>.1685</b>	<b>.1737</b>	<b>.1789</b>
		7	.01447964	.04710527	.09647773	<b>.1442</b>	<b>.2264</b>	<b>.2562</b>	<b>.2678</b>	<b>.2793</b>	<b>.2905</b>
		8	.03775935	.11196323	.21049746	<b>.2588</b>	<b>.3400</b>	<b>.3731</b>	<b>.3928</b>	<b>.4112</b>	<b>.4283</b>
		9	.08431877	.22314556	<b>.3013</b>	<b>.3917</b>	<b>.4606</b>	<b>.4941</b>	<b>.5180</b>	<b>.5393</b>	<b>.5582</b>
		10	.16346979	.37884743	<b>.4736</b>	<b>.5444</b>	<b>.5985</b>	<b>.6294</b>	<b>.6524</b>	<b>.6714</b>	<b>.6872</b>
		11	.27859855	.55741371	<b>.6457</b>	<b>.6854</b>	<b>.7234</b>	<b>.7473</b>	<b>.7648</b>	<b>.7786</b>	<b>.7897</b>
		12	.42250949	.72518415	<b>.7852</b>	<b>.7992</b>	<b>.8239</b>	<b>.8403</b>	<b>.8525</b>	<b>.8621</b>	<b>.8698</b>
		13	.57749051	.85412665	<b>.8791</b>	<b>.8819</b>	<b>.8976</b>	<b>.9086</b>	<b>.9169</b>	<b>.9235</b>	<b>.9288</b>
		14	.72140145	.93492497	<b>.9346</b>	<b>.9368</b>	<b>.9467</b>	<b>.9539</b>	<b>.9592</b>	<b>.9633</b>	<b>.9664</b>
		15	.83653021	.97598851	<b>.9659</b>	<b>.9696</b>	<b>.9756</b>	<b>.9798</b>	<b>.9827</b>	<b>.9850</b>	<b>.9866</b>
		16	.91568123	.99278961	<b>.9834</b>	<b>.9870</b>	<b>.9902</b>	<b>.9923</b>	<b>.9938</b>	<b>.9948</b>	<b>.9955</b>
		17	.96224065	.99826875	<b>.9928</b>	<b>.9951</b>	<b>.9965</b>	<b>.9975</b>	<b>.9981</b>	<b>.9985</b>	<b>.9987</b>
		18	.98552036	.99967438	<b>.9973</b>	<b>.9983</b>	<b>.9989</b>	<b>.9993</b>	<b>.9995</b>	<b>.9996</b>	<b>.9997</b>
		19	.99532235	.99995321	<b>.9992</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		20	.99875304	.99999503	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
21	.99973324	.99999962	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	27	0	.00000001	.00000003	.00000007	.00000015	.00000026	.00000042	<i>.00000062</i>	<i>.00000089</i>	<i>.00000122</i>
		1	.00000021	.00000083	.00000207	.00000414	.00000722	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>
		2	.00000282	.00001120	.00002779	.00005513	<b>.0011</b>	<b>.0022</b>	<b>.0023</b>	<b>.0023</b>	<b>.0024</b>
		3	.00002462	.00009664	.00023713	<b>.0014</b>	<b>.0066</b>	<b>.0112</b>	<b>.0113</b>	<b>.0114</b>	<b>.0115</b>
		4	.00015537	.00059847	.00144130	<b>.0069</b>	<b>.0230</b>	<b>.0337</b>	<b>.0340</b>	<b>.0342</b>	<b>.0345</b>
		5	.00075686	.00282762	.00660948	<b>.0240</b>	<b>.0567</b>	<b>.0745</b>	<b>.0755</b>	<b>.0766</b>	<b>.0778</b>
		6	.00296231	.01057709	.02366367	<b>.0614</b>	<b>.1109</b>	<b>.1342</b>	<b>.1377</b>	<b>.1412</b>	<b>.1449</b>
		7	.00957865	.03211618	.06766944	<b>.1260</b>	<b>.1862</b>	<b>.2135</b>	<b>.2222</b>	<b>.2308</b>	<b>.2394</b>
		8	.02611949	.08063684	.15729483	<b>.2203</b>	<b>.2834</b>	<b>.3143</b>	<b>.3307</b>	<b>.3463</b>	<b>.3612</b>
		9	.06103906	.17000071	<b>.2365</b>	<b>.3304</b>	<b>.3883</b>	<b>.4206</b>	<b>.4425</b>	<b>.4626</b>	<b>.4810</b>

Table 33: Sheet G. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix										
			3	4	5	6	7	8	9	10	11		
3	27	10	.12389428	.30529188	<b>.3943</b>	<b>.4650</b>	<b>.5161</b>	<b>.5484</b>	<b>.5724</b>	<b>.5928</b>	<b>.6103</b>		
		11	.22103417	.47414896	<b>.5674</b>	<b>.6007</b>	<b>.6416</b>	<b>.6686</b>	<b>.6887</b>	<b>.7047</b>	<b>.7177</b>		
		12	.35055402	.64806180	<b>.7222</b>	<b>.7223</b>	<b>.7515</b>	<b>.7711</b>	<b>.7855</b>	<b>.7967</b>	<b>.8058</b>		
		13	.50000000	.79576385	<b>.8365</b>	<b>.8212</b>	<b>.8407</b>	<b>.8540</b>	<b>.8640</b>	<b>.8719</b>	<b>.8783</b>		
		14	.64944598	.89895937	<b>.9089</b>	<b>.8950</b>	<b>.9077</b>	<b>.9166</b>	<b>.9233</b>	<b>.9286</b>	<b>.9328</b>		
		15	.77896583	.95803535	<b>.9509</b>	<b>.9448</b>	<b>.9528</b>	<b>.9584</b>	<b>.9625</b>	<b>.9657</b>	<b>.9681</b>		
		16	.87610572	.98558441	<b>.9748</b>	<b>.9744</b>	<b>.9791</b>	<b>.9822</b>	<b>.9844</b>	<b>.9860</b>	<b>.9872</b>		
		17	.93896094	.99596719	<b>.9881</b>	<b>.9897</b>	<b>.9920</b>	<b>.9935</b>	<b>.9945</b>	<b>.9953</b>	<b>.9958</b>		
		18	.97388051	.99909695	<b>.9950</b>	<b>.9963</b>	<b>.9974</b>	<b>.9980</b>	<b>.9984</b>	<b>.9987</b>	<b>.9989</b>		
		19	.99042135	.99984140	<b>.9983</b>	<b>.9989</b>	<b>.9992</b>	<b>.9995</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>		
		20	.99703769	.99997869	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>		
		21	.99924314	.99999788	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
		22	.99984463	.99999985	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
		3	28	0	.00000000	.00000001	.00000004	.00000007	.00000013	.00000021	<i>.00000031</i>	<i>.00000045</i>	<i>.00000061</i>
				1	.00000011	.00000043	.00000108	.00000215	.00000375	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>
				2	.00000152	.00000603	.00001497	.00002975	<b>.0014</b>	<b>.0014</b>	<b>.0015</b>	<b>.0015</b>	<b>.0016</b>
				3	.00001372	.00005406	.00013315	<b>.0010</b>	<b>.0077</b>	<b>.0078</b>	<b>.0079</b>	<b>.0079</b>	<b>.0080</b>
				4	.00009000	.00034907	.00084648	<b>.0049</b>	<b>.0250</b>	<b>.0252</b>	<b>.0254</b>	<b>.0256</b>	<b>.0258</b>
				5	.00045612	.00172420	.00407673	<b>.0179</b>	<b>.0584</b>	<b>.0591</b>	<b>.0597</b>	<b>.0605</b>	<b>.0612</b>
				6	.00185958	.00676147	.01539420	<b>.0476</b>	<b>.1085</b>	<b>.1108</b>	<b>.1131</b>	<b>.1155</b>	<b>.1179</b>
				7	.00627048	.02158193	.04661570	<b>.1011</b>	<b>.1744</b>	<b>.1806</b>	<b>.1869</b>	<b>.1932</b>	<b>.1996</b>
				8	.01784907	.05709831	.11510578	<b>.1818</b>	<b>.2569</b>	<b>.2703</b>	<b>.2834</b>	<b>.2961</b>	<b>.3084</b>
9	.04357928			.12705679	<b>.1814</b>	<b>.2791</b>	<b>.3463</b>	<b>.3667</b>	<b>.3858</b>	<b>.4038</b>	<b>.4205</b>		
10	.09246667			.24097393	<b>.3201</b>	<b>.4033</b>	<b>.4615</b>	<b>.4885</b>	<b>.5122</b>	<b>.5331</b>	<b>.5514</b>		
11	.17246423			.39483178	<b>.4865</b>	<b>.5357</b>	<b>.5830</b>	<b>.6103</b>	<b>.6323</b>	<b>.6504</b>	<b>.6654</b>		
12	.28579409			.56744068	<b>.6502</b>	<b>.6615</b>	<b>.6965</b>	<b>.7185</b>	<b>.7353</b>	<b>.7484</b>	<b>.7591</b>		
13	.42527701			.72826893	<b>.7834</b>	<b>.7697</b>	<b>.7935</b>	<b>.8093</b>	<b>.8210</b>	<b>.8304</b>	<b>.8379</b>		
14	.57472299			.85252756	<b>.8750</b>	<b>.8554</b>	<b>.8711</b>	<b>.8819</b>	<b>.8901</b>	<b>.8966</b>	<b>.9019</b>		
15	.71420591			.93189374	<b>.9309</b>	<b>.9177</b>	<b>.9278</b>	<b>.9350</b>	<b>.9404</b>	<b>.9446</b>	<b>.9479</b>		
16	.82753577			.97360948	<b>.9632</b>	<b>.9583</b>	<b>.9645</b>	<b>.9689</b>	<b>.9721</b>	<b>.9745</b>	<b>.9763</b>		
17	.90753333			.99153956	<b>.9816</b>	<b>.9815</b>	<b>.9849</b>	<b>.9872</b>	<b>.9888</b>	<b>.9900</b>	<b>.9909</b>		
18	.95642072			.99778940	<b>.9916</b>	<b>.9928</b>	<b>.9945</b>	<b>.9955</b>	<b>.9963</b>	<b>.9968</b>	<b>.9971</b>		
19	.98215093			.99953716	<b>.9966</b>	<b>.9975</b>	<b>.9982</b>	<b>.9987</b>	<b>.9989</b>	<b>.9991</b>	<b>.9993</b>		
20	.99372952			.99992390	<b>.9989</b>	<b>.9993</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>		
21	.99814042			.99999042	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>		
22	.99954388			.99999910	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
23	.99991000			.99999994	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	29	0	.00000000	.00000001	.00000002	.00000004	.00000007	.00000010	<i>.00000016</i>	<i>.00000022</i>	<i>.00000031</i>		
		1	.00000006	.00000022	.00000056	.00000111	.00000194	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>		
		2	.00000081	.00000323	.00000804	.00001600	<b>.0014</b>	<b>.0014</b>	<b>.0015</b>	<b>.0015</b>	<b>.0016</b>		
		3	.00000762	.00003011	.00007438	<b>.0009</b>	<b>.0077</b>	<b>.0077</b>	<b>.0078</b>	<b>.0079</b>	<b>.0080</b>		
		4	.00005186	.00020231	.00049336	<b>.0048</b>	<b>.0249</b>	<b>.0250</b>	<b>.0251</b>	<b>.0253</b>	<b>.0254</b>		
		5	.00027306	.00104240	.00248852	<b>.0171</b>	<b>.0576</b>	<b>.0580</b>	<b>.0585</b>	<b>.0590</b>	<b>.0595</b>		
		6	.00115785	.00427554	.00988116	<b>.0449</b>	<b>.1055</b>	<b>.1070</b>	<b>.1085</b>	<b>.1101</b>	<b>.1118</b>		
		7	.00406503	.01431141	.03158684	<b>.0942</b>	<b>.1663</b>	<b>.1706</b>	<b>.1750</b>	<b>.1795</b>	<b>.1841</b>		
		8	.01205977	.03980152	.08261454	<b>.1677</b>	<b>.2400</b>	<b>.2502</b>	<b>.2602</b>	<b>.2701</b>	<b>.2798</b>		
		9	.03071417	.09327814	<b>.1318</b>	<b>.2567</b>	<b>.3199</b>	<b>.3365</b>	<b>.3524</b>	<b>.3677</b>	<b>.3822</b>		
		10	.06802297	.18650996	<b>.2425</b>	<b>.3714</b>	<b>.4263</b>	<b>.4509</b>	<b>.4731</b>	<b>.4932</b>	<b>.5114</b>		
		11	.13246545	.32208120	<b>.3878</b>	<b>.4993</b>	<b>.5461</b>	<b>.5739</b>	<b>.5972</b>	<b>.6168</b>	<b>.6335</b>		
		12	.22912916	.48681418	<b>.5474</b>	<b>.6271</b>	<b>.6645</b>	<b>.6891</b>	<b>.7083</b>	<b>.7235</b>	<b>.7359</b>		
		13	.35553555	.65413898	<b>.6954</b>	<b>.7412</b>	<b>.7685</b>	<b>.7870</b>	<b>.8008</b>	<b>.8116</b>	<b>.8204</b>		
		14	.50000000	.79607242	<b>.8122</b>	<b>.8335</b>	<b>.8522</b>	<b>.8651</b>	<b>.8749</b>	<b>.8827</b>	<b>.8890</b>		
		15	.64446445	.89638892	<b>.8925</b>	<b>.9017</b>	<b>.9142</b>	<b>.9230</b>	<b>.9298</b>	<b>.9351</b>	<b>.9394</b>		
		16	.77087084	.95525481	<b>.9420</b>	<b>.9474</b>	<b>.9554</b>	<b>.9612</b>	<b>.9654</b>	<b>.9687</b>	<b>.9713</b>		
		17	.86753455	.98378918	<b>.9705</b>	<b>.9747</b>	<b>.9795</b>	<b>.9829</b>	<b>.9853</b>	<b>.9870</b>	<b>.9884</b>		
		18	.93197703	.99513864	<b>.9860</b>	<b>.9891</b>	<b>.9917</b>	<b>.9934</b>	<b>.9946</b>	<b>.9954</b>	<b>.9960</b>		



Table 33: Sheet I. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			3	4	5	6	7	8	9	10	11
3	31	25	.99990390	.99999994	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	32	0	.00000000	.00000000	.00000000	.00000000	.00000001	.00000001	<i>.00000002</i>	<i>.00000003</i>	<i>.00000004</i>
		1	.00000001	.00000003	.00000008	.00000015	.00000027	<b>.0001</b>	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>
		2	.00000012	.00000049	.00000123	.00000245	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0005</b>
		3	.00000128	.00000508	.00001263	<b>.0012</b>	<b>.0024</b>	<b>.0025</b>	<b>.0026</b>	<b>.0026</b>	<b>.0027</b>
		4	.00000965	.00003809	.00009398	<b>.0054</b>	<b>.0097</b>	<b>.0098</b>	<b>.0098</b>	<b>.0099</b>	<b>.0100</b>
		5	.00005654	.00022035	.00053688	<b>.0173</b>	<b>.0271</b>	<b>.0273</b>	<b>.0274</b>	<b>.0275</b>	<b>.0277</b>
		6	.00026753	.00102160	.00243961	<b>.0415</b>	<b>.0582</b>	<b>.0586</b>	<b>.0590</b>	<b>.0595</b>	<b>.0599</b>
		7	.00105120	.00389292	.00902195	<b>.0801</b>	<b>.1023</b>	<b>.1037</b>	<b>.1050</b>	<b>.1065</b>	<b>.1079</b>
		8	.00350018	.01241110	.02757964	<b>.1321</b>	<b>.1575</b>	<b>.1613</b>	<b>.1651</b>	<b>.1690</b>	<b>.1729</b>
		9	.01003080	.03354935	<b>.0508</b>	<b>.1917</b>	<b>.2176</b>	<b>.2249</b>	<b>.2322</b>	<b>.2395</b>	<b>.2467</b>
		10	.02505123	.07773196	<b>.1094</b>	<b>.2652</b>	<b>.2933</b>	<b>.3075</b>	<b>.3213</b>	<b>.3346</b>	<b>.3474</b>
		11	.05509208	.15586830	<b>.2039</b>	<b>.3539</b>	<b>.3860</b>	<b>.4081</b>	<b>.4285</b>	<b>.4472</b>	<b>.4643</b>
		12	.10766357	.27310697	<b>.3327</b>	<b>.4577</b>	<b>.4931</b>	<b>.5200</b>	<b>.5430</b>	<b>.5629</b>	<b>.5800</b>
		13	.18854279	.42256361	<b>.4820</b>	<b>.5698</b>	<b>.6043</b>	<b>.6301</b>	<b>.6506</b>	<b>.6671</b>	<b>.6806</b>
		14	.29830745	.58448854	<b>.6298</b>	<b>.6792</b>	<b>.7081</b>	<b>.7286</b>	<b>.7440</b>	<b>.7561</b>	<b>.7659</b>
		15	.43002503	.73348176	<b>.7561</b>	<b>.7761</b>	<b>.7975</b>	<b>.8123</b>	<b>.8234</b>	<b>.8322</b>	<b>.8395</b>
		16	.56997497	.84972465	<b>.8505</b>	<b>.8549</b>	<b>.8698</b>	<b>.8803</b>	<b>.8883</b>	<b>.8948</b>	<b>.9000</b>
		17	.70169255	.92642420	<b>.9139</b>	<b>.9138</b>	<b>.9239</b>	<b>.9312</b>	<b>.9367</b>	<b>.9410</b>	<b>.9445</b>
		18	.81145721	.96907070	<b>.9531</b>	<b>.9536</b>	<b>.9602</b>	<b>.9648</b>	<b>.9683</b>	<b>.9709</b>	<b>.9730</b>
		19	.89233643	.98895838	<b>.9760</b>	<b>.9776</b>	<b>.9815</b>	<b>.9842</b>	<b>.9861</b>	<b>.9875</b>	<b>.9886</b>
		20	.94490792	.99669007	<b>.9886</b>	<b>.9903</b>	<b>.9924</b>	<b>.9938</b>	<b>.9947</b>	<b>.9954</b>	<b>.9959</b>
		21	.97494877	.99917700	<b>.9949</b>	<b>.9963</b>	<b>.9972</b>	<b>.9979</b>	<b>.9983</b>	<b>.9985</b>	<b>.9987</b>
		22	.98996920	.99983261	<b>.9981</b>	<b>.9987</b>	<b>.9991</b>	<b>.9993</b>	<b>.9995</b>	<b>.9996</b>	<b>.9997</b>
		23	.99649982	.99997261	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		24	.99894880	.99999646	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		25	.99973247	.99999965	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		26	.99994346	.99999997	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	33	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000001	<i>.00000001</i>	<i>.00000001</i>	<i>.00000002</i>
		1	.00000000	.00000002	.00000004	.00000008	.00000014	<b>.0001</b>	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>
		2	.00000007	.00000026	.00000065	.00000130	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0005</b>
		3	.00000070	.00000279	.00000694	<b>.0012</b>	<b>.0024</b>	<b>.0025</b>	<b>.0026</b>	<b>.0026</b>	<b>.0027</b>
		4	.00000546	.00002162	.00005348	<b>.0053</b>	<b>.0097</b>	<b>.0097</b>	<b>.0098</b>	<b>.0099</b>	<b>.0100</b>
		5	.00003309	.00012959	.00031721	<b>.0172</b>	<b>.0270</b>	<b>.0272</b>	<b>.0273</b>	<b>.0274</b>	<b>.0275</b>
		6	.00016203	.00062364	.00150082	<b>.0411</b>	<b>.0576</b>	<b>.0578</b>	<b>.0581</b>	<b>.0583</b>	<b>.0586</b>
		7	.00065936	.00247191	.00579744	<b>.0787</b>	<b>.1005</b>	<b>.1014</b>	<b>.1023</b>	<b>.1032</b>	<b>.1041</b>
		8	.00227569	.00821494	.01857241	<b>.1283</b>	<b>.1526</b>	<b>.1552</b>	<b>.1579</b>	<b>.1606</b>	<b>.1633</b>
		9	.00676549	.02319581	<b>.0372</b>	<b>.1842</b>	<b>.2080</b>	<b>.2133</b>	<b>.2186</b>	<b>.2239</b>	<b>.2293</b>
		10	.01754102	.05623828	<b>.0863</b>	<b>.2506</b>	<b>.2753</b>	<b>.2864</b>	<b>.2973</b>	<b>.3079</b>	<b>.3183</b>
		11	.04007166	.11815564	<b>.1704</b>	<b>.3303</b>	<b>.3583</b>	<b>.3771</b>	<b>.3948</b>	<b>.4114</b>	<b>.4270</b>
		12	.08137783	.21702379	<b>.2911</b>	<b>.4266</b>	<b>.4591</b>	<b>.4844</b>	<b>.5068</b>	<b>.5266</b>	<b>.5442</b>
		13	.14810318	.35177278	<b>.4371</b>	<b>.5358</b>	<b>.5704</b>	<b>.5972</b>	<b>.6192</b>	<b>.6374</b>	<b>.6526</b>
		14	.24342512	.50861914	<b>.5866</b>	<b>.6476</b>	<b>.6789</b>	<b>.7020</b>	<b>.7196</b>	<b>.7336</b>	<b>.7449</b>
		15	.36416624	.66448691	<b>.7182</b>	<b>.7498</b>	<b>.7744</b>	<b>.7916</b>	<b>.8045</b>	<b>.8147</b>	<b>.8229</b>
		16	.50000000	.79657138	<b>.8197</b>	<b>.8343</b>	<b>.8520</b>	<b>.8643</b>	<b>.8737</b>	<b>.8812</b>	<b>.8873</b>
		17	.63583376	.89182309	<b>.8906</b>	<b>.8983</b>	<b>.9105</b>	<b>.9193</b>	<b>.9260</b>	<b>.9313</b>	<b>.9357</b>
		18	.75657488	.95010662	<b>.9369</b>	<b>.9426</b>	<b>.9508</b>	<b>.9567</b>	<b>.9612</b>	<b>.9647</b>	<b>.9675</b>
		19	.85189682	.98024891	<b>.9657</b>	<b>.9704</b>	<b>.9756</b>	<b>.9793</b>	<b>.9820</b>	<b>.9840</b>	<b>.9856</b>
		20	.91862217	.99335863	<b>.9827</b>	<b>.9862</b>	<b>.9891</b>	<b>.9911</b>	<b>.9926</b>	<b>.9936</b>	<b>.9944</b>
		21	.95992834	.99812374	<b>.9919</b>	<b>.9941</b>	<b>.9956</b>	<b>.9966</b>	<b>.9973</b>	<b>.9978</b>	<b>.9981</b>
		22	.98245898	.99959999	<b>.9965</b>	<b>.9977</b>	<b>.9984</b>	<b>.9988</b>	<b>.9991</b>	<b>.9993</b>	<b>.9994</b>
		23	.99323451	.99991552	<b>.9987</b>	<b>.9992</b>	<b>.9995</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>
		24	.99772431	.99998694	<b>.9996</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>
		25	.99934064	.99999840	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		26	.99983797	.99999985	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	34	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000001</i>	<i>.00000001</i>



Table 33: Sheet K. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			3	4	5	6	7	8	9	10	11
3	36	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	.00000000	.00000000	.00000001	.00000001	.00000002	<b>.0001</b>	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>
		2	.00000001	.00000004	.00000010	.00000019	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>
		3	.00000011	.00000045	.00000113	<b>.0011</b>	<b>.0011</b>	<b>.0012</b>	<b>.0013</b>	<b>.0013</b>	<b>.0014</b>
		4	.00000097	.00000386	.00000960	<b>.0048</b>	<b>.0049</b>	<b>.0049</b>	<b>.0050</b>	<b>.0051</b>	<b>.0051</b>
		5	.00000646	.00002553	.00006310	<b>.0153</b>	<b>.0154</b>	<b>.0155</b>	<b>.0156</b>	<b>.0156</b>	<b>.0157</b>
		6	.00003480	.00013621	.00033324	<b>.0365</b>	<b>.0366</b>	<b>.0367</b>	<b>.0368</b>	<b>.0370</b>	<b>.0371</b>
		7	.00015628	.00060176	.00144881	<b>.0695</b>	<b>.0697</b>	<b>.0700</b>	<b>.0702</b>	<b>.0705</b>	<b>.0708</b>
		8	.00059662	.00224197	.00527026	<b>.1118</b>	<b>.1126</b>	<b>.1133</b>	<b>.1141</b>	<b>.1150</b>	<b>.1158</b>
		9	.00196659	.00713831	<b>.0122</b>	<b>.1577</b>	<b>.1595</b>	<b>.1613</b>	<b>.1631</b>	<b>.1650</b>	<b>.1669</b>
		10	.00566549	.01962217	<b>.0330</b>	<b>.2056</b>	<b>.2101</b>	<b>.2145</b>	<b>.2190</b>	<b>.2235</b>	<b>.2281</b>
		11	.01440836	.04695576	<b>.0757</b>	<b>.2573</b>	<b>.2668</b>	<b>.2763</b>	<b>.2855</b>	<b>.2947</b>	<b>.3036</b>
		12	.03262267	.09853681	<b>.1495</b>	<b>.3190</b>	<b>.3363</b>	<b>.3528</b>	<b>.3684</b>	<b>.3833</b>	<b>.3973</b>
		13	.06624908	.18262210	<b>.2573</b>	<b>.3969</b>	<b>.4228</b>	<b>.4461</b>	<b>.4671</b>	<b>.4860</b>	<b>.5030</b>
		14	.12149248	.30118015	<b>.3915</b>	<b>.4912</b>	<b>.5228</b>	<b>.5493</b>	<b>.5715</b>	<b>.5903</b>	<b>.6063</b>
		15	.20251612	.44582690	<b>.5349</b>	<b>.5945</b>	<b>.6263</b>	<b>.6507</b>	<b>.6698</b>	<b>.6850</b>	<b>.6974</b>
		16	.30885966	.59848878	<b>.6679</b>	<b>.6959</b>	<b>.7228</b>	<b>.7420</b>	<b>.7564</b>	<b>.7677</b>	<b>.7768</b>
		17	.43396970	.73773807	<b>.7767</b>	<b>.7858</b>	<b>.8061</b>	<b>.8201</b>	<b>.8307</b>	<b>.8391</b>	<b>.8460</b>
		18	.56603030	.84733966	<b>.8573</b>	<b>.8591</b>	<b>.8735</b>	<b>.8837</b>	<b>.8915</b>	<b>.8978</b>	<b>.9030</b>
		19	.69114034	.92161420	<b>.9131</b>	<b>.9141</b>	<b>.9241</b>	<b>.9314</b>	<b>.9370</b>	<b>.9414</b>	<b>.9450</b>
		20	.79748388	.96482537	<b>.9497</b>	<b>.9519</b>	<b>.9586</b>	<b>.9635</b>	<b>.9671</b>	<b>.9700</b>	<b>.9723</b>
		21	.87850752	.98632749	<b>.9725</b>	<b>.9753</b>	<b>.9796</b>	<b>.9825</b>	<b>.9847</b>	<b>.9864</b>	<b>.9876</b>
		22	.93375092	.99543725	<b>.9860</b>	<b>.9885</b>	<b>.9909</b>	<b>.9925</b>	<b>.9937</b>	<b>.9945</b>	<b>.9951</b>
		23	.96737733	.99870493	<b>.9933</b>	<b>.9950</b>	<b>.9963</b>	<b>.9971</b>	<b>.9976</b>	<b>.9980</b>	<b>.9983</b>
		24	.98559164	.99969055	<b>.9972</b>	<b>.9981</b>	<b>.9986</b>	<b>.9990</b>	<b>.9992</b>	<b>.9994</b>	<b>.9995</b>
		25	.99433451	.99993848	<b>.9989</b>	<b>.9993</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>
		26	.99803341	.99998996	<b>.9996</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>
		27	.99940338	.99999868	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		28	.99984372	.99999986	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	37	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	.00000000	.00000000	.00000000	.00000001	.00000001	<b>.0001</b>	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>
		2	.00000001	.00000002	.00000005	.00000010	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>
		3	.00000006	.00000025	.00000061	<b>.0007</b>	<b>.0008</b>	<b>.0009</b>	<b>.0009</b>	<b>.0010</b>	<b>.0011</b>
		4	.00000054	.00000216	.00000537	<b>.0033</b>	<b>.0034</b>	<b>.0035</b>	<b>.0035</b>	<b>.0036</b>	<b>.0037</b>
		5	.00000371	.00001472	.00003645	<b>.0114</b>	<b>.0114</b>	<b>.0115</b>	<b>.0116</b>	<b>.0117</b>	<b>.0117</b>
		6	.00002063	.00008105	.00019905	<b>.0287</b>	<b>.0288</b>	<b>.0289</b>	<b>.0290</b>	<b>.0290</b>	<b>.0291</b>
		7	.00009554	.00037022	.00089691	<b>.0574</b>	<b>.0576</b>	<b>.0577</b>	<b>.0579</b>	<b>.0581</b>	<b>.0583</b>
		8	.00037645	.00142849	.00339023	<b>.0962</b>	<b>.0967</b>	<b>.0972</b>	<b>.0978</b>	<b>.0984</b>	<b>.0989</b>
		9	.00128160	.00471877	<b>.0084</b>	<b>.1404</b>	<b>.1416</b>	<b>.1429</b>	<b>.1442</b>	<b>.1455</b>	<b>.1469</b>
		10	.00381604	.01348120	<b>.0238</b>	<b>.1867</b>	<b>.1899</b>	<b>.1931</b>	<b>.1963</b>	<b>.1996</b>	<b>.2029</b>
		11	.01003693	.03358334	<b>.0571</b>	<b>.2351</b>	<b>.2422</b>	<b>.2493</b>	<b>.2564</b>	<b>.2634</b>	<b>.2703</b>
		12	.02351551	.07346243	<b>.1180</b>	<b>.2904</b>	<b>.3042</b>	<b>.3175</b>	<b>.3303</b>	<b>.3427</b>	<b>.3546</b>
		13	.04943587	.14204339	<b>.2117</b>	<b>.3592</b>	<b>.3813</b>	<b>.4018</b>	<b>.4208</b>	<b>.4382</b>	<b>.4543</b>
		14	.09387078	.24442919	<b>.3349</b>	<b>.4445</b>	<b>.4740</b>	<b>.4996</b>	<b>.5217</b>	<b>.5410</b>	<b>.5578</b>
		15	.16200430	.37720592	<b>.4739</b>	<b>.5427</b>	<b>.5749</b>	<b>.6006</b>	<b>.6214</b>	<b>.6384</b>	<b>.6524</b>
		16	.25568789	.52676843	<b>.6101</b>	<b>.6442</b>	<b>.6736</b>	<b>.6953</b>	<b>.7117</b>	<b>.7247</b>	<b>.7351</b>
		17	.37141468	.67300313	<b>.7280</b>	<b>.7390</b>	<b>.7623</b>	<b>.7786</b>	<b>.7908</b>	<b>.8004</b>	<b>.8082</b>
		18	.50000000	.79695752	<b>.8200</b>	<b>.8203</b>	<b>.8373</b>	<b>.8491</b>	<b>.8581</b>	<b>.8654</b>	<b>.8714</b>
		19	.62858532	.88787777	<b>.8864</b>	<b>.8846</b>	<b>.8966</b>	<b>.9052</b>	<b>.9118</b>	<b>.9172</b>	<b>.9216</b>
		20	.74431211	.94544596	<b>.9317</b>	<b>.9316</b>	<b>.9399</b>	<b>.9459</b>	<b>.9505</b>	<b>.9541</b>	<b>.9571</b>
		21	.83799570	.97681283	<b>.9611</b>	<b>.9628</b>	<b>.9682</b>	<b>.9721</b>	<b>.9751</b>	<b>.9773</b>	<b>.9791</b>
		22	.90612922	.99146296	<b>.9793</b>	<b>.9815</b>	<b>.9848</b>	<b>.9871</b>	<b>.9888</b>	<b>.9900</b>	<b>.9910</b>
		23	.95056413	.99730053	<b>.9897</b>	<b>.9916</b>	<b>.9934</b>	<b>.9946</b>	<b>.9955</b>	<b>.9961</b>	<b>.9966</b>
		24	.97648449	.99927359	<b>.9952</b>	<b>.9965</b>	<b>.9974</b>	<b>.9980</b>	<b>.9984</b>	<b>.9987</b>	<b>.9989</b>
		25	.98996307	.99983533	<b>.9981</b>	<b>.9987</b>	<b>.9991</b>	<b>.9993</b>	<b>.9995</b>	<b>.9996</b>	<b>.9997</b>
		26	.99618396	.99996892	<b>.9993</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>

Table 33: Sheet L. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix									
			3	4	5	6	7	8	9	10	11	
3	37	27	.99871840	.99999518	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		28	.99962355	.99999940	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		29	.99990446	.99999994	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	38	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	
		1	.00000000	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>	
		2	.00000000	.00000001	.00000003	.00000005	<b>.0001</b>	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	
		3	.00000003	.00000013	.00000033	<b>.0005</b>	<b>.0006</b>	<b>.0006</b>	<b>.0007</b>	<b>.0008</b>	<b>.0008</b>	
		4	.00000030	.00000120	.00000300	<b>.0023</b>	<b>.0024</b>	<b>.0024</b>	<b>.0025</b>	<b>.0026</b>	<b>.0027</b>	
		5	.00000213	.00000845	.00002096	<b>.0083</b>	<b>.0084</b>	<b>.0085</b>	<b>.0085</b>	<b>.0086</b>	<b>.0087</b>	
		6	.00001217	.00004797	.00011819	<b>.0222</b>	<b>.0223</b>	<b>.0224</b>	<b>.0225</b>	<b>.0226</b>	<b>.0227</b>	
		7	.00005808	.00022628	.00055109	<b>.0468</b>	<b>.0470</b>	<b>.0471</b>	<b>.0472</b>	<b>.0474</b>	<b>.0475</b>	
		8	.00023599	.00090301	.00216070	<b>.0820</b>	<b>.0823</b>	<b>.0827</b>	<b>.0831</b>	<b>.0835</b>	<b>.0839</b>	
		9	.00082903	.00309027	<b>.0056</b>	<b>.1238</b>	<b>.1246</b>	<b>.1254</b>	<b>.1262</b>	<b>.1271</b>	<b>.1280</b>	
		10	.00254882	.00916195	<b>.0167</b>	<b>.1687</b>	<b>.1709</b>	<b>.1731</b>	<b>.1754</b>	<b>.1777</b>	<b>.1800</b>	
		11	.00692648	.02372346	<b>.0421</b>	<b>.2150</b>	<b>.2202</b>	<b>.2254</b>	<b>.2306</b>	<b>.2359</b>	<b>.2411</b>	
		12	.01677622	.05401617	<b>.0909</b>	<b>.2655</b>	<b>.2762</b>	<b>.2866</b>	<b>.2968</b>	<b>.3068</b>	<b>.3165</b>	
		13	.03647569	.10882512	<b>.1703</b>	<b>.3264</b>	<b>.3448</b>	<b>.3622</b>	<b>.3786</b>	<b>.3941</b>	<b>.4085</b>	
		14	.07165333	.19521054	<b>.2806</b>	<b>.4026</b>	<b>.4292</b>	<b>.4529</b>	<b>.4740</b>	<b>.4929</b>	<b>.5098</b>	
		15	.12793754	.31390977	<b>.4124</b>	<b>.4937</b>	<b>.5253</b>	<b>.5515</b>	<b>.5733</b>	<b>.5916</b>	<b>.6070</b>	
		16	.20884610	.45611916	<b>.5494</b>	<b>.5928</b>	<b>.6240</b>	<b>.6478</b>	<b>.6663</b>	<b>.6810</b>	<b>.6929</b>	
		17	.31355129	.60460519	<b>.6747</b>	<b>.6901</b>	<b>.7164</b>	<b>.7351</b>	<b>.7491</b>	<b>.7600</b>	<b>.7688</b>	
		18	.43570734	.73959197	<b>.7776</b>	<b>.7776</b>	<b>.7974</b>	<b>.8111</b>	<b>.8214</b>	<b>.8297</b>	<b>.8364</b>	
		19	.56429266	.84627301	<b>.8552</b>	<b>.8503</b>	<b>.8645</b>	<b>.8745</b>	<b>.8822</b>	<b>.8884</b>	<b>.8936</b>	
		20	.68644871	.91941692	<b>.9100</b>	<b>.9063</b>	<b>.9163</b>	<b>.9235</b>	<b>.9291</b>	<b>.9336</b>	<b>.9373</b>	
		21	.79115390	.96280925	<b>.9468</b>	<b>.9460</b>	<b>.9528</b>	<b>.9577</b>	<b>.9615</b>	<b>.9645</b>	<b>.9668</b>	
		22	.87206246	.98500945	<b>.9703</b>	<b>.9715</b>	<b>.9759</b>	<b>.9790</b>	<b>.9813</b>	<b>.9830</b>	<b>.9844</b>	
		23	.92834667	.99476507	<b>.9845</b>	<b>.9863</b>	<b>.9888</b>	<b>.9906</b>	<b>.9919</b>	<b>.9928</b>	<b>.9935</b>	
		24	.96352431	.99842928	<b>.9925</b>	<b>.9940</b>	<b>.9953</b>	<b>.9962</b>	<b>.9968</b>	<b>.9973</b>	<b>.9976</b>	
		25	.98322378	.99959869	<b>.9966</b>	<b>.9976</b>	<b>.9982</b>	<b>.9986</b>	<b>.9989</b>	<b>.9991</b>	<b>.9992</b>	
		26	.99307352	.99991357	<b>.9987</b>	<b>.9991</b>	<b>.9994</b>	<b>.9995</b>	<b>.9997</b>	<b>.9997</b>	<b>.9998</b>	
		27	.99745118	.99998449	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	
		28	.99917097	.99999771	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	
		29	.99976401	.99999973	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	
30	.99994192	.99999997	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>			
3	39	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	
		1	.00000000	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>	
		2	.00000000	.00000001	.00000001	.00000003	<b>.0001</b>	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	
		3	.00000002	.00000007	.00000018	<b>.0005</b>	<b>.0006</b>	<b>.0006</b>	<b>.0007</b>	<b>.0008</b>	<b>.0008</b>	
		4	.00000017	.00000067	.00000167	<b>.0023</b>	<b>.0024</b>	<b>.0024</b>	<b>.0025</b>	<b>.0026</b>	<b>.0027</b>	
		5	.00000121	.00000483	.00001200	<b>.0083</b>	<b>.0084</b>	<b>.0085</b>	<b>.0085</b>	<b>.0086</b>	<b>.0087</b>	
		6	.00000715	.00002825	.00006979	<b>.0222</b>	<b>.0223</b>	<b>.0224</b>	<b>.0225</b>	<b>.0225</b>	<b>.0226</b>	
		7	.00003513	.00013746	.00033626	<b>.0468</b>	<b>.0469</b>	<b>.0470</b>	<b>.0471</b>	<b>.0472</b>	<b>.0473</b>	
		8	.00014704	.00056664	.00136533	<b>.0816</b>	<b>.0818</b>	<b>.0820</b>	<b>.0823</b>	<b>.0825</b>	<b>.0828</b>	
		9	.00053251	.00200619	<b>.0033</b>	<b>.1230</b>	<b>.1236</b>	<b>.1242</b>	<b>.1248</b>	<b>.1254</b>	<b>.1260</b>	
		10	.00168892	.00616357	<b>.0107</b>	<b>.1666</b>	<b>.1681</b>	<b>.1696</b>	<b>.1712</b>	<b>.1729</b>	<b>.1745</b>	
		11	.00473765	.01656473	<b>.0289</b>	<b>.2099</b>	<b>.2136</b>	<b>.2174</b>	<b>.2212</b>	<b>.2250</b>	<b>.2289</b>	
		12	.01185135	.03920298	<b>.0664</b>	<b>.2553</b>	<b>.2633</b>	<b>.2713</b>	<b>.2792</b>	<b>.2870</b>	<b>.2947</b>	
		13	.02662596	.08218875	<b>.1312</b>	<b>.3090</b>	<b>.3239</b>	<b>.3382</b>	<b>.3519</b>	<b>.3650</b>	<b>.3776</b>	
		14	.05406451	.15352174	<b>.2264</b>	<b>.3779</b>	<b>.4010</b>	<b>.4222</b>	<b>.4415</b>	<b>.4593</b>	<b>.4755</b>	
		15	.09979543	.25707192	<b>.3466</b>	<b>.4638</b>	<b>.4936</b>	<b>.5191</b>	<b>.5411</b>	<b>.5601</b>	<b>.5765</b>	
		16	.16839182	.38860433	<b>.4788</b>	<b>.5618</b>	<b>.5937</b>	<b>.6189</b>	<b>.6391</b>	<b>.6556</b>	<b>.6690</b>	
		17	.26119869	.53476234	<b>.6074</b>	<b>.6618</b>	<b>.6905</b>	<b>.7116</b>	<b>.7276</b>	<b>.7401</b>	<b>.7501</b>	
		18	.37462931	.67672976	<b>.7198</b>	<b>.7537</b>	<b>.7765</b>	<b>.7924</b>	<b>.8042</b>	<b>.8135</b>	<b>.8211</b>	
		19	.50000000	.79711964	<b>.8101</b>	<b>.8311</b>	<b>.8478</b>	<b>.8595</b>	<b>.8683</b>	<b>.8754</b>	<b>.8813</b>	
		20	.62537069	.88609551	<b>.8778</b>	<b>.8914</b>	<b>.9033</b>	<b>.9118</b>	<b>.9184</b>	<b>.9238</b>	<b>.9282</b>	
21	.73880131	.94327708	<b>.9256</b>	<b>.9350</b>	<b>.9433</b>	<b>.9493</b>	<b>.9540</b>	<b>.9577</b>	<b>.9607</b>			



Table 33: Sheet M. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			3	4	5	6	7	8	9	10	11
3	39	22	.83160818	.97514217	<b>.9572</b>	<b>.9639</b>	<b>.9694</b>	<b>.9734</b>	<b>.9765</b>	<b>.9788</b>	<b>.9807</b>
		23	.90020457	.99048646	<b>.9769</b>	<b>.9814</b>	<b>.9849</b>	<b>.9873</b>	<b>.9891</b>	<b>.9904</b>	<b>.9915</b>
		24	.94593549	.99684465	<b>.9884</b>	<b>.9912</b>	<b>.9931</b>	<b>.9945</b>	<b>.9954</b>	<b>.9961</b>	<b>.9966</b>
		25	.97337404	.99910039	<b>.9945</b>	<b>.9961</b>	<b>.9971</b>	<b>.9978</b>	<b>.9982</b>	<b>.9986</b>	<b>.9988</b>
		26	.98814865	.99978147	<b>.9977</b>	<b>.9984</b>	<b>.9989</b>	<b>.9992</b>	<b>.9994</b>	<b>.9995</b>	<b>.9996</b>
		27	.99526235	.99995522	<b>.9991</b>	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>
		28	.99831108	.99999235	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>
		29	.99946749	.99999892	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		30	.99985296	.99999988	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	40	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	.00000000	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>
		2	.00000000	.00000000	.00000001	.00000001	<b>.0001</b>	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>
		3	.00000001	.00000004	.00000010	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>	<b>.0006</b>	<b>.0006</b>	<b>.0007</b>
		4	.00000009	.00000037	.00000092	<b>.0016</b>	<b>.0017</b>	<b>.0017</b>	<b>.0018</b>	<b>.0019</b>	<b>.0019</b>
		5	.00000069	.00000275	.00000684	<b>.0060</b>	<b>.0061</b>	<b>.0062</b>	<b>.0062</b>	<b>.0063</b>	<b>.0064</b>
		6	.00000418	.00001656	.00004100	<b>.0170</b>	<b>.0171</b>	<b>.0172</b>	<b>.0173</b>	<b>.0173</b>	<b>.0174</b>
		7	.00002114	.00008303	.00020387	<b>.0377</b>	<b>.0378</b>	<b>.0379</b>	<b>.0380</b>	<b>.0381</b>	<b>.0382</b>
		8	.00009108	.00035313	.00085593	<b>.0688</b>	<b>.0690</b>	<b>.0691</b>	<b>.0693</b>	<b>.0695</b>	<b>.0697</b>
		9	.00033977	.00129182	<b>.0023</b>	<b>.1079</b>	<b>.1083</b>	<b>.1087</b>	<b>.1091</b>	<b>.1096</b>	<b>.1101</b>
		10	.00111072	.00410720	<b>.0074</b>	<b>.1504</b>	<b>.1514</b>	<b>.1525</b>	<b>.1537</b>	<b>.1549</b>	<b>.1561</b>
		11	.00321329	.01144078	<b>.0207</b>	<b>.1927</b>	<b>.1953</b>	<b>.1980</b>	<b>.2007</b>	<b>.2035</b>	<b>.2062</b>
		12	.00829450	.02810478	<b>.0496</b>	<b>.2357</b>	<b>.2417</b>	<b>.2477</b>	<b>.2537</b>	<b>.2596</b>	<b>.2655</b>
		13	.01923865	.06123484	<b>.1021</b>	<b>.2840</b>	<b>.2958</b>	<b>.3072</b>	<b>.3183</b>	<b>.3290</b>	<b>.3395</b>
		14	.04034523	.11897459	<b>.1833</b>	<b>.3443</b>	<b>.3637</b>	<b>.3820</b>	<b>.3990</b>	<b>.4149</b>	<b>.4298</b>
		15	.07692997	.20728490	<b>.2916</b>	<b>.4210</b>	<b>.4481</b>	<b>.4721</b>	<b>.4933</b>	<b>.5121</b>	<b>.5288</b>
		16	.13409363	.32586824	<b>.4175</b>	<b>.5125</b>	<b>.5439</b>	<b>.5698</b>	<b>.5911</b>	<b>.6089</b>	<b>.6239</b>
		17	.21479525	.46565618	<b>.5467</b>	<b>.6109</b>	<b>.6415</b>	<b>.6647</b>	<b>.6826</b>	<b>.6968</b>	<b>.7083</b>
		18	.31791400	.61023384	<b>.6657</b>	<b>.7062</b>	<b>.7319</b>	<b>.7501</b>	<b>.7636</b>	<b>.7742</b>	<b>.7828</b>
		19	.43731466	.74129554	<b>.7659</b>	<b>.7905</b>	<b>.8099</b>	<b>.8233</b>	<b>.8334</b>	<b>.8415</b>	<b>.8481</b>
		20	.56268534	.84527767	<b>.8441</b>	<b>.8594</b>	<b>.8734</b>	<b>.8833</b>	<b>.8909</b>	<b>.8971</b>	<b>.9022</b>
		21	.68208600	.91734100	<b>.9015</b>	<b>.9117</b>	<b>.9217</b>	<b>.9289</b>	<b>.9345</b>	<b>.9390</b>	<b>.9427</b>
		22	.78520475	.96086116	<b>.9412</b>	<b>.9485</b>	<b>.9554</b>	<b>.9604</b>	<b>.9642</b>	<b>.9672</b>	<b>.9697</b>
		23	.86590637	.98369587	<b>.9669</b>	<b>.9722</b>	<b>.9767</b>	<b>.9799</b>	<b>.9823</b>	<b>.9841</b>	<b>.9856</b>
		24	.92307003	.99406797	<b>.9826</b>	<b>.9861</b>	<b>.9888</b>	<b>.9907</b>	<b>.9920</b>	<b>.9931</b>	<b>.9938</b>
		25	.95965477	.99812895	<b>.9914</b>	<b>.9936</b>	<b>.9951</b>	<b>.9960</b>	<b>.9967</b>	<b>.9972</b>	<b>.9976</b>
		26	.98076135	.99949244	<b>.9960</b>	<b>.9973</b>	<b>.9980</b>	<b>.9985</b>	<b>.9988</b>	<b>.9990</b>	<b>.9992</b>
		27	.99170550	.99988262	<b>.9984</b>	<b>.9989</b>	<b>.9992</b>	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>	<b>.9997</b>
		28	.99678671	.99997708	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		29	.99888928	.99999627	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		30	.99966023	.99999950	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		31	.99990892	.99999995	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	41	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	.00000000	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>
		2	.00000000	.00000000	.00000000	.00000001	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>
		3	.00000001	.00000002	.00000005	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>
		4	.00000005	.00000020	.00000051	<b>.0011</b>	<b>.0012</b>	<b>.0012</b>	<b>.0013</b>	<b>.0014</b>	<b>.0014</b>
		5	.00000039	.00000156	.00000389	<b>.0043</b>	<b>.0044</b>	<b>.0045</b>	<b>.0045</b>	<b>.0046</b>	<b>.0047</b>
		6	.00000244	.00000967	.00002398	<b>.0129</b>	<b>.0130</b>	<b>.0131</b>	<b>.0131</b>	<b>.0132</b>	<b>.0133</b>
		7	.00001266	.00004989	.00012287	<b>.0301</b>	<b>.0302</b>	<b>.0303</b>	<b>.0303</b>	<b>.0304</b>	<b>.0305</b>
		8	.00005611	.00021865	.00053266	<b>.0574</b>	<b>.0575</b>	<b>.0577</b>	<b>.0578</b>	<b>.0579</b>	<b>.0581</b>
		9	.00021543	.00082550	<b>.0016</b>	<b>.0936</b>	<b>.0940</b>	<b>.0943</b>	<b>.0947</b>	<b>.0950</b>	<b>.0954</b>
		10	.00072525	.00271263	<b>.0050</b>	<b>.1344</b>	<b>.1351</b>	<b>.1358</b>	<b>.1366</b>	<b>.1374</b>	<b>.1381</b>
		11	.00216200	.00782138	<b>.0148</b>	<b>.1763</b>	<b>.1782</b>	<b>.1801</b>	<b>.1820</b>	<b>.1839</b>	<b>.1859</b>
		12	.00575389	.01991677	<b>.0369</b>	<b>.2180</b>	<b>.2223</b>	<b>.2267</b>	<b>.2311</b>	<b>.2355</b>	<b>.2400</b>
		13	.01376658	.04504074	<b>.0789</b>	<b>.2622</b>	<b>.2713</b>	<b>.2801</b>	<b>.2889</b>	<b>.2974</b>	<b>.3058</b>
		14	.02979194	.09091995	<b>.1472</b>	<b>.3154</b>	<b>.3313</b>	<b>.3465</b>	<b>.3610</b>	<b>.3748</b>	<b>.3878</b>

Table 33: Sheet N. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			3	4	5	6	7	8	9	10	11
3	41	15	.05863760	.16466569	<b>.2428</b>	<b>.3831</b>	<b>.4070</b>	<b>.4287</b>	<b>.4484</b>	<b>.4663</b>	<b>.4825</b>
		16	.10551180	.26906627	<b>.3598</b>	<b>.4667</b>	<b>.4966</b>	<b>.5221</b>	<b>.5438</b>	<b>.5625</b>	<b>.5784</b>
		17	.17444444	.39924361	<b>.4864</b>	<b>.5611</b>	<b>.5926</b>	<b>.6173</b>	<b>.6370</b>	<b>.6529</b>	<b>.6659</b>
		18	.26635463	.54215209	<b>.6091</b>	<b>.6573</b>	<b>.6855</b>	<b>.7060</b>	<b>.7215</b>	<b>.7336</b>	<b>.7433</b>
		19	.37761433	.68016284	<b>.7172</b>	<b>.7465</b>	<b>.7688</b>	<b>.7843</b>	<b>.7958</b>	<b>.8049</b>	<b>.8123</b>
		20	.50000000	.79726532	<b>.8055</b>	<b>.8229</b>	<b>.8393</b>	<b>.8507</b>	<b>.8594</b>	<b>.8664</b>	<b>.8722</b>
		21	.62238567	.88442257	<b>.8728</b>	<b>.8837</b>	<b>.8955</b>	<b>.9039</b>	<b>.9105</b>	<b>.9158</b>	<b>.9202</b>
		22	.73364537	.94120574	<b>.9212</b>	<b>.9288</b>	<b>.9371</b>	<b>.9432</b>	<b>.9479</b>	<b>.9516</b>	<b>.9547</b>
		23	.82555556	.97350550	<b>.9539</b>	<b>.9595</b>	<b>.9652</b>	<b>.9693</b>	<b>.9724</b>	<b>.9748</b>	<b>.9768</b>
		24	.89448820	.98949714	<b>.9747</b>	<b>.9788</b>	<b>.9823</b>	<b>.9849</b>	<b>.9868</b>	<b>.9882</b>	<b>.9893</b>
		25	.94136240	.99636285	<b>.9869</b>	<b>.9897</b>	<b>.9918</b>	<b>.9932</b>	<b>.9942</b>	<b>.9950</b>	<b>.9956</b>
		26	.97020806	.99890765	<b>.9937</b>	<b>.9954</b>	<b>.9965</b>	<b>.9972</b>	<b>.9977</b>	<b>.9981</b>	<b>.9983</b>
		27	.98623342	.99971770	<b>.9972</b>	<b>.9981</b>	<b>.9986</b>	<b>.9989</b>	<b>.9992</b>	<b>.9993</b>	<b>.9994</b>
		28	.99424611	.99993776	<b>.9989</b>	<b>.9993</b>	<b>.9995</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>
		29	.99783800	.99998841	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		30	.99927475	.99999820	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		31	.99978457	.99999977	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		32	.99994389	.99999998	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	42	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	.00000000	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>
		2	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>
		3	.00000000	.00000001	.00000003	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>
		4	.00000003	.00000011	.00000028	<b>.0011</b>	<b>.0012</b>	<b>.0012</b>	<b>.0013</b>	<b>.0014</b>	<b>.0014</b>
		5	.00000022	.00000088	.00000220	<b>.0043</b>	<b>.0044</b>	<b>.0045</b>	<b>.0045</b>	<b>.0046</b>	<b>.0047</b>
		6	.00000141	.00000562	.00001396	<b>.0129</b>	<b>.0130</b>	<b>.0130</b>	<b>.0131</b>	<b>.0132</b>	<b>.0133</b>
		7	.00000755	.00002982	.00007364	<b>.0301</b>	<b>.0301</b>	<b>.0302</b>	<b>.0303</b>	<b>.0304</b>	<b>.0305</b>
		8	.00003439	.00013457	.00032923	<b>.0574</b>	<b>.0575</b>	<b>.0576</b>	<b>.0577</b>	<b>.0578</b>	<b>.0579</b>
		9	.00013577	.00052375	<b>.0012</b>	<b>.0935</b>	<b>.0937</b>	<b>.0940</b>	<b>.0943</b>	<b>.0946</b>	<b>.0949</b>
		10	.00047034	.00177669	<b>.0037</b>	<b>.1338</b>	<b>.1343</b>	<b>.1348</b>	<b>.1354</b>	<b>.1359</b>	<b>.1365</b>
		11	.00144362	.00529590	<b>.0113</b>	<b>.1746</b>	<b>.1759</b>	<b>.1772</b>	<b>.1786</b>	<b>.1800</b>	<b>.1814</b>
		12	.00395795	.01396141	<b>.0292</b>	<b>.2137</b>	<b>.2169</b>	<b>.2201</b>	<b>.2233</b>	<b>.2266</b>	<b>.2299</b>
		13	.00976024	.03272943	<b>.0645</b>	<b>.2537</b>	<b>.2605</b>	<b>.2673</b>	<b>.2740</b>	<b>.2806</b>	<b>.2872</b>
		14	.02177926	.06856213	<b>.1237</b>	<b>.3006</b>	<b>.3133</b>	<b>.3257</b>	<b>.3376</b>	<b>.3491</b>	<b>.3602</b>
		15	.04421477	.12895286	<b>.2095</b>	<b>.3613</b>	<b>.3817</b>	<b>.4007</b>	<b>.4183</b>	<b>.4346</b>	<b>.4497</b>
		16	.08207470	.21886079	<b>.3180</b>	<b>.4392</b>	<b>.4668</b>	<b>.4909</b>	<b>.5122</b>	<b>.5309</b>	<b>.5473</b>
		17	.13997812	.33712177	<b>.4394</b>	<b>.5311</b>	<b>.5624</b>	<b>.5879</b>	<b>.6089</b>	<b>.6262</b>	<b>.6406</b>
		18	.22039953	.47452193	<b>.5616</b>	<b>.6286</b>	<b>.6587</b>	<b>.6813</b>	<b>.6987</b>	<b>.7125</b>	<b>.7235</b>
		19	.32198448	.61543465	<b>.6737</b>	<b>.7215</b>	<b>.7466</b>	<b>.7643</b>	<b>.7775</b>	<b>.7878</b>	<b>.7961</b>
		20	.43880716	.74286779	<b>.7687</b>	<b>.8023</b>	<b>.8213</b>	<b>.8345</b>	<b>.8444</b>	<b>.8522</b>	<b>.8588</b>
		21	.56119284	.84434597	<b>.8441</b>	<b>.8673</b>	<b>.8811</b>	<b>.8909</b>	<b>.8984</b>	<b>.9045</b>	<b>.9096</b>
		22	.67801552	.91537558	<b>.9002</b>	<b>.9161</b>	<b>.9260</b>	<b>.9332</b>	<b>.9388</b>	<b>.9433</b>	<b>.9470</b>
		23	.77960047	.95897855	<b>.9395</b>	<b>.9502</b>	<b>.9572</b>	<b>.9622</b>	<b>.9661</b>	<b>.9692</b>	<b>.9717</b>
		24	.86002188	.98239023	<b>.9654</b>	<b>.9724</b>	<b>.9770</b>	<b>.9803</b>	<b>.9828</b>	<b>.9847</b>	<b>.9863</b>
		25	.91792530	.99334967	<b>.9814</b>	<b>.9857</b>	<b>.9885</b>	<b>.9905</b>	<b>.9920</b>	<b>.9931</b>	<b>.9939</b>
		26	.95578523	.99780541	<b>.9905</b>	<b>.9931</b>	<b>.9947</b>	<b>.9958</b>	<b>.9965</b>	<b>.9971</b>	<b>.9975</b>
		27	.97822074	.99937165	<b>.9955</b>	<b>.9969</b>	<b>.9977</b>	<b>.9983</b>	<b>.9986</b>	<b>.9989</b>	<b>.9991</b>
		28	.99023976	.99984511	<b>.9981</b>	<b>.9987</b>	<b>.9991</b>	<b>.9993</b>	<b>.9995</b>	<b>.9996</b>	<b>.9997</b>
		29	.99604205	.99996741	<b>.9992</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>
		30	.99855638	.99999420	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>
		31	.99952966	.99999914	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		32	.99986423	.99999989	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	43	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	.00000000	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>
		2	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>
		3	.00000000	.00000001	.00000002	<b>.0002</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>	<b>.0006</b>
		4	.00000002	.00000006	.00000016	<b>.0008</b>	<b>.0008</b>	<b>.0009</b>	<b>.0010</b>	<b>.0010</b>	<b>.0011</b>

Table 33: Sheet O. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			3	4	5	6	7	8	9	10	11
3	43	5	.00000012	.00000050	.00000124	<b>.0031</b>	<b>.0031</b>	<b>.0032</b>	<b>.0033</b>	<b>.0034</b>	<b>.0034</b>
		6	.00000082	.00000325	.00000809	<b>.0097</b>	<b>.0097</b>	<b>.0098</b>	<b>.0099</b>	<b>.0100</b>	<b>.0100</b>
		7	.00000448	.00001774	.00004391	<b>.0237</b>	<b>.0238</b>	<b>.0239</b>	<b>.0239</b>	<b>.0240</b>	<b>.0241</b>
		8	.00002097	.00008236	.00020221	<b>.0473</b>	<b>.0474</b>	<b>.0475</b>	<b>.0476</b>	<b>.0477</b>	<b>.0478</b>
		9	.00008508	.00033008	<b>.0009</b>	<b>.0804</b>	<b>.0806</b>	<b>.0809</b>	<b>.0811</b>	<b>.0814</b>	<b>.0816</b>
		10	.00030305	.00115459	<b>.0027</b>	<b>.1190</b>	<b>.1194</b>	<b>.1198</b>	<b>.1202</b>	<b>.1206</b>	<b>.1210</b>
		11	.00095698	.00355367	<b>.0083</b>	<b>.1594</b>	<b>.1604</b>	<b>.1614</b>	<b>.1624</b>	<b>.1634</b>	<b>.1645</b>
		12	.00270079	.00968697	<b>.0218</b>	<b>.1982</b>	<b>.2004</b>	<b>.2027</b>	<b>.2049</b>	<b>.2073</b>	<b>.2096</b>
		13	.00685909	.02351195	<b>.0498</b>	<b>.2364</b>	<b>.2415</b>	<b>.2465</b>	<b>.2516</b>	<b>.2566</b>	<b>.2616</b>
		14	.01576975	.05105310	<b>.0986</b>	<b>.2786</b>	<b>.2886</b>	<b>.2983</b>	<b>.3079</b>	<b>.3172</b>	<b>.3262</b>
		15	.03299702	.09961520	<b>.1721</b>	<b>.3315</b>	<b>.3484</b>	<b>.3645</b>	<b>.3797</b>	<b>.3940</b>	<b>.4075</b>
		16	.06314474	.17546788	<b>.2693</b>	<b>.4001</b>	<b>.4247</b>	<b>.4469</b>	<b>.4668</b>	<b>.4848</b>	<b>.5010</b>
		17	.11102641	.28045449	<b>.3831</b>	<b>.4846</b>	<b>.5147</b>	<b>.5401</b>	<b>.5615</b>	<b>.5798</b>	<b>.5954</b>
		18	.18018883	.40919905	<b>.5030</b>	<b>.5789</b>	<b>.6101</b>	<b>.6343</b>	<b>.6535</b>	<b>.6689</b>	<b>.6815</b>
		19	.27119201	.54900768	<b>.6183</b>	<b>.6737</b>	<b>.7013</b>	<b>.7213</b>	<b>.7364</b>	<b>.7481</b>	<b>.7575</b>
		20	.38039582	.68333826	<b>.7206</b>	<b>.7602</b>	<b>.7820</b>	<b>.7972</b>	<b>.8084</b>	<b>.8172</b>	<b>.8245</b>
		21	.50000000	.79739695	<b>.8052</b>	<b>.8330</b>	<b>.8491</b>	<b>.8604</b>	<b>.8689</b>	<b>.8758</b>	<b>.8815</b>
		22	.61960418	.88284805	<b>.8710</b>	<b>.8902</b>	<b>.9018</b>	<b>.9102</b>	<b>.9167</b>	<b>.9220</b>	<b>.9264</b>
		23	.72880799	.93922513	<b>.9190</b>	<b>.9321</b>	<b>.9404</b>	<b>.9465</b>	<b>.9512</b>	<b>.9550</b>	<b>.9582</b>
		24	.81981117	.97190374	<b>.9520</b>	<b>.9607</b>	<b>.9664</b>	<b>.9706</b>	<b>.9738</b>	<b>.9763</b>	<b>.9783</b>
		25	.88897359	.98849889	<b>.9731</b>	<b>.9788</b>	<b>.9825</b>	<b>.9851</b>	<b>.9871</b>	<b>.9886</b>	<b>.9898</b>
		26	.93685526	.99585773	<b>.9859</b>	<b>.9893</b>	<b>.9915</b>	<b>.9930</b>	<b>.9941</b>	<b>.9950</b>	<b>.9956</b>
		27	.96700298	.99869593	<b>.9929</b>	<b>.9949</b>	<b>.9962</b>	<b>.9970</b>	<b>.9975</b>	<b>.9980</b>	<b>.9983</b>
		28	.98423025	.99964363	<b>.9968</b>	<b>.9978</b>	<b>.9984</b>	<b>.9988</b>	<b>.9990</b>	<b>.9992</b>	<b>.9994</b>
		29	.99314091	.99991611	<b>.9987</b>	<b>.9991</b>	<b>.9994</b>	<b>.9995</b>	<b>.9997</b>	<b>.9997</b>	<b>.9998</b>
		30	.99729921	.99998313	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		31	.99904302	.99999713	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		32	.99969695	.99999959	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		33	.99991492	.99999995	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	44	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	.00000000	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>
		2	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>
		3	.00000000	.00000000	.00000001	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>
		4	.00000001	.00000003	.00000009	<b>.0005</b>	<b>.0006</b>	<b>.0007</b>	<b>.0008</b>	<b>.0008</b>	<b>.0009</b>
		5	.00000007	.00000028	.00000070	<b>.0022</b>	<b>.0022</b>	<b>.0023</b>	<b>.0024</b>	<b>.0025</b>	<b>.0025</b>
		6	.00000047	.00000188	.00000467	<b>.0072</b>	<b>.0072</b>	<b>.0073</b>	<b>.0074</b>	<b>.0075</b>	<b>.0075</b>
		7	.00000265	.00001051	.00002606	<b>.0185</b>	<b>.0186</b>	<b>.0186</b>	<b>.0187</b>	<b>.0188</b>	<b>.0189</b>
		8	.00001272	.00005013	.00012346	<b>.0387</b>	<b>.0387</b>	<b>.0388</b>	<b>.0389</b>	<b>.0390</b>	<b>.0391</b>
		9	.00005302	.00020672	<b>.0009</b>	<b>.0684</b>	<b>.0686</b>	<b>.0688</b>	<b>.0691</b>	<b>.0693</b>	<b>.0695</b>
		10	.00019407	.00074482	<b>.0028</b>	<b>.1049</b>	<b>.1052</b>	<b>.1055</b>	<b>.1058</b>	<b>.1062</b>	<b>.1065</b>
		11	.00063002	.00236445	<b>.0082</b>	<b>.1443</b>	<b>.1449</b>	<b>.1455</b>	<b>.1462</b>	<b>.1468</b>	<b>.1475</b>
		12	.00182888	.00665662	<b>.0212</b>	<b>.1832</b>	<b>.1848</b>	<b>.1864</b>	<b>.1881</b>	<b>.1897</b>	<b>.1914</b>
		13	.00477994	.01670832	<b>.0469</b>	<b>.2207</b>	<b>.2244</b>	<b>.2281</b>	<b>.2318</b>	<b>.2355</b>	<b>.2393</b>
		14	.01131442	.03756262	<b>.0906</b>	<b>.2596</b>	<b>.2672</b>	<b>.2748</b>	<b>.2822</b>	<b>.2895</b>	<b>.2967</b>
		15	.02438338	.07595578	<b>.1557</b>	<b>.3060</b>	<b>.3197</b>	<b>.3330</b>	<b>.3456</b>	<b>.3578</b>	<b>.3694</b>
		16	.04807088	.13873642	<b>.2416</b>	<b>.3660</b>	<b>.3873</b>	<b>.4069</b>	<b>.4249</b>	<b>.4416</b>	<b>.4569</b>
		17	.08708557	.22995686	<b>.3440</b>	<b>.4421</b>	<b>.4701</b>	<b>.4944</b>	<b>.5156</b>	<b>.5341</b>	<b>.5503</b>
		18	.14560762	.34772996	<b>.4554</b>	<b>.5311</b>	<b>.5623</b>	<b>.5874</b>	<b>.6079</b>	<b>.6248</b>	<b>.6388</b>
		19	.22569042	.48278822	<b>.5673</b>	<b>.6252</b>	<b>.6548</b>	<b>.6769</b>	<b>.6938</b>	<b>.7072</b>	<b>.7178</b>
		20	.32579391	.62025788	<b>.6717</b>	<b>.7153</b>	<b>.7399</b>	<b>.7573</b>	<b>.7701</b>	<b>.7801</b>	<b>.7882</b>
		21	.44019791	.74432455	<b>.7627</b>	<b>.7947</b>	<b>.8134</b>	<b>.8263</b>	<b>.8360</b>	<b>.8437</b>	<b>.8501</b>
		22	.55980209	.84347136	<b>.8371</b>	<b>.8598</b>	<b>.8735</b>	<b>.8831</b>	<b>.8905</b>	<b>.8966</b>	<b>.9016</b>
		23	.67420609	.91351110	<b>.8940</b>	<b>.9097</b>	<b>.9196</b>	<b>.9268</b>	<b>.9323</b>	<b>.9369</b>	<b>.9406</b>
		24	.77430958	.95715876	<b>.9347</b>	<b>.9455</b>	<b>.9525</b>	<b>.9576</b>	<b>.9615</b>	<b>.9647</b>	<b>.9672</b>
		25	.85439238	.98109533	<b>.9621</b>	<b>.9692</b>	<b>.9739</b>	<b>.9773</b>	<b>.9799</b>	<b>.9819</b>	<b>.9835</b>
		26	.91291443	.99261352	<b>.9793</b>	<b>.9838</b>	<b>.9868</b>	<b>.9888</b>	<b>.9904</b>	<b>.9916</b>	<b>.9925</b>

Table 33: Sheet P. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			3	4	5	6	7	8	9	10	11
3	44	27	.95192912	.99746016	<b>.9893</b>	<b>.9920</b>	<b>.9937</b>	<b>.9949</b>	<b>.9958</b>	<b>.9964</b>	<b>.9968</b>
		28	.97561662	.99923634	<b>.9948</b>	<b>.9963</b>	<b>.9973</b>	<b>.9979</b>	<b>.9983</b>	<b>.9986</b>	<b>.9988</b>
		29	.98868558	.99980059	<b>.9977</b>	<b>.9985</b>	<b>.9989</b>	<b>.9992</b>	<b>.9993</b>	<b>.9995</b>	<b>.9996</b>
		30	.99522006	.99995512	<b>.9991</b>	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>
		31	.99817112	.9999137	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>
		32	.99936998	.99999860	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		33	.99980593	.99999981	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		34	.99994698	.99999998	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	45	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	.00000000	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>
		2	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>
		3	.00000000	.00000000	.00000000	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>
		4	.00000000	.00000002	.00000005	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>	<b>.0007</b>	<b>.0007</b>
		5	.00000004	.00000016	.00000039	<b>.0015</b>	<b>.0016</b>	<b>.0017</b>	<b>.0017</b>	<b>.0018</b>	<b>.0019</b>
		6	.00000027	.00000108	.00000269	<b>.0053</b>	<b>.0053</b>	<b>.0054</b>	<b>.0055</b>	<b>.0056</b>	<b>.0056</b>
		7	.00000156	.00000620	.00001539	<b>.0143</b>	<b>.0143</b>	<b>.0144</b>	<b>.0145</b>	<b>.0146</b>	<b>.0146</b>
		8	.00000769	.00003036	.00007497	<b>.0312</b>	<b>.0313</b>	<b>.0314</b>	<b>.0315</b>	<b>.0315</b>	<b>.0316</b>
		9	.00003287	.00012869	<b>.0008</b>	<b>.0576</b>	<b>.0578</b>	<b>.0580</b>	<b>.0582</b>	<b>.0584</b>	<b>.0587</b>
		10	.00012354	.00047716	<b>.0022</b>	<b>.0916</b>	<b>.0918</b>	<b>.0921</b>	<b>.0924</b>	<b>.0926</b>	<b>.0929</b>
		11	.00041204	.00156069	<b>.0064</b>	<b>.1298</b>	<b>.1302</b>	<b>.1307</b>	<b>.1312</b>	<b>.1317</b>	<b>.1322</b>
		12	.00122945	.00453283	<b>.0169</b>	<b>.1686</b>	<b>.1698</b>	<b>.1709</b>	<b>.1721</b>	<b>.1734</b>	<b>.1746</b>
		13	.00330441	.01175256	<b>.0379</b>	<b>.2057</b>	<b>.2083</b>	<b>.2110</b>	<b>.2137</b>	<b>.2164</b>	<b>.2191</b>
		14	.00804718	.02732485	<b>.0747</b>	<b>.2427</b>	<b>.2484</b>	<b>.2541</b>	<b>.2598</b>	<b>.2654</b>	<b>.2710</b>
		15	.01784890	.05720133	<b>.1307</b>	<b>.2842</b>	<b>.2951</b>	<b>.3058</b>	<b>.3161</b>	<b>.3261</b>	<b>.3358</b>
		16	.03622713	.10824186	<b>.2066</b>	<b>.3365</b>	<b>.3544</b>	<b>.3713</b>	<b>.3871</b>	<b>.4019</b>	<b>.4158</b>
		17	.06757823	.18592682	<b>.2997</b>	<b>.4040</b>	<b>.4292</b>	<b>.4518</b>	<b>.4719</b>	<b>.4899</b>	<b>.5061</b>
		18	.11634660	.29127680	<b>.4045</b>	<b>.4862</b>	<b>.5164</b>	<b>.5416</b>	<b>.5628</b>	<b>.5807</b>	<b>.5959</b>
		19	.18564902	.41853645	<b>.5137</b>	<b>.5773</b>	<b>.6080</b>	<b>.6318</b>	<b>.6506</b>	<b>.6655</b>	<b>.6776</b>
		20	.27574216	.55538843	<b>.6199</b>	<b>.6689</b>	<b>.6960</b>	<b>.7156</b>	<b>.7302</b>	<b>.7415</b>	<b>.7507</b>
		21	.38299591	.68628614	<b>.7163</b>	<b>.7532</b>	<b>.7746</b>	<b>.7895</b>	<b>.8005</b>	<b>.8091</b>	<b>.8162</b>
		22	.50000000	.79751647	<b>.7985</b>	<b>.8253</b>	<b>.8412</b>	<b>.8523</b>	<b>.8607</b>	<b>.8675</b>	<b>.8731</b>
		23	.61700409	.88136254	<b>.8642</b>	<b>.8831</b>	<b>.8947</b>	<b>.9029</b>	<b>.9094</b>	<b>.9146</b>	<b>.9190</b>
		24	.72425784	.93732903	<b>.9133</b>	<b>.9264</b>	<b>.9347</b>	<b>.9408</b>	<b>.9456</b>	<b>.9494</b>	<b>.9526</b>
		25	.81435098	.97033732	<b>.9478</b>	<b>.9566</b>	<b>.9624</b>	<b>.9667</b>	<b>.9699</b>	<b>.9725</b>	<b>.9746</b>
		26	.88365340	.98749502	<b>.9703</b>	<b>.9761</b>	<b>.9799</b>	<b>.9827</b>	<b>.9848</b>	<b>.9863</b>	<b>.9876</b>
		27	.93242177	.99533174	<b>.9842</b>	<b>.9878</b>	<b>.9901</b>	<b>.9917</b>	<b>.9929</b>	<b>.9938</b>	<b>.9945</b>
		28	.96377287	.99846593	<b>.9920</b>	<b>.9941</b>	<b>.9954</b>	<b>.9963</b>	<b>.9969</b>	<b>.9974</b>	<b>.9978</b>
		29	.98215110	.99955900	<b>.9962</b>	<b>.9974</b>	<b>.9980</b>	<b>.9985</b>	<b>.9988</b>	<b>.9990</b>	<b>.9992</b>
		30	.99195282	.99988985	<b>.9984</b>	<b>.9989</b>	<b>.9992</b>	<b>.9994</b>	<b>.9996</b>	<b>.9996</b>	<b>.9997</b>
		31	.99669559	.99997627	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>
		32	.99877055	.99999563	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		33	.99958796	.99999932	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		34	.99987646	.99999991	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	46	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	.00000000	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>
		2	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>
		3	.00000000	.00000000	.00000000	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>
		4	.00000000	.00000001	.00000003	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>	<b>.0007</b>	<b>.0007</b>
		5	.00000002	.00000009	.00000022	<b>.0015</b>	<b>.0016</b>	<b>.0017</b>	<b>.0017</b>	<b>.0018</b>	<b>.0019</b>
		6	.00000016	.00000062	.00000154	<b>.0053</b>	<b>.0053</b>	<b>.0054</b>	<b>.0055</b>	<b>.0056</b>	<b>.0056</b>
		7	.00000092	.00000364	.00000905	<b>.0143</b>	<b>.0143</b>	<b>.0144</b>	<b>.0145</b>	<b>.0146</b>	<b>.0146</b>
		8	.00000462	.00001830	.00004529	<b>.0312</b>	<b>.0313</b>	<b>.0314</b>	<b>.0314</b>	<b>.0315</b>	<b>.0316</b>
		9	.00002028	.00007967	<b>.0007</b>	<b>.0576</b>	<b>.0578</b>	<b>.0580</b>	<b>.0582</b>	<b>.0584</b>	<b>.0586</b>
		10	.00007821	.00030370	<b>.0021</b>	<b>.0915</b>	<b>.0917</b>	<b>.0919</b>	<b>.0922</b>	<b>.0924</b>	<b>.0927</b>
		11	.00026779	.00102244	<b>.0060</b>	<b>.1294</b>	<b>.1298</b>	<b>.1302</b>	<b>.1305</b>	<b>.1309</b>	<b>.1313</b>
		12	.00082075	.00306028	<b>.0157</b>	<b>.1674</b>	<b>.1682</b>	<b>.1689</b>	<b>.1697</b>	<b>.1705</b>	<b>.1714</b>

Table 33: Sheet Q. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix										
			3	4	5	6	7	8	9	10	11		
3	46	13	.00226693	.00818718	<b>.0354</b>	<b>.2031</b>	<b>.2050</b>	<b>.2069</b>	<b>.2088</b>	<b>.2108</b>	<b>.2128</b>		
		14	.00567580	.01966471	<b>.0698</b>	<b>.2372</b>	<b>.2415</b>	<b>.2457</b>	<b>.2500</b>	<b>.2542</b>	<b>.2584</b>		
		15	.01294804	.04257202	<b>.1220</b>	<b>.2742</b>	<b>.2826</b>	<b>.2909</b>	<b>.2991</b>	<b>.3071</b>	<b>.3149</b>		
		16	.02703802	.08338008	<b>.1929</b>	<b>.3205</b>	<b>.3352</b>	<b>.3492</b>	<b>.3626</b>	<b>.3754</b>	<b>.3875</b>		
		17	.05190268	.14830878	<b>.2804</b>	<b>.3817</b>	<b>.4037</b>	<b>.4239</b>	<b>.4424</b>	<b>.4593</b>	<b>.4748</b>		
		18	.09196241	.24059351	<b>.3800</b>	<b>.4592</b>	<b>.4875</b>	<b>.5119</b>	<b>.5330</b>	<b>.5513</b>	<b>.5672</b>		
		19	.15099781	.35774646	<b>.4859</b>	<b>.5487</b>	<b>.5796</b>	<b>.6045</b>	<b>.6245</b>	<b>.6410</b>	<b>.6545</b>		
		20	.23069559	.49051687	<b>.5914</b>	<b>.6418</b>	<b>.6709</b>	<b>.6925</b>	<b>.7090</b>	<b>.7219</b>	<b>.7323</b>		
		21	.32936904	.62474600	<b>.6896</b>	<b>.7296</b>	<b>.7537</b>	<b>.7706</b>	<b>.7832</b>	<b>.7929</b>	<b>.8008</b>		
		22	.44149796	.74567913	<b>.7752</b>	<b>.8057</b>	<b>.8241</b>	<b>.8368</b>	<b>.8462</b>	<b>.8538</b>	<b>.8601</b>		
		23	.55850204	.84264817	<b>.8450</b>	<b>.8672</b>	<b>.8807</b>	<b>.8902</b>	<b>.8976</b>	<b>.9035</b>	<b>.9085</b>		
		24	.67063096	.91173911	<b>.8983</b>	<b>.9139</b>	<b>.9238</b>	<b>.9309</b>	<b>.9364</b>	<b>.9410</b>	<b>.9447</b>		
		25	.76930441	.95539909	<b>.9365</b>	<b>.9473</b>	<b>.9543</b>	<b>.9594</b>	<b>.9634</b>	<b>.9666</b>	<b>.9692</b>		
		26	.84900219	.97981338	<b>.9623</b>	<b>.9695</b>	<b>.9743</b>	<b>.9778</b>	<b>.9805</b>	<b>.9826</b>	<b>.9842</b>		
		27	.90803759	.99186254	<b>.9788</b>	<b>.9835</b>	<b>.9865</b>	<b>.9887</b>	<b>.9903</b>	<b>.9916</b>	<b>.9926</b>		
		28	.94809732	.99709474	<b>.9887</b>	<b>.9916</b>	<b>.9934</b>	<b>.9946</b>	<b>.9955</b>	<b>.9962</b>	<b>.9967</b>		
		29	.97296198	.99908665	<b>.9943</b>	<b>.9960</b>	<b>.9970</b>	<b>.9976</b>	<b>.9981</b>	<b>.9984</b>	<b>.9987</b>		
		30	.98705196	.99974871	<b>.9974</b>	<b>.9982</b>	<b>.9987</b>	<b>.9990</b>	<b>.9992</b>	<b>.9994</b>	<b>.9995</b>		
		31	.99432420	.99993990	<b>.9989</b>	<b>.9993</b>	<b>.9995</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>		
		32	.99773307	.99998760	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>		
		33	.99917925	.99999781	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
		34	.99973221	.99999967	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
		35	.99992179	.99999996	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
		3	47	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
				1	.00000000	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>
				2	.00000000	.00000000	.00000000	.00000000	<b>.0001</b>	<b>.0001</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>
				3	.00000000	.00000000	.00000000	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>
				4	.00000000	.00000001	.00000001	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>	<b>.0006</b>	<b>.0007</b>
				5	.00000001	.00000005	.00000012	<b>.0011</b>	<b>.0012</b>	<b>.0012</b>	<b>.0013</b>	<b>.0014</b>	<b>.0014</b>
				6	.00000009	.00000035	.00000088	<b>.0038</b>	<b>.0039</b>	<b>.0040</b>	<b>.0041</b>	<b>.0041</b>	<b>.0042</b>
				7	.00000054	.00000213	.00000531	<b>.0109</b>	<b>.0110</b>	<b>.0110</b>	<b>.0111</b>	<b>.0112</b>	<b>.0113</b>
				8	.00000277	.00001098	.00002723	<b>.0250</b>	<b>.0250</b>	<b>.0251</b>	<b>.0252</b>	<b>.0252</b>	<b>.0253</b>
				9	.00001245	.00004906	<b>.0006</b>	<b>.0480</b>	<b>.0482</b>	<b>.0484</b>	<b>.0486</b>	<b>.0488</b>	<b>.0490</b>
				10	.00004924	.00019211	<b>.0017</b>	<b>.0791</b>	<b>.0793</b>	<b>.0795</b>	<b>.0797</b>	<b>.0800</b>	<b>.0802</b>
				11	.00017300	.00066508	<b>.0049</b>	<b>.1156</b>	<b>.1159</b>	<b>.1162</b>	<b>.1165</b>	<b>.1168</b>	<b>.1171</b>
12	.00054427			.00204945	<b>.0127</b>	<b>.1533</b>	<b>.1539</b>	<b>.1545</b>	<b>.1550</b>	<b>.1556</b>	<b>.1562</b>		
13	.00154384			.00565158	<b>.0292</b>	<b>.1895</b>	<b>.1908</b>	<b>.1922</b>	<b>.1936</b>	<b>.1951</b>	<b>.1965</b>		
14	.00397136			.01400852	<b>.0583</b>	<b>.2232</b>	<b>.2263</b>	<b>.2295</b>	<b>.2326</b>	<b>.2358</b>	<b>.2390</b>		
15	.00931192			.03133064	<b>.1034</b>	<b>.2575</b>	<b>.2639</b>	<b>.2703</b>	<b>.2767</b>	<b>.2829</b>	<b>.2891</b>		
16	.01999303			.06345124	<b>.1657</b>	<b>.2981</b>	<b>.3099</b>	<b>.3213</b>	<b>.3323</b>	<b>.3430</b>	<b>.3532</b>		
17	.03947035			.11677409	<b>.2442</b>	<b>.3511</b>	<b>.3698</b>	<b>.3874</b>	<b>.4037</b>	<b>.4190</b>	<b>.4332</b>		
18	.07193254			.19604526	<b>.3359</b>	<b>.4200</b>	<b>.4457</b>	<b>.4685</b>	<b>.4888</b>	<b>.5069</b>	<b>.5229</b>		
19	.12148011			.30157107	<b>.4363</b>	<b>.5031</b>	<b>.5334</b>	<b>.5584</b>	<b>.5793</b>	<b>.5968</b>	<b>.6116</b>		
20	.19084670			.42731350	<b>.5398</b>	<b>.5941</b>	<b>.6245</b>	<b>.6479</b>	<b>.6661</b>	<b>.6806</b>	<b>.6924</b>		
21	.28003231			.56134501	<b>.6401</b>	<b>.6842</b>	<b>.7109</b>	<b>.7300</b>	<b>.7442</b>	<b>.7553</b>	<b>.7641</b>		
22	.38543350			.68903193	<b>.7313</b>	<b>.7659</b>	<b>.7870</b>	<b>.8015</b>	<b>.8123</b>	<b>.8207</b>	<b>.8276</b>		
23	.50000000			.79762548	<b>.8088</b>	<b>.8348</b>	<b>.8505</b>	<b>.8613</b>	<b>.8696</b>	<b>.8763</b>	<b>.8819</b>		
24	.61456650			.87995782	<b>.8705</b>	<b>.8892</b>	<b>.9006</b>	<b>.9088</b>	<b>.9152</b>	<b>.9205</b>	<b>.9248</b>		
25	.71996769			.93551174	<b>.9165</b>	<b>.9296</b>	<b>.9379</b>	<b>.9440</b>	<b>.9488</b>	<b>.9527</b>	<b>.9558</b>		
26	.80915330			.96880630	<b>.9489</b>	<b>.9578</b>	<b>.9637</b>	<b>.9680</b>	<b>.9713</b>	<b>.9740</b>	<b>.9761</b>		
27	.87851989			.98648838	<b>.9703</b>	<b>.9762</b>	<b>.9801</b>	<b>.9830</b>	<b>.9851</b>	<b>.9868</b>	<b>.9881</b>		
28	.92806746			.99478719	<b>.9837</b>	<b>.9874</b>	<b>.9898</b>	<b>.9915</b>	<b>.9928</b>	<b>.9938</b>	<b>.9945</b>		
29	.96052965			.99821842	<b>.9915</b>	<b>.9937</b>	<b>.9951</b>	<b>.9961</b>	<b>.9968</b>	<b>.9973</b>	<b>.9977</b>		
30	.98000697			.99946365	<b>.9958</b>	<b>.9971</b>	<b>.9978</b>	<b>.9983</b>	<b>.9986</b>	<b>.9989</b>	<b>.9991</b>		
31	.99068808			.99985863	<b>.9982</b>	<b>.9987</b>	<b>.9991</b>	<b>.9993</b>	<b>.9995</b>	<b>.9996</b>	<b>.9997</b>		
32	.99602864	.99996759	<b>.9992</b>	<b>.9995</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>				



Table 33: Sheet S. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			12	13	14	15	16	17	18	19	20
3	1	0	.99682617	.99829102	.99908447	.99951172	.99974060	.99986267	.99992752	.99996185	.99997997
3	2	0	.96539468	.97465602	.98132761	.98617879	.98973327	.99235335	.99429363	.99573548	.99680971
		1	.99998993	.99999708	.99999916	.99999976	.99999993	.99999998	.99999999	1.00000000	1.00000000
3	3	0	.91254806	.93371826	.94980919	.96202954	.97130156	.97832924	.98365005	.98767421	.99071455
		1	.99956436	.99980078	.99990801	.99995710	.99997981	.99999041	.99999541	.99999779	.99999893
		2	.9999997	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
3	4	0	.82603278	.86231031	.89154963	.91495750	.93358279	.94832058	.95992353	.96901663	.97611321
		1	.99618725	.99790958	.99885017	.99936571	.99964924	.99980563	.99989211	.99994002	.99996662
		2	.99999627	.99999899	.99999972	.99999992	.99999998	.99999999	1.00000000	1.00000000	1.00000000
		3	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
3	5	0	.70130374	.75102324	.79372946	.83006016	.86070366	.88635254	.90767282	.92528447	.93975047
		1	.98399378	.99036205	.99423307	.99656933	.99797011	.99880490	.99929960	.99959125	.99976237
		2	.99989521	.99996060	.99998508	.99999431	.99999782	.99999916	.99999967	.99999987	.99999995
		3	.99999995	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		4	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
3	6	0	.55277591	.60876972	.65981562	.70584123	.74694029	.78332525	.81528880	.84317313	.86734566
		1	.95083194	.96719323	.97829572	.98575085	.99071011	.99398140	.99612290	.99751524	.99841491
		2	.99902826	.99956838	.99980918	.99991590	.99996299	.99998371	.99999281	.99999681	.99999858
		3	.99999748	.99999929	.99999979	.99999993	.99999998	.99999999	1.00000000	1.00000000	1.00000000
		4	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		5	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
3	7	0	.40436962	.45779233	.50907133	.55771770	.60339607	.64590094	.68513444	.72108600	.75381401
		1	.88374790	.91490092	.93824812	.95554074	.96821698	.97742419	.98405703	.98880025	.99216981
		2	.99460465	.99720448	.99856614	.99927112	.99963238	.99981583	.99990825	.99995448	.99997748
		3	.99995633	.99998592	.99999541	.99999847	.99999947	.99999981	.99999993	.99999997	.99999999
		4	.99999993	.99999998	.99999999	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		5	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
		6	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
3	8	0	<b>.2962</b>	<b>.3397</b>	<b>.3823</b>	<b>.4244</b>	<b>.4651</b>	<b>.5044</b>	<b>.5419</b>	<b>.5775</b>	<b>.6110</b>
		1	<b>.6761</b>	<b>.7101</b>	<b>.7402</b>	<b>.7671</b>	<b>.7870</b>	<b>.8069</b>	<b>.8251</b>	<b>.8418</b>	<b>.8570</b>
		2	<b>.8979</b>	<b>.9176</b>	<b>.9330</b>	<b>.9455</b>	<b>.9549</b>	<b>.9630</b>	<b>.9697</b>	<b>.9752</b>	<b>.9798</b>
		3	<b>.9761</b>	<b>.9823</b>	<b>.9869</b>	<b>.9903</b>	<b>.9928</b>	<b>.9946</b>	<b>.9960</b>	<b>.9971</b>	<b>.9979</b>
		4	<b>.9957</b>	<b>.9971</b>	<b>.9981</b>	<b>.9987</b>	<b>.9992</b>	<b>.9994</b>	<b>.9996</b>	<b>.9998</b>	<b>.9998</b>
		5	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		6	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		7	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	9	0	<b>.1980</b>	<b>.2321</b>	<b>.2659</b>	<b>.3009</b>	<b>.3358</b>	<b>.3703</b>	<b>.4043</b>	<b>.4374</b>	<b>.4697</b>
		1	<b>.5711</b>	<b>.6054</b>	<b>.6366</b>	<b>.6662</b>	<b>.6934</b>	<b>.7181</b>	<b>.7407</b>	<b>.7612</b>	<b>.7756</b>
		2	<b>.8247</b>	<b>.8536</b>	<b>.8768</b>	<b>.8965</b>	<b>.9128</b>	<b>.9263</b>	<b>.9376</b>	<b>.9471</b>	<b>.9543</b>
		3	<b>.9493</b>	<b>.9611</b>	<b>.9697</b>	<b>.9764</b>	<b>.9815</b>	<b>.9855</b>	<b>.9886</b>	<b>.9911</b>	<b>.9930</b>
		4	<b>.9881</b>	<b>.9915</b>	<b>.9939</b>	<b>.9956</b>	<b>.9968</b>	<b>.9977</b>	<b>.9984</b>	<b>.9988</b>	<b>.9992</b>
		5	<b>.9979</b>	<b>.9986</b>	<b>.9991</b>	<b>.9994</b>	<b>.9996</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>
		6	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		7	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		8	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	10	0	<b>.1263</b>	<b>.1512</b>	<b>.1758</b>	<b>.2028</b>	<b>.2301</b>	<b>.2578</b>	<b>.2857</b>	<b>.3136</b>	<b>.3414</b>
		1	<b>.4881</b>	<b>.5192</b>	<b>.5481</b>	<b>.5770</b>	<b>.6041</b>	<b>.6294</b>	<b>.6448</b>	<b>.6631</b>	<b>.6806</b>
		2	<b>.7436</b>	<b>.7781</b>	<b>.8067</b>	<b>.8322</b>	<b>.8539</b>	<b>.8723</b>	<b>.8853</b>	<b>.8983</b>	<b>.9099</b>
		3	<b>.9089</b>	<b>.9274</b>	<b>.9410</b>	<b>.9522</b>	<b>.9610</b>	<b>.9681</b>	<b>.9735</b>	<b>.9782</b>	<b>.9820</b>
		4	<b>.9738</b>	<b>.9803</b>	<b>.9848</b>	<b>.9884</b>	<b>.9911</b>	<b>.9932</b>	<b>.9948</b>	<b>.9960</b>	<b>.9969</b>
		5	<b>.9937</b>	<b>.9956</b>	<b>.9969</b>	<b>.9978</b>	<b>.9984</b>	<b>.9989</b>	<b>.9992</b>	<b>.9995</b>	<b>.9996</b>
		6	<b>.9989</b>	<b>.9993</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>
		7	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		8	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		9	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	11	0	<b>.0774</b>	<b>.0945</b>	<b>.1116</b>	<b>.1308</b>	<b>.1506</b>	<b>.1711</b>	<b>.1924</b>	<b>.2141</b>	<b>.2361</b>

Table 33: Sheet T. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			12	13	14	15	16	17	18	19	20
3	11	1	<b>.3823</b>	<b>.4324</b>	<b>.4717</b>	<b>.4983</b>	<b>.4859</b>	<b>.5040</b>	<b>.5218</b>	<b>.5392</b>	<b>.5562</b>
		2	<b>.6568</b>	<b>.6941</b>	<b>.7256</b>	<b>.7553</b>	<b>.7437</b>	<b>.7648</b>	<b>.7844</b>	<b>.8025</b>	<b>.8192</b>
		3	<b>.8530</b>	<b>.8786</b>	<b>.8981</b>	<b>.9146</b>	<b>.9130</b>	<b>.9249</b>	<b>.9351</b>	<b>.9440</b>	<b>.9516</b>
		4	<b>.9504</b>	<b>.9612</b>	<b>.9688</b>	<b>.9751</b>	<b>.9768</b>	<b>.9811</b>	<b>.9845</b>	<b>.9873</b>	<b>.9896</b>
		5	<b>.9852</b>	<b>.9891</b>	<b>.9917</b>	<b>.9938</b>	<b>.9950</b>	<b>.9962</b>	<b>.9971</b>	<b>.9978</b>	<b>.9983</b>
		6	<b>.9965</b>	<b>.9976</b>	<b>.9983</b>	<b>.9988</b>	<b>.9992</b>	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>
		7	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		8	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		9	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	12	0	<b>.0456</b>	<b>.0569</b>	<b>.0681</b>	<b>.0813</b>	<b>.0949</b>	<b>.1093</b>	<b>.1242</b>	<b>.1400</b>	<b>.1561</b>
		1	<b>.1523</b>	<b>.1803</b>	<b>.1749</b>	<b>.3306</b>	<b>.3994</b>	<b>.4252</b>	<b>.4407</b>	<b>.4551</b>	<b>.4693</b>
		2	<b>.4058</b>	<b>.4533</b>	<b>.4395</b>	<b>.6093</b>	<b>.6354</b>	<b>.6630</b>	<b>.6855</b>	<b>.7051</b>	<b>.7238</b>
		3	<b>.6773</b>	<b>.7201</b>	<b>.7146</b>	<b>.8187</b>	<b>.8409</b>	<b>.8629</b>	<b>.8793</b>	<b>.8925</b>	<b>.9043</b>
		4	<b>.8636</b>	<b>.8877</b>	<b>.8896</b>	<b>.9359</b>	<b>.9471</b>	<b>.9575</b>	<b>.9645</b>	<b>.9697</b>	<b>.9742</b>
		5	<b>.9511</b>	<b>.9615</b>	<b>.9657</b>	<b>.9808</b>	<b>.9851</b>	<b>.9888</b>	<b>.9912</b>	<b>.9929</b>	<b>.9942</b>
		6	<b>.9861</b>	<b>.9897</b>	<b>.9921</b>	<b>.9957</b>	<b>.9969</b>	<b>.9978</b>	<b>.9984</b>	<b>.9988</b>	<b>.9991</b>
		7	<b>.9971</b>	<b>.9980</b>	<b>.9987</b>	<b>.9993</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>
		8	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		9	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
11	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	13	0	<b>.0262</b>	<b>.0334</b>	<b>.0407</b>	<b>.0489</b>	<b>.0578</b>	<b>.0675</b>	<b>.0775</b>	<b>.0882</b>	<b>.0995</b>
		1	<b>.0924</b>	<b>.1108</b>	<b>.1290</b>	<b>.1504</b>	<b>.1729</b>	<b>.2369</b>	<b>.3403</b>	<b>.3899</b>	<b>.4037</b>
		2	<b>.2845</b>	<b>.3247</b>	<b>.3618</b>	<b>.4018</b>	<b>.4398</b>	<b>.5670</b>	<b>.5867</b>	<b>.6063</b>	<b>.6291</b>
		3	<b>.5458</b>	<b>.5945</b>	<b>.6358</b>	<b>.6764</b>	<b>.7111</b>	<b>.7848</b>	<b>.8036</b>	<b>.8214</b>	<b>.8412</b>
		4	<b>.7773</b>	<b>.8136</b>	<b>.8414</b>	<b>.8669</b>	<b>.8864</b>	<b>.9219</b>	<b>.9319</b>	<b>.9408</b>	<b>.9506</b>
		5	<b>.9079</b>	<b>.9271</b>	<b>.9407</b>	<b>.9527</b>	<b>.9611</b>	<b>.9753</b>	<b>.9793</b>	<b>.9828</b>	<b>.9864</b>
		6	<b>.9683</b>	<b>.9764</b>	<b>.9819</b>	<b>.9865</b>	<b>.9894</b>	<b>.9938</b>	<b>.9951</b>	<b>.9961</b>	<b>.9971</b>
		7	<b>.9915</b>	<b>.9941</b>	<b>.9958</b>	<b>.9971</b>	<b>.9978</b>	<b>.9988</b>	<b>.9991</b>	<b>.9993</b>	<b>.9995</b>
		8	<b>.9983</b>	<b>.9989</b>	<b>.9993</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		9	<b>.9997</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		10	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		11	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
12	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	14	0	<b>.0147</b>	<b>.0191</b>	<b>.0237</b>	<b>.0289</b>	<b>.0345</b>	<b>.0405</b>	<b>.0469</b>	<b>.0538</b>	<b>.0611</b>
		1	<b>.0592</b>	<b>.0716</b>	<b>.0847</b>	<b>.1002</b>	<b>.0952</b>	<b>.1071</b>	<b>.1190</b>	<b>.1314</b>	<b>.1458</b>
		2	<b>.2054</b>	<b>.2368</b>	<b>.2684</b>	<b>.3020</b>	<b>.2835</b>	<b>.3079</b>	<b>.3310</b>	<b>.3540</b>	<b>.3806</b>
		3	<b>.4364</b>	<b>.4801</b>	<b>.5222</b>	<b>.5613</b>	<b>.5449</b>	<b>.5756</b>	<b>.6030</b>	<b>.6292</b>	<b>.6581</b>
		4	<b>.6852</b>	<b>.7231</b>	<b>.7586</b>	<b>.7866</b>	<b>.7795</b>	<b>.8032</b>	<b>.8227</b>	<b>.8406</b>	<b>.8596</b>
		5	<b>.8518</b>	<b>.8736</b>	<b>.8949</b>	<b>.9088</b>	<b>.9082</b>	<b>.9215</b>	<b>.9314</b>	<b>.9403</b>	<b>.9494</b>
		6	<b>.9397</b>	<b>.9497</b>	<b>.9604</b>	<b>.9662</b>	<b>.9679</b>	<b>.9739</b>	<b>.9780</b>	<b>.9816</b>	<b>.9850</b>
		7	<b>.9799</b>	<b>.9837</b>	<b>.9881</b>	<b>.9900</b>	<b>.9911</b>	<b>.9932</b>	<b>.9945</b>	<b>.9956</b>	<b>.9965</b>
		8	<b>.9948</b>	<b>.9959</b>	<b>.9973</b>	<b>.9977</b>	<b>.9981</b>	<b>.9986</b>	<b>.9989</b>	<b>.9992</b>	<b>.9994</b>
		9	<b>.9990</b>	<b>.9992</b>	<b>.9995</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>
		10	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		11	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		12	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
13	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	15	0	<b>.0080</b>	<b>.0108</b>	<b>.0136</b>	<b>.0167</b>	<b>.0202</b>	<b>.0239</b>	<b>.0279</b>	<b>.0322</b>	<b>.0368</b>
		1	<b>.0372</b>	<b>.0457</b>	<b>.0548</b>	<b>.0533</b>	<b>.0609</b>	<b>.0690</b>	<b>.0770</b>	<b>.0859</b>	<b>.0956</b>
		2	<b>.1447</b>	<b>.1701</b>	<b>.1956</b>	<b>.1842</b>	<b>.2028</b>	<b>.2221</b>	<b>.2395</b>	<b>.2586</b>	<b>.2788</b>
		3	<b>.3365</b>	<b>.3776</b>	<b>.4165</b>	<b>.4036</b>	<b>.4325</b>	<b>.4615</b>	<b>.4853</b>	<b>.5117</b>	<b>.5377</b>
		4	<b>.5808</b>	<b>.6245</b>	<b>.6635</b>	<b>.6584</b>	<b>.6873</b>	<b>.7153</b>	<b>.7354</b>	<b>.7582</b>	<b>.7790</b>
		5	<b>.7758</b>	<b>.8071</b>	<b>.8341</b>	<b>.8352</b>	<b>.8545</b>	<b>.8730</b>	<b>.8837</b>	<b>.8973</b>	<b>.9085</b>
6	<b>.8930</b>	<b>.9108</b>	<b>.9265</b>	<b>.9304</b>	<b>.9410</b>	<b>.9509</b>	<b>.9555</b>	<b>.9622</b>	<b>.9672</b>		



Table 33: Sheet U. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			12	13	14	15	16	17	18	19	20
3	15	7	<b>.9559</b>	<b>.9647</b>	<b>.9725</b>	<b>.9758</b>	<b>.9804</b>	<b>.9847</b>	<b>.9862</b>	<b>.9888</b>	<b>.9905</b>
		8	<b>.9851</b>	<b>.9887</b>	<b>.9918</b>	<b>.9933</b>	<b>.9949</b>	<b>.9963</b>	<b>.9966</b>	<b>.9974</b>	<b>.9978</b>
		9	<b>.9960</b>	<b>.9972</b>	<b>.9981</b>	<b>.9986</b>	<b>.9990</b>	<b>.9993</b>	<b>.9994</b>	<b>.9995</b>	<b>.9996</b>
		10	<b>.9992</b>	<b>.9995</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		11	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		12	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		13	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	16	0	<b>.0043</b>	<b>.0060</b>	<b>.0077</b>	<b>.0096</b>	<b>.0117</b>	<b>.0139</b>	<b>.0163</b>	<b>.0189</b>	<b>.0218</b>
		1	<b>.0216</b>	<b>.0261</b>	<b>.0308</b>	<b>.0370</b>	<b>.0440</b>	<b>.0523</b>	<b>.0495</b>	<b>.0556</b>	<b>.0622</b>
		2	<b>.0938</b>	<b>.1085</b>	<b>.1240</b>	<b>.1430</b>	<b>.1635</b>	<b>.1866</b>	<b>.1719</b>	<b>.1866</b>	<b>.2025</b>
		3	<b>.2437</b>	<b>.2716</b>	<b>.3002</b>	<b>.3325</b>	<b>.3657</b>	<b>.4008</b>	<b>.3827</b>	<b>.4059</b>	<b>.4304</b>
		4	<b>.4724</b>	<b>.5086</b>	<b>.5439</b>	<b>.5805</b>	<b>.6163</b>	<b>.6522</b>	<b>.6426</b>	<b>.6667</b>	<b>.6918</b>
		5	<b>.6941</b>	<b>.7244</b>	<b>.7528</b>	<b>.7799</b>	<b>.8057</b>	<b>.8312</b>	<b>.8292</b>	<b>.8453</b>	<b>.8622</b>
		6	<b>.8453</b>	<b>.8636</b>	<b>.8805</b>	<b>.8957</b>	<b>.9105</b>	<b>.9254</b>	<b>.9275</b>	<b>.9362</b>	<b>.9454</b>
		7	<b>.9318</b>	<b>.9409</b>	<b>.9495</b>	<b>.9568</b>	<b>.9642</b>	<b>.9718</b>	<b>.9743</b>	<b>.9781</b>	<b>.9822</b>
		8	<b>.9750</b>	<b>.9787</b>	<b>.9824</b>	<b>.9853</b>	<b>.9883</b>	<b>.9914</b>	<b>.9927</b>	<b>.9940</b>	<b>.9954</b>
		9	<b>.9926</b>	<b>.9939</b>	<b>.9951</b>	<b>.9960</b>	<b>.9970</b>	<b>.9980</b>	<b>.9983</b>	<b>.9987</b>	<b>.9991</b>
		10	<b>.9983</b>	<b>.9986</b>	<b>.9989</b>	<b>.9992</b>	<b>.9994</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>
		11	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		12	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		13	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
14	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	17	0	<i>.00150730</i>	<b>.0033</b>	<b>.0044</b>	<b>.0055</b>	<b>.0067</b>	<b>.0080</b>	<b>.0095</b>	<b>.0110</b>	<b>.0127</b>
		1	<b>.0133</b>	<b>.0163</b>	<b>.0199</b>	<b>.0235</b>	<b>.0280</b>	<b>.0271</b>	<b>.0307</b>	<b>.0347</b>	<b>.0391</b>
		2	<b>.0640</b>	<b>.0754</b>	<b>.0884</b>	<b>.1015</b>	<b>.1168</b>	<b>.1079</b>	<b>.1183</b>	<b>.1294</b>	<b>.1413</b>
		3	<b>.1798</b>	<b>.2038</b>	<b>.2292</b>	<b>.2551</b>	<b>.2820</b>	<b>.2677</b>	<b>.2867</b>	<b>.3063</b>	<b>.3280</b>
		4	<b>.3784</b>	<b>.4138</b>	<b>.4482</b>	<b>.4832</b>	<b>.5150</b>	<b>.5061</b>	<b>.5309</b>	<b>.5556</b>	<b>.5837</b>
		5	<b>.6044</b>	<b>.6396</b>	<b>.6711</b>	<b>.7027</b>	<b>.7274</b>	<b>.7258</b>	<b>.7467</b>	<b>.7668</b>	<b>.7913</b>
		6	<b>.7815</b>	<b>.8061</b>	<b>.8265</b>	<b>.8474</b>	<b>.8609</b>	<b>.8637</b>	<b>.8770</b>	<b>.8895</b>	<b>.9064</b>
		7	<b>.8925</b>	<b>.9065</b>	<b>.9175</b>	<b>.9294</b>	<b>.9356</b>	<b>.9398</b>	<b>.9471</b>	<b>.9539</b>	<b>.9638</b>
		8	<b>.9545</b>	<b>.9614</b>	<b>.9666</b>	<b>.9724</b>	<b>.9748</b>	<b>.9777</b>	<b>.9810</b>	<b>.9839</b>	<b>.9886</b>
		9	<b>.9841</b>	<b>.9869</b>	<b>.9889</b>	<b>.9912</b>	<b>.9919</b>	<b>.9932</b>	<b>.9944</b>	<b>.9954</b>	<b>.9971</b>
		10	<b>.9955</b>	<b>.9964</b>	<b>.9971</b>	<b>.9978</b>	<b>.9979</b>	<b>.9983</b>	<b>.9987</b>	<b>.9989</b>	<b>.9994</b>
		11	<b>.9990</b>	<b>.9992</b>	<b>.9994</b>	<b>.9996</b>	<b>.9996</b>	<b>.9997</b>	<b>.9997</b>	<b>.9998</b>	<b>.9999</b>
		12	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		13	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		14	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
15	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	18	0	<i>.00077622</i>	<i>.00099847</i>	<i>.00125561</i>	<b>.0033</b>	<b>.0039</b>	<b>.0047</b>	<b>.0055</b>	<b>.0064</b>	<b>.0073</b>
		1	<b>.0070</b>	<b>.0093</b>	<b>.0134</b>	<b>.0170</b>	<b>.0184</b>	<b>.0173</b>	<b>.0193</b>	<b>.0215</b>	<b>.0242</b>
		2	<b>.0391</b>	<b>.0491</b>	<b>.0648</b>	<b>.0781</b>	<b>.0856</b>	<b>.0754</b>	<b>.0819</b>	<b>.0887</b>	<b>.0965</b>
		3	<b>.1204</b>	<b>.1428</b>	<b>.1780</b>	<b>.2035</b>	<b>.2211</b>	<b>.2009</b>	<b>.2137</b>	<b>.2271</b>	<b>.2420</b>
		4	<b>.2762</b>	<b>.3115</b>	<b>.3688</b>	<b>.4033</b>	<b>.4296</b>	<b>.4111</b>	<b>.4303</b>	<b>.4499</b>	<b>.4709</b>
		5	<b>.4836</b>	<b>.5231</b>	<b>.5925</b>	<b>.6261</b>	<b>.6523</b>	<b>.6426</b>	<b>.6614</b>	<b>.6800</b>	<b>.6994</b>
		6	<b>.6756</b>	<b>.7073</b>	<b>.7712</b>	<b>.7947</b>	<b>.8128</b>	<b>.8102</b>	<b>.8227</b>	<b>.8349</b>	<b>.8476</b>
		7	<b>.8141</b>	<b>.8344</b>	<b>.8825</b>	<b>.8963</b>	<b>.9068</b>	<b>.9085</b>	<b>.9156</b>	<b>.9225</b>	<b>.9298</b>
		8	<b>.9050</b>	<b>.9165</b>	<b>.9467</b>	<b>.9540</b>	<b>.9596</b>	<b>.9620</b>	<b>.9655</b>	<b>.9688</b>	<b>.9723</b>
		9	<b>.9589</b>	<b>.9645</b>	<b>.9797</b>	<b>.9830</b>	<b>.9854</b>	<b>.9869</b>	<b>.9883</b>	<b>.9896</b>	<b>.9909</b>
		10	<b>.9855</b>	<b>.9877</b>	<b>.9936</b>	<b>.9949</b>	<b>.9957</b>	<b>.9963</b>	<b>.9968</b>	<b>.9971</b>	<b>.9975</b>
		11	<b>.9960</b>	<b>.9967</b>	<b>.9984</b>	<b>.9988</b>	<b>.9990</b>	<b>.9992</b>	<b>.9993</b>	<b>.9994</b>	<b>.9995</b>
		12	<b>.9991</b>	<b>.9993</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		13	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		14	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		15	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
16	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	19	0	<i>.00039605</i>	<i>.00051121</i>	<i>.00064570</i>	<i>.00080045</i>	<b>.0021</b>	<b>.0028</b>	<b>.0033</b>	<b>.0040</b>	<b>.0043</b>

Table 33: Sheet V. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			12	13	14	15	16	17	18	19	20
3	19	1	<b>.0062</b>	<b>.0064</b>	<b>.0067</b>	<b>.0069</b>	<b>.0090</b>	<b>.0126</b>	<b>.0156</b>	<b>.0196</b>	<b>.0159</b>
		2	<b>.0339</b>	<b>.0350</b>	<b>.0363</b>	<b>.0377</b>	<b>.0468</b>	<b>.0607</b>	<b>.0717</b>	<b>.0851</b>	<b>.0691</b>
		3	<b>.1026</b>	<b>.1069</b>	<b>.1114</b>	<b>.1163</b>	<b>.1363</b>	<b>.1679</b>	<b>.1893</b>	<b>.2128</b>	<b>.1856</b>
		4	<b>.2340</b>	<b>.2454</b>	<b>.2570</b>	<b>.2690</b>	<b>.2998</b>	<b>.3518</b>	<b>.3812</b>	<b>.4105</b>	<b>.3859</b>
		5	<b>.4235</b>	<b>.4425</b>	<b>.4611</b>	<b>.4794</b>	<b>.5139</b>	<b>.5784</b>	<b>.6080</b>	<b>.6353</b>	<b>.6222</b>
		6	<b>.6210</b>	<b>.6408</b>	<b>.6592</b>	<b>.6768</b>	<b>.7043</b>	<b>.7650</b>	<b>.7864</b>	<b>.8047</b>	<b>.8008</b>
		7	<b>.7747</b>	<b>.7895</b>	<b>.8031</b>	<b>.8158</b>	<b>.8332</b>	<b>.8795</b>	<b>.8922</b>	<b>.9026</b>	<b>.9037</b>
		8	<b>.8785</b>	<b>.8884</b>	<b>.8973</b>	<b>.9057</b>	<b>.9154</b>	<b>.9447</b>	<b>.9515</b>	<b>.9570</b>	<b>.9594</b>
		9	<b>.9434</b>	<b>.9492</b>	<b>.9543</b>	<b>.9590</b>	<b>.9637</b>	<b>.9785</b>	<b>.9817</b>	<b>.9841</b>	<b>.9857</b>
		10	<b>.9782</b>	<b>.9810</b>	<b>.9833</b>	<b>.9854</b>	<b>.9873</b>	<b>.9931</b>	<b>.9943</b>	<b>.9952</b>	<b>.9958</b>
		11	<b>.9932</b>	<b>.9943</b>	<b>.9951</b>	<b>.9958</b>	<b>.9965</b>	<b>.9982</b>	<b>.9986</b>	<b>.9988</b>	<b>.9990</b>
		12	<b>.9983</b>	<b>.9986</b>	<b>.9989</b>	<b>.9991</b>	<b>.9992</b>	<b>.9996</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>
		13	<b>.9997</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>
		14	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		15	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		16	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	20	0	<i>.00020095</i>	<i>.00025991</i>	<i>.00032905</i>	<i>.00040905</i>	<i>.00050050</i>	<b>.0014</b>	<b>.0017</b>	<b>.0019</b>	<b>.0022</b>
		1	<b>.0036</b>	<b>.0037</b>	<b>.0038</b>	<b>.0039</b>	<b>.0041</b>	<b>.0070</b>	<b>.0089</b>	<b>.0096</b>	<b>.0081</b>
		2	<b>.0218</b>	<b>.0223</b>	<b>.0229</b>	<b>.0235</b>	<b>.0242</b>	<b>.0382</b>	<b>.0462</b>	<b>.0505</b>	<b>.0397</b>
		3	<b>.0711</b>	<b>.0734</b>	<b>.0758</b>	<b>.0783</b>	<b>.0808</b>	<b>.1120</b>	<b>.1284</b>	<b>.1391</b>	<b>.1145</b>
		4	<b>.1706</b>	<b>.1777</b>	<b>.1847</b>	<b>.1919</b>	<b>.1991</b>	<b>.2441</b>	<b>.2670</b>	<b>.2841</b>	<b>.2550</b>
		5	<b>.3271</b>	<b>.3411</b>	<b>.3546</b>	<b>.3677</b>	<b>.3804</b>	<b>.4279</b>	<b>.4523</b>	<b>.4717</b>	<b>.4506</b>
		6	<b>.5125</b>	<b>.5296</b>	<b>.5451</b>	<b>.5594</b>	<b>.5726</b>	<b>.6091</b>	<b>.6276</b>	<b>.6427</b>	<b>.6320</b>
		7	<b>.6759</b>	<b>.6895</b>	<b>.7013</b>	<b>.7117</b>	<b>.7210</b>	<b>.7419</b>	<b>.7526</b>	<b>.7615</b>	<b>.7585</b>
		8	<b>.7982</b>	<b>.8073</b>	<b>.8151</b>	<b>.8219</b>	<b>.8280</b>	<b>.8381</b>	<b>.8440</b>	<b>.8492</b>	<b>.8503</b>
		9	<b>.8869</b>	<b>.8928</b>	<b>.8978</b>	<b>.9021</b>	<b>.9058</b>	<b>.9103</b>	<b>.9135</b>	<b>.9163</b>	<b>.9180</b>
		10	<b>.9460</b>	<b>.9494</b>	<b>.9521</b>	<b>.9544</b>	<b>.9564</b>	<b>.9582</b>	<b>.9597</b>	<b>.9610</b>	<b>.9621</b>
		11	<b>.9789</b>	<b>.9805</b>	<b>.9818</b>	<b>.9828</b>	<b>.9836</b>	<b>.9843</b>	<b>.9849</b>	<b>.9854</b>	<b>.9858</b>
		12	<b>.9935</b>	<b>.9941</b>	<b>.9946</b>	<b>.9950</b>	<b>.9952</b>	<b>.9955</b>	<b>.9956</b>	<b>.9958</b>	<b>.9959</b>
		13	<b>.9985</b>	<b>.9987</b>	<b>.9988</b>	<b>.9989</b>	<b>.9990</b>	<b>.9991</b>	<b>.9991</b>	<b>.9991</b>	<b>.9992</b>
		14	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		15	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		16	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
17	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	21	0	<i>.00010157</i>	<i>.00013155</i>	<i>.00016679</i>	<i>.00020767</i>	<i>.00025457</i>	<i>.00030781</i>	<b>.0009</b>	<b>.0010</b>	<b>.0012</b>
		1	<b>.0020</b>	<b>.0021</b>	<b>.0022</b>	<b>.0022</b>	<b>.0023</b>	<b>.0023</b>	<b>.0024</b>	<b>.0025</b>	<b>.0026</b>
		2	<b>.0144</b>	<b>.0147</b>	<b>.0151</b>	<b>.0155</b>	<b>.0159</b>	<b>.0163</b>	<b>.0168</b>	<b>.0173</b>	<b>.0178</b>
		3	<b>.0508</b>	<b>.0522</b>	<b>.0537</b>	<b>.0552</b>	<b>.0568</b>	<b>.0585</b>	<b>.0603</b>	<b>.0622</b>	<b>.0642</b>
		4	<b>.1286</b>	<b>.1334</b>	<b>.1384</b>	<b>.1434</b>	<b>.1486</b>	<b>.1537</b>	<b>.1591</b>	<b>.1646</b>	<b>.1702</b>
		5	<b>.2594</b>	<b>.2706</b>	<b>.2815</b>	<b>.2924</b>	<b>.3030</b>	<b>.3134</b>	<b>.3237</b>	<b>.3340</b>	<b>.3444</b>
		6	<b>.4318</b>	<b>.4482</b>	<b>.4634</b>	<b>.4778</b>	<b>.4912</b>	<b>.5039</b>	<b>.5159</b>	<b>.5275</b>	<b>.5386</b>
		7	<b>.6018</b>	<b>.6170</b>	<b>.6304</b>	<b>.6424</b>	<b>.6532</b>	<b>.6629</b>	<b>.6719</b>	<b>.6803</b>	<b>.6882</b>
		8	<b>.7366</b>	<b>.7473</b>	<b>.7565</b>	<b>.7646</b>	<b>.7718</b>	<b>.7781</b>	<b>.7840</b>	<b>.7895</b>	<b>.7947</b>
		9	<b>.8378</b>	<b>.8451</b>	<b>.8512</b>	<b>.8567</b>	<b>.8614</b>	<b>.8655</b>	<b>.8693</b>	<b>.8729</b>	<b>.8761</b>
		10	<b>.9121</b>	<b>.9166</b>	<b>.9204</b>	<b>.9236</b>	<b>.9264</b>	<b>.9288</b>	<b>.9309</b>	<b>.9328</b>	<b>.9345</b>
		11	<b>.9597</b>	<b>.9621</b>	<b>.9641</b>	<b>.9658</b>	<b>.9671</b>	<b>.9682</b>	<b>.9692</b>	<b>.9700</b>	<b>.9708</b>
		12	<b>.9849</b>	<b>.9860</b>	<b>.9869</b>	<b>.9875</b>	<b>.9881</b>	<b>.9885</b>	<b>.9889</b>	<b>.9892</b>	<b>.9895</b>
		13	<b>.9955</b>	<b>.9960</b>	<b>.9963</b>	<b>.9965</b>	<b>.9967</b>	<b>.9968</b>	<b>.9969</b>	<b>.9970</b>	<b>.9971</b>
		14	<b>.9990</b>	<b>.9991</b>	<b>.9992</b>	<b>.9993</b>	<b>.9993</b>	<b>.9994</b>	<b>.9994</b>	<b>.9994</b>	<b>.9994</b>
		15	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		16	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		17	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
18	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	22	0	<i>.00005120</i>	<i>.00006637</i>	<i>.00008424</i>	<i>.00010500</i>	<i>.00012885</i>	<i>.00015600</i>	<i>.00018662</i>	<b>.0006</b>	<b>.0007</b>
		1	<b>.0012</b>	<b>.0013</b>	<b>.0013</b>	<b>.0013</b>	<b>.0014</b>	<b>.0014</b>	<b>.0015</b>	<b>.0015</b>	<b>.0016</b>
		2	<b>.0095</b>	<b>.0097</b>	<b>.0100</b>	<b>.0102</b>	<b>.0105</b>	<b>.0107</b>	<b>.0110</b>	<b>.0113</b>	<b>.0117</b>



Table 33: Sheet X. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			12	13	14	15	16	17	18	19	20
3	24	19	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		20	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	25	0	<i>.00000649</i>	<i>.00000843</i>	<i>.00001071</i>	<i>.00001338</i>	<i>.00001644</i>	<i>.00001994</i>	<i>.00002390</i>	<i>.00002835</i>	<i>.00003331</i>
		1	<b>.0005</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>	<b>.0006</b>	<b>.0006</b>	<b>.0007</b>	<b>.0007</b>	<b>.0007</b>
		2	<b>.0038</b>	<b>.0038</b>	<b>.0039</b>	<b>.0040</b>	<b>.0040</b>	<b>.0041</b>	<b>.0042</b>	<b>.0043</b>	<b>.0044</b>
		3	<b>.0169</b>	<b>.0171</b>	<b>.0173</b>	<b>.0175</b>	<b>.0178</b>	<b>.0181</b>	<b>.0184</b>	<b>.0187</b>	<b>.0190</b>
		4	<b>.0490</b>	<b>.0498</b>	<b>.0507</b>	<b>.0517</b>	<b>.0527</b>	<b>.0537</b>	<b>.0547</b>	<b>.0558</b>	<b>.0569</b>
		5	<b>.1088</b>	<b>.1118</b>	<b>.1147</b>	<b>.1178</b>	<b>.1208</b>	<b>.1240</b>	<b>.1272</b>	<b>.1304</b>	<b>.1336</b>
		6	<b>.2045</b>	<b>.2119</b>	<b>.2191</b>	<b>.2264</b>	<b>.2337</b>	<b>.2408</b>	<b>.2479</b>	<b>.2550</b>	<b>.2619</b>
		7	<b>.3370</b>	<b>.3500</b>	<b>.3625</b>	<b>.3745</b>	<b>.3861</b>	<b>.3972</b>	<b>.4079</b>	<b>.4181</b>	<b>.4279</b>
		8	<b>.4867</b>	<b>.5024</b>	<b>.5166</b>	<b>.5297</b>	<b>.5417</b>	<b>.5528</b>	<b>.5630</b>	<b>.5724</b>	<b>.5812</b>
		9	<b>.6148</b>	<b>.6288</b>	<b>.6410</b>	<b>.6518</b>	<b>.6615</b>	<b>.6702</b>	<b>.6779</b>	<b>.6850</b>	<b>.6914</b>
		10	<b>.7289</b>	<b>.7387</b>	<b>.7470</b>	<b>.7544</b>	<b>.7609</b>	<b>.7667</b>	<b>.7719</b>	<b>.7766</b>	<b>.7809</b>
		11	<b>.8191</b>	<b>.8259</b>	<b>.8317</b>	<b>.8368</b>	<b>.8413</b>	<b>.8453</b>	<b>.8488</b>	<b>.8520</b>	<b>.8549</b>
		12	<b>.8909</b>	<b>.8955</b>	<b>.8993</b>	<b>.9027</b>	<b>.9056</b>	<b>.9081</b>	<b>.9102</b>	<b>.9121</b>	<b>.9138</b>
		13	<b>.9426</b>	<b>.9454</b>	<b>.9476</b>	<b>.9495</b>	<b>.9511</b>	<b>.9524</b>	<b>.9536</b>	<b>.9546</b>	<b>.9554</b>
		14	<b>.9744</b>	<b>.9758</b>	<b>.9769</b>	<b>.9778</b>	<b>.9786</b>	<b>.9792</b>	<b>.9797</b>	<b>.9801</b>	<b>.9805</b>
		15	<b>.9905</b>	<b>.9911</b>	<b>.9916</b>	<b>.9920</b>	<b>.9923</b>	<b>.9925</b>	<b>.9927</b>	<b>.9929</b>	<b>.9930</b>
		16	<b>.9972</b>	<b>.9974</b>	<b>.9976</b>	<b>.9977</b>	<b>.9978</b>	<b>.9979</b>	<b>.9979</b>	<b>.9980</b>	<b>.9980</b>
		17	<b>.9993</b>	<b>.9994</b>	<b>.9995</b>	<b>.9995</b>	<b>.9995</b>	<b>.9996</b>	<b>.9996</b>	<b>.9996</b>	<b>.9996</b>
		18	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		19	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		20	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
21	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	26	0	<i>.00000325</i>	<i>.00000423</i>	<i>.00000537</i>	<i>.00000671</i>	<i>.00000825</i>	<i>.00001001</i>	<i>.00001200</i>	<i>.00001424</i>	<i>.00001674</i>
		1	<b>.0005</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>	<b>.0006</b>	<b>.0006</b>	<b>.0006</b>	<b>.0007</b>	<b>.0007</b>
		2	<b>.0037</b>	<b>.0038</b>	<b>.0038</b>	<b>.0039</b>	<b>.0039</b>	<b>.0040</b>	<b>.0040</b>	<b>.0041</b>	<b>.0042</b>
		3	<b>.0165</b>	<b>.0166</b>	<b>.0168</b>	<b>.0170</b>	<b>.0171</b>	<b>.0173</b>	<b>.0175</b>	<b>.0177</b>	<b>.0180</b>
		4	<b>.0468</b>	<b>.0474</b>	<b>.0480</b>	<b>.0486</b>	<b>.0493</b>	<b>.0499</b>	<b>.0506</b>	<b>.0514</b>	<b>.0521</b>
		5	<b>.1008</b>	<b>.1028</b>	<b>.1048</b>	<b>.1068</b>	<b>.1089</b>	<b>.1110</b>	<b>.1132</b>	<b>.1154</b>	<b>.1177</b>
		6	<b>.1842</b>	<b>.1895</b>	<b>.1949</b>	<b>.2002</b>	<b>.2056</b>	<b>.2110</b>	<b>.2164</b>	<b>.2218</b>	<b>.2271</b>
		7	<b>.3015</b>	<b>.3122</b>	<b>.3227</b>	<b>.3329</b>	<b>.3428</b>	<b>.3525</b>	<b>.3619</b>	<b>.3711</b>	<b>.3800</b>
		8	<b>.4443</b>	<b>.4593</b>	<b>.4733</b>	<b>.4864</b>	<b>.4986</b>	<b>.5101</b>	<b>.5209</b>	<b>.5309</b>	<b>.5404</b>
		9	<b>.5751</b>	<b>.5902</b>	<b>.6037</b>	<b>.6160</b>	<b>.6270</b>	<b>.6370</b>	<b>.6461</b>	<b>.6544</b>	<b>.6620</b>
		10	<b>.7006</b>	<b>.7121</b>	<b>.7219</b>	<b>.7306</b>	<b>.7382</b>	<b>.7450</b>	<b>.7511</b>	<b>.7567</b>	<b>.7617</b>
		11	<b>.7990</b>	<b>.8070</b>	<b>.8138</b>	<b>.8198</b>	<b>.8251</b>	<b>.8299</b>	<b>.8342</b>	<b>.8380</b>	<b>.8415</b>
		12	<b>.8764</b>	<b>.8820</b>	<b>.8867</b>	<b>.8909</b>	<b>.8946</b>	<b>.8978</b>	<b>.9007</b>	<b>.9032</b>	<b>.9055</b>
		13	<b>.9331</b>	<b>.9368</b>	<b>.9398</b>	<b>.9424</b>	<b>.9447</b>	<b>.9466</b>	<b>.9482</b>	<b>.9497</b>	<b>.9509</b>
		14	<b>.9690</b>	<b>.9711</b>	<b>.9728</b>	<b>.9742</b>	<b>.9753</b>	<b>.9763</b>	<b>.9771</b>	<b>.9778</b>	<b>.9784</b>
		15	<b>.9879</b>	<b>.9889</b>	<b>.9897</b>	<b>.9904</b>	<b>.9909</b>	<b>.9913</b>	<b>.9917</b>	<b>.9920</b>	<b>.9922</b>
		16	<b>.9961</b>	<b>.9965</b>	<b>.9968</b>	<b>.9971</b>	<b>.9973</b>	<b>.9974</b>	<b>.9976</b>	<b>.9977</b>	<b>.9978</b>
		17	<b>.9990</b>	<b>.9991</b>	<b>.9992</b>	<b>.9993</b>	<b>.9994</b>	<b>.9994</b>	<b>.9995</b>	<b>.9995</b>	<b>.9995</b>
		18	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		19	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		20	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
21	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	27	0	<i>.00000163</i>	<i>.00000212</i>	<i>.00000269</i>	<i>.00000336</i>	<i>.00000414</i>	<i>.00000502</i>	<i>.00000602</i>	<i>.00000715</i>	<i>.00000840</i>
		1	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>
		2	<b>.0024</b>	<b>.0025</b>	<b>.0025</b>	<b>.0026</b>	<b>.0026</b>	<b>.0027</b>	<b>.0027</b>	<b>.0028</b>	<b>.0028</b>
		3	<b>.0116</b>	<b>.0117</b>	<b>.0118</b>	<b>.0120</b>	<b>.0121</b>	<b>.0123</b>	<b>.0124</b>	<b>.0125</b>	<b>.0127</b>
		4	<b>.0349</b>	<b>.0352</b>	<b>.0356</b>	<b>.0359</b>	<b>.0363</b>	<b>.0367</b>	<b>.0372</b>	<b>.0376</b>	<b>.0381</b>
		5	<b>.0790</b>	<b>.0803</b>	<b>.0816</b>	<b>.0829</b>	<b>.0843</b>	<b>.0857</b>	<b>.0871</b>	<b>.0886</b>	<b>.0901</b>
		6	<b>.1486</b>	<b>.1523</b>	<b>.1561</b>	<b>.1600</b>	<b>.1638</b>	<b>.1677</b>	<b>.1717</b>	<b>.1756</b>	<b>.1796</b>
		7	<b>.2479</b>	<b>.2563</b>	<b>.2646</b>	<b>.2728</b>	<b>.2809</b>	<b>.2888</b>	<b>.2967</b>	<b>.3044</b>	<b>.3119</b>
		8	<b>.3754</b>	<b>.3890</b>	<b>.4018</b>	<b>.4141</b>	<b>.4258</b>	<b>.4369</b>	<b>.4475</b>	<b>.4575</b>	<b>.4671</b>
		9	<b>.4978</b>	<b>.5132</b>	<b>.5273</b>	<b>.5403</b>	<b>.5523</b>	<b>.5633</b>	<b>.5734</b>	<b>.5828</b>	<b>.5915</b>

Table 33: Sheet Y. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			12	13	14	15	16	17	18	19	20
3	27	10	<b>.6254</b>	<b>.6385</b>	<b>.6499</b>	<b>.6600</b>	<b>.6690</b>	<b>.6770</b>	<b>.6842</b>	<b>.6907</b>	<b>.6966</b>
		11	<b>.7286</b>	<b>.7378</b>	<b>.7457</b>	<b>.7527</b>	<b>.7589</b>	<b>.7645</b>	<b>.7694</b>	<b>.7740</b>	<b>.7781</b>
		12	<b>.8135</b>	<b>.8201</b>	<b>.8257</b>	<b>.8307</b>	<b>.8352</b>	<b>.8391</b>	<b>.8427</b>	<b>.8458</b>	<b>.8487</b>
		13	<b>.8837</b>	<b>.8883</b>	<b>.8922</b>	<b>.8956</b>	<b>.8985</b>	<b>.9011</b>	<b>.9033</b>	<b>.9053</b>	<b>.9071</b>
		14	<b>.9363</b>	<b>.9392</b>	<b>.9415</b>	<b>.9435</b>	<b>.9452</b>	<b>.9466</b>	<b>.9479</b>	<b>.9490</b>	<b>.9499</b>
		15	<b>.9700</b>	<b>.9716</b>	<b>.9728</b>	<b>.9738</b>	<b>.9747</b>	<b>.9754</b>	<b>.9760</b>	<b>.9765</b>	<b>.9769</b>
		16	<b>.9882</b>	<b>.9889</b>	<b>.9894</b>	<b>.9899</b>	<b>.9902</b>	<b>.9905</b>	<b>.9908</b>	<b>.9910</b>	<b>.9911</b>
		17	<b>.9962</b>	<b>.9964</b>	<b>.9967</b>	<b>.9968</b>	<b>.9970</b>	<b>.9971</b>	<b>.9972</b>	<b>.9972</b>	<b>.9973</b>
		18	<b>.9990</b>	<b>.9991</b>	<b>.9992</b>	<b>.9992</b>	<b>.9993</b>	<b>.9993</b>	<b>.9993</b>	<b>.9993</b>	<b>.9994</b>
		19	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		20	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		21	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
22	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	28	0	<i>.00000082</i>	<i>.00000106</i>	<i>.00000135</i>	<i>.00000169</i>	<i>.00000207</i>	<i>.00000252</i>	<i>.00000302</i>	<i>.00000358</i>	<i>.00000421</i>
		1	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>
		2	<b>.0016</b>	<b>.0017</b>	<b>.0017</b>	<b>.0017</b>	<b>.0018</b>	<b>.0018</b>	<b>.0019</b>	<b>.0019</b>	<b>.0020</b>
		3	<b>.0081</b>	<b>.0082</b>	<b>.0083</b>	<b>.0084</b>	<b>.0085</b>	<b>.0087</b>	<b>.0088</b>	<b>.0089</b>	<b>.0090</b>
		4	<b>.0260</b>	<b>.0262</b>	<b>.0265</b>	<b>.0267</b>	<b>.0270</b>	<b>.0272</b>	<b>.0275</b>	<b>.0278</b>	<b>.0281</b>
		5	<b>.0620</b>	<b>.0628</b>	<b>.0637</b>	<b>.0645</b>	<b>.0654</b>	<b>.0664</b>	<b>.0673</b>	<b>.0683</b>	<b>.0693</b>
		6	<b>.1204</b>	<b>.1230</b>	<b>.1256</b>	<b>.1283</b>	<b>.1310</b>	<b>.1337</b>	<b>.1365</b>	<b>.1393</b>	<b>.1421</b>
		7	<b>.2059</b>	<b>.2122</b>	<b>.2185</b>	<b>.2248</b>	<b>.2311</b>	<b>.2373</b>	<b>.2434</b>	<b>.2495</b>	<b>.2556</b>
		8	<b>.3204</b>	<b>.3319</b>	<b>.3430</b>	<b>.3538</b>	<b>.3643</b>	<b>.3743</b>	<b>.3841</b>	<b>.3934</b>	<b>.4025</b>
		9	<b>.4363</b>	<b>.4510</b>	<b>.4648</b>	<b>.4777</b>	<b>.4898</b>	<b>.5012</b>	<b>.5118</b>	<b>.5219</b>	<b>.5313</b>
		10	<b>.5676</b>	<b>.5820</b>	<b>.5948</b>	<b>.6062</b>	<b>.6166</b>	<b>.6259</b>	<b>.6343</b>	<b>.6419</b>	<b>.6489</b>
		11	<b>.6780</b>	<b>.6888</b>	<b>.6980</b>	<b>.7061</b>	<b>.7133</b>	<b>.7197</b>	<b>.7255</b>	<b>.7307</b>	<b>.7355</b>
		12	<b>.7680</b>	<b>.7756</b>	<b>.7821</b>	<b>.7879</b>	<b>.7931</b>	<b>.7977</b>	<b>.8019</b>	<b>.8057</b>	<b>.8091</b>
		13	<b>.8444</b>	<b>.8499</b>	<b>.8546</b>	<b>.8587</b>	<b>.8624</b>	<b>.8656</b>	<b>.8685</b>	<b>.8711</b>	<b>.8734</b>
14	<b>.9063</b>	<b>.9100</b>	<b>.9131</b>	<b>.9158</b>	<b>.9181</b>	<b>.9201</b>	<b>.9219</b>	<b>.9234</b>	<b>.9247</b>		
15	<b>.9506</b>	<b>.9528</b>	<b>.9546</b>	<b>.9561</b>	<b>.9574</b>	<b>.9585</b>	<b>.9594</b>	<b>.9602</b>	<b>.9609</b>		
16	<b>.9777</b>	<b>.9788</b>	<b>.9797</b>	<b>.9805</b>	<b>.9811</b>	<b>.9816</b>	<b>.9820</b>	<b>.9823</b>	<b>.9826</b>		
17	<b>.9915</b>	<b>.9920</b>	<b>.9924</b>	<b>.9927</b>	<b>.9930</b>	<b>.9932</b>	<b>.9933</b>	<b>.9935</b>	<b>.9936</b>		
18	<b>.9974</b>	<b>.9976</b>	<b>.9977</b>	<b>.9978</b>	<b>.9979</b>	<b>.9980</b>	<b>.9980</b>	<b>.9981</b>	<b>.9981</b>		
19	<b>.9993</b>	<b>.9994</b>	<b>.9994</b>	<b>.9995</b>	<b>.9995</b>	<b>.9995</b>	<b>.9995</b>	<b>.9996</b>	<b>.9996</b>		
20	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>		
21	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
22	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
23	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	29	0	<i>.00000041</i>	<i>.00000053</i>	<i>.00000068</i>	<i>.00000084</i>	<i>.00000104</i>	<i>.00000126</i>	<i>.00000151</i>	<i>.00000179</i>	<i>.00000211</i>
		1	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>
		2	<b>.0016</b>	<b>.0016</b>	<b>.0017</b>	<b>.0017</b>	<b>.0018</b>	<b>.0018</b>	<b>.0019</b>	<b>.0019</b>	<b>.0019</b>
		3	<b>.0081</b>	<b>.0082</b>	<b>.0082</b>	<b>.0083</b>	<b>.0084</b>	<b>.0085</b>	<b>.0086</b>	<b>.0087</b>	<b>.0088</b>
		4	<b>.0256</b>	<b>.0257</b>	<b>.0259</b>	<b>.0261</b>	<b>.0263</b>	<b>.0265</b>	<b>.0267</b>	<b>.0269</b>	<b>.0271</b>
		5	<b>.0600</b>	<b>.0605</b>	<b>.0611</b>	<b>.0617</b>	<b>.0623</b>	<b>.0629</b>	<b>.0636</b>	<b>.0643</b>	<b>.0649</b>
		6	<b>.1135</b>	<b>.1152</b>	<b>.1170</b>	<b>.1188</b>	<b>.1206</b>	<b>.1225</b>	<b>.1244</b>	<b>.1264</b>	<b>.1284</b>
		7	<b>.1886</b>	<b>.1932</b>	<b>.1978</b>	<b>.2025</b>	<b>.2071</b>	<b>.2118</b>	<b>.2164</b>	<b>.2211</b>	<b>.2257</b>
		8	<b>.2894</b>	<b>.2988</b>	<b>.3079</b>	<b>.3169</b>	<b>.3257</b>	<b>.3343</b>	<b>.3427</b>	<b>.3509</b>	<b>.3589</b>
		9	<b>.3961</b>	<b>.4093</b>	<b>.4219</b>	<b>.4339</b>	<b>.4454</b>	<b>.4564</b>	<b>.4668</b>	<b>.4767</b>	<b>.4862</b>
		10	<b>.5279</b>	<b>.5429</b>	<b>.5564</b>	<b>.5689</b>	<b>.5802</b>	<b>.5906</b>	<b>.6001</b>	<b>.6089</b>	<b>.6170</b>
		11	<b>.6478</b>	<b>.6602</b>	<b>.6708</b>	<b>.6803</b>	<b>.6887</b>	<b>.6961</b>	<b>.7029</b>	<b>.7089</b>	<b>.7145</b>
		12	<b>.7462</b>	<b>.7550</b>	<b>.7625</b>	<b>.7692</b>	<b>.7751</b>	<b>.7804</b>	<b>.7852</b>	<b>.7896</b>	<b>.7936</b>
		13	<b>.8279</b>	<b>.8343</b>	<b>.8398</b>	<b>.8447</b>	<b>.8490</b>	<b>.8529</b>	<b>.8564</b>	<b>.8596</b>	<b>.8625</b>
14	<b>.8944</b>	<b>.8989</b>	<b>.9028</b>	<b>.9062</b>	<b>.9092</b>	<b>.9118</b>	<b>.9141</b>	<b>.9162</b>	<b>.9180</b>		
15	<b>.9429</b>	<b>.9459</b>	<b>.9483</b>	<b>.9504</b>	<b>.9522</b>	<b>.9537</b>	<b>.9551</b>	<b>.9562</b>	<b>.9572</b>		
16	<b>.9734</b>	<b>.9750</b>	<b>.9764</b>	<b>.9775</b>	<b>.9784</b>	<b>.9792</b>	<b>.9799</b>	<b>.9804</b>	<b>.9809</b>		
17	<b>.9894</b>	<b>.9902</b>	<b>.9909</b>	<b>.9914</b>	<b>.9918</b>	<b>.9922</b>	<b>.9925</b>	<b>.9927</b>	<b>.9929</b>		
18	<b>.9965</b>	<b>.9968</b>	<b>.9971</b>	<b>.9973</b>	<b>.9975</b>	<b>.9976</b>	<b>.9977</b>	<b>.9978</b>	<b>.9979</b>		



Table 33: Sheet Z1. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix									
			12	13	14	15	16	17	18	19	20	
3	31	25	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	32	0	<i>.00000005</i>	<i>.00000007</i>	<i>.00000008</i>	<i>.00000011</i>	<i>.00000013</i>	<i>.00000016</i>	<i>.00000019</i>	<i>.00000023</i>	<i>.00000026</i>	
		1	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	
		2	<b>.0006</b>	<b>.0006</b>	<b>.0007</b>	<b>.0007</b>	<b>.0007</b>	<b>.0008</b>	<b>.0008</b>	<b>.0009</b>	<b>.0009</b>	
		3	<b>.0028</b>	<b>.0029</b>	<b>.0029</b>	<b>.0030</b>	<b>.0031</b>	<b>.0031</b>	<b>.0032</b>	<b>.0033</b>	<b>.0034</b>	
		4	<b>.0101</b>	<b>.0102</b>	<b>.0103</b>	<b>.0104</b>	<b>.0105</b>	<b>.0106</b>	<b>.0107</b>	<b>.0108</b>	<b>.0109</b>	
		5	<b>.0279</b>	<b>.0280</b>	<b>.0282</b>	<b>.0284</b>	<b>.0285</b>	<b>.0287</b>	<b>.0289</b>	<b>.0291</b>	<b>.0293</b>	
		6	<b>.0604</b>	<b>.0610</b>	<b>.0615</b>	<b>.0620</b>	<b>.0626</b>	<b>.0632</b>	<b>.0638</b>	<b>.0644</b>	<b>.0650</b>	
		7	<b>.1094</b>	<b>.1110</b>	<b>.1125</b>	<b>.1141</b>	<b>.1158</b>	<b>.1174</b>	<b>.1191</b>	<b>.1208</b>	<b>.1225</b>	
		8	<b>.1768</b>	<b>.1808</b>	<b>.1848</b>	<b>.1888</b>	<b>.1928</b>	<b>.1968</b>	<b>.2008</b>	<b>.2048</b>	<b>.2088</b>	
		9	<b>.2539</b>	<b>.2611</b>	<b>.2681</b>	<b>.2750</b>	<b>.2819</b>	<b>.2887</b>	<b>.2954</b>	<b>.3020</b>	<b>.3085</b>	
		10	<b>.3598</b>	<b>.3716</b>	<b>.3829</b>	<b>.3939</b>	<b>.4044</b>	<b>.4145</b>	<b>.4241</b>	<b>.4334</b>	<b>.4424</b>	
		11	<b>.4801</b>	<b>.4946</b>	<b>.5079</b>	<b>.5202</b>	<b>.5316</b>	<b>.5422</b>	<b>.5519</b>	<b>.5610</b>	<b>.5694</b>	
		12	<b>.5949</b>	<b>.6080</b>	<b>.6194</b>	<b>.6296</b>	<b>.6386</b>	<b>.6467</b>	<b>.6541</b>	<b>.6607</b>	<b>.6667</b>	
		13	<b>.6920</b>	<b>.7016</b>	<b>.7099</b>	<b>.7172</b>	<b>.7236</b>	<b>.7294</b>	<b>.7346</b>	<b>.7394</b>	<b>.7438</b>	
		14	<b>.7742</b>	<b>.7812</b>	<b>.7873</b>	<b>.7927</b>	<b>.7976</b>	<b>.8020</b>	<b>.8060</b>	<b>.8096</b>	<b>.8130</b>	
		15	<b>.8456</b>	<b>.8510</b>	<b>.8555</b>	<b>.8596</b>	<b>.8633</b>	<b>.8665</b>	<b>.8694</b>	<b>.8720</b>	<b>.8744</b>	
		16	<b>.9044</b>	<b>.9082</b>	<b>.9114</b>	<b>.9142</b>	<b>.9166</b>	<b>.9188</b>	<b>.9207</b>	<b>.9223</b>	<b>.9238</b>	
		17	<b>.9474</b>	<b>.9498</b>	<b>.9518</b>	<b>.9535</b>	<b>.9549</b>	<b>.9562</b>	<b>.9572</b>	<b>.9582</b>	<b>.9590</b>	
		18	<b>.9747</b>	<b>.9760</b>	<b>.9771</b>	<b>.9780</b>	<b>.9788</b>	<b>.9794</b>	<b>.9799</b>	<b>.9804</b>	<b>.9808</b>	
		19	<b>.9895</b>	<b>.9901</b>	<b>.9906</b>	<b>.9911</b>	<b>.9914</b>	<b>.9917</b>	<b>.9919</b>	<b>.9922</b>	<b>.9923</b>	
		20	<b>.9963</b>	<b>.9966</b>	<b>.9968</b>	<b>.9970</b>	<b>.9971</b>	<b>.9972</b>	<b>.9973</b>	<b>.9974</b>	<b>.9974</b>	
		21	<b>.9989</b>	<b>.9990</b>	<b>.9991</b>	<b>.9991</b>	<b>.9992</b>	<b>.9992</b>	<b>.9993</b>	<b>.9993</b>	<b>.9993</b>	
		22	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	
		23	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	
		24	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	
		25	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	
		26	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	
3	33	0	<i>.00000003</i>	<i>.00000003</i>	<i>.00000004</i>	<i>.00000005</i>	<i>.00000007</i>	<i>.00000008</i>	<i>.00000009</i>	<i>.00000011</i>	<i>.00000013</i>	
		1	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	
		2	<b>.0006</b>	<b>.0006</b>	<b>.0007</b>	<b>.0007</b>	<b>.0007</b>	<b>.0008</b>	<b>.0008</b>	<b>.0009</b>	<b>.0009</b>	
		3	<b>.0028</b>	<b>.0028</b>	<b>.0029</b>	<b>.0030</b>	<b>.0031</b>	<b>.0031</b>	<b>.0032</b>	<b>.0033</b>	<b>.0033</b>	
		4	<b>.0100</b>	<b>.0101</b>	<b>.0102</b>	<b>.0103</b>	<b>.0104</b>	<b>.0105</b>	<b>.0105</b>	<b>.0106</b>	<b>.0107</b>	
		5	<b>.0276</b>	<b>.0277</b>	<b>.0279</b>	<b>.0280</b>	<b>.0281</b>	<b>.0283</b>	<b>.0284</b>	<b>.0286</b>	<b>.0287</b>	
		6	<b>.0589</b>	<b>.0592</b>	<b>.0596</b>	<b>.0599</b>	<b>.0603</b>	<b>.0606</b>	<b>.0610</b>	<b>.0614</b>	<b>.0618</b>	
		7	<b>.1051</b>	<b>.1061</b>	<b>.1072</b>	<b>.1082</b>	<b>.1093</b>	<b>.1104</b>	<b>.1116</b>	<b>.1127</b>	<b>.1139</b>	
		8	<b>.1661</b>	<b>.1689</b>	<b>.1717</b>	<b>.1745</b>	<b>.1774</b>	<b>.1803</b>	<b>.1832</b>	<b>.1861</b>	<b>.1891</b>	
		9	<b>.2347</b>	<b>.2400</b>	<b>.2453</b>	<b>.2507</b>	<b>.2560</b>	<b>.2612</b>	<b>.2665</b>	<b>.2717</b>	<b>.2768</b>	
		10	<b>.3284</b>	<b>.3383</b>	<b>.3479</b>	<b>.3572</b>	<b>.3663</b>	<b>.3752</b>	<b>.3837</b>	<b>.3921</b>	<b>.4002</b>	
		11	<b>.4416</b>	<b>.4553</b>	<b>.4682</b>	<b>.4803</b>	<b>.4916</b>	<b>.5023</b>	<b>.5123</b>	<b>.5218</b>	<b>.5307</b>	
		12	<b>.5599</b>	<b>.5739</b>	<b>.5864</b>	<b>.5977</b>	<b>.6079</b>	<b>.6171</b>	<b>.6255</b>	<b>.6331</b>	<b>.6401</b>	
		13	<b>.6655</b>	<b>.6766</b>	<b>.6861</b>	<b>.6945</b>	<b>.7019</b>	<b>.7085</b>	<b>.7145</b>	<b>.7199</b>	<b>.7248</b>	
		14	<b>.7543</b>	<b>.7623</b>	<b>.7692</b>	<b>.7753</b>	<b>.7808</b>	<b>.7857</b>	<b>.7902</b>	<b>.7943</b>	<b>.7981</b>	
		15	<b>.8300</b>	<b>.8360</b>	<b>.8413</b>	<b>.8460</b>	<b>.8502</b>	<b>.8540</b>	<b>.8574</b>	<b>.8605</b>	<b>.8633</b>	
		16	<b>.8926</b>	<b>.8971</b>	<b>.9010</b>	<b>.9044</b>	<b>.9074</b>	<b>.9101</b>	<b>.9125</b>	<b>.9146</b>	<b>.9165</b>	
		17	<b>.9393</b>	<b>.9424</b>	<b>.9450</b>	<b>.9472</b>	<b>.9492</b>	<b>.9509</b>	<b>.9523</b>	<b>.9536</b>	<b>.9548</b>	
		18	<b>.9698</b>	<b>.9716</b>	<b>.9732</b>	<b>.9745</b>	<b>.9756</b>	<b>.9765</b>	<b>.9773</b>	<b>.9780</b>	<b>.9786</b>	
		19	<b>.9868</b>	<b>.9878</b>	<b>.9886</b>	<b>.9893</b>	<b>.9899</b>	<b>.9903</b>	<b>.9907</b>	<b>.9910</b>	<b>.9913</b>	
		20	<b>.9950</b>	<b>.9955</b>	<b>.9959</b>	<b>.9962</b>	<b>.9964</b>	<b>.9966</b>	<b>.9968</b>	<b>.9969</b>	<b>.9970</b>	
		21	<b>.9984</b>	<b>.9986</b>	<b>.9987</b>	<b>.9988</b>	<b>.9989</b>	<b>.9990</b>	<b>.9991</b>	<b>.9991</b>	<b>.9992</b>	
		22	<b>.9995</b>	<b>.9996</b>	<b>.9997</b>	<b>.9997</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	
		23	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	
		24	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	
		25	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	
		26	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	
3	34	0	<i>.00000001</i>	<i>.00000002</i>	<i>.00000002</i>	<i>.00000003</i>	<i>.00000003</i>	<i>.00000004</i>	<i>.00000005</i>	<i>.00000006</i>	<i>.00000007</i>	







Table 33: Sheet Z4. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix										
			12	13	14	15	16	17	18	19	20		
3	37	27	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		28	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		29	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	38	0	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>
		2	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>	<b>.0006</b>	<b>.0006</b>	<b>.0007</b>
		3	<b>.0009</b>	<b>.0010</b>	<b>.0011</b>	<b>.0011</b>	<b>.0012</b>	<b>.0013</b>	<b>.0013</b>	<b>.0013</b>	<b>.0014</b>	<b>.0014</b>	<b>.0015</b>
		4	<b>.0027</b>	<b>.0028</b>	<b>.0029</b>	<b>.0029</b>	<b>.0030</b>	<b>.0031</b>	<b>.0031</b>	<b>.0031</b>	<b>.0032</b>	<b>.0032</b>	<b>.0033</b>
		5	<b>.0087</b>	<b>.0088</b>	<b>.0089</b>	<b>.0090</b>	<b>.0090</b>	<b>.0091</b>	<b>.0091</b>	<b>.0092</b>	<b>.0092</b>	<b>.0093</b>	<b>.0093</b>
		6	<b>.0227</b>	<b>.0228</b>	<b>.0229</b>	<b>.0230</b>	<b>.0231</b>	<b>.0232</b>	<b>.0232</b>	<b>.0233</b>	<b>.0233</b>	<b>.0234</b>	<b>.0235</b>
		7	<b>.0476</b>	<b>.0478</b>	<b>.0480</b>	<b>.0481</b>	<b>.0483</b>	<b>.0485</b>	<b>.0485</b>	<b>.0486</b>	<b>.0486</b>	<b>.0488</b>	<b>.0490</b>
		8	<b>.0843</b>	<b>.0847</b>	<b>.0852</b>	<b>.0856</b>	<b>.0861</b>	<b>.0866</b>	<b>.0866</b>	<b>.0871</b>	<b>.0871</b>	<b>.0876</b>	<b>.0881</b>
		9	<b>.1289</b>	<b>.1299</b>	<b>.1309</b>	<b>.1319</b>	<b>.1329</b>	<b>.1339</b>	<b>.1339</b>	<b>.1349</b>	<b>.1349</b>	<b>.1360</b>	<b>.1371</b>
		10	<b>.1823</b>	<b>.1847</b>	<b>.1871</b>	<b>.1896</b>	<b>.1920</b>	<b>.1945</b>	<b>.1945</b>	<b>.1969</b>	<b>.1969</b>	<b>.1994</b>	<b>.2019</b>
		11	<b>.2463</b>	<b>.2514</b>	<b>.2566</b>	<b>.2617</b>	<b>.2667</b>	<b>.2718</b>	<b>.2718</b>	<b>.2767</b>	<b>.2767</b>	<b>.2817</b>	<b>.2866</b>
		12	<b>.3260</b>	<b>.3352</b>	<b>.3441</b>	<b>.3528</b>	<b>.3613</b>	<b>.3695</b>	<b>.3695</b>	<b>.3775</b>	<b>.3775</b>	<b>.3852</b>	<b>.3928</b>
		13	<b>.4222</b>	<b>.4351</b>	<b>.4471</b>	<b>.4585</b>	<b>.4693</b>	<b>.4794</b>	<b>.4794</b>	<b>.4889</b>	<b>.4889</b>	<b>.4980</b>	<b>.5065</b>
		14	<b>.5250</b>	<b>.5387</b>	<b>.5509</b>	<b>.5621</b>	<b>.5722</b>	<b>.5813</b>	<b>.5813</b>	<b>.5897</b>	<b>.5897</b>	<b>.5974</b>	<b>.6044</b>
		15	<b>.6202</b>	<b>.6316</b>	<b>.6414</b>	<b>.6500</b>	<b>.6577</b>	<b>.6645</b>	<b>.6645</b>	<b>.6706</b>	<b>.6706</b>	<b>.6762</b>	<b>.6812</b>
		16	<b>.7028</b>	<b>.7112</b>	<b>.7184</b>	<b>.7248</b>	<b>.7304</b>	<b>.7355</b>	<b>.7355</b>	<b>.7402</b>	<b>.7402</b>	<b>.7445</b>	<b>.7484</b>
		17	<b>.7762</b>	<b>.7827</b>	<b>.7882</b>	<b>.7933</b>	<b>.7978</b>	<b>.8019</b>	<b>.8019</b>	<b>.8056</b>	<b>.8056</b>	<b>.8091</b>	<b>.8123</b>
		18	<b>.8423</b>	<b>.8473</b>	<b>.8517</b>	<b>.8557</b>	<b>.8592</b>	<b>.8624</b>	<b>.8624</b>	<b>.8653</b>	<b>.8653</b>	<b>.8679</b>	<b>.8703</b>
		19	<b>.8980</b>	<b>.9018</b>	<b>.9050</b>	<b>.9079</b>	<b>.9105</b>	<b>.9127</b>	<b>.9127</b>	<b>.9147</b>	<b>.9147</b>	<b>.9165</b>	<b>.9181</b>
		20	<b>.9403</b>	<b>.9429</b>	<b>.9451</b>	<b>.9470</b>	<b>.9486</b>	<b>.9501</b>	<b>.9501</b>	<b>.9513</b>	<b>.9513</b>	<b>.9524</b>	<b>.9534</b>
		21	<b>.9687</b>	<b>.9703</b>	<b>.9716</b>	<b>.9728</b>	<b>.9737</b>	<b>.9745</b>	<b>.9745</b>	<b>.9752</b>	<b>.9752</b>	<b>.9759</b>	<b>.9764</b>
		22	<b>.9855</b>	<b>.9863</b>	<b>.9871</b>	<b>.9877</b>	<b>.9882</b>	<b>.9886</b>	<b>.9886</b>	<b>.9889</b>	<b>.9889</b>	<b>.9892</b>	<b>.9895</b>
		23	<b>.9941</b>	<b>.9945</b>	<b>.9948</b>	<b>.9951</b>	<b>.9954</b>	<b>.9955</b>	<b>.9955</b>	<b>.9957</b>	<b>.9957</b>	<b>.9959</b>	<b>.9960</b>
		24	<b>.9979</b>	<b>.9981</b>	<b>.9982</b>	<b>.9983</b>	<b>.9984</b>	<b>.9985</b>	<b>.9985</b>	<b>.9986</b>	<b>.9986</b>	<b>.9986</b>	<b>.9987</b>
		25	<b>.9993</b>	<b>.9994</b>	<b>.9995</b>	<b>.9995</b>	<b>.9995</b>	<b>.9996</b>	<b>.9996</b>	<b>.9996</b>	<b>.9996</b>	<b>.9996</b>	<b>.9996</b>
		26	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		27	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		28	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		29	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		30	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	39	0	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>
		2	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>	<b>.0006</b>	<b>.0006</b>	<b>.0007</b>
		3	<b>.0009</b>	<b>.0010</b>	<b>.0011</b>	<b>.0011</b>	<b>.0012</b>	<b>.0013</b>	<b>.0013</b>	<b>.0013</b>	<b>.0014</b>	<b>.0014</b>	<b>.0015</b>
		4	<b>.0027</b>	<b>.0028</b>	<b>.0029</b>	<b>.0029</b>	<b>.0030</b>	<b>.0031</b>	<b>.0031</b>	<b>.0031</b>	<b>.0032</b>	<b>.0032</b>	<b>.0033</b>
		5	<b>.0087</b>	<b>.0088</b>	<b>.0089</b>	<b>.0090</b>	<b>.0090</b>	<b>.0091</b>	<b>.0091</b>	<b>.0092</b>	<b>.0092</b>	<b>.0092</b>	<b>.0093</b>
		6	<b>.0227</b>	<b>.0228</b>	<b>.0229</b>	<b>.0229</b>	<b>.0230</b>	<b>.0231</b>	<b>.0231</b>	<b>.0232</b>	<b>.0232</b>	<b>.0233</b>	<b>.0234</b>
		7	<b>.0474</b>	<b>.0475</b>	<b>.0477</b>	<b>.0478</b>	<b>.0479</b>	<b>.0481</b>	<b>.0481</b>	<b>.0482</b>	<b>.0482</b>	<b>.0483</b>	<b>.0485</b>
		8	<b>.0830</b>	<b>.0833</b>	<b>.0836</b>	<b>.0838</b>	<b>.0841</b>	<b>.0844</b>	<b>.0844</b>	<b>.0847</b>	<b>.0847</b>	<b>.0851</b>	<b>.0854</b>
		9	<b>.1267</b>	<b>.1274</b>	<b>.1281</b>	<b>.1288</b>	<b>.1295</b>	<b>.1302</b>	<b>.1302</b>	<b>.1310</b>	<b>.1310</b>	<b>.1317</b>	<b>.1325</b>
		10	<b>.1762</b>	<b>.1779</b>	<b>.1796</b>	<b>.1814</b>	<b>.1832</b>	<b>.1850</b>	<b>.1850</b>	<b>.1868</b>	<b>.1868</b>	<b>.1886</b>	<b>.1904</b>
		11	<b>.2328</b>	<b>.2366</b>	<b>.2405</b>	<b>.2444</b>	<b>.2482</b>	<b>.2521</b>	<b>.2521</b>	<b>.2559</b>	<b>.2559</b>	<b>.2597</b>	<b>.2635</b>
		12	<b>.3022</b>	<b>.3097</b>	<b>.3169</b>	<b>.3241</b>	<b>.3311</b>	<b>.3380</b>	<b>.3380</b>	<b>.3447</b>	<b>.3447</b>	<b>.3513</b>	<b>.3578</b>
		13	<b>.3895</b>	<b>.4010</b>	<b>.4119</b>	<b>.4224</b>	<b>.4324</b>	<b>.4419</b>	<b>.4419</b>	<b>.4510</b>	<b>.4510</b>	<b>.4598</b>	<b>.4681</b>
		14	<b>.4903</b>	<b>.5040</b>	<b>.5165</b>	<b>.5281</b>	<b>.5387</b>	<b>.5485</b>	<b>.5485</b>	<b>.5576</b>	<b>.5576</b>	<b>.5661</b>	<b>.5739</b>
		15	<b>.5908</b>	<b>.6033</b>	<b>.6143</b>	<b>.6241</b>	<b>.6328</b>	<b>.6406</b>	<b>.6406</b>	<b>.6476</b>	<b>.6476</b>	<b>.6540</b>	<b>.6598</b>
		16	<b>.6804</b>	<b>.6900</b>	<b>.6981</b>	<b>.7054</b>	<b>.7117</b>	<b>.7174</b>	<b>.7174</b>	<b>.7226</b>	<b>.7226</b>	<b>.7273</b>	<b>.7316</b>
		17	<b>.7585</b>	<b>.7657</b>	<b>.7718</b>	<b>.7774</b>	<b>.7823</b>	<b>.7868</b>	<b>.7868</b>	<b>.7909</b>	<b>.7909</b>	<b>.7947</b>	<b>.7983</b>
		18	<b>.8276</b>	<b>.8332</b>	<b>.8382</b>	<b>.8426</b>	<b>.8466</b>	<b>.8502</b>	<b>.8502</b>	<b>.8535</b>	<b>.8535</b>	<b>.8566</b>	<b>.8593</b>
		19	<b>.8864</b>	<b>.8908</b>	<b>.8946</b>	<b>.8980</b>	<b>.9011</b>	<b>.9038</b>	<b>.9038</b>	<b>.9062</b>	<b>.9062</b>	<b>.9084</b>	<b>.9104</b>
		20	<b>.9319</b>	<b>.9351</b>	<b>.9378</b>	<b>.9402</b>	<b>.9423</b>	<b>.9441</b>	<b>.9441</b>	<b>.9457</b>	<b>.9457</b>	<b>.9472</b>	<b>.9485</b>
		21	<b>.9632</b>	<b>.9653</b>	<b>.9670</b>	<b>.9685</b>	<b>.9698</b>	<b>.9710</b>	<b>.9710</b>	<b>.9719</b>	<b>.9719</b>	<b>.9728</b>	<b>.9736</b>

Table 33: Sheet Z5. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			12	13	14	15	16	17	18	19	20
3	39	22	<b>.9822</b>	<b>.9834</b>	<b>.9844</b>	<b>.9853</b>	<b>.9860</b>	<b>.9866</b>	<b>.9872</b>	<b>.9876</b>	<b>.9880</b>
		23	<b>.9923</b>	<b>.9930</b>	<b>.9935</b>	<b>.9939</b>	<b>.9943</b>	<b>.9946</b>	<b>.9949</b>	<b>.9951</b>	<b>.9953</b>
		24	<b>.9970</b>	<b>.9973</b>	<b>.9976</b>	<b>.9978</b>	<b>.9980</b>	<b>.9981</b>	<b>.9982</b>	<b>.9983</b>	<b>.9984</b>
		25	<b>.9990</b>	<b>.9991</b>	<b>.9992</b>	<b>.9993</b>	<b>.9994</b>	<b>.9994</b>	<b>.9995</b>	<b>.9995</b>	<b>.9995</b>
		26	<b>.9997</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		27	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		28	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		29	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		30	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	40	0	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>
		2	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>	<b>.0006</b>	<b>.0006</b>
		3	<b>.0008</b>	<b>.0008</b>	<b>.0009</b>	<b>.0010</b>	<b>.0011</b>	<b>.0011</b>	<b>.0012</b>	<b>.0013</b>	<b>.0013</b>
		4	<b>.0020</b>	<b>.0021</b>	<b>.0021</b>	<b>.0022</b>	<b>.0023</b>	<b>.0024</b>	<b>.0024</b>	<b>.0025</b>	<b>.0026</b>
		5	<b>.0064</b>	<b>.0065</b>	<b>.0066</b>	<b>.0067</b>	<b>.0067</b>	<b>.0068</b>	<b>.0069</b>	<b>.0069</b>	<b>.0070</b>
		6	<b>.0175</b>	<b>.0176</b>	<b>.0176</b>	<b>.0177</b>	<b>.0178</b>	<b>.0179</b>	<b>.0180</b>	<b>.0180</b>	<b>.0181</b>
		7	<b>.0383</b>	<b>.0384</b>	<b>.0385</b>	<b>.0386</b>	<b>.0387</b>	<b>.0388</b>	<b>.0389</b>	<b>.0390</b>	<b>.0392</b>
		8	<b>.0698</b>	<b>.0700</b>	<b>.0702</b>	<b>.0704</b>	<b>.0706</b>	<b>.0709</b>	<b>.0711</b>	<b>.0713</b>	<b>.0715</b>
		9	<b>.1106</b>	<b>.1111</b>	<b>.1116</b>	<b>.1121</b>	<b>.1126</b>	<b>.1132</b>	<b>.1137</b>	<b>.1143</b>	<b>.1149</b>
		10	<b>.1573</b>	<b>.1585</b>	<b>.1598</b>	<b>.1611</b>	<b>.1624</b>	<b>.1637</b>	<b>.1650</b>	<b>.1664</b>	<b>.1677</b>
		11	<b>.2090</b>	<b>.2118</b>	<b>.2147</b>	<b>.2175</b>	<b>.2203</b>	<b>.2232</b>	<b>.2260</b>	<b>.2289</b>	<b>.2318</b>
		12	<b>.2713</b>	<b>.2771</b>	<b>.2828</b>	<b>.2885</b>	<b>.2941</b>	<b>.2996</b>	<b>.3051</b>	<b>.3104</b>	<b>.3158</b>
		13	<b>.3496</b>	<b>.3593</b>	<b>.3688</b>	<b>.3779</b>	<b>.3868</b>	<b>.3953</b>	<b>.4036</b>	<b>.4116</b>	<b>.4193</b>
		14	<b>.4437</b>	<b>.4567</b>	<b>.4688</b>	<b>.4802</b>	<b>.4909</b>	<b>.5009</b>	<b>.5102</b>	<b>.5190</b>	<b>.5273</b>
		15	<b>.5437</b>	<b>.5571</b>	<b>.5689</b>	<b>.5797</b>	<b>.5893</b>	<b>.5981</b>	<b>.6061</b>	<b>.6133</b>	<b>.6200</b>
		16	<b>.6366</b>	<b>.6475</b>	<b>.6568</b>	<b>.6651</b>	<b>.6723</b>	<b>.6788</b>	<b>.6846</b>	<b>.6899</b>	<b>.6947</b>
		17	<b>.7178</b>	<b>.7259</b>	<b>.7328</b>	<b>.7389</b>	<b>.7444</b>	<b>.7493</b>	<b>.7538</b>	<b>.7580</b>	<b>.7618</b>
		18	<b>.7900</b>	<b>.7962</b>	<b>.8017</b>	<b>.8066</b>	<b>.8110</b>	<b>.8150</b>	<b>.8187</b>	<b>.8221</b>	<b>.8252</b>
		19	<b>.8538</b>	<b>.8588</b>	<b>.8631</b>	<b>.8671</b>	<b>.8706</b>	<b>.8737</b>	<b>.8766</b>	<b>.8792</b>	<b>.8816</b>
		20	<b>.9066</b>	<b>.9104</b>	<b>.9136</b>	<b>.9165</b>	<b>.9191</b>	<b>.9214</b>	<b>.9234</b>	<b>.9252</b>	<b>.9269</b>
		21	<b>.9458</b>	<b>.9484</b>	<b>.9507</b>	<b>.9526</b>	<b>.9543</b>	<b>.9558</b>	<b>.9571</b>	<b>.9582</b>	<b>.9593</b>
		22	<b>.9717</b>	<b>.9733</b>	<b>.9747</b>	<b>.9759</b>	<b>.9769</b>	<b>.9778</b>	<b>.9785</b>	<b>.9792</b>	<b>.9798</b>
		23	<b>.9867</b>	<b>.9877</b>	<b>.9884</b>	<b>.9891</b>	<b>.9896</b>	<b>.9901</b>	<b>.9905</b>	<b>.9908</b>	<b>.9911</b>
		24	<b>.9944</b>	<b>.9949</b>	<b>.9953</b>	<b>.9956</b>	<b>.9959</b>	<b>.9961</b>	<b>.9963</b>	<b>.9965</b>	<b>.9966</b>
		25	<b>.9979</b>	<b>.9981</b>	<b>.9983</b>	<b>.9985</b>	<b>.9986</b>	<b>.9987</b>	<b>.9988</b>	<b>.9988</b>	<b>.9989</b>
		26	<b>.9993</b>	<b>.9994</b>	<b>.9995</b>	<b>.9995</b>	<b>.9996</b>	<b>.9996</b>	<b>.9996</b>	<b>.9997</b>	<b>.9997</b>
		27	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		28	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		29	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		30	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		31	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	41	0	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>
		2	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>	<b>.0006</b>	<b>.0006</b>
		3	<b>.0007</b>	<b>.0008</b>	<b>.0008</b>	<b>.0009</b>	<b>.0010</b>	<b>.0010</b>	<b>.0011</b>	<b>.0012</b>	<b>.0012</b>
		4	<b>.0015</b>	<b>.0016</b>	<b>.0017</b>	<b>.0017</b>	<b>.0018</b>	<b>.0019</b>	<b>.0019</b>	<b>.0020</b>	<b>.0021</b>
		5	<b>.0047</b>	<b>.0048</b>	<b>.0049</b>	<b>.0050</b>	<b>.0050</b>	<b>.0051</b>	<b>.0052</b>	<b>.0052</b>	<b>.0053</b>
		6	<b>.0133</b>	<b>.0134</b>	<b>.0135</b>	<b>.0136</b>	<b>.0136</b>	<b>.0137</b>	<b>.0138</b>	<b>.0139</b>	<b>.0139</b>
		7	<b>.0306</b>	<b>.0307</b>	<b>.0308</b>	<b>.0309</b>	<b>.0310</b>	<b>.0311</b>	<b>.0311</b>	<b>.0312</b>	<b>.0313</b>
		8	<b>.0582</b>	<b>.0584</b>	<b>.0585</b>	<b>.0587</b>	<b>.0588</b>	<b>.0590</b>	<b>.0591</b>	<b>.0593</b>	<b>.0595</b>
		9	<b>.0958</b>	<b>.0961</b>	<b>.0965</b>	<b>.0969</b>	<b>.0973</b>	<b>.0978</b>	<b>.0982</b>	<b>.0986</b>	<b>.0991</b>
		10	<b>.1390</b>	<b>.1398</b>	<b>.1406</b>	<b>.1415</b>	<b>.1424</b>	<b>.1432</b>	<b>.1441</b>	<b>.1450</b>	<b>.1460</b>
		11	<b>.1879</b>	<b>.1900</b>	<b>.1920</b>	<b>.1941</b>	<b>.1962</b>	<b>.1982</b>	<b>.2003</b>	<b>.2025</b>	<b>.2046</b>
		12	<b>.2444</b>	<b>.2488</b>	<b>.2531</b>	<b>.2575</b>	<b>.2618</b>	<b>.2661</b>	<b>.2704</b>	<b>.2747</b>	<b>.2789</b>
		13	<b>.3140</b>	<b>.3220</b>	<b>.3299</b>	<b>.3375</b>	<b>.3450</b>	<b>.3523</b>	<b>.3595</b>	<b>.3664</b>	<b>.3732</b>
		14	<b>.4003</b>	<b>.4121</b>	<b>.4232</b>	<b>.4339</b>	<b>.4440</b>	<b>.4537</b>	<b>.4628</b>	<b>.4715</b>	<b>.4798</b>

Table 33: Sheet Z6. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli  $(m \times n)$ -matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli $(m \times n)$ -matrix								
			12	13	14	15	16	17	18	19	20
3	41	15	<b>.4974</b>	<b>.5109</b>	<b>.5232</b>	<b>.5344</b>	<b>.5448</b>	<b>.5543</b>	<b>.5630</b>	<b>.5711</b>	<b>.5785</b>
		16	<b>.5923</b>	<b>.6044</b>	<b>.6149</b>	<b>.6243</b>	<b>.6326</b>	<b>.6400</b>	<b>.6466</b>	<b>.6526</b>	<b>.6581</b>
		17	<b>.6768</b>	<b>.6860</b>	<b>.6938</b>	<b>.7007</b>	<b>.7068</b>	<b>.7123</b>	<b>.7172</b>	<b>.7217</b>	<b>.7259</b>
		18	<b>.7514</b>	<b>.7583</b>	<b>.7643</b>	<b>.7697</b>	<b>.7745</b>	<b>.7789</b>	<b>.7829</b>	<b>.7866</b>	<b>.7900</b>
		19	<b>.8187</b>	<b>.8242</b>	<b>.8290</b>	<b>.8334</b>	<b>.8373</b>	<b>.8409</b>	<b>.8442</b>	<b>.8472</b>	<b>.8499</b>
		20	<b>.8773</b>	<b>.8816</b>	<b>.8854</b>	<b>.8888</b>	<b>.8918</b>	<b>.8945</b>	<b>.8970</b>	<b>.8992</b>	<b>.9012</b>
		21	<b>.9239</b>	<b>.9272</b>	<b>.9299</b>	<b>.9323</b>	<b>.9344</b>	<b>.9363</b>	<b>.9380</b>	<b>.9395</b>	<b>.9408</b>
		22	<b>.9573</b>	<b>.9594</b>	<b>.9612</b>	<b>.9628</b>	<b>.9641</b>	<b>.9653</b>	<b>.9663</b>	<b>.9672</b>	<b>.9680</b>
		23	<b>.9784</b>	<b>.9797</b>	<b>.9807</b>	<b>.9817</b>	<b>.9824</b>	<b>.9831</b>	<b>.9837</b>	<b>.9842</b>	<b>.9846</b>
		24	<b>.9902</b>	<b>.9909</b>	<b>.9915</b>	<b>.9920</b>	<b>.9924</b>	<b>.9927</b>	<b>.9930</b>	<b>.9933</b>	<b>.9935</b>
		25	<b>.9960</b>	<b>.9964</b>	<b>.9967</b>	<b>.9969</b>	<b>.9971</b>	<b>.9972</b>	<b>.9974</b>	<b>.9975</b>	<b>.9976</b>
		26	<b>.9986</b>	<b>.9987</b>	<b>.9988</b>	<b>.9989</b>	<b>.9990</b>	<b>.9991</b>	<b>.9991</b>	<b>.9992</b>	<b>.9992</b>
		27	<b>.9995</b>	<b>.9996</b>	<b>.9996</b>	<b>.9997</b>	<b>.9997</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>
		28	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		29	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		30	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
31	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
32	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	42	0	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>
		2	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>	<b>.0006</b>	<b>.0006</b>
		3	<b>.0007</b>	<b>.0008</b>	<b>.0008</b>	<b>.0009</b>	<b>.0010</b>	<b>.0010</b>	<b>.0011</b>	<b>.0012</b>	<b>.0012</b>
		4	<b>.0015</b>	<b>.0016</b>	<b>.0017</b>	<b>.0017</b>	<b>.0018</b>	<b>.0019</b>	<b>.0019</b>	<b>.0020</b>	<b>.0021</b>
		5	<b>.0047</b>	<b>.0048</b>	<b>.0049</b>	<b>.0049</b>	<b>.0050</b>	<b>.0051</b>	<b>.0052</b>	<b>.0052</b>	<b>.0053</b>
		6	<b>.0133</b>	<b>.0134</b>	<b>.0135</b>	<b>.0136</b>	<b>.0136</b>	<b>.0137</b>	<b>.0138</b>	<b>.0138</b>	<b>.0139</b>
		7	<b>.0305</b>	<b>.0306</b>	<b>.0307</b>	<b>.0308</b>	<b>.0309</b>	<b>.0310</b>	<b>.0310</b>	<b>.0311</b>	<b>.0312</b>
		8	<b>.0580</b>	<b>.0581</b>	<b>.0582</b>	<b>.0584</b>	<b>.0585</b>	<b>.0586</b>	<b>.0587</b>	<b>.0589</b>	<b>.0590</b>
		9	<b>.0952</b>	<b>.0955</b>	<b>.0958</b>	<b>.0962</b>	<b>.0965</b>	<b>.0968</b>	<b>.0972</b>	<b>.0975</b>	<b>.0979</b>
		10	<b>.1371</b>	<b>.1377</b>	<b>.1383</b>	<b>.1389</b>	<b>.1395</b>	<b>.1402</b>	<b>.1408</b>	<b>.1415</b>	<b>.1422</b>
		11	<b>.1829</b>	<b>.1844</b>	<b>.1858</b>	<b>.1874</b>	<b>.1889</b>	<b>.1904</b>	<b>.1920</b>	<b>.1935</b>	<b>.1951</b>
		12	<b>.2332</b>	<b>.2364</b>	<b>.2397</b>	<b>.2430</b>	<b>.2463</b>	<b>.2496</b>	<b>.2529</b>	<b>.2562</b>	<b>.2594</b>
		13	<b>.2937</b>	<b>.3001</b>	<b>.3063</b>	<b>.3125</b>	<b>.3187</b>	<b>.3247</b>	<b>.3306</b>	<b>.3364</b>	<b>.3421</b>
		14	<b>.3708</b>	<b>.3811</b>	<b>.3909</b>	<b>.4004</b>	<b>.4096</b>	<b>.4184</b>	<b>.4269</b>	<b>.4350</b>	<b>.4429</b>
		15	<b>.4638</b>	<b>.4769</b>	<b>.4890</b>	<b>.5003</b>	<b>.5108</b>	<b>.5207</b>	<b>.5298</b>	<b>.5384</b>	<b>.5464</b>
16	<b>.5619</b>	<b>.5749</b>	<b>.5864</b>	<b>.5967</b>	<b>.6060</b>	<b>.6143</b>	<b>.6219</b>	<b>.6288</b>	<b>.6351</b>		
17	<b>.6529</b>	<b>.6633</b>	<b>.6723</b>	<b>.6801</b>	<b>.6871</b>	<b>.6932</b>	<b>.6988</b>	<b>.7038</b>	<b>.7084</b>		
18	<b>.7327</b>	<b>.7405</b>	<b>.7472</b>	<b>.7531</b>	<b>.7584</b>	<b>.7631</b>	<b>.7675</b>	<b>.7715</b>	<b>.7752</b>		
19	<b>.8032</b>	<b>.8092</b>	<b>.8145</b>	<b>.8193</b>	<b>.8237</b>	<b>.8276</b>	<b>.8312</b>	<b>.8345</b>	<b>.8376</b>		
20	<b>.8644</b>	<b>.8693</b>	<b>.8736</b>	<b>.8774</b>	<b>.8809</b>	<b>.8840</b>	<b>.8869</b>	<b>.8895</b>	<b>.8919</b>		
21	<b>.9139</b>	<b>.9177</b>	<b>.9210</b>	<b>.9239</b>	<b>.9265</b>	<b>.9288</b>	<b>.9308</b>	<b>.9327</b>	<b>.9343</b>		
22	<b>.9502</b>	<b>.9528</b>	<b>.9551</b>	<b>.9571</b>	<b>.9588</b>	<b>.9604</b>	<b>.9617</b>	<b>.9629</b>	<b>.9640</b>		
23	<b>.9738</b>	<b>.9755</b>	<b>.9769</b>	<b>.9782</b>	<b>.9792</b>	<b>.9802</b>	<b>.9810</b>	<b>.9817</b>	<b>.9823</b>		
24	<b>.9875</b>	<b>.9885</b>	<b>.9893</b>	<b>.9900</b>	<b>.9906</b>	<b>.9911</b>	<b>.9916</b>	<b>.9919</b>	<b>.9923</b>		
25	<b>.9946</b>	<b>.9951</b>	<b>.9956</b>	<b>.9959</b>	<b>.9962</b>	<b>.9965</b>	<b>.9967</b>	<b>.9969</b>	<b>.9970</b>		
26	<b>.9979</b>	<b>.9981</b>	<b>.9983</b>	<b>.9985</b>	<b>.9986</b>	<b>.9987</b>	<b>.9988</b>	<b>.9989</b>	<b>.9990</b>		
27	<b>.9992</b>	<b>.9993</b>	<b>.9994</b>	<b>.9995</b>	<b>.9996</b>	<b>.9996</b>	<b>.9996</b>	<b>.9997</b>	<b>.9997</b>		
28	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>		
29	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
30	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
31	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
32	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>		
3	43	0	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	
		1	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>
		2	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>	<b>.0006</b>
		3	<b>.0006</b>	<b>.0007</b>	<b>.0008</b>	<b>.0008</b>	<b>.0009</b>	<b>.0010</b>	<b>.0011</b>	<b>.0011</b>	<b>.0012</b>
		4	<b>.0012</b>	<b>.0013</b>	<b>.0013</b>	<b>.0014</b>	<b>.0015</b>	<b>.0015</b>	<b>.0016</b>	<b>.0017</b>	<b>.0017</b>

Table 33: Sheet Z7. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			12	13	14	15	16	17	18	19	20
3	43	5	<b>.0035</b>	<b>.0036</b>	<b>.0036</b>	<b>.0037</b>	<b>.0038</b>	<b>.0038</b>	<b>.0039</b>	<b>.0040</b>	<b>.0041</b>
		6	<b>.0101</b>	<b>.0102</b>	<b>.0102</b>	<b>.0103</b>	<b>.0104</b>	<b>.0105</b>	<b>.0105</b>	<b>.0106</b>	<b>.0107</b>
		7	<b>.0242</b>	<b>.0242</b>	<b>.0243</b>	<b>.0244</b>	<b>.0245</b>	<b>.0246</b>	<b>.0246</b>	<b>.0247</b>	<b>.0248</b>
		8	<b>.0479</b>	<b>.0480</b>	<b>.0481</b>	<b>.0482</b>	<b>.0483</b>	<b>.0484</b>	<b>.0485</b>	<b>.0486</b>	<b>.0487</b>
		9	<b>.0819</b>	<b>.0821</b>	<b>.0824</b>	<b>.0827</b>	<b>.0830</b>	<b>.0832</b>	<b>.0835</b>	<b>.0838</b>	<b>.0841</b>
		10	<b>.1215</b>	<b>.1219</b>	<b>.1224</b>	<b>.1229</b>	<b>.1233</b>	<b>.1238</b>	<b>.1243</b>	<b>.1248</b>	<b>.1254</b>
		11	<b>.1656</b>	<b>.1666</b>	<b>.1678</b>	<b>.1689</b>	<b>.1700</b>	<b>.1712</b>	<b>.1723</b>	<b>.1735</b>	<b>.1747</b>
		12	<b>.2120</b>	<b>.2144</b>	<b>.2167</b>	<b>.2192</b>	<b>.2216</b>	<b>.2240</b>	<b>.2264</b>	<b>.2288</b>	<b>.2313</b>
		13	<b>.2665</b>	<b>.2715</b>	<b>.2764</b>	<b>.2812</b>	<b>.2860</b>	<b>.2908</b>	<b>.2955</b>	<b>.3002</b>	<b>.3048</b>
		14	<b>.3350</b>	<b>.3436</b>	<b>.3520</b>	<b>.3601</b>	<b>.3680</b>	<b>.3757</b>	<b>.3831</b>	<b>.3904</b>	<b>.3975</b>
		15	<b>.4203</b>	<b>.4324</b>	<b>.4437</b>	<b>.4545</b>	<b>.4647</b>	<b>.4744</b>	<b>.4835</b>	<b>.4921</b>	<b>.5003</b>
		16	<b>.5158</b>	<b>.5291</b>	<b>.5411</b>	<b>.5521</b>	<b>.5621</b>	<b>.5713</b>	<b>.5797</b>	<b>.5874</b>	<b>.5945</b>
		17	<b>.6088</b>	<b>.6205</b>	<b>.6306</b>	<b>.6395</b>	<b>.6474</b>	<b>.6545</b>	<b>.6608</b>	<b>.6665</b>	<b>.6717</b>
		18	<b>.6919</b>	<b>.7008</b>	<b>.7083</b>	<b>.7149</b>	<b>.7208</b>	<b>.7260</b>	<b>.7308</b>	<b>.7351</b>	<b>.7392</b>
		19	<b>.7653</b>	<b>.7721</b>	<b>.7778</b>	<b>.7831</b>	<b>.7878</b>	<b>.7921</b>	<b>.7960</b>	<b>.7996</b>	<b>.8030</b>
		20	<b>.8307</b>	<b>.8361</b>	<b>.8408</b>	<b>.8451</b>	<b>.8490</b>	<b>.8526</b>	<b>.8558</b>	<b>.8587</b>	<b>.8615</b>
		21	<b>.8865</b>	<b>.8908</b>	<b>.8946</b>	<b>.8980</b>	<b>.9010</b>	<b>.9037</b>	<b>.9061</b>	<b>.9084</b>	<b>.9104</b>
		22	<b>.9301</b>	<b>.9333</b>	<b>.9361</b>	<b>.9385</b>	<b>.9407</b>	<b>.9426</b>	<b>.9443</b>	<b>.9458</b>	<b>.9472</b>
		23	<b>.9608</b>	<b>.9630</b>	<b>.9648</b>	<b>.9664</b>	<b>.9678</b>	<b>.9690</b>	<b>.9701</b>	<b>.9711</b>	<b>.9719</b>
		24	<b>.9800</b>	<b>.9813</b>	<b>.9825</b>	<b>.9834</b>	<b>.9843</b>	<b>.9850</b>	<b>.9856</b>	<b>.9861</b>	<b>.9866</b>
		25	<b>.9907</b>	<b>.9915</b>	<b>.9921</b>	<b>.9927</b>	<b>.9931</b>	<b>.9935</b>	<b>.9938</b>	<b>.9941</b>	<b>.9943</b>
		26	<b>.9961</b>	<b>.9965</b>	<b>.9968</b>	<b>.9971</b>	<b>.9973</b>	<b>.9975</b>	<b>.9976</b>	<b>.9978</b>	<b>.9979</b>
		27	<b>.9985</b>	<b>.9987</b>	<b>.9988</b>	<b>.9990</b>	<b>.9990</b>	<b>.9991</b>	<b>.9992</b>	<b>.9993</b>	<b>.9993</b>
		28	<b>.9995</b>	<b>.9995</b>	<b>.9996</b>	<b>.9997</b>	<b>.9997</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>
		29	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		30	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		31	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		32	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		33	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	44	0	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>
		2	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>	<b>.0006</b>
		3	<b>.0006</b>	<b>.0007</b>	<b>.0007</b>	<b>.0008</b>	<b>.0009</b>	<b>.0010</b>	<b>.0010</b>	<b>.0011</b>	<b>.0012</b>
		4	<b>.0010</b>	<b>.0010</b>	<b>.0011</b>	<b>.0012</b>	<b>.0012</b>	<b>.0013</b>	<b>.0014</b>	<b>.0014</b>	<b>.0015</b>
		5	<b>.0026</b>	<b>.0027</b>	<b>.0027</b>	<b>.0028</b>	<b>.0029</b>	<b>.0029</b>	<b>.0030</b>	<b>.0031</b>	<b>.0032</b>
		6	<b>.0076</b>	<b>.0077</b>	<b>.0077</b>	<b>.0078</b>	<b>.0079</b>	<b>.0080</b>	<b>.0080</b>	<b>.0081</b>	<b>.0082</b>
		7	<b>.0189</b>	<b>.0190</b>	<b>.0191</b>	<b>.0192</b>	<b>.0192</b>	<b>.0193</b>	<b>.0194</b>	<b>.0195</b>	<b>.0195</b>
		8	<b>.0392</b>	<b>.0392</b>	<b>.0393</b>	<b>.0394</b>	<b>.0395</b>	<b>.0396</b>	<b>.0397</b>	<b>.0398</b>	<b>.0399</b>
		9	<b>.0697</b>	<b>.0700</b>	<b>.0702</b>	<b>.0705</b>	<b>.0707</b>	<b>.0710</b>	<b>.0712</b>	<b>.0715</b>	<b>.0717</b>
		10	<b>.1068</b>	<b>.1072</b>	<b>.1076</b>	<b>.1079</b>	<b>.1083</b>	<b>.1087</b>	<b>.1091</b>	<b>.1095</b>	<b>.1099</b>
		11	<b>.1482</b>	<b>.1490</b>	<b>.1497</b>	<b>.1504</b>	<b>.1512</b>	<b>.1520</b>	<b>.1527</b>	<b>.1535</b>	<b>.1543</b>
		12	<b>.1931</b>	<b>.1949</b>	<b>.1966</b>	<b>.1984</b>	<b>.2001</b>	<b>.2019</b>	<b>.2037</b>	<b>.2055</b>	<b>.2073</b>
		13	<b>.2430</b>	<b>.2468</b>	<b>.2505</b>	<b>.2542</b>	<b>.2579</b>	<b>.2616</b>	<b>.2653</b>	<b>.2689</b>	<b>.2725</b>
		14	<b>.3038</b>	<b>.3108</b>	<b>.3176</b>	<b>.3243</b>	<b>.3308</b>	<b>.3373</b>	<b>.3436</b>	<b>.3498</b>	<b>.3558</b>
		15	<b>.3806</b>	<b>.3913</b>	<b>.4015</b>	<b>.4113</b>	<b>.4207</b>	<b>.4297</b>	<b>.4383</b>	<b>.4465</b>	<b>.4544</b>
		16	<b>.4711</b>	<b>.4842</b>	<b>.4962</b>	<b>.5074</b>	<b>.5178</b>	<b>.5274</b>	<b>.5363</b>	<b>.5446</b>	<b>.5523</b>
		17	<b>.5646</b>	<b>.5772</b>	<b>.5883</b>	<b>.5982</b>	<b>.6071</b>	<b>.6151</b>	<b>.6223</b>	<b>.6289</b>	<b>.6348</b>
		18	<b>.6506</b>	<b>.6607</b>	<b>.6692</b>	<b>.6767</b>	<b>.6834</b>	<b>.6893</b>	<b>.6946</b>	<b>.6994</b>	<b>.7038</b>
		19	<b>.7267</b>	<b>.7342</b>	<b>.7407</b>	<b>.7464</b>	<b>.7515</b>	<b>.7561</b>	<b>.7604</b>	<b>.7643</b>	<b>.7679</b>
		20	<b>.7950</b>	<b>.8010</b>	<b>.8061</b>	<b>.8108</b>	<b>.8151</b>	<b>.8189</b>	<b>.8225</b>	<b>.8258</b>	<b>.8288</b>
		21	<b>.8556</b>	<b>.8605</b>	<b>.8647</b>	<b>.8685</b>	<b>.8720</b>	<b>.8751</b>	<b>.8779</b>	<b>.8805</b>	<b>.8829</b>
		22	<b>.9059</b>	<b>.9097</b>	<b>.9130</b>	<b>.9159</b>	<b>.9184</b>	<b>.9208</b>	<b>.9228</b>	<b>.9247</b>	<b>.9264</b>
		23	<b>.9438</b>	<b>.9465</b>	<b>.9488</b>	<b>.9508</b>	<b>.9526</b>	<b>.9542</b>	<b>.9556</b>	<b>.9568</b>	<b>.9579</b>
		24	<b>.9694</b>	<b>.9712</b>	<b>.9726</b>	<b>.9739</b>	<b>.9751</b>	<b>.9760</b>	<b>.9769</b>	<b>.9776</b>	<b>.9783</b>
		25	<b>.9848</b>	<b>.9859</b>	<b>.9868</b>	<b>.9875</b>	<b>.9882</b>	<b>.9887</b>	<b>.9892</b>	<b>.9896</b>	<b>.9900</b>
		26	<b>.9932</b>	<b>.9938</b>	<b>.9942</b>	<b>.9946</b>	<b>.9950</b>	<b>.9953</b>	<b>.9955</b>	<b>.9957</b>	<b>.9959</b>

Table 33: Sheet Z8. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			12	13	14	15	16	17	18	19	20
3	44	27	<b>.9972</b>	<b>.9975</b>	<b>.9977</b>	<b>.9979</b>	<b>.9981</b>	<b>.9982</b>	<b>.9983</b>	<b>.9984</b>	<b>.9985</b>
		28	<b>.9990</b>	<b>.9991</b>	<b>.9992</b>	<b>.9993</b>	<b>.9993</b>	<b>.9994</b>	<b>.9994</b>	<b>.9995</b>	<b>.9995</b>
		29	<b>.9996</b>	<b>.9997</b>	<b>.9997</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>
		30	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		31	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		32	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		33	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		34	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	45	0	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>
		2	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>	<b>.0006</b>
		3	<b>.0006</b>	<b>.0007</b>	<b>.0007</b>	<b>.0008</b>	<b>.0009</b>	<b>.0009</b>	<b>.0010</b>	<b>.0011</b>	<b>.0011</b>
		4	<b>.0008</b>	<b>.0009</b>	<b>.0010</b>	<b>.0010</b>	<b>.0011</b>	<b>.0012</b>	<b>.0012</b>	<b>.0013</b>	<b>.0014</b>
		5	<b>.0020</b>	<b>.0020</b>	<b>.0021</b>	<b>.0022</b>	<b>.0022</b>	<b>.0023</b>	<b>.0024</b>	<b>.0024</b>	<b>.0025</b>
		6	<b>.0057</b>	<b>.0058</b>	<b>.0058</b>	<b>.0059</b>	<b>.0060</b>	<b>.0060</b>	<b>.0061</b>	<b>.0062</b>	<b>.0063</b>
		7	<b>.0147</b>	<b>.0148</b>	<b>.0148</b>	<b>.0149</b>	<b>.0150</b>	<b>.0151</b>	<b>.0151</b>	<b>.0152</b>	<b>.0153</b>
		8	<b>.0317</b>	<b>.0318</b>	<b>.0319</b>	<b>.0319</b>	<b>.0320</b>	<b>.0321</b>	<b>.0322</b>	<b>.0323</b>	<b>.0324</b>
		9	<b>.0589</b>	<b>.0591</b>	<b>.0593</b>	<b>.0595</b>	<b>.0597</b>	<b>.0600</b>	<b>.0602</b>	<b>.0604</b>	<b>.0607</b>
		10	<b>.0932</b>	<b>.0935</b>	<b>.0938</b>	<b>.0941</b>	<b>.0944</b>	<b>.0947</b>	<b>.0951</b>	<b>.0954</b>	<b>.0957</b>
		11	<b>.1327</b>	<b>.1332</b>	<b>.1338</b>	<b>.1343</b>	<b>.1349</b>	<b>.1355</b>	<b>.1360</b>	<b>.1366</b>	<b>.1372</b>
		12	<b>.1759</b>	<b>.1771</b>	<b>.1784</b>	<b>.1797</b>	<b>.1810</b>	<b>.1824</b>	<b>.1837</b>	<b>.1851</b>	<b>.1864</b>
		13	<b>.2219</b>	<b>.2246</b>	<b>.2274</b>	<b>.2302</b>	<b>.2329</b>	<b>.2357</b>	<b>.2385</b>	<b>.2412</b>	<b>.2440</b>
		14	<b>.2765</b>	<b>.2820</b>	<b>.2873</b>	<b>.2927</b>	<b>.2979</b>	<b>.3031</b>	<b>.3083</b>	<b>.3133</b>	<b>.3183</b>
		15	<b>.3452</b>	<b>.3543</b>	<b>.3631</b>	<b>.3716</b>	<b>.3799</b>	<b>.3879</b>	<b>.3957</b>	<b>.4032</b>	<b>.4104</b>
		16	<b>.4289</b>	<b>.4412</b>	<b>.4527</b>	<b>.4635</b>	<b>.4737</b>	<b>.4833</b>	<b>.4923</b>	<b>.5009</b>	<b>.5089</b>
		17	<b>.5206</b>	<b>.5337</b>	<b>.5455</b>	<b>.5562</b>	<b>.5659</b>	<b>.5747</b>	<b>.5828</b>	<b>.5902</b>	<b>.5969</b>
		18	<b>.6089</b>	<b>.6201</b>	<b>.6298</b>	<b>.6384</b>	<b>.6459</b>	<b>.6527</b>	<b>.6587</b>	<b>.6641</b>	<b>.6691</b>
		19	<b>.6877</b>	<b>.6962</b>	<b>.7034</b>	<b>.7098</b>	<b>.7155</b>	<b>.7205</b>	<b>.7251</b>	<b>.7294</b>	<b>.7333</b>
		20	<b>.7583</b>	<b>.7648</b>	<b>.7704</b>	<b>.7755</b>	<b>.7801</b>	<b>.7843</b>	<b>.7881</b>	<b>.7917</b>	<b>.7950</b>
		21	<b>.8223</b>	<b>.8276</b>	<b>.8322</b>	<b>.8364</b>	<b>.8403</b>	<b>.8437</b>	<b>.8469</b>	<b>.8499</b>	<b>.8526</b>
		22	<b>.8780</b>	<b>.8823</b>	<b>.8860</b>	<b>.8894</b>	<b>.8924</b>	<b>.8951</b>	<b>.8976</b>	<b>.8998</b>	<b>.9018</b>
		23	<b>.9228</b>	<b>.9260</b>	<b>.9288</b>	<b>.9313</b>	<b>.9334</b>	<b>.9354</b>	<b>.9371</b>	<b>.9386</b>	<b>.9401</b>
		24	<b>.9552</b>	<b>.9574</b>	<b>.9593</b>	<b>.9610</b>	<b>.9624</b>	<b>.9637</b>	<b>.9648</b>	<b>.9658</b>	<b>.9667</b>
		25	<b>.9763</b>	<b>.9777</b>	<b>.9789</b>	<b>.9799</b>	<b>.9808</b>	<b>.9816</b>	<b>.9822</b>	<b>.9828</b>	<b>.9833</b>
		26	<b>.9886</b>	<b>.9894</b>	<b>.9901</b>	<b>.9907</b>	<b>.9912</b>	<b>.9916</b>	<b>.9919</b>	<b>.9922</b>	<b>.9925</b>
		27	<b>.9950</b>	<b>.9955</b>	<b>.9958</b>	<b>.9961</b>	<b>.9964</b>	<b>.9966</b>	<b>.9967</b>	<b>.9969</b>	<b>.9970</b>
		28	<b>.9980</b>	<b>.9982</b>	<b>.9984</b>	<b>.9985</b>	<b>.9987</b>	<b>.9987</b>	<b>.9988</b>	<b>.9989</b>	<b>.9989</b>
		29	<b>.9993</b>	<b>.9994</b>	<b>.9994</b>	<b>.9995</b>	<b>.9996</b>	<b>.9996</b>	<b>.9996</b>	<b>.9996</b>	<b>.9997</b>
		30	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9998</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>
		31	<b>.9999</b>	<b>.9999</b>	<b>.9999</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		32	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		33	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
		34	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>	<b>1.0000</b>
3	46	0	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>	<i>.00000000</i>
		1	<b>.0002</b>	<b>.0002</b>	<b>.0002</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>
		2	<b>.0003</b>	<b>.0003</b>	<b>.0004</b>	<b>.0004</b>	<b>.0005</b>	<b>.0005</b>	<b>.0005</b>	<b>.0006</b>	<b>.0006</b>
		3	<b>.0006</b>	<b>.0007</b>	<b>.0007</b>	<b>.0008</b>	<b>.0009</b>	<b>.0009</b>	<b>.0010</b>	<b>.0011</b>	<b>.0011</b>
		4	<b>.0008</b>	<b>.0009</b>	<b>.0010</b>	<b>.0010</b>	<b>.0011</b>	<b>.0012</b>	<b>.0012</b>	<b>.0013</b>	<b>.0014</b>
		5	<b>.0020</b>	<b>.0020</b>	<b>.0021</b>	<b>.0022</b>	<b>.0022</b>	<b>.0023</b>	<b>.0024</b>	<b>.0024</b>	<b>.0025</b>
		6	<b>.0057</b>	<b>.0058</b>	<b>.0058</b>	<b>.0059</b>	<b>.0060</b>	<b>.0060</b>	<b>.0061</b>	<b>.0062</b>	<b>.0063</b>
		7	<b>.0147</b>	<b>.0148</b>	<b>.0148</b>	<b>.0149</b>	<b>.0150</b>	<b>.0151</b>	<b>.0151</b>	<b>.0152</b>	<b>.0153</b>
		8	<b>.0317</b>	<b>.0317</b>	<b>.0318</b>	<b>.0319</b>	<b>.0320</b>	<b>.0321</b>	<b>.0321</b>	<b>.0322</b>	<b>.0323</b>
		9	<b>.0588</b>	<b>.0590</b>	<b>.0592</b>	<b>.0594</b>	<b>.0596</b>	<b>.0598</b>	<b>.0600</b>	<b>.0602</b>	<b>.0604</b>
		10	<b>.0929</b>	<b>.0932</b>	<b>.0934</b>	<b>.0937</b>	<b>.0939</b>	<b>.0942</b>	<b>.0945</b>	<b>.0948</b>	<b>.0950</b>
		11	<b>.1317</b>	<b>.1321</b>	<b>.1325</b>	<b>.1330</b>	<b>.1334</b>	<b>.1338</b>	<b>.1343</b>	<b>.1347</b>	<b>.1352</b>
		12	<b>.1722</b>	<b>.1731</b>	<b>.1740</b>	<b>.1749</b>	<b>.1758</b>	<b>.1767</b>	<b>.1776</b>	<b>.1785</b>	<b>.1794</b>

Table 33: Sheet Z9. Exact (in roman), approximate (*in italics*) and interpolated (**boldfaced**) probabilities of perfect ( $i = 0$ ) and  $i$ -imperfect column triplets ( $k = 3$ ) in Bernoulli ( $m \times n$ )-matrices. The rows with all 1's are omitted

$k$	$m$	$i$	Width $n$ of Bernoulli ( $m \times n$ )-matrix								
			12	13	14	15	16	17	18	19	20
3	46	13	.2148	.2168	.2188	.2209	.2229	.2250	.2271	.2291	.2312
		14	.2627	.2669	.2710	.2752	.2793	.2834	.2874	.2914	.2954
		15	.3225	.3300	.3373	.3445	.3515	.3583	.3650	.3715	.3779
		16	.3991	.4102	.4206	.4307	.4402	.4493	.4580	.4663	.4743
		17	.4890	.5020	.5139	.5250	.5351	.5445	.5532	.5612	.5686
		18	.5812	.5934	.6042	.6137	.6223	.6299	.6368	.6430	.6486
		19	.6659	.6756	.6838	.6910	.6974	.7030	.7081	.7128	.7170
		20	.7408	.7481	.7543	.7599	.7649	.7694	.7735	.7773	.7808
		21	.8075	.8133	.8183	.8229	.8271	.8309	.8344	.8376	.8406
		22	.8655	.8703	.8745	.8782	.8816	.8847	.8875	.8901	.8925
		23	.9128	.9166	.9198	.9228	.9253	.9277	.9298	.9316	.9334
		24	.9479	.9507	.9530	.9551	.9569	.9585	.9599	.9612	.9623
		25	.9714	.9733	.9748	.9761	.9773	.9783	.9792	.9800	.9807
		26	.9856	.9867	.9877	.9885	.9891	.9897	.9902	.9907	.9911
		27	.9933	.9940	.9945	.9949	.9953	.9956	.9959	.9961	.9963
		28	.9971	.9975	.9977	.9980	.9981	.9983	.9984	.9985	.9986
		29	.9989	.9990	.9991	.9992	.9993	.9994	.9994	.9995	.9995
		30	.9996	.9996	.9997	.9997	.9998	.9998	.9998	.9998	.9999
		31	.9999	.9999	.9999	.9999	.9999	.9999	.9999	1.0000	1.0000
		32	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
33	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000		
34	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000		
35	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000		
3	47	0	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000	.00000000
		1	.0002	.0002	.0002	.0003	.0003	.0003	.0003	.0004	.0004
		2	.0003	.0003	.0004	.0004	.0005	.0005	.0005	.0006	.0006
		3	.0006	.0006	.0007	.0008	.0009	.0009	.0010	.0011	.0011
		4	.0007	.0008	.0009	.0009	.0010	.0011	.0011	.0012	.0013
		5	.0015	.0016	.0016	.0017	.0018	.0019	.0019	.0020	.0021
		6	.0043	.0043	.0044	.0045	.0045	.0046	.0047	.0048	.0048
		7	.0113	.0114	.0115	.0115	.0116	.0117	.0117	.0118	.0119
		8	.0254	.0255	.0255	.0256	.0257	.0258	.0258	.0259	.0260
		9	.0492	.0494	.0496	.0498	.0500	.0502	.0504	.0506	.0508
		10	.0804	.0806	.0809	.0811	.0813	.0816	.0818	.0821	.0823
		11	.1174	.1177	.1181	.1184	.1188	.1191	.1195	.1199	.1202
		12	.1568	.1575	.1581	.1588	.1594	.1601	.1608	.1615	.1621
		13	.1980	.1995	.2010	.2025	.2040	.2055	.2070	.2086	.2101
		14	.2422	.2454	.2485	.2517	.2549	.2580	.2612	.2643	.2674
		15	.2952	.3012	.3071	.3129	.3186	.3243	.3298	.3353	.3406
		16	.3632	.3727	.3819	.3908	.3994	.4077	.4156	.4233	.4307
		17	.4465	.4589	.4705	.4814	.4915	.5010	.5099	.5183	.5261
		18	.5373	.5501	.5616	.5720	.5814	.5899	.5976	.6046	.6111
		19	.6243	.6351	.6445	.6527	.6599	.6663	.6721	.6773	.6820
20	.7021	.7103	.7173	.7234	.7289	.7338	.7382	.7423	.7461		
21	.7715	.7779	.7834	.7883	.7928	.7969	.8007	.8041	.8074		
22	.8336	.8388	.8434	.8475	.8513	.8547	.8579	.8608	.8634		
23	.8867	.8910	.8947	.8980	.9010	.9037	.9061	.9084	.9104		
24	.9286	.9318	.9346	.9371	.9393	.9413	.9430	.9446	.9460		
25	.9585	.9608	.9627	.9644	.9659	.9672	.9684	.9694	.9703		
26	.9779	.9794	.9806	.9817	.9826	.9834	.9841	.9847	.9852		
27	.9892	.9900	.9908	.9914	.9919	.9923	.9927	.9931	.9934		
28	.9951	.9956	.9960	.9963	.9966	.9968	.9970	.9972	.9973		
29	.9980	.9982	.9984	.9985	.9987	.9988	.9989	.9990	.9990		
30	.9992	.9993	.9994	.9995	.9995	.9996	.9996	.9997	.9997		
31	.9997	.9998	.9998	.9998	.9998	.9999	.9999	.9999	.9999		
32	.9999	.9999	.9999	.9999	1.0000	1.0000	1.0000	1.0000	1.0000		





## 9 References

- Abramowitz, M., and Stegun, I. (1972) *Handbook of Mathematical Functions*, New York, Dover
- Acosta, A. De (1992) Moderate deviations and associated Laplace approximations for sums of independent random vectors. *Transactions of the American Mathematical Society*, 329(1), 357–375
- Barbe, Ph., and Broniatowski, M. (2005) On Sharp Large Deviations for Sums of Random Vectors and Multidimensional Laplace Approximation. *Theory of Probability and Its Applications*, 49, 561–588
- Bolthausen, E. (1987) Laplace approximations for sums of independent random vectors. *Probability Theory and Related Fields*, 76(2), 167–206
- Castor-Transport geht auf schwierigste Etappe (2010) *DW-World.De*, 2010, 7 November. <http://www.dw-world.de/dw/article/0,,6200664,00.html>
- Central Limit Theorem (2012). *Wikipedia*
- Coffman, E.G.Jr. and Luecker, G.S. (1991). *Probabilistic Analysis of Packing and Partitioning Algorithms*. New York, Wiley
- Eaton, M.L. (2007) *Multivariate Statistics: A Vector Space Approach*. Beachwood, Ohio, USA: Institute of Mathematical Statistics
- Edelman, A., and Rao, R.J. (2005) Random matrix theory. *Acta Numerica*, 1–65
- Feller, W. (1968) *An Introduction to Probability Theory and Its Applications*. 3rd ed. New York, Wiley
- Garey, M.R., Graham, R.L., and Johnson, D.S. (1976) Resource constrained scheduling as generalized bin packing. *Journal of Combinatorial Theory (A)*, 21, 257–298
- Graham, R.L., Knuth, D.E., and Patashnik, O. (1988) *Concrete Mathematics*. Addison-Wesley, Reading MA
- Helms, L.L. (1997) *Introduction to Probability Theory*. New York, Freeman
- Inclusion-Exclusion Principle (2012). *Wikipedia*
- Kendrick, D. (1981) *Stochastic Control for Economic Models*. New York, McGraw-Hill
- Kuramochi, M. and G. Karypis (2007). Finding topological frequent patterns from graph datasets. In: Cook, D.J. and L.B. Holder (Eds.) *Mining Graph Data*. Hoboken, New Jersey, Wiley.
- Mehta, M.L. (2004) *Random Matrices*. Amsterdam, Elsevier/Academic Press
- Protest gegen Stuttgart 21 (2010) *Wikipedia* [http://de.wikipedia.org/wiki/Protest\\_gegen\\_Stuttgart\\_21](http://de.wikipedia.org/wiki/Protest_gegen_Stuttgart_21)
- Sierpinski Triangle (2012). *Wikipedia*
- Spline (mathematics) (2012) *Wikipedia*
- Spline Interpolation (2012) *Wikipedia*

- Stanke, M. (2003) Sequential selection of random vectors under a sum constraint. *Applied Probability Trust*, 17 July 2003
- Stoer, J., and Bulirsch, R. (2002) *Introduction to Numerical Analysis. Third edition.* New York, Springer
- Stoer, J., and Bulirsch, R. (2007) *Numerische Mathematik 1. 10. Auflage.* Berlin, Springer
- Tangian, A. (2007) Selecting predictors for traffic control by methods of the mathematical theory of democracy. *European Journal of Operational Research*, 181, 986–1003
- Tangian, A. (2008a) A mathematical model of Athenian democracy. *Social Choice and Welfare*, 31(4), 537–572
- Tangian, A. (2008b) Predicting DAX trends from Dow Jones data by methods of the mathematical theory of democracy. *European Journal of Operational Research*, 185, 1632–1662
- Tangian A. (2012) German parliamentary elections 2009 from the viewpoint of direct democracy. *Social Choice and Welfare* (Forthcoming)

## Bisher erschienene WSI-Diskussionspapiere

110. **Sitte, Ralf**: Soziale Sicherung unter Rot-Grün – Zur Entwicklung von Sozialpolitik und Sozialbudget seit 1998, Januar 2003
111. **Josten, Stefan Dietrich/Truger Achim**: The Political Economy of Growth and Distribution. A *Theoretical Critique*, März 2003
112. **Ahlers, Elke**: Arbeitsbedingungen, Leistungsdruck, Gesundheit am Arbeitsplatz März 2003
113. **Hein, Eckhard**: Die NAIRU – eine post-keynesianische Interpretation, März 2003
114. **Ziegler, Astrid**: Synopse wichtiger Positionen zur Reformdebatte der Europäischen Strukturpolitik nach 2006, April 2003
115. **Tangian, Andranik**: An Econometric decision model for equalizing regional unemployment in West and East Germany, July 2003
116. **Ziegler, Astrid**: Die europäische Strukturpolitik nach 2006 – Anforderungen an ein neues Konzept der europäischen Strukturpolitik im Zeitraum 2007-2013, August 2003
117. **Bäcker, Gerhard/Koch Angelika**: Mini- und Midi-Jobs als Niedrigeinkommensstrategie in der Arbeitsmarktpolitik. „Erfolgsstory“ oder Festschreibung des geschlechtsspezifisch segregierten Arbeitsmarktes?, August 2003
118. **Truger, Achim**: Germany's Poor Economic Performance in the Last Decade: It's the Macroeconomy, not Institutional Sclerosis, September 2003
119. **Tangian, Andranik S.**: Optimizing German regional policy-2004: A study based on empirical data from 1994 to 2001, December 2003
120. **Truger, Achim**: Verteilungs- und beschäftigungspolitische Risiken aktueller Steuerreformkonzepte: Eine Analyse mit Steuerbelastungsvergleichen für konkrete Haushaltstypen, Februar 2004
121. **Niechoj, Torsten**: Gewerkschaften und keynesianische Koordinierung in Europa. Chancen, Risiken und Umsetzungshürden, März 2004
122. **Tangian, Andranik, S.**: Defining the flexicurity index in application to European countries, April 2004
123. **Niechoj Torsten**: Fünf Jahre Makroökonomischer Dialog – Was wurde aus den ursprünglichen Intentionen?, April 2004
124. **Hein, Eckhard/Schulten, Thorsten/Truger, Achim**: Wage trends and deflation risks in Germany and Europe, Juni 2004
125. **Hein, Eckhard/ Truger, Achim**: Macroeconomic co-ordination as an economic policy concept – opportunities and obstacles in the EMU, Juni 2004
126. **Hein, Eckard/Niechoj, Torsten**: Leitlinien für ein dauerhaftes Wachstum in der EU?, Juli 2004
127. **Seifert, Hartmut**: Arbeitszeitpolitischer Modellwechsel: Von der Normalarbeitszeit zu kontrollierter Flexibilität, Juli 2004
128. **Hein, Eckhard/Schulten, Thorsten**: Unemployment, Wages and Collective Bargaining in the European Union, September 2004.
129. **Schulten, Thorsten**: Foundations and Perspectives of Trade Union Wage Policy in Europe, August 2004
130. **Seifert, Hartmut**: Flexibility through working time accounts: reconciling economic efficiency and individual time requirements, Juni 2004
131. **Tangian, Andranik, S.**: Liberal and trade-Unionist concepts of flexicurity: Modelling in application to 16 European Countries, October 2004
132. **Tangian, Andranik, S.**: Constructing the composite indicator "Quality of work" from the third European survey on working conditions, November 2004
133. **Hein Eckhard**, Interest rate, debt, distribution and capital accumulation in a post-Kaleckian model, Dezember 2004

134. **Bothfeld, Silke; Gronbach Sigrig; Seibel Kai:** Eigenverantwortung in der Arbeitsmarktpolitik: zwischen Handlungsautonomie und Zwangsmaßnahmen; Dezember 2004.
135. **Tangian, Andranik, S.:** A composite indicator of working conditions in the EU – 15 for policy monitoring an analytical purposes; März 2005 - englische Fassung -  
**Tangian, Andranik, S.:** Ein zusammengesetzter Indikator der Arbeitsbedingungen in der EU-15 für Politik-Monitoring und analytische Zwecke; August 2005 - deutsche Übersetzung -
136. **Dribbusch, Heiner:** Trade Union Organising in Private Sector Services; April 2005
137. **Tangian, Andranik, S.:** Monitoring flexicurity policies in the EU with dedicated composite indicators; Juni 2005
138. **Tangian, Andranik, S.:** Composite indicator of German regional policy and its use for optimizing subsidies to regional labour markets, Juli 2005
139. **Tangian, Andranik, S.:** Bundestagswahl 2005: Ergebnisse im Spiegel der Parteiprogramme, September 2005 – deutsche Fassung -  
**Tangian, Andranik, S.:** German parliamentary elections 2005 in the mirror of party manifestos, January 2006 - englische Übersetzung -
140. **Ellguth, Peter/Kirsch, Johannes/Ziegler, Astrid:** Einflussfaktoren der öffentlichen Förderung in Ostdeutschland – eine Auswertung des IAB-Betriebspanels -, November 2005
141. **Tangian, Andranik, S.:** European welfare state under the policy „make work pay“: Analysis with composite indicators, Dezember 2005
142. **Brandt, Torsten:** Mini- und Midijobs im Kontext aktivierender Arbeitsmarkt- und Sozialpolitik, Dezember 2005
143. **Seifert, Hartmut/Tangian, Andranik:** Globalization and deregulation: Does flexicurity protect atypically employed?, März 2006
144. **Ziegler, Astrid:** Zur Vorbereitung auf die neue Förderphase der Europäischen Strukturfonds – Synopse zu den zentralen Ergebnissen der Aktualisierungsberichte zur Halbzeitbewertung der OP in Ostdeutschland -, März 2006  
**Ziegler, Astrid:** Preparing for the European Structural Funds' next funding period – Synopsis of the central findings of the updates of the mid-term evaluation of the Operational Programmes in East Germany -, März 2006 - englische Übersetzung -
145. **Tangian, Andranik, S.:** Monitoring flexicurity policies in Europe from three different viewpoints, Juni 2006
146. **Leiber, Simone/Zwiener, Rudolf:** Zwischen Bürgerversicherung und Kopfpauschale: Vorschläge für eine tragfähige Kompromisslösung, Juni 2006
147. **Frericks, Patricia/Maier, Robert:** Rentenreformen und ArbeitnehmerInnenrechte im EU-Vergleich - Zwischen Eigenverantwortung und Solidarität -, August 2006
148. **Tangian, Andranik, S.:** European flexicurity: concepts (operational definitions), methodology (monitoring instruments), and policies (consistent implementations), Oktober 2006
149. **Tangian, Andranik, S.:** Flexibility-Flexicurity-Flexinsurance: Response to the European Commission's Green Paper: "Modernising Labour Law to Meet the Challenges of the 21<sup>st</sup> Century", January 2007
150. **Bispinck, Reinhard:** Löhne, Tarifverhandlungen und Tarifsysteem in Deutschland 1995 – 2005, Januar 2007
151. **Ahlers, Elke/Oez, Fikret/Ziegler, Astrid:** Company Relocation: The Consequences for Employees – An Analysis of the WSI Works Council Survey -, März 2007
152. **Bothfeld, Silke:** Labour Market Institutions in Germany: Current Status and Ongoing Reforms, April 2007
153. **Tangian, Andranik, S.:** Is flexible work precarious? A study based on the 4<sup>th</sup> European survey of working conditions 2005, June 2007
154. **Seifert, Hartmut/Tangian, Andranik, S.:** Flexibility: Reconciling Social Security with Flexibility - Empirical Findings for Europe, August 2007
155. **Klenner, Christina/Schmidt, Tanja:** Beruf und Familie vereinbar? Auf familienfreundliche Arbeitszeiten und ein gutes Betriebsklima kommt es an, November 2007

156. **Brehmer, Wolfgang/Seifert, Hartmut:** Wie prekär sind atypische Beschäftigungsverhältnisse? Eine empirische Analyse, November 2007
157. **Tangian, Andranik, S.:** Is the work in Europe decent? A study based on the 4<sup>th</sup> European survey of working conditions 2005, Dezember 2007
158. **Klenner, Christina/Pfahl, Svenja:** Jenseits von Zeitnot und Karriereverzicht - Wege aus dem Arbeitszeitdilemma, Arbeitszeiten von Müttern, Vätern und Pflegenden, Januar 2008
159. **Tangian, Andranik, S.:** Towards Consistent Principles of Flexicurity, April 2008
160. **Tangian, Andranik, S.:** On the European Readiness for Flexicurity: Empirical Evidence with OECD/HBS Methodologies and Reform Proposals, April 2008
161. **Bothfeld, Silke/Ullmann, Karen:** The German Employment Protection Act - How does it work in company practice?, Juni 2008
162. **Ziegler, Astrid:** Standortverlagerung und Ausgliederung - Ausmaß, Struktur und Auswirkungen auf die Beschäftigten. Eine Auswertung auf Basis der WSI-Betriebsrätebefragung 2007, August 2008
163. **Grimmeisen, Simone/Leiber, Simone:** Zwischen Kostenprivatisierung und PatientInnenautonomie: Eigenverantwortung in der Gesundheitspolitik, März 2009
164. **Schulten, Thorsten:** Guter Lohn für gute Rente, Juni 2009
165. **Tangian, Andranik, S.:** Towards computer-aided collective bargaining: Enhancing the trade unions position under flexicurity, Juni 2009
166. **Leiber, Simone:** Armutsvermeidung im Alter: Handlungsbedarf und Handlungsoptionen, Juni 2009
167. **Bogedan, Claudia/Herzog-Stein, Alexander/Klenner, Christina/Schäfer, Claus:** Vom Schuttschirm zum Bahnbrecher - Anforderungen an die Arbeitsmarkt- und Beschäftigungspolitik in der Wirtschaftskrise, August 2009
168. **Tangian, Andranik, S.:** Six families of flexicurity indicators developed at the Hans Boeckler Foundation, November 2009
169. **Herzog-Stein, Alexander/Seifert, Hartmut:** Deutsches „Beschäftigungswunder“ und Flexible Arbeitszeiten, Februar 2010
170. **Brehmer, Wolfram/Klenner, Christina/Klammer, Ute:** Wenn Frauen das Geld verdienen - eine empirische Annäherung an das Phänomen der „Familienernährerin“, Juli 2010
171. **Bispinck-Hellmich, Reinhard/Dribbusch, Heiner/Schulten, Thorsten:** German Collective Bargaining in a European Perspective - Continuous Erosion or Re-Stabilisation of Multi-Employer Agreements?, August 2010
172. **Dribbusch, Heiner:** Tarifkonkurrenz als gewerkschaftspolitische Herausforderung: Ein Beitrag zur Debatte um die Tarifeinheit, August 2010
173. **Tangian, Andranik, S.:** Representativeness of German parties and trade unions with regard to public opinion, September 2010
174. **Wolf, Elke:** Lohndifferenziale zwischen Voll- und Teilzeitbeschäftigten in Ost- und Westdeutschland, Dezember 2010
175. **Ahlers, Elke:** Belastungen am Arbeitsplatz und betrieblicher Gesundheitsschutz vor dem Hintergrund des demografischen Wandels, Februar 2011
176. **Rothgang, Heinz/Arnold, Robert:** Berechnungen der finanziellen Wirkungen und Verteilungswirkungen für eine integrierte Krankenversicherung mit einem zusätzlichen Solidarbeitrag, März 2011
177. **Reinhard Bispinck/Heiner Dribbusch:** Collective bargaining, decentralisation and crisis management in the German metalworking industries since 1990, Oktober 2011
178. **Reinhard Bispinck/Thorsten Schulten:** Trade Union Responses to Precarious Employment in Germany, Dezember 2011
179. **Tangian, Andranik:** Statistical Test for the Mathematical Theory of Democracy, February 2012



