

Cordero, Pilar

Article

Carbon footprint estimation for a sustainable improvement of supply chains: State of the art

Journal of Industrial Engineering and Management (JIEM)

Provided in Cooperation with:

The School of Industrial, Aerospace and Audiovisual Engineering of Terrassa (ESEIAAT), Universitat Politècnica de Catalunya (UPC)

Suggested Citation: Cordero, Pilar (2013) : Carbon footprint estimation for a sustainable improvement of supply chains: State of the art, Journal of Industrial Engineering and Management (JIEM), ISSN 2013-0953, OmniaScience, Barcelona, Vol. 6, Iss. 3, pp. 805-813, <https://doi.org/10.3926/jiem.570>

This Version is available at:

<https://hdl.handle.net/10419/188563>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



<https://creativecommons.org/licenses/by-nc/3.0/>

Carbon footprint estimation for a sustainable improvement of supply chains: state of the art

Pilar Cordero

Universitat Politècnica de València (Spain)

mpilar.cordero@gmail.com

Received: September 2012

Accepted: March 2013

Abstract:

Purpose This paper examines the current methodologies and approaches developed to estimate carbon footprint in supply chains and the studies existing in the literature review about the application of these methodologies and other new approaches proposed by some authors.

Design/methodology/approach Literature review about methodologies developed by some authors for determining greenhouse gases emissions throughout the supply chain of a given sector or organization.

Findings and Originality/value Due to its usefulness for the design and management of a sustainable supply chain management, methodologies for calculating carbon footprint across the supply chain are recommended by many authors not only to reduce GHG emissions but also to optimize it in a cost-effective manner. Although these approaches are in first stages of development and the literature is scarce, different methodologies for estimating CF emissions which include EIO analysis models and standardized methods and guidance have been developed, some of them applicable to supply chains especially methodologies for calculating CF of a specific economic sector supply chain in a territory or country and for calculating CF of an organization applicable to the estimation of GHG emissions of a specific company supply chain.

Keywords supply chain, carbon footprint, sustainability, organization

1. Introduction

Supply Chain Management (SCM) encompasses the planning and management of all activities involved in sourcing and procurement, conversion, and all logistics management activities (Council of Supply Chain Management Professionals, 2012) which report economic benefits to companies. However, despite being economically feasible, these supply chain are not sustainable, because they can have a negative impact in relation to environmental and social aspects. Thus, the concept of Sustainable Supply Chain Management (SSCM) have emerged in recent years as the strategic, transparent integration and achievement of an organization's social, environmental and economic goals in the systemic coordination of key inter-organizational business processes for improving the long-term economic performance of the individual company and its supply chains (Mentzer, DeWitt & Keebler, 2001; Lambert, 2006; Carter & Rogers, 2008). The literature review shows some initiatives to improve the sustainability performance of supply chains in context: Svensson (2007) identifies several sustainable business practices in supply chains such as corporate social responsibility, green purchasing strategies, environmental purchasing, reverse logistics, environmental management, life cycle assessment and ISO 14000 certifications among others.

In order to measure and compare the most significant environmental impacts along the supply chains as well as the improvements achieved with the implementation of these initiatives, is necessary methods and tools. There are many approaches to study the environmental (Finnveden & Moberg, 2005) and sustainability aspects of production and consumption (Ness, Urbel-Piirsalu, Anderberg & Olsson, 2007): qualitative approaches such as industrial ecology, design for environment, and cleaner production and other approaches based on quantitative models, e.g., material flows accounting and strategic environmental assessment and Life Cycle Assessment (LCA), (Heijungs, Huppes & Guinée, 2010) being this tool the most established and well-developed tool in this category (Ness et al., 2007). Due to the increasing concern about global climate change and carbon emissions as a casual factor (Rotz, Montes & Chianese, 2010), the term Carbon footprint has become popular over the last few years. Carbon footprint (CF) is a procedure that is referred to the quantity of greenhouse gases (carbon dioxide, methane, nitrous oxide and halocarbons) produced during product's life cycle (Pihkola, Nors, Kujanpää, Helin, Karimiemi, Pajula et al., 2010). In fact, CF could be considered as a simplified version of LCA Analysis in which, instead of considering all environmental impacts categories, only the environmental impact category Global Warming is considered. Concerning supply chains, many researchers agreed the efficiency of carbon management strategies from the point of view of the organization, helping decision makers to achieve sustainability objectives identifying key points in the supply chain, potential risks, and opportunities of improvement (Carballo-Penela & Domenech, 2010) in a cost-effective manner in the design of a green supply chain (Finkbeiner, 2009; Pandey, Agrawal & Pandey, 2010; Hua, Cheng & Wang, 2011; Lee, 2011) such the use of energy-efficient vehicles, waste reduction through process optimization and recycling (Sundarakani, de Souza, Goh, Wagner,

Manikandan, 2010) and from the point of view of consumers, CF can be seen as a subset of the demand for environmental information that is being used for knowledge-based decision making in the context of sustainable consumption and production (Carballo-Peneda & Domenech, 2010).

This paper examines the current methodologies and approaches developed to estimate CF in supply chains and the studies existing in the literature review about the application of these methodologies and other new approaches proposed by some authors in order to get an overview of the using this approach to the environmental improvement of supply chains.

2. Carbon Footprint methodologies

2.1. General methodologies for calculating Carbon Footprint

In general, methodologies for calculating CF can be classified into the following types (Wiedmann & Minx, 2008; IHOBE, 2009)

- *Methodologies for calculating CF of a territory or country*, used for the preparation of emission inventories. These emission inventories are generally calculated through a methodology called *Input-output analysis (EIO)*.
- *Methodologies for calculating CF of an organization* (or Corporate CF methodologies) which identify emissions from all the activities across the organization, including buildings' energy use, industrial processes and company vehicles.
- *Methodologies for calculating CF of a product or service* which identify emissions over the whole life of a product or service, from the extraction of raw materials and manufacturing right through to its use and final reuse, recycling or disposal.

Both corporate and product CF methods are generally based on LCA-based approaches. Table 1 shows some initiatives and methodological standards (or drafts thereof) and guidances to estimate CF associated with products and organizations. Some of these methodologies, generally corporate CF methodologies such as Greenhouse Gas Protocol (GHG Protocol) (2012), distinguishes three scopes of carbon emissions: direct GHG emissions (Scope 1), electricity indirect GHG emissions (Scope 2), and other indirect GHG emissions (Scope 3) (Lee, 2011). Because Scopes 1 and 2 footprints are generally less than 25% of the total direct and upstream footprint for a vast majority of businesses, Scope 3 such as indirect emissions from purchased and sold products that should not be ignored as knowledge of them can help inform more holistic approaches to address life cycle footprint across the supply chain (Huang, Weber & Matthews, 2009; Lee, 2011) (Figure 1).




Figure 1. Direct vs. indirect effects of CF in the supply chain. (Lee, 2011)

Scope	Developed by	Standard/Methodology	Product	Corporate
International	GHG Protocol	Corporate Accounting and Reporting Standards		X
		Project Accounting Protocol and Guidelines		X
		Product Standards	X	
	ISO	ISO 14064-1		X
		ISO 14067	X	
		ISO 14069		X
Europe	European Commission	Corporate and product Carbon Footprint	X	X
UK	British Standard Institutions (BSI)	UK's Product Carbon Footprint (PAS 2050)	X	
France	AFNOR	BP X30-323	X	
	ADEME	Bilan Carbone		X
Sweden	SEMCo	EPD System	X	
Japan	JISC	TS Q 0010	X	

Table 1. Examples of methodologies and approaches for calculating CF of products and organizations (European Commission, 2011; Finkbeiner, 2009; Pandey, Agrawal & Pandey, 2010)

2.2. Experiences in the application of Carbon Footprint methodologies in supply chains

While green supply chain management has become popular, fewer studies have been published on CF in supply chain management (Lee, 2011). The studies founded in the literature generally show the application of EIO models for estimating CF of some specific sector in a territory or country and the application of methods for estimating CF of some specific organization supply chain listed above and the proposal of new carbon modeling approaches to be applied in the design and managements of supply chains. Table 2 shows a summary of the most relevant studies available in the literature.

Author	Main purpose of the study
<i>Application of EIO analysis for estimating CF of some specific sector in a territory or country</i>	
Minx et al. (2008)	Application of input-output model to identify GHG emission hotspots in the international supply chain of two food products (meats and oils)
Wiedmann and Minx (2008)	Discussion of the advantages of the use of hybrid-EIO-LCA approaches
Huang et al. (2009)	Application of hybrid EIO-LCA approaches in the electronic sector
Virtanen et al. (2011)	Application of the hybrid-EIO-LCA approach in Finnish food chain
<i>Application of existing methodologies for estimating CF in some specific organization supply chain</i>	
Lee (2011)	Integration of carbon emissions in automobile supply chain management by using GHG Protocol
Carbon Trust (2006)	Development of a business tool for carbon management across the supply chain of a specific organization
Rizet et al. (2012)	Application of Bilan Carbone methodology to compare energy consumption and CO ₂ emissions of supply chains in Belgium, France and UK considering different products: jeans, yogurts, apples, tomatoes and furniture
Espinoza-Orias, Stichnothe & Azapagic (2011)	Comparison of CF in bread supply chain by using PAS 2050 and ISO 14044 methodologies
<i>Other approaches</i>	
Sundarakani, de Souza, Goh, Wagner & Manikandan (2010)	Application of Eulerian and Lagrangian transport models in CF measurement in a supply chain
Milá i Canals et al (2011)	Application of a meta-product-based accounting LCA approach for the assessment and comparison of individual product types as well as for the estimation of a brand's total GHG in a food company.
Carballo-Penela & Doménech (2010)	Proposal of MC3 model as an internationally standardized method for the assessment of GHG emissions to calculate CF of companies and organizations
Ramudhin, Chaabane, Kharoune & Paquet (2008)	Proposal of a novel approach for Green Supply Chain Management (GSCM) by tying GHGs emissions to carbon trading
Benjaafar, Li & Daskin (2010)	Proposal of a series of model formulations that illustrate how carbon emissions considerations can be incorporated into operations management models.
Hua, Cheng & Wang (2010)	Management of CF in inventory management under the carbon emission trading mechanism.

Table 2. Experiences in the application of CF methodologies in supply chains

EIO analysis have been considered by some authors to estimate CF emissions in some specific sector supply chains. Thus, Minx, Peters, Wiedmann and Barrett (2008) apply structural path analysis in a generalized multi-regional input-output model to identify GHG emission hotspots in the international supply chain of two food products (product groups) consumed in the UK (meats and oils) and Wiedmann and Minx (2008) discuss the advantage of the use of a hybrid-EIO-LCA approach, where life-cycle assessments are combined with input-output analysis that allows preserving the detail and accuracy of LCA-based approaches in lower order stages, while higher-order requirements are covered by the input-output part of the model. Huang et al. (2009) applied this methodology to estimate carbon footprint profiles of 8 electronics manufacturing and computer services sectors, by emphasizing the importance of considering indirect emissions (Scope 3) to focus their footprint efforts and Virtanen, Kurppa, Saarinen, Katajajauuri, Usva, Mäenpää et al. (2011) developed this model specifically for the Finnish food chain at the macro level. As far studies of the application of current methodologies for calculating CF in some specific organization supply chain is concerned, Lee (2011) proposes a new way to integrate carbon emissions in automobile supply chain management by using GHG

Protocol. Carbon Trust (2006) has created a business tool for carbon management across the supply chain. This methodology has been successfully piloted with the supply chains of different newspaper and snack foods products. Rizet, Browne, Cornelis and Leonardi (2012) compares the energy consumption and CO₂ emissions of supply chains in Belgium, France and UK looking in particular at, jeans, yogurts, apples, tomatoes and furniture considering Bilan Carbone methodology and Espinoza-Orias, Stichnothe and Azapagic (2011) makes a comparison of carbon footprint in bread supply chain in UK by using PAS 2050 and ISO 14044 methodologies. In the literature, some authors proposed new carbon modeling approaches to be applied in the design and managements of supply chains. Sundarakani et al. (2010) employ the Eulerian and Lagrangian transport models to calculate the emissions applied in models to study water quality, submarine outfalls, sediment erosion, oil dispersion and other types of pollution. Although, the application of this model in carbon footprint measurement in a supply chain has not been reported, authors find that it is an appropriate method of measurement because it considers both active and passive tracers in CF. Milá i Canals, Sim, García-Suárez, Neuer, Herstein, Kerr et al. (2011) apply a meta-product-based accounting LCA approach for the assessment and comparison of individual product types as well as for the estimation of a brand's total GHG in a food company due to a bottom-up product-based life cycle assessment (LCA) approach was considered impractical to assess company's portfolio's complexity. Carballo-Penela and Doménech (2010) developed MC3 an internationally standardized method for the assessment of GHG emissions from the life cycle of products built on the LCA guidance and key principles of relevant approaches of the field of LCA. All the data to estimate GHG emissions is obtained from the ledger accounts of the organization which allows a close relationship between the economic and the environmental aspect of the organization. On the other hand, Ramudhin, Chaabane, Kharoune and Paquet (2008) propose a novel approach for Green Supply Chain Management (GSCM) by tying GHGs emissions to carbon trading based on the called "Carbon Market Sensitive - Green Supply Chain Network Design" (CMS/GSCND). The proposed methodology is based on an integrated logistics mathematical model for green supply chain network design with GHGs emissions considerations. Benjaafar, Li and Daskin (2010) present a series of model formulations that illustrate how carbon emissions considerations can be incorporated into operations management models and Hua et al (2011) investigates how firms manage carbon footprints in inventory management under the carbon emission trading mechanism.

3. Discussion

Due to its usefulness for the design and management of a sustainable supply chain management, methodologies for calculating CF across the supply chain are recommended by many authors not only to reduce GHG emissions but also to optimize it in a cost-effective manner. In recent years different methodologies for estimating CF emissions have been developed some of them applicable to supply chains especially methodologies for calculating CF of a specific economic sector supply chain in a territory or country and for calculating CF of

an organization applicable to the estimation of GHG emissions of a specific company supply chain. However these approaches are in first stages of development and the literature is scarce with respect to estimation of GHG emissions in different supply chain. Thus, the literature review shows some of these methodologies which include EIO analysis models and standardized methods and guidance such as developed by GHG Protocol as well as researches about their applicability to specific economic sectors and companies.

References

- Benjaafar, S., Li, Y., & Daskin, M. (2010). *Carbon Footprint and the Management of Supply Chains: Insights from Simple Models*. Retrieved 2nd February 2012. <http://www.isye.umn.edu/faculty/pdf/beyada-3-31-10.pdf>
- Carballo-Penela, A., & Doménech, J.L. (2010). Managing the carbon footprint of products: the contribution of the method composed of financial statements (MC3). *International Journal of Life Cycle Assessment*, 15, 962-969. <http://dx.doi.org/10.1007/s11367-010-0230-1>
- Carbon Trust (2006). *Carbon Footprints in the Supply Chain: the next step for business*. Retrieved 17th February 2012. <http://bit.ly/YOqPHV>
- Carter, C.R., & Rogers, D.S. (2008). A framework for sustainable supply chain management: moving toward new theory. *International Journal of Physical Distribution & Logistics Management*, 38(5), 360-387. <http://dx.doi.org/10.1108/09600030810882816>
- Council of Supply Chain Management Professionals (2012). *CSCMP Supply Chain Management Definitions*. Retrieved 9th January 2012. <http://cscmp.org/aboutcscmp/definitions.asp>.
- Espinoza-Orias, N., Stichnothe, H., & Azapagic, A. (2011). The carbon footprint of bread. *International Journal of Life Cycle Assessment*, 16,351–365. <http://dx.doi.org/10.1007/s11367-011-0271-0>
- European Commission (2011). *Analysis of Existing Environmental Footprint Methodologies for Products and Organizations: Recommendations, Rationale, and Alignment*. Retrieved 15th February 2012. <http://ec.europa.eu/environment/eussd/pdf/Deliverable.pdf>
- Finkbeiner, M. (2009). Carbon footprinting—Opportunities and threats. *International Journal of Life Cycle Assessment*, 14(2), 91-94. <http://dx.doi.org/10.1007/s11367-009-0064-x>
- Finnveden, G., & Moberg, Å. (2005). Environmental systems analysis tools e an overview. *Journal of Cleaner Production*, 13, 1165-1173. <http://dx.doi.org/10.1016/j.jclepro.2004.06.004>
- Greenhouse Gas Protocol (GHG Protocol) (2012). *Standards*. Retrieved 2nd February 2012. <http://www.ghgprotocol.org/>

- Heijungs, R., Huppes, G., & Guinée, J.B. (2010). Life cycle assessment and sustainability analysis of products, materials and technologies. Toward a scientific framework for sustainability life cycle analysis. *Polymer Degradation and Stability* 95(3), 422-428. <http://dx.doi.org/10.1016/j.polymdegradstab.2009.11.010>
- Hua, G., Cheng, T.C.E., & Wang, S. (2011). Managing carbon footprints in inventory management. *International Journal of Production Economics*, 132, 178-185. <http://dx.doi.org/10.1016/j.ijpe.2011.03.024>
- Huang, Y.A., Weber, C.L., & Matthews, H.S. (2009). *Carbon Footprinting Upstream Supply Chain for Electronics Manufacturing and Computer Services*. Sustainable Systems and Technology, 2009. ISSST'09. IEEE International Symposium on 18-20 May 2009. <http://dx.doi.org/10.1109/ISSST.2009.5156679>
- Lambert, D. (2006). *Supply chain management: processes, partnerships, performance*. Florida: The Hartley press.
- Lee, K-H (2011). Integrating carbon footprint into supply chain management: the case of Hyundai Motor Company (HMC) in the automobile industry. *Journal of Cleaner Production*, 19, 1216-1223. <http://dx.doi.org/10.1016/j.jclepro.2011.03.010>
- Mentzer, J.T., DeWitt, W., & Keebler, J.S. (2001). Defining supply chain management. *Journal of Business Logistics* 22(2), 1-26. <http://dx.doi.org/10.1002/j.2158-1592.2001.tb00001.x>
- Milá i Canals, L., Sim, S., García-Suárez, T., Neuer, G., Herstein, K., Kerr, C. et al. (2011). Estimating the greenhouse gas footprint of Knorr. *International Journal of Life Cycle Assessment*, 16(1), 50-58. <http://dx.doi.org/10.1007/s11367-010-0239-5>
- Minx, J.C., Peters, G.P., Wiedmann, T., & Barrett, J. (2008). *GHG Emissions in the Global Supply Chain of Food Products*. The 2008 International Input-Output Meeting on Managing the Environment (IIOMME), Seville, Spain, July 9-11.
- Ness, B., Urbel-Piirsalu, E., Anderberg, S., & Olsson, L. (2007). Categorising tools for sustainability assessment. *Ecological Economics*, 60(3), 498-508. <http://dx.doi.org/10.1016/j.ecolecon.2006.07.023>
- Pandey, D., Agrawal, M., & Pandey, J.S. (2010). Carbon footprint: current methods of estimation. *Environmental monitoring and assessment*, 178(1-4), 135-160. <http://dx.doi.org/10.1007/s10661-010-1678-y>
- Pihkola, H., Nors, M., Kujanpää, M., Helin, T., Kariniemi, M., Pajula, T. et al. (2010). *Carbon footprint and environmental impacts of print products from cradle to grave. Results from the*

LEADER project (Part 1). Retrieved 3rd February 2012
<http://www.vtt.fi/inf/pdf/tiedotteet/2010/T2560.pdf>

Public Society of Environmental Management of the Basque Country (IHOBE) (2009). *Life cycle assessment and carbon footprint. Two ways to estimate the environmental impacts of a product*. Bilbao: IHOBE.

Ramudhin, A., Chaabane, A., Kharoune, M., & Paquet, M. (2008). *Carbon Market Sensitive Green Supply Chain Network Design*. Industrial Engineering and Engineering Management, 2008. IEEM 2008. IEEE International Conference on, Singapore, December 8-11.
<http://dx.doi.org/10.1109/IEEM.2008.4738039>

Rizet, C., Browne, M., Cornelis, E., & Leonardi, J. (2012). Assessing carbon footprint and energy efficiency in competing supply chains: Review – Case studies and benchmarking. *Transportation Research Part D: Transport and Environment*, 17(4), 293-300.
<http://dx.doi.org/10.1016/j.trd.2012.01.002>

Rotz, C.A., Montes, F., & Chianese, D.S. (2010). The carbon footprint of dairy production systems through partial life cycle assessment. *Journal of Dairy Science*, 93(3), 1266-1282.
<http://dx.doi.org/10.3168/jds.2009-2162>

Sundarakani, B., de Souza, R., Goh, M., & Wagner, S.M., Manikandan, S. (2010). Modeling carbon footprints across the supply chain. *International Journal of Production Economics*, 128(1), 43-50. <http://dx.doi.org/10.1016/j.ijpe.2010.01.018>

Svensson G. (2007). Aspects of sustainable supply chain management (SSCM): conceptual framework and empirical example. *Supply Chain Management: An International Journal*, 12(4), 262-266. <http://dx.doi.org/10.1108/13598540710759781>

Virtanen Y., Kurppa S., Saarinen M., Katajajuuri J-M, Usva K., Mäenpää I. et al. (2011). Carbon footprint of food – approaches from national input-output statistics and a LCA of a food portion. *Journal of Cleaner Production*, 19(16), 1849-1856.
<http://dx.doi.org/10.1016/j.jclepro.2011.07.001>

Wiedmann, T., & Minx, J. (2008). A Definition of 'Carbon Footprint'. In: C.C. Pertsova, *Ecological Economics Research Trends*. Hauppauge New York: Nova Science Publishers.

Journal of Industrial Engineering and Management, 2013 (www.jiem.org)



Article's contents are provided on a Attribution-Non Commercial 3.0 Creative commons license. Readers are allowed to copy, distribute and communicate article's contents, provided the author's and Journal of Industrial Engineering and Management's names are included.

It must not be used for commercial purposes. To see the complete license contents, please visit

<http://creativecommons.org/licenses/by-nc/3.0/>.