

Aune, Finn Roar; Bøeng, Ann Christin; Kverndokk, Snorre; Lindholt, Lars;
Rosendahl, Knut Einar

Working Paper

Fuel efficiency improvements - feedback mechanisms and distributional effects in the oil market

Discussion Papers, No. 839

Provided in Cooperation with:

Research Department, Statistics Norway, Oslo

Suggested Citation: Aune, Finn Roar; Bøeng, Ann Christin; Kverndokk, Snorre; Lindholt, Lars; Rosendahl, Knut Einar (2016) : Fuel efficiency improvements - feedback mechanisms and distributional effects in the oil market, Discussion Papers, No. 839, Statistics Norway, Research Department, Oslo

This Version is available at:

<https://hdl.handle.net/10419/192821>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:


Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.

*Finn Roar Aune, Ann Christin Bøeng, Snorre Kverndokk,
Lars Lindholt and Knut Einar Rosendahl*

**Fuel efficiency improvements –
feedback mechanisms and distributional
effects in the oil market**



Finn Roar Aune, Ann Christin Bøeng, Snorre Kverndokk, Lars Lindholt and Knut Einar Rosendahl

Fuel efficiency improvements – feedback mechanisms and distributional effects in the oil market

Abstract:

We study the interactions between fuel efficiency improvements in the transport sector and the oil market, where the efficiency improvements are policy-induced in certain regions of the world. We are especially interested in feedback mechanisms of fuel efficiency such as the rebound effect, carbon leakages and the “green paradox”, but also the distributional effects via oil price changes for different regions, sectors and oil producers. An intertemporal numerical model of the international oil market is introduced, where OPEC-Core producers have market power. We find that the rebound effect has a noticeable effect on the transport sector, but also on other sectors through lower oil prices in the regions that introduce the policy. There is a small green paradox effect in the sense that oil consumption increases initially when the fuel efficiency measures are gradually implemented. Finally, there will be significant carbon leakages if the policy is not implemented in all regions, with leakage rates of 35 per cent or higher. Non-OPEC producers will suffer more than OPEC producers by fuel efficiency policies due to high production costs.

Keywords: Fuel efficiency; transport; oil market; market power; distribution: feedback mechanisms

JEL classification: D42; Q54; R48

Acknowledgements: Thanks to Cathrine Hagem and Bjart Holtmark for comments. The project is financed by CREE, the PETROSAM program at the Research Council of Norway and the ENTRACTE Project financed by the European Union. While carrying out this research the authors have been associated with CREE - Oslo Centre for Research on Environmentally Friendly Energy. The CREE Centre acknowledges financial support from The Research Council of Norway.

Finn Roar Aune, Statistics Norway, Research Department. E-mail: fau@ssb.no

Ann Christin Bøeng, Statistics Norway, Research Department. E-mail: abg@ssb.no

Snorre Kverndokk, Ragnar Frisch Centre for Economic Research.
E-mail: snorre.kverndokk@frisch.uio.no

Lars Lindholt, Statistics Norway, Research Department. E-mail: lli@ssb.no

Knut Einar Rosendahl, Norwegian University of Life Sciences.
E-mail: knut.einar.rosendahl@nmbu.no

Discussion Papers

comprise research papers intended for international journals or books. A preprint of a Discussion Paper may be longer and more elaborate than a standard journal article, as it may include intermediate calculations and background material etc.

© Statistics Norway
Abstracts with downloadable Discussion Papers
in PDF are available on the Internet:
<http://www.ssb.no/en/forskning/discussion-papers>
<http://ideas.repec.org/s/ssb/disvap.html>

ISSN 1892-753X (electronic)

Sammendrag

I dette arbeidet studerer vi sammenhengen mellom brenselseffektivisering i transportsektoren og oljemarkedet. Vi antar at noen regioner i verden innfører brenselseffektivisering som en del av sin energi- og klimapolitikk. Spesielt er vi interessert i å studere om dette gir såkalte «feedback-mekanismer» på andre deler av økonomien og på andre regioner. Disse mekanismene er tilbakevirkningseffekter (rebound-effekter), karbonlekkasjer og "det grønne paradoks", dvs. at forbruket av fossile brensler øker som følge av grønn politikk. I tillegg studerer vi fordelingsvirkninger av oljeprisendringer for ulike regioner, sektorer og produsenter. I analysene benytter vi en intertemporal numerisk modell for det internasjonale oljemarkedet, der en kjerne av OPEC-produsenter har markedsmakt. Vi finner at lavere oljepris fører til relativt sterke tilbakevirkningseffekter i transportsektoren, men også til en viss grad i andre sektorer i de regionene hvor effektiviseringspolitikken blir innført. Resultatene gir en svak støtte til «det grønne paradoks», siden oljeforbruket øker initialt ettersom effektiviseringstiltakene gradvis blir innført over tid. Det blir også betydelige karbonlekkasjer hvis tiltakene ikke blir innført i alle regioner, med lekkasjer på 35 prosent og høyere. Resultatene viser at produsentene utenfor OPEC vill tape mer enn OPEC-produsentene på drivstoffeffektivisering fordi de har høyere produksjonskostnader.

1. Introduction

For several decades, policy makers in many OECD countries have tried to limit domestic oil consumption for a variety of reasons. Oil is a non-renewable resource, and there have been worries about future availability and costs of oil (cf. e.g. the peak-oil debate). Further, security of supply has been a concern as most oil reserves are controlled by a few OPEC countries in the Middle East. Also, most OECD countries are oil importers, and are paying large import bills for the oil they consume. Finally, oil combustion leads to CO₂-emissions, and is an important contributor to climate change.

A popular policy instruments to reduce oil consumption in most OECD countries has been fuel efficiency standards for new vehicles. In the United States, the CAFE (Corporate Average Fuel Economy) standards were first introduced in 1975, and have been regularly updated since then. Japan introduced its fuel efficiency standards in 1979. In the EU, mandatory targets for new cars were implemented in 2007, after about ten years with a voluntary agreement with car manufacturers.¹ Fuel efficiency standards have also been implemented in countries like China, Canada, Australia and Korea (IEA, 2008). Other policies to reduce oil consumption, such as fuel taxes and biofuels support, have also been introduced to a varying degree. However, efficiency standards seem to be politically easier to implement than price-based policies, e.g. because they may have less negative distributional effects than taxes, which are typically regressive for households (Kverndokk and Rose, 2008).

In this paper we investigate the effects in the oil market of fuel efficiency improvements in the transport sector, caused by stricter fuel efficiency standards.² We do not model an explicit policy instrument, but assume that the policy leads to enhanced fuel efficiency compared to a business as usual scenario. We examine the impacts on oil consumption, both in transport sector and in other sectors. Moreover, we are interested in the effects on oil prices, on the market shares of OPEC and Non-OPEC, and on the dynamic market effects. Although fuel efficiency improvements are valuable, they may have some feedback effects, i.e., second order effects in the market, and distributional impacts on different regions, sectors and producers that are worth considering.

First of all, due to the so called rebound effect, energy efficiency measures may be less effective than expected if the aim is to reduce energy use (e.g. Frondel et al., 2012; Gillingham et al., 2014; Borenstein, 2015; Saunders, 2015). The rebound effect follows from the fact that energy services (e.g.,

¹ The targets are CO₂-intensity targets, not fuel efficiency targets, but the effects are quite similar for petrol and diesel cars (but not when considering biofuels and electrical vehicles).

² Fuel efficiency is usually measured as miles driven per gallon of fuel, or alternatively how much fuel you need to drive a mile.

miles driven) become cheaper, as less energy is required to produce the same service. Thus, the demand for energy services may increase and partly or totally mitigate the initial reduction in energy use required to produce the same energy service as before. However, according to Gillingham et al. (2014), the rebound effect will in most cases be significantly below 100 per cent.

A second feedback mechanism is carbon leakage, i.e., reduced demand for oil in a specific sector or country may lead to lower oil prices and correspondingly higher oil consumption in other sectors or countries (e.g., Felder and Rutherford, 1993; Böhringer et al., 2014; Habermacher, 2015). Policy measures that reduce the demand for oil products may have particularly large leakage effects as oil is a globally traded good, and not mainly traded in national or regional markets such as natural gas or coal. Thus, oil consumption in other regions and sectors will be stimulated by lower prices. Note, however, that if countries fulfill their pledges in the Paris Agreement, which includes most countries in the world, carbon leakages are less relevant. Thus, this is then mostly relevant on the sector level, i.e., that emissions increase in one sector but decrease in other sectors, and if there is some flexibility when to mitigate emissions. On the other hand, it is uncertain to what degree countries will adhere to their pledges.

Thirdly, we study the “green paradox”, i.e., fossil fuel suppliers might find it profitable to accelerate extraction if they foresee reduced demand in the future, e.g., due to gradual improvements in fuel efficiency (e.g., Sinn, 2008; van der Ploeg and Withagen, 2012).

The three feedback mechanisms are related to each other, and they all depend highly on the price responsiveness of demand and supply in the energy markets. The rebound effect depends crucially on the price elasticity in the sector or region where the efficiency improvement takes place. The more price elastic, the higher is the direct rebound effect. To the degree that the efficiency improvement reduces energy demand, the energy price will fall, implying second-order rebound effects as well as leakage in other sectors or regions. These effects depend on price responsiveness of both supply and demand – the more price responsive demand is relative to supply, the bigger are these rebound and leakage effects.³ As indicated above, the green paradox effect depends heavily on the timing of the efficiency improvements, but also on the price responsiveness. For instance, if the rebound and leakage effects are large due to high demand responsiveness, there will be less shifting of supply between different time periods, limiting eventual green paradox effects.

³ Strictly speaking, with imperfect competition on the supply side, it is not really price responsiveness as such, but rather how market changes affect the (optimal) supply of the large producers.

In addition to the feedback effects, the distributional effects of changes in the oil price may differ among different regions, sectors and oil producers such as OPEC and Non-OPEC, as well as among consumers and producers (e.g., Kverndokk and Rose, 2008). This may have impact on the political feasibility of fuel efficiency.

In this paper we study these feedback mechanisms and distributional effects for different regions, sectors and oil producers of fuel efficiency in the transport sector, using a new numerical model of the international oil market called Petro2. The model incorporates dynamic behavior by oil producers, and distinguishes between competitive producers and producers with market power. Oil demand and supply is divided into several regions and sectors. The model is described in more detail below.

There have been significant improvements in energy efficiency globally over the last decades,⁴ e.g. in the transport sector, see IPCC (2014). However, many options for improved efficiency still remain, and targets for efficiency improvements have been implemented in future plans for large regions and countries such as the United States, China and the EU. For instance, in the goals for climate and energy policy towards 2030 by the EU,⁵ improved energy efficiency is important to reach the target of reducing greenhouse gas (GHG) emissions by 40 per cent below the 1990 level. Further, in the 12th 5-year plan for China (2011-15), the aim is to reduce energy consumption per unit of gross domestic product (GDP) by 16 per cent and to reduce the carbon intensity in the economy by 17 per cent.⁶ Finally, to meet the targets of the Paris Agreement⁷ on greenhouse gas emissions signed in December 2015, energy efficiency proves to be essential. Taking the protocol seriously, further large energy efficiency improvements should be expected over the next decades.

The transport sector is particularly important when studying energy efficiency and its effects in the oil market. The sector currently accounts for around 55 per cent of the world's fuel liquid consumption, and the share is expected to increase to around 60 per cent in 2040 (IEA, 2014). According to IPCC (Sims et al., 2014), there are potential energy efficiency and vehicle improvements globally ranging from 30 to 50 per cent in 2030 compared to 2010.⁸ There are, however, large differences in fuel

⁴ However, growth in energy use has shifted towards more energy-intensive countries, such as China. Thus, global energy intensity fell by 1.3 per cent per year in the 1990s, but only by 0.4 per cent per year in the 2000s (see IEA, 2013a, p 237).

⁵ http://ec.europa.eu/clima/policies/2030/index_en.htm

⁶ <http://www.c2es.org/international/key-country-policies/china/energy-climate-goals-twelfth-five-year-plan>

⁷ <https://unfccc.int/resource/docs/2015/cop21/eng/l09r01.pdf>

⁸ Sims et al. (2014) refers to a "substantial potential for improving internal combustion engines" for light duty vehicles, with up to 50 per cent improvements in vehicle fuel economy (litres/100 km) or 100 per cent when measured in miles per gallon.

efficiency in different countries in the world, and the highest potential is naturally in countries with relatively low fuel efficiency such as the US, Canada and Australia.⁹

Two characteristics of the oil market may be of particular importance when we study the feedback mechanisms and distributional effects of fuel efficiency, namely market power and the intertemporal setting. Kverndokk and Rosendahl (2013) show that the effects of policy instruments to reduce oil demand in the transport sector may be very dependent on the market structure in the oil market. They compare the effects on the oil price of different policy instruments such as a fuel tax, biofuel requirements and fuel efficiency standards. The different policies may have quite different effects on the oil price, in particular when there is market power. They show that improved fuel efficiency will lead to higher oil prices if the market power is sufficiently strong (e.g., under monopoly), as higher fuel efficiency makes the demand curve steeper, thereby giving the monopolist more incentives to cut back on its supply while increasing profits. There is little consensus in the literature regarding OPEC's behavior in the oil market, except that most studies reject the hypothesis of competitive behavior (see e.g. Smith, 2005; Hansen and Lindholt, 2008; Kaufmann et al., 2008; Al-Qahtani et al., 2008; Huppmann and Holz, 2009; Huntington et al., 2013). We present a model where we assume Cournot behavior, which means that a core of countries within OPEC takes Non-OPEC's and non-Core OPEC's extraction path as given, but maximizes joint profits taking into account the price responsiveness on the demand side. Similar assumptions have been made in earlier simulation models of the oil market (e.g., Salant, 1982; Berg et al., 2002; Huppmann and Holz, 2009; Aune et al., 2010; Okullo and Reynès, 2011; Okullo et al., 2015), however, none of the studies analyze the effects of energy efficiency measures.

The second potentially important feature is the fact that oil is an exhaustible resource, i.e., extraction of oil has intertemporal effects as it reduces available resources in the future. This is important for the "green paradox" effect, as this depends on the optimal production profile over time. As opposed to Kverndokk and Rosendahl (2013), we introduce a numerical intertemporal model with market power to discuss this effect.

There are many studies on regulations of the transport sector, but they often focus on the demand side (e.g. Parry and Small, 2005; West and Williams, 2005 and 2007; Fischer et al., 2007; Parry, 2009; Morrow et al., 2010; Liu et al. 2013), and calculate optimal fuel taxes, measure welfare effects of fuel economy regulations or the costs of meeting certain targets for gasoline consumption. Thus, our

⁹ <http://www.c2es.org/federal/executive/vehicle-standards/fuel-economy-comparison>

contribution is to study the implications on both the supply and demand for oil, when we take into account both market power and the intertemporal aspect of exhaustible resources.

The paper is organized in the following way. In the next section we describe the numerical model, while in section 3, the numerical results are presented. The final section concludes.

2. Model description

In this paper we introduce a new model, Petro2.¹⁰ The model has seven regions: Western-Europe, United States, Rest-OECD, China, Russia, OPEC and Rest-of-World. On the supply side OPEC is divided into OPEC-Core (Saudi-Arabia, Kuwait, UAE and Qatar) and non-Core OPEC. Each region demands oil, natural gas, electricity, coal, biomass and biofuel. We are modeling the international markets for oil in a dynamic and intertemporal way. The oil price is endogenous, and we take OPEC-Core's market power into consideration. The prices of the other energy goods are exogenous. We distinguish between seven end-users: Industry, household, electricity, road and rail transport, domestic/international aviation and domestic shipping, international shipping, and other sectors.

The global oil market clears in each period, i.e., total oil supply from all regions equals total demand over all regions. The time period in the model is one year, and the base year is 2007. A formal description of the model is given in the Appendix.

2.1. Demand

In every region and sector there is demand for an energy aggregate. We assume that the price of the energy aggregate in a sector of a region is a weighted CES-aggregate of the prices of the various energy goods, where the initial budget shares are used as weights. The long-term demand for the energy aggregate in a sector/region is specified as log-linear functions of population, income (GDP) per capita, price of the energy aggregate and a parameter for autonomous energy efficiency improvements (AEEI).

All energy goods are bought at regional product prices. The end-user prices include costs of transportation, distribution and refining in addition to existing taxes/subsidies. End-user prices, regional product prices and taxes/subsidies are generally taken from IEA (2007, 2013b) and GTZ (2009). We do not have regional data on costs of transportation, distribution and refining. Hence, we

¹⁰ The first Petro model was introduced in Berg et al. (1997). The new model differs in several aspects.

measure these costs as residuals, which equal the end-user prices less the regional product prices and taxes/subsidies. The future regional product prices of all energy goods except oil are exogenous, and are generally taken from IEA (2013a). Costs of transportation, distribution and refining as well as taxes/subsidies are held constant (in 2007 USD) over the time horizon. Thus, future end-user prices move in tandem with future product prices.

The direct price elasticities are constant as we use log-linear demand functions for the energy aggregate. The price elasticities for energy are set to 0.5 in all sectors, based on, e.g., the discussion in Fæhn et al (2017)¹¹.

Growth rates of GDP and population are exogenous in the model. Population growth is based on United Nations (2011), while the annual GDP growth rates per capita are based on IMF (2012) until 2017 and the World Bank (2012) from 2018 until 2030. After 2030 we assume unchanged GDP per capita growth rate in the U.S. (0.6 per cent p.a.), and that other countries gradually approach the U.S. GDP per capita level by 2200.¹² The income elasticities are calibrated so that the energy demand in 2035 in the various regions/sectors are consistent with the New Policy Scenario (NPS) in IEA (2013a), given the price changes projected by the IEA. After 2035 we assume a gradual adjustment in energy demand per capita (for given energy prices) towards the OECD region with lowest energy use per capita in 2035 (this is done for each sector). Finally, the demand functions are calibrated to agree with consumption of the respective energy goods in 2007 given prices and taxes/subsidies this year.

Demand for a specific energy good in a sector and region is a function of the initial budget share, the demand for the energy aggregate as well as the end-user price of the energy aggregate relative to the end-user price of the energy good. The substitution possibilities determine how fast the demand for the energy good reacts to changes in relative prices. Our starting point is that the elasticities of substitution between the different energy goods are constant over time, and set to 0.5 in all sectors except the power sector where it is set to 2 (see, e.g., Serletis et al, 2011). As the transport sector uses different fuels and the share of oil of total fuel use is expected to decline during this century, not only due to relative price changes, we adjust the initial budget share parameters in the different regions/sectors exogenously over time. This is done in accordance with the expected share of oil in the respective

¹¹ See the Appendix how the implicit price elasticity for oil is derived.

¹² We use nominal GDP levels, not PPP values, as most energy products are internationally traded goods, and thus exchange rates matter a lot. Due to the calibration of income elasticities (see below), this choice has little importance anyway.

sectors as described in IEA (2013a) up until 2035, and then as depicted in IPCC (2014) from 2035 to 2100¹³.

For technical reasons, the AEEI-parameters are held constant and equal to one in the reference scenario, as the income elasticities are calibrated based on IEA's (2013a) projections of future energy use in their NPS (see above). The IEA expects an annual improvement in energy efficiency of 1.6 per cent globally in this scenario. When the policy scenarios specify further improvements of fuel efficiency in the transport sectors, the AEEI-parameters are consequently reduced below one. However, due to the rebound effect, an efficiency improvement by x per cent does not imply that demand is reduced by x per cent (for a given price). For instance, when cars become more fuel efficient, it becomes cheaper to drive, and car users will tend to travel more miles (assuming price responsive drivers). The more price elastic energy demand is, the higher is the rebound effect, and hence the less is the AEEI-parameter reduced for a given technical improvement in fuel efficiency. As explained in the Appendix, if the (technical) efficiency improvement is x per cent, the AEEI-parameter should be reduced from 1 to $(1-x/100)^{1+\alpha}$, where α is the direct price elasticity in that sector (e.g., to $0.7^{0.5} = 0.84$ in the Global_30 scenario where we consider 30 per cent additional improvements in fuel efficiency by 2050, see below).

2.2. Oil Supply

As oil is a non-renewable resource, its production allocation over time is important for the suppliers. Extracting one more unit today will change the supply conditions in the future. Hence, a rational producer will not only consider the current price or market condition before the optimal supply of oil today is chosen. We therefore model the supply of oil in an intertemporal way, where the producers maximize the present value of their oil wealth. A market interest rate of 10 per cent is used as a (real) discount rate in all regions except for OPEC which has a rate of 5 per cent, as they can be described as more dependent on oil and thus attach more importance to long-term income. Their oil extraction is also to a larger extent than Non-OPEC countries undertaken by state-owned companies.

To analyze the importance of market power, the international oil market is modelled as a market with a cartel (corresponding to OPEC-Core) and seven competitive fringe producers (i.e. the Non-OPEC regions plus non-Core OPEC). The fringe producers always consider the oil price path as given, while the cartel regards the price as a function of its supply. Hence, the marginal revenue for the fringe is equal to the price, whereas for the cartel marginal revenue is in general less than the price. Both the

¹³ The share of oil in the transport sectors declines to 80 per cent in 2050 and to 41 per cent in 2100.

fringe producers and the cartel take the supply of all other producers as given when deciding their own production profile (Salant, 1976). Hence, we have a Nash-Cournot model of a dominant firm. Production figures in 2007 are from IEA (2013a).

The initial cost level of the different producer groups differs, reflecting among other things that extraction costs in OPEC-countries are generally lower than in the rest of the world. The initial unit costs of oil production are calculated from Ministry of Petroleum and Energy (2011) and EIA (2012).

The cost functions of both the cartel and the fringe are assumed to be increasing functions of cumulative production, i.e. costs increase due to depletion. The scarcity rent of a producer then reflects that extracting one more unit today increases costs tomorrow. Hence, we focus on economic exhaustion where the long-term scarcity rent is zero. The depletion rate is calculated from EIA (2012), IEA (2013a) and Lindholt (2015) and varies from 0.004 for OPEC to 0.057 for Western Europe. Further, for some regions the depletion rate is calibrated so that the regional and total Non-OPEC production in 2040 is not far from the level in the NPS in IEA (2014).

Unit costs are reduced by a constant rate each year due to technological change, independent of production. This means that over time unit costs may be reduced or increased, depending on the production rate (depletion vs. technology effect). The future rates of technological change are very uncertain. We have generally assumed the rate of technological change in oil production to be 2 per cent per year for both the cartel and the fringe.

We assume that it is costly to alter production in the initial years for the fringe producers. This is modeled as increasing marginal costs also within a period (in addition to costs increasing in accumulated production). Hence, output from the fringe producers are quite rigid initially, but the effect is gradually reduced over time. This initial inflexibility is not modeled for the OPEC-Core producers as they have generally more spare capacity and lower capital costs (see the Appendix).

In equilibrium, the price in each period must be equal to marginal costs plus the scarcity rent for the fringe producers. The latter is the negative of the shadow costs associated with cumulative production which is equal to the alternative cost of producing one more unit today as it increases future costs. Similarly, for the cartel OPEC-Core the oil price must be equal to marginal costs plus the scarcity rent as well as the cartel rent.

3. The effects of improved fuel efficiency

3.1 Policy scenarios

To design policy scenarios, we assume that the Paris Agreement is taken seriously and that large energy efficiency improvements will take place over the next decades. We do not explicitly study the policies that lead to energy efficiency, but assume that policies are implemented that enhance fuel efficiency compared to the business as usual scenario.

We consider four policy scenarios with improved energy efficiency, see Table 1. Three of the scenarios consider improved fuel efficiency in the transport sector, building on Sims et al. (2014) who conclude that there are potential energy efficiency and vehicle performance improvements in the global transport sector ranging from 30 to 50 per cent in 2030 compared to 2010. These improvements could, e.g., be driven by strict fuel efficiency standards for new vehicles, ships and airplanes, or other policies that stimulate fuel efficiency. Our fourth scenario assumes improved energy efficiency in other sectors, too. Improved fuel efficiency is implemented in the model by reducing the AEEI-parameters in the energy demand functions of the transport sectors, cf. Section 2. The policy scenarios are compared to a reference scenario, which to a large degree mimics the projections of the New Policy Scenario in IEA (2013a) until 2035, and then assumes a gradual decline in the use of oil in all sectors of the economy (following, e.g., IPCC, 2014). Thus, the reference scenario itself incorporates substantial efficiency improvements in all sectors, so the fuel efficiency improvements in the policy scenarios come in addition to these. Note that the efficiency improvements are assumed to apply to all types of energy used in the transport sector, including biofuels, electric vehicles and hydrogen fuel cell vehicles. Thus, strictly speaking fuel efficiency improvements should be interpreted as *energy* efficiency improvements in the transport sector.

Table 1. Scenarios with improved energy efficiency

Scenario name	Scenario description
Reference scenario	Follow the New Policy Scenario in IEA (2013a) until 2035. A gradual decline in the growth of oil demand thereafter.
Global_30	30 per cent improvement in fuel efficiency in all transport sectors in all regions (gradually over time)
Global_30_CO ₂	30 per cent improvement in fuel efficiency in all transport sectors in all regions, combined with CO ₂ -taxes that mitigates rebound effects
Global_30_All	30 per cent improvement in energy efficiency in all sectors in all regions (gradually over time)
Regional	50 per cent improvement in fuel efficiency in all transport sectors in the U.S.; 40 per cent improvement in China; 30 per cent improvement in other OECD regions; no improvement in the three other regions

The first policy scenario assumes a 30 per cent improvement in fuel efficiency in all transport sectors and all regions, relative to the reference scenario. This improvement is gradually taking place towards 2050. As there is a significant efficiency improvement even in the reference scenario, a further 30 per cent improvement will likely require either substantial policies or much stronger technology improvements than anticipated over the next decades.

As explained above, efficiency improvements may lead to rebound effects. Thus, in our second policy scenario we investigate the effects of simultaneously implementing a CO₂-tax that is sufficiently high to exactly eliminate this rebound effect in 2050. That is, global oil consumption in the transport sector drops by 30 per cent in 2050. The tax is assumed to rise exponentially over time, similarly to the gradual efficiency improvement in this scenario.

In the third policy scenario we look into the oil market effects of assuming 30 per cent energy efficiency improvements in all sectors, not only the transport sector.

The fourth policy scenario takes into account that different policies may be adapted in different regions, and that the potential for additional fuel efficiency improvements also differ across regions. Here we consider a scenario with 50 per cent improvement in the U.S., 40 per cent improvement in

China, and 30 per cent improvement in Western Europe and Rest of OECD. No further improvements beyond what is included in the reference scenario are assumed for the other regions.

In all our scenarios we do not take into consideration that energy efficiency improvements may have some indirect effects on the oil market through non-energy market effects, e.g. that new standards may lead to more expensive vehicles. In addition, we do not model technology spillovers between countries as energy efficiency improvements in one country/region may lead to improvements in fuel efficiency in other countries/regions.

3.2 Simulation results

Figure 1 shows the development of the oil price towards 2050 in the reference scenario and the four policy scenarios. We emphasize that the reference scenario is not a projection of the future, but a scenario to study the effects of different policies. As the model assumes that oil producers have perfect foresight, and there are no adjustment costs in production for OPEC-Core, the oil price path shows a smooth increase over time also through the price falls in 2008-9 and 2014-2015. The price increase continues through 2050 even though the share of oil gradually declines over time in all sectors and regions. The reason is that despite technological improvements in oil extraction, there is a gradual scarcity of oil pushing the oil price upwards. Our reference price scenario is somewhat higher than the New Energy Policy Scenario in IEA (2015), but close to their Current Policy Scenario up to 2040. However, the size of the price growth in the reference scenario is not very important for the effects of the policy measures.

The figure further shows that improved fuel efficiency globally will have noticeable but not dramatic impacts on the oil price. We first focus on the policy scenario Global_30, where fuel efficiency improves by 30 per cent in all transport sectors compared to the reference scenario. In this scenario, the price of oil is steadily increasing over time reaching almost \$190 per barrel in 2050. As the transport sectors jointly account for almost 60 per cent of all oil consumption worldwide, the direct effect of this scenario is to reduce oil demand in 2050 by around 18 per cent.

One explanation for the somewhat moderate price effect is the *rebound effect*. As improved fuel efficiency makes transport services cheaper, for a given oil price, demand for such services increases. As explained above, this moderates (but not eliminates) the decline in oil demand. In addition, the oil price reduction itself stimulates oil demand, also moderating the decline in global oil consumption. Hence, whereas the direct fuel efficiency effect in the scenario Global_30 is to reduce oil consumption

in the transport sectors by 30 per cent by 2050, the actual reduction is barely 13 per cent, cf. Figure 2. As the transport sector accounts for around 60 per cent of global oil consumption, the numbers above translate into respectively 18 and 8 per cent reductions when compared to global oil consumption (in all sectors).

Moreover, there are *distributional effects for sectors* as other sectors benefit from increased fuel efficiency in the transport sector through the lower oil prices. This stimulates consumption of oil in these other sectors, which increases jointly by 6 per cent. This is mostly due to increased use of oil in power production in the Middle East but also modest increases in the other sectors. In total, global oil consumption in 2050 declines by 6 per cent in this scenario, cf. Figure 3.

Hence, we find that around two thirds of the initial effect is reduced due to rebound (i.e., $(18-6)/18$). This is close to Gillingham et al (2013), who present a total rebound effect of 60 percent based on a 30 percent long-run “microeconomic” rebound effect, a 25 percent “macroeconomic price” effect, and a 5 percent “macroeconomic growth” effect (our study does not account for the latter effect). We return to this issue below when we consider the scenario Global_30_CO₂.

Figure 1. The oil price towards 2050. \$₂₀₀₇ per barrel




Figure 2. Global oil consumption in different sectors towards 2050 in the Global_30 scenario. Percentage change from the reference scenario.





Figure 3. Global oil consumption towards 2050. Mtoe per year¹⁴



¹⁴ The volume of total oil production will differ from total consumption due to transformation etc.

To further understand what happens in the oil market, it is useful to consider how OPEC and Non-OPEC producers respond. This is shown in Figures 4 and 5. First, we see that in the reference scenario OPEC increases its production somewhat towards 2030, before it levels off. We also notice that OPEC-Core's share of OPEC production is quite unchanged initially, but increases after 2035. Although the largest producers with respect to reserves are in OPEC-Core, this group is by assumption holding back on production in order to have a higher price. Non-OPEC production also increases in this period, by 14 per cent from 2007 to 2050.¹⁵ Still, OPEC's market share increases from 43 per cent in 2007 to almost 50 per cent in 2050.

All oil producing regions cut back on their supply in the policy scenario. However, the policies will have different *distributional effects for producers*. The biggest production reductions are seen in Non-OPEC regions, especially in countries with relatively high costs of extraction and modest reserves such as Western Europe and Rest of OECD. In the Global_30 scenario, total Non-OPEC production decreases by 6 per cent in 2050. The non-Core OPEC countries also reduce their production by 6 per cent, while production in OPEC-Core countries declines by 4 per cent. Thus, we notice that OPEC-Core finds it profitable to reduce its output slightly less than the competitive producers. One reason for this is the lower extraction costs in OPEC-Core – when the oil price declines a larger share of Non-OPEC and non-Core OPEC reserves become unprofitable to extract (and more profitable to postpone marginally profitable resources).

We further see from Figure 5 that production in OPEC-Core increases somewhat in the Global_30 scenario in the first 12 years compared to the reference scenario (similar pattern is seen in all policy scenarios). Remember that we assume a gradual increase in fuel efficiency over the period 2007-2050. Thus, although oil demand declines somewhat also initially (for a given oil price), the decline is much stronger after some decades. As the producers foresee this development, it is less advantageous to save resources for future extraction. Hence, it becomes profitable for OPEC-Core to produce more today. Similar logic applies to Non-OPEC regions, but since their initial extractions are assumed to be rather fixed (steep marginal cost curves in the first years), we do not see the same initial production increase for Non-OPEC in the policy scenarios, see Figure 6.

This intertemporal adjustment by OPEC implies that also global oil consumption is initially increased as a result of the fuel efficiency policy, see Figure 3. Thus, even though fuel efficiency increases

¹⁵ While Non-OPEC production is around 9 per cent higher in 2040 than in 2020 in our reference scenario, the Non-OPEC production level in the NPS in IEA (2014) is 9 per cent lower. The IEA predicts a decline in unconventional oil production in the U.S as well as reductions in conventional oil production in Russia, Kazakhstan and China, above all after 2025.

slightly, the use of oil actually increases over the first 6 years in the Global_30 scenario. The explanation is of course that the oil price declines (see Figure 1), mainly caused by OPEC-Core’s decision to accelerate its extraction. This result shows a “green paradox” as discussed in the introduction.

Figure 4. Oil production in OPEC towards 2050. Mtoe per year




Figure 5. Oil production in OPEC-Core towards 2050. Mtoe per year





Figure 6. Oil production in Non-OPEC towards 2050. Mtoe per year



As mentioned above, there are significant rebound effects when fuel efficiency is improved, both in the transport sectors where efficiency improves and indirectly in other sectors due to lower oil prices. One way of mitigating this rebound effect could be to simultaneously implement some sort of taxation on oil or energy use, either only in the transport sector or more economy-wide. Thus, we have run an additional simulation where we add a global CO₂-tax only in the transport sectors in the Global_30 scenario, sufficiently high to exactly eliminate the rebound effect in the transport sector in 2050. That is, global oil consumption in the transport sector drops by 30 per cent in 2050. The tax is assumed to rise exponentially over time, similarly to the gradual efficiency improvement in this scenario.


As a consequence of this tax, the oil price in 2050 drops by another 5 per cent relative to the Global_30 scenario, or 14 per cent relative to the reference scenario. This leads to stronger rebound effects outside the transport sectors – still global oil consumption falls by 9 per cent compared to the Global_30 scenario in 2050. However, initially there is an even stronger green paradox effect than without the tax, which is caused by the increase in the CO₂-tax until 2050. Over the nine first years, global oil consumption is higher than in the reference scenario, and until 2025 consumption is higher than in the Global_30 scenario. Then we see from Figure 2 that global oil consumption peaks around 2040, and starts to decline earlier than in the other scenarios (global oil consumption peaks between 2050 and 2060 in the other scenarios).

Energy efficiency improvements will of course take place not only in the transport sector, but also in other sectors. As explained above, the reference scenario assumes significant improvements in all sectors, and thus the policy scenarios investigate the effects of additional improvements. In the scenario Global_30_All we assume 30 per cent additional energy efficiency improvements in all sectors, gradually implemented towards 2050. Naturally, the effects on the oil market become stronger than in the Global_30 scenario. For instance, the price reduction in 2050 compared to the reference scenario is 14 per cent, while it was to 9 per cent in the Global_30 scenario. Remember that the transport sectors account for about 60 per cent of global oil consumption. Global oil consumption in 2050 declines by 10 per cent, implying that the rebound effect is still around two thirds.

Figure 7 shows the impacts on oil consumption in different regions in the Regional scenario, where fuel efficiency increases only in four of the seven regions (see Table 1). This emphasizes the *distributional effects on regions* if the fuel efficiency standards vary across them. As expected, oil consumption declines most rapidly in the U.S., where fuel efficiency in the transport sectors is assumed to improve by 50 per cent by 2050. Oil consumption declines significantly in China, too, where the efficiency increase is assumed to be 40 per cent, while the consumption decrease is more moderate in Western Europe and especially Rest of OECD, where we assume 30 per cent efficiency increase in 2050. The modest reduction in Rest of OECD is partly due to a lower share of oil being used in the transport sectors in this region – slightly below 50 per cent initially (versus 56 per cent globally).

Figure 7 further shows that oil consumption increases in the three regions that do not implement additional fuel efficiency policies. Again, this is due to the lower oil price seen in Figure 1, which benefits oil consumers in these regions. The biggest increase is seen for OPEC, where oil power production in 2050 increases by 12 per cent compared to the reference scenario. Oil power constitutes a large share of total power production in the OPEC countries. The overall *leakage rate*, calculated as the increased oil consumption in the three regions Russia, OPEC and Rest of World divided by the decreased oil consumption in the four other regions, is in the range 25-40 per cent in the period 2020-2050. Before 2020 the leakage rate is much higher, due to the “green paradox” discussed above. Thus, if fuel efficiency is stimulated mostly for the case of reducing CO₂-emissions, there is a strong unintended negative effect of increased emissions outside the policy regions. However, increased fuel efficiency may have other additional beneficial effects in the policy regions, such as reduced local air pollution and reduced dependence on imported oil that may justify such policies.

Figure 7. Regional oil consumption towards 2050 in the Regional scenario. Percentage changes relative to the reference scenario



Finally, our quantitative results are contingent on a number of uncertain parameters, especially related to the future development of supply and demand conditions. One particularly important parameter when it comes to rebound effects is the price elasticity of demand. There is considerable variation in estimated price elasticities in different studies. Thus, we have performed additional simulations of the model, considering the effects of reducing the price elasticities of demand by 50%. This changes both the reference scenario and the policy scenarios, but we are mainly interested in the relative effects of the policy scenarios, focusing here on the Global_30 scenario and the rebound effect.

With lower price elasticity, the direct rebound effect becomes smaller as oil consumers react less to lower driving costs coming from improved fuel efficiency (see Section 2.1). Thus, oil demand is reduced more than in our main simulations. This leads to a stronger reduction in the price of oil – the price reduction in 2050 relative to the reference scenario is 18 per cent, compared to 9 per cent in our main simulations. A bigger price reduction normally means a bigger increase in demand, but since the price elasticity has been reduced, the price effect on demand is quite similar as in our main simulations. Hence, it is mainly the direct rebound effect that is changed when the price elasticity is

changed. In total, global oil consumption in 2050 drops by 9 per cent relative to the reference scenario, implying a rebound effect of one half (compared to two thirds in our main simulations).

4. Conclusions

In this paper we have looked into oil market effects of fuel efficiency improvements in the transport sector. We have focused on feedback mechanisms such as the rebound effect, carbon leakages and the “green paradox”, as well as distributional effects across regions, sectors and oil producers. To study this, we have used a new intertemporal numerical model of the international oil market.

Our model simulations suggest that the rebound effect has a noticeable effect on the transport sector, but also on other sectors through lower oil prices. There is a small green paradox effect as oil consumption increases initially when fuel efficiency measures are implemented, as OPEC-Core finds it profitable to accelerate its extraction somewhat. Last but not least, there is significant carbon leakage if the policy is not implemented in all regions, with leakage rates of 35% or higher throughout 2050. The two first results show the importance of introducing fuel efficiency policies together with other policy measures such as carbon pricing, to mitigate some of the negative feedback effects. However, our simulations show that the CO₂-tax will reinforce the rebound effect in sectors not covered by the tax, and that the green paradox effect may be stronger if the tax is gradually increased. Moreover, carbon pricing in only some regions will not mitigate the leakage effects. Leakage through international energy markets are generally hard to avoid without having more countries implementing carbon policies (see Böhringer et al., 2014, for one exception though). The Paris Agreement, however, gives some hopes in this direction.

Introduction of fuel efficiency standards also give distributional effects for sectors, regions and oil producers, especially if standards are not introduced in all regions and sectors at the same time. Oil intensive sectors will benefit most from tighter fuel efficiency standards due to the negative effect on the oil price. This is also the case for oil intensive economies if other regions or countries reduce their demand due to new standards.

Finally, we find that Non-OPEC producers will suffer more than OPEC producers by fuel efficiency policies due to higher production costs. Still, Non-OPEC regions such as the U.S., Europe and China seem to be more willing to introduce fuel efficiency measures, which may be due to the relatively lower importance of the oil industry in their economy, as well as a shorter time horizon for their oil production.

References

- Al-Qahtani, A., Balistreri, E. and C. Dahl (2008): Literature on oil market modeling and OPEC's behavior, Colorado School of Mines.
- Aune, F.A., K. Mohn, P. Osmundsen and K. E. Rosendahl (2010): Financial market pressures, tacit collusion and oil price formation, *Energy Economics* 32, 389-398.
- Berg, E., S. Kverndokk and K. E. Rosendahl (1997): Market power, international CO₂ taxation and petroleum wealth, *The Energy Journal* 18(4), 33-71.
- Berg, E., S. Kverndokk and K. E. Rosendahl (2002): Oil Exploration under Climate Treaties, *Journal of Environmental Economics and Management* 44 (3), 493-516.
- Borenstein, S. (2015): A Microeconomic Framework for Evaluating Energy Efficiency Rebound and Some Implications, *The Energy Journal* 36 (1), 1-21.
- Böhringer, C., K. E. Rosendahl and J. Schneider (2014): Unilateral Climate Policy: Can OPEC Resolve the Leakage Problem? *The Energy Journal* 35 (4), 79-100.
- EIA – Energy Information Administration (2012): Performance profiles of Major Energy Producers, various issues 1981-2009, U.S. Department of Energy.
- Felder, S. and T. F. Rutherford (1993): Unilateral CO₂ Reductions and Carbon Leakage: The Consequences of International Trade in Oil and Basic Materials. *Journal of Environmental Economics and Management* 25(2), 162–76.
- Fisher, C., W. Harrington and I. W. H. Parry (2007): Should Automobile Fuel Economy Standards Be Tightened?, *Energy Journal* 28(4), 1–29.
- Fronzel, M., N. Ritter and C. Vance (2012): Heterogeneity in the Rebound: Further Evidence for Germany, *Energy Economics* 34(2), 388-394.
- Fæhn, T., Hagem, C., Lindholt, L., Mæland, S. and K. E. Rosendahl (2017): Climate policies in a fossil fuel producing country. Demand versus supply side policies, *Energy Journal*, forthcoming.

Gillingham, K., M. Kochen, D. Rapson and G. Wagner (2013): A Comment: Energy Policies – the Rebound Effect is Overplayed, *Nature* 493, 475-476.

Gillingham, K., D. Rapson and G. Wagner (2015): The Rebound Effect and Energy Efficiency Policy, *Review of Environmental Economics and Policy*, 1–22. .

GTZ (2009): International fuel prices, www.gtz.de

Habermacher, F. (2015): Carbon leakage: A Medium- and Long-Term View, CESifo Working Paper 5216.

Hansen, P. V. and L. Lindholt (2008): The Market Power of OPEC 1973–2001. *Applied Economics* 40(22), 2939–59.

Huntington, H., S. M. Al-Fattah, Z. Huang, M. Gucwa and A. Nouri (2013): Oil Markets and Price Movements: A Survey of Models, Energy Modeling Forum, Stanford University.

Huppmann, D. and F. Holz. (2009): A Model for the Global Crude Oil Market Using a Multi-Pool MCP Approach. DIW Berlin, German Institute for Economic Research.

IEA (2007): Energy prices and taxes, OECD/IEA. Paris.

IEA (2008): Review of international policies for vehicle fuel efficiency, IEA Information paper, August 2008, OECD/IEA.

Paris.http://www.iea.org/publications/freepublications/publication/vehicle_fuel.pdf

IEA (2013a): World Energy Outlook 2013, OECD/IEA. Paris.

IEA (2013b): Data services, OECD/IEA. Paris.

IEA (2014): World Energy Outlook 2014, OECD/IEA. Paris.

IMF (2012): World Economic Outlook Database, International Monetary Fund, April 2012.

IPCC (2014): *Climate Change 2014: Mitigation of Climate Change*. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change, Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA

Kaufmann, R. K., A. Bradford, L. H. Belanger, J. P. Mclaughlin and Y. Miki (2008): Determinants of OPEC production: Implications for OPEC behavior, *Energy Economics* 30 (2), 333 – 351.

Kverndokk, S. and A. Rose (2008): Equity and justice in global warming policy, *International Review of Environmental and Resource Economics* 2(2), 135-176.

Kverndokk, S. and K. E. Rosendahl (2013): Effects of Transport Regulation on the Oil Market: Does Market Power Matter?, *The Scandinavian Journal of Economics* 115(3), 662–694.

Lindholt, L. (2015): The tug-of-war between resource depletion and technological change in the global oil industry 1981 – 2009, *Energy* 93, 1607-1616.

Liu, J., P. Rd and G. Santos (2013): Decarbonising the Road Transport Sector: Breakeven Point and Consequent Potential Consumers' Behaviour for the US Case, *International Journal of Sustainable Transportation*, forthcoming.

Ministry of Petroleum and Energy (2011): En næring for fremtida – Om petroleumsvirksomheten (An industry for the future – on the petroleum activity), Report No. 28 to the Storting (in Norwegian).

Morrow, W. R., K. S. Gallagher, G. Collantes and H. Lee (2010): Analysis of Policies to Reduce Oil Consumption and Greenhouse Gas Emissions from the U.S. Transportation Sector. Paper 2010-02. Cambridge, MA: Belfer Center for Science and International Affairs, Harvard Kennedy School.

Okullo, S. J. and F. Reynès (2011): Can reserve additions in mature crude oil provinces attenuate peak oil?, *Energy* 36 (9), 5755–5764.

Okullo, S. J., Reynès, F. and M. W. Hofkes (2015): Modelling Peak Oil and the Geological Constraints on Oil Production, *Resource and Energy Economics* (40), 36-56.

Parry, I. W. H. (2009): Time to Raise Gasoline and Diesel Taxes? Paper presented at the Conference on U.S. Energy Taxes, American Tax Policy Institute. Washington, DC, October 15–16.

Parry, I. W. H. and K. A. Small (2005): Does Britain or the United States Have the Right Gasoline Tax?, *American Economic Review* 95(4), 1276–89.

Salant, S. (1976): Exhaustible resources and industry structure: A Nash-Cournot approach to the world oil market, *Journal of Political Economy* 84 (5), 1079-1093.

Salant, S. (1982): Imperfect Competition in the World Oil Market. Lexington Books.

Saunders, H. D. (2015): Recent Evidence for Large Rebound: Elucidating the Drivers and their Implications for Climate Change Models, *Energy Journal* 36 (1), 23-48.

Serletis, A., G. Timilsina O. Vasetsky (2011): International evidence on aggregate short-run and long-run interfuel substitution, *Energy Economics* 33, 209-216.

Sims, R., R. Schaeffer et al., (2014): Transport. Chapter 8 in *Climate Change 2014: Mitigation of Climate Change*. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change, Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA

Sinn, H.-W. (2008): Public policies against global warming: a supply side approach, *Int. Tax Public Finance* 15, 360–394

Smith. J. (2005): Inscrutable OPEC? Behavioral tests of the cartel hypothesis, *The Energy Journal*, 26 (1), 51–82.

United Nations (2011): World Population Prospects: The 2010 Revision.

van der Ploeg, F. and C. Withagen (2012): Is there really a green paradox?, *Journal of Environmental Economics and Management* 64(3), 342–363.

West, S. E. and R. C. Williams, III. (2005): The Costs of Reducing Gasoline Consumption. *American Economic Review* 95(2), 294–99.

West, S. E. and R. C. Williams, III. (2007): Optimal Taxation and Cross-Price Effects on Labor Supply: Estimates of the Optimal Gas Tax, *Journal of Public Economics* 91, 593–617.

World Bank (2012): GDP projections until 2030 on country level. Data received through personal communication.

Appendix: A formal description of the Petro2 model

Demand side

We have seven regions i , where both demand and production take place: OPEC, Western Europe (EU/EFTA), U.S., Rest-OECD, Russia, China and Rest of the World (on the supply side we can divide OPEC into OPEC-Core and Non-Core OPEC). Demand for final energy goods in each region is divided into six sectors s : Industry, Households, Other sectors (private and public services, defense, agriculture, fishing, other), Electricity, Road and rail transport, and Domestic and international aviation and domestic shipping. In addition, there is one global sector: International shipping. We have six energy commodities/fuels f : Oil (aggregate of different oil products), Gas, Electricity, Coal, Biomass and Biofuels for transport.

All variables are functions of time. However, we generally skip the time notation in the following. The functional forms and parameters are generally constant over time.

Table A1. List of regions, sectors and energy goods in the Petro2 model

Regions	Sectors	Energy goods
OPEC	Industry	Oil
Western Europe	Households	Gas
U.S.	Other sectors	Electricity
Rest-OECD	Electricity	Coal
Russia	Road and rail transport	Biomass
China	Domestic/International aviation	Biofuels for transport
Rest of the World	and domestic shipping	
	International shipping*	

* International shipping is a global sector, whereas the other sectors are regional

List of symbols:

Endogenous variables:

- $Q_{s,i}^f$ Demand for fuel f in sector s in region i
- $Q_{s,i}$ Demand for energy aggregate in sector s in region i (index)
- P_i^f Producer price (node price) of fuel f in region i
- $PP_{s,i}^f$ End-user price of fuel f in sector s in region i
- $PI_{s,i}$ Price index for a fuel aggregate in sector s in region i

Exogenous variables and parameters:

$GDP_{s,i}$	Economic activity per capita index in sector s in region i
Pop_i	Population index in region i
$AEEI_{s,i}$	Autonomous improvements in energy efficiency index in sector s in region i
$\beta_{s,i}$	Long-term income per capita elasticity in sector s in region i
$\alpha_{s,i}$	Long-term price elasticity of the fuel aggregate in sector s in region i
$\epsilon_{s,i}$	Long-term elasticity of population growth in sector s in region i
$b_{s,i}$	Short-term income per capita elasticity in sector s in region i
$a_{s,i}$	Short-term price elasticity of the fuel aggregate in sector s in region i
$e_{s,i}$	Short-term population elasticity in sector s in region i
$\sigma_{s,i}$	Elasticity of substitution in sector s in region i
$\theta_{s,i}^f$	Initial budget share of fuel f in sector s in region i
$\omega_{s,i}$	Constant in demand function in sector s in region i
$v_{s,i}^f$	Existing taxes/subsidies on fuel f in sector s in region i
$z_{s,i}^f$	Costs of transportation, distribution and refining on fuel f in sector s in region i
$\gamma_{s,i}$	Lag parameter in demand function in sector s in region i

The end-user price of fuel f in sector s in region i is equal to the regional producer price of the fuel (node price) plus costs of transportation, distribution and refining in addition to existing taxes/subsidies:

$$(A1) \quad PP_{s,i}^f = P_i^f + z_{s,i}^f + v_{s,i}^f$$

We assume that demand for energy goods can be described through CES demand functions. Hence, we construct weighted aggregated fuel price index for each sector s and region i :

$$(A2) \quad PI_{s,i} = \frac{\left[\sum_f \left\{ \theta_{s,i}^f (PP_{s,i}^f)^{(1-\sigma_{s,i})} \right\} \right]^{1/(1-\sigma_{s,i})}}{\left[\sum_f \left\{ \bar{\theta}_{s,i}^f (\bar{PP}_{s,i}^f)^{(1-\sigma_{s,i})} \right\} \right]^{1/(1-\sigma_{s,i})}}$$

where $\overline{PP}_{s,i,0}$ denotes the (exogenous) actual price levels in the initial data year 2007. The budget shares for fuel f in the base year are given by:

$$(A3) \quad \bar{\theta}_{s,i}^f = \frac{\overline{PP}_{s,i,0}^f \cdot Q_{s,i}^f}{\sum_{f \in \mathcal{F}} \overline{PP}_{s,i}^f \cdot Q_{s,i}^f}$$

where prices and quantities in (A3) are measured at $t = 0$. We allow for exogenous changes in $\theta_{s,i}^f$ to better model future changes in the composition of fuel consumption. So far we have only let oil as a share of total energy-use decline in the transport sector. Long-term demand for a fuel aggregate in sector s and region i is assumed to be on the following form:

$$(A4) \quad Q_{s,i,t} = K_{s,i,t} \cdot Q_{s,i,t-1}^{\gamma_{s,j}} = \omega_{s,i,t} \cdot PI_{s,i,t}^{a_{s,j}} \cdot GDP_{s,i,t}^{b_{s,j}} \cdot Pop_{i,t}^{e_{s,j}} \cdot (AEEI_{s,i,t})^{1+\alpha_{s,j}} \cdot Q_{s,i,t-1}^{\gamma_{s,j}}$$

where $K_{s,i}$ is an exogenous term representing other variables than price in the demand function, that is: $K_{s,i,t} = \omega_{s,i,t} \cdot GDP_{s,i,t}^{b_{s,j}} \cdot Pop_{i,t}^{e_{s,j}} \cdot (AEEI_{s,i,t})^{1+\alpha_{s,j}}$.

Note that energy efficiency improvements beyond the reference level are modelled by reducing the $AEEI$ -parameters. However, as efficiency improvements imply lower costs of energy services, there will be a rebound effect as long as the price elasticity is strictly negative. Following eq. (3) in Kverndokk and Rosendahl (2013), the inverse demand function for fuel $P_f(Q^f)$ can be expressed as $P_f(Q^f) = \frac{1}{AEEI} P_s\left(\frac{Q^f}{AEEI}\right)$, where P_s denotes the underlying inverse demand function for energy services.¹⁶ From this expression we can derive the expression in (A4).

In order to take account of short- and medium-term effects, the demand functions are specified in the following partial adjustment way (here we include the time notation):

$$(A5) \quad Q_{s,i,t} = K_{s,i,t} \cdot Q_{s,i,t-1}^{\gamma_{s,j}} = \omega_{s,i,t} \cdot PI_{s,i,t}^{a_{s,j}} \cdot GDP_{s,i,t}^{b_{s,j}} \cdot Pop_{i,t}^{e_{s,j}} \cdot AEEI_{s,i,t} \cdot Q_{s,i,t-1}^{\gamma_{s,j}}$$

¹⁶ Note that in Kverndokk and Rosendahl (2013) they use $m = 1/AEEI$ as a measure of fuel efficiency.

where $\gamma_{s,i}$ is the lag-parameter (i.e. the effect of demand in the previous period ($0 \leq \gamma_{s,i} < 1$)). Then the long-term elasticities are given by: $\alpha_{s,i} = \frac{a_{s,i}}{1-\gamma_{s,i}}$, $\beta_{s,i} = \frac{b_{s,i}}{1-\gamma_{s,i}}$ and $\varepsilon_{s,i} = \frac{e_{s,i}}{1-\gamma_{s,i}}$. In the present model version $\gamma_{s,i} = 0$. Hence, we have no lags on the demand side and the short- and the long-term effects are equal (i.e., $\alpha_{s,i} = a_{s,i}$, $\beta_{s,i} = b_{s,i}$, $\varepsilon_{s,i} = e_{s,i}$). We normalize $Q_{s,i,0} = 1$ and $PI_{s,i,0} = 1$ in the base year. Then, since *GDP*, *Pop* and *AEI* all are indexes equal to 1 in the base year, it must be that $\omega = 1$ when $\gamma_{s,i} = 0$.

Demand for fuel *f* in sector *s* in region *i* is a function of the demand for the fuel aggregate as well as the changes in the end-user price of the fuel aggregate relative to the end-user price of the fuel:

$$(A8) \quad Q_{s,i}^f = \bar{Q}_{s,i,0}^f Q_{s,i}^f \frac{\theta_{s,i}^f}{\bar{\theta}_{s,i}^f} \left(\frac{PI_{s,i} / \bar{PI}_{s,i}}{PP_{s,i}^f / \bar{PP}_{s,i}^f} \right)^{\sigma_{s,i}}$$

where $\bar{Q}_{s,i,0}^f$ is the (exogenous) actual demand in the data year. The elasticities of substitution ($\sigma_{s,i}$) can vary over sectors and regions.

Oil supply side

We have seven or eight oil producing regions *i*, depending on whether or not OPEC is split into OPEC-Core and Non-Core OPEC (this is the case in the current paper). Below we refer to OPEC as the cartel (C) – if OPEC is split into two, only OPEC-Core is assumed to act as a cartel, while Non-Core OPEC is assumed to act as a competitive producer. The six Non-OPEC regions (NO) are always modelled as competitive producers.

List of symbols:

Endogenous variables:

P^o	Oil producer price (equal across regions, hence index <i>i</i> is not needed)
X^C	OPEC production (includes only OPEC-Core if OPEC is split into two)
X_i^{NO}	Production in Non-OPEC region <i>i</i> (includes Non-Core OPEC if OPEC is split into two)
A^C	Accumulated OPEC production

A_i^{NO}	Accumulated Non-OPEC production in region i
C^C	Total costs for OPEC
C_i^{NO}	Total costs for Non-OPEC in region i
c^C	Unit costs for OPEC
c_i^{NO}	Unit costs for Non-OPEC region i
λ^C	Lagrange multiplier for OPEC
λ_i^{NO}	Lagrange multiplier for Non-OPEC region i
μ^C	Current shadow price for OPEC
μ_i^{NO}	Current shadow price for Non-OPEC region i

Exogenous variables and parameters:

φ_i^{NO}	Lag parameter for Non-OPEC region i
η^C	Convexity parameter for OPEC
η_i^{NO}	Convexity parameter for Non-OPEC region i
τ^C	Rate of technological progress for OPEC
τ_i^{NO}	Rate of technological progress for Non-OPEC region i
r	Discount rate
$K_{s,i}$	Exogenous term representing other variables than price in the demand function in region i (i.e., $K_{s,i} = \omega_{s,i} \cdot GDP_{s,i}^{\beta_{s,i}} \cdot Pop_i^{\epsilon_i} \cdot AIEE_{s,i}$)

Consumption of fuel (aggregate) in Eq. (A5) can be written:

$$(A7) \quad Q_{s,i} = PI_{s,i}^{\alpha_{s,i}} K_{s,i}$$

where $K_{s,i}$ denotes the exogenous parts of the RHS of (A5).

Global oil consumption is given by (where we use (A1), (A6) and (A7)):

$$\begin{aligned}
\text{(A8)} \quad Q^o &= \sum_s \sum_i Q_{s,i}^o = \sum_s \sum_i \left\{ \bar{Q}_{s,i,0}^o Q_{s,i} \frac{\theta_{s,i}^f}{\bar{\theta}_{s,i}^f} \left(\frac{PI_{s,i} / \bar{PI}_{s,i}}{PP_{s,i}^o / \bar{PP}_{s,i}^o} \right)^{\sigma_{s,i}} \right\} \\
&= \sum_s \sum_i \left\{ \bar{Q}_{s,i,0}^o \frac{\theta_{s,i}^f}{\bar{\theta}_{s,i}^f} \left(\frac{\bar{PP}_{s,i}^o}{\bar{PI}_{s,i}} \right)^{\sigma_{s,i}} K_{s,i} (PP^o)^{-\sigma_{s,i}} PI_{s,i}^{\alpha_{s,i} + \sigma_{s,i}} \right\} \\
&= \sum_s \sum_i \left\{ \Gamma_{1,s,i} (PP^o)^{-\sigma_{s,i}} PI_{s,i}^{\alpha_{s,i} + \sigma_{s,i}} \right\}
\end{aligned}$$

where $\Gamma_{1,s,i} = \bar{Q}_{s,i,0}^o \frac{\theta_{s,i}^f}{\bar{\theta}_{s,i}^f} \left(\frac{\bar{PP}_{s,i,0}^o}{\bar{PI}_{s,i,0}} \right)^{\sigma_{s,i}} K_{s,i}$ include only exogenous terms.

The optimization problem for the oil producers

OPEC's residual demand (for fixed Non-OPEC production X^{NO}) is:

$$\text{(A9)} \quad X^C = Q^o - X^{NO}$$

OPEC maximizes the following discounted profit over time:

$$\text{(A10)} \quad \Pi = \sum_t \left\{ (1+r)^{-t} \left(P_t^o X_t^C - C_t^C(X_t^C, A_t^C) \right) \right\}$$

$$\text{s.t.} \quad A_t^C - A_{t-1}^C = X_t^C$$

The cost function of OPEC in period t has the following functional form:

$$\text{(A11)} \quad C_t^C(X_t^C, A_t^C) = c_t^C(A_t^C) X_t^C$$

where c_t^C are the unit costs given by the following function:

$$\text{(A12)} \quad c_t^C(A_t^C) = c_0^C \cdot e^{\eta^c A_t^C - \tau^c t}$$

We assume that unit costs are increasing in accumulated extraction A^C . Hence, the Lagrangian function becomes:

$$(A13) \quad L = \sum_t \left\{ (1+r)^{-t} \left(P_t^o (Q_t^o - X_t^{NO}) - c_t^C (A_t^C) \cdot (Q_t^o - X_t^{NO}) \right) \right\} + \sum_t \left\{ \mu_t^C \cdot (1+r)^{-t} \cdot (A_t^C - A_{t-1}^C - (Q_t^o - X_t^{NO})) \right\}$$

$\mu_t^C > 0$ is the current value of the shadow price of the resource at period t , and where Q^o is a function of P^o (see Eq. (A8) above).

Before differentiating L wrt P^o , it is useful to differentiate Q^o wrt P^o :

$$(A14) \quad \begin{aligned} \frac{\partial Q^o}{\partial P^o} &= - \sum_s \sum_i \left\{ \Gamma_{1,s,i} \sigma_{s,i} (PP_{s,i}^o)^{-\sigma_{s,i}-1} PI_{s,i}^{\alpha_{s,i} + \sigma_{s,i}} \left(\frac{\partial PP_{s,i}^o}{\partial P^o} \right) \right\} \\ &+ \sum_s \sum_i \left\{ \Gamma_{1,s,i} (PP_{s,i}^o)^{-\sigma_{s,i}} (\alpha_{s,i} + \sigma_{s,i}) PI_{s,i}^{\alpha_{s,i} + \sigma_{s,i}-1} \left(\frac{\partial PI_{s,i}}{\partial P^o} \right) \right\} \\ &= - \sum_s \sum_i \left\{ \Gamma_{1,s,i} \sigma_{s,i} (PP_{s,i}^o)^{-\sigma_{s,i}-1} PI_{s,i}^{\alpha_{s,i} + \sigma_{s,i}} \right\} \\ &+ \sum_s \sum_i \left\{ \Gamma_{1,s,i} \theta_{s,i}^0 (\alpha_{s,i} + \sigma_{s,i}) (PP_{s,i}^o)^{-2\sigma_{s,i}} PI_{s,i}^{\alpha_{s,i} + \sigma_{s,i}} \left(\sum_f \theta_{s,i}^f (PP_{s,i}^f)^{1-\sigma_{s,i}} \right)^{-1} \right\} \\ &= - \sum_s \sum_i \left\{ \bar{Q}_{s,i,0}^o \frac{\theta_{s,i}^o}{\bar{\theta}_{s,i}^o} \left(\frac{\overline{PP}_{s,i}^o}{PI_{s,i}} \right)^{\sigma_{s,i}} K_{s,i} \sigma_{s,i} (PP_{s,i}^o)^{-\sigma_{s,i}-1} PI_{s,i}^{\alpha_{s,i} + \sigma_{s,i}} \right\} \\ &+ \sum_s \sum_i \left\{ \bar{Q}_{s,i,0}^o \frac{(\theta_{s,i}^o)^2}{\bar{\theta}_{s,i}^o} \left(\frac{\overline{PP}_{s,i}^o}{PI_{s,i}} \right)^{\sigma_{s,i}} K_{s,i} (\alpha_{s,i} + \sigma_{s,i}) (PP_{s,i}^o)^{-2\sigma_{s,i}} PI_{s,i}^{\alpha_{s,i} + \sigma_{s,i}} \left(\sum_f \theta_{s,i}^f (PP_{s,i}^f)^{1-\sigma_{s,i}} \right)^{-1} \right\} \\ &= - \sum_s \sum_i \left\{ \bar{Q}_{s,i,0}^o \frac{\theta_{s,i}^o}{\bar{\theta}_{s,i}^o} \left(\overline{PP}_{s,i}^o \right)^{\sigma_{s,i}} K_{s,i} \sigma_{s,i} (PP_{s,i}^o)^{-\sigma_{s,i}-1} PI_{s,i}^{\alpha_{s,i} + \sigma_{s,i}} \right\} \\ &+ \sum_s \sum_i \left\{ \bar{Q}_{s,i,0}^o \frac{(\theta_{s,i}^o)^2}{\bar{\theta}_{s,i}^o} \left(\overline{PP}_{s,i}^o \right)^{\sigma_{s,i}} K_{s,i} (\alpha_{s,i} + \sigma_{s,i}) (PP_{s,i}^o)^{-2\sigma_{s,i}} PI_{s,i}^{\alpha_{s,i} + \sigma_{s,i}} \left(\sum_f \theta_{s,i}^f (PP_{s,i}^f)^{1-\sigma_{s,i}} \right)^{-1} \right\} \end{aligned}$$

where we used $\frac{\partial PP_{s,i}^o}{\partial P^o} = 1$ (cf. equation A1) and

$$\begin{aligned}
\frac{\partial PI_{s,i}}{\partial P^o} &= \frac{\partial}{\partial P^o} \left\{ \left[\sum_f \theta_{s,i}^f (PP_{s,i}^f)^{1-\sigma_{s,i}} \right]^{\frac{1}{(1-\sigma_{s,i})}} \bigg/ \left[\sum_f \bar{\theta}_{s,i}^f (\overline{PP}_{s,i}^f)^{1-\sigma_{s,i}} \right]^{\frac{1}{(1-\sigma_{s,i})}} \right\} \\
&= \frac{1}{\Gamma_2} \cdot \frac{\partial}{\partial P^o} \left[\sum_f \theta_{s,i}^f (PP_{s,i}^f)^{1-\sigma_{s,i}} \right]^{\frac{1}{(1-\sigma_{s,i})}} \\
&= \frac{1}{\Gamma_2} \frac{1}{(1-\sigma_{s,i})} \left[\sum_f \theta_{s,i}^f (PP_{s,i}^f)^{(1-\sigma_{s,i})} \right]^{\frac{1}{(1-\sigma_{s,i})}-1} \cdot \theta_{s,i}^o \cdot (1-\sigma_{s,i}) \cdot (PP_{s,i}^o)^{-\sigma_{s,i}} \\
&= \frac{1}{\Gamma_2} \theta_{s,i}^o \cdot (PP_{s,i}^o)^{-\sigma_{s,i}} \cdot \left[\sum_f \theta_{s,i}^f (PP_{s,i}^f)^{(1-\sigma_{s,i})} \right]^{\frac{1}{(1-\sigma_{s,i})}-1} = \theta_{s,i}^o \cdot (PP_{s,i}^o)^{-\sigma_{s,i}} \cdot \frac{\left[\sum_f \theta_{s,i}^f (PP_{s,i}^f)^{(1-\sigma_{s,i})} \right]^{\frac{1}{(1-\sigma_{s,i})}-1}}{\left[\sum_f \bar{\theta}_{s,i}^f (\overline{PP}_{s,i}^f)^{1-\sigma_{s,i}} \right]^{\frac{1}{(1-\sigma_{s,i})}}} \\
&= \theta_{s,i}^o \cdot (PP_{s,i}^o)^{-\sigma_{s,i}} PI_{s,i} \left(\sum_f \theta_{s,i}^f (PP_{s,i}^f)^{(1-\sigma_{s,i})} \right)^{-1}, \quad \Gamma_2 = \left[\sum_f \bar{\theta}_{s,i}^f (\overline{PP}_{s,i}^f)^{1-\sigma_{s,i}} \right]^{\frac{1}{(1-\sigma_{s,i})}}.
\end{aligned}$$

To ease computation in the following formulation of (A14) is used in GAMS:

$$\begin{aligned}
\text{(A14)*} \quad \frac{\partial Q^o}{\partial P^o} &= -\sum_s \sum_i \left\{ \sigma_{s,i} \bar{Q}_{s,i,0}^o \frac{\theta_{s,i}^o}{\bar{\theta}_{s,i}^o} (\overline{PP}_{s,i}^o)^{\sigma_{s,i}} K_{s,i} PI_{s,i}^{\alpha_{s,i}+\sigma_{s,i}} (PP_{s,i}^o)^{-\sigma_{s,i}-1} \right\} \\
&+ \sum_s \sum_i \left\{ (\alpha_{s,i} + \sigma_{s,i}) \bar{Q}_{s,i,0}^o \frac{(\theta_{s,i}^o)^2}{\bar{\theta}_{s,i}^o} (\overline{PP}_{s,i}^o)^{\sigma_{s,i}} K_{s,i} PI_{s,i}^{\alpha_{s,i}+\sigma_{s,i}-1} (PP_{s,i}^o)^{-\sigma_{s,i}} (PP_{s,i}^o)^{-\sigma_{s,i}} PI_{s,i} \frac{1}{\sum_f \theta_{s,i}^f (PP_{s,i}^f)^{1-\sigma_{s,i}}} \right\} \\
&= -\sum_s \sum_i \left\{ \sigma_{s,i} \bar{Q}_{s,i,0}^o \frac{\theta_{s,i}^o}{\bar{\theta}_{s,i}^o} (\overline{PP}_{s,i}^o)^{\sigma_{s,i}} K_{s,i} PI_{s,i}^{\alpha_{s,i}+\sigma_{s,i}} (PP_{s,i}^o)^{-\sigma_{s,i}-1} \right\} \\
&+ \sum_s \sum_i \left\{ (\alpha_{s,i} + \sigma_{s,i}) \bar{Q}_{s,i,0}^o \frac{(\theta_{s,i}^o)^2}{\bar{\theta}_{s,i}^o} (\overline{PP}_{s,i}^o)^{\sigma_{s,i}} K_{s,i} PI_{s,i}^{\alpha_{s,i}+\sigma_{s,i}} (PP_{s,i}^o)^{-2\sigma_{s,i}} \frac{1}{\sum_f \theta_{s,i}^f (PP_{s,i}^f)^{1-\sigma_{s,i}}} \right\} \\
&= -\sum_s \sum_i \left\{ \sigma_{s,i} \bar{Q}_{s,i,0}^o \frac{\theta_{s,i}^o}{\bar{\theta}_{s,i}^o} (\overline{PP}_{s,i}^o)^{\sigma_{s,i}} K_{s,i} PI_{s,i}^{\alpha_{s,i}+\sigma_{s,i}} (PP_{s,i}^o)^{-\sigma_{s,i}-1} \right\} \\
&+ \sum_s \sum_i \left\{ (\alpha_{s,i} + \sigma_{s,i}) \bar{Q}_{s,i,0}^o \frac{(\theta_{s,i}^o)^2}{\bar{\theta}_{s,i}^o} (\overline{PP}_{s,i}^o)^{\sigma_{s,i}} K_{s,i} PI_{s,i}^{\alpha_{s,i}+2\sigma_{s,i}-1} (PP_{s,i}^o)^{-2\sigma_{s,i}} \frac{1}{\sum_f \theta_{s,i}^f (\overline{PP}_{s,i}^f)^{1-\sigma_{s,i}}} \right\}
\end{aligned}$$

We now differentiate L wrt P^o :

$$(A15) \quad (1+r)^t \frac{\partial L}{\partial P_t^o} = (Q_t^o - X_t^{NO}) + (P_t^o - c_t^C(A_t^C) - \mu_t^C) \frac{\partial Q_t^o}{\partial P_t^o} = 0$$

where we can insert for $\partial Q_t^o / \partial P_t^o$ from Eq. (A14) above.

If we rearrange Eq. (A15) we get:

$$(A16) \quad P_t^o = c_t^C(A_t^C) + \mu_t^C - \frac{\partial P_t^o}{\partial Q_t^o} (Q_t^o - X_t^{NO})$$

Where the last term on the right hand side is the cartel rent.

Next, we differentiate wrt A^C :

$$(A17) \quad (1+r)^t \frac{\partial L}{\partial A_t^C} = - \frac{\partial c_t^C(A_t^C)}{\partial A_t^C} (Q_t^o - X_t^{NO}) + \mu_t^C - (1+r)^{-1} \mu_{t+1}^C = 0$$

or:

$$(A18) \quad \eta^C c_t^C(A_t^C) (Q_t^o - X_t^{NO}) - \mu_t^C + (1+r)^{-1} \mu_{t+1}^C = 0$$

Whereas the discounted shadow price decreases over time, the running shadow price μ can both decrease and increase over time. When the cartel stops producing, the shadow price reaches zero.

Let us turn to the competitive fringe's *optimization problem*. The cost function of Non-OPEC regions in period t has the following functional form:

$$(A19) \quad C_{i,t}^{NO}(X_{i,t}^{NO}, A_{i,t}^{NO}) = c_{i,t}^{NO}(A_{i,t}^{NO}) e^{\phi_i^{NO} \left(\frac{X_{i,t}^{NO}}{X_{i,t-1}^{NO}} - 1 \right)} X_{i,t}^{NO}$$

$$(A20) \quad c_{i,t}^{NO}(A_{i,t}^{NO}) = c_{i,0}^{NO} \cdot e^{\eta_i^{NO} A_{i,t}^{NO} - \tau_i^{NO} t}$$

We here assume that there are no adjustment costs for Non-OPEC production, reflected by the parameter $\varphi_i^{NO} = 0$.

However, we assume the following cost function:

$$(A19b) \quad C_{i,t}^{NO}(X_{i,t}^{NO}, A_{i,t}^{NO}) = \kappa_{A,t} c_{i,t}^{NO}(A_{i,t}^{NO}) (X_{i,t}^{NO})^{\kappa_{B,t}}$$

where $\kappa_{A,t}$ and $\kappa_{B,t}$ are exogenous parameters. In the initial years, $\kappa_{B,t} > 1$ to reflect increasing marginal costs also within a period. $\kappa_{B,t}$ is then gradually reduced to one over time. $\kappa_{A,t}$ is calibrated so that marginal costs at $X_{i,0}^{NO}$ are the same as with $\kappa_{A,t} = \kappa_{B,t} = 1$, i.e., $\kappa_{A,t} = (\kappa_{B,t})^{-1} (X_{i,t}^{NO})^{1-\kappa_{B,t}}$

The optimization problem can be written:

$$(A21) \quad \text{Max} \sum_t \left\{ (1+r)^{-t} (X_{i,t}^{NO} P_t - C_{i,t}^{NO}(X_{i,t}^{NO}, A_{i,t}^{NO})) \right\}$$

$$\text{with } A_{i,t}^{NO} - A_{i,t-1}^{NO} = X_{i,t}^{NO}.$$

The Lagrangian function becomes:

$$(A22) \quad L = \sum_t \left\{ (1+r)^{-t} (X_{i,t}^{NO} P_t - C_{i,t}^{NO}(X_{i,t}^{NO}, A_{i,t}^{NO})) \right\} + \sum_t \left\{ \mu_{i,t}^{NO} \cdot (1+r)^{-t} \cdot (A_{i,t}^{NO} - A_{i,t-1}^{NO} - X_{i,t}^{NO}) \right\}$$

where $\mu_i^{NO} = -(1+r)\lambda_i^{NO} > 0$ is the current value of the shadow price on the resource constraint, and λ_i^{NO} is the present value of the shadow price (the Lagrange multiplier).

The first order condition wrt. $X_{i,t}^{NO}$ is:

$$(A23) \quad P_t = \frac{C_{i,t}^{NO}(X_{i,t}^{NO}, A_{i,t}^{NO})}{X_{i,t}^{NO}} + \frac{\varphi_i^{NO}}{X_{i,t-1}^{NO}} C_{i,t}^{NO}(X_{i,t}^{NO}, A_{i,t}^{NO}) - (1+r)^{-1} \frac{\varphi_i^{NO} X_{i,t+1}^{NO}}{(X_{i,t}^{NO})^2} C_{i,t}^{NO}(X_{i,t+1}^{NO}, A_{i,t+1}^{NO}) + \mu_{i,t}^{NO}$$

Note that if $\varphi_1^{NO} = 0$, (A23) simplifies to:

$$(A24) \quad P_t = c_{i,t}^{NO}(A_{i,t}^{NO}) + \mu_{i,t}^{NO}$$

The first term on the right-hand-side in Eq. (A23) and (A24) is the average unit cost. The second term in (A23) accounts for the rising short-term unit costs. Together, the two first terms are the marginal production costs in the short term (for an exogenous X_{t-1}^{NO}). The third term is negative, taking into account the positive effect on future cost reductions of increasing current production. The last term in (A23) and (A24) is the scarcity effect; the alternative cost of producing one unit more today as it increases future costs due to scarcity.

Alternatively, using (A19b) we get the following first order condition:

$$(A23b) \quad P_t = \kappa_{B,t} \frac{C_{i,t}^{NO}(X_{i,t}^{NO}, A_{i,t}^{NO})}{X_{i,t}^{NO}} + \mu_{i,t}^{NO}$$

When we differentiate L wrt $A_{i,t}^{NO}$ we get the following condition for changes in the Lagrange multiplier (identical to the corresponding condition for OPEC above):

$$(A25) \quad \eta_i^{NO} \cdot C_{i,t}^{NO}(X_{i,t}^{NO}, A_{i,t}^{NO}) - \mu_{i,t}^{NO} + (1+r)^{-1} \mu_{i,t+1}^{NO} = 0$$

Relationships between price and substitution elasticities

In the model described above, α is the direct price elasticity of the energy aggregate, while σ is the substitution elasticity between energy goods in the energy aggregate. The direct price elasticity of oil follows implicitly from α and σ , as well as the value shares θ and prices of the energy goods. Since we may want to specify the direct price elasticity of oil instead of the elasticity of the energy aggregate, it is useful to derive the exact relationship between these two, and specifically derive a reduced form expression for the latter as a function of the former (and other necessary parameters/variables).

Let $\xi_{s,i}^o = \frac{\partial Q_{s,i}^o}{\partial PP_{s,i}^o} \frac{PP_{s,i}^o}{Q_{s,i}^o}$ denote the direct price elasticity of oil in sector s and region i . From (A14)

and (A8) we have (note that $\frac{\partial Q_{s,i}^o}{\partial PP_{s,i}^o} = \frac{\partial Q_{s,i}^o}{\partial P^o}$):¹⁷

$$\xi_{s,i}^o = \frac{\partial Q_{s,i}^o}{\partial PP_{s,i}^o} \frac{PP_{s,i}^o}{Q_{s,i}^o} = -\sigma_{s,i} + (\alpha_{s,i} + \sigma_{s,i}) \theta_{s,i}^o \frac{(PP_{s,i}^o)^{1-\sigma_{s,i}}}{\sum_f \theta_{s,i}^f (PP_{s,i}^f)^{1-\sigma_{s,i}}}$$

This can alternatively be expressed as:

$$(A26) \quad \alpha_{s,i} = (\xi_{s,i}^o + \sigma_{s,i}) \frac{\sum_f \theta_{s,i}^f (\overline{PP}_{s,i}^f)^{1-\sigma_{s,i}}}{\theta_{s,i}^o (\overline{PP}_{s,i}^o)^{1-\sigma_{s,i}}} - \sigma_{s,i}$$

In the special case where all end-user prices in a sector/region are equal across energy goods, we get:

$$(A26^*) \quad \alpha_{s,i} = \frac{\xi_{s,i}^o + \sigma_{s,i}}{\theta_{s,i}^o} - \sigma_{s,i}$$

In the calibration of the model, we use (A26) to derive estimates of α , given estimates of the RHS parameters and base-year levels of the variables.

¹⁷ Here we use the third-to-last expression in (A14).

Statistics Norway

Postal address:
PO Box 8131 Dept
NO-0033 Oslo

Office address:
Akersveien 26, Oslo
Oterveien 23, Kongsvinger

E-mail: ssb@ssb.no
Internet: www.ssb.no
Telephone: + 47 62 88 50 00

ISSN: 1892-753X



Statistisk sentralbyrå
Statistics Norway