

de Raaij, Gabriela; Raunig, Burkhard

Working Paper

Evaluating Density Forecasts with an Application to Stock Market Returns

Working Paper, No. 59

Provided in Cooperation with:

Oesterreichische Nationalbank (OeNB), Vienna

Suggested Citation: de Raaij, Gabriela; Raunig, Burkhard (2002) : Evaluating Density Forecasts with an Application to Stock Market Returns, Working Paper, No. 59, Oesterreichische Nationalbank (OeNB), Vienna

This Version is available at:

<https://hdl.handle.net/10419/264651>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.

A detailed black and white engraving of three figures in historical attire. On the left, a man in a hat and long coat holds a staff. In the center, a woman in a long dress and hat stands with her hands clasped. On the right, another woman in a long dress and hat stands with her hands clasped. The background is a textured, light-colored surface.

WORKING PAPER 59

EVALUATING DENSITY FORECASTS

WITH AN APPLICATION TO

STOCK MARKET RETURNS

GABRIELA DE RAAIJ AND BURKHARD RAUNIG

Editorial Board of the Working Papers

Eduard Hochreiter, Coordinating Editor
Ernest Gnan,
Wolfdietrich Grau,
Peter Mooslechner
Kurt Pribil

Statement of Purpose

The Working Paper series of the Oesterreichische Nationalbank is designed to disseminate and to provide a platform for discussion of either work of the staff of the OeNB economists or outside contributors on topics which are of special interest to the OeNB. To ensure the high quality of their content, the contributions are subjected to an international refereeing process. The opinions are strictly those of the authors and do in no way commit the OeNB.

Imprint: Responsibility according to Austrian media law: Wolfdietrich Grau, Secretariat of the Board of Executive Directors, Oesterreichische Nationalbank

Published and printed by Oesterreichische Nationalbank, Wien.

The Working Papers are also available on our website:

<http://www.oenb.co.at/workpaper/pubwork.htm>

Editorial

This working paper was previously presented at one of the regular joint research workshops of the Deutsche Bundesbank and the Oesterreichische Nationalbank. It is also available as Bundesbank Working Paper No. 08/02.

Abstract:

Density forecasts have become quite important in economics and finance. For example, such forecasts play a central role in modern financial risk management techniques like Value at Risk. This paper suggests a regression based density forecast evaluation framework as a simple alternative to other approaches. In simulation experiments and an empirical application to in- and out-of-sample one-step-ahead density forecasts of daily returns on the S&P 500, DAX and ATX stock market indices, the regression based evaluation strategy is compared with a recently proposed methodology based on likelihood ratio tests. It is demonstrated that misspecifications of forecasting models can be detected within the proposed regression framework. It is further demonstrated that the likelihood ratio methodology without additional misspecification tests has no power in many practical situations and therefore frequently selects incorrect forecasting models. The empirical results provide some evidence that GARCH-t models provide good density forecasts. The results further suggest that extensions of statistical models with fat-tailed conditional distributions to models that incorporate higher order conditional moments beyond the conditional variance might be appropriate to capture the empirical regularities in financial time series in some cases.

February 18, 2002

Evaluating Density Forecasts with an Application to Stock Market Returns

Gabriela de Raaij and Burkhard Raunig^{*,**}

Gabriela de Raaij
Central Bank of Austria
Banking Analysis and Inspections Division
Otto-Wagner-Platz 3
POB 61, A-1011 Vienna
Austria
Phone: (+43-1) 404 20-3249
Fax: (+43-1) 404 20-3299
Email: gabriela.raaij@oenb.co.at

Burkhard Raunig
Central Bank of Austria
Economic Studies Division
Otto-Wagner-Platz 3
POB 61, A-1011 Vienna
Austria
Phone: (+43-1) 404 20-7219
Fax: (+43-1) 404 20-7299
Email: burkhard.raunig@oenb.co.at

Key words: Density forecasting, Forecast evaluation, Risk management, GARCH-models
JEL Classification: G10, C52, C53

*) Corresponding author

***) The opinions expressed do not necessarily reflect those of the Austrian Central Bank.

1 Introduction

A density forecast is a forecast of the entire probability distribution of a random variable. Recently, such forecasts have become quite important in the financial industry because they form the backbone of modern risk measures like Value at Risk (VaR) which are derived from forecasts of entire profit/loss distributions of financial portfolios (for details on VaR, see Jorion, 1997). Apart from risk management, density forecasts have also come to play a role in macroeconomic forecasting. Density forecasts of inflation are assessed in Diebold, Tay and Wallis (1999), density forecasts of output growth and unemployment are examined in Clements and Smith (2000) and Kaufmann (2000) evaluates the statistical adequacy of a dynamic Markov switching factor model for the business cycle using the predictive densities implied by the model (for a survey about density forecasting, see Tay and Wallis, 2000). Given the rapidly growing importance of density forecasts for economic forecasting in general and risk management in particular, techniques to evaluate the quality of density forecasts are of vital practical importance.

Recently, Crnkovic and Drachman (1997) and Diebold, Gunther and Tay (1998) have introduced methodologies to evaluate the accuracy of density forecasts based on a probability integral transformation in Rosenblatt (1952). Applied to the realizations of a stochastic process, the transformation implies iid $U(0,1)$ data if a sequence of density forecasts coincides with the sequence of true conditional densities. Frühwirth-Schnatter (1996) and Berkowitz (2000) extend this framework by utilizing a second transformation that implies iid $N(0,1)$ data if a sequence of density forecasts is correct. Whereas Frühwirth-Schnatter proposes certain indices to explore the adequacy of forecasting models, Berkowitz suggests a likelihood ratio (LR) framework to test for iid $N(0,1)$. He further finds that the LR-framework is quite powerful even in small samples. However, the LR-framework maintains the assumption of normality and therefore does not cover the complete hypothesis.

Unfortunately, under standard statistical assumptions about a forecasting model situations may arise where deficiencies in density forecasts cannot be detected within the LR-framework. An important case are density forecasts derived from GARCH-models with correctly specified first- and second moments estimated with quasi-maximum likelihood methods. This paper demonstrates that deficient density forecasts derived from such models may not be detected within the LR-framework. It

is further shown that the LR-methodology also has no power under the weaker condition of a correct specification of the conditional mean of a forecasting model, if normally distributed density forecasts are assumed.

To overcome these problems, this paper proposes a regression framework in conjunction with tests for normality to evaluate the quality of density forecasts. The approach is motivated through a probabilistic reduction argument (Spanos, 1999, ch.15) and covers the alternative hypotheses of the LR-tests proposed in Berkowitz (2000) as a special case. Given a reasonable sample size, the regression framework does not require the assumptions of normality and homoskedasticity in tests concerning the correlation structure of a transformed series and the additional tests for normality provide further important information about deficiencies of density forecasts and hence about misspecifications of the models that were used to generate the forecasts. Since neglected conditional volatility dynamics in a forecasting model induces heteroskedasticity into the transformed series used for density forecast evaluation, tests that help to identify such effects are an integral part of the evaluation framework. Simulation experiments indicate that the proposed methodology has good statistical properties.

In an empirical application the regression methodology is used to evaluate in-sample and out-of-sample one-step-ahead density forecasts from econometric models that are popular in the financial industry and the results are compared with the results from the LR-approach. The different forecasting models are applied to daily stock market returns from the S&P 500, the DAX and the ATX. The empirical results provide some support for GARCH-models with fat tailed distributed errors for the purpose of density forecasting and GARCH-models in general for the purpose of volatility forecasting. The results further suggest that for financial return series an adequate model for the relevant conditional moments as well as proper distributional assumptions are needed to produce good density forecasts.

The rest of the paper is organized as follows. Section 2 covers some theory about density forecast evaluation, reviews the LR-framework, discusses properties of transformed series obtained from misspecified forecasting models and provides conditions under which LR-tests will fail to detect incorrect density forecasts. Section 3 outlines the regression based evaluation approach. Section 4

reports simulation experiments concerning the size and the power of LR-tests and the regression based evaluation methodology. The data and the models used in the empirical study are presented in section 5. Section 6 describes the setting of the forecasting experiments and discusses the in- and out-of-sample forecast evaluation results. Section 7 comprises the concluding remarks. Proofs are collected in an appendix.

2 Density Forecast Evaluation

Let $\{x_t\}_{t=1, \dots, m}$ be a time series generated from the series of conditional densities $\{f(x_t | I_{t-1})\}_{t=1, \dots, m}$ where I_{t-1} denotes the information set available at time $t-1$ and let $\{p(x_t | I_{t-1})\}_{t=1, \dots, m}$ be a series of one-step-ahead density forecasts for $\{x_t\}_{t=1, \dots, m}$ (in what follows, $f_t(x_t)$ and $p_t(x_t)$ are sometimes used as shorthand notations for the true and the predicted conditional densities, respectively). Assume that a series of one-step-ahead density forecasts has been generated. Such forecasts can be evaluated through a probability integral transformation (Rosenblatt, 1952) applied to each observed x_t with respect to its predicted density $p_t(x_t)$. The probability integral transformation for a single x_t is given by

$$z_t = \int_{-\infty}^{x_t} p_t(u) du = P_t(x_t). \quad (1)$$

Diebold, Gunther and Tay (1998) show that a transformed series $\{z_t\}_{t=1, \dots, m}$ is iid $U(0,1)$ if a series of one-step-ahead density forecasts $\{p_t(x_t)\}_{t=1, \dots, m}$ coincides with the series of the true densities $\{f_t(x_t)\}_{t=1, \dots, m}$. This result can be further exploited to evaluate multivariate density forecasts- and multi-step ahead forecasts, respectively (Diebold, Hahn and Tay, 1999, Clements and Smith, 2000). It is also worth noting that this result does in no way depend on how the density forecasts were generated. Correct density forecasts, however obtained, imply a transformed series that is iid $U(0,1)$.

Diebold et al. suggest graphical methods to assess the iid $U(0,1)$ property of transformed data and Crnkovic and Drachman (1997) advocate Kupier's statistics to test for uniformity and Brock-Dechert-Scheinkman (BDS) tests for iid. Berkowitz (2000) emphasizes that nonparametric tests require rather large sample sizes to be reliable. He therefore suggests a further well known transformation (the so called quantile transformation) to the individual z_t 's. The transformation for a single z_t is given by

$$n_t = F_N^{-1}(z_t). \quad (2)$$

This transformation produces data that are standard normal if z_t is $U(0,1)$ and F_N^{-1} is the inverse of a standard normal distribution function. If a series of z_t 's is iid $U(0,1)$ it follows from the iid property of the z -series that the corresponding n -series must also be iid $N(0,1)$. Berkowitz proposes likelihood-ratio tests against the first order autoregressive alternative

$$n_t - \mu = \rho(n_{t-1} - \mu) + \varepsilon_t, \quad (3)$$

to test for iid $N(0,1)$ data. In this framework a test for independence is given by (3a) and a joint test for independence, a mean of zero and a variance of one is given by (3b)

$$LR_1 = -2(L(\hat{\mu}, \hat{\sigma}^2, 0) - L(\hat{\mu}, \hat{\sigma}^2, \hat{\rho})) \sim \chi^2(1) \quad (3a)$$

$$LR_2 = -2(L(0,1,0) - L(\hat{\mu}, \hat{\sigma}^2, \hat{\rho})) \sim \chi^2(2), \quad (3b)$$

where σ^2 is the variance of ε_t and $L(\cdot)$ denotes a Gaussian log-likelihood function. A test concerning $\mu = 0$ can be constructed analogously to (3a). In simulation experiments he demonstrates that the test statistics have good small sample properties. However, Berkowitz himself points out that the LR tests have only power to detect non normality through the first two moments of the distribution and that additional distributional tests might be useful.

There are indeed good reasons to examine an n -series of a forecasting model for normality and also for heteroskedasticity because the LR-tests outlined above maintain the assumption of normality and do not cover the possibility of heteroskedasticity. If density forecasts are deficient in such a way that they do not lead to a violation of $\mu = 0$, $\rho = 0$ and $\sigma = 1$, then these deficiencies will not be detected within the LR-framework an incorrect forecasting models may be selected. Propositions 1 and 2 below state that this will happen under standard statistical assumptions about a forecasting model.

Proposition 1: Assume that the forecasting model can be represented in the form $X_t = \mu(I_{t-1}) + \sigma(I_{t-1})Y_t$, where $\mu(I_{t-1})$ is the conditional mean and $\sigma(I_{t-1})$ is the conditional standard deviation of X_t . The random variable Y_t is iid with some arbitrary distribution $D(0,1)$ with zero mean and unit variance. Further assume that the forecasted densities $p(X_t | I_{t-1})$ adequately capture the first two conditional moments of

X_t . Then the n-series implied by the forecasting model will also be iid $D(0,1)$ if the forecasted densities $\{p(X_t | I_{t-1})\}_{t=1, \dots, m}$ are assumed to be normal densities.

Proof: see appendix

Proposition 2: Assume a forecasting model of the form $X_t = \mu(I_{t-1}) + \sigma(I_{t-1})Y_t$, where $\mu(I_{t-1})$ is the conditional mean and $\sigma(I_{t-1})$ is the conditional standard deviation of X_t . Further assume that the (constant) unconditional standard deviation σ exists. Then the n-series $\{n_t\}_{t=1, \dots, m}$ resulting from the forecasting model is

- a) conditionally heteroskedastic
- b) uncorrelated, has conditional mean and unconditional mean 0
- c) and has unconditional standard deviation 1

if the density forecasts $\{p(X_t | I_{t-1})\}_{t=1, \dots, m}$ adequately capture the conditional mean, are assumed to be normal and are based on unconditional standard deviation σ .

Proof: see appendix

Propositions 1 implies that the LR-tests given in (3a) and (3b) and other tests that do not cover the distributional part of the iid $N(0,1)$ hypotheses of correct density forecasts will have no power in detecting incorrect density forecasts if the stated conditions apply. An important practical case arises in the context of quasi-maximum likelihood estimation (QML) of GARCH models. It is well known that under mild regularity conditions the parameters of a GARCH model estimated under the incorrect assumption of a normal distribution are consistent if the conditional mean- and the conditional variance functions are correctly specified (for details, see Bollerslev and Wooldridge, 1992, and Lumsdaine, 1996). Hence a GARCH model might approximate the first two conditional moments quite well, but deliver poor density forecasts under the incorrect assumption of normality. Proposition

1 states that in such a situation the LR-tests will virtually never reject the null-hypotheses of correct density forecasts because the iid, mean 0 and variance 1 property of the derived n-series will not be violated. Without additional tests for normality even very poor density forecasts may not be detected and an incorrect forecasting model may be selected.

Proposition 2 says that the LR-tests described above (which focus on the unconditional standard deviation of an n-series) and other tests that do not cover the possibility of heteroskedasticity will tend to have no power to detect incorrect density forecasts if the forecasting model correctly specifies the conditional mean of the target variable but the forecaster incorrectly assumes normally distributed density forecasts based on the unconditional standard deviation. Propositions 1 and 2 further imply that in such situations attempts to refine the alternative hypotheses about an n-series given in (3) by including for example various powers of a n-series or other variables will not help to detect incorrect density forecasts.

What else can be said about the properties of an n-series under a misspecified forecasting model? It can be shown (Diebold, Hahn and Tay, 1999, proposition 1) that a z-series keeps the iid property but is not uniformly distributed anymore if a sequence of true conditional densities $f(x_t | I_{t-1})$ belongs to a location-scale family (i.e. $X_t = \mu(I_{t-1}) + \sigma(I_{t-1})Y_t$ is an affine transformation of a random variable Y_t with a distribution D , independent of the information I_{t-1} , $\sigma(I_{t-1}) > 0$) and the forecasted densities $p(x_t | I_{t-1})$ adequately capture the dynamics of the first two conditional moments but belong to another location-scale family. It can easily be shown that this result extends to the corresponding n-series. It can also be demonstrated (Berkowitz, 2000, proposition 2) that if $h(n_t)$ is the density of n_t generated under the density forecast $p(x_t)$ and $\phi(n_t)$ is the standard normal density, then $\log[f(x_t)/p(x_t)] = \log[h(n_t)/\phi(n_t)]$, which implies that deviations of a density forecast from the true density will be preserved in the corresponding regions of a standard normal density.

Taken together, the discussion in this section suggests that a) misspecifications of a forecasting model will be preserved in the corresponding n-series and b) that density forecast evaluation procedures based on n-series should cover the possibility of conditional heteroskedasticity (i.e. incorporate higher conditional moments of an n-series) and tests about the distribution of an n-series.

3 Regression Framework

It is well known that for a random variable Y (with $E[Y^2] < \infty$) the orthogonal decomposition $Y = E(Y|H) + (Y - E(Y|H))$, where $E(Y|H)$ denotes the expectation of Y conditional on the information set H , is well defined relative to H (for details see Spanos, 1999, ch.15, or Karr, 1992, ch. 8). Thus the statistical generating mechanism for the first conditional moment for Y can be stated as $Y = E(Y|H) + u$. A similar orthogonal decomposition can be applied to Y^2 assuming that the required moments exist. If the transformed series $\{n_t\}_{t=1,\dots,m}$ is iid $N(0,1)$, then the first two conditional moments take the form $E(N_t|H_t) = \mu = 0$ (independence) and $E(N_t^2|H_t) = \text{Var}(N_t) = \sigma^2 = 1$ (conditional homoskedasticity and unit variance). The setting obviously also implies that $N_t = u_t$ must be distributed $N(0,1)$ if the iid $N(0,1)$ property holds.

In the context of density forecast evaluation many choices for variables $\in H_t$ are possible. For example H_t could contain various lags of an n -series as well as various powers and cross-products of an n -series, other variables of interest could also be included. The important point is that a) the more general model which forms the alternative hypothesis contains the H_0 of iid $N(0,1)$ as a special case and is based on a set of internally consistent probabilistic assumptions and that b) the more general model covers important departures from iid $N(0,1)$ that are interesting for the purpose of density forecast evaluation. In the light of the results from the last section, the two regression functions are specified as

$$n_t = \beta_0 + \beta_1 n_{t-1} + \dots + \beta_k n_{t-k} + u_t \quad (4a)$$

$$n_t^2 = \gamma_0 + \gamma_1 n_{t-1}^2 + \dots + \gamma_s n_{t-s}^2 + v_t \quad (4b)$$

where $\{u_t\}$ and $\{v_t\}$ are martingale difference sequences (i.e. non-autocorrelated with zero expectation conditional on it's own past). In this framework the hypotheses of an iid $N(0,1)$ n -series implies the restrictions $\beta_0 = \beta_1 = \dots = \beta_k = 0$ (zero mean and independence) and $n_t \sim N(0,1)$ (normal distribution with mean zero and unit unconditional variance) in (4a) and $\gamma_0 = 1, \gamma_1 = \dots = \gamma_s = 0$ (constant conditional unit variance, i.e. conditional homoskedasticity) in (4b). Note that for $k = 1$ equation (4a) is similar to the alternative hypothesis of the LR-methodology defined in equation (3) above, but there are also important differences. In contrast to (3), model (4a) accommodates conditional

heteroskedasticity and does not assume normality. Hence, the model given by (4a) is more general than model (3) and includes it as a special case. In addition, equation (4b) incorporates second order dependence of n_t explicitly and includes the possibility of conditional heteroskedasticity. Hence, a test of the restriction $\gamma_1 = \dots = \gamma_s = 0$ can be interpreted as an ARCH test. The restrictions on the coefficients in (4a) and (4b) can easily be tested using heteroskedasticity consistent Wald tests. Under the assumptions made in (4a) and (4b) these tests can be justified asymptotically (for details, see Hayashi, ch. 2). A joint Wald test of all β and γ restrictions under the possibility of heteroskedasticity can be carried out using standard system estimation methods.¹

As discussed in section 2, detected deviations of an n-series from normality indicate problems with the distributional assumptions on which the density forecasts are built and tests concerning the normality of an n-series are therefore essential for the proper selection of a forecasting model. In principal one could extend the regression framework by including autoregressions of third and fourth powers of an n-series and run a joint Wald test on the restrictions implied by iid $N(0,1)$ in the enlarged system of equations. If only a few restrictions are violated, a joint Wald test of this type is likely to have low power for typical sample sizes, however. One strategy is to test the relevant set of restrictions on each equation individually to explore possible directions of misspecifications more closely. This is done in the empirical applications as a further step if normality of an n-series is rejected by a Jarque-Bera normality test (Jarque and Bera, 1980) and separate tests about skewness and kurtosis in the first step of the analysis.

4. Simulation Study

This section explores the power and size of LR-tests based on (3b), joint Wald tests (W) on the system (4a) and (4b) and the JB-test for a data generating processes that is realistic for financial return series.

The data generating mechanism is specified to be a GARCH(1,1) processes of the form

$$y_t = (h_t)^{1/2} [v/(v-2)]^{-1/2} t_v$$

¹ In large samples and in absence of heteroskedasticity the test results obtained from t- and F-tests in (4a) will be virtually identical to the results obtained from LR-tests based on (3a) since then the tests are asymptotically equivalent. In the

$$h_t = \alpha_0 + \alpha_1 y_{t-1}^2 + \alpha_2 h_{t-1}$$

with zero conditional mean and innovations drawn from a fat-tailed t-distribution with $\nu = 5$ degrees of freedom. This process displays the typical features often found in financial time series, namely conditional heteroskedasticity, fat-tailed conditional distributions and fat-tailed unconditional distributions.

The data generating process is investigated for four different parameter vectors of the variance equation. In model 1 and model 2 the parameters α_0 and α_1 are set to 0.004 and 0.06, respectively. The processes differ in their persistence parameter α_2 of the conditional variance. In model 1, α_2 is set to 0.75 which is a value closer to the lower end of the range of persistence parameters typically found for financial return series, whereas model 2 assumes $\alpha_2 = 0.90$ which is a more typical value. However, empirical studies sometimes report estimates for α_2 close to one. Model 3 and model 4 take this findings into account by assuming $\alpha_1 = 0.03$ and $\alpha_2 = 0.95$ and $\alpha_1 = 0.01$ and $\alpha_2 = 0.98$, respectively.

The power of the different tests are investigated under two alternative scenarios. The first case (qml) corresponds to proposition 1 and assumes that the forecaster correctly specifies the functional form of the econometric model, but estimates the GARCH(1,1) model under the wrong assumption of gaussian innovations (i.e. performs quasi maximum likelihood estimation of the model) and hence issues normally distributed density forecasts instead of fat-tailed t-distributed forecasts. The second case (uc. normal) corresponds to proposition 2 and assumes normally distributed density forecasts based on the unconditional standard deviation of y_t , thereby wrongly neglecting conditional heteroskedasticity in addition to the incorrect distributional assumption. Each experiment is based on 10000 simulations and the rejection ratios of the different test statistics applied to n_t series resulting from one step ahead density forecasts are calculated for sample sizes of 200, 500, 1000 and 1500 observations. To investigate the size of the test statistics, the rejection ratios are also calculated for the correct models.

regression framework the equivalent to the joint LR-test based on (3b) is a test of the restriction $\beta_0 = \beta_1 = 0, \gamma_0 = 1$, in the sub

INSERT TABLE 1 ABOUT HERE

Table 1 reports the results of the simulation experiments. Consistent with the implications of proposition 1, the LR-test and the joint W-test (based on the first lag of n_t in (4a) and the first six lags of n_t^2 in (4b)) have virtually no power in detecting incorrect density forecasts under the qml scenario for all four models and all sample sizes. For example, in the qml scenario for model 3 (with a significance level $\alpha = 0.05$) the power of the LR-test is ranging between 0.031 for a sample size of 200 and 0.022 for the largest sample size of 1500 observations and is therefore extremely low. The same is true for the W-test under the same scenario. It's power is only between 0.031 for a sample size of 200 and 0.038 for a sample size of 1500 observations. Note that the JB tests are quite powerful (about 0.74 to 1.0) in all cases, however, indicating significant deviations from normality and therefore incorrect density forecasts. Without the additional JB-tests which virtually always reject normality, one would nearly always accept the wrong model and hence deficient density forecasts.

The simulation results suggest that the LR-test also has no power in the four models under the alternative uc. normal scenario, as predicted by proposition 2. For example, looking at model 3 again (significance level $\alpha = 0.05$) the power of the LR-test is again very low and only in a range of 0.026 to 0.038. In contrast to the results for the LR-test, the joint W-test (which includes a test for conditional heteroskedasticity) has now reasonable power in detecting incorrect density forecasts for sample sizes of 1000 (power = 0.411) and 1500 observations (power = 0.543). With respect to the different persistence parameters, the simulations under the scenario uc.normal show that the W-test tends to have reasonable power for $\alpha_2 = 0.75$, $\alpha_2 = 0.90$ and $\alpha_2 = 0.95$ and sample sizes of 1000 or more observations. However, the power of the W-test decreases rather sharply for $\alpha_2 = 0.98$, suggesting that additional distributional tests are important for successful density forecast evaluations. The simulation results for uc. normal again highlight this point. Like in the qml scenario, the JB-test rejects normality for all four models with rejection rates between 0.84 to 1.0, thereby correctly indicating deficient density forecasts most of the time.

system $n_t = \beta_0 + \beta_1 n_{t-1} + u_t$, $n_t^2 = \gamma_0 + v_t$.

With respect to the size of the different test statistics the simulations show that the LR and the W-test have virtually always the correct size for all models and sample sizes. The size of the JB-test is found to be slightly too low for the sample sizes considered. Taken together, the results of the simulation experiments suggest that the regression based density forecast evaluation methodology in conjunction with normality tests is a quite powerful tool for the analysis of density forecasts and model specifications.

5. Data and Forecasting Models

The analysis of the density forecasts from the forecasting models outlined below is based on daily time series of the S&P 500, DAX and ATX stock market indices. The data set obtained from Datastream covers the period from 1/26/1990 to 1/26/2000 and contains 2,609 observations per index. Daily logarithmic returns are calculated as $x_t = \ln(P_t) - \ln(P_{t-1})$ where P_t denotes the level of the index at day t .

One-step-ahead density forecasts of daily returns are generated from seven popular models. The first model is an equally weighted moving average (MA) of squared returns with a rolling time window of 250 trading days. The MA forecast of the variance of a return at time t is given by

$$\sigma_t^2 = \sum_{i=t-n}^{t-1} x_i^2 / n. \quad (5)$$

The second model is the exponentially weighted moving average (EWMA) of squared returns with a smoothing parameter $\lambda = 0.94$ as proposed by J.P. Morgan.²

$$\sigma_t^2 = (1 - \lambda)x_{t-1}^2 + \lambda\sigma_{t-1}^2. \quad (6)$$

In (5) and (6) it is assumed that the mean of the daily returns are approximately zero.³ It is further assumed that the returns are conditionally normal with variance σ_t^2 . Therefore, both models imply normal density forecasts with mean zero based on the variances generated from (5) and (6), respectively.

² For further details, see RiskMetrics™ (1996).

³ This assumption is often made in practical applications of MA and EWMA models because it is argued that incorporation of the rather imprecise estimates of the mean of a daily return series (which are often close to zero) tend to produce inferior volatility predictions. For a discussion of this issue, see Figlewski (1994).

The next four forecasting models are all variants of GARCH(1,1) models. In contrast to MA and EWMA specifications, which can be applied to squared returns directly, the coefficients of GARCH models must be estimated with maximum likelihood methods. For all GARCH models the equation for the conditional mean is specified as an AR(1) process

$$x_t = \omega_0 + \omega_1 x_{t-1} + \eta_t \quad (7)$$

to capture aggregation effects and other sources that might induce correlation into a return series. The dynamics of the conditional variances are specified as

$$h_t = \alpha_0 + \alpha_1 \eta_{t-1}^2 + \alpha_2 h_{t-1} \quad (8a)$$

and

$$h_t = \alpha_0 + \alpha_1 \eta_{t-1}^2 + \gamma \eta_{t-1}^2 d_{t-1} + \alpha_2 h_{t-1} \quad (8b)$$

$$d_t = \begin{cases} 1 & \text{if } \eta_t < 0 \\ 0 & \text{otherwise} \end{cases}$$

Variant (8a) is the standard GARCH (1,1) specification (Bollerslev, 1986) where positive and negative innovations are treated symmetrically. Specification (8b) is the GARCH model proposed in Glosten, Jagannathan and Runkle (1993), which allows for asymmetric reactions to news on the stock market.

Equation (7) together with (8a) or (8b) determine the location and shape of the density forecasts from GARCH models. In equation (7) the coefficients ω_0 and ω_1 determine the conditional mean of the return x_t and hence the location of a density forecast at time t and the coefficients in (8a) or (8b) specify the dynamics and the size of the conditional second moments of the forecasts. The distributional form of the density forecasts is given by the distribution assumed for the disturbance term η_t . In the empirical applications the GARCH-models are estimated under the assumption of normally distributed errors and under the assumption of t-distributed error terms. In each application of the t-distribution, the degrees of freedom parameter of the t-distribution is estimated jointly with the other model coefficients. The reason for assuming a Student-t distribution is that although in the GARCH framework conditionally normal distributions produce fat-tailed unconditional distributions, often not all of the excess kurtosis is captured under the assumption of conditional normality. Since the Student's-t distribution is able to produce (symmetric) fat-tailed conditional densities, forecasts based on the Student-t distribution might be better able to capture excess kurtosis in the data.

The last model is the scaled Student's t distribution, for which the density is given by

$$f(\eta_t) = \frac{\Gamma\left[\frac{1}{2}(\nu+1)\right]}{\Gamma\left[\frac{1}{2}\nu\right]} (\sigma^2 \nu \pi)^{-\frac{1}{2}} \left(1 + \frac{\eta_t^2}{\sigma^2 \nu}\right)^{-\frac{(\nu+1)}{2}} \quad (9)$$

with expectation $E(\eta_t) = 0$ and variance $\text{Var}(\eta_t) = \sigma^2(\nu/\nu-2)$. In (8) $\Gamma(\cdot)$ represents the gamma function, ν is the degrees of freedom parameter and σ^2 denotes the scale parameter. We allow for a time dependent first moment of the density forecasts since (9) is applied to the residuals obtained from the mean equation (6). Hence the location of the density forecasts based on (9) can change over time, but the shape of the forecasted densities remains the same (i.e. constant conditional variance is assumed).

The intention behind this model is to analyze the consequences of neglected second moment dynamics if an unconditional fat-tailed distribution is already assumed. The properties of the resulting density forecasts should provide valuable information about the relative importance of distributional assumptions versus assumptions about the dynamics of second moments.

6 Empirical Results

It is interesting how well the individual models perform in-sample as well as out-of-sample. Therefore, the data available for each daily index return series are divided into two subsamples. The first sample (1/29/1990 to 1/26/1996), contains 1,564 observations and is reserved for the estimation of the various GARCH models, the scaled t distributions and for the in-sample evaluation of the density forecasts. The remaining 1,044 observations of the data set, covering the period from 1/29/1996 to 1/26/2000, are used to evaluate out-of-sample density forecasts. The density forecasts of the MA models are based on a rolling window of 250 trading days shifted each day. EWMA density forecasts are obtained from the recursive expression (6). The in-sample density forecasts from the GARCH models are based on parameters estimated from the in-sample period data. The out-of-sample density forecasts are based on coefficients updated once a year using a sample of fixed length containing the latest 1564 observations available at the time of updating. The parameters for the scaled t distributions are estimated from the in-sample period data and both the in- and out-of-sample density forecasts are based on these parameters.

Table 2 provides a summary statistic on each daily return series for both samples.

INSERT TABLE 2 ABOUT HERE

The summary statistics indicate that all return series display a significant amount of excess kurtosis (the kurtosis of a normal distribution is 3) in both samples. Hence, all unconditional distributions have fatter tails than the normal distribution, which implies that extreme events tend to occur more frequently than a normal distribution would predict. This result is typical for most financial time series. Note that all return distributions over the out-of-sample period show greater negative skewness than over the in-sample period.

Tables 3, 4 and 5 report the in-sample and out-of-sample evaluation results about the quality of the one-step-ahead density forecasts generated by the different models. In the tables LR denotes the joint likelihood ratio test LR_2 of correct density forecasts given by (3b) and W_j denotes a joint test of the restriction $\beta_0 = \beta_1 = \gamma_1 = \dots = \gamma_6 = 0, \gamma_0 = 1$ in the system given by (4a) and (4b) with the first lag of n_t and the first six lags of n_t^2 under the possibility of heteroskedasticity. Estimated coefficients and p-values from individual t-tests for zero β coefficients are reported under β_0 and β_1 . These estimates and tests come from regressions (4a) under the assumption of homoskedasticity. Because of the large sample size and the assumption of homoskedasticity the reported p-values of the t-statistics are virtually identical to the p-values from corresponding individual LR-tests and hence directly comparable. Under σ chi-square tests of the hypothesis of an unconditional unit variance of an n-series are reported and J-B and ARCH-F denote Jarque-Bera normality tests of an n-series and F-tests for conditional homoskedasticity in regressions (4b).

INSERT TABLES 3, 4 AND 5 ABOUT HERE

The tests of the n-series for the simple MA and the EWMA models indicate a rather poor performance in-sample as well as out-of-sample. The W_j tests, which in contrast to the LR_2 -test, also cover the dynamics of the conditional second moments do not always reject the hypotheses of correct

density forecasts for the EWMA-models because due to the similarity with GARCH-models, EWMA-models often provide a good approximation of the volatility dynamics which leads to more frequent non-rejections. In fact, all n-series from the EWMA-models pass the separate ARCH-F tests. However, all n-series generated from MA and EWMA models clearly do not pass the J-B normality test, as indicated by the rather large values of the Jarque-Bera test statistics. In addition, the individual t-rests sometimes indicate problems with the location and the dynamics of the density forecasts.

The results for the GARCH- and GJR-models with normally distributed errors clearly highlight the danger of using only LR tests without additional tests for normality. The LR tests support the hypotheses of correct density forecasts all times over the in-sample period. The J-B normality tests, however, strongly reject normality in all cases indicating severe problems with the assumption of normally distributed density forecasts. Without the additional tests for normality one would have incorrectly accepted all GARCH-models with normally distributed errors over the in-sample period. Without normality tests the W_j statistic alone would of course also lead to incorrect conclusions. In conjunction with normality tests, however, the results do not support normally distributed density forecasts from GARCH models. Over the out-of-sample period the results are somewhat mixed. The LR tests reject, except for the ATX where the W_j statistics also accept due to the absence of ARCH-effects. The W_j statistics also weakly support the GARCH-n and GJR-n models for the S&P 500. However, the additional J-B tests strongly reject normality again.

The results for GARCH- and GJR-models with t-distributed errors are quite different from the models with normally distributed errors. Both models pass all tests over the in-sample-period indicating good density forecasts. In the case of the S&P 500 and the DAX, the GARCH-t and GJR-t models are not supported by the LR and W_j statistics over the out-of sample period and the J-B normality test rejects normality at conventional significance levels in all three cases. However, the value of the J-B test statistic is small and by far lower, compared to the models that assume normally distributed density forecasts.⁴

⁴ Another interesting point is that the incorporation of an asymmetric reaction of volatility to positive and negative innovations into the econometric specification does not seem to be crucial for the purpose of density forecasting, although we found some evidence for significant positive γ coefficients for the GJR models implying a larger impact of negative innovations on volatility.

Individual chi-square statistics for skewness $SK = 0$ and kurtosis $K = 3$ for the out-of-sample n -series of the GARCH-t and GJR-t models reported in table 5 provide additional insights about likely directions of misspecification. The statistically significant negative skewness coefficients for the n -series suggests that the main deficiency of the density forecasts from these models might result from the symmetry imposed by the t-distribution. Additional F-tests (F) of the restriction $\delta_1 = \delta_2 = \dots = \delta_5 = 0$ from the regression $n_t^3 = \delta_0 + \delta_1 n_{t-1}^3 + \dots + \delta_5 n_{t-5}^3 + e_t$ of the cubed n 's on it's first five lags provide information about time dependence of skewness of the n -series. If there is no time dependence, than the lagged cubed n_t 's should not help to predict actual cubed n_t 's. The F-tests does not reject the hypotheses of time independent skewness for the transformed DAX and ATX series. The F-tests for n^3 -series from the GARCH-t and GJS-t models for the S&P 500 series indicate time dependent skewness. Density forecasts from models along the lines of Hansen (1994) that allow for time dependent skewness might therefore be more appropriate for the S&P 500. Such models are beyond the scope of this paper, however.

INSERT TABLE 6 ABOUT HERE

The last model to be discussed is the scaled t-distribution with a constant conditional second moment. This model, neglecting the time dependence in the conditional second moments, is always strongly rejected by the LR and Wj statistics, although the J-B-statistics looks good in all cases, often supporting normality. The ARCH-F tests clearly indicate serious heteroskedasticity. A comparison of the test results for the GARCH-t and GJR-t models with scaled t-distributions shows that both, proper distributional assumptions and a reasonable model of the dynamics of the relevant conditional moments are necessary to obtain good density forecasts.

7 Conclusions

Based on the fact that correct density forecasts for a stochastic process imply iid $N(0,1)$ data under certain transformations of the realizations of a process with respect to the corresponding predicted conditional densities, a simple regression framework in conjunction with normality tests was proposed

to evaluate the quality of density forecasts obtained from econometric time series models. The methodology is not only useful to examine the quality of density forecasts per se, because it is also applicable to identify the nature of misspecifications of the forecasting model being used. It was further demonstrated theoretically, as well as in simulation experiments and in empirical applications that likelihood ratio tests focusing only on the mean, correlation and unconditional variance of a transformed series may lead to misleading conclusions about the quality of density forecasts and the associated forecasting models if no additional normality- and heteroskedasticity tests are conducted.

The empirical results about the quality of in- and out-of-sample one-step-ahead density forecasts of daily returns from the S&P 500, DAX and ATX suggest that GARCH-models with t -distributed errors are able to produce good density forecasts over the in-sample period. Experiments with unconditional t -distributions (thereby ignoring the dynamics in the second moments) show that the choice of a fat-tailed distribution alone is not enough to obtain acceptable density forecasts. Distributional assumptions as well as the correct specification of conditional moments play an important role. The performance of GARCH- t and GJR- t models is weaker out-of-sample, but still better compared to the other models. Separate skewness- and kurtosis tests and an analysis of the correlation structure in the third conditional moments of the transformed series indicates that GARCH-models with skewed fat-tailed conditional distributions might be more appropriate to describe the return series over the out-of sample period. In the case of the S&P 500, skewness was also found to be time varying. Extensions of statistical models of financial returns to higher order conditional moments beyond the conditional variance might therefore be an interesting direction for future research.

Appendix

Proof of Proposition 1:

The random variable X_t in its standardized form is given by $S_t = (X_t - \mu(I_{t-1}))/\sigma(I_{t-1})$ and the probability integral transformation (1) can be written as $Z_t = P_t(S_t)$ where $P_t(\cdot)$ is the assumed distribution function of the density forecasts. The n-transformation applied to S_t can then be expressed as $N_t = F_N^{-1} [P_t(S_t)]$. Since the density forecast $p(X_t | I_{t-1})$ is assumed to be a normal density it follows that $N_t = F_N^{-1} [P_t(S_t)] = F_N^{-1} [F_N(S_t)] = S_t$. The fact that the predicted densities $p(X_t | I_{t-1})$ adequately capture the first two conditional moments of the density forecasts implies that $S_t = Y_t$ for all t . But then $N_t = Y_t$ is iid $D(0,1)$ and the result follows.

Proof of Proposition 2:

a) Assume a normally distributed density forecast for X_t based on the unconditional standard deviation σ . The random variable X_t in its standardized form can be expressed as

$$S_t = \frac{X_t - \mu(I_{t-1})}{\sigma} = \frac{\sigma(I_{t-1})Y_t}{\sigma} \quad (A1)$$

Since $N_t = F_N^{-1} [P_t(S_t)] = F_N^{-1} [F_N(S_t)] = S_t$ holds for a normal distribution function we can substitute N_t for S_t in (A1).

The conditional second moment of N_t is given by

$$\begin{aligned} E(N_t^2 | I_{t-1}) &= E\left(\frac{\sigma(I_{t-1})^2}{\sigma^2} Y_t^2 | I_{t-1}\right) \\ &= \frac{\sigma(I_{t-1})^2}{\sigma^2} E(Y_t^2 | I_{t-1}) \\ &= \frac{\sigma(I_{t-1})^2}{\sigma^2} E(Y_t^2). \end{aligned}$$

Since $\sigma(I_{t-1})^2$ varies across t it follows that the second conditional moment of N_t varies across t which proves conditionally heteroskedasticity.

b) conditional mean 0:

$$E(N_t | I_{t-1}) = E\left(\frac{\sigma(I_{t-1})}{\sigma} Y_t | I_{t-1}\right) = \frac{\sigma(I_{t-1})}{\sigma} E(Y_t | I_{t-1}) = \frac{\sigma(I_{t-1})}{\sigma} E(Y_t) = 0$$

uncorrelatedness:

$$\begin{aligned} E(N_t N_{t-j}) &= E\left[E(N_t N_{t-j} | N_{t-j})\right] \\ &= E\left[E(N_t | N_{t-j}) N_{t-j}\right]. \end{aligned}$$

Since N_t has mean zero conditional on I_{t-j} and I_{t-j} of course contains N_{t-j} , it follows that $E(N_t | N_{t-j}) = 0$ and hence $E(N_t N_{t-j}) = 0$.

unconditional mean 0:

$E(N_t) = 0$ follows immediately from $E(Y_t) = 0$.

c) unconditional standard deviation of 1:

$$E(N_t^2) = E\left(\frac{\sigma(I_{t-1})^2}{\sigma^2} Y_t^2\right) = \frac{1}{\sigma^2} E[\sigma(I_{t-1})^2] E(Y_t^2)$$

Write the model for X_t in the form $X_t = \mu(I_{t-1}) + \varepsilon_t$, where $\varepsilon_t \sim D(0, \sigma(I_{t-1}))$. Then

$$E[\sigma(I_{t-1})^2] = E[E(\varepsilon_t^2 | I_{t-1})] = E(\varepsilon_t^2) = \sigma^2.$$

Since $E(Y_t^2) = 1$ by assumption, it follows that $E(N_t^2) = 1$ which proves point c.

References

- Berkowitz, J. (2000). Testing Density Forecasts, with Applications to Risk Management. Working Paper, University of California, Irvine (forthcoming in the Journal of Business and Economic Statistics).
- Bollerslev, T. (1986). Generalized Autoregressive Conditional Heteroscedasticity. *Journal of Econometrics* 31, 307-327.
- Bollerslev, T. & Wooldridge, J. M. (1992). Quasi-Maximum Likelihood Estimation and Inference in Dynamic Models with Time-Varying Covariances. *Econometric Reviews*, 11(2), 143-172.
- Clements, M. P., & Smith, J (2000). Evaluating the Forecast Densities of Linear and Non-linear Models: Applications to Output Growth and Unemployment. *Journal of Forecasting*, 19, 255-276.
- Crnkovic, C., & Drachman, J. (1997). Quality Control. In *VaR: Understanding and Applying Value-at-Risk*. London: Risk Publications.
- Diebold, F. X., Gunther, T. A., & Tay, A. S. (1998). Evaluating Density Forecasts, with Applications to Financial Risk Management. *International Economic Review*, 39, 863-883.
- Diebold, F. X, Tay, A. S., & Wallis, K. F. (1999). Evaluating Density Forecasts of Inflation: The Survey of Professional Forecasters. In R. Engle and H. White (eds.), *Festschrift in Honor of C.W.J. Granger*, 76-90. Oxford: Oxford University Press.
- Diebold, F. X., Hahn, J., & Tay, A. S. (1999). Multivariate Density Forecast Evaluation and Calibration in Financial Risk Management: High-Frequency Returns on Foreign Exchange. *The Review of Economics and Statistics*, 81(4), 661-673.
- Figlewski, S. (1994). Forecasting volatility using historical data. New York University Working Paper, S-94-13.
- Frühwirth-Schnatter, S. (1996). Recursive residuals and model diagnostics for normal and non-normal state space models. *Environmental and Ecological Statistics*, 3, 291-309.
- Glosten, L., Jagannathan, R. & Runkle, D. (1992). On the Relation Between the Expected Value and the Volatility of Nominal Excess Returns on Stocks. *Journal of Finance*, 46, 1779-1801.

Hansen, B. (1994). Autoregressive Conditional Density Estimation. *International Economic Review*, 35, 705-792.

Hayashi, F. (2000). *Econometrics*. Princeton University Press.

Jarque, C. M. & Bera, A. K. (1980). Efficient Tests for Normality, Heteroskedasticity and Serial Independence of Regression Residuals. *Economics Letters*, 6, 255-259.

Jorion, P. (1997). *Value at Risk. The New Benchmark for Controlling market Risk*, Irwin.

Karr, A. F. (1993). *Probability*, New York, Berlin, Heidelberg: Springer- Verlag,

Kaufmann, S. (2000). Measuring business cycles with a dynamic Markov switching factor model: an assessment using Bayesian simulation methods. *Econometrics Journal*, 3, 39-65.

Lumsdaine, R. (1996). Consistency and Asymptotic Normality of the Quasi-Maximum Likelihood Estimator in IGARCH(1,1) and Covariance Stationary GARCH(1,1) Models. *Econometrica*, 64(3), 575-596.

RiskMetricsTM (1996). *Technical Document*, JP Morgan Global Research, New York.

Rosenblatt, M. (1952). Remarks on a Multivariate Transformation. *Annals of Mathematical Statistics*, 23, 470-472.

Spanos Aris (1999). *Probability Theory and Statistical Inference: econometric modeling with observational data*. Cambridge University Press.

Tay, A. S. & Wallis, K. F. (2000). Density forecasting: A Survey. *Journal of Forecasting*, 19 (4), 235-254.

Table 1: Power and size of density forecast evaluation methodologies based on n-series from simulated GARCH-t models

model 1 $y_t = \sqrt{h_t} \epsilon_t$, $h_t = 0.004 + 0.06y_{t-1} + 0.75h_{t-1}$

	LR		W		JB	
	$\alpha = 0.10$	$\alpha = 0.05$	$\alpha = 0.10$	$\alpha = 0.05$	$\alpha = 0.10$	$\alpha = 0.05$
power: qml						
t = 200	0.057	0.028	0.053	0.033	0.798	0.758
t = 500	0.050	0.024	0.058	0.038	0.992	0.989
t = 1000	0.040	0.020	0.053	0.033	1.000	1.000
t = 1500	0.044	0.020	0.055	0.035	1.000	1.000
power: uc. normal						
t = 200	0.067	0.035	0.204	0.161	0.894	0.864
t = 500	0.070	0.040	0.348	0.289	0.997	0.995
t = 1000	0.071	0.039	0.516	0.446	1.000	1.000
t = 1500	0.077	0.042	0.652	0.583	1.000	1.000

model 2 $y_t = \sqrt{h_t} \epsilon_t$, $h_t = 0.004 + 0.06y_{t-1} + 0.90h_{t-1}$

power: qml						
t = 200	0.052	0.023	0.057	0.033	0.796	0.756
t = 500	0.049	0.023	0.059	0.035	0.992	0.989
t = 1000	0.045	0.022	0.060	0.038	1.000	1.000
t = 1500	0.040	0.017	0.059	0.039	1.000	1.000
power: uc. normal						
t = 200	0.064	0.033	0.273	0.216	0.893	0.865
t = 500	0.077	0.041	0.540	0.473	0.998	0.996
t = 1000	0.088	0.050	0.800	0.749	1.000	1.000
t = 1500	0.095	0.056	0.922	0.890	1.000	1.000

model 3 $y_t = \sqrt{h_t} \epsilon_t$, $h_t = 0.004 + 0.03y_{t-1} + 0.95h_{t-1}$

power: qml						
t = 200	0.061	0.031	0.052	0.031	0.782	0.740
t = 500	0.051	0.028	0.060	0.038	0.993	0.989
t = 1000	0.052	0.023	0.060	0.038	1.000	1.000
t = 1500	0.044	0.022	0.059	0.039	1.000	1.000
power: uc. normal						
t = 200	0.053	0.026	0.146	0.105	0.875	0.842
t = 500	0.060	0.029	0.288	0.227	0.997	0.996
t = 1000	0.062	0.032	0.476	0.411	1.000	1.000
t = 1500	0.067	0.038	0.609	0.543	1.000	1.000

model 4 $y_t = \sqrt{h_t} \epsilon_t$, $h_t = 0.004 + 0.01y_{t-1} + 0.98h_{t-1}$

power: qml						
t = 200	0.067	0.033	0.050	0.029	0.786	0.744
t = 500	0.062	0.032	0.047	0.030	0.993	0.988
t = 1000	0.059	0.034	0.049	0.033	1.000	1.000
t = 1500	0.061	0.034	0.053	0.034	1.000	1.000
power: uc. normal						
t = 200	0.050	0.023	0.081	0.055	0.882	0.846
t = 500	0.046	0.022	0.107	0.075	0.997	0.994
t = 1000	0.041	0.020	0.146	0.112	1.000	1.000
t = 1500	0.053	0.027	0.185	0.142	1.000	1.000

Table 1 (continued): Power and size of density forecast evaluation methodologies based on n-series from simulated GARCH-t models

model 1	LR		W		JB	
	$\alpha = 0.10$	$\alpha = 0.05$	$\alpha = 0.10$	$\alpha = 0.05$	$\alpha = 0.10$	$\alpha = 0.05$
$y_t = \sqrt{h_t} * t_5, h_t = 0.004 + 0.06y_{t-1} + 0.75h_{t-1}$						
size:						
t = 200	0.100	0.052	0.093	0.049	0.078	0.045
t = 500	0.098	0.049	0.099	0.051	0.090	0.049
t = 1000	0.099	0.051	0.103	0.051	0.092	0.048
t = 1500	0.100	0.052	0.100	0.051	0.091	0.047
model 2						
$y_t = \sqrt{h_t} * t_5, h_t = 0.004 + 0.06y_{t-1} + 0.90h_{t-1}$						
size:						
t = 200	0.102	0.052	0.099	0.055	0.079	0.047
t = 500	0.100	0.049	0.100	0.051	0.090	0.048
t = 1000	0.101	0.052	0.099	0.051	0.092	0.046
t = 1500	0.096	0.047	0.095	0.048	0.097	0.051
model 3						
$y_t = \sqrt{h_t} * t_5, h_t = 0.004 + 0.03y_{t-1} + 0.95h_{t-1}$						
size:						
t = 200	0.102	0.050	0.092	0.050	0.080	0.044
t = 500	0.102	0.050	0.095	0.049	0.084	0.046
t = 1000	0.101	0.051	0.097	0.049	0.095	0.051
t = 1500	0.099	0.051	0.102	0.055	0.092	0.050
model 4						
$y_t = \sqrt{h_t} * t_5, h_t = 0.004 + 0.01y_{t-1} + 0.98h_{t-1}$						
size:						
t = 200	0.098	0.049	0.096	0.054	0.075	0.043
t = 500	0.104	0.053	0.101	0.055	0.089	0.049
t = 1000	0.101	0.050	0.100	0.051	0.090	0.047
t = 1500	0.100	0.052	0.100	0.050	0.096	0.046

Notes: For all simulated GARCH-t models t_5 denotes a t-distributed random variable with mean zero and five degrees of freedom, h_t denotes the conditional variance and y_t stands for the generated returns. LR is the short cut for a joint likelihood ratio test as defined in (3b) of zero mean, zero correlation and unit variance of an n-series derived from the model. W denotes a joint Wald test of an n-series for iid $N(0,1)$ as implied by the system (4a) and (4b). JB denotes the Jarque-Bera test statistic. The acronym qml indicates that the n-series on which the different tests are carried out are derived from quasi maximum likelihood estimates (i.e. conditionally normally distributed density forecasts) of the model, uc. normal indicates that the n-series from the model is generated under the assumption of unconditionally normally distributed density forecasts. For all models $y_1 = 0$ and the implied unconditional variance are used as starting values in the simulations.

Table 2: Summary Statistics of Return Series

	in-sample period 1/14/1991-1/26/1996			out-of-sample period 1/29/1996-1/26/2000		
	S&P 500	DAX	ATX	S&P 500	DAX	ATX
mean	0.000523	0.000461	9.56E-05	0.000778	0.001005	6.67E-05
maximum	0.036642	0.072875	0.076139	0.049887	0.061057	0.052623
minimum	-0.037272	-0.098707	-0.074695	-0.071127	-0.083822	-0.086995
std. dev	0.006373	0.009683	0.011174	0.010891	0.014343	0.011651
skewness	0.056141	-0.475196	0.373809	-0.482427	-0.581209	-0.907929
kurtosis	5.908284	14.41501	10.75624	7.638396	6.321387	8.761885
Jarque-Bera	463.7719	7183.514	3324.317	974.5155	537.6211	1584.563

Table 3: Test statistics of n-series of density forecasts of daily S&P500 stock market returns

in-sample period 1/14/1991 – 1/26/1996							
	MA-N	EWMA-N	GARCH-N	GJR-N	GARCH-t	GJR-t	Scaled-t
LR	13.314 (0.004)	17.391 (0.001)	0.675 (0.879)	0.828 (0.843)	3.926 (0.270)	2.656 (0.448)	16.399 (0.001)
W_j	29.570 (0.001)	13.647 (0.135)	1.619 (0.996)	2.316 (0.985)	9.421 (0.421)	10.143 (0.339)	59.272 (0.000)
β₀	0.076 (0.004)	0.081 (0.006)	0.002 (0.951)	0.013 (0.620)	0.013 (0.615)	0.008 (0.780)	0.013 (0.606)
β₁	0.006 (0.817)	0.035 (0.205)	-0.012 (0.671)	-0.017 (0.537)	-0.032 (0.248)	-0.027 (0.327)	-0.056 (0.044)
σ²	0.911 (0.009)	1.104 (0.005)	0.974 (0.252)	0.983 (0.334)	0.942 (0.066)	0.952 (0.107)	0.871 (0.000)
J-B	261.91 (0.000)	438.18 (0.000)	353.91 (0.000)	386.25 (0.000)	0.075 (0.963)	0.21 (0.898)	0.60 (0.741)
ARCH-F	2.946 (0.007)	0.231 (0.967)	0.161 (0.987)	0.242 (0.962)	0.754 (0.606)	1.167 (0.321)	6.209 (0.000)
out-of-sample period 1/29/1996 – 1/26/2000							
LR	29.815 (0.000)	15.718 (0.001)	21.893 (0.000)	38.574 (0.000)	21.532 (0.000)	35.531 (0.000)	213.885 (0.000)
W_j	49.769 (0.000)	13.887 (0.126)	13.272 (0.151)	12.971 (0.164)	26.258 (0.002)	42.946 (0.000)	201.513 (0.000)
β₀	0.079 (0.021)	0.063 (0.056)	0.010 (0.764)	0.021 (0.557)	0.031 (0.368)	0.028 (0.415)	0.061 (0.143)
β	0.028 (0.367)	0.052 (0.091)	0.008 (0.785)	0.002 (0.955)	0.044 (0.155)	0.051 (0.103)	-0.004 (0.906)
σ²	1.221 (0.000)	1.132 (0.002)	1.219 (0.000)	1.297 (0.000)	1.201 (0.000)	1.270 (0.000)	1.778 (0.000)
J-B	878.01 (0.000)	553.44 (0.000)	699.38 (0.000)	547.63 (0.000)	10.51 (0.005)	12.54 (0.002)	20.25 (0.000)
ARCH-F	6.253 (0.000)	0.669 (0.675)	1.208 (0.299)	0.375 (0.895)	1.007 (0.419)	1.799 (0.096)	7.315 (0.000)

Notes: P-values in parenthesis

Table 4: Test statistics of n-series of density forecasts of daily DAX stock market returns

	in-sample period 1/14/1991 – 1/26/1996						
	MA-N	EWMA-N	GARCH-N	GJR-N	GARCH-t	GJR-t	Scaled-t
LR	7.219 (0.065)	37.772 (0.000)	2.675 (0.444)	2.122 (0.547)	3.100 (0.376)	3.137 (0.371)	16.088 (0.001)
W_j	30.428 (0.000)	6.245 (0.715)	0.945 (0.999)	1.010 (0.999)	10.421 (0.317)	11.732 (0.229)	80.725 (0.000)
β₀	0.041 (0.125)	0.035 (0.250)	0.005 (0.859)	0.019 (0.486)	0.023 (0.388)	0.023 (0.397)	0.029 (0.261)
β₁	0.042 (0.131)	0.049 (0.072)	-0.012 (0.671)	-0.005 (0.867)	0.022 (0.417)	0.021 (0.436)	0.006 (0.818)
σ²	0.934 (0.060)	1.241 (0.000)	0.941 (0.062)	0.952 (0.106)	0.951 (0.102)	0.949 (0.094)	0.857 (0.000)
J-B	1171.01 (0.000)	56697.15 (0.000)	20615.00 (0.000)	19143.43 (0.000)	2.05 (0.358)	1.81 (0.404)	0.04 (0.981)
ARCH-F	4.053 (0.000)	0.036 (0.999)	0.054 (0.999)	0.039 (0.999)	1.164 (0.323)	1.380 (0.219)	9.520 (0.000)
	out-of-sample period 1/29/1996 – 1/26/2000						
LR	27.463 (0.000)	15.238 (0.002)	19.880 (0.000)	28.404 (0.000)	14.200 (0.003)	15.780 (0.001)	118.587 (0.000)
W_j	106.456 (0.000)	14.727 (0.099)	21.682 (0.010)	21.667 (0.010)	17.508 (0.041)	19.118 (0.024)	280.119 (0.000)
β₀	0.094 (0.006)	0.100 (0.007)	0.045 (0.187)	0.054 (0.121)	0.069 (0.037)	0.069 (0.039)	0.109 (0.005)
β₁	-0.026 (0.397)	-0.008 (0.809)	-0.000 (0.989)	-0.002 (0.938)	0.013 (0.679)	0.015 (0.635)	-0.001 (0.965)
σ²	1.199 (0.000)	1.121 (0.004)	1.197 (0.000)	1.239 (0.000)	1.138 (0.001)	1.150 (0.001)	1.524 (0.000)
J-B	497.75 (0.000)	232.47 (0.000)	140.22 (0.000)	154.81 (0.000)	19.10 (0.000)	18.14 (0.000)	19.76 (0.000)
ARCH-F	15.277 (0.000)	0.641 (0.698)	1.909 (0.076)	1.361 (0.227)	0.645 (0.694)	0.709 (0.642)	29.059 (0.000)

Notes: P-values in parenthesis

Table 5: Test statistics of n-series of density forecasts of daily ATX stock market returns

	in-sample period 1/14/1991 – 1/26/1996						
	MA-N	EWMA-N	GARCH-N	GJR-N	GARCH-t	GJR-t	Scaled-t
LR	46.595 (0.000)	71.368 (0.000)	2.793 (0.425)	1.841 (0.606)	3.137 (0.373)	3.293 (0.349)	21.939 (0.000)
W_j	111.679 (0.000)	68.190 (0.000)	7.010 (0.636)	9.267 (0.413)	8.088 (0.325)	8.742 (0.461)	190.188 (0.000)
β₀	0.001 (0.956)	-0.019 (0.506)	-0.006 (0.833)	0.017 (0.519)	0.001 (0.980)	-0.000 (0.996)	0.012 (0.649)
β₁	0.176 (0.000)	0.202 (0.000)	-0.010 (0.708)	-0.008 (0.779)	-0.019 (0.499)	-0.019 (0.496)	-0.053 (0.056)
σ²	0.914 (0.012)	1.162 (0.000)	0.939 (0.057)	0.956 (0.128)	0.938 (0.055)	0.937 (0.050)	0.844 (0.000)
J-B	902.64 (0.000)	4692.83 (0.000)	4356.85 (0.000)	2788.45 (0.000)	0.079 (0.961)	0.040 (0.980)	0.880 (0.644)
ARCH-F	11.214 (0.000)	1.548 (0.159)	1.015 (0.414)	1.191 (0.308)	0.927 (0.475)	0.811 (0.561)	26.090 (0.000)
	out-of-sample period 1/29/1996 – 1/26/2000						
LR	6.210 (0.102)	16.127 (0.001)	4.262 (0.235)	4.464 (0.215)	2.039 (0.564)	1.646 (0.649)	34.580 (0.000)
W_j	117.892 (0.000)	21.880 (0.009)	9.805 (0.367)	7.868 (0.547)	6.216 (0.718)	5.443 (0.794)	295.028 (0.000)
β₀	0.017 (0.606)	0.019 (0.556)	0.000 (0.994)	0.015 (0.635)	0.021 (0.502)	0.018 (0.565)	0.042 (0.163)
β₁	0.038 (0.220)	0.094 (0.002)	-0.064 (0.039)	-0.064 (0.040)	-0.029 (0.342)	-0.023 (0.453)	-0.175 (0.000)
σ²	1.096 (0.017)	1.116 (0.005)	0.999 (0.493)	1.007 (0.429)	1.038 (0.193)	1.039 (0.183)	0.965 (0.212)
J-B	2419.55 (0.000)	353.21 (0.000)	161.35 (0.000)	125.51 (0.000)	9.24 (0.010)	8.63 (0.013)	6.90 (0.032)
ARCH-F	19.190 (0.000)	1.600 (0.144)	0.924 (0.477)	0.568 (0.756)	0.692 (0.656)	0.629 (0.707)	43.289 (0.000)

Notes: P-values in parenthesis

Table 6: Skewness and kurtosis of transformed stock market returns, 1/29/1996 – 1/26/2000

		K	SK	F-test
S&P500	GARCH-t	2.699 (0.041)	-0.191 (0.012)	4.031 (0.001)
	GJR-t	2.633 (0.016)	-0.196 (0.010)	3.793 (0.002)
DAX	GARCH-t	2.843 (0.300)	-0.322 (0.000)	0.857 (0.509)
	GJR-t	2.850 (0.323)	-0.315 (0.000)	0.794 (0.554)
ATX	GARCH-t	2.839 (0.289)	-0.216 (0.004)	1.587 (0.161)
	GJR-t	2.808 (0.206)	-0.201 (0.008)	1.426 (0.212)

Notes: P-values in parenthesis

Index of Working Papers:

August 28, 1990	Pauer Franz	1 ¹⁾	Hat Böhmen-Bawerk Recht gehabt? Zum Zusammenhang zwischen Handelsbilanzpassivum und Budgetdefizit in den USA ²⁾
March 20, 1991	Backé Peter	2 ¹⁾	Ost- und Mitteleuropa auf dem Weg zur Marktwirtschaft - Anpassungskrise 1990
March 14, 1991	Pauer Franz	3 ¹⁾	Die Wirtschaft Österreichs im Vergleich zu den EG-Staaten - eine makroökonomische Analyse für die 80er Jahre
May 28, 1991	Mauler Kurt	4 ¹⁾	The Soviet Banking Reform
July 16, 1991	Pauer Franz	5 ¹⁾	Die Auswirkungen der Finanzmarkt- und Kapitalverkehrsliberalisierung auf die Wirtschaftsentwicklung und Wirtschaftspolitik in Norwegen, Schweden, Finnland und Großbritannien - mögliche Konsequenzen für Österreich ³⁾
August 1, 1991	Backé Peter	6 ¹⁾	Zwei Jahre G-24-Prozess: Bestandsaufnahme und Perspektiven unter besonderer Berücksichtigung makroökonomischer Unterstützungsleistungen ⁴⁾
August 8, 1991	Holzmann Robert	7 ¹⁾	Die Finanzoperationen der öffentlichen Haushalte der Reformländer CSFR, Polen und Ungarn: Eine erste quantitative Analyse
January 27, 1992	Pauer Franz	8 ¹⁾	Erfüllung der Konvergenzkriterien durch die EG-Staaten und die EG-Mitgliedswerber Schweden und Österreich ⁵⁾
October 12, 1992	Hochreiter Eduard (Editor)	9 ¹⁾	Alternative Strategies For Overcoming the Current Output Decline of Economies in Transition
November 10, 1992	Hochreiter Eduard and Winckler Georg	10 ¹⁾	Signaling a Hard Currency Strategy: The Case of Austria

1) vergriffen (out of print)

2) In abgeänderter Form erschienen in Berichte und Studien Nr. 4/1990, S 74 ff

3) In abgeänderter Form erschienen in Berichte und Studien Nr. 4/1991, S 44 ff

4) In abgeänderter Form erschienen in Berichte und Studien Nr. 3/1991, S 39 ff

5) In abgeänderter Form erschienen in Berichte und Studien Nr. 1/1992, S 54 ff

March 12, 1993	Hochreiter Eduard (Editor)	11	The Impact of the Opening-up of the East on the Austrian Economy - A First Quantitative Assessment
June 8, 1993	Anulova Guzel	12	The Scope for Regional Autonomy in Russia
July 14, 1993	Mundell Robert	13	EMU and the International Monetary System: A Transatlantic Perspective
November 29, 1993	Hochreiter Eduard	14	Austria's Role as a Bridgehead Between East and West
March 8, 1994	Hochreiter Eduard (Editor)	15	Prospects for Growth in Eastern Europe
June 8, 1994	Mader Richard	16	A Survey of the Austrian Capital Market
September 1, 1994	Andersen Palle and Dittus Peter	17	Trade and Employment: Can We Afford Better Market Access for Eastern Europe?
November 21, 1994	Rautava Jouko	18 ¹⁾	Interdependence of Politics and Economic Development: Financial Stabilization in Russia
January 30, 1995	Hochreiter Eduard (Editor)	19	Austrian Exchange Rate Policy and European Monetary Integration - Selected Issues
October 3, 1995	Groeneveld Hans	20	Monetary Spill-over Effects in the ERM: The Case of Austria, a Former Shadow Member
December 6, 1995	Frydman Roman et al	21	Investing in Insider-dominated Firms: A Study of Voucher Privatization Funds in Russia
March 5, 1996	Wissels Rutger	22	Recovery in Eastern Europe: Pessimism Confounded ?
June 25, 1996	Pauer Franz	23	Will Asymmetric Shocks Pose a Serious Problem in EMU?
September 19, 1997	Koch Elmar B.	24	Exchange Rates and Monetary Policy in Central Europe - a Survey of Some Issues
April 15, 1998	Weber Axel A.	25	Sources of Currency Crises: An Empirical Analysis
May 28, 1998	Brandner Peter, Diebalek Leopold and Schuberth Helene	26	Structural Budget Deficits and Sustainability of Fiscal Positions in the European Union

June 15, 1998	Canzeroni Matthew, Cumby Robert, Diba Behzad and Eudey Gwen	27	Trends in European Productivity: Implications for Real Exchange Rates, Real Interest Rates and Inflation Differentials
June 20, 1998	MacDonald Ronald	28	What Do We Really Know About Real Exchange Rates?
June 30, 1998	Campa José and Wolf Holger	29	Goods Arbitrage and Real Exchange Rate Stationarity
July 3, 1998	Papell David H.	30	The Great Appreciation, the Great Depreciation, and the Purchasing Power Parity Hypothesis
July 20, 1998	Chinn Menzie David	31	The Usual Suspects? Productivity and Demand Shocks and Asia-Pacific Real Exchange Rates
July 30, 1998	Cecchetti Stephen G., Mark Nelson C., Sonora Robert	32	Price Level Convergence Among United States Cities: Lessons for the European Central Bank
September 30, 1998	Christine Gartner, Gert Wehinger	33	Core Inflation in Selected European Union Countries
November 5, 1998	José Viñals and Juan F. Jimeno	34	The Impact of EMU on European Unemployment
December 11, 1998	Helene Schuberth and Gert Wehinger	35	Room for Manoeuvre of Economic Policy in the EU Countries – Are there Costs of Joining EMU?
December 21, 1998	Dennis C. Mueller and Burkhard Raunig	36	Heterogeneities within Industries and Structure-Performance Models
May 21, 1999	Alois Geyer and Richard Mader	37	Estimation of the Term Structure of Interest Rates – A Parametric Approach
July 29, 1999	José Viñals and Javier Vallés	38	On the Real Effects of Monetary Policy: A Central Banker's View
December 20, 1999	John R. Freeman, Jude C. Hays and Helmut Stix	39	Democracy and Markets: The Case of Exchange Rates
March 01, 2000	Eduard Hochreiter and Tadeusz Kowalski	40	Central Banks in European Emerging Market Economies in the 1990s
March 20, 2000	Katrin Wesche	41	Is there a Credit Channel in Austria? The Impact of Monetary Policy on Firms' Investment Decisions

June 20, 2000	Jarko Fidrmuc and Jan Fidrmuc	42	Integration, Disintegration and Trade in Europe: Evolution of Trade Relations During the 1990s
March 06, 2001	Marc Flandreau	43	The Bank, the States, and the Market, A Austro-Hungarian Tale for Euroland, 1867-1914
May 01, 2001	Otmar Issing	44	The Euro Area and the Single Monetary Policy
May 18, 2001	Sylvia Kaufmann	45	Is there an asymmetric effect of monetary policy over time? A Bayesian analysis using Austrian data.
May 31, 2001	Paul De Grauwe and Marianna Grimaldi	46	Exchange Rates, Prices and Money. A Long Run Perspective
June 25, 2001	Vítor Gaspar, Gabriel Perez-Quiros and Jorge Sicilia	47	The ECB Monetary Strategy and the Money Market
July 27, 2001	David T. Llewellyn	48	<i>A Regulatory Regime</i> For Financial Stability
August 24, 2001	Helmut Elsinger and Martin Summer	49	Arbitrage Arbitrage and Optimal Portfolio Choice with Financial Constraints
September 1, 2001	Michael D. Goldberg and Roman Frydman	50	Macroeconomic Fundamentals and the DM/\$ Exchange Rate: Temporal Instability and the Monetary Model
September 8, 2001	Vittorio Corbo, Oscar Landerretche and Klaus Schmidt-Hebbel	51	Assessing Inflation Targeting after a Decade of World Experience
September 25, 2001	Kenneth N. Kuttner and Adam S. Posen	52	Beyond Bipolar: A Three-Dimensional Assessment of Monetary Frameworks
October 1, 2001	Luca Dedola and Sylvain Leduc	53	Why Is the Business-Cycle Behavior of Fundamentals Alike Across Exchange-Rate Regimes?
October 10, 2001	Tommaso Monacelli	54	New International Monetary Arrangements and the Exchange Rate
December 3, 2001	Peter Brandner, Harald Grech and Helmut Stix	55	The Effectiveness of Central Bank Intervention in the EMS: The Post 1993 Experience
January 2, 2002	Sylvia Kaufmann	56	Asymmetries in Bank Lending Behaviour. Austria During the 1990s

January 7, 2002	Martin Summer	57	Banking Regulation and Systemic Risk
January 28, 2002	Maria Valderrama	58	Credit Channel and Investment Behavior in Austria: A Micro-Econometric Approach
February 18, 2002	Gabriela de Raaij and Burkhard Raunig	59	Evaluating Density Forecasts with an Application to Stock Market Returns
