

Ackerman, Frank; Stanton, Elizabeth A.

**Working Paper**

## Climate risks and carbon prices: Revising the social cost of carbon

Economics Discussion Papers, No. 2011-40

**Provided in Cooperation with:**

Kiel Institute for the World Economy – Leibniz Center for Research on Global Economic Challenges

*Suggested Citation:* Ackerman, Frank; Stanton, Elizabeth A. (2011) : Climate risks and carbon prices: Revising the social cost of carbon, Economics Discussion Papers, No. 2011-40, Kiel Institute for the World Economy (IfW), Kiel

This Version is available at:

<https://hdl.handle.net/10419/49935>

**Standard-Nutzungsbedingungen:**

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

**Terms of use:**

*Documents in EconStor may be saved and copied for your personal and scholarly purposes.*

*You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.*

*If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.*



<http://creativecommons.org/licenses/by-nc/2.0/de/deed.en>

## **Climate Risks and Carbon Prices: Revising the Social Cost of Carbon**

*Frank Ackerman and Elizabeth A. Stanton*

*Stockholm Environment Institute – U.S. Center, Somerville*

**Abstract** The social cost of carbon – or marginal damage caused by an additional ton of carbon dioxide emissions – has been estimated by a U.S. government working group at \$21 in 2010. That calculation, however, omits many of the biggest risks associated with climate change, and downplays the impact of our current emissions on future generations. Our reanalysis explores the effects of uncertainty about climate sensitivity, the shape of the damage function, and the discount rate. We show that the social cost of carbon is uncertain across a broad range, and could be much higher than \$21. In our worst case, it could be almost \$900 in 2010, rising to \$1,500 in 2050.

The most ambitious scenarios for eliminating carbon dioxide emissions as rapidly as technologically feasible (reaching zero or negative net global emissions by the end of this century) require spending up to \$150 to \$500 per ton of reductions in carbon dioxide emissions by 2050. Using a reasonable set of alternative assumptions, therefore, the damages from a ton of carbon dioxide emissions in 2050 could exceed the cost of reducing emissions at the maximum technically feasible rate. Once this is the case, the exact value of the social cost of carbon loses importance: the clear policy prescription is to reduce emissions as rapidly as possible, and cost-effectiveness analysis offers better insights for climate policy than cost-benefit analysis.

Paper submitted to the special issue

[The Social Cost of Carbon](#)

**JEL** Q54, Q58

**Keywords** Social cost of carbon; cost-benefit analysis; climate policy; climate economics

**Correspondence** Frank Ackerman, Stockholm Environment Institute – U.S. Center, 44 Teele Ave., Somerville, MA 02144, USA; e-mail: [frank.ackerman@sei-us.org](mailto:frank.ackerman@sei-us.org).

## *1. Introduction*

With the U.S. Environmental Protection Agency's recent historic step toward regulation of greenhouse gas emissions, cost-benefit analyses of proposed American regulations can now include an estimate of damages done by greenhouse gas emissions – or conversely, the benefits of reducing those emissions. It is, however, a very small step: the “social cost of carbon” (SCC), i.e. the damage per ton of carbon dioxide, is estimated at \$21 for 2010 (Interagency Working Group 2010).<sup>1</sup> Equivalent to \$0.21 per gallon of gasoline,<sup>2</sup> such a low cost is difficult to reconcile with the belief that it is urgent to take action to address serious climate risks.<sup>3</sup>

The analysis by the federal Interagency Working Group is significant for its role in setting U.S. climate policy. It is also noteworthy as a rare instance where economic theories and analyses have been newly introduced into the public policy debate.<sup>4</sup> Thus it is important to examine the uses of climate economics in the Working Group analysis, particularly the treatment of the crucial uncertainties that characterize the field. This paper presents an examination and re-analysis of the SCC, finding that four major uncertainties in the economics of climate change could imply much larger estimates. In each case, the Working Group has chosen the option that minimizes estimates of climate risks and damages.

We begin with a discussion of the choice of models and scenarios for the SCC calculation. Our re-analysis relies on DICE, one of the models used by the Interagency Working Group that produced the \$21 estimate; we use the Working Group's modified version of DICE, and the same five scenarios on which they based their calculations.

We then introduce four major areas of uncertainties that affect the calculation: the sensitivity of the climate to greenhouse gases; the level of damages expected at low temperatures; the level of damages expected at high temperatures; and the discount rate. We recalculate the SCC based on combinations of high and low alternatives for each of these factors, yielding an array of 16 possible values, both for 2010 and for 2050.

Some of the resultant values for the SCC are extremely high; the highest ones exceed \$800 per ton in 2010 and \$1,500 in 2050. In contrast, a review of scenarios that reach zero or negative net global emissions within this century finds that they often imply carbon prices, and marginal abatement costs, of \$150 to \$500 per ton of CO<sub>2</sub> by 2050. Several of our alternative SCC values are well above this range.

---

<sup>1</sup> All dollar figures in this article are in constant 2007 U.S. dollars.

<sup>2</sup> According to the U.S. Environmental Protection Agency, there are 8.8 kg of CO<sub>2</sub> emissions from a gallon of gasoline, implying that 114 gallons of gasoline yield one metric ton of emissions (the standard unit for analysis of emissions); 103 gallons yield one short ton of emissions (see <http://www.epa.gov/oms/climate/420f05001.htm>, accessed April 22, 2011). Thus a useful rule of thumb is that \$1 per ton of CO<sub>2</sub> is equivalent to roughly \$0.01 per gallon of gasoline. The estimate in the text of \$0.21 per gallon is offered solely for the sake of comparison; there are no existing or proposed federal regulations that would add a carbon charge to the price paid for gasoline.

<sup>3</sup> On the urgency of action, see IPCC (2007). On the implications of low SCC values, see Ackerman and Stanton (2010).

<sup>4</sup> It is new only for U.S. policy; other countries, notably the United Kingdom, are several years ahead of the United States in this respect. The U.S. policy process is unfortunately parochial, however, so that the introduction of climate economics into policy analysis is presented with almost no reference to other countries' experience.

We conclude with a discussion of the meaning of very high SCC estimates. Once the SCC exceeds the cost of bringing net emissions to zero, its exact value becomes less important; if the SCC were twice as large, it would have the same policy implications. At such high SCC values, cost-benefit analysis of individual policies provides no useful information; what is needed instead is a cost-effectiveness analysis of the least-cost, most efficient pathway to reach zero or negative net emissions.

## ***2. Choice of models***

The Interagency Working Group used three well-known models of climate economics: DICE, PAGE, and FUND. They ran each of the models on the same five scenarios, and averaged the results. Under their “central case” or preferred assumptions, the value of the SCC, averaged across the five scenarios, was \$28 in DICE, \$30 in PAGE, and \$6 in FUND, for a three-model average of \$21.

Our re-analysis uses only the DICE model. It is probably the best-known and most widely used climate economics model, and it is the easiest to modify for our purposes. Moreover, its estimate is the closest to the Working Group’s three-model average. As suggested by the Working Group’s central case results, it is likely that FUND would have produced lower estimates than those reported below, while PAGE would have produced higher estimates. Regarding the latter, PAGE has an explicit treatment of potential climate catastrophes, using a Monte Carlo analysis that allows variation in the size of catastrophes, the temperature threshold at which they become possible, and the likelihood of catastrophe once the threshold has been passed. DICE, in contrast, includes the certainty-equivalent or expected value of catastrophe in its damage function. As a result, PAGE estimates a higher SCC than DICE at lower discount rates or higher climate sensitivity.<sup>5</sup> Our analysis includes both lower discount rates and higher climate sensitivity, so our SCC estimates would have been higher if we had used PAGE.

## ***3. Choice of scenarios***

The Working Group analysis rejects, with little discussion, the widely used Intergovernmental Panel on Climate Change (IPCC) climate scenarios, and instead uses scenarios from four other models: the business-as-usual scenarios from IMAGE, MERGE, MESSAGE, and MiniCAM, and a 550 ppm stabilization scenario.

The strangest aspect of this choice is the inclusion of the 550 ppm scenario. Does it imply a guess that under business-as-usual conditions, there is a 20-percent chance that the world will reach agreement on stabilization at that level? No explanation is offered. Moreover, the 550 ppm scenario is not even a single, internally consistent scenario; rather, its GDP, population, and emissions trajectories are averages of the values in the 550 ppm scenarios from the other four models (see Interagency Working Group 2010, p.16).

Nonetheless, inclusion of the 550 ppm scenario makes little difference in practice. Excluding it would cause only a \$1 increase to the \$21 SCC estimate from DICE, FUND, and PAGE, or the

---


<sup>5</sup> A lower discount rate increases the importance of events farther in the future, when temperatures are higher and catastrophes are more likely. Higher climate sensitivity makes higher temperatures and increased risks of catastrophe occur sooner. For these reasons, PAGE estimates a larger SCC than DICE at a 2.5% discount rate, and at 95<sup>th</sup> percentile climate sensitivity; see Interagency Working Group on Social Cost of Carbon (2010), Table 3.

\$28 estimate from DICE alone. For the SCC estimates in our analysis, presented below, exclusion of the 550 ppm scenario would cause an average increase of 1 percent; no individual estimate would change by more than 15 percent in either direction. Thus we have retained the 550 ppm scenario in our calculations, to increase comparability with the Working Group results.

The four business-as-usual scenarios used by the Working Group were adopted from an Energy Modeling Forum (EMF) exercise which compared ten models; nothing is said about why these four were selected from among the ten EMF models. The more familiar IPCC scenarios are dismissed in a single sentence, on grounds of their age and the unexplained assertion that they now appear to be extreme outliers in some variables.

For those who are not familiar with EMF, it may be helpful to contrast the selected EMF scenarios with standard IPCC SRES scenarios.<sup>6</sup> Figures 1 and 2 compare the cumulative carbon dioxide emissions and current methane emissions from the four EMF scenarios and three IPCC scenarios, A2, B2, and B1.<sup>7</sup> As Figure 1 shows, carbon dioxide emissions in the four EMF scenarios (solid lines) are close to the B1 and B2 scenarios for the first half of this century, spreading out to roughly span the interval from A2 to B2 by 2100.

**Figure 1: Comparing EMF and IPCC CO<sub>2</sub> emission scenarios**



Source: See text.


For methane emissions, Figure 2 shows that three of the four EMF scenarios start out well below the level of the B1 and B2 scenarios; by 2100, all four are roughly at or below the level of B2.

<sup>6</sup> IPCC scenario data are from [http://sres.ciesin.org/final\\_data.html](http://sres.ciesin.org/final_data.html) , downloaded March 1, 2011. EMF scenario data are from [http://emf.stanford.edu/events/emf\\_briefing\\_on\\_climate\\_policy\\_scenarios\\_us\\_domestic\\_and\\_international\\_policy\\_architectures](http://emf.stanford.edu/events/emf_briefing_on_climate_policy_scenarios_us_domestic_and_international_policy_architectures) , downloaded February 15, 2011.

<sup>7</sup> Figure 1 presents cumulative emissions because CO<sub>2</sub> persists in the atmosphere for long periods of time; Figure 2 presents current emissions because methane is removed from the atmosphere much more quickly.

Thus the emissions trajectories of the EMF scenarios are broadly within, but toward the lower end of, the spectrum of IPCC scenarios, perhaps closest to B2.

**Figure 2: Comparing EMF and IPCC CH<sub>4</sub> emission scenarios**



Source: See text.

All else being equal, lower emissions imply lower damages, and therefore a lower estimate of the SCC. Use of an IPCC scenario in which emissions grow more rapidly, such as A2, would likely have led to higher values for the SCC. Relative to IPCC scenarios, the EMF emission trajectories are particularly low in the first half of this century; this is of greatest importance at high discount rates, which weight the earlier years more heavily.

For the sake of comparability with the Working Group results, we have adopted the same five scenarios in our analysis of uncertainties. Note that this is a conservative choice of scenarios, as well as models; repetition of our analysis with the PAGE model and higher-emission IPCC scenarios would lead to larger SCC values. Kopp and Mignone (2011) provide a more detailed evaluation of the Working Group’s emission scenarios as part of a discussion of the full set of assumptions used in the Working Group’s analysis.

#### 4. Four uncertainties

This section explores four major uncertainties that affect the SCC calculation: the value of the climate sensitivity parameter; the level of climate damages expected at low temperatures; the level of damages at high temperatures; and the discount rate. The next section presents multiple estimates of the SCC, based on alternatives for each of these uncertainties.

##### 4.1. Climate sensitivity

The climate sensitivity parameter is the long-term temperature increase expected from a doubling of the concentration of carbon dioxide in the atmosphere. This crucial parameter, which measures the pace of global warming, remains uncertain, and there are reasons to believe that significant uncertainty about climate sensitivity is inescapable (Roe and Baker 2007).

On this topic, the Working Group analysis is impressively thorough. They discuss the scientific evidence on likely values of climate sensitivity, and adopt a probability distribution which assumes a two-thirds probability that climate sensitivity is between 2.0°C and 4.5°C. The minimum is zero and the maximum is 10°C; the distribution has a median of 3.0°C and a 95<sup>th</sup> percentile of 7.14°C. They then perform a Monte Carlo analysis, repeatedly selecting a climate sensitivity value from this probability distribution and running the model with that value; the final SCC estimate is the average result from these runs.<sup>8</sup>

The Working Group reports, but does not emphasize, the 95<sup>th</sup> percentile results as a measure of the potential impact of uncertainty about climate sensitivity. Results for DICE, and for the three-model average used by the Working Group, are presented in Table 1.

**Table 1: SCC estimates, 2010 and 2050, 3% discount rate**

Emissions year	Climate sensitivity	DICE	3-Model Average
2010	Average	\$28	\$21
2010	95 <sup>th</sup> percentile	\$56	\$65
2050	Average	\$64	\$45
2050	95 <sup>th</sup> percentile	\$123	\$136

*Source: Interagency Working Group (2010).*

We follow the Working Group in reporting results for both average and 95<sup>th</sup> percentile climate sensitivity, in each of the variations described below. In practice, these results may correspond to climate sensitivity somewhat below 3.0°C and 7.1°C, respectively, since actual climate sensitivity in DICE (and several other integrated assessment models) is lower than the reported values. DICE uses a default climate sensitivity of 3.0°C, but actually responds to a doubling of atmospheric carbon dioxide with a long-run temperature increase of 2.77°C (van Vuuren et al. 2011).

#### 4.2. Damage function estimates

Like climate sensitivity, the relationship between temperature increases and economic damage is uncertain. The Working Group says little about the estimates of economic damages from climate change, except to call for additional research. Implicitly, it adopts without question the approach taken by each model. Kopp et al. (2011) modify the Working Group’s version of the DICE model by including uncertainty in the damage function and varying the level of risk aversion in the discount rate. We take a simpler approach: the damage function remains a certainty equivalent, but we explore alternative functional forms and parameter values.

DICE assumes that as temperatures rise, an increasing fraction of output is lost to climate damages. We will use  $D$  for damages as a fraction of the GDP that would be produced in the

---

<sup>8</sup> In PAGE and FUND, there are other Monte Carlo variables that are drawn from probability distributions for each run; in DICE, as used by the Working Group, climate sensitivity is the only Monte Carlo variable.

absence of climate change;  $R = 1 - D$  for the net output ratio, or output net of climate damages as a fraction of output in the absence of climate change; and  $T$  for global average temperature increase in °C above 1900. The DICE damage function is:

$$(1) \quad R = \frac{1}{1+0.00284T^2}$$

Or equivalently,

$$(2) \quad R = \frac{1}{1+(T/18.8)^2}$$

The DICE net output ratio can be viewed as combining two separate estimates: first, for low temperatures, William Nordhaus, the creator of DICE, estimates that damages are 1.8 percent of output at 2.5°C (Nordhaus 2007); second, at high temperatures, it is assumed by default that the quadratic relationship of damages to temperature in (1) or (2) continues to apply. Separate research addresses the low-temperature and high-temperature estimates, suggesting alternatives to each.

The DICE low-temperature damage estimate is based on an evaluation of several categories of climate damages at 2.5°C (Nordhaus 2008; Nordhaus and Boyer 2000). In a review and critique of the Nordhaus estimates as applied to the United States, Michael Hanemann develops alternative estimates for damages at 2.5°C, which are, in total, almost exactly four times the Nordhaus value (Hanemann 2008). If the same relationship applies worldwide, then a reasonable alternative at low temperatures is to keep the form of equation (1) or (2), but recalibrate damages to 7.1 percent of output at 2.5°C. This yields the equation:

$$(3) \quad R = \frac{1}{1+(T/9.1)^2}$$

Neither the Nordhaus nor the Hanemann 2.5°C estimate provides a basis for projecting damages at much higher temperatures.<sup>9</sup> It has become conventional to extrapolate the same quadratic relationship to higher temperatures, but there is no economic or scientific basis for that convention. The extrapolation implies that damages grow at a leisurely pace, especially in the Nordhaus version: from equations (2) and (3), it is easy to see that half of world output is not lost to climate damages until temperatures reach 18.8°C according to DICE, or 9.1°C in the Hanemann variant.

In a discussion of damage functions and catastrophic risks, Martin Weitzman argues that even if the Nordhaus estimate is appropriate for low-temperature damages, the increasingly ominous scientific evidence about climate risks implies much greater losses at higher temperatures (Weitzman 2010). He suggests that damages should be modeled at 50 percent of output at 6°C and 99 percent at 12°C as better representations of the current understanding of climate risks; the latter temperature can be taken as representing the end of modern economic life, if not human life in general. In support of this disastrous projection for 12°C of warming, Weitzman cites recent research showing that at that temperature, areas where half the world's population now

---

<sup>9</sup> Nordhaus presents some numerical estimates of damages at 6°C, suggesting they are between 8 percent and 11 percent of output (Nordhaus 2007); these estimates are not well documented, and do not appear to be used in the calibration of DICE.



lives would experience conditions, at least once a year, that human physiology cannot tolerate – resulting in death from heat stroke within a few hours (Sherwood and Huber 2010).

Weitzman creates a damage function that matches the DICE estimate at low temperatures, but rises to his suggested values at 6°C and 12°C. He modifies (2) by adding a higher power of  $T$  to the denominator:<sup>10</sup>

$$(4) \quad R = \frac{1}{1+(T/20.2)^2+(T/6.08)^{6.76}}$$

When  $T$  is small, the quadratic term in (4) is more important, providing a close match to the original DICE damage function; when  $T$  is large, the higher-power term is more important, allowing the damage function to match Weitzman’s values for higher temperatures.

The same method can be applied to the Hanemann low-temperature estimate in (3); calibrating to Hanemann’s value at 2.5°C, and Weitzman’s values at 6°C and 12°C, we obtain:

$$(5) \quad R = \frac{1}{1+(T/9.2)^2+(T/6.47)^{7.41}}$$


Equations (2), (3), (4), and (5) incorporate all combinations of two low-temperature alternatives (Nordhaus and Hanemann), and two high-temperature alternatives (Nordhaus and Weitzman). Using their initials, these can be labeled as the N-N, H-N, N-W, and H-W damages functions, respectively. They are displayed in Figure 3 (the graph presents damages as a share of GDP, i.e.  $1 - R$ ), with large dots indicating the points used for calibration. Below 3°C, the low-temperature alternatives are dominant, and the high-temperature alternatives make no visible difference; at 6°C and above, the high-temperature alternatives determine the shape of the damage function. In particular, the two damage functions with the Weitzman high-temperature assumption are nearly identical above 6°C.<sup>11</sup>

---

<sup>10</sup> This equation follows Weitzman’s method but differs slightly from his numerical estimates. He appears to have taken the DICE coefficient in (1) to be .00239 rather than .002839. Our equations (4) and (5) were fitted to minimize the sum of squared deviations from the Nordhaus and Hanemann damage estimates, respectively, at 2.5°C, and the Weitzman point estimates at 6°C and 12°C.

<sup>11</sup> A small anomaly is that between 6°C and 12°C the N-W damage function, despite its lower low-temperature damages, is slightly higher than H-W; the gap is greatest at 6.9°C, where N-W damages are 3.8 percent above H-W. This anomaly, which is an artifact of our curve-fitting procedure, may explain one aspect of the results presented below: under conditions where high-temperature damages are likely to be important, the SCC can be greater with the N-W than with the H-W damage function. See, in particular, the upper estimates in Figure 5.

**Figure 3: Damages as a share of GDP in four damage functions**



Source: Authors' calculations.

#### 4.3. Discount rates

The Working Group's analysis of the SCC is based on projected costs and benefits extending 300 years into the future, as is our reanalysis. Across such spans of time, the discount rate is crucial to the bottom-line evaluation: the lower the discount rate, the more important the outcomes in later years will be. It seems safe to say that there is ongoing controversy and a lack of consensus on the appropriate discount rate to use in climate economics.

The Working Group discusses the discount rate at length, justifying their choice of a fixed rate of 3 percent. This is one of the discount rates normally recommended for use in U.S. government policy analyses. In addition, it can be supported within either of the two frameworks used to determine the discount rate, the descriptive and prescriptive approaches (Arrow et al. 1996). The descriptive approach calls for use of an appropriate market interest rate; the Working Group estimates the real risk-free rate of return, after tax, at 2.7 percent. The prescriptive approach deduces the discount rate from first principles, as the sum of "pure time preference" (the discount rate that would apply if per capita consumption were constant) plus a multiple of the rate of growth of per capita consumption. The Working Group concludes that "arguments made under the prescriptive approach can be used to justify discount rates between roughly 1.4 and 3.1 percent" (Interagency Working Group 2010, p.23), and expresses skepticism about the lower end of that range.

Both descriptive and prescriptive arguments can be made for discount rates below 3 percent. The risk-free rate is often estimated to be lower than 2.7 percent.<sup>12</sup> In addition, if climate mitigation, like insurance, is most valuable in circumstances that reduce incomes, then the discount rate should be lower than the risk-free rate of return. Using the prescriptive approach, the Stern Review spells out in detail the arguments for a low discount rate, on grounds of intergenerational equity (Stern 2006). Stern's recommended formula for the discount rate is 0.1 percent plus the

<sup>12</sup> Since World War II, real returns have averaged 1.4 percent per year on Treasury bills and 1.1 percent on government bonds (DeLong and Magin 2009).

rate of growth of per capita consumption; this implies an average of 1.4 percent per year, in the Stern Review's model.

To explore the effect of discount rates on the SCC, we use two rates, 3 percent and 1.5 percent per year. Our lower rate is close to the Stern Review's rate; moreover, it is the average rate that would result from applying Stern's formula, 0.1 percent plus the rate of growth of per capita consumption, to the first 200 years of the Working Group's four business-as-usual scenarios.<sup>13</sup>

## 5. Results

The previous section identified two alternatives for each of four major factors influencing the SCC:

- Average versus 95<sup>th</sup> percentile climate sensitivity
- Nordhaus versus Hanemann damage estimates at low temperatures
- Nordhaus versus Weitzman damage estimates at high temperatures
- 3.0 versus 1.5-percent fixed discount rate


We calculated the SCC under each combination of these alternatives, making no other changes to the Working Group's version of DICE.<sup>14</sup> The results are shown in Figure 4 for 2010, and Figure 5 for 2050. Circles represent average climate sensitivity, and triangles 95<sup>th</sup> percentile; solid blue symbols represent 1.5-percent discount rates, and outlined orange symbols 3-percent. Results for the four damage functions are shown in four columns on the graphs, as marked.

---

<sup>13</sup> The EMF scenarios adopted by the Working Group are designed to have declining rates of growth in the second and third centuries. Using Stern's formula, or any version of the prescriptive approach, this should call for a time-varying, declining discount rate. We follow the Working Group's practice of using a fixed discount rate, for the sake of comparability with their results and minimization of changes to their version of the DICE model.

<sup>14</sup> Thanks to Steve Newbold for making the Working Group's modified version of DICE available for independent analysis. We used the Working Group's DICE code, written in MatLab, with no modifications other than those described in this article.


**Figure 4: Sixteen estimates of the social cost of carbon in 2010**



Source: Authors' calculations.

The SCC is generally higher for later years, since atmospheric concentrations of greenhouse gases, and temperatures, will be higher at that time – implying that the incremental damage from another ton of emissions will be greater as well. Thus it is not surprising that the SCC estimates for 2050 are much higher than the corresponding figures for 2010.

**Figure 5: Sixteen estimates of the social cost of carbon in 2050**



Source: Authors' calculations.

In both graphs, the N-N (original DICE) damage function leads to lower estimates than any of the alternatives. If either Hanemann is right about low-temperature damages, or Weitzman is right about high-temperature damages, then the SCC in 2050 is above \$200 at a 3 percent

discount rate, or above \$500 at 1.5 percent. The worst case, with H-W damages and 95<sup>th</sup> percentile climate sensitivity, is about four times higher than the N-N 95<sup>th</sup> percentile values, and seven to eight times higher than the N-N average values.

## **6. Abatement costs**

In a cost-benefit analysis of climate policy, the costs of doing nothing about climate change – i.e., the SCC – should be compared to the costs of doing something to mitigate it – i.e., the cost of reducing emissions. In several ambitious scenarios for drastic reduction in global emissions, the marginal cost per ton of abatement is lower than many of the SCC estimates presented above.

An inter-model comparison project, run by researchers at the Potsdam Institute for Climate Change Research (PIK) in Germany, compared scenarios from five models that stabilize carbon dioxide concentrations at 400 ppm by 2100.<sup>15</sup> Because carbon dioxide remains in the atmosphere for decades or centuries, and we are already at 390 ppm, these scenarios have to achieve negative net global emissions before 2100, through measures such as reforestation and biomass burning with carbon capture and sequestration (CCS). In general, the 400 ppm scenarios strain the limits of plausible rates of technological and socioeconomic change. Their carbon prices reach \$150-\$500 per ton of CO<sub>2</sub> by 2050, with an average of \$260 per ton.

A similar, though slightly more pessimistic, scenario from the International Energy Agency (IEA), stabilizes the atmosphere at 450 ppm of CO<sub>2</sub>. This scenario – IEA’s “BLUE Map” – again strains the limits of possible technical change, and is meant to represent the maximum feasible pace of abatement. The marginal abatement cost in 2050 is between \$175 and \$500 per ton of CO<sub>2</sub>, depending on the degree of technological optimism or pessimism in cost forecasts (IEA 2008; 2010).

A more optimistic variant on this theme, from McKinsey & Company, projects rapid abatement leading to eventual stabilization at 400 ppm CO<sub>2</sub>-equivalent; atmospheric concentration peaks at 480 ppm CO<sub>2</sub>-e in the 2060s before declining. McKinsey estimates the marginal abatement cost of this scenario at \$90-\$150 per ton of CO<sub>2</sub>-e in 2030 (McKinsey & Company 2009).

The British government assigns values to carbon emissions for use in long-term policy appraisals. Its estimates are based on marginal abatement costs under scenarios that are consistent with staying under 2°C of warming – which, in practice, is close to the maximum technically feasible pace of abatement. Their estimated carbon value for 2050 is £200 ± £100 per ton of CO<sub>2</sub>e (U.K. Department of Energy & Climate Change 2009). At August 2011 exchange rates, £100-£300 is equivalent to about \$165-\$495.

Comparing these abatement cost estimates to our SCC calculations, the 400 ppm model scenarios compared by PIK, the IEA BLUE Map, and the UK government carbon values all imply abatement costs of roughly \$150 to \$500 per ton by 2050 – the region shaded in gray in Figure 5. On any damage function except N-N, our SCC estimates for 2050 are within this range at a 3 percent discount rate, and well above it at a 1.5 percent discount rate. With the N-N damage function and a 1.5 percent discount rate, the SCC is also in the range of the abatement costs in the rapid abatement scenarios.

---

<sup>15</sup> See Edenhofer et al. (2010); Kitous et al. (2010); Magne et al. (2010); Leimbach et al. (2010); Barker and Scricciu (2010); and van Vuuren et al. (2010).

The McKinsey estimate of the marginal cost for rapid abatement, \$90-\$150 per ton in 2030, is a range that has already been reached or exceeded by most of our SCC estimates for 2010. Again, any damage function except N-N is in this range at 3 percent, and far above it at a 1.5 percent discount rate. With the N-N damage function and a 1.5 percent discount rate, the SCC in 2010 also exceeds the McKinsey estimate for 2030.

In short, if either low-temperature or high-temperature damages are worse than DICE assumes, then the SCC is roughly at the marginal abatement cost for a maximal abatement scenario at a 3 percent discount rate, or well above that level at a 1.5 percent discount rate. Even with the original DICE damage function, a 1.5 percent discount rate makes the SCC roughly equal to the marginal cost of a maximal abatement path.

## **7. Conclusions**

We began by reviewing the U.S. government's estimate of the SCC, developed for use in cost-benefit analysis of regulatory proposals. We have ended with alternate estimates that are not just minor revisions to the published figure of \$21 per ton, but are higher, in most cases, by more than an order of magnitude. These estimates appear to be well outside the bounds of realistic short-term policy options, in the United States or elsewhere. How should these ultra-high SCC values be interpreted?

The SCC represents the marginal cost of climate damages, or the cost of doing nothing about climate change. In a cost-benefit framework, it should be compared to the marginal cost of climate protection. In the previous section we compared our SCC estimates to the marginal abatement cost on several versions of a maximum feasible abatement scenario, which would lead to zero or negative net global emissions before the end of this century. In the federal Working Group's analysis, the SCC is well below the abatement cost for these scenarios. We found that if either climate damages are higher than DICE assumes, or the discount rate is closer to the Stern Review's level, then the SCC is roughly equal to the cost of maximum feasible abatement. If climate damages are higher than DICE assumes *and* a Stern Review discount rate is used, then the SCC is far above the cost of maximum feasible abatement.

Once the SCC is high enough to justify maximum feasible abatement in cost-benefit terms, then cost-benefit analysis becomes functionally equivalent to a precautionary approach to carbon emissions. All that remains for economic analysis of climate policy is to determine the cost-minimizing strategy for eliminating emissions as quickly as possible. This occurs because the marginal damages from emissions have become so large; the uncertainties explored in our analysis, regarding damages and climate sensitivity, imply that the marginal damage curve could turn nearly vertical at some point, representing a catastrophic or discontinuous change.

The factors driving this result are uncertainties, not known facts. We cannot know in advance how large climate damages, or climate sensitivity, will turn out to be. The argument is analogous to the case for buying insurance: it is the prudent choice, not because we are sure that catastrophe will occur, but because we cannot be sufficiently sure that it will not occur. By the time we know what climate sensitivity and high-temperature damages turn out to be, it will be much too late to do anything about it. The analysis here demonstrates that plausible values for key uncertainties imply catastrophically large values of the SCC.

This result can be generalized to other environmental issues: when there is a credible risk that the marginal damage curve for an externality turns vertical at some threshold (representing discontinuous, extremely large damages), then the shadow price of the externality, such as the SCC, can become so large that cost-benefit analysis turns into cost-effectiveness analysis of the least-cost strategy for staying safely below the threshold.

Our results offer a new way to make sense of the puzzling finding by Martin Weitzman: his “dismal theorem” establishes that under certain assumptions, the marginal benefit of emission reduction could literally be infinite (Weitzman 2009). The SCC, which measures the marginal benefit of emission reduction, is not an observable price in any actual market. Rather, it is a shadow price, deduced from an analysis of climate dynamics and economic impacts. Its only meaning is as a guide to welfare calculations; we can obtain a more accurate understanding of the welfare consequences of policy choices by incorporating that shadow price for emissions.

Once the shadow price is high enough so that maximum feasible abatement is a welfare improvement, there is no additional meaning to an even higher price. Doubling or tripling the SCC beyond that level would have exactly the same implications for market behavior and policy choices: it would still be optimal to eliminate emissions as rapidly as possible. In this sense, it bears some resemblance to infinity, which is unaffected by doubling or tripling.<sup>16</sup> Our highest SCC estimates are clearly not infinite – but they may be close enough to infinity for all practical purposes.

What’s left, finally, of the economic arguments for gradualism in climate policy, which seem to be endorsed by the Working Group’s \$21 SCC? To support this approach, given our results, one would have to endorse both the original DICE damage function and a discount rate of 3 percent or more. Either a higher damage estimate or a lower discount rate pushes the SCC up to roughly the level that justifies the maximum feasible pace of abatement of \$150-\$500 (lower in this range with average climate sensitivity, toward the top at the 95<sup>th</sup> percentile). At this level or above, cost-benefit analysis provides a result that is identical to a precautionary approach that supports immediate, large-scale action to reduce emissions and avoid dangerous levels of climate change.

---

<sup>16</sup> These SCC values bear an even closer resemblance to the concept of “machine infinity” in computer science, i.e. the largest number that a computer can represent. Doubling machine infinity cannot increase it (within that computer), but dividing by two decreases it. The same is true for the practical significance of an SCC estimate which is, for instance, 1.5 times the marginal cost of maximum feasible abatement.

## References

- Ackerman, F. and E.A. Stanton (2010). *The Social Cost of Carbon*. Report for the Economics for Equity and the Environment Network. Stockholm Environment Institute-U.S. Center, Somerville, MA, URL: <http://sei-us.org/publications/id/194>.
- Arrow, K.J., W.R. Cline, K.-G. Maler, M. Munasinghe, R. Squitieri, and J.E. Stiglitz (1996). Chapter 4 - Intertemporal Equity, Discounting, and Economic Efficiency. In *Climate Change 1995 - Economic and Social Dimensions of Climate Change. Contribution of Working Group III to the Second Assessment Report of the IPCC*, J.P. Bruce, H. Lee, and E.F. Haites, eds. IPCC and Cambridge University Press, New York. 125–44.
- Barker, T. and S. Scriciu (2010). Modeling Low Climate Stabilization with E3MG: Towards a ‘New Economics’ Approach to Simulating Energy-Environment-Economy System Dynamics. *Energy Journal* 31 (Special Issue 1), 137–64, URL: <http://www.iaee.org/en/publications/viewabstract.aspx?id=2371>.
- Davis, R.E. and B.K. Mignone (2011). The U.S. Government’s Social Cost of Carbon Estimates after their First Year: Pathways for Improvement. *Economics Discussion Papers*, No. 2011-16. Kiel Institute for the World Economy, URL: <http://www.economics-ejournal.org/economics/discussionpapers/2011-16>.
- DeLong, J.B. and K. Magin (2009). The U.S. Equity Return Premium: Past, Present, and Future. *Journal of Economic Perspectives* 23(1), 193–208. DOI:10.1257/jep.23.1.193.
- Edenhofer, O., B. Knopf, T. Barker et al. (2010). The Economics of Low Stabilization: Model Comparison of Mitigation Strategies and Costs. *Energy Journal* 31(Special Issue 1), 11–48. DOI:10.5547/ISSN0195-6574-EJ-Vol31-NoSI-2.
- Hanemann, W.M. (2008). *What is the Economic Cost of Climate Change?* eScholarship. University of California – Berkeley, URL: [http://repositories.cdlib.org/are\\_ucb/1071/](http://repositories.cdlib.org/are_ucb/1071/).
- Interagency Working Group on Social Cost of Carbon (2010). Social Cost of Carbon for Regulatory Impact Analysis Under Executive Order 12866. Final Rule Technical Support Document (TSD): Energy Efficiency Program for Commercial and Industrial Equipment: Small Electric Motors, Appendix 15A. U.S. Department of Energy, Washington, DC, URL: [http://www1.eere.energy.gov/buildings/appliance\\_standards/commercial/pdfs/smallmotors\\_tsd/em\\_finalrule\\_appendix15a.pdf](http://www1.eere.energy.gov/buildings/appliance_standards/commercial/pdfs/smallmotors_tsd/em_finalrule_appendix15a.pdf).
- Intergovernmental Panel on Climate Change (2007). *Climate Change 2007 – IPCC Fourth Assessment Report*. Cambridge University Press, Cambridge, UK.
- International Energy Agency (2010). *Energy Technology Perspectives 2010: Scenarios & Strategies to 2050*. Paris, URL: <http://www.iea.org/techno/etp/index.asp>.
- International Energy Agency (2008). *Energy Technology Perspectives 2008: Scenarios & Strategies to 2050*. Paris, URL: <http://www.iea.org/textbase/nppdf/free/2008/etp2008.pdf>.



Kitous, A., P. Criqui, E. Bellevrat, and B. Chateau (2010). Transformation Patterns of the Worldwide Energy System - Scenarios for the Century with the POLES Model. *Energy Journal* 31(Special Issue 1), 49–82, URL: <http://www.iaee.org/en/publications/viewabstract.aspx?id=2368>.

Kopp, R.E., A. Golub, N.O. Keohane, and C. Onda (2011). The Influence of the Specification of Climate Change Damages on the Social Cost of Carbon. *Economics Discussion Papers*, No. 2011-22. Kiel Institute for the World Economy, URL: <http://www.economics-ejournal.org/economics/discussionpapers/2011-22>.

Magne, B., S. Kypreos, and H. Turton (2010). Technology Options for Low Stabilization Pathways with MERGE. *Energy Journal* 31(Special Issue 1), 83–108, URL: <http://www.iaee.org/en/publications/viewabstract.aspx?id=2369>.

McKinsey & Company (2009). *Pathways to a Low-Carbon Economy: Version 2 of the Global Greenhouse Gas Abatement Cost Curve*, URL: [http://www.mckinsey.com/client-service/ccsi/pathways\\_low\\_carbon\\_economy.asp](http://www.mckinsey.com/client-service/ccsi/pathways_low_carbon_economy.asp).

Nordhaus, W.D. (2008). *A Question of Balance: Economic Modeling of Global Warming*. Yale University Press, New Haven, CT.

Nordhaus, W.D. (2007). *Accompanying Notes and Documentation on Development of DICE-2007 Model: Notes on DICE-2007.v8 of September 21, 2007*. Yale University, New Haven, CT.

Nordhaus, W.D. and J. Boyer (2000). *Warming the world: Economic models of global warming*. MIT Press, Cambridge, MA.

Roe, G.H. and M.B. Baker (2007). Why Is Climate Sensitivity So Unpredictable? *Science* 318(5850), 629–32. DOI:10.1126/science.1144735.

Sherwood, S.C. and M. Huber (2010). An adaptability limit to climate change due to heat stress. *Proceedings of the National Academy of Sciences of the United States of America* 107(21), 9552–55. DOI:10.1073/pnas.0913352107.

Stern, N. (2006). *The Economics of Climate Change: The Stern Review*. Cambridge University Press, Cambridge, UK, URL: [http://www.hm-treasury.gov.uk/stern\\_review\\_report.htm](http://www.hm-treasury.gov.uk/stern_review_report.htm).

U.K. Department of Energy & Climate Change (2009). *Carbon valuation in U.K. policy appraisal: A revised approach*. Climate Change Economics, DECC, London, URL: [http://www.decc.gov.uk/en/content/cms/what\\_we\\_do/lc\\_uk/valuation/valuation.aspx](http://www.decc.gov.uk/en/content/cms/what_we_do/lc_uk/valuation/valuation.aspx).

van Vuuren, D.P., M. Isaac, M.G.J. den Elzen, E. Stehfest, and J. van Vliet (2010). Low Stabilization Scenarios and Implications for Major World Regions from an Integrated Assessment Perspective. *Energy Journal* 31(Special Issue 1), 165–92, URL: <http://www.iaee.org/en/publications/viewabstract.aspx?id=2372>.

van Vuuren, D.P., J. Lowe, E. Stehfest, et al. (2011). How well do integrated assessment models simulate climate change? *Climatic Change* 104(2), 255–85. DOI:10.1007/s10584-009-9764-2.

Weitzman, M.L. (2010). *GHG Targets as Insurance Against Catastrophic Climate Damages*. NBER Working Paper No. 16136. National Bureau of Economic Research, Cambridge, MA, URL: <http://www.nber.org/papers/w16136>.

Weitzman, M.L. (2009). On Modeling and Interpreting the Economics of Catastrophic Climate Change. *The Review of Economics and Statistics* 91(1), 1–19. DOI:10.1162/rest.91.1.1.

Please note:

You are most sincerely encouraged to participate in the open assessment of this discussion paper. You can do so by either recommending the paper or by posting your comments.

Please go to:

<http://www.economics-ejournal.org/economics/discussionpapers/2011-40>

The Editor